

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.50	(0.20)	21,170	10.46	SE-ED	-	-	-	-
POMPUI	-	-	-	-	ILINK	4.50	0.02	710	4.50	SMM	0.99	(0.01)	3,201	1.00
SAFARI	-	-	-	-	INET	3.70	0.02	731	3.66	SPORT	0.21	-	1,270	0.20
VI	-	-	-	-	INTUCH	53.50	0.50	85,973	53.60	TBSP	13.50	0.10	22	13.50
WORLD	-	-	-	-	JAS	5.20	0.05	109,408	5.18	TH	0.94	-	45,993	0.94
WR	-	-	-	-	JASIF	10.30	0.10	8,980	10.29	TKS	10.50	(0.20)	6,528	10.59
Agribusiness					JMART	5.20	-	25,276	5.18	TRITN	0.43	-	347,822	0.43
CHOTI	140.00	-	4	140.00	JTS	1.48	(0.02)	441	1.50	VGI	7.55	-	16,117	7.57
EE	0.63	-	8,107	0.63	MFEC	3.28	0.04	1,104	3.26	WAVE	-	-	-	-
GFPT	14.30	-	13,097	14.30	MSC	6.95	0.05	3,665	6.89	WORK	33.00	1.50	40,726	32.14
LEE	2.68	0.04	500	2.66	PT	6.55	-	283	6.55	Finance & Securities				
PPPM	5.15	0.10	1,766	5.13	SAMART	7.45	0.30	32,680	7.36	AEC	0.50	0.01	128	0.48
STA	18.70	0.80	383,088	18.34	SAMTEL	8.00	-	896	8.00	AEONTS	195.50	0.50	2,371	196.14
TRUBB	1.76	0.03	1,134	1.75	SDC	9.42	0.02	62,313	0.41	AMANAH	1.78	(0.03)	28,636	1.80
TWPC	8.40	(0.05)	136	8.41	SIS	0.00	-	500	8.98	ASAP	5.95	(0.10)	4,678	6.01
UPOIC	-	-	-	-	SVOA	1.28	-	3,672	1.28	ASK	23.30	(0.10)	324	23.35
UVAN	6.70	(0.05)	380	6.73	SYMC	5.35	0.05	6	5.34	ASP	3.66	(0.08)	112,096	3.65
VPO	0.63	0.01	140	0.63	SYNEX	14.50	(0.30)	19,009	14.79	BFIT	27.00	0.50	1,073	26.77
Banking					THCOM	8.40	(0.15)	18,585	8.49	CGH	0.98	(0.06)	4,162	0.98
BAY	40.25	-	1,448	40.45	TRUE	5.95	0.05	1,013,419	5.99	CNS	2.48	0.02	1,440	2.47
BBL	212.00	5.00	49,256	210.33	TWZ	0.11	(0.01)	15,526	0.12	ECL	1.90	(0.01)	11,609	1.92
CIMBT	0.84	(0.01)	492	0.84	Electronic Componer					FNS	4.10	-	4,005	4.09
KBANK	203.00	3.50	80,804	201.11	CCET	1.93	(0.01)	2,750	1.94	FSS	2.14	(0.06)	1,561	2.15
KKP	71.00	(0.25)	15,702	71.08	DELTA	69.25	0.25	9,649	69.10	GBX	0.61	(0.01)	569	0.61
KTB	20.20	0.10	185,736	20.17	EIC	0.05	-	10,763	0.05	GL	6.95	-	4,120	6.95
LHFG	1.51	0.01	37,153	1.51	HANA	37.00	0.75	37,467	36.81	IFS	2.96	-	1,297	2.96
SCB	138.00	0.50	64,843	137.77	KCE	36.75	(0.50)	40,957	37.41	JMT	10.30	-	2,273	10.28
TCAP	52.50	(0.25)	18,574	52.48	METCO	-	-	-	-	KCAR	11.80	(0.10)	170	11.82
TISCO	78.25	(0.50)	24,732	78.34	SMT	2.24	-	1,299	2.24	KGI	4.42	0.02	11,050	4.40
TMB	2.32	0.04	1,886,002	2.31	SPPT	4.08	(0.10)	6,459	4.10	KTC	34.75	-	115,362	35.11
Construction Materia					SVI	5.65	0.05	43,933	5.60	MBKET	12.00	(0.20)	3,203	12.02
CCP	0.41	-	46,667	0.40	TEAM	1.07	(0.04)	58,068	1.12	MFC	16.30	0.10	12	16.27
COTTO	2.64	-	6,488	2.66	Energy & Utilities					ML	1.02	-	12	1.01
DCC	2.30	-	21,040	2.28	ABPIF	8.30	-	441	8.34	MTC	51.25	(1.00)	92,485	51.46
DCON	0.54	-	17,702	0.53	AI	-	-	-	-	PE	0.26	-	72	0.24
DRT	5.60	(0.05)	190	5.62	AKR	0.94	(0.02)	33,066	0.94	PL	3.46	0.02	1,128	3.47
EPG	7.75	0.05	64,494	7.81	BAFS	33.25	-	813	33.11	S11	7.50	(0.05)	189	7.52
GEL	0.33	-	89,652	0.32	BANPU	17.50	0.10	246,279	17.52	SAWAD	44.00	(0.50)	44,286	44.29
PPP	-	-	-	-	BCP	33.00	-	11,763	33.00	THANI	8.95	0.10	83,893	8.93
Q-CON	5.30	(0.10)	70	5.29	BCPG	18.40	(0.30)	115,292	18.51	TK	10.60	(0.10)	1,008	10.55
RCI	3.98	(0.02)	6,335	3.98	BGRIM	27.75	(0.25)	22,409	27.78	TNITY	5.90	-	42	5.90
SCC	416.00	(2.00)	16,858	414.66	BPP	23.70	(0.20)	6,204	23.81	UOBKH	3.96	-	403	3.89
SCCC	240.00	-	1,212	240.17	BRRGIF	10.00	0.05	404	9.95	ZMICO	1.08	-	2,618	1.07
SCP	8.80	(0.05)	2,270	8.83	CKP	5.00	-	503,922	5.03	Food & Beverage				
SKN	4.88	(0.08)	8,560	4.92	DEMCO	3.70	0.02	1,686	3.70	APURE	1.30	-	1,726	1.31
TASCO	14.60	-	19,428	14.63	EA	49.75	0.25	177,726	49.62	ASIAN	7.80	0.50	126,670	7.70
TCMC	2.44	-	2,829	2.44	EARTH	-	-	-	-	BR	4.80	(0.08)	23,717	4.83
TOA	33.75	-	5,590	33.90	EASTW	11.10	-	4,155	11.01	BRR	6.75	(0.05)	1,130	6.75
TPIPL	1.80	-	44,320	1.80	EGATIF	11.50	0.10	86,513	11.41	CBG	45.25	-	18,107	45.58
UMI	1.27	0.03	10,225	1.26	EGCO	232.00	1.00	5,781	231.95	CFRESH	4.44	0.02	124	4.44
VNG	7.00	(0.05)	826	7.02	ESSO	15.40	0.90	141,510	15.07	CM	4.12	0.02	73	4.12
WIHK	2.18	(0.02)	1,113	2.21	GLOW	84.50	0.75	9,486	84.36	CPF	25.00	(0.25)	131,121	25.21
Petrochemicals & Ch					GPSC	57.00	(0.75)	27,622	57.10	CPI	1.69	0.01	187	1.67
BCT	53.50	0.25	15	52.98	GULF	77.75	(0.25)	48,459	77.78	F&D	-	-	-	-
CMAN	3.04	(0.04)	2,124	3.06	GUNKUL	3.12	0.02	166,254	3.14	HTC	16.00	-	352	15.94
GC	5.10	-	219	5.07	IEC	-	-	-	-	ICHI	4.00	0.02	4,709	4.01
GGC	11.00	0.20	17,495	10.96	IFEC	-	-	-	-	KBS	4.24	(0.02)	153	4.24
GIFT	4.28	(0.06)	3,507	4.30	IRPC	6.05	(0.05)	610,926	6.07	KSL	3.36	0.04	10,434	3.35
IVL	54.00	(0.25)	150,192	54.18	LANNA	14.20	(0.10)	428	14.21	KTIS	5.65	-	1,303	5.62
NFC	11.20	(0.10)	27	11.22	MDX	4.26	-	652	4.26	LST	4.58	0.06	264	4.55
PATO	14.40	-	27	14.45	PTG	10.30	(0.20)	153,092	10.37	M	67.75	0.50	3,359	67.88
PMTA	13.70	(0.10)	19	13.59	PTT	49.50	(1.50)	1,019,867	49.96	MALEE	12.80	(0.10)	4,034	12.94
PTTGC	76.75	(0.50)	164,971	77.36	PTTEP	138.00	(1.50)	93,799	138.30	MINT	36.25	(0.25)	166,726	36.35
SUTHA	3.90	-	100	3.90	RATCH	49.50	0.50	11,320	49.23	OISHI	86.25	(1.75)	18	86.82
TCCC	35.25	0.25	41	35.25	RPC	0.49	-	2,562	0.50	OSP	25.75	-	184,280	25.73
TPA	6.80	0.05	31	6.73	SCG	4.56	0.02	31	4.56	PB	60.75	-	226	60.76
UP	-	-	-	-	SCI	3.00	0.02	1,352	3.00	PM	9.00	0.10	3,295	8.98
VNT	24.20	1.90	48,407	23.36	SCN	4.90	0.08	35,966	4.87	PRG	13.50	0.20	93	11.90
WG	159.00	(3.00)	1	159.00	SGP	10.80	0.20	64,929	10.78	SAPPE	21.40	0.10	3,206	21.35
YCI	-	-	-	-	SKE	1.22	-	15,792	1.23	SAUCE	21.90	(0.20)	10	21.99
Commerce					SOLAR	2.64	(0.06)	10,276	2.67	SFP	190.00	(0.50)	1	190.00
BEAUTY	10.30	0.30	1,978,463	10.37	SPCG	20.30	0.10	7,631	20.27	SNP	20.50	0.10	30	20.42
BIG	1.76	0.02	59,941	1.76	SPRC	14.20	0.10	116,082	14.09	SORKON	-	-	-	-
BJC	55.25	(0.50)	47,802	55.65	SUPER	0.72	0.02	2,101,944	0.72	SSC	39.00	(0.25)	9	39.00
COL	24.20	0.20	1,913	24.25	SUSCO	2.94	-	2,755	2.95	SSF	-	-	-	-
COM7	20.80	0.10	65,739	21.00	TAE	2.14	0.02	1,921	2.14	SST	5.85	(0.05)	5	5.85
CPALL	68.00	0.75	406,427	67.69	TCC	0.80	(0.33)	1,953,059	0.90	TC	-	-	-	-
CSS	2.02	(0.02)	15,205	2.04	TOP	84.25	(0.50)	54,676	83.87	TFG	3.94	0.04	4,655	3.94
FN	2.40	(0.02)	1,717	2.40	TRIPP	6.10	0.10	219,295	6.06	TFMAMA	158.50	(1.00)	131	158.63
FTE	2.24	-	1,646	2.23	TTW	12.30	-	55,588	12.37	TIPCO	9.00	-	1,015	9.03
GLOBAL	18.80	0.10	46,653	18.76	WHAUP	5.95	-	51,835	6.02	TKN	12.80	(0.10)	139,969	12.86
HMPRO	14.70	(0.20)	193,359	14.66	WP	6.65	(0.15)	6,211	6.71	TU	16.80	0.20	47,333	16.73
IT	3.94	0.08	110	3.94	Media & Publishing					TVO	29.00	0.75	7,508	28.80
KAMART	4.24	0.02	6,349	4.30	AMARIN	4.60	-	397	4.57	Health Care Services				
LOXLEY	2.06	-	6,967	2.06	AQUA	0.45	(0.01)	139,407	0.45	AHC	20.80	-	20	20.80
MAKRO	32.75	(0.25)	2,053	32.57	AS	1.15	-	300	1.15	BCH	19.40	(0.10)	41,238	19.47
MC	12.20	0.10	2,861	12.14	BEC	6.10	-	41,000	6.12	BDMS	24.80	0.30	453,984	24.69
MEGA	36.75	(0.75)	3,434	36.81	EPCO	3.46	0.04	6,928	3.45	BH	194.00	1.00	24,099	194.59
MIDA	0.59	(0.01)	641	0.59	FE	-	-	-	-	CHG	2.60	0.06	210,466	2.56
ROBINS	64.50	(0.75)	16,775	65.40	GPI	2.48	0.04	2,727	2.45	CMR	2.90	-	524	2.90
RSP	4.04	0.06	2,905	4.03	GRAMMY	7.80	0.10	377	7.70	EKH	6.05	0.05	9,267	6.01
SINGER	9.05	-	313	9.00	MACO	1.63	0.03	95,683	1.62	KDH	95.25	(1.25)	11	95.25
SPC	51.50	-	89	51.50	MAJOR	23.10	(0.50)	18,600	23.26	LPH	6.00	-	2,330	5.94
SPI	66.75	0.25	16	66.75										

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIBHA	2.26	-	15,015	2.26	LH	10.40	0.10	490,849	10.42	YNP	-	-	-	-
VIH	7.40	(0.05)	1,639	7.37	LPN	9.35	-	45,136	9.38	Industrial Materials	-	-	-	-
WPH	2.74	-	486	2.76	MBK	24.30	(0.10)	2,952	24.33	ALLA	1.52	-	7,224	1.54
Tourism & Leisure	-	-	-	-	MJD	3.60	(0.12)	8,436	3.63	ASEFA	4.86	-	908	4.87
ASIA	-	-	-	-	MK	3.96	-	5,889	3.96	CPT	1.08	0.05	212,877	1.07
CENTEL	41.00	0.75	54,649	40.92	NCH	0.93	(0.02)	516	0.93	CRANE	2.66	-	212	2.64
CSR	-	-	-	-	NNCL	1.84	0.03	11,728	1.83	CTW	9.20	0.05	311	9.22
DTC	11.30	0.10	1,664	11.25	NOBLE	13.60	0.20	1,389	13.65	FMT	24.50	(0.40)	17	24.16
ERW	7.40	0.10	35,947	7.41	NUSA	0.32	-	23,372	0.32	HTECH	6.65	(0.15)	6,975	6.72
GRAND	0.97	(0.02)	10,794	0.98	NVD	3.74	(0.04)	104	3.75	KKC	1.60	(0.01)	1,398	1.57
LRH	38.75	0.25	202	39.06	ORI	9.00	(0.20)	340,251	9.06	PK	2.86	(0.02)	880	2.87
MANRIN	-	-	-	-	PACE	0.54	0.01	74,421	0.54	SNC	14.10	-	369	14.01
OHTL	780.00	-	1	780.00	PF	0.99	(0.01)	149,101	1.00	TCJ	5.55	-	79	5.55
ROH	-	-	-	-	PLAT	7.90	-	6,736	7.86	VARO	6.10	(0.70)	32	6.16
SHANG	75.00	(0.25)	6	74.58	POLAR	-	-	-	-	Property Fund & REI	-	-	-	-
Home & Office Prod.	-	-	-	-	PRECHA	1.69	(0.02)	444	1.69	AIMIRT	10.90	0.20	442	10.80
ACC	0.50	(0.01)	386	0.50	PRIN	1.62	-	5,046	1.61	AMATAR	10.80	-	405	10.80
AJA	0.37	-	20,841	0.37	PRINC	4.88	(0.02)	1,961	4.89	B-WORK	11.40	0.10	405	11.30
DTCI	-	-	-	-	PSH	20.20	-	19,523	20.36	BKKCP	12.50	0.20	83	12.49
FANCY	0.92	(0.04)	27,923	0.93	QH	3.12	(0.02)	516,998	3.15	BOFFICE	13.30	0.10	2	13.30
KYE	418.00	4.00	51	416.47	RICHY	1.82	-	21,403	1.81	CPNCG	16.10	-	150	16.10
L&E	2.64	-	1,475	2.64	RML	1.34	(0.05)	76,712	1.36	CPNREIT	26.25	-	6,085	26.48
MODERN	4.20	0.02	418	4.19	ROJNA	5.40	-	14,098	5.42	CPTGF	13.50	0.10	7	13.50
OGC	37.50	(0.50)	10	37.50	S	3.18	0.04	178,031	3.20	CRYSTAL	-	-	-	-
ROCK	-	-	-	-	SAMCO	2.04	(0.02)	508	2.04	CTARAF	4.82	0.02	36	4.75
SIAM	2.00	(0.08)	1,410	2.01	SC	3.44	0.04	4,825	3.42	DREIT	5.35	0.05	3	5.32
TSR	2.06	0.02	666	2.06	SENA	3.68	0.06	4,559	3.68	ERWPF	5.50	(0.05)	115	5.50
Insurance	-	-	-	-	SF	7.65	(0.05)	40,211	7.72	FUTUREPF	22.50	-	203	22.50
AYUD	44.25	-	551	44.16	SIRI	1.56	(0.01)	152,948	1.57	GAHREIT	9.70	-	12	9.70
BKI	348.00	(3.00)	5	348.00	SPALI	22.50	0.60	71,580	22.25	GLANDRT	12.90	(0.10)	261	12.95
BLA	31.25	(0.50)	12,372	31.43	TICON	15.80	-	428	15.79	GOLDFP	-	-	-	-
BUI	-	-	-	-	U	0.03	-	1,212,822	0.03	GVREIT	14.80	0.10	127	14.70
CHARAN	-	-	-	-	UV	7.35	-	50,981	7.37	HPF	-	-	-	-
INSURE	-	-	-	-	WHA	4.22	0.10	1,511,732	4.18	HREIT	6.65	0.05	1,050	6.70
MTI	99.50	(0.50)	10	99.83	WIN	0.64	0.01	1,959	0.64	IMPACT	19.00	0.10	1,038	18.89
NKI	52.50	(0.50)	1	52.50	Paper & Printing Mat	-	-	-	-	KNPWF	9.25	-	100	9.25
NSI	-	-	-	-	UTP	10.90	0.10	1,841	10.77	LHHOTEL	16.20	0.10	362	16.17
SMK	-	-	-	-	Fashion	-	-	-	-	LHPF	8.35	0.05	209	8.30
THRE	1.00	(0.01)	11,245	1.01	AFC	9.55	0.50	5	9.51	LHSC	16.20	-	417	16.26
THREL	7.45	(0.05)	5,080	7.44	BTNC	-	-	-	-	LUXF	8.55	0.10	16	8.55
TIC	34.50	-	37	34.59	CPH	-	-	-	-	M-II	-	-	-	-
TIP	23.50	0.10	1,105	23.51	CPL	3.18	0.06	105	3.14	M-PAT	9.90	-	5	9.90
TSI	0.39	-	1,087	0.39	DIGI	0.23	-	4,526	0.22	M-STOR	-	-	-	-
TVI	3.60	0.10	122	3.50	ICC	39.25	(0.25)	6	39.46	MIPF	-	-	-	-
Mining	-	-	-	-	LTX	94.00	1.50	9	92.94	MIT	-	-	-	-
PDI	13.00	-	1,105	13.06	NC	-	-	-	-	MJLF	12.50	-	7	12.50
THL	-	-	-	-	PAF	1.00	(0.03)	11,339	1.01	MNIT	1.51	(0.07)	50	1.53
Packaging	-	-	-	-	PDJ	2.50	-	889	2.52	MNIT2	-	-	-	-
AJ	9.70	0.05	280	9.65	PG	-	-	-	-	MNRF	-	-	-	-
ALUCON	170.00	(5.00)	14	171.14	SABINA	31.75	-	3,888	31.46	MONTRI	-	-	-	-
BGC	13.10	0.10	427,183	13.00	SAWANG	13.20	-	26	13.20	POPF	13.90	0.10	822	13.89
CSC	45.00	1.00	40	44.94	SUC	45.75	0.50	482	45.59	PPF	11.20	-	173	11.20
NEP	0.33	-	1,086	0.32	TNL	-	-	-	-	QHHR	8.50	0.05	1,412	8.45
NPPG	1.13	(0.04)	253,596	1.15	TPCORP	14.70	(0.10)	2	14.70	QHOP	3.44	0.02	2	3.44
PTL	15.10	0.10	4,296	14.92	TR	45.75	-	36	45.82	QHPF	13.50	0.10	1,855	13.37
SITHAI	1.20	-	2,401	1.19	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.89	(0.02)	1,615	0.89	TTL	-	-	-	-	SHREIT	9.70	0.10	3,462	9.70
SMPC	13.50	(0.10)	327	13.56	TTTM	156.50	(2.50)	6	156.50	SIRIP	-	-	-	-
SPACK	2.00	(0.02)	995	2.01	UPF	67.00	-	1	67.00	SPF	23.70	0.20	170	23.64
TCOAT	-	-	-	-	UT	-	-	-	-	SRIPANWA	-	-	-	-
TFI	-	-	-	-	WACOAL	44.50	(1.00)	1	44.50	SSPF	9.90	0.10	785	9.71
THIP	32.50	-	28	32.90	Transportation & Log	-	-	-	-	SSTPF	6.50	0.15	7	6.50
TMD	21.00	-	30	20.80	AAV	4.00	-	140,776	4.00	SSTRT	6.25	0.05	2	6.25
TOPP	-	-	-	-	AOT	63.75	(0.25)	262,932	63.90	TIF1	8.80	(0.15)	193	8.83
TPBI	8.10	0.05	285	8.11	ASIMAR	2.46	0.04	723	2.46	TLGF	19.30	0.20	4,769	19.14
TPP	-	-	-	-	B	0.58	(0.01)	3,942	0.58	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BA	11.80	0.10	6,198	11.79	TNPF	-	-	-	-
APCO	4.46	0.02	298	4.44	BEM	8.60	0.10	619,222	8.55	TPRIME	-	-	-	-
DDD	31.00	3.25	113,973	30.58	BTS	9.15	-	103,593	9.15	TREIT	11.90	0.20	4,384	11.86
JCT	88.00	(0.50)	5	88.00	BTSIGIF	12.00	-	1,989	11.99	TTLPF	23.00	-	10	23.00
OCC	-	-	-	-	III	6.40	-	1,508	6.41	TU-PF	-	-	-	-
S & J	-	-	-	-	JUTHA	1.70	0.01	180	1.69	URBNPF	3.58	(0.12)	121	3.75
STHAI	-	-	-	-	JWD	7.35	-	11,058	7.40	WHABT	-	-	-	-
TNR	13.10	0.30	277	13.11	KWC	-	-	-	-	WHART	11.00	(0.20)	2,851	11.01
TOG	4.64	0.04	1,409	4.58	NOK	2.66	-	458	2.66	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.20	0.05	6,032	5.15	AMC	2.16	-	539	2.12
BWG	1.21	-	240,804	1.20	PRM	7.60	0.30	44,835	7.56	BSBM	1.08	0.01	470	1.09
GENCO	0.82	0.02	99,049	0.82	PSL	10.90	(0.60)	108,539	11.15	CEN	1.15	(0.03)	2,267	1.15
PRO	-	-	-	-	RCL	5.40	(0.10)	4,550	5.43	CITY	2.70	-	145	2.70
TEAMG	2.40	0.04	73,719	2.40	TFFIF	10.30	-	367,348	10.30	CSP	1.32	0.01	67	1.32
Property Developme	-	-	-	-	THAI	13.70	0.70	120,977	13.55	GJS	0.25	-	31,933	0.25
A	6.70	-	252	6.70	TSTE	-	-	-	-	GSTEL	-	-	-	-
AMATA	24.00	(0.10)	182,332	23.98	TTA	6.65	(0.05)	9,228	6.69	INOX	1.09	-	173	1.10
AMATAV	5.95	(0.05)	440	6.01	WICE	4.32	(0.06)	8,895	4.36	LHK	5.00	-	2,971	5.00
ANAN	4.56	(0.06)	164,915	4.65	Automotive	-	-	-	-	MAX	0.02	-	713,219	0.02
AP	8.35	0.15	96,067	8.29	AH	24.20	(0.60)	8,705	24.63	MCS	7.05	0.05	6,758	7.01
APEX	0.20	-	14,391	0.20	APCS	5.10	(0.05)	916	5.08	MILL	1.77	(0.02)	30,676	1.76
AQ	0.03													

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TPCH	10.50	-	3,808	10.00	ADVA01P1902A	0.62	(0.02)	24,417	-
ABICO	6.80	(0.05)	232	6.00	TRT	2.32	-	5	2.00	ADVA01P1902B	0.41	(0.03)	71,961	-
AU	7.30	(0.05)	22,318	7.00	TSE	2.66	0.02	6,197	2.00	ADVA06C1903A	0.34	0.02	9,270	-
FC	0.29	-	2,268	-	UMS	0.79	-	5	-	ADVA08C1903A	0.21	0.03	11,143	-
JCKH	0.96	-	656	-	UWC	0.07	0.01	125,686	-	ADVA11C1905A	0.16	0.01	11,300	-
KASET	2.06	-	94	2.00	Services (MAI)	-	-	-	-	ADVA11P1905A	0.24	(0.02)	4,229	-
MM	3.90	-	282	3.00	ADAM	-	-	-	-	ADVA13C1811A	0.13	0.01	63,575	-
SUN	3.10	(0.02)	5,907	3.00	AKP	1.64	-	381	1.00	ADVA13C1901A	0.18	-	22,714	-
TACC	3.58	0.06	6,873	3.00	AMA	5.05	(0.05)	557	5.00	ADVA13C1904A	0.67	(0.33)	101,786	-
TMILL	3.14	-	1,510	3.00	ARIP	0.54	(0.01)	8,385	-	ADVA16C1812A	-	-	-	-
XO	10.70	-	5,502	10.00	ATP30	1.68	0.03	9,748	1.00	ADVA19C1901A	0.37	0.01	27,295	-
Consumer Products	-	-	-	-	AUCT	6.15	0.10	3,650	6.00	ADVA23C1902A	0.23	0.02	17,988	-
BGT	1.04	(0.02)	812	1.00	BOL	1.93	-	372	1.00	ADVA24C1810A	-	-	-	-
BIZ	2.60	(0.02)	44	2.00	CHUO	-	-	-	-	ADVA24C1904A	0.42	0.01	3,382	-
DOD	14.00	(0.40)	80,095	14.00	CMO	1.51	-	415	1.00	ADVA24C1905A	0.21	0.02	2	-
ECF	6.30	0.25	45,238	6.00	D	10.70	0.30	5,961	10.00	ADVA24P1810A	-	-	-	-
HPT	1.09	0.02	15,210	1.00	DCORP	2.74	-	991	2.00	ADVA24P1908A	0.69	(0.01)	2,043	-
JUBILE	16.90	(0.10)	365	17.00	DNA	0.56	-	97,376	-	ADVA27C1902A	0.18	0.02	2,400	-
MOONG	6.50	-	847	6.00	EFORL	0.07	-	19,683	-	ADVA28C1811A	0.06	0.02	10,312	-
NPK	-	-	-	-	ETE	1.61	(0.01)	6,943	1.00	ADVA28C1901A	0.09	0.01	8,344	-
OCEAN	5.45	0.35	133,842	5.00	FSMART	7.60	(0.10)	3,428	7.00	ADVA42C1903A	0.19	0.02	6,120	-
TM	2.14	0.12	1,647	2.00	FVC	1.00	(0.02)	9,612	1.00	AMAT01C1810A	-	-	-	-
Financials (MAI)	-	-	-	-	HARN	2.56	(0.04)	587	2.00	AMAT01C1810B	-	-	-	-
ACAP	5.90	-	7,416	5.00	JKN	11.80	0.40	41,525	11.00	AMAT01C1903A	0.87	(0.03)	107,653	-
AF	0.73	(0.01)	1,543	-	KIAT	0.47	(0.01)	14,099	-	AMAT01C1903B	0.70	(0.03)	193,993	-
AIRA	1.79	(0.21)	9,135	1.00	KOOL	1.55	0.05	8,961	1.00	AMAT01P1810A	-	-	-	-
ASN	3.60	(0.02)	555	3.00	LDC	1.08	0.01	360	1.00	AMAT01P1903A	0.58	-	89,834	-
BROOK	0.53	-	8,450	-	MPG	0.14	(0.01)	2,173	-	AMAT06C1903A	0.76	(0.02)	11,590	-
CHAYO	5.15	0.05	20,202	5.00	MVP	2.74	0.10	21,913	2.00	AMAT08C1903A	0.72	(0.02)	13,730	-
GCAP	2.82	0.04	13,674	2.00	NBC	-	-	-	-	AMAT11C1903A	0.46	(0.02)	37,469	-
LIT	7.80	(0.05)	305	7.00	NCL	1.49	(0.01)	4,768	1.00	AMAT13C1812A	0.65	(0.02)	1,827	-
SGF	1.61	(0.01)	320,331	1.00	NEWS	0.01	-	43,364	-	AMAT13C1902A	0.42	(0.01)	936,292	-
Industrials (MAI)	-	-	-	-	NINE	1.95	(0.01)	21,234	1.00	AMAT19C1811A	0.14	(0.02)	34,566	-
2S	3.12	(0.04)	300	3.00	OTO	2.96	-	474	3.00	AMAT19C1902A	0.81	(0.02)	26,455	-
ADB	1.06	0.02	1,678	1.00	PHOL	1.97	(0.02)	4,408	1.00	AMAT23C1810A	-	-	-	-
BM	3.08	(0.04)	514	3.00	PICO	4.36	-	42	4.00	AMAT24C1811A	0.20	-	54,300	-
CHO	1.16	-	6,619	1.00	PORT	6.65	(0.10)	728	6.00	AMAT27C1902A	0.96	(0.02)	9,000	-
CHOW	4.48	(0.02)	155	4.00	QLT	4.60	0.04	122	4.00	AMAT28C1902A	0.56	(0.03)	103,536	-
CIG	0.38	(0.01)	7,159	-	RP	3.04	0.02	92	3.00	AMAT28C1903A	0.14	(0.01)	60,831	-
COLOR	1.36	(0.04)	24,863	1.00	SE	2.06	-	21	2.00	ANAN01C1810A	-	-	-	-
CPR	5.20	(0.05)	1,134	5.00	SONIC	1.63	-	98,804	1.00	ANAN01C1810B	-	-	-	-
FPI	1.98	-	839	1.00	SPA	13.40	0.10	881	13.00	ANAN08C1810A	-	-	-	-
GTB	0.64	0.02	869	-	THMUJ	1.55	-	2,784	1.00	ANAN08C1906A	0.16	(0.01)	30,358	-
KCM	1.08	-	7,996	1.00	TNDT	5.20	-	422	5.00	ANAN13C1901A	0.09	-	45,027	-
KWM	1.17	0.02	14,816	1.00	TNH	40.00	0.25	340	40.00	ANAN19C1811A	0.11	-	70,364	-
LVT	-	-	-	-	TNP	1.71	(0.05)	9,904	1.00	ANAN23C1901A	0.08	-	40,068	-
MBAX	4.04	-	489	4.00	TSF	0.04	0.01	42,508	-	ANAN24C1811A	0.23	(0.03)	38,421	-
MGT	2.14	-	22	2.00	TVD	1.52	(0.02)	2,353	1.00	AOT01C1810A	-	-	-	-
NDR	-	-	-	-	TVT	0.98	0.01	421	-	AOT01C1902A	0.41	-	263,233	-
PDG	3.52	(0.02)	30	3.00	WINNER	3.14	(0.02)	643	3.00	AOT01C1902B	0.20	(0.01)	235,082	-
PIMO	4.54	(0.04)	25,438	4.00	Technology (MAI)	-	-	-	-	AOT01C1904A	0.40	-	153,411	-
PJW	1.68	-	165	1.00	COMAN	4.14	0.04	3,883	4.00	AOT01C1904B	0.29	-	209,236	-
PPM	1.79	0.02	1,156	1.00	ICN	2.14	0.15	32,483	2.00	AOT01P1902A	0.86	-	67,948	-
RWI	1.57	(0.06)	1,981	1.00	IRCP	0.83	(0.02)	3,733	-	AOT01P1902B	0.45	(0.01)	160,167	-
SALEE	1.08	0.02	3,325	1.00	ITEL	3.22	(0.02)	3,831	3.00	AOT01P1904A	0.86	(0.01)	106,682	-
SANKO	1.25	0.01	2,072	1.00	NETBAY	31.50	(0.50)	367	31.00	AOT01P1904B	0.66	(0.02)	181,594	-
SELIC	2.42	0.10	10,161	2.00	PLANET	1.57	0.07	87	1.00	AOT06C1903A	0.29	(0.01)	31,890	-
SWC	25.75	0.50	115	25.00	SIMAT	2.10	0.02	8,511	2.00	AOT06P1903A	0.44	(0.01)	26,870	-
TMC	0.85	(0.01)	1,150	-	SKY	14.50	0.50	48,144	14.00	AOT07C1902A	-	-	-	-
TMI	0.80	-	2,790	-	SPVI	1.52	(0.01)	6,970	1.00	AOT08C1901A	0.14	(0.01)	12,262	-
TMW	67.75	(0.50)	221	67.00	UPA	0.50	0.01	54,343	-	AOT08P1903A	0.44	(0.02)	25,734	-
TPAC	11.20	0.10	88	11.00	VCOM	3.14	0.02	307	3.00	AOT11C1906A	0.25	-	7,212	-
TPLAS	1.61	(0.03)	6,400	1.00	Unit Trust	-	-	-	-	AOT11P1906A	0.34	(0.01)	9,020	-
UAC	4.30	0.04	163	4.00	MGE	-	-	-	-	AOT13C1811A	0.01	(0.01)	1	-
UBIS	4.68	(0.06)	215	4.00	SCBSET	-	-	-	-	AOT13C1812A	0.09	-	4,182	-
UEC	1.47	(0.04)	6,366	1.00	ETF	-	-	-	-	AOT13C1902A	0.30	-	112,550	-
UKEM	0.83	-	2,713	-	1DIV	11.76	(0.02)	218	11.00	AOT13P1812A	0.03	-	1,200	-
UREKA	1.90	(0.01)	91,696	1.00	ABFTH	-	-	-	-	AOT13P1902A	0.33	-	39,431	-
YUASA	14.40	(0.10)	102	14.00	BMSCG	8.75	(0.01)	73	8.00	AOT19C1901A	0.23	(0.01)	65,980	-
ZIGA	2.92	-	1,848	2.00	BMSC1TH	12.43	(0.03)	4,091	12.00	AOT24C1811A	-	-	-	-
Property & Construc	-	-	-	-	BSET100	10.74	(0.01)	1,777	10.00	AOT24C1901A	-	-	-	-
ARROW	8.00	-	1,188	7.00	CHINA	4.90	0.02	126	4.00	AOT24C1904A	0.26	(0.02)	387	-
BKD	3.02	-	1,302	3.00	EBANK	5.77	-	3	5.00	AOT24P1903A	0.32	-	522	-
BSM	0.67	-	3,466	-	ECOMM	-	-	-	-	AOT27C1902A	0.28	-	6,000	-
BTW	1.75	0.02	394	1.00	EFOOD	-	-	-	-	AOT27P1903A	0.58	(0.03)	4,500	-
CHEWA	1.13	-	41,866	1.00	EICT	4.74	0.20	42	4.00	AOT28C1812A	0.08	-	30	-
CRD	1.09	-	5,299	1.00	ENGY	6.41	0.04	23	6.00	AOT28C1901A	0.08	-	102	-
DIMET	1.01	-	2,611	1.00	ENY	-	-	-	-	AOT28C1902A	0.30	-	105,056	-
FLOYD	2.08	0.04	1,604	2.00	ESET50	5.76	0.17	27	5.00	AOT28P1812A	0.08	(0.01)	24,159	-
FOCUS	1.69	0.13	81,414	1.00	GLD	1.72	-	4,189	1.00	AOT42C1903A	0.21	-	12,240	-
HYDRO	1.29	0.01	737	1.00	TDEX	10.89	0.02	2,258	10.00	AP01C1903A	0.28	0.02	66,948	-
JSP	0.51	-	14,382	-	TGOLDEF	3.76	-	105	3.00	AP01C1903B	0.17	0.02		

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP06C1810A	-	-	-	-	BDMS42C1904A	0.11	-	1,012	-	BPP01C1903A	0.17	(0.01)	14,106	-
BANP06C1903A	-	-	-	-	BDMS42P1904A	0.20	(0.01)	6,120	-	BPP01C1903B	0.12	-	12,670	-
BANP07C1904A	0.19	0.01	40	-	BEAU01C1812A	0.03	0.01	56,737	-	BPP01P1811A	0.44	(0.01)	9,506	-
BANP08C1811A	-	-	-	-	BEAU01C1812B	0.02	-	19,713	-	BPP01P1903A	0.35	-	3,882	-
BANP08P1901A	0.39	(0.01)	16,404	-	BEAU01C1901A	0.29	0.02	456,832	-	BPP06C1903A	-	-	-	-
BANP11C1902A	0.04	-	4,060	-	BEAU01C1901B	0.18	0.01	491,050	-	BPP08C1810A	-	-	-	-
BANP13C1811A	0.01	-	90	-	BEAU01C1902A	0.85	0.04	165,930	-	BPP13C1811A	-	-	-	-
BANP13C1902A	0.14	0.01	235,827	-	BEAU01C1902B	0.67	0.04	183,564	-	BPP13C1901A	-	-	-	-
BANP13C1904A	0.35	(0.65)	87,164	-	BEAU01P1812A	1.35	(0.07)	182,290	1.00	BPP13C1902A	-	-	-	-
BANP16C1812A	0.42	0.01	804	-	BEAU01P1902A	0.71	(0.06)	391,289	-	BPP19C1903A	0.39	(0.01)	9,000	-
BANP19C1811A	-	-	-	-	BEAU06C1904A	1.34	0.11	26,398	1.00	BPP19C1903B	0.15	0.01	9,333	-
BANP19C1902A	0.19	-	59,834	-	BEAU08C1901A	0.02	0.01	53,459	-	BPP23C1901A	-	-	-	-
BANP23C1901A	-	-	-	-	BEAU08C1902A	0.65	0.06	14,483	-	BPP24C1902A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU11C1902A	0.03	(0.01)	5,202	-	BPP24C1904A	0.29	0.01	6,001	-
BANP24C1904A	0.15	0.01	1	-	BEAU13C1811A	-	-	-	-	BPP28C1812A	0.18	0.01	6,072	-
BANP24P1901A	0.32	(0.04)	1	-	BEAU13C1812A	0.01	-	5,605	-	BPP28C1902A	-	-	-	-
BANP27C1904A	0.26	-	8,400	-	BEAU13C1812B	0.41	0.05	471,246	-	BPP28C1904A	-	-	-	-
BANP28C1902A	0.08	0.01	4,750	-	BEAU13C1901A	0.11	0.02	959,182	-	BPP28C1812A	-	-	-	-
BANP28C1903A	0.20	0.01	48,052	-	BEAU19C1811A	-	-	-	-	BPP28C1901A	-	-	-	-
BANP42C1903A	0.11	-	12,240	-	BEAU19C1901A	0.70	0.06	98,152	-	BPP28C1902A	-	-	-	-
BANP42P1903A	0.65	(0.03)	31,620	-	BEAU19C1902A	0.21	0.01	133,538	-	BPP28C1904A	-	-	-	-
BBL06C1902A	0.82	0.07	12,526	-	BEAU23C1901A	0.01	-	1,971	-	BPP28C1812A	-	-	-	-
BBL08C1902A	0.57	0.06	25,244	-	BEAU24C1901A	0.10	0.02	10,801	-	BPP28C1902A	-	-	-	-
BBL08P1810A	-	-	-	-	BEAU24C1902A	0.02	-	11,293	-	BPP28C1904A	-	-	-	-
BBL11C1903A	0.44	0.04	18,763	-	BEAU24C1903A	0.69	0.06	3,617	-	BPP28C1901A	-	-	-	-
BBL11P1903A	0.11	(0.02)	8,052	-	BEAU27C1903A	0.18	0.01	40,477	-	BPP28C1902A	-	-	-	-
BBL13C1901A	0.27	0.04	51,969	-	BEAU28C1811A	-	-	-	-	BPP28C1904A	-	-	-	-
BBL19C1901A	0.25	0.05	51,337	-	BEC01C1812A	0.02	-	3,030	-	BPP28C1901A	-	-	-	-
BBL23C1811A	0.15	0.04	34,000	-	BEC01C1812B	0.02	-	500	-	BPP28C1902A	-	-	-	-
BBL24C1812A	-	-	-	-	BEC13C1811A	-	-	-	-	BPP28C1904A	-	-	-	-
BBL24C1902A	0.17	0.03	572	-	BEC13C1901A	0.02	-	1,857	-	BPP28C1901A	-	-	-	-
BBL24P1810A	-	-	-	-	BEC24C1812A	-	-	-	-	BPP28C1902A	-	-	-	-
BBL24P1904A	0.35	(0.03)	4,861	-	BEC28C1811A	-	-	-	-	BPP28C1904A	-	-	-	-
BBL27C1904A	0.43	0.03	8,504	-	BEM01C1902A	0.38	0.02	150,855	-	BPP28C1901A	-	-	-	-
BBL27P1904A	0.54	(0.03)	6,400	-	BEM01C1902B	0.29	0.02	148,530	-	BPP28C1902A	-	-	-	-
BBL28C1811A	-	-	-	-	BEM01P1902A	0.35	(0.02)	89,846	-	BPP28C1904A	-	-	-	-
BBL28C1901A	0.22	0.03	75,592	-	BEM07C1903A	-	-	-	-	BPP28C1901A	-	-	-	-
BBL42C1903A	0.26	0.02	9,181	-	BEM08C1903A	0.24	0.03	52,474	-	BPP28C1902A	-	-	-	-
BCH01C1902A	0.47	-	40,341	-	BEM11C1903A	0.22	0.02	38,439	-	BPP28C1904A	-	-	-	-
BCH01C1902B	0.31	-	34,871	-	BEM13C1901A	0.30	0.03	291,287	-	BPP28C1901A	-	-	-	-
BCH01P1902A	0.38	0.01	28,505	-	BEM19C1901A	0.32	0.05	23,300	-	BPP28C1902A	-	-	-	-
BCH06C1811A	0.28	-	5,600	-	BEM23C1901A	0.16	0.02	71,895	-	BPP28C1904A	-	-	-	-
BCH08C1901A	0.51	-	8,268	-	BEM24C1902A	0.21	0.05	254	-	BPP28C1901A	-	-	-	-
BCH11C1905A	0.44	-	9,365	-	BEM27C1904A	0.23	0.02	1,800	-	BPP28C1902A	-	-	-	-
BCH13C1902A	0.24	(0.02)	54,007	-	BEM27P1905A	0.23	(0.04)	600	-	BPP28C1904A	-	-	-	-
BCH19C1903A	0.50	(0.02)	8,014	-	BEM42C1904A	0.22	0.04	9,017	-	BPP28C1901A	-	-	-	-
BCH23C1811A	-	-	-	-	BEM42P1904A	0.21	(0.04)	58,756	-	BPP28C1902A	-	-	-	-
BCH24C1811A	0.06	(0.01)	5,500	-	BGR101C1901A	1.10	(0.07)	9,524	1.00	BPP28C1904A	-	-	-	-
BCH27C1902A	0.72	(0.01)	1,800	-	BGR101C1901B	0.84	(0.05)	7,116	-	BPP28C1901A	-	-	-	-
BCH28C1811A	-	-	-	-	BGR101C1903A	0.35	(0.01)	36,452	-	BPP28C1902A	-	-	-	-
BCH28C1902A	0.19	-	49,434	-	BGR101C1903B	0.25	(0.01)	36,834	-	BPP28C1904A	-	-	-	-
BCP01C1810A	-	-	-	-	BGR106C1903A	0.95	(0.04)	2,450	-	BPP28C1901A	-	-	-	-
BCP01C1810B	-	-	-	-	BGR107C1903A	-	-	-	-	BPP28C1902A	-	-	-	-
BCP01C1903A	0.20	0.01	20,551	-	BGR108C1902A	-	-	-	-	BPP28C1904A	-	-	-	-
BCP01C1903B	0.13	0.01	88,851	-	BGR113C1812A	-	-	-	-	BPP28C1901A	-	-	-	-
BCP01P1810A	-	-	-	-	BGR113C1812B	0.18	(0.01)	38,186	-	BPP28C1902A	-	-	-	-
BCP01P1903A	0.45	(0.01)	6,110	-	BGR119C1901A	-	-	-	-	BPP28C1904A	-	-	-	-
BCP08C1901A	0.10	-	27,096	-	BGR119C1903A	0.22	(0.01)	7,770	-	BPP28C1901A	-	-	-	-
BCP11C1811A	-	-	-	-	BGR124C1901A	0.65	(0.05)	907	-	BPP28C1902A	-	-	-	-
BCP13C1902A	0.13	0.01	2	-	BGR124C1902A	0.23	(0.01)	1,501	-	BPP28C1904A	-	-	-	-
BCP19C1902A	0.12	0.01	7,586	-	BGR127C1905A	0.24	-	9,024	-	BPP28C1901A	-	-	-	-
BCP24C1811A	-	-	-	-	BGR128C1812A	-	-	-	-	BPP28C1902A	-	-	-	-
BCP24C1904A	-	-	-	-	BGR128C1901A	0.13	(0.02)	15,455	-	BPP28C1904A	-	-	-	-
BCP28C1901A	0.09	-	10,140	-	BH01C1811A	0.67	0.02	52,336	-	BPP28C1901A	-	-	-	-
BCPG01C1811A	0.25	(0.04)	262,701	-	BH01C1811B	-	-	-	-	BPP28C1902A	-	-	-	-
BCPG01C1811B	0.02	-	10,304	-	BH01P1811A	0.74	(0.04)	53,811	-	BPP28C1904A	-	-	-	-
BCPG01C1904A	0.35	(0.02)	60,246	-	BH08C1811A	-	-	-	-	BPP28C1901A	-	-	-	-
BCPG01C1904B	0.23	(0.03)	64,609	-	BH08C1902A	0.62	0.03	50,370	-	BPP28C1902A	-	-	-	-
BCPG06C1811A	0.04	(0.01)	3,500	-	BH11C1902A	-	-	-	-	BPP28C1904A	-	-	-	-
BCPG08C1810A	-	-	-	-	BH11C1905A	0.73	0.03	18,080	-	BPP28C1901A	-	-	-	-
BCPG08C1904A	0.17	(0.01)	13,126	-	BH13C1901A	0.64	0.03	69,151	-	BPP28C1902A	-	-	-	-
BCPG11C1902A	0.07	(0.02)	5,002	-	BH19C1901A	0.62	0.02	54,078	-	BPP28C1904A	-	-	-	-
BCPG13C1812A	0.22	(0.03)	30,048	-	BH24C1811A	-	-	-	-	BPP28C1901A	-	-	-	-
BCPG13C1902A	0.14	(0.03)	59,512	-	BH24C1902A	0.50	0.02	10,877	-	BPP28C1902A	-	-	-	-
BCPG13C1904A	0.36	(0.64)	119,665	-	BIG08C1906A	0.10	-	10,428	-	BPP28C1904A	-	-	-	-
BCPG19C1901A	0.28	(0.04)	84,261	-	BIG13C1901A	0.03	-	62	-	BPP28C1901A	-	-	-	-
BCPG23C1902A	0.25	(0.01)	8,000	-	BIG19C1811A	-	-	-	-	BPP28C1902A	-	-	-	-
BCPG24C1810A	-	-	-	-	BIG24C1812A	-	-	-	-	BPP28C1904A	-	-	-	-
BCPG24C1903A	0.15	(0.01)	305	-	BJC01C1812A	0.52	(0.01)	191,859	-	BPP28C1901A	-	-	-	-
BCPG27C1903A	0.26	(0.02)	4,800	-	BJC01C1812B	0.24	-	88,276	-	BPP28C1902A	-	-	-	-
BCPG28C1812A	0.31	(0.05)	30,895	-	BJC01P1812A	0.29	-	73,912	-	BPP28C1904A	-	-	-	-
BCPG28C1901A	0.11	(0.03)	13,289	-	BJC06C1901A	0.12	0.01	1,000	-	BPP28C1901A	-	-	-	-
BCPG28C1904A	0.33	(0.02)	19,480	-	BJC08C1903A	0.26	-	33,879	-	BPP28C1902A	-	-	-	-
BDMS01C1811A	0.11	0.01	82,661	-	BJC11C1905A	0.36	-	19,315	-	BPP28C1904A	-	-	-	-
BDMS01C1811B	0.01	-	600	-	BJC13C1812A	0.16	-	66,233	-	BPP28C1901A	-	-	-	-
BDMS01P1811A	0.30	(0.02)	48,827	-	BJC13C1902A	0.17	(0.02)	36,522	-	BPP28C1902A	-	-	-	-
BDMS06C1811A	0.30	0.06	24,115	-	BJC19C1902A	0.30	(0.02)	65,395	-	BPP28C1904A	-	-	-	-
BDMS07C1904A	0.12	0.01	7,031	-	BJC23C1901A	0.11	-	63,000	-	BPP28C1901A	-	-	-	-
BDMS08C1901A	0.05	-	1,001	-	BJC24C1901A	-	-	-	-	BPP28C1902A	-	-	-	-
BDMS11C1811A	0.37	0.08	5,200	-	BJC28C1812A	0.19	-	63,344	-	BPP28C1904A	-	-	-	-
BDMS11C1904A	0.06	-	610	-	BLA01C1812A	0.10	(0.02)	49,403	-	BPP28C1901A	-	-	-	-
BDMS13C1812A	0.03	0.01	38,143	-	BLA08C1811A	-	-	-	-	BPP28C1902A	-	-	-	-
BDMS13C1903A	0.14	-	115,003	-	BLA13C1902A	0.11	(0.01)	23,852	-	BPP28C1904A	-	-	-	-

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP08C1903A	0.86	0.03	2,517	-	DTAC01C1902A	0.87	-	123,095	-	GLOB24C1903A	-	-	-	-
CKP13C1902A	0.81	0.06	240	-	DTAC01C1902B	0.64	(0.02)	144,690	-	GLOW08C1811A	0.10	0.01	2,273	-
CKP13C1903A	0.58	(0.01)	62,661	-	DTAC01P1810A	-	-	-	-	GLOW19C1901A	0.20	0.01	6,665	-
CKP13C1903B	0.16	-	22,992	-	DTAC01P1810B	-	-	-	-	GLOW27C1812A	0.11	0.01	600	-
CKP19C1902A	0.71	0.03	2,997	-	DTAC01P1902A	0.52	(0.01)	21,727	-	GPSC01C1902A	0.22	(0.02)	34,339	-
CKP19C1903A	0.21	-	31,844	-	DTAC01P1902B	0.29	(0.01)	41,014	-	GPSC01C1902B	0.11	(0.01)	6,008	-
CKP23C1810A	-	-	-	-	DTAC06C1901A	0.27	0.01	14,964	-	GPSC01P1902A	1.67	0.06	27,290	1.00
CKP24C1811A	0.60	(0.02)	5,744	-	DTAC06C1903A	0.49	0.01	17,958	-	GPSC06C1811A	-	-	-	-
CKP28C1902A	0.67	-	129	-	DTAC06P1903A	0.40	(0.02)	47,913	-	GPSC08C1902A	0.07	(0.02)	599	-
CKP28C1903A	0.16	0.01	28,752	-	DTAC07C1902A	0.40	-	5,000	-	GPSC11C1902A	0.03	(0.01)	150	-
COM701C1811A	0.72	-	16,122	-	DTAC08C1903A	0.44	0.01	15,039	-	GPSC13C1812A	-	-	-	-
COM701C1811B	0.22	(0.01)	32,255	-	DTAC08P1902A	0.09	(0.01)	600	-	GPSC13C1904A	0.19	(0.02)	18,359	-
COM706C1903A	0.49	-	10,407	-	DTAC11C1904A	0.34	0.01	5,518	-	GPSC19C1901A	0.07	(0.01)	640	-
COM708C1811A	0.06	-	16	-	DTAC13C1811A	-	-	-	-	GPSC24C1812A	-	-	-	-
COM708C1903A	0.49	0.01	23,167	-	DTAC13C1812A	0.40	(0.03)	202	-	GPSC24C1904A	0.27	0.01	2,000	-
COM711C1811A	0.49	(0.01)	8,500	-	DTAC13C1902A	0.34	-	41,958	-	GPSC24C1904B	0.51	(0.03)	3,972	-
COM713C1812A	0.36	(0.03)	280	-	DTAC13P1811A	0.02	-	2,100	-	GPSC27C1902A	-	-	-	-
COM713C1903A	0.32	0.01	75,535	-	DTAC13P1812A	0.01	(0.01)	1,400	-	GPSC28C1811A	-	-	-	-
COM719C1811A	0.25	-	18,853	-	DTAC13P1903A	0.37	(0.02)	25,468	-	GPSC28C1903A	0.14	(0.02)	24,891	-
COM719C1904A	0.66	-	38,696	-	DTAC19C1811A	0.16	(0.01)	13,139	-	GUNK08C1902A	0.22	0.02	12,081	-
COM723C1901A	0.31	(0.02)	2,000	-	DTAC19C1904A	0.60	-	28,483	-	GUNK11C1903A	0.12	0.01	10,926	-
COM724C1811A	-	-	-	-	DTAC24C1901A	-	-	-	-	GUNK13C1903A	0.27	0.01	50,582	-
COM727C1902A	-	-	-	-	DTAC27C1903A	0.42	0.01	8,400	-	GUNK19C1903A	0.45	0.01	21,920	-
COM728C1811A	-	-	-	-	DTAC27P1903A	0.36	(0.01)	900	-	GUNK24C1812A	0.10	0.02	5,350	-
COM728C1903A	0.48	-	16,367	-	DTAC28C1812A	-	-	-	-	GUNK24C1903A	0.30	0.01	7,500	-
CPAL01C1901A	0.15	0.01	127,095	-	DTAC28C1902A	0.33	-	45,888	-	GUNK28C1903A	0.28	0.01	43,891	-
CPAL01C1901B	0.06	0.01	37,066	-	DTAC42C1903A	0.40	-	10,460	-	HANA01C1811A	0.37	0.01	56,869	-
CPAL01C1904A	0.66	0.04	144,793	-	EA07C1903A	0.89	0.01	1,085	-	HANA01C1811B	0.07	0.01	59,170	-
CPAL01C1904B	0.45	0.03	310,457	-	EA08C1810A	-	-	-	-	HANA08C1903A	0.27	0.02	2,896	-
CPAL01P1901A	1.46	(0.04)	77,140	1.00	EA08C1903A	0.82	0.01	13,701	-	HANA11C1904A	0.19	0.01	3,913	-
CPAL01P1901B	0.90	(0.05)	64,424	-	EA11C1902A	0.22	-	36,989	-	HANA13C1901A	0.21	0.02	112,377	-
CPAL01P1904A	0.75	(0.03)	62,317	-	EA13C1811A	0.14	0.01	45,306	-	HANA19C1902A	0.19	0.02	11,831	-
CPAL01P1904B	0.49	(0.04)	96,285	-	EA13C1812A	0.47	0.01	60,351	-	HANA23C1811A	0.27	0.02	2,004	-
CPAL06C1811A	0.51	0.04	30	-	EA13C1812B	1.02	0.04	419	1.00	HANA24C1810A	-	-	-	-
CPAL06C1811B	-	-	-	-	EA13C1901A	0.46	-	166,078	-	HANA24C1903A	0.16	0.01	101	-
CPAL07C1902A	0.22	0.02	2,913	-	EA19C1811A	0.38	-	27,403	-	HANA28C1812A	0.25	0.02	13,394	-
CPAL08C1902A	0.08	-	1,552	-	EA19C1902A	0.65	0.01	42,989	-	HANA28C1902A	0.17	0.01	22,308	-
CPAL08C1902B	0.31	0.02	28,880	-	EA23C1901A	0.67	0.02	11,064	-	HMPRO1C1902A	0.34	(0.02)	108,189	-
CPAL08P1810A	-	-	-	-	EA24C1901A	0.45	0.01	3,400	-	HMPRO1C1902B	0.25	(0.03)	41,712	-
CPAL08P1904A	0.55	(0.05)	27,929	-	EA27C1902A	0.96	0.02	900	-	HMPRO1P1902A	0.36	0.02	58,587	-
CPAL11C1903A	0.06	0.01	12,785	-	EA28C1901A	0.59	0.02	29,160	-	HMPRO6C1811A	-	-	-	-
CPAL11P1903A	0.89	(0.12)	9,922	-	EA28C1902A	0.32	-	57,802	-	HMPRO8C1810A	-	-	-	-
CPAL13C1812A	0.04	-	75,584	-	EGC001C1903A	0.55	0.02	22,659	-	HMPR11C1906A	0.20	-	17,475	-
CPAL13C1901A	0.23	0.02	227,515	-	EGC001C1903B	0.39	0.03	32,034	-	HMPR13C1812A	0.14	(0.03)	79,133	-
CPAL13C1903A	0.59	0.02	360,438	-	EGC019C1901A	0.28	-	9,168	-	HMPR19C1901A	0.31	(0.03)	30,598	-
CPAL13P1902A	0.39	(0.04)	127,929	-	EGC023C1811A	0.10	-	1,000	-	HMPR23C1901A	0.04	-	130	-
CPAL19C1811A	0.01	-	37	-	EGC024C1901A	0.13	0.01	2	-	HMPR24C1901A	0.13	(0.02)	35,030	-
CPAL19C1902A	0.30	0.02	120,852	-	EPG01C1903A	0.29	0.01	30,239	-	HMPR27C1905A	0.29	(0.02)	12,000	-
CPAL19P1903A	0.43	(0.04)	59,815	-	EPG01C1903B	0.19	0.01	17,096	-	HMPR27P1905A	0.37	-	12,600	-
CPAL23C1810A	-	-	-	-	EPG01P1903A	1.08	(0.01)	14,190	1.00	HMPR28C1811A	-	-	-	-
CPAL24C1811A	-	-	-	-	EPG07C1811A	0.11	0.01	2,200	-	HMPR28C1903A	0.17	(0.01)	26,624	-
CPAL24C1901A	0.05	-	6,265	-	EPG08C1810A	-	-	-	-	INTU01C1903A	0.38	0.03	213,366	-
CPAL24C1903A	0.24	0.03	41,371	-	EPG08C1810B	-	-	-	-	INTU01C1903B	0.23	0.02	151,392	-
CPAL24P1901A	0.26	(0.04)	170,310	-	EPG08C1903A	0.11	-	5,708	-	INTU01P1903A	0.70	(0.04)	75,052	-
CPAL27C1903A	0.30	0.04	7,942	-	EPG11C1903A	0.30	-	18,995	-	INTU01P1903B	0.50	(0.04)	178,179	-
CPAL28C1811A	-	-	-	-	EPG13C1811A	0.03	0.01	1,175	-	INTU11C1905A	0.19	0.02	14,777	-
CPAL28C1901A	0.19	0.02	136,824	-	EPG13C1902A	0.09	-	30,268	-	INTU11P1905A	0.28	(0.04)	23,966	-
CPAL42C1904A	0.35	0.04	16,474	-	EPG13C1903A	0.24	0.01	50,233	-	INTU13C1812A	0.16	0.02	142,702	-
CPAL42P1904A	0.31	(0.04)	10,120	-	EPG19C1902A	0.13	0.01	21,814	-	INTU19C1901A	0.16	0.01	89,742	-
CPF01C1810A	-	-	-	-	EPG19C1904A	0.36	-	32,297	-	INTU24C1901A	-	-	-	-
CPF01C1902A	0.20	-	74,833	-	EPG24C1810A	-	-	-	-	INTU24C1909A	0.43	0.03	111	-
CPF01C1902B	0.11	-	38,023	-	EPG24C1902A	-	-	-	-	INTU28C1901A	0.11	0.01	112,546	-
CPF01P1902A	0.39	(0.01)	15,504	-	EPG28C1902A	0.11	0.01	24,576	-	INTU42C1904A	0.19	0.02	39,420	-
CPF01P1902B	0.28	(0.02)	23,504	-	ERW13C1902A	0.19	0.02	81,670	-	INTU42P1904A	0.26	(0.03)	8,568	-
CPF06C1903A	0.10	0.01	5,048	-	ERW19C1902A	0.32	0.02	14,032	-	IRPC01C1810A	-	-	-	-
CPF08C1901A	0.11	0.01	5,360	-	ERW24C1904A	0.33	0.01	1,110	-	IRPC01C1810B	-	-	-	-
CPF11C1902A	-	-	-	-	ESS001C1812A	0.44	0.10	118,719	-	IRPC01C1903A	0.18	0.01	117,574	-
CPF11P1902A	0.18	(0.01)	5,000	-	ESS001C1812B	0.20	0.07	137,429	-	IRPC01C1903B	0.10	-	181,052	-
CPF13C1902A	0.12	0.01	20,386	-	ESS001P1812A	0.39	(0.13)	65,717	-	IRPC01P1810A	-	-	-	-
CPF13C1903A	0.48	(0.03)	17,740	-	ESS008C1902A	0.36	0.10	31,160	-	IRPC01P1810B	-	-	-	-
CPF19C1901A	0.12	0.01	8,951	-	ESS011C1905A	0.65	0.11	17,021	-	IRPC01P1903A	0.62	(0.02)	46,525	-
CPF19C1904A	0.54	(0.03)	10,156	-	ESS013C1811A	0.05	0.02	8,340	-	IRPC01P1903B	0.49	(0.01)	54,105	-
CPF23C1810A	-	-	-	-	ESS013C1903A	0.36	0.08	51,588	-	IRPC06C1811A	-	-	-	-
CPF24C1901A	-	-	-	-	ESS019C1901A	0.29	0.09	34,952	-	IRPC07C1812A	-	-	-	-
CPF24C1902A	-	-	-	-	ESS024C1812A	-	-	-	-	IRPC08C1902A	0.14	0.02	4,644	-
CPF24C1903A	-	-	-	-	ESS024C1902A	0.31	0.10	616	-	IRPC11C1902A	0.02	-	1,000	-
CPF24C1904A	0.57	0.08	500	-	ESS028C1811A	-	-	-	-	IRPC11C1905A	0.19	-	12,360	-
CPF27C1903A	-	-	-	-	ESS028C1903A	0.26	0.05	86,323	-	IRPC13C1811A	-	-	-	-
CPF28C1811A	-	-	-	-	GFPT08C1906A	0.47	0.01	764	-	IRPC13C1812A	0.07	(0.01)	40,386	-
CPF28C1902A	0.10	0.01	13,299	-	GFPT13C1902A	0.20	(0.01)	3,722	-	IRPC13C1903A	0.23	(0.01)	137,204	-
CPF28C1903A	0.47	0.02	3,492	-	GFPT19C1811A	0.37	0.02	2,300	-	IRPC19C1901A	0.14	(0.01)	59,376	-
CPN01C1902A	0.44	(0.04)	44,257	-	GFPT19C1903A	0.31	-	4,179	-	IRPC23C1810A	-	-	-	-
CPN01C1902B	0.25	(0.02)	45,000	-	GFPT24C1812A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPN01P1902A	0.91	0.03	44,816	-	GGC01C1810A	-	-	-	-	IRPC24C1904A	0.23	-	20	-
CPN06C1811A	0.31	(0.04)	16,200	-	GGC01C1902A	-	-	-	-	IRPC27C1903A	0.14	0.01	24,000	-
CPN07C1902A	-	-	-	-	GGC07C1902A	-	-	-	-	IRPC28C1811A	-	-	-	-
CPN08C1903A	0.37	(0.03)	8,476</											

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL01P1812A	0.84	0.02	89,052	-	KTC01C1810B	-	-	-	-	MTC28C1903A	0.35	(0.04)	125,757	-
IVL01P1812B	0.44	-	169,334	-	KTC01C1901A	0.56	-	181,266	-	ORI08C1904A	0.15	(0.02)	17,108	-
IVL01P1903A	1.08	-	62,296	1.00	KTC01C1901B	0.42	(0.01)	164,681	-	ORI11C1811A	-	-	-	-
IVL01P1903B	0.88	0.01	42,046	-	KTC08C1903A	0.50	0.01	44,884	-	ORI13C1902A	0.08	(0.01)	36,526	-
IVL06C1901A	0.11	-	91	-	KTC11C1902A	1.32	0.02	200	1.00	ORI13C1904A	0.40	(0.60)	99,697	-
IVL07C1811A	-	-	-	-	KTC13C1812A	0.11	-	160,796	-	ORI19C1811A	0.01	-	1,420	-
IVL08C1901A	0.20	(0.03)	19,202	-	KTC13C1812B	0.32	-	654,188	-	ORI19C1904A	0.16	(0.02)	224,800	-
IVL08P1903A	0.61	0.02	42,090	-	KTC19C1811A	0.01	-	41,304	-	ORI24C1810A	-	-	-	-
IVL11C1906A	0.28	(0.01)	60,453	-	KTC19C1901A	0.88	0.04	37,239	-	ORI24C1903A	0.10	(0.01)	724	-
IVL13C1812A	0.10	(0.01)	101,493	-	KTC19C1903A	0.40	-	32,805	-	ORI27C1905A	0.11	(0.01)	2,300	-
IVL13C1903A	0.25	(0.01)	103,504	-	KTC24C1810A	-	-	-	-	ORI28C1902A	0.06	(0.02)	14,430	-
IVL13C1904A	0.45	(0.01)	88,794	-	KTC27C1903A	0.52	0.01	15,650	-	PLAN08C1811A	0.05	-	494	-
IVL13P1811A	0.05	(0.01)	12,151	-	KTC27P1903A	0.26	(0.01)	19,459	-	PRM08C1902A	0.23	0.04	10,768	-
IVL13P1902A	0.46	(0.06)	1,128	-	KTC28C1901A	0.30	(0.01)	181,982	-	PRM13C1901A	0.21	0.05	23,449	-
IVL19C1903A	0.35	(0.01)	48,134	-	LH01C1903A	0.19	-	200,144	-	PRM19C1902A	0.28	0.06	23,784	-
IVL23C1810A	-	-	-	-	LH01C1903B	0.13	0.01	359,463	-	PSH01C1810A	-	-	-	-
IVL24C1812A	0.02	0.01	3,905	-	LH01P1903A	0.47	(0.02)	46,522	-	PSH01C1810B	-	-	-	-
IVL24C1901A	0.16	-	112	-	LH06C1903A	-	-	-	-	PSH01P1810A	-	-	-	-
IVL27C1902A	0.23	(0.01)	8,400	-	LH11C1906A	-	-	-	-	PSH08C1811A	-	-	-	-
IVL28C1811A	-	-	-	-	LH13C1902A	0.16	0.01	27,050	-	PSH08C1904A	0.32	-	6,532	-
IVL28C1812A	0.16	(0.02)	28,922	-	LH19C1901A	0.07	0.01	1,990	-	PSH11C1902A	0.14	-	3,706	-
IVL28C1902A	0.17	-	42,353	-	LH23C1901A	-	-	-	-	PSH13C1903A	0.25	-	22,050	-
IVL28C1903A	0.34	(0.01)	187,024	-	LH24C1903A	0.04	-	14,700	-	PSH19C1903A	0.33	-	7,229	-
IVL28P1811A	-	-	-	-	LH27C1905A	0.20	-	2,400	-	PSH23C1811A	-	-	-	-
IVL42C1903A	0.19	(0.01)	10,300	-	LH27P1905A	0.35	(0.01)	11,700	-	PSL01C1812A	0.16	(0.05)	277,247	-
KBAN01C1810A	-	-	-	-	LPN01C1811A	0.18	(0.01)	36,138	-	PSL01C1812B	0.08	(0.02)	66,374	-
KBAN01C1901A	1.02	0.11	95,741	-	LPN01C1811B	-	-	-	-	PSL11C1905A	0.13	(0.03)	22,500	-
KBAN01C1901B	0.28	0.04	344,801	-	LPN08C1810A	-	-	-	-	PSL13C1903A	0.12	(0.03)	189,501	-
KBAN01C1904A	0.38	0.03	319,201	-	LPN08C1906A	0.13	-	6,042	-	PSL19C1903A	0.21	(0.06)	41,401	-
KBAN01C1904B	0.24	0.02	183,022	-	LPN13C1903A	0.10	-	6,214	-	PTG01C1811A	0.02	-	2,669	-
KBAN01P1810A	-	-	-	-	LPN19C1811A	0.02	(0.01)	5,521	-	PTG01C1811B	-	-	-	-
KBAN01P1901A	0.83	(0.07)	67,980	-	LPN19C1904A	0.36	(0.01)	12,988	-	PTG01C1902A	0.17	(0.03)	86,152	-
KBAN01P1901B	0.18	(0.04)	101,760	-	LPN24C1812A	-	-	-	-	PTG01C1902B	0.08	-	8,872	-
KBAN01P1904A	0.76	(0.04)	63,678	-	LPN24C1908A	0.39	(0.01)	10,999	-	PTG01P1811A	2.00	0.02	12,407	1.00
KBAN01P1904B	0.54	(0.03)	187,028	-	MAJ008C1811A	-	-	-	-	PTG01P1902A	0.72	0.03	36,626	-
KBAN06C1811A	0.16	0.05	31,494	-	MAJ011C1902A	-	-	-	-	PTG06C1810A	-	-	-	-
KBAN07C1811A	-	-	-	-	MAJ013C1903A	0.10	(0.02)	10,775	-	PTG06C1904A	0.08	-	13,478	-
KBAN08C1811A	0.18	0.05	58,077	-	MAJ019C1902A	-	-	-	-	PTG08C1902A	-	-	-	-
KBAN08C1903A	0.14	0.01	11,804	-	MAJ019C1904A	0.45	(0.05)	45,916	-	PTG08C1903A	0.10	-	1,192	-
KBAN08P1811A	0.02	-	1	-	MAJ024C1902A	0.21	(0.03)	2,000	-	PTG11C1903A	-	-	-	-
KBAN13C1811A	0.05	-	6,883	-	MALE01C1812A	0.01	-	5,000	-	PTG13C1812A	-	-	-	-
KBAN13C1901A	0.14	0.02	121,282	-	MALE08C1811A	-	-	-	-	PTG13C1901A	0.05	(0.01)	181,403	-
KBAN19C1901A	0.17	0.03	100,866	-	MALE27C1812A	-	-	-	-	PTG19C1902A	0.02	-	134,096	-
KBAN23C1902A	0.28	0.03	51,000	-	MC19C1811A	-	-	-	-	PTG19C1902B	0.14	(0.02)	115,154	-
KBAN24C1902A	0.34	0.04	75,011	-	MC24C1812A	-	-	-	-	PTG24C1901A	0.05	-	3,800	-
KBAN24C1903A	0.12	0.02	15	-	MEGA01C1811A	0.13	-	1,468	-	PTG24C1902A	0.02	-	100	-
KBAN24P1811A	-	-	-	-	MEGA01C1811B	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN24P1907A	0.49	(0.06)	283	-	MEGA01C1904A	0.49	(0.02)	398	-	PTG28C1812A	-	-	-	-
KBAN27C1903A	0.25	0.02	2,400	-	MEGA01C1904B	0.40	-	2,102	-	PTG28C1901A	0.06	(0.01)	708	-
KBAN27P1904A	0.70	(0.06)	4,500	-	MEGA08C1811A	-	-	-	-	PTL08C1811A	0.21	0.01	12,880	-
KBAN28C1811A	0.16	0.04	20	-	MEGA08C1903A	0.28	(0.01)	2,222	-	PTT01C1810A	-	-	-	-
KBAN28C1812A	0.11	0.02	74,894	-	MEGA11C1902A	-	-	-	-	PTT01C1810B	-	-	-	-
KBAN28C1904A	0.21	0.02	74,430	-	MEGA13C1902A	0.28	(0.01)	5,024	-	PTT01C1901A	0.56	(0.06)	413,375	-
KBAN28P1811A	-	-	-	-	MEGA19C1902A	0.23	-	1,200	-	PTT01C1901B	0.34	(0.06)	579,969	-
KBAN28P1904A	0.44	(0.06)	136,010	-	MEGA23C1902A	-	-	-	-	PTT01C1904A	0.38	(0.05)	393,449	-
KCE01C1810A	-	-	-	-	MEGA24C1812A	-	-	-	-	PTT01C1904B	0.27	(0.05)	305,556	-
KCE01C1810B	-	-	-	-	MEGA24C1903A	0.25	0.05	2,022	-	PTT01P1810A	-	-	-	-
KCE01C1903A	0.27	(0.01)	99,603	-	MINT01C1901A	0.33	(0.01)	189,935	-	PTT01P1810B	-	-	-	-
KCE01C1903B	0.18	-	109,926	-	MINT01C1901B	0.13	-	169,746	-	PTT01P1901A	0.45	0.05	129,540	-
KCE06C1903A	0.09	-	1,720	-	MINT01P1901A	0.24	-	436,351	-	PTT01P1901B	0.21	0.04	150,053	-
KCE07C1902A	0.13	0.01	150	-	MINT06C1901A	0.13	-	32,400	-	PTT01P1904A	0.84	0.05	177,370	-
KCE08C1902A	0.10	-	3,883	-	MINT06C1903A	0.11	-	15	-	PTT01P1904B	0.67	0.05	202,022	-
KCE11C1904A	0.18	(0.01)	13,383	-	MINT08C1903A	0.16	(0.01)	24,328	-	PTT06C1811A	0.01	-	2,000	-
KCE13C1811A	0.12	(0.03)	12,408	-	MINT11C1902A	-	-	-	-	PTT06C1901A	0.23	(0.06)	38,756	-
KCE13C1812A	0.05	(0.01)	12,040	-	MINT11P1902A	0.11	(0.01)	5,026	-	PTT06P1901A	0.30	0.03	61,767	-
KCE13C1903A	0.16	(0.01)	66,881	-	MINT13C1812A	0.16	(0.01)	625,452	-	PTT07C1811A	-	-	-	-
KCE19C1901A	0.13	(0.01)	63,526	-	MINT13C1903A	0.09	(0.01)	645,399	-	PTT08C1902A	0.20	(0.03)	27,988	-
KCE23C1901A	0.04	-	19,300	-	MINT13C1904A	0.29	(0.71)	333,424	-	PTT08P1904A	0.63	0.06	55,868	-
KCE24C1901A	0.09	0.01	101	-	MINT19C1901A	0.23	-	87,574	-	PTT11C1902A	0.08	(0.02)	5,219	-
KCE27C1902A	0.19	-	6,000	-	MINT23C1810A	-	-	-	-	PTT13C1811A	0.04	(0.01)	7,105	-
KCE28C1811A	-	-	-	-	MINT24C1812A	0.01	-	1,500	-	PTT13C1812A	0.13	(0.05)	483,964	-
KCE28C1902A	0.09	(0.01)	6,556	-	MINT24C1901A	-	-	-	-	PTT13C1903A	0.35	(0.07)	540,014	-
KKP01C1902A	0.42	(0.01)	103,335	-	MINT24C1902A	0.09	-	101	-	PTT13P1812A	0.08	0.02	4,555	-
KKP01C1902B	0.22	-	24,118	-	MINT27C1903A	0.13	(0.02)	21,610	-	PTT13P1902A	0.46	0.05	338,889	-
KKP08C1811A	-	-	-	-	MINT27P1905A	0.45	(0.01)	13,200	-	PTT16C1912A	-	-	-	-
KKP11C1903A	0.18	-	421	-	MINT28C1811A	-	-	-	-	PTT19C1901A	0.26	(0.06)	164,252	-
KKP13C1811A	-	-	-	-	MINT28C1903A	0.09	(0.02)	40,180	-	PTT23C1901A	0.03	-	14,508	-
KKP13C1903A	0.44	-	68,142	-	MINT42C1904A	0.18	-	43,000	-	PTT24C1812A	0.06	(0.01)	2,001	-
KKP19C1901A	0.30	(0.01)	12,034	-	MINT42P1904A	0.40	(0.01)	28,152	-	PTT24P1901A	-	-	-	-
KKP24C1812A	0.05	-	1	-	MONO01C1810A	-	-	-	-	PTT24P1904A	0.32	0.01	34	-
KKP24C1906A	0.51	0.01	12	-	MONO01C1810B	-	-	-	-	PTT27C1903A	0.27	(0.04)	6,000	-
KKP28C1902A	0.18	(0.01)	43,008	-	MONO08C1906A	0.04	-	374	-	PTT27P1903A	0.48	0.04	14,711	-
KTB01C1810A	-	-	-	-	MONO13C1811A	-	-	-	-	PTT28C1811A	-	-	-	-
KTB01C1810B	-	-	-	-	MONO13C1901A	-	-	-	-	PTT28C1811B	-	-	-	-
KTB01C1903A	0.40	0.01	13,220	-	MONO19C1811A	-	-	-	-	PTT28C1812A	0.18	(0.05)	47,432	-
KTB01C1903B	0.32	-	9,622	-	MONO23C1901A	-	-	-	-	PTT28C1901A	0.06	(0.03)	8,636	-
KTB01P1903A	0.48	(0.01)	16,060	-	MONO24C1812A	-	-	-	-	PTT28C1904A	0.34	(0.05)	317,137	-
KTB01P1903B	0.41	(0.01)	11,980	-	MONO24C1812B	-	-	-	-	PTT28P1812A	-	-	-	-
KTB06C1902A	0.39	0.01												

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE13C1811A	-	-	-	-	S5001P1812F	1.40	0.02	1,653,578	1.00	SCC13C1903A	0.13	-	15,012	-
PTTE13C1812A	0.35	(0.04)	101,776	-	S5001P1812G	0.98	0.03	1,420,426	-	SCC19C1811A	-	-	-	-
PTTE13C1902A	0.17	(0.02)	71,181	-	S5001P1812H	1.37	0.04	1,028,852	1.00	SCC19C1901A	0.16	(0.01)	55,851	-
PTTE13P1811A	-	-	-	-	S5001P1812I	0.94	0.02	1,282,612	-	SCC23C1811A	-	-	-	-
PTTE13P1901A	0.28	-	83,709	-	S5001P1901A	1.15	0.01	58,729	1.00	SCC24C1812A	-	-	-	-
PTTE13P1902A	0.82	0.06	560	-	S5001P1901B	1.09	0.01	464,022	1.00	SCC24C1901A	0.15	0.01	155	-
PTTE19C1811A	0.21	(0.03)	51,967	-	S5001P1902A	0.97	0.02	31,353	-	SCC24C1902A	-	-	-	-
PTTE19C1903A	0.40	(0.03)	58,138	-	S5001P1902B	0.95	0.03	48,356	-	SCC24P1901A	-	-	-	-
PTTE23C1901A	-	-	-	-	S5006C1812A	0.16	0.01	196,502	-	SCC27C1904A	0.24	-	3,600	-
PTTE24C1811A	-	-	-	-	S5006C1812B	0.26	(0.02)	28,495	-	SCC27P1904A	0.64	0.01	6,300	-
PTTE24C1901A	0.22	(0.02)	2,061	-	S5006C1812C	0.09	0.01	161,362	-	SCC28C1811A	-	-	-	-
PTTE24P1901A	0.23	(0.02)	1,301	-	S5006C1812D	0.52	(0.01)	11,734	-	SCC28C1812A	0.17	-	10,230	-
PTTE27C1903A	0.31	(0.02)	12,000	-	S5006P1812A	0.91	0.02	68,521	-	SCC28C1902A	-	-	-	-
PTTE27P1904A	1.01	0.04	10,900	-	S5006P1812B	0.24	-	122,842	-	SCC42C1904A	0.13	-	4,152	-
PTTE28C1811A	-	-	-	-	S5006P1812C	0.31	0.02	272,809	-	SCC08C1811A	-	-	-	-
PTTE28C1902A	0.36	(0.02)	62,996	-	S5006P1812D	1.09	(0.03)	4,600	1.00	SCC27C1812A	-	-	-	-
PTTE28P1811A	-	-	-	-	S5008C1812A	0.06	(0.02)	238,854	-	SGP06C1812A	-	-	-	-
PTTE28P1903A	0.75	0.01	118,228	-	S5008C1812B	0.18	(0.02)	409,377	-	SGP08C1901A	0.21	0.02	6,711	-
PTTE42C1903A	0.38	(0.02)	8,160	-	S5008C1812C	0.49	0.01	187,127	-	SGP11C1904A	0.11	0.01	5,713	-
PTTG01C1810A	-	-	-	-	S5008P1812A	0.53	0.02	119,502	-	SGP13C1811A	-	-	-	-
PTTG01C1810B	-	-	-	-	S5008P1812B	0.33	0.01	432,789	-	SGP13C1812A	0.08	-	5,855	-
PTTG01C1811A	0.14	(0.01)	101,075	-	S5013C1812A	0.37	(0.03)	5,517,543	-	SGP19C1811A	0.06	0.01	300	-
PTTG01C1901A	0.81	(0.02)	143,465	-	S5013C1812B	0.22	(0.02)	1,889,210	-	SGP19C1904A	0.21	0.02	15,442	-
PTTG01C1901B	0.41	(0.02)	209,024	-	S5013C1812C	0.15	(0.02)	3,997,923	-	SGP24C1811A	-	-	-	-
PTTG01C1904A	0.66	(0.02)	120,978	-	S5013C1812D	0.54	(0.04)	5,086,806	-	SGP24C1902A	0.54	0.04	101	-
PTTG01C1904B	0.45	(0.02)	182,298	-	S5013C1812E	1.06	(0.04)	1,312,087	1.00	SGP27C1903A	0.21	0.02	1,600	-
PTTG01P1811A	1.69	-	38,676	1.00	S5013P1812A	0.68	0.01	10,515,085	-	SGP28C1811A	-	-	-	-
PTTG01P1901A	0.76	-	57,020	-	S5013P1812B	1.14	0.03	166,292	1.00	SGP28C1903A	0.13	-	4,096	-
PTTG01P1901B	0.41	(0.01)	63,251	-	S5013P1812C	1.46	0.04	20,465	1.00	SIRI01C1901A	0.26	(0.01)	9,011	-
PTTG01P1904A	1.37	0.02	61,905	1.00	S5013P1812D	1.04	0.02	1,780,092	1.00	SIRI01C1901B	0.05	0.01	3,000	-
PTTG01P1904B	1.17	(0.01)	65,961	1.00	S5013P1812E	0.33	-	2,442,986	-	SIRI01P1901A	0.57	0.02	2,934	-
PTTG06C1903A	0.71	-	27,321	-	S5028C1810A	-	-	-	-	SIRI06C1904A	0.24	0.01	11,400	-
PTTG06P1903A	0.34	0.01	15,315	-	S5028C1812A	0.48	(0.02)	1,350,472	-	SIRI08C1810A	-	-	-	-
PTTG07C1812A	0.07	(0.01)	2	-	S5028C1812B	0.25	-	75,182	-	SIRI08C1903A	0.14	0.01	9,147	-
PTTG08C1811A	-	-	-	-	S5028C1812C	0.13	-	14,847	-	SIRI11C1902A	0.06	0.02	1	-
PTTG08C1902A	0.28	(0.01)	16,910	-	S5028C1812D	0.95	-	1,407,882	-	SIRI13C1902A	0.15	-	9,784	-
PTTG08P1811A	0.41	-	23,334	-	S5028P1810A	-	-	-	-	SIRI19C1902A	0.12	-	1,786	-
PTTG11C1902A	0.07	-	1,000	-	S5028P1812A	0.60	-	2,265,049	-	SIRI23C1811A	-	-	-	-
PTTG13C1812A	0.03	-	7,647	-	S5028P1812B	1.00	0.01	15,857	1.00	SIRI24C1903A	0.14	0.01	1	-
PTTG13C1812B	0.32	-	123,945	-	S5028P1812C	0.31	-	681,092	-	SIRI28C1901A	0.19	(0.01)	12,288	-
PTTG19C1811A	0.02	-	55	-	SAWA01C1901A	0.67	(0.03)	80,578	-	SIRI28C1903A	0.13	(0.01)	12,192	-
PTTG19C1902A	0.44	(0.02)	37,163	-	SAWA01C1901B	0.45	(0.03)	72,251	-	SPAL01C1902A	0.38	0.04	27,974	-
PTTG23C1901A	0.01	-	41	-	SAWA01P1901A	0.43	0.01	74,542	-	SPAL01C1902B	0.20	0.02	41,184	-
PTTG24C1812A	-	-	-	-	SAWA06C1811A	0.02	(0.01)	12,101	-	SPAL11C1905A	-	-	-	-
PTTG24C1901A	0.18	0.03	1	-	SAWA06C1903A	1.01	(0.02)	9,600	1.00	SPAL13C1903A	0.26	0.03	17,526	-
PTTG24C1904A	0.46	(0.01)	452	-	SAWA07C1812A	-	-	-	-	SPAL19C1902A	0.20	0.03	21,506	-
PTTG24P1901A	-	-	-	-	SAWA08C1811A	-	-	-	-	SPAL23C1811A	0.11	0.01	10,000	-
PTTG27C1903A	0.21	-	7,200	-	SAWA08C1902A	0.70	(0.01)	5,898	-	SPAL24C1812A	-	-	-	-
PTTG27P1903A	0.32	(0.01)	4,050	-	SAWA08C1903A	0.37	(0.01)	13,170	-	SPAL24C1905A	0.46	0.05	2,900	-
PTTG28C1811A	-	-	-	-	SAWA11C1906A	0.48	(0.01)	10,542	-	SPRC01C1902A	0.27	0.01	41,865	-
PTTG28C1812A	0.28	(0.01)	55,496	-	SAWA13C1811A	-	-	-	-	SPRC01C1902B	0.16	0.01	114,307	-
PTTG28C1904A	0.50	(0.01)	119,445	-	SAWA13C1812A	0.10	(0.01)	52,302	-	SPRC06C1902A	0.26	0.01	26,688	-
PTTG42C1904A	0.37	-	22,264	-	SAWA13C1901A	0.63	(0.06)	400	-	SPRC07C1903A	-	-	-	-
PTTG42P1904A	0.74	-	22,032	-	SAWA13C1903A	0.25	(0.02)	45,871	-	SPRC08C1903A	0.18	-	3,123	-
QHD01C1810A	-	-	-	-	SAWA13C1904A	0.45	(0.02)	54,528	-	SPRC11C1902A	0.06	0.01	100	-
QHD01C1810B	-	-	-	-	SAWA19C1901A	0.71	(0.03)	24,349	-	SPRC13C1812A	0.15	-	15,219	-
QHD01C1903A	0.17	(0.01)	45,500	-	SAWA19C1903A	0.39	(0.01)	36,276	-	SPRC19C1901A	0.24	0.01	45,896	-
QHD01C1903B	0.12	-	78,922	-	SAWA24C1812A	0.06	(0.01)	2,260	-	SPRC23C1810A	-	-	-	-
QHD01P1810A	-	-	-	-	SAWA24C1902A	0.55	(0.02)	1,904	-	SPRC24C1903A	0.20	0.01	1,000	-
QHD01P1903A	0.81	-	15,750	-	SAWA27C1903A	0.51	(0.02)	14,300	-	STA01C1812A	1.14	0.12	90,109	1.00
QHD11C1902A	0.20	-	21,406	-	SAWA28C1811A	-	-	-	-	STA01C1812B	1.02	0.13	101,141	1.00
QHD13C1903A	0.13	-	40,586	-	SAWA28C1812A	-	-	-	-	STA08C1904A	0.51	0.08	67,023	-
QHD19C1901A	0.07	0.02	301	-	SAWA28C1902A	0.29	-	71,135	-	STA13C1812A	1.34	0.11	15	1.00
QHD19C1904A	0.33	-	18,502	-	SCB01C1810A	-	-	-	-	STA13C1901A	1.04	0.19	117,620	-
QH24C1812A	0.01	-	4,400	-	SCB01C1902A	0.84	-	48,022	-	STA13C1902A	0.64	0.11	574,545	-
QH24C1904A	0.33	0.01	53,060	-	SCB01C1902B	0.60	0.04	108,917	-	STA19C1811A	0.93	0.13	9,544	-
QH27C1903A	0.12	-	12,400	-	SCB01C1904A	0.43	(0.01)	129,901	-	STA19C1903A	1.22	0.13	12,269	1.00
QH27P1905A	0.36	(0.02)	10,350	-	SCB01C1904B	0.31	0.02	71,632	-	STA19C1903B	0.55	0.08	96,576	-
RATC19C1901A	0.17	0.01	5,500	-	SCB01P1902A	0.41	(0.01)	61,670	-	STA24C1902A	0.66	0.12	189,356	-
RATC24C1902A	-	-	-	-	SCB01P1902B	0.13	(0.01)	17,202	-	STA27C1904A	0.64	0.08	13,260	-
RATC27C1812A	-	-	-	-	SCB01P1904A	1.11	(0.03)	62,630	1.00	STA28C1902A	0.61	0.07	67,816	-
ROBI01C1903A	0.65	(0.02)	49,505	-	SCB01P1904B	0.91	(0.05)	84,728	-	STA28C1903A	0.39	0.06	158,231	-
ROBI01C1903B	0.45	-	21,656	-	SCB06C1811A	0.41	0.02	24,770	-	STEC01C1902A	0.80	(0.01)	4,366	-
ROBI08C1903A	0.37	(0.01)	5,786	-	SCB07C1904A	-	-	-	-	STEC01C1902B	0.66	0.01	23,358	-
ROBI11C1906A	0.41	0.01	5,522	-	SCB08C1901A	0.27	(0.01)	24,314	-	STEC01P1902A	0.47	-	94,494	-
ROBI13C1902A	0.34	(0.01)	43,299	-	SCB11C1901A	0.10	-	19,864	-	STEC06C1903A	0.68	0.01	5,198	-
ROBI19C1901A	0.46	(0.03)	10,169	-	SCB11P1901A	0.26	(0.01)	22,820	-	STEC07C1904A	0.53	-	500	-
ROBI24C1901A	0.13	0.03	200	-	SCB13C1812A	0.27	0.01	84,202	-	STEC08C1903A	0.50	-	25,598	-
ROBI24C1903A	0.46	0.07	200	-	SCB13C1902A	0.19	-	54,150	-	STEC11C1903A	0.70	-	27,050	-
ROBI27C1905A	0.48	(0.01)	3,000	-	SCB13P1812A	-	-	-	-	STEC13C1902A	0.60	(0.01)	185,512	-
RS08C1901A	0.21	-	15,824	-	SCB19C1811A	0.07	0.01	687	-	STEC13C1903A	0.19	-	175,999	-
RS13C1901A	0.24	(0.01)	119,560	-	SCB24C1901A	0.31	0.01	7,052	-	STEC19C1901A	0.64	(0.01)	53,622	-
RS19C1901A	0.22	(0.01)	32,025	-	SCB24C1902A	-	-	-	-	STEC24C1901A	0.70	-	1,826	-
RS24C1811A	-	-	-	-	SCB24P1811A	-	-	-	-	STEC27C1902A	0.86	-	12,600	-
RS27C1905A	0.54	(0.02)	8,900	-	SCB24P1906A	-	-	-	-	STEC28C1902A	0.50	(0.01)	64,296	-
S10001C1811A														

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC01P1903A	0.66	0.01	19,206	-	TOA24C1904A	0.28	0.01	7,150	-	UV01C1902B	0.24	-	108,657	-
TASC07C1811A	-	-	-	-	TOA28C1812A	-	-	-	-	UV06C1812A	-	-	-	-
TASC08C1903A	0.23	-	5,204	-	TOP01C1901A	1.43	(0.04)	42,335	1.00	UV08C1902A	0.22	0.02	9,601	-
TASCI1C1904A	-	-	-	-	TOP01C1901B	1.06	(0.04)	88,241	1.00	UV13C1812A	0.11	(0.01)	63,518	-
TASC13C1901A	0.12	-	10,928	-	TOP01C1904A	0.65	(0.01)	70,718	-	UV13C1904A	0.31	(0.69)	77,350	-
TASC19C1902A	0.21	-	27,297	-	TOP01C1904B	0.50	(0.01)	60,161	-	UV19C1902A	0.23	0.01	89,613	-
TASC23C1902A	0.17	0.01	2,000	-	TOP01P1901A	0.37	-	33,644	-	UV24C1812A	-	-	-	-
TASC24C1810A	-	-	-	-	TOP01P1904A	1.39	(0.27)	37,102	1.00	UV24C1903A	0.44	0.01	9,860	-
TASC24C1903A	-	-	-	-	TOP06C1903A	1.06	(0.06)	9,300	1.00	VGI01C1812A	0.60	-	2	-
TASC28C1902A	0.11	-	59,104	-	TOP06C1903B	0.38	0.01	2,820	-	VGI06C1904A	-	-	-	-
TCAP01C1901A	0.60	(0.01)	7,724	-	TOP07C1812A	-	-	-	-	VGI06C1904B	-	-	-	-
TCAP01C1901B	0.42	(0.01)	12,820	-	TOP08C1811A	-	-	-	-	VGI06C1904C	-	-	-	-
TCAP01P1901A	0.22	-	40,525	-	TOP08C1902A	0.48	0.01	20,391	-	VGI08C1811A	-	-	-	-
TCAP08C1810A	-	-	-	-	TOP11C1905A	0.95	(0.02)	10,978	-	VGI23C1905A	-	-	-	-
TCAP11C1811A	-	-	-	-	TOP13C1811A	-	-	-	-	VGI23C1911A	-	-	-	-
TCAP13C1901A	0.39	(0.01)	49,916	-	TOP13C1901A	0.48	(0.03)	72,985	-	VGI27C1812A	-	-	-	-
TCAP19C1901A	0.28	(0.01)	39,693	-	TOP13C1902A	0.35	(0.03)	35,911	-	WHA01C1812A	0.58	0.05	135,048	-
TCAP24C1903A	-	-	-	-	TOP19C1901A	0.33	(0.02)	33,800	-	WHA01C1812B	0.38	0.05	174,875	-
THAI01C1901A	0.22	0.04	152,767	-	TOP23C1811A	-	-	-	-	WHA01P1812A	0.33	(0.04)	47,388	-
THAI01C1901B	0.08	0.02	9,099	-	TOP24C1901A	0.06	0.01	1	-	WHA06C1903A	0.42	0.04	41,240	-
THAI01P1901A	0.69	(0.10)	40,045	-	TOP24C1902A	0.38	(0.03)	1,102	-	WHA08C1811A	0.05	0.01	5,308	-
THAI07C1811A	-	-	-	-	TOP24C1903A	0.27	(0.02)	111	-	WHA08C1904A	0.31	0.03	29,283	-
THAI08C1903A	0.18	0.03	38,668	-	TOP27C1903A	0.43	-	6,000	-	WHA11C1903A	0.17	0.01	17,556	-
THAI11C1906A	0.30	0.05	21,069	-	TOP28C1812A	0.39	-	19,859	-	WHA13C1812A	0.34	0.04	284,523	-
THAI13C1811A	-	-	-	-	TOP28C1903A	0.35	(0.01)	55,658	-	WHA19C1901A	0.41	0.05	82,430	-
THAI13C1902A	0.23	0.06	113,931	-	TPIO1C1812A	0.14	0.01	31,800	-	WHA23C1810A	-	-	-	-
THAI19C1901A	0.18	0.03	56,339	-	TPIO1C1812B	-	-	-	-	WHA24C1811A	-	-	-	-
THAI23C1901A	0.01	-	1	-	TPIO7C1812A	-	-	-	-	WHA24C1902A	0.37	0.05	83,061	-
THAI24C1901A	0.08	0.03	1,257	-	TP113C1902A	0.14	0.01	25,848	-	WHA27C1903A	0.52	0.03	14,400	-
THAI27C1905A	0.33	0.05	26,200	-	TP19C1901A	0.14	0.02	11,020	-	WHA28C1901A	0.39	0.04	40,817	-
THAI28C1901A	0.17	0.05	78,880	-	TP24C1902A	-	-	-	-	WHA28C1903A	0.24	0.02	52,022	-
THAN01C1812A	0.53	0.02	18,451	-	TPIP01C1810A	-	-	-	-	WHAU01C1810A	-	-	-	-
THAN08C1904A	0.42	0.02	9,136	-	TPIP01C1810B	-	-	-	-	WHAU01C1810B	-	-	-	-
THAN13C1902A	0.49	0.02	58,432	-	TPIP01P1810A	-	-	-	-	WHAU13C1902A	0.17	(0.01)	82,532	-
THAN19C1903A	0.66	0.02	27,428	-	TPIP11C1811A	-	-	-	-	WHAU19C1902A	0.22	(0.01)	11,875	-
THAN24C1903A	0.52	0.01	14	-	TPIP13C1811A	0.02	(0.04)	1,000	-	WHAU24C1812A	-	-	-	-
THCO08C1906A	0.13	(0.01)	6,585	-	TPIP13C1902A	0.19	-	4,430	-	WHAU24C1902A	-	-	-	-
THCO11C1902A	-	-	-	-	TPIP19C1902A	0.23	-	3,300	-	WHAU27C1905A	0.22	(0.01)	18,000	-
THCO19C1811A	-	-	-	-	TPIP24C1901A	-	-	-	-	WORK01C1811A	0.05	0.01	197	-
THCO24C1810A	-	-	-	-	TPIP27C1812A	-	-	-	-	WORK01C1811B	-	-	-	-
THCO28C1901A	0.08	0.04	285	-	TRUE01C1902A	0.36	-	277,432	-	WORK01C1904A	0.24	0.03	88,362	-
TISCO1C1902A	0.62	(0.03)	42,508	-	TRUE01C1902B	0.24	0.02	343,893	-	WORK01C1904B	0.17	0.02	56,007	-
TISCO1C1902B	0.38	(0.03)	28,895	-	TRUE01P1902A	0.48	(0.01)	68,294	-	WORK08C1901A	0.05	0.01	516	-
TISCO7C1902A	-	-	-	-	TRUE01P1902B	0.31	-	101,838	-	WORK11C1903A	0.04	0.01	1,001	-
TISCO8C1903A	0.38	(0.01)	8,096	-	TRUE06C1811A	-	-	-	-	WORK13C1811A	-	-	-	-
TISC11C1903A	0.10	-	100	-	TRUE06C1906A	0.19	0.02	24,558	-	WORK13C1812A	0.02	-	2,051	-
TISC13C1811A	0.02	(0.02)	18,000	-	TRUE07C1902A	-	-	-	-	WORK13C1902A	0.11	0.03	47,174	-
TISC13C1812A	0.28	(0.02)	32,419	-	TRUE08C1902A	0.21	0.02	53,502	-	WORK13C1903A	0.36	0.08	247,760	-
TISC19C1901A	0.19	-	72,392	-	TRUE08P1902A	-	-	-	-	WORK19C1811A	-	-	-	-
TISC24C1812A	-	-	-	-	TRUE11C1905A	0.21	0.01	30,679	-	WORK19C1902A	0.15	0.03	40,064	-
TISC24C1904A	0.37	(0.01)	421	-	TRUE13C1812A	0.06	-	26,452	-	WORK24C1810A	-	-	-	-
TISC28C1901A	0.37	(0.02)	6,144	-	TRUE13C1901A	0.19	-	438,591	-	WORK24C1812A	0.01	-	8,900	-
TISC42C1904A	0.36	-	110	-	TRUE13P1901A	-	-	-	-	WORK24C1903A	0.10	0.01	3,116	-
TKN01C1901A	0.25	-	257,926	-	TRUE16C1812A	0.17	0.01	100	-	WORK27C1903A	0.11	0.04	1,230	-
TKN01C1901B	0.11	-	134,508	-	TRUE19C1901A	0.05	-	15,585	-	WORK28C1811A	-	-	-	-
TKN08C1811A	-	-	-	-	TRUE19C1903A	0.40	0.01	103,379	-	WORK28C1901A	0.04	0.01	3,535	-
TKN08C1903A	0.13	(0.01)	4,152	-	TRUE23C1902A	-	-	-	-	Preferred/Foreign	-	-	-	-
TKN11C1902A	0.04	-	851	-	TRUE27C1904A	0.24	0.02	15,600	-	BH-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TRUE27P1904A	0.44	(0.01)	4,500	-	CSC-Q	-	-	-	-
TKN13C1812A	0.02	(0.02)	215,220	-	TRUE28C1812A	0.05	-	2	-	JUTHA-Q	-	-	-	-
TKN13C1903A	0.08	-	11,861	-	TRUE28C1903A	0.20	0.01	78,677	-	KTB-Q	-	-	-	-
TKN13C1904A	0.31	(0.01)	71,080	-	TTA08C1906A	0.16	(0.01)	11,385	-	SCB-Q	-	-	-	-
TKN19C1811A	-	-	-	-	TTA13C1901A	-	-	-	-	TCAP-Q	-	-	-	-
TKN19C1903A	0.16	(0.01)	41,554	-	TTA19C1811A	-	-	-	-	TIC-Q	-	-	-	-
TKN23C1902A	0.09	0.02	800	-	TTA23C1901A	-	-	-	-	TISCO-Q	-	-	-	-
TKN24C1811A	-	-	-	-	TTA24C1902A	-	-	-	-	U-Q	0.04	-	20	-
TKN24C1812A	-	-	-	-	TTA28C1812A	-	-	-	-	Warrant	-	-	-	-
TKN24C1903A	0.12	0.01	100	-	TU01C1901A	0.51	0.04	38,838	-	7UP-W2	0.03	-	2,652	-
TKN28C1811A	-	-	-	-	TU01C1901B	0.42	0.04	73,820	-	ACC-W1	0.04	-	30,612	-
TKN28C1812A	0.12	(0.01)	12,288	-	TU01P1901A	0.17	(0.02)	9,258	-	AJA-W1	0.18	-	8,745	-
TKN28C1903A	0.07	-	23,535	-	TU06C1902A	0.19	0.03	20,908	-	ALT-W1	0.82	(0.02)	3,841	-
TMB01C1810A	-	-	-	-	TU07C1902A	-	-	-	-	APEX-W1	0.04	-	89,113	-
TMB01C1810B	-	-	-	-	TU08C1811A	-	-	-	-	APURE-W2	0.22	0.01	4,975	-
TMB01C1903A	0.27	0.02	115,012	-	TU11C1902A	0.02	-	2,511	-	AS-W1	0.23	(0.01)	87	-
TMB01C1903B	0.22	0.02	144,704	-	TU11C1906A	0.15	0.01	4,500	-	AYUD-W1	7.65	(0.20)	82,727	7.00
TMB01P1810A	-	-	-	-	TU13C1902A	0.17	0.01	27,431	-	B-W3	-	-	-	-
TMB01P1903A	0.42	(0.02)	55,570	-	TU19C1901A	0.16	0.02	14,224	-	B-W4	0.18	-	2,407	-
TMB06C1902A	0.09	0.01	251	-	TU23C1902A	0.16	0.02	2,000	-	BTS-W3	-	-	-	-
TMB06C1903A	0.25	0.02	10,459	-	TU24C1901A	0.06	0.01	1,000	-	BWG-W4	0.05	(0.01)	65,446	-
TMB07C1811A	-	-	-	-	TU24C1904A	0.35	0.03	3	-	CEN-W4	-	-	-	-
TMB07C1903A	-	-	-	-	TVO01C1903A	0.30	0.02	24,376	-	CGD-W4	0.30	-	17,549	-
TMB08C1901A	-	-	-	-	TVO01C1903B	0.22	0.01	29,172	-	CGH-W3	0.06	0.01	422	-
TMB08C1903A	0.17	0.03	25,794	-	TVO11C1903A	0.06	0.01	40	-	CI-W1	0.36	-	35	-
TMB11C1904A	0.07	0.01	1,500	-	TVO13C1902A	0.16	0.02	7,876	-	CKP-W1	0.55	-	138,292	-
TMB13C1811A	-	-	-	-	TVO19C1902A	0.15	0.01	27,208	-	CRANE-W1	-	-	-	-
TMB13C1901A	0.16	0.02	96,193	-	TVO24C1810A	-	-	-	-	CWT-W4	0.25	0.01	24,874	-
TMB19C1901A	0.10	0.02	22,640	-	TVO24C1903A	0.18	0.02	500	-	DCC-W1	0.89	(0.01)	18,631	-
TMB23C1810A	-	-	-	-	UNI001C1810A	-	-	-	-	DCON-W1	-	-	-	-
TMB24C1901A	0.02	0.01	501	-	UNI001C1810B	-	-	-	-	DIGI-W1	0.03	0.01	501	-
TMB24C1902A	0.13	0.01	7,000	-	UNI008C1810A	-	-	-	-	DIGI-W2	0.01	(0.01)	51	-
TMB27C1903A	0.26	0.03	4,830	-	UNI008C1906A	0.20	-	28,105	-	EARTH-W4	-	-	-	-
TMB28C1901A	0.15	0.01	50,622	-	UNI011C1811A	-	-	-	-	EIC-W2	-	-	-	-
TOA01C1901A	0.22	0.01	11,898	-										

Main Board Quotation

Issue Date :

Thursday November 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IHL-W1	-	-	-	-	TRITN-W3	0.28	(0.01)	16,219	-	PIMO-W1	3.08	0.04	15,323	3.00
ITD-W1	0.12	-	3,253	-	TSR-W1	0.18	-	5,319	-	PPS-W1	0.47	(0.05)	1,831	-
JAS-W3	2.30	(0.04)	10,033	2.00	TTA-W5	0.13	(0.01)	48,206	-	PSTC-W1	0.19	-	2,160	-
JCK-W5	0.48	(0.01)	2,339	-	TTCL-W1	1.28	0.05	57,067	1.00	SIMAT-W2	0.29	-	106	-
JMART-W2	0.66	(0.05)	4,997	-	U-W1	0.01	-	1	-	SIMAT-W3	0.44	-	50	-
JMT-W2	1.98	(0.06)	5,484	2.00	U-W4	-	-	-	-	SIMAT-W4	1.10	(0.02)	1,095	1.00
MACO-W2	0.25	0.02	92,450	-	VGI-W2	0.42	0.02	102,358	-	SKY-W1	12.90	0.50	116	12.00
MIDA-W2	0.01	-	1,000	-	VIBHA-W2	1.42	0.08	217	1.00	STAR-W3	1.70	(0.10)	1,014	1.00
MILL-W3	0.03	-	301	-	VIBHA-W3	0.28	(0.01)	1,784	-	TAKUNI-W	0.19	-	9,199	-
MILL-W4	0.26	(0.01)	5,451	-	WAVE-W1	0.40	-	952	-	TAPAC-W3	1.69	(0.04)	1,310	1.00
MILL-W5	0.22	(0.02)	9,671	-	WHA-W1	7.60	0.50	15,858	7.00	TSF-W4	-	-	-	-
ML-W2	-	-	-	-	WORK-W1	6.55	(0.15)	174	6.00	TSF-W5	0.01	(0.01)	930	-
MONO-W1	0.37	0.02	9,281	-	Preferred Shares	-	-	-	-	TVD-W2	0.62	(0.02)	4,381	-
NEP-W3	0.04	-	33	-	BH-P	-	-	-	-	UAC-W2	0.65	(0.02)	7,890	-
NOK-W1	0.50	(0.03)	614	-	CSC-P	-	-	-	-	UKEM-W2	0.42	0.01	3,078	-
NUSA-W3	0.15	0.04	1	-	JUTHA-P	-	-	-	-	UWC-W2	-	-	-	-
NVD-W1	0.36	(0.01)	1,604	-	KTB-P	-	-	-	-	XO-W1	6.15	(0.05)	968	6.00
ORI-W1	2.00	0.04	64,137	2.00	SCB-P	137.50	(1.50)	1	137.00	Preferred Shares	-	-	-	-
PACE-W2	0.15	0.01	29,888	-	TCAP-P	-	-	-	-	SGF-P1	-	-	-	-
PDI-W1	0.97	(0.01)	1,172	-	TIC-P	-	-	-	-	-	-	-	-	-
PDJ-W2	1.23	(0.02)	33	1.00	TISCO-P	-	-	-	-	-	-	-	-	-
PDJ-W3	1.21	-	39	1.00	U-P	0.04	-	156,056	-	-	-	-	-	-
PDJ-W4	1.22	-	3	1.00	Warrant (MAI)	-	-	-	-	-	-	-	-	-
PLE-W3	0.02	(0.01)	13,746	-	2S-W1	0.12	-	2,539	-	-	-	-	-	-
RICH-W1	-	-	-	-	ACAP-W2	1.97	(0.05)	19,969	2.00	-	-	-	-	-
RICHY-W1	0.36	(0.02)	200	-	AIRA-W2	0.02	-	511	-	-	-	-	-	-
RICHY-W2	-	-	-	-	ATP30-W1	0.77	0.03	1,443	-	-	-	-	-	-
RS-W3	5.65	(0.10)	5,756	5.00	BKD-W2	0.30	-	28,890	-	-	-	-	-	-
S-W1	0.08	-	31,178	-	BM-W1	0.34	-	2,861	-	-	-	-	-	-
SAMART-W2	0.59	0.04	215,090	-	BSM-W2	0.08	-	1,801	-	-	-	-	-	-
SAWAD-W1	8.90	(0.25)	2,627	9.00	CHEWA-W1	0.13	-	9,175	-	-	-	-	-	-
SDC-W1	0.21	-	23,413	-	CIG-W7	-	-	-	-	-	-	-	-	-
SMT-W1	0.04	(0.01)	2,959	-	DIMET-W2	0.10	-	7,394	-	-	-	-	-	-
SMT-W2	0.61	0.01	1,207	-	DNA-W1	-	-	-	-	-	-	-	-	-
SPORT-W5	0.01	-	610	-	ECF-W2	3.40	0.12	176	3.00	-	-	-	-	-
SST-W2	2.04	(0.08)	21,253	2.00	ECF-W3	2.36	0.10	1,116	2.00	-	-	-	-	-
SUPER-W4	0.08	0.01	95,732	-	EFORL-W3	0.01	-	1,932	-	-	-	-	-	-
SUSCO-W1	0.01	(0.01)	15,095	-	EFORL-W4	0.02	0.01	1	-	-	-	-	-	-
SVI-W3	2.42	(0.02)	9,312	2.00	FC-W1	-	-	-	-	-	-	-	-	-
TCC-W3	0.32	(0.21)	454,828	-	FC-W2	-	-	-	-	-	-	-	-	-
TCC-W4	0.31	(0.22)	340,900	-	FOCUS-W2	0.73	0.07	176,231	-	-	-	-	-	-
TCC-W5	0.55	(0.33)	63,107	-	FVC-W2	0.41	(0.01)	5,666	-	-	-	-	-	-
TCJ-W2	0.86	(0.01)	178	-	ITEL-W1	0.57	(0.01)	1,706	-	-	-	-	-	-
TCMC-W2	0.30	-	4,354	-	JKN-W1	2.56	0.08	78,162	2.00	-	-	-	-	-
TFG-W1	1.29	-	500	1.00	LIT-W1	2.02	(0.02)	1,239	2.00	-	-	-	-	-
TFG-W2	0.64	(0.02)	23	-	META-W2	0.04	0.01	2,952	-	-	-	-	-	-
TGPRO-W3	0.03	0.01	125,958	-	META-W3	0.15	(0.01)	50,341	-	-	-	-	-	-
TH-W2	0.35	(0.01)	76,194	-	NCL-W3	0.35	0.01	30,570	-	-	-	-	-	-
THE-W2	0.07	(0.01)	570,791	-	NDR-W1	-	-	-	-	-	-	-	-	-
TNITY-W1	0.90	-	1,212	-	NEWS-W4	-	-	-	-	-	-	-	-	-
TNPC-W1	0.38	(0.02)	4,130	-	NEWS-W6	-	-	-	-	-	-	-	-	-