

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.80	0.20	3,285	10.67	SE-ED	3.00	-	107	2.94
POMPUI	-	-	-	-	ILINK	5.10	-	10,720	5.16	SMM	1.02	(0.03)	12,445	1.05
SAFARI	-	-	-	-	INET	3.76	0.06	1,876	3.74	SPORT	0.20	-	1,380	0.19
VI	-	-	-	-	INTUCH	51.00	-	100,875	51.02	TBSP	13.50	(0.30)	1	13.50
WORLD	-	-	-	-	JAS	5.10	(0.05)	87,461	5.12	TH	0.91	-	9,615	0.91
WR	-	-	-	-	JASIF	10.20	-	66,163	10.29	TKS	10.50	(0.10)	8,155	10.59
Agribusiness					JMART	5.15	(0.25)	15,457	5.31	TRITN	0.43	-	98,330	0.43
CHOTI	141.00	1.00	25	140.84	JTS	1.49	(0.03)	762	1.50	VGI	7.55	(0.05)	21,534	7.59
EE	0.82	0.18	1,370,121	0.79	MFEK	3.26	-	858	3.25	WAVE	2.36	-	112	2.38
GFPT	14.60	0.20	11,566	14.61	MSC	6.95	(0.05)	437	6.95	WORK	31.50	(0.75)	14,091	32.25
LEE	2.70	0.04	903	2.70	PT	6.45	(0.05)	3,613	6.45	Finance & Securities				
PPPM	5.20	-	3,222	5.18	SAMART	7.05	(0.30)	29,304	7.13	AEC	0.50	(0.02)	6,929	0.50
STA	18.40	(0.40)	159,286	18.68	SAMTEL	7.70	(0.25)	818	7.78	AEONTS	194.50	(3.50)	4,249	195.69
TRUBB	1.75	0.01	904	1.73	SDC	0.38	(0.02)	44,173	0.39	AMANAHAH	1.76	(0.01)	33,965	1.77
TWPC	8.35	(0.05)	459	8.35	SIS	9.00	-	399	8.98	ASAP	5.90	(0.20)	4,603	6.01
UPOIC	4.24	0.02	41	4.28	SVOA	1.30	0.02	1,056	1.29	ASK	23.50	0.30	2,145	23.47
UVAN	6.55	(0.05)	1,648	6.60	SYMC	5.40	-	20	5.40	ASP	3.60	(0.04)	79,972	3.62
VPO	0.64	0.01	71	0.63	SYNEX	14.10	(0.20)	11,994	14.19	BFIT	26.75	(0.25)	515	27.06
Banking					THCOM	8.40	-	21,210	8.54	CGH	0.98	(0.01)	1,821	0.99
BAY	40.25	(0.25)	1,762	40.43	TRUE	5.95	-	406,055	5.99	CNS	2.46	0.02	393	2.44
BBL	216.00	2.00	15,925	215.19	TWZ	0.12	0.01	41,871	0.12	ECL	1.90	(0.04)	13,342	1.92
CIMBT	0.85	-	11,092	0.85	Electronic Componen					FNS	4.18	0.06	5,262	4.16
KBANK	204.00	3.00	35,077	203.26	CCE2	1.98	0.01	3,869	1.97	FSS	2.16	-	14	2.16
KBP	71.50	(0.75)	28,362	72.10	DELTA	69.25	(0.25)	9,525	69.40	GBX	0.61	(0.01)	4,707	0.62
KTB	20.10	0.10	240,002	20.17	EIC	0.05	-	1,375	0.05	GL	7.00	(0.05)	9,108	7.00
LHFG	1.50	(0.02)	10,615	1.50	HANA	35.50	(0.50)	15,088	35.76	IFS	3.04	0.04	783	3.01
SCB	139.50	(1.50)	49,378	140.06	KCE	35.75	(1.25)	51,758	35.90	JMT	10.40	(0.10)	13,503	10.55
TCAP	53.00	-	13,342	52.99	METCO	210.00	(2.00)	4	209.25	KCAR	11.70	(0.10)	502	11.70
TISCO	79.50	(0.50)	16,101	79.61	SMT	2.22	0.02	3,244	2.23	KGI	4.38	(0.04)	10,540	4.38
TMB	2.30	(0.06)	1,649,521	2.33	SPPT	4.10	0.04	6,833	4.08	KTC	35.25	(0.25)	83,392	35.49
Construction Materia					SVI	5.60	0.05	17,716	5.55	MBKET	12.10	(0.10)	988	12.13
CCP	0.41	(0.01)	25,395	0.42	TEAM	1.08	0.01	3,491	1.08	MFC	16.30	(0.10)	172	16.29
COTTO	2.64	-	8,189	2.66	Energy & Utilities					ML	0.95	(0.08)	41,177	0.96
DCC	2.34	0.06	112,459	2.36	ABPIF	8.30	-	1,781	8.27	MTC	53.50	-	85,704	53.88
DCON	0.54	0.01	6,749	0.53	AI	-	-	-	-	PE	0.25	(0.01)	183	0.24
DRT	5.55	(0.05)	627	5.59	AKR	0.93	(0.01)	70,740	0.95	PL	3.48	-	510	3.48
EPG	7.55	-	35,141	7.63	BAFS	32.75	-	586	32.76	S11	7.45	-	497	7.50
GEL	0.32	(0.01)	5,436	0.33	BANPU	17.70	-	188,397	17.87	SAWAD	46.50	-	56,205	46.95
PPP	3.42	(0.04)	20	3.42	BCP	33.25	-	7,762	33.44	THANI	9.05	(0.20)	82,607	9.16
O-CON	5.40	-	1	5.40	BCPG	18.10	(0.40)	110,624	18.34	TK	10.50	(0.30)	2,404	10.66
RCI	4.04	(0.04)	19,346	4.08	BGRIM	27.00	(0.50)	55,732	27.10	TNITY	5.90	-	7	5.91
SCC	428.00	6.00	13,523	427.08	BPP	23.80	0.20	21,451	23.72	UOBKH	3.92	0.02	9	3.91
SCCC	241.00	-	1,497	239.73	BRRGIF	9.95	(0.05)	1,909	9.95	ZMICO	1.08	-	691	1.08
SCP	9.00	0.05	570	8.93	CKP	5.00	-	145,182	5.04	Food & Beverage				
SKN	5.20	-	25,663	5.20	DEMCO	3.72	(0.04)	1,469	3.73	APURE	1.31	0.01	3,706	1.33
TASCO	15.00	0.10	20,211	15.05	EA	49.50	(1.50)	228,933	50.39	ASIAN	8.15	0.40	126,230	8.18
TCMC	2.44	(0.02)	5,463	2.45	EARTH	-	-	-	-	BR	4.78	(0.02)	9,767	4.81
TOA	33.75	(0.25)	7,303	33.98	EASTW	10.90	(0.10)	2,348	11.00	BRR	6.75	-	1,203	6.75
TPIPL	1.82	0.01	142,788	1.82	EGATIF	11.40	(0.10)	12,721	11.40	CBG	45.25	0.25	13,000	45.56
UMI	1.27	(0.03)	22,783	1.30	EGCO	228.00	(2.00)	5,319	229.21	CFRESH	4.40	-	9	4.43
VNG	6.95	-	668	6.97	ESSO	15.20	-	64,292	15.38	CM	4.14	-	415	4.15
WIHK	2.14	(0.08)	12,559	2.17	GLOW	86.25	(0.25)	4,207	86.36	CPF	25.00	(0.25)	97,347	25.21
Petrochemicals & Che					GPSC	55.25	(1.25)	17,227	55.95	CPI	1.68	-	1,874	1.69
BCT	54.00	(0.50)	44	53.84	GULF	76.50	(0.50)	31,730	76.92	F&D	-	-	-	-
CMAN	3.00	-	3,887	3.00	GUNKUL	3.22	(0.02)	356,629	3.27	HTC	16.00	(0.10)	296	16.13
GC	5.05	(0.05)	45	5.07	IEC	-	-	-	-	ICHI	3.98	(0.04)	4,635	4.01
GGC	11.40	0.40	19,606	11.29	IFEC	-	-	-	-	KBS	4.24	-	110	4.24
GIFT	4.28	0.02	36	4.28	IRPC	6.15	-	555,642	6.14	KSL	3.38	0.04	35,752	3.41
IVL	54.25	-	113,415	54.79	LANNA	14.50	0.10	349	14.47	KTIS	5.65	-	1,606	5.64
NFC	10.50	0.30	239	10.47	MDX	4.24	(0.06)	1,411	4.28	LST	4.68	(0.02)	998	4.66
PATO	14.40	-	39	14.40	PTG	10.00	(0.50)	404,583	10.27	M	70.00	1.75	2,729	69.79
PMTA	13.70	-	4	13.70	PTT	49.75	0.50	453,170	49.94	MALEE	13.00	0.10	2,007	12.94
PTTGC	77.50	0.25	148,611	78.07	PTTEP	138.00	-	107,582	139.52	MINT	36.75	(0.75)	107,587	37.03
SUTHA	3.84	(0.04)	19	3.87	RATCH	49.50	(0.25)	2,072	49.53	OISHI	87.25	0.25	19	87.43
TCCC	35.00	0.25	508	35.07	RPC	0.49	-	11,004	0.50	OSP	24.00	-	323,876	24.13
TPA	6.70	(0.10)	37	6.78	SCG	4.52	-	26	4.52	PB	61.50	0.50	24	61.48
UP	-	-	-	-	SCI	2.96	(0.04)	3,360	3.01	PM	9.00	-	4,576	9.00
VNT	23.60	0.10	19,110	23.70	SCN	4.62	(0.14)	26,896	4.66	PRG	13.40	(0.10)	5	13.08
WG	160.00	1.00	55	159.65	SGP	10.60	(0.20)	44,227	10.72	SAPPE	21.00	(0.30)	810	21.07
YCI	-	-	-	-	SKE	1.23	0.01	4,254	1.23	SAUCE	22.20	-	15	22.14
Commerce					SOLAR	2.68	(0.08)	8,270	2.73	SFP	-	-	-	-
BEAUTY	10.30	(0.40)	1,116,779	10.61	SPCG	20.60	0.20	6,941	20.49	SNP	20.10	(0.20)	6	20.27
BIG	1.69	-	38,516	1.69	SPRC	13.40	(0.30)	209,482	13.53	SORKON	71.75	1.25	27	71.40
BJC	55.50	(0.50)	37,573	55.99	SUPER	0.71	-	486,155	0.71	SSC	38.75	-	9	38.89
COL	23.80	(0.10)	564	23.84	SUSCO	3.00	-	2,802	3.01	SSF	8.35	0.25	53	8.11
COM7	21.00	(0.20)	26,953	21.21	TAE	2.16	0.02	2,636	2.14	SST	5.80	-	157	5.77
CPALL	68.25	0.75	158,882	68.01	TCC	0.67	(0.04)	331,895	0.69	TC	-	-	-	-
CSS	2.04	-	14,396	2.03	TOP	81.75	(1.25)	74,094	82.79	TFG	3.94	-	2,937	3.95
FN	2.40	0.02	1,622	2.41	TPIPP	6.25	(0.05)	155,248	6.28	TFMAMA	160.00	-	117	159.50
FTE	2.28	0.04	5,433	2.28	TTW	12.20	0.10	12,973	12.20	TIPCO	9.05	0.05	625	9.03
GLOBAL	19.70	-	70,930	19.90	WHAU	5.95	0.05	66,202	6.00	TKN	12.60	0.10	50,687	12.68
HMPRO	14.70	(0.20)	96,399	14.74	WP	6.80	0.05	6,984	6.81	TU	17.70	0.20	162,906	17.78
IT	4.04	(0.08)	34	4.04	Media & Publishing					TVO	28.50	-	3,536	28.64
KAMART	4.24	(0.02)	1,123	4.22	AMARIN	4.50	(0.04)	236	4.52	Health Care Services				
LOXLEY	2.04	(0.02)	3,411	2.06	AQUA	0.47	0.01	51,660	0.46	AHC	20.90	0.10	7	20.90
MAKRO	32.00	-	722	32.13	AS	1.15	0.01	133	1.16	BCH	19.30	-	34,879	19.36
MC	11.90	(0.50)	5,496	11.90	BEC	6.00	(0.20)	32,845	6.06	BDMS	24.80	(0.20)	135,727	24.87
MEGA	36.75	0.25	10,589	36.75	EPCO	3.64	0.10	68,225	3.66	BH	191.00	(2.00)	16,111	192.39
MIDA	0.59	0.01	1,230	0.58	FE	184.00	(1.00)	1	184.00	CHG	2.46	(0.02)	242,433	2.49
ROBINS	66.75	(0.50)	10,063	67.58	GPI	2.44	(0.04)	1,149	2.46	CMR	2.94	(0.02)	7,379	2.98
RSP	3.98	(0.04)	1,862	4.01	GRAMMY	7.70	0.10	12	7.64	EKH	6.00	0.05	1,461	6.00
SINGER	8.80	(0.10)	339	8.91	MACO	1.58	(0.05)	250,145	1.59	KDH	-	-		

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIBHA	2.32	0.04	22,109	2.28	LH	10.60	-	291,875	10.66	YNP	-	-	-	-
VIH	7.40	(0.15)	537	7.41	LPN	9.40	-	14,770	9.46	Industrial Materials	-	-	-	-
WPH	2.76	-	1,247	2.77	MBK	24.80	0.30	11,759	24.68	ALLA	1.51	(0.01)	2,002	1.51
Tourism & Leisure	-	-	-	-	MJD	3.64	(0.02)	2,063	3.59	ASEFA	4.86	0.02	210	4.84
ASIA	6.80	0.05	5	6.80	MK	3.98	0.02	8,320	4.00	CPT	1.17	(0.03)	355,781	1.19
CENDEL	41.50	-	25,017	41.69	NCH	0.92	-	141	0.92	CRANE	2.54	(0.06)	1,165	2.53
CSR	-	-	-	-	NNCL	1.79	(0.02)	3,773	1.80	CTW	9.30	0.20	88	9.29
DTC	11.20	(0.10)	1,355	11.28	NOBLE	13.80	-	156	13.79	FMT	-	-	-	-
ERW	7.45	(0.10)	20,413	7.50	NUSA	0.34	0.03	184,863	0.34	HTECH	6.60	-	3,519	6.61
GRAND	1.01	0.02	9,336	1.00	NVD	3.74	-	124	3.74	KKC	1.58	(0.01)	732	1.58
LRH	39.50	1.00	23	39.50	ORI	8.85	(0.50)	326,574	9.08	PK	2.82	(0.08)	3,175	2.86
MANRIN	-	-	-	-	PACE	0.54	0.01	210,125	0.53	SNC	14.30	(0.10)	4,609	14.25
OHTL	780.00	-	1	780.00	PF	1.04	-	148,880	1.03	TCJ	5.65	(0.10)	96	5.69
ROH	-	-	-	-	PLAT	7.75	-	1,927	7.80	VARO	-	-	-	-
SHANG	76.00	-	2	76.00	POLAR	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PRECHA	1.70	0.01	40,915	1.77	AIMIRT	10.80	-	1,762	10.82
ACC	0.50	(0.01)	1,321	0.50	PRIN	1.61	0.01	31,455	1.60	AMATAR	10.90	0.10	319	10.82
AJA	0.37	-	13,702	0.37	PRINC	4.86	(0.02)	3,321	4.87	B-WORK	11.40	0.10	132	11.31
DTCI	-	-	-	-	PSH	20.30	0.10	4,465	20.25	BKCP	12.50	-	156	12.51
FANCY	0.90	(0.01)	35,302	0.92	OH	3.08	(0.06)	277,016	3.11	BOFFICE	13.50	0.20	528	13.45
KYE	424.00	-	7	424.29	RICHY	1.83	0.01	22,293	1.83	CPNGC	16.20	-	2,076	16.30
L&E	2.64	-	263	2.64	RML	1.40	(0.01)	29,758	1.40	CPNREIT	27.25	0.25	10,962	27.10
MODERN	4.18	-	104	4.19	ROJNA	5.45	-	6,869	5.48	CPTGF	13.40	(0.10)	406	13.40
OGC	36.50	(0.50)	53	36.50	S	3.20	(0.06)	91,352	3.24	CRYSTAL	10.10	(0.10)	300	10.10
ROCK	-	-	-	-	SAMCO	2.02	(0.02)	1,479	2.01	CTARAF	4.78	(0.02)	112	4.80
SIAM	2.24	0.10	22,883	2.20	SC	3.44	-	6,815	3.44	DREIT	5.35	-	50	5.35
TSR	2.08	-	3,564	2.10	SENA	3.68	-	2,490	3.67	ERWPF	5.50	-	169	5.50
Insurance	-	-	-	-	SF	7.80	0.10	21,362	7.76	FUTUREPF	22.60	-	294	22.60
AYUD	45.00	(0.50)	2,423	45.10	SIRI	1.52	(0.01)	551,140	1.52	GAHREIT	-	-	-	-
BKI	347.00	-	22	347.23	SPALI	22.00	(0.40)	63,440	22.01	GLANDRT	13.00	0.10	3,523	12.85
BLA	31.50	-	6,209	31.46	TICON	15.80	-	231	15.83	GOLDFP	-	-	-	-
BUI	-	-	-	-	U	3.08	(0.04)	313,016	3.12	GVREIT	15.00	-	5,381	15.02
CHARAN	-	-	-	-	UV	7.25	(0.05)	20,243	7.34	HPF	5.40	-	188	5.40
INSURE	-	-	-	-	WHA	4.16	-	628,080	4.18	HREIT	6.75	0.05	242	6.73
MTI	99.75	0.25	13	99.56	WIN	0.67	-	6,487	0.66	IMPACT	19.40	0.10	982	19.40
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	9.20	-	410	9.17
NSI	-	-	-	-	UTP	10.80	(0.10)	2,083	10.88	LHHOTEL	16.50	0.10	1,138	16.49
SMK	40.75	-	2	40.75	Fashion	-	-	-	-	LHPF	8.40	0.05	1,740	8.38
THRE	1.00	-	26,664	1.00	AFC	-	-	-	-	LHSC	16.40	0.20	3,790	16.30
THREL	7.55	0.05	1,551	7.58	BTNC	-	-	-	-	LUXF	8.60	-	121	8.56
TIC	33.25	(1.25)	383	33.53	CPH	-	-	-	-	M-II	-	-	-	-
TIP	23.40	-	1,858	23.32	CPL	-	-	-	-	M-PAT	-	-	-	-
TSI	0.38	-	5,160	0.38	DIGI	0.21	(0.01)	3,416	0.22	M-STOR	-	-	-	-
TVI	3.48	-	281	3.50	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	LTX	96.00	-	9	96.00	MIT	-	-	-	-
PDI	13.40	0.30	5,915	13.37	NC	-	-	-	-	MJLF	12.70	-	127	12.70
THL	-	-	-	-	PAF	1.01	-	8,252	1.01	MNIT	-	-	-	-
Packaging	-	-	-	-	PDJ	2.48	(0.02)	1,031	2.45	MNIT2	-	-	-	-
AJ	9.75	0.10	118	9.65	PG	-	-	-	-	MNRF	3.30	-	271	3.30
ALUCON	174.00	4.00	3	173.83	SABINA	32.00	(0.75)	8,614	32.27	MONTRI	6.00	(0.05)	1	6.00
BGC	13.00	0.10	191,706	13.05	SAWANG	-	-	-	-	POPF	13.80	(0.10)	83	13.83
CSC	-	-	-	-	SUC	49.00	0.75	921	48.89	PPF	-	-	-	-
NEP	0.33	-	358	0.32	TNL	-	-	-	-	QHHR	8.60	0.05	752	8.55
NPPG	1.14	(0.05)	235,908	1.17	TPCORP	-	-	-	-	QHOP	-	-	-	-
PTL	15.10	(0.20)	671	15.25	TR	46.00	0.25	105	45.99	QHPF	13.60	0.10	5,877	13.50
SITHAI	1.18	(0.03)	6,061	1.19	TTI	-	-	-	-	SBPF	3.22	(0.04)	279	3.23
SLP	0.91	0.01	183	0.90	TTL	-	-	-	-	SHREIT	9.70	0.20	674	9.70
SMPC	13.30	(0.20)	258	13.38	TTTTT	167.50	2.50	18	166.53	SIRIP	-	-	-	-
SPACK	2.00	(0.04)	1,693	2.06	UPF	-	-	-	-	SPF	24.00	(0.30)	2,250	24.07
TCOAT	-	-	-	-	UT	-	-	-	-	SRIPANWA	-	-	-	-
TFI	0.29	-	14	0.29	WACOAL	43.50	(1.00)	11	43.52	SSPF	9.70	(0.10)	315	9.70
THIP	33.00	0.75	37	32.78	Transportation & Log	-	-	-	-	SSTPF	-	-	-	-
TMD	20.90	-	107	20.89	AAV	4.02	(0.02)	70,534	4.02	SSTRT	-	-	-	-
TOPP	198.00	-	11	198.05	AOT	65.25	0.75	568,528	65.06	TIF1	8.95	0.15	8	9.08
TPBI	8.00	(0.15)	150	8.02	ASIMAR	2.50	(0.04)	883	2.51	TLGF	19.50	-	14,610	19.52
TPP	-	-	-	-	B	0.57	-	17,630	0.57	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BA	11.80	0.10	7,275	11.85	TNPF	-	-	-	-
APCO	4.40	(0.04)	136	4.42	BEM	8.75	0.15	343,877	8.73	TPRIME	13.00	0.40	237	12.79
DDD	28.25	(1.75)	46,286	29.45	BTS	9.20	0.05	72,292	9.21	TREIT	12.00	-	8,663	11.96
JCT	-	-	-	-	BTSGIT	12.10	-	8,816	12.10	TTLPF	23.20	0.20	21	23.01
OCC	-	-	-	-	III	6.55	-	6,680	6.57	TU-PF	-	-	-	-
S & J	-	-	-	-	JUTHA	1.71	0.01	5	1.71	URBNPF	3.86	(0.02)	127	3.85
STHAI	-	-	-	-	JWD	7.80	0.10	16,395	7.80	WHABT	9.95	-	174	9.95
TNR	12.90	(0.10)	46	12.94	KWC	310.00	-	3	310.00	WHART	11.00	0.10	13,884	10.99
TOG	4.72	-	605	4.70	NOK	2.64	-	2,504	2.64	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.20	-	14,042	5.21	AMC	2.14	(0.02)	207	2.12
BWG	1.26	0.08	814,805	1.23	PRM	7.65	(0.05)	10,116	7.74	BSBM	1.07	(0.01)	1,649	1.08
GENCO	0.80	-	3,415	0.80	PSL	11.00	(0.10)	24,668	11.05	CEN	1.15	-	9,555	1.15
PRO	-	-	-	-	RCL	5.40	(0.05)	1,903	5.46	CITY	2.70	-	125	2.72
TEAMG	2.36	-	27,701	2.37	TFIF	10.30	0.10	43,414	10.27	CSP	1.30	(0.01)	100	1.30
Property Developer	-	-	-	-	THAI	13.30	(0.10)	13,597	13.46	GJS	0.25	-	23,000	0.25
A	6.70	-	300	6.70	TSTE	7.20	(0.05)	1	7.20	GSTEL	-	-	-	-
AMATA	23.60	(0.10)	98,601	23.87	TTA	6.70	-	10,028	6.75	INOX	1.13	(0.01)	12,719	1.12
AMATAV	6.05	-	2,706	6.05	WICE	4.38	(0.04)	8,592	4.43	LHK	5.05	0.05	2,241	5.06
ANAN	4.64	(0.02)	36,014	4.67	Automotive	-	-	-	-	MAX	0.02	-	668,459	0.02
AP	8.10	(0.05)	23,388	8.15	AH	24.40	0.20	2,535	24.46	MCS	7.00	-	12,941	7.00
APEX	0.20	-	2,684	0.20	APCS	5.15	0.05	62	5.10	MILL	1.76	-	5,582	1.76
AQ	0.03	-	318,602	0.03	BAT-3K	-	-	-	-	PAP	3.98	0.02	242	3.98
BLAND	1.74	0.02	178,420	1.73	CWT	2.96	(0.08)	24,796	2.99	PERM	2.12	(0.02)	61	2.12
BROCK	2.24	0.02	204	2.22	EASON	2.44	(0.04)	2,084	2.47	RICH	-	-	-	-
CGD	1.33	(0.01)	9,764	1.34	GYT	-	-	-	-	SAM	0.65	-	2,027	0.66
CI	1.57	-	7,147	1.57	HFT	3.02	-	3,107	3.04	SMIT	6.05	0.10	9,530	6.03
CPN	77.75	(1.25)	40,355	78.09	IHL	9.10	-	3,222	9.08	SSI	-	-	-	-
ESTAR	0.66	0.01	26,309	0.66	INGRS	0.68	(0.02)	38,800	0.69	SSSC	3.04	-	333	3.04
EVER	0.59	0.01	622,242	0.60	IRC	20.70	-	14	20.51	TGPRO	0.15	0.01	5,573	0.15
GLAND	3.06	0.04	1,413	3.03	PCSGH	7.15	0.10	2,973	7.11	THE	4.28	0.06	108,230	4.21
GOLD	9.30	0.05	17,047	9.32	SAT	20.50	0.20	3,753	20.52	TIW	240.00	-	16	239.63
GREEN	1.10	(0.02)	9,446	1.13	SPG	13.10	(0.30)	150	13.33	TMT	14.20	0.10	366	14.12
J	1.50	(0.01)	9	1.50	STANLY	248.00	7.00	420	248.41	TSTH	0.69	(0.02)	18,807	0.70
JCK	1.65	-	2,744	1.65	TKT	1.54	0.05	5,579	1.5					

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TPCH	10.60	0.10	2,176	10.00	ADVA06C1903A	0.14	(0.03)	33,946	-
ABICO	6.70	(0.05)	677	6.00	TRT	2.32	-	18	2.00	ADVA08C1903A	0.11	(0.02)	18,010	-
AU	7.30	-	5,107	7.00	TSE	2.72	-	8,769	2.00	ADVA11C1905A	0.09	(0.02)	16,374	-
FC	0.36	0.06	388,259	-	UMS	-	-	-	-	ADVA11P1905A	0.36	0.03	39,242	-
JCKH	0.89	(0.02)	2,375	-	UWC	0.06	-	58,205	-	ADVA13C1811A	0.02	(0.01)	27,745	-
KASET	2.08	-	671	2.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.08	(0.03)	67,863	-
MM	-	-	-	-	ADAM	-	-	-	-	ADVA13C1904A	0.39	(0.05)	1,117,189	-
SUN	3.12	-	15,171	3.00	AKP	1.70	0.04	9,767	1.00	ADVA16C1812A	0.27	(0.07)	4,000	-
TACC	3.48	(0.02)	3,023	3.00	AMA	5.15	0.05	2,295	5.00	ADVA19C1901A	0.16	(0.03)	226,496	-
TMILL	3.22	(0.04)	9,199	3.00	ARIP	0.52	-	12,806	-	ADVA23C1902A	0.12	(0.02)	14,000	-
XO	11.50	(0.50)	13,464	11.00	ATP30	1.69	-	1,407	1.00	ADVA24C1810A	-	-	-	-
Consumer Products	-	-	-	-	AUCT	6.00	(0.05)	3,940	6.00	ADVA24C1904A	0.19	(0.04)	13,655	-
BGT	1.06	(0.01)	196	1.00	BOL	1.94	0.02	607	1.00	ADVA24C1905A	0.11	(0.03)	281	-
BIZ	2.60	0.02	100	2.00	CHUO	-	-	-	-	ADVA24P1908A	1.00	0.09	1,492	-
DOD	13.90	0.10	40,400	14.00	CMO	1.51	(0.01)	1,851	1.00	ADVA27C1902A	0.10	(0.02)	1,232	-
ECF	6.10	(0.25)	45,952	6.00	D	10.70	0	2,152	10.00	ADVA28C1811A	-	-	-	-
HPT	1.05	-	2,722	1.00	DCORP	2.74	-	350	2.00	ADVA28C1901A	0.03	-	9,218	-
JUBILE	17.20	0.20	1,252	17.00	DNA	0.47	(0.02)	239,361	-	ADVA42C1903A	0.10	(0.02)	26,520	-
MOONG	6.50	(0.10)	1,693	6.00	EFORL	0.06	-	28,780	-	AMAT01C1903A	0.83	(0.01)	117,572	-
NPK	-	-	-	-	ETE	1.62	(0.01)	3,540	1.00	AMAT01C1903B	0.65	(0.02)	137,211	-
OCEAN	5.55	(0.35)	133,046	5.00	FSMART	7.30	(0.15)	10,767	7.00	AMAT01P1903A	0.61	0.01	19,669	-
TM	2.04	0.02	931	2.00	FVC	1.00	-	19,324	1.00	AMAT06C1903A	0.72	-	5,640	-
Financials (MAI)	-	-	-	-	HARN	2.60	0.04	1,269	2.00	AMAT08C1903A	0.67	(0.02)	7,458	-
ACAP	5.95	(0.20)	13,505	6.00	JKN	11.60	0.20	9,638	11.00	AMAT11C1903A	0.44	0.01	7,372	-
AF	0.73	-	587	-	KIAT	0.48	-	1,880	-	AMAT13C1812A	0.63	0.04	105	-
AIRA	-	-	-	-	KOOL	1.51	-	10,357	1.00	AMAT13C1902A	0.36	(0.02)	251,879	-
ASN	3.88	0.24	14	3.00	LDC	1.09	-	1,180	1.00	AMAT19C1811A	0.10	(0.02)	20,612	-
BROOK	0.52	(0.02)	9,509	-	MPG	0.15	-	25	-	AMAT19C1902A	0.74	(0.02)	13,916	-
CHAYO	4.96	(0.24)	84,069	5.00	MVP	2.68	-	1,717	2.00	AMAT24C1811A	0.14	(0.01)	1,102	-
GCAP	3.40	(0.18)	150,415	3.00	NBC	0.63	-	122	-	AMAT27C1902A	0.94	0.01	5,100	-
LIT	7.75	-	1,329	7.00	NCL	1.49	-	3,173	1.00	AMAT28C1902A	0.51	(0.02)	30,636	-
SGF	1.66	(0.05)	489,042	1.00	NEWS	0.02	0.01	60,332	-	AMAT28C1903A	0.14	-	14,500	-
Industrials (MAI)	-	-	-	-	NINE	1.74	(0.11)	27,551	1.00	ANAN08C1906A	0.18	-	2,286	-
ZS	3.12	0.02	892	3.00	OTO	3.02	0.16	13,926	3.00	ANAN13C1901A	0.09	(0.01)	1,000	-
ADB	1.04	0.01	2,993	1.00	PHOL	1.99	(0.03)	6,489	2.00	ANAN19C1811A	0.12	-	8,374	-
BM	3.18	0.04	5,035	3.00	PICO	4.28	0.28	65	4.00	ANAN23C1901A	0.08	-	1,007	-
CHO	1.21	0.01	11,214	1.00	PORT	6.75	0.05	296	6.00	ANAN24C1811A	0.26	(0.02)	10,305	-
CHOW	4.48	-	84	4.00	QLT	4.48	-	48	4.00	AOT01C1902A	0.46	0.04	503,172	-
CIG	0.38	-	58,397	-	RP	2.96	-	543	2.00	AOT01C1902B	0.23	0.01	188,949	-
COLOR	1.40	(0.02)	2,443	1.00	SE	2.04	0.04	29	2.00	AOT01C1904A	0.44	0.02	297,597	-
CPR	5.20	(0.05)	676	5.00	SONIC	1.67	(0.02)	106,097	1.00	AOT01C1904B	0.32	0.03	232,634	-
FPI	1.97	0.01	894	1.00	SPA	13.80	-	1,475	13.00	AOT01P1902A	0.78	(0.04)	134,701	-
GTB	0.63	(0.01)	3,291	-	THMUI	1.57	0.01	4,002	1.00	AOT01P1902B	0.38	(0.04)	308,200	-
KCM	1.10	-	3,227	1.00	TNDT	5.15	-	410	5.00	AOT01P1904A	0.82	(0.03)	146,557	-
KWM	1.27	0.10	627,786	1.00	TNH	40.00	(0.25)	226	39.00	AOT01P1904B	0.60	(0.03)	240,864	-
LVT	-	-	-	-	TNP	1.75	(0.01)	937	1.00	AOT06C1903A	0.34	0.02	54,408	-
MBAX	4.04	(0.04)	513	4.00	TSF	0.03	-	105,422	-	AOT06P1903A	0.39	(0.02)	27,890	-
MGT	2.10	(0.02)	1,757	2.00	TVD	1.52	(0.02)	3,801	1.00	AOT07C1902A	-	-	-	-
NDR	2.24	-	35	2.00	TVT	1.02	0.01	18,678	1.00	AOT08C1901A	0.17	0.02	34,989	-
PDG	3.52	-	68	3.00	WINNER	3.16	(0.02)	1,062	3.00	AOT08P1903A	0.40	(0.03)	35,136	-
PIMO	4.70	0.12	11,683	4.00	Technology (MAI)	-	-	-	-	AOT11C1906A	0.27	0.01	11,950	-
PJW	1.69	-	514	1.00	COMAN	4.12	(0.02)	1,205	4.00	AOT11P1906A	0.30	(0.03)	11,547	-
PPM	1.79	(0.01)	1,201	1.00	ICN	2.00	-	6,903	2.00	AOT13C1811A	0.02	0.01	480	-
RWI	1.61	0.01	169	1.00	IRCP	0.81	-	2,159	-	AOT13C1812A	0.10	0.01	32,252	-
SALEE	1.07	-	1,716	1.00	ITEL	3.26	(0.12)	5,910	3.00	AOT13C1902A	0.34	0.02	216,876	-
SANKO	1.22	(0.02)	1,811	1.00	NETBAY	31.50	(0.25)	260	31.00	AOT13P1812A	-	-	-	-
SELIC	2.30	(0.08)	3,960	2.00	PLANET	1.51	-	160	1.00	AOT13P1902A	0.28	(0.02)	74,855	-
SWC	26.00	-	460	26.00	SIMAT	2.04	(0.04)	4,311	2.00	AOT19C1901A	0.27	0.02	174,233	-
TMC	0.86	-	77	-	SKY	14.60	(0.40)	22,145	14.00	AOT19P1903A	0.30	(0.02)	99,987	-
TMI	0.80	-	1,974	-	SPVI	1.48	0.01	5,849	1.00	AOT24C1811A	-	-	-	-
TMW	68.50	0.25	90	68.00	UPA	0.49	-	20,990	-	AOT24C1901A	-	-	-	-
TPAC	11.00	(0.20)	376	11.00	VCOM	3.14	0.06	1,513	3.00	AOT24C1904A	0.30	0.03	2,322	-
TPLAS	1.61	0.03	9,641	1.00	Unit Trust	-	-	-	-	AOT24P1903A	0.26	(0.03)	8,267	-
UAC	4.28	(0.02)	231	4.00	MGE	-	-	-	-	AOT27C1902A	0.30	0.02	16,800	-
UBIS	4.66	0.02	144	4.00	SCBSET	-	-	-	-	AOT27P1903A	0.52	(0.04)	6,000	-
UEC	1.46	0.01	1,095	1.00	ETF	-	-	-	-	AOT28C1812A	0.09	0.01	1,603	-
UKEM	0.84	0.01	23,350	-	IDIV	11.75	0.02	144	11.00	AOT28C1901A	0.09	0.01	4,824	-
UREKA	1.78	(0.09)	122,591	1.00	ABFTH	-	-	-	-	AOT28C1902A	0.33	0.02	199,939	-
YUASA	14.40	(0.10)	73	14.00	BMSCG	8.78	(0.03)	72	8.00	AOT28P1812A	-	-	-	-
ZIGA	2.88	(0.02)	1,879	2.00	BMSCITH	12.46	0.01	2,022	12.00	AOT42C1903A	0.23	0.02	31,580	-
Property & Construc	-	-	-	-	BSET100	10.75	-	626	10.00	AP01C1903A	0.24	(0.05)	2,218	-
ARROW	8.00	-	993	8.00	CHINA	4.97	(0.01)	110	5.00	AP01C1903B	0.15	-	1,584	-
BKD	3.00	(0.02)	2,055	3.00	EBANK	-	-	-	-	AP13C1903A	0.13	-	239	-
BSM	0.67	(0.01)	4,128	-	ECOMM	-	-	-	-	AP19C1902A	0.13	-	1,410	-
BTW	1.74	(0.01)	156	1.00	EFOOD	5.61	0.15	1	5.00	AP23C1901A	0.02	-	51	-
CHEWA	1.16	-	58,282	1.00	EICT	4.57	(0.17)	2	4.00	AP24C1901A	-	-	-	-
CRD	1.09	-	24,349	1.00	ENGY	6.40	0.03	3	6.00	AP24C1907A	0.36	(0.01)	395	-
DIMET	0.99	-	5,019	-	ENY	7.62	0.15	113	7.00	AP42C1901A	-	-	-	-
FLOYD	2.00	-	1,229	2.00	ESET50	5.81	0.04	1	5.00	AP42P1901A	0.38	-	2,718	-
FOCUS	1.62	(0.05)	25,363	1.00	GLD	1.73	0.01	19	1.00	BA11C1902A	0.02	-	146	-
HYDRO	1.28	(0.04)	1,391	1.00	TDEX	10.94	-	834	10.00	BA19C1811A	-	-	-	-
JSP	0.51	0.01	18,928	-	TGOLDEF	3.77	-	17	3.00	BA24C1810A	-	-	-	-
K	2.92	0.06	18,645	3.00	TH100	4.89	-	30	4.00	BA24C1901A	0.01	-	610	-
META	2.02	-	17,904	2.00	Warrant Foreign	-	-	-	-	BANP01C1812A	0.10	(0.01)	35,320	-
PPS	0.81	-	10,775	-	AAV01C1902A	0.37	(0.01)	6,948	-	BANP01C1812B	0.02	-	3,002	-
SMART	0.96	(0.01)	4,376	-	AAV01C1902B	0.27	(0.01)	4,938	-	BANP01C1903A	0.27	-	190,931	-
STAR	5.05	(0.15)	562	5.00	AAV01P1902A	0.79	0.01	6,316	-	BANP01C1903B	0.16	-	54,917	-
T	0.06	-	83,733	-	AAV06C1904A	0.24	(0.01)	2,970	-	BANP01P1812A	1.09	(0.02)	25,557	1.00
TAPAC	6.55	(0.05)	580	6.00	AAV08C1811A	-	-	-	-	BANP01P1812B	0.68	(0.02)	36,127	-
THANA	2.34	-	924	2.00	AAV08C1903A	0.20	-	530	-	BANP01P1903A	0.84	(0.02)	103,829	-
TIGER	3.66	0.08	92,109	3.00	AAV11C1904A	-	-	-	-	BANP01P1903B	0.55	(0.02)	24,523	-
TITLE	8.40	0.20	9,812	8.00	AAV13C1811A	-	-	-	-	BANP06C1903A	0.10	(0.01)</		

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP23C1901A	-	-	-	-	BEAU19C1901A	0.68	(0.09)	33,861	-	BTS06C1903A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU19C1902A	0.21	(0.03)	109,126	-	BTS06C1903B	-	-	-	-
BANP24C1904A	0.16	0.01	3,501	-	BEAU23C1901A	0.01	-	10	-	BTS06C1903C	-	-	-	-
BANP24P1901A	0.27	(0.01)	2	-	BEAU24C1901A	0.10	-	701	-	BTS11C1904A	-	-	-	-
BANP27C1904A	0.28	0.02	7,200	-	BEAU24C1902A	0.02	(0.01)	2,929	-	BTS19C1901A	0.19	0.01	25,990	-
BANP28C1902A	0.09	-	1,000	-	BEAU24C1903A	0.66	(0.08)	6,194	-	BTS23C1905A	-	-	-	-
BANP28C1903A	0.21	0.01	21,780	-	BEAU27C1903A	0.18	(0.02)	46,116	-	BTS24C1901A	-	-	-	-
BANP42C1903A	0.13	0.01	1,020	-	BEAU28C1811A	-	-	-	-	BTS28C1811A	-	-	-	-
BANP42P1903A	0.61	(0.02)	8,925	-	BEC01C1812A	0.02	-	9,000	-	BTS28C1902A	0.14	0.01	22,241	-
BBL06C1902A	0.92	0.02	1,329	-	BEC01C1812B	0.02	-	500	-	BTS42C1901A	0.12	-	3,012	-
BBL08C1902A	0.67	0.04	20	-	BEC13C1811A	-	-	-	-	BTS42P1901A	0.19	(0.01)	4,436	-
BBL11C1903A	0.52	0.01	2,050	-	BEC13C1901A	0.02	-	1,771	-	CBG01C1811A	0.11	0.01	94,912	-
BBL11P1903A	0.08	(0.01)	2,964	-	BEC24C1812A	-	-	-	-	CBG01C1811B	0.01	-	10,203	-
BBL13C1901A	0.30	-	7,758	-	BEC28C1811A	-	-	-	-	CBG01C1902A	0.40	-	90,317	-
BBL19C1901A	0.28	0.02	3,555	-	BEM01C1902A	0.42	0.04	69,981	-	CBG01C1902B	0.26	-	87,021	-
BBL23C1811A	-	-	-	-	BEM01C1902B	0.32	0.04	75,322	-	CBG01P1811A	1.11	(0.02)	32,498	1.00
BBL24C1812A	-	-	-	-	BEM01P1902A	0.32	(0.03)	14,620	-	CBG01P1811B	0.29	(0.03)	82,710	-
BBL24C1902A	0.18	0.01	2,001	-	BEM07C1903A	-	-	-	-	CBG06C1903A	0.41	0.03	21,032	-
BBL24P1904A	0.30	(0.01)	16,324	-	BEM08C1903A	0.27	0.03	11,906	-	CBG06P1903A	0.84	(0.02)	4,423	-
BBL27C1904A	-	-	-	-	BEM11C1903A	0.24	0.03	13,725	-	CBG07C1812A	-	-	-	-
BBL27P1904A	-	-	-	-	BEM13C1901A	0.34	0.04	122,781	-	CBG08C1902A	0.13	-	8,390	-
BBL28C1811A	-	-	-	-	BEM19C1901A	0.36	0.05	18,079	-	CBG11C1902A	0.05	0.01	1	-
BBL28C1901A	0.24	0.01	20	-	BEM23C1901A	0.18	0.03	400	-	CBG13C1811A	-	-	-	-
BBL42C1903A	0.30	0.01	2,212	-	BEM24C1902A	0.23	0.03	1,452	-	CBG13C1812A	0.02	-	1,028	-
BCHO1C1902A	0.45	(0.01)	74,825	-	BEM27C1904A	0.26	0.03	7,300	-	CBG13C1901A	0.26	0.01	88,511	-
BCHO1C1902B	0.29	-	43,140	-	BEM27P1905A	0.22	-	2,400	-	CBG19C1901A	0.20	0.01	17,702	-
BCHO1P1902A	0.38	(0.01)	38,628	-	BEM42C1904A	0.25	0.03	12,112	-	CBG23C1901A	-	-	-	-
BCHO6C1811A	0.24	(0.01)	4,140	-	BEM42P1904A	0.18	(0.01)	2,024	-	CBG24C1811A	-	-	-	-
BCHO8C1901A	0.49	-	7,902	-	BGRI01C1901A	1.00	(0.06)	6,306	1.00	CBG24C1901A	0.18	0.02	1	-
BCH11C1905A	0.42	(0.02)	6,320	-	BGRI01C1901B	0.76	-	4,350	-	CBG24C1903A	0.17	0.01	1	-
BCH13C1902A	0.23	-	54,847	-	BGRI01C1903A	0.30	(0.03)	11,158	-	CBG28C1811A	-	-	-	-
BCH19C1903A	0.50	-	12,940	-	BGRI01C1903B	0.21	(0.02)	17,645	-	CBG28C1812A	-	-	-	-
BCH23C1811A	0.35	-	2,400	-	BGRI06C1903A	-	-	-	-	CBG28C1904A	0.22	-	14,144	-
BCH24C1811A	-	-	-	-	BGRI07C1903A	-	-	-	-	CENTO1C1903A	0.48	-	25,526	-
BCH27C1902A	0.71	0.01	4,900	-	BGRI08C1902A	0.66	(0.04)	1,996	-	CENTO1C1903B	0.37	-	52,623	-
BCH28C1811A	-	-	-	-	BGRI13C1812A	-	-	-	-	CENTO1P1903A	0.40	-	18,214	-
BCH28C1902A	0.17	(0.01)	28,498	-	BGRI13C1812B	0.14	(0.03)	12,659	-	CENTO6C1904A	0.20	0.01	50	-
BCP01C1903A	0.20	(0.01)	5,571	-	BGRI19C1901A	0.49	(0.05)	1,500	-	CENTO8C1902A	0.17	0.01	1,450	-
BCP01C1903B	0.13	(0.01)	4,282	-	BGRI19C1903A	-	-	-	-	CENTI1C1904A	0.12	-	907	-
BCP01P1903A	0.42	-	9,583	-	BGRI24C1901A	0.52	(0.08)	2	-	CENTI13C1811A	-	-	-	-
BCP08C1901A	0.11	0.01	10,378	-	BGRI24C1902A	0.18	(0.03)	601	-	CENTI13C1902A	0.27	-	41,232	-
BCP11C1811A	-	-	-	-	BGRI27C1905A	0.22	(0.01)	1,200	-	CENTI19C1901A	0.17	0.01	17,927	-
BCP13C1902A	0.13	-	53	-	BGRI28C1812A	-	-	-	-	CENTI19C1904A	0.46	(0.01)	14,331	-
BCP19C1902A	0.13	0.01	5,500	-	BGRI28C1901A	0.12	-	2,048	-	CENT23C1902A	0.09	-	1,000	-
BCP24C1811A	-	-	-	-	BH01C1811A	0.58	(0.06)	80,459	-	CENT24C1901A	0.07	0.01	150	-
BCP24C1904A	-	-	-	-	BH01C1811B	-	-	-	-	CENT24C1902A	0.24	-	50	-
BCP28C1901A	0.10	0.01	2,028	-	BH01P1811A	0.81	0.06	52,357	-	CENT27C1905A	0.42	-	4,800	-
BCPG01C1811A	0.21	(0.03)	175,969	-	BH08C1811A	-	-	-	-	CHG01C1903A	0.30	(0.01)	42,312	-
BCPG01C1811B	0.01	-	18,454	-	BH08C1902A	0.53	(0.04)	40,900	-	CHG01C1903B	0.21	-	45,060	-
BCPG01C1904A	0.32	(0.03)	140,342	-	BH11C1902A	0.05	-	2	-	CHG01P1903A	0.46	0.01	19,874	-
BCPG01C1904B	0.21	(0.02)	80,263	-	BH11C1905A	0.67	(0.06)	16,967	-	CHG07C1902A	0.20	(0.01)	51	-
BCPG06C1811A	-	-	-	-	BH13C1901A	0.55	(0.07)	64,925	-	CHG11C1904A	0.21	(0.01)	6,070	-
BCPG08C1904A	0.15	(0.01)	16,519	-	BH19C1901A	0.54	(0.05)	65,383	-	CHG13C1812A	0.13	(0.01)	99,982	-
BCPG11C1902A	0.06	(0.02)	18,036	-	BH24C1811A	-	-	-	-	CHG13C1903A	-	-	-	-
BCPG13C1812A	0.17	(0.04)	5,793	-	BH24C1902A	0.41	(0.05)	33,631	-	CHG19C1902A	0.24	-	34,336	-
BCPG13C1902A	0.12	(0.02)	103,048	-	BIG08C1906A	0.09	0.01	514	-	CHG23C1811A	-	-	-	-
BCPG13C1904A	0.33	(0.03)	370,338	-	BIG13C1901A	0.02	-	4,640	-	CHG24C1811A	-	-	-	-
BCPG19C1901A	0.25	(0.04)	26,234	-	BIG19C1811A	-	-	-	-	CHG28C1812A	-	-	-	-
BCPG23C1902A	0.22	(0.03)	4,000	-	BIG24C1812A	-	-	-	-	CHG28C1902A	0.11	(0.01)	26,142	-
BCPG24C1903A	0.12	(0.02)	1,100	-	BJC01C1812A	0.55	-	103,666	-	CK01C1902A	0.23	(0.01)	700	-
BCPG27C1903A	0.23	(0.02)	46,400	-	BJC01C1812B	0.25	-	33,342	-	CK01C1902B	0.16	-	5,562	-
BCPG28C1812A	0.27	(0.03)	42,292	-	BJC01P1812A	0.26	-	21,015	-	CK01P1902A	0.37	-	5,304	-
BCPG28C1901A	0.09	(0.02)	41,713	-	BJC06C1901A	0.13	(0.01)	400	-	CK08C1901A	-	-	-	-
BCPG28C1904A	0.30	(0.02)	80,395	-	BJC08C1903A	0.27	-	3,068	-	CK11C1904A	-	-	-	-
BDMS01C1811A	0.11	(0.01)	1,002	-	BJC11C1905A	0.35	(0.02)	9,504	-	CK13C1902A	0.16	-	5,915	-
BDMS01C1811B	0.01	-	9,067	-	BJC13C1812A	0.16	-	21,044	-	CK16C1812A	-	-	-	-
BDMS01P1811A	0.30	0.02	19,385	-	BJC13C1902A	0.17	(0.02)	23,224	-	CK19C1811A	0.03	0.01	3,422	-
BDMS06C1811A	0.27	(0.02)	2,400	-	BJC13C1903A	0.41	0.01	33,056	-	CK19C1903A	0.21	-	600	-
BDMS07C1904A	0.12	(0.01)	607	-	BJC19C1902A	0.30	(0.02)	29,469	-	CK24C1901A	-	-	-	-
BDMS08C1901A	0.05	(0.01)	3,150	-	BJC23C1901A	0.12	0.01	2,000	-	CK24C1904A	0.20	-	50	-
BDMS11C1811A	0.33	(0.04)	800	-	BJC24C1901A	0.17	(0.01)	201	-	CK28C1812A	-	-	-	-
BDMS11C1904A	0.06	-	10	-	BJC28C1812A	0.19	-	20,498	-	CK28C1902A	-	-	-	-
BDMS13C1812A	-	-	-	-	BLA01C1812A	-	-	-	-	CKP01C1812A	0.88	(0.04)	5,267	-
BDMS13C1903A	0.14	(0.01)	15,988	-	BLA08C1811A	-	-	-	-	CKP01C1812B	0.67	0.03	3,920	-
BDMS16C1812A	-	-	-	-	BLA13C1902A	0.11	-	45,077	-	CKP08C1903A	0.85	0.03	2,348	-
BDMS19C1901A	0.14	(0.01)	185	-	BLA19C1903A	0.19	-	4,620	-	CKP13C1902A	0.80	(0.08)	3,901	-
BDMS24C1811A	-	-	-	-	BLA19C1906A	0.28	0.01	1,511	-	CKP13C1903A	0.57	(0.01)	15,941	-
BDMS24C1812A	-	-	-	-	BLA24C1903A	0.13	0.01	1	-	CKP13C1903B	0.15	(0.01)	40,866	-
BDMS24C1905A	-	-	-	-	BLAN01C1903A	0.28	0.01	15,306	-	CKP19C1902A	0.69	0.02	2,393	-
BDMS24C1909A	0.60	(0.02)	300	-	BLAN01C1903B	-	-	-	-	CKP19C1903A	0.21	0.01	5,119	-
BDMS27C1903A	-	-	-	-	BLAN01P1903A	0.52	(0.01)	11,860	-	CKP24C1811A	-	-	-	-
BDMS28C1811A	0.02	-	7	-	BLAN11C1902A	0.08	-	1,500	-	CKP28C1902A	-	-	-	-
BDMS28C1902A	-	-	-	-	BLAN19C1902A	-	-	-	-	CKP28C1903A	0.15	-	27,267	-
BDMS42C1904A	0.11	-	2,024	-	BPP01C1811A	0.12	0.01	40,672	-	COM701C1811A	0.78	-	16,674	-
BDMS42P1904A	0.20	0.01	1,224	-	BPP01C1811B	-	-	-	-	COM701C1811B	0.23	(0.02)	26,846	-
BEAU01C1812A	0.03	0.01	62,364	-	BPP01C1903A	0.17	-	33,818	-	COM706C1903A	0.50	(0.02)	5,310	-
BEAU01C1812B	0.01	(0.01)	60,115	-	BPP01C1903B	0.12	-	33,598	-	COM708C1811A	0.06	-	2,130	-
BEAU01C1901A	0.29	(0.03)	171,855	-	BPP01P1811A	0.41	(0.04)	48,231	-	COM708C1903A	0.52	(0.01)	10,279	-
BEAU01C1901B	0.17	(0.03)	281,951	-	BPP01P1903A	0.34	(0.01)	34,827	-	COM711C1811A				

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01P1901B	0.83	(0.05)	43,535	-	EA28C1901A	0.56	(0.08)	72	-	HMPR24C1901A	0.14	(0.01)	31	-
CPAL01P1904A	0.73	(0.02)	78,397	-	EA28C1902A	0.30	(0.05)	85,218	-	HMPR27C1905A	0.29	-	25,700	-
CPAL01P1904B	0.48	(0.02)	81,693	-	EGCO01C1903A	0.52	-	5,314	-	HMPR27P1905A	0.35	-	2,200	-
CPAL06C1811A	-	-	-	-	EGCO01C1903B	0.34	(0.03)	5,148	-	HMPR28C1811A	-	-	-	-
CPAL06C1811B	-	-	-	-	EGCO19C1901A	0.25	-	3,732	-	HMPR28C1903A	0.16	(0.01)	24,726	-
CPAL07C1902A	0.21	0.02	1	-	EGCO23C1811A	-	-	-	-	INTU01C1903A	0.28	(0.01)	68,155	-
CPAL08C1902A	0.08	0.01	12,958	-	EGCO24C1901A	-	-	-	-	INTU01C1903B	0.15	-	48,550	-
CPAL08C1902B	0.30	0.02	23,618	-	EPG01C1903A	0.25	-	36,803	-	INTU01P1903A	0.84	0.01	16,722	-
CPAL08P1904A	0.54	(0.02)	15,231	-	EPG01C1903B	0.17	-	16,863	-	INTU01P1903B	0.63	0.02	21,279	-
CPAL11C1903A	0.04	-	3,596	-	EPG01P1903A	1.12	(0.01)	16,548	1.00	INTU11C1905A	0.13	(0.01)	7,529	-
CPAL11P1903A	0.86	(0.05)	3,774	-	EPG07C1811A	-	-	-	-	INTU11P1905A	0.37	-	3,870	-
CPAL13C1812A	0.03	-	9,100	-	EPG08C1903A	0.10	0.01	1,368	-	INTU13C1812A	0.09	-	100	-
CPAL13C1901A	0.22	0.01	36,567	-	EPG11C1903A	0.27	(0.01)	9,473	-	INTU19C1901A	0.09	(0.01)	36,873	-
CPAL13C1903A	0.60	0.02	288,344	-	EPG13C1811A	0.01	(0.01)	1,400	-	INTU24C1901A	-	-	-	-
CPAL13P1902A	0.36	(0.03)	173,985	-	EPG13C1902A	0.07	(0.01)	5,410	-	INTU24C1909A	0.31	(0.01)	3,536	-
CPAL19C1811A	0.01	-	600	-	EPG13C1903A	0.20	-	35,507	-	INTU28C1901A	-	-	-	-
CPAL19C1902A	0.30	0.02	53,323	-	EPG19C1902A	0.10	(0.01)	11,552	-	INTU42C1904A	0.12	(0.02)	2,024	-
CPAL19P1903A	0.41	(0.03)	25,544	-	EPG19C1904A	0.32	(0.01)	33,306	-	INTU42P1904A	0.33	0.01	1,712	-
CPAL24C1811A	-	-	-	-	EPG24C1902A	0.15	(0.02)	1	-	IRPC01C1903A	0.19	-	234,145	-
CPAL24C1901A	0.05	0.01	1	-	EPG28C1902A	-	-	-	-	IRPC01C1903B	0.10	(0.01)	86,721	-
CPAL24C1903A	0.22	0.01	565	-	ERW13C1902A	0.19	-	14,693	-	IRPC01P1903A	0.61	(0.01)	69,033	-
CPAL24P1901A	0.24	(0.01)	7,430	-	ERW19C1902A	0.32	(0.01)	6,600	-	IRPC01P1903B	0.48	0.01	93,714	-
CPAL27C1903A	0.29	0.02	9,600	-	ERW24C1904A	0.34	-	25	-	IRPC06C1811A	0.07	0.01	2,501	-
CPAL28C1811A	-	-	-	-	ESSO01C1812A	0.42	-	40,490	-	IRPC07C1812A	-	-	-	-
CPAL28C1901A	0.17	0.01	100,748	-	ESSO01C1812B	0.18	(0.01)	41,191	-	IRPC08C1902A	0.15	0.01	7,200	-
CPAL42C1904A	0.35	0.02	20,216	-	ESSO01P1812A	0.39	-	73,115	-	IRPC11C1902A	0.02	-	1,000	-
CPAL42P1904A	0.30	(0.02)	15,181	-	ESSO08C1902A	0.34	-	13,665	-	IRPC11C1905A	0.20	-	12,597	-
CPF01C1902A	0.19	(0.02)	12,594	-	ESSO11C1905A	0.63	0.02	5,496	-	IRPC13C1811A	-	-	-	-
CPF01C1902B	0.11	-	7,000	-	ESSO13C1811A	0.04	(0.01)	1,206	-	IRPC13C1812A	0.08	-	37,000	-
CPF01P1902A	0.39	-	21,999	-	ESSO13C1903A	0.34	-	40,362	-	IRPC13C1901A	0.24	-	128,875	-
CPF01P1902B	0.28	-	15,344	-	ESSO19C1901A	0.27	-	12,036	-	IRPC19C1901A	0.15	-	55,338	-
CPF06C1903A	-	-	-	-	ESSO24C1812A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPF08C1901A	-	-	-	-	ESSO24C1902A	0.29	-	3,095	-	IRPC24C1904A	0.24	-	2	-
CPF11C1902A	0.04	(0.01)	1,310	-	ESSO28C1811A	-	-	-	-	IRPC27C1903A	0.15	-	14,000	-
CPF11P1902A	0.18	-	1,934	-	ESSO28C1903A	0.25	-	30,124	-	IRPC28C1811A	-	-	-	-
CPF13C1902A	0.11	-	2,042	-	GFPT08C1906A	0.49	0.01	4,968	-	IRPC28C1812A	-	-	-	-
CPF13C1903A	0.49	(0.01)	3,532	-	GFPT13C1902A	0.22	0.01	25,622	-	IRPC28C1902A	0.10	-	42,249	-
CPF19C1901A	0.11	(0.01)	8,681	-	GFPT19C1811A	0.39	0.02	3,460	-	ITD06C1904A	0.21	-	12,932	-
CPF19C1904A	0.53	(0.03)	710	-	GFPT19C1903A	0.33	0.01	8,208	-	ITD08C1902A	0.15	-	2,668	-
CPF24C1901A	-	-	-	-	GFPT24C1812A	0.25	0.02	8,200	-	ITD11C1903A	-	-	-	-
CPF24C1902A	-	-	-	-	GGC07C1902A	-	-	-	-	ITD13C1812A	0.03	(0.01)	1,785	-
CPF24C1903A	-	-	-	-	GGC08C1906A	0.12	0.02	4,452	-	ITD13C1902A	0.16	-	32,318	-
CPF24C1904A	0.54	(0.03)	550	-	GGC13C1811A	-	-	-	-	ITD19C1811A	-	-	-	-
CPF27C1903A	-	-	-	-	GGC13C1902A	0.15	0.01	16,926	-	ITD19C1903A	0.30	0.01	3,994	-
CPF28C1811A	-	-	-	-	GGC19C1811A	-	-	-	-	ITD24C1902A	-	-	-	-
CPF28C1902A	0.10	-	6,146	-	GGC19C1902A	0.30	0.03	8,223	-	IVL01C1812A	0.21	-	242,156	-
CPF28C1903A	-	-	-	-	GGC23C1901A	-	-	-	-	IVL01C1812B	0.04	-	26,492	-
CPN01C1902A	0.44	(0.03)	21,100	-	GGC24C1812A	-	-	-	-	IVL01C1903A	0.37	-	175,075	-
CPN01C1902B	0.24	(0.02)	54,461	-	GGC24C1901A	0.15	0.02	1	-	IVL01C1903B	0.25	-	92,259	-
CPN01P1902A	0.90	0.05	48,231	-	GGC28C1811A	-	-	-	-	IVL01P1812A	0.79	(0.04)	63,727	-
CPN06C1811A	0.30	(0.06)	10,723	-	GGC28C1905A	0.31	0.03	19,144	-	IVL01P1812B	0.39	(0.01)	104,767	-
CPN07C1902A	-	-	-	-	GLOB01C1903A	0.58	-	78,053	-	IVL01P1903A	1.06	-	42,643	1.00
CPN08C1903A	0.36	(0.05)	12,656	-	GLOB01C1903B	0.46	-	79,842	-	IVL01P1903B	0.84	(0.03)	32,491	-
CPN11C1903A	0.15	(0.05)	5,220	-	GLOB11C1906A	0.37	-	17,111	-	IVL06C1901A	-	-	-	-
CPN11P1903A	0.20	0.02	5,084	-	GLOB13C1901A	0.33	0.01	61,637	-	IVL07C1811A	-	-	-	-
CPN13C1812A	0.07	(0.03)	12,854	-	GLOB19C1901A	0.48	(0.01)	20,767	-	IVL08C1901A	0.23	0.02	11,768	-
CPN13C1903A	0.47	(0.04)	61,020	-	GLOB23C1811A	0.52	0.01	4,500	-	IVL08P1903A	0.59	(0.01)	10,093	-
CPN19C1901A	0.31	(0.05)	49,921	-	GLOB24C1903A	0.25	-	1,071	-	IVL11C1906A	0.29	0.02	35,799	-
CPN24C1901A	0.12	(0.01)	1	-	GLOW08C1811A	0.11	-	6,272	-	IVL13C1812A	0.09	-	92,018	-
CPN24C1904A	0.52	(0.02)	114	-	GLOW19C1901A	0.23	0.01	8,310	-	IVL13C1903A	0.25	-	29,980	-
CPN27C1903A	0.28	(0.04)	7,200	-	GLOW27C1812A	0.13	(0.03)	1,200	-	IVL13C1904A	0.44	-	71,488	-
CPN28C1902A	0.21	(0.03)	19,322	-	GPSCO1C1902A	0.19	(0.02)	15,442	-	IVL13P1811A	0.03	(0.01)	5,226	-
DELT06C1903A	0.85	0.01	4,320	-	GPSCO1C1902B	0.08	(0.02)	4,382	-	IVL13P1902A	-	-	-	-
DELT08C1811A	-	-	-	-	GPSCO1P1902A	1.76	0.08	30,327	1.00	IVL13P1903A	0.32	(0.02)	29,958	-
DELT24C1901A	-	-	-	-	GPSCO6C1811A	0.01	-	2,000	-	IVL19C1903A	0.36	0.01	101,343	-
DELT27C1812A	-	-	-	-	GPSCO8C1902A	-	-	-	-	IVL19P1903A	0.42	(0.02)	24,491	-
DTAC01C1902A	0.83	(0.07)	51,060	-	GPSC11C1902A	0.03	-	20	-	IVL24C1812A	0.01	(0.01)	6,727	-
DTAC01C1902B	0.60	(0.09)	117,012	-	GPSC13C1812A	0.01	-	12,710	-	IVL24C1901A	0.17	0.02	1	-
DTAC01P1902A	0.53	0.03	60,949	-	GPSC13C1903A	0.15	(0.03)	29,589	-	IVL27C1902A	0.23	0.01	48,288	-
DTAC01P1902B	0.30	0.03	25,343	-	GPSC13C1904A	0.48	(0.05)	63,144	-	IVL28C1811A	-	-	-	-
DTAC06C1901A	0.23	(0.04)	18,211	-	GPSC19C1901A	0.06	-	2,343	-	IVL28C1812A	0.17	0.01	39,743	-
DTAC06C1903A	0.44	(0.07)	16,772	-	GPSC24C1812A	-	-	-	-	IVL28C1902A	0.17	0.01	38,488	-
DTAC06P1903A	0.42	0.04	18,447	-	GPSC24C1904A	0.21	(0.03)	293	-	IVL28C1903A	0.35	0.02	102,994	-
DTAC07C1902A	0.40	(0.05)	5,000	-	GPSC24C1904B	0.44	(0.06)	2,003	-	IVL28P1811A	-	-	-	-
DTAC08C1903A	0.40	(0.07)	26,601	-	GPSC27C1902A	-	-	-	-	IVL42C1903A	0.20	0.01	21,360	-
DTAC08P1902A	0.08	0.01	2,500	-	GPSC28C1811A	-	-	-	-	KBAN01C1901A	1.01	0.07	17,297	1.00
DTAC11C1904A	0.31	(0.04)	3,893	-	GPSC28C1903A	0.12	(0.01)	32,614	-	KBAN01C1901B	0.27	0.03	95,426	-
DTAC13C1811A	0.01	(0.02)	2,000	-	GUNK08C1902A	0.25	(0.01)	63,961	-	KBAN01C1904A	0.38	0.02	68,430	-
DTAC13C1812A	0.44	(0.07)	1	-	GUNK11C1903A	0.15	0.01	5,054	-	KBAN01C1904B	0.24	0.01	57,358	-
DTAC13C1902A	0.30	(0.06)	94,252	-	GUNK13C1903A	0.31	(0.01)	82,851	-	KBAN01P1901A	0.80	(0.07)	37,089	-
DTAC13P1811A	0.01	-	1,590	-	GUNK19C1903A	0.51	-	21,971	-	KBAN01P1901B	0.15	(0.04)	26,520	-
DTAC13P1812A	0.01	-	10	-	GUNK19C1906A	0.45	0.01	23,245	-	KBAN01P1904A	0.74	(0.04)	25,595	-
DTAC13P1903A	0.38	0.04	29,659	-	GUNK24C1812A	0.12	-	2,003	-	KBAN01P1904B	0.51	(0.05)	46,556	-
DTAC19C1811A	0.13	(0.04)	23,356	-	GUNK24C1903A	0.34	(0.02)	3,044	-	KBAN06C1811A	0.14	0.03	10,992	-
DTAC19C1904A	0.56	(0.07)	12,746	-	GUNK28C1903A	0.35	0.02	29,810	-	KBAN07C1811A	-	-	-	-
DTAC24C1901A	0.34	(0.04)	6,002	-	HANA01C1811A	0.31	(0.03)	10,946	-	KBAN08C1811A	0.17	0.05	64	-
DTAC27C1903														

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN28P1904A	0.42	(0.05)	49,977	-	MINT06C1903A	0.13	-	4,450	-	PTT13C1812A	0.12	0.01	460,300	-
KCE01C1903A	0.23	(0.04)	88,821	-	MINT08C1903A	0.19	-	14,770	-	PTT13C1903A	0.36	0.02	286,278	-
KCE01C1903B	0.15	(0.02)	27,401	-	MINT11C1902A	-	-	-	-	PTT13P1812A	0.06	(0.01)	6,912	-
KCE06C1903A	0.07	-	7	-	MINT11P1902A	0.10	0.02	552	-	PTT13P1902A	0.43	(0.03)	186,099	-
KCE07C1902A	0.10	(0.02)	60	-	MINT13C1812A	0.17	(0.02)	419,350	-	PTT16C1912A	0.71	0.01	700	-
KCE08C1902A	0.08	(0.01)	220	-	MINT13C1903A	0.11	(0.01)	109,123	-	PTT19C1901A	0.26	0.01	132,314	-
KCE11C1904A	0.15	(0.03)	11,582	-	MINT13C1904A	0.30	(0.03)	391,113	-	PTT19P1903A	0.38	(0.03)	52,048	-
KCE13C1811A	0.07	(0.05)	6,048	-	MINT19C1901A	0.25	(0.03)	18,048	-	PTT23C1901A	0.03	0.01	30	-
KCE13C1812A	0.04	(0.01)	13,410	-	MINT24C1812A	0.01	-	100	-	PTT24C1812A	0.05	0.01	768	-
KCE13C1903A	0.12	(0.03)	22,809	-	MINT24C1901A	0.17	(0.02)	102	-	PTT24P1901A	0.04	(0.01)	700	-
KCE19C1901A	0.10	(0.02)	64,240	-	MINT24C1902A	-	-	-	-	PTT24P1904A	0.29	(0.03)	501	-
KCE23C1901A	0.03	-	39,331	-	MINT27C1903A	0.16	-	15,964	-	PTT27C1903A	0.27	-	15,600	-
KCE24C1901A	0.06	(0.01)	750	-	MINT27P1905A	0.41	0.01	10,100	-	PTT27P1903A	-	-	-	-
KCE27C1902A	0.15	(0.03)	1,200	-	MINT28C1811A	-	-	-	-	PTT28C1811A	-	-	-	-
KCE28C1811A	-	-	-	-	MINT28C1903A	0.10	(0.02)	104,489	-	PTT28C1811B	-	-	-	-
KCE28C1902A	0.08	(0.01)	2,804	-	MINT42C1904A	0.19	(0.01)	24,288	-	PTT28C1812A	0.19	0.02	27,328	-
KKP01C1902A	0.43	(0.03)	31,105	-	MINT42P1904A	0.38	0.02	22,082	-	PTT28C1901A	0.07	0.01	3,539	-
KKP01C1902B	0.22	(0.02)	20,646	-	MON008C1906A	0.04	-	5,100	-	PTT28C1904A	0.34	0.01	144,301	-
KKP08C1811A	0.10	(0.01)	2,994	-	MON013C1811A	-	-	-	-	PTT28P1812A	-	-	-	-
KKP11C1903A	0.18	(0.02)	96	-	MON013C1901A	0.04	(0.01)	700	-	PTT28P1903A	0.43	(0.01)	113,263	-
KKP13C1811A	-	-	-	-	MON019C1811A	-	-	-	-	PTTE01C1901A	0.60	-	371,431	-
KKP13C1903A	0.46	(0.03)	81,394	-	MON023C1901A	-	-	-	-	PTTE01C1901B	0.23	-	366,350	-
KKP19C1901A	0.32	(0.02)	24,542	-	MON024C1812A	-	-	-	-	PTTE01C1904A	0.50	-	269,378	-
KKP24C1812A	-	-	-	-	MON024C1812B	-	-	-	-	PTTE01C1904B	0.34	(0.01)	221,454	-
KKP24C1906A	0.57	0.01	1	-	MON028C1811A	-	-	-	-	PTTE01P1901A	0.95	-	115,138	-
KKP28C1902A	0.21	0.01	12,288	-	MON028C1901A	-	-	-	-	PTTE01P1901B	0.34	(0.01)	209,984	-
KTBO1C1903A	0.39	0.01	92,425	-	MTC06C1901A	1.38	-	17,762	1.00	PTTE01P1904A	1.43	(0.02)	71,109	1.00
KTBO1C1903B	0.33	0.02	140,276	-	MTC08C1811A	0.42	(0.01)	29,898	-	PTTE01P1904B	1.15	(0.02)	76,272	1.00
KTBO1P1903A	0.47	(0.01)	36,854	-	MTC08C1902A	1.02	-	6,142	1.00	PTTE06C1811A	0.09	(0.01)	18,353	-
KTBO1P1903B	0.40	(0.02)	53,458	-	MTC11C1904A	0.87	(0.01)	16,737	-	PTTE07C1904A	0.35	0.04	9,285	-
KTBO6C1902A	0.39	0.01	17,400	-	MTC13C1811A	-	-	-	-	PTTE08C1811A	0.08	-	22,089	-
KTBO8C1903A	0.29	0.01	32,530	-	MTC13C1901A	0.83	0.01	70	-	PTTE08P1811A	-	-	-	-
KTB11C1811A	-	-	-	-	MTC13C1903A	0.58	-	200,565	-	PTTE08P1904A	1.15	(0.02)	23,341	1.00
KTB13C1901A	-	-	-	-	MTC19C1901A	1.03	0.01	8,357	1.00	PTTE11C1902A	0.42	-	39,562	-
KTB13C1903A	0.28	0.01	48,636	-	MTC19C1903A	0.63	-	35,488	-	PTTE13C1811A	-	-	-	-
KTB19C1901A	0.33	0.01	23,432	-	MTC24C1812A	1.35	0.04	66	1.00	PTTE13C1812A	0.33	(0.01)	223,565	-
KTB23C1811A	0.15	-	18,000	-	MTC27C1904A	0.77	(0.01)	8,400	-	PTTE13C1902A	0.16	-	184,947	-
KTB24C1811A	-	-	-	-	MTC28C1902A	0.77	(0.04)	1	-	PTTE13P1811A	-	-	-	-
KTB24C1904A	0.27	0.01	2,211	-	MTC28C1903A	0.42	-	101,788	-	PTTE13P1901A	0.27	(0.01)	64,449	-
KTB24P1901A	-	-	-	-	ORI08C1904A	0.15	(0.03)	18,087	-	PTTE13P1902A	0.78	-	12,408	-
KTB28C1811A	-	-	-	-	ORI11C1811A	-	-	-	-	PTTE19C1811A	0.18	(0.01)	62,176	-
KTB28C1903A	0.23	0.02	72,494	-	ORI13C1902A	0.07	(0.02)	249,387	-	PTTE19C1903A	0.40	-	65,035	-
KTB42C1903A	0.28	0.01	17,480	-	ORI13C1904A	0.36	(0.09)	419,565	-	PTTE19P1903A	0.61	-	57,326	-
KTB42P1903A	0.19	-	1,130	-	ORI19C1811A	-	-	-	-	PTTE23C1901A	0.02	(0.01)	703	-
KTC01C1901A	0.57	(0.01)	47,146	-	ORI19C1904A	0.15	(0.04)	177,210	-	PTTE24C1811A	-	-	-	-
KTC01C1901B	0.44	(0.01)	38,145	-	ORI24C1903A	0.09	(0.03)	301	-	PTTE24C1901A	0.20	-	6,697	-
KTC08C1903A	0.51	(0.01)	7,522	-	ORI27C1905A	0.10	(0.03)	3,765	-	PTTE24P1901A	0.22	-	1,441	-
KTC11C1902A	1.34	(0.02)	441	1.00	ORI28C1902A	0.06	(0.02)	6,254	-	PTTE27C1903A	0.30	0.01	32,274	-
KTC13C1812A	0.10	(0.01)	39,739	-	PLAN08C1811A	0.05	-	2,720	-	PTTE27P1904A	0.96	(0.02)	16,800	-
KTC13C1812B	0.32	(0.01)	112,272	-	PRM08C1902A	0.23	(0.02)	2,282	-	PTTE28C1811A	-	-	-	-
KTC19C1811A	0.01	-	1,100	-	PRM13C1901A	0.21	(0.01)	11,419	-	PTTE28C1902A	0.35	0.01	54,216	-
KTC19C1901A	0.86	(0.03)	13,528	-	PRM13C1904A	0.39	(0.02)	21,952	-	PTTE28P1811A	-	-	-	-
KTC19C1903A	0.40	(0.02)	11,414	-	PRM19C1902A	0.27	(0.02)	4,654	-	PTTE28P1903A	0.74	(0.01)	66,560	-
KTC19P1903A	0.43	-	13,716	-	PRM19C1906A	0.57	(0.01)	3,698	-	PTTE42C1903A	0.39	0.02	2,742	-
KTC27C1903A	0.52	-	4,800	-	PSH08C1811A	-	-	-	-	PTTG01C1811A	0.14	0.02	84,142	-
KTC27P1903A	0.25	0.01	10,987	-	PSH08C1904A	0.31	-	1,454	-	PTTG01C1901A	0.83	0.02	130,322	-
KTC28C1901A	0.30	(0.02)	40,728	-	PSH11C1902A	0.13	-	1,102	-	PTTG01C1901B	0.42	0.02	159,206	-
LH01C1903A	0.21	0.01	13,359	-	PSH13C1903A	0.23	-	7,383	-	PTTG01C1904A	0.68	0.02	106,433	-
LH01C1903B	0.14	-	32,739	-	PSH19C1903A	0.32	-	2,465	-	PTTG01C1904B	0.46	0.02	179,747	-
LH01P1903A	0.45	(0.01)	8,512	-	PSH23C1811A	-	-	-	-	PTTG01P1811A	1.65	(0.06)	27,140	1.00
LH06C1903A	-	-	-	-	PSL01C1812A	0.16	(0.01)	80,858	-	PTTG01P1901A	0.72	(0.02)	59,813	-
LH11C1906A	-	-	-	-	PSL01C1812B	0.08	0.01	24,398	-	PTTG01P1901B	0.37	(0.03)	40,722	-
LH13C1902A	-	-	-	-	PSL11C1905A	0.14	0.01	3,811	-	PTTG01P1904A	1.32	(0.04)	48,155	1.00
LH19C1901A	0.08	0.01	3,100	-	PSL13C1903A	0.11	(0.01)	11,438	-	PTTG01P1904B	1.13	(0.03)	63,119	1.00
LH23C1901A	-	-	-	-	PSL19C1903A	0.22	-	7,474	-	PTTG06C1903A	0.72	0.05	19,200	-
LH24C1903A	-	-	-	-	PTG01C1811A	0.01	-	10,850	-	PTTG06P1903A	0.31	(0.03)	8,890	-
LH27C1905A	-	-	-	-	PTG01C1811B	0.01	-	10,150	-	PTTG07C1812A	-	-	-	-
LH27P1905A	0.31	(0.01)	1,200	-	PTG01C1902A	0.16	(0.04)	281,284	-	PTTG08C1811A	-	-	-	-
LPN01C1811A	0.19	-	22,003	-	PTG01C1902B	0.05	(0.04)	57,847	-	PTTG08C1902A	0.28	0.02	12,472	-
LPN01C1811B	0.01	-	200	-	PTG01P1811A	2.06	0.10	10,282	1.00	PTTG08P1811A	0.34	(0.06)	5,938	-
LPN08C1906A	0.14	-	10	-	PTG01P1902A	0.75	0.08	74,758	-	PTTG11C1902A	0.07	0.01	1	-
LPN13C1903A	0.10	-	8,386	-	PTG06C1810A	-	-	-	-	PTTG13C1812A	0.03	0.01	4,450	-
LPN19C1811A	0.02	(0.01)	50	-	PTG06C1904A	0.07	(0.02)	14,604	-	PTTG13C1812B	0.30	-	69,842	-
LPN19C1904A	0.38	-	7,482	-	PTG08C1902A	0.01	(0.01)	13,191	-	PTTG13C1904A	0.68	-	161,528	-
LPN24C1812A	-	-	-	-	PTG08C1903A	0.08	(0.04)	8,580	-	PTTG19C1811A	0.02	0.01	2,132	-
LPN24C1908A	0.41	-	1,239	-	PTG11C1903A	0.03	-	10	-	PTTG19C1902A	0.45	-	46,683	-
MAJO08C1811A	-	-	-	-	PTG13C1812A	0.01	-	100	-	PTTG23C1901A	-	-	-	-
MAJO11C1902A	-	-	-	-	PTG13C1901A	0.04	(0.02)	201,430	-	PTTG24C1812A	-	-	-	-
MAJO13C1903A	-	-	-	-	PTG19C1902A	0.02	(0.01)	163,771	-	PTTG24C1901A	0.17	0.02	1	-
MAJO19C1902A	-	-	-	-	PTG19C1902B	0.11	(0.04)	189,703	-	PTTG24C1904A	0.46	0.01	14,130	-
MAJO19C1904A	0.43	-	7,102	-	PTG19P1903A	0.32	0.06	35,913	-	PTTG24P1901A	-	-	-	-
MAJO24C1902A	0.18	(0.01)	1,070	-	PTG24C1901A	0.04	(0.02)	4,492	-	PTTG27C1903A	0.21	0.02	6,000	-
MALE01C1812A	0.01	-	3,000	-	PTG24C1902A	0.02	-	1,000	-	PTTG27P1903A	0.29	(0.02)	6,600	-
MALE08C1811A	-	-	-	-	PTG27C1902A	0.03	(0.01)	2,500	-	PTTG28C1811A	0.01	-	10,000	-
MALE27C1812A	-	-	-	-	PTG28C1812A	-	-	-	-	PTTG28C1812A	0.27	0.01	39,931	-
MC19C1811A	-	-	-	-	PTG28C1901A	0.05	(0.01)	2,250	-	PTTG28C1904A	0.51	0.01	136,161	-
MC24C1812A	-	-	-	-	PTL08C1811A	0.20	(0.01)	5,846	-	PTTG42C1904A	0.38	0.03	10,490	-
MEGA01C1811A	0.11	-	26,222	-	PTT01C1901A	0.56	0.02	500						

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ROBI01C1903A	0.76	-	9,038	-	SCB13C1902A	0.20	(0.02)	63,791	-	STEC13C1903A	0.18	(0.01)	6,064	-
ROBI01C1903B	0.53	-	16,236	-	SCB13P1812A	-	-	-	-	STEC19C1901A	0.61	(0.04)	36,522	-
ROBI08C1903A	0.43	(0.01)	6,744	-	SCB19C1811A	0.07	(0.03)	9,605	-	STEC24C1901A	0.65	(0.05)	2,038	-
ROBI11C1906A	0.47	-	4,016	-	SCB24C1901A	0.32	(0.01)	3	-	STEC27C1902A	0.83	(0.03)	8,400	-
ROBI13C1902A	0.38	(0.02)	27,233	-	SCB24C1902A	-	-	-	-	STEC28C1902A	0.47	(0.04)	32,610	-
ROBI19C1901A	0.56	-	6,360	-	SCB24P1811A	-	-	-	-	STEC28C1903A	0.14	(0.01)	15,360	-
ROBI24C1901A	0.15	-	2,003	-	SCB24P1906A	0.51	-	2	-	STP108C1811A	0.01	-	5,000	-
ROBI24C1903A	0.54	0.01	44	-	SCB27C1902A	0.31	(0.02)	3,600	-	SUPE08C1811A	-	-	-	-
ROBI27C1905A	0.56	-	6,000	-	SCB27P1903A	0.40	0.02	2,400	-	SUPE08C1902A	-	-	-	-
RS08C1901A	0.20	(0.02)	15,732	-	SCB28C1812A	0.31	(0.03)	23,982	-	SUPE13C1811A	0.01	-	10	-
RS13C1901A	0.24	(0.01)	97,001	-	SCB28C1902A	0.17	(0.02)	10,000	-	SUPE13C1902A	0.04	-	800	-
RS19C1901A	0.22	(0.01)	30,242	-	SCB28P1812A	-	-	-	-	SUPE13C1903A	0.15	(0.01)	14,697	-
RS24C1811A	0.05	-	90	-	SCB28P1901A	0.36	0.02	24,628	-	SUPE19C1902A	0.05	(0.01)	12,450	-
RS27C1905A	0.54	(0.02)	4,900	-	SCB42C1903A	0.27	(0.02)	11,180	-	SUPE19C1903A	0.17	0.01	500	-
S10001C1811A	0.37	-	1,269	-	SCC01C1901A	0.52	0.02	67,126	-	SUPE23C1811A	0.01	-	10	-
S10001C1911A	1.05	-	9,081	1.00	SCC01C1901B	0.31	0.03	128,477	-	SUPE23C1901A	-	-	-	-
S5001C1811A	0.50	-	82,975	-	SCC01P1901A	0.30	(0.03)	61,583	-	SUPE28C1811A	-	-	-	-
S5001C1811B	0.32	(0.01)	128,733	-	SCC06C1902A	0.14	0.01	1,051	-	SUPE28C1902A	0.03	(0.01)	300	-
S5001C1812F	0.56	(0.01)	1,327,950	-	SCC07C1812A	0.39	0.06	115	-	TASCO1C1903A	0.36	0.01	49,528	-
S5001C1812G	0.28	-	922,899	-	SCC08C1902A	0.19	0.02	11,318	-	TASCO1C1903B	0.23	0.01	14,216	-
S5001C1812H	0.22	(0.01)	432,525	-	SCC11C1811A	-	-	-	-	TASCO1P1903A	0.61	(0.01)	19,245	-
S5001C1812I	0.30	-	582,331	-	SCC11C1906A	0.15	0.01	5,500	-	TASC07C1811A	-	-	-	-
S5001C1901A	0.39	(0.01)	60,592	-	SCC11P1811A	0.08	(0.01)	600	-	TASC08C1903A	0.26	-	9,375	-
S5001C1901B	0.30	(0.01)	20,167	-	SCC13C1812A	0.03	-	13,100	-	TASC11C1904A	-	-	-	-
S5001C1902A	0.64	-	93,628	-	SCC13C1901A	0.22	0.03	24,083	-	TASC13C1901A	0.14	-	35,244	-
S5001C1902B	0.54	-	270,703	-	SCC13C1903A	0.16	0.03	18,404	-	TASC13C1904A	0.34	0.01	82,155	-
S5001P1811A	1.07	(0.01)	35,078	1.00	SCC19C1811A	-	-	-	-	TASC19C1902A	0.24	0.01	12,306	-
S5001P1811B	0.94	(0.02)	46,319	-	SCC19C1901A	0.20	0.03	1,490	-	TASC23C1902A	0.19	0.01	11,003	-
S5001P1812F	1.35	(0.01)	1,202,946	1.00	SCC23C1811A	-	-	-	-	TASC24C1903A	0.19	0.01	1	-
S5001P1812G	0.91	(0.02)	824,608	-	SCC24C1812A	-	-	-	-	TASC28C1902A	0.12	-	42,966	-
S5001P1812H	1.29	(0.02)	876,386	1.00	SCC24C1901A	0.18	0.01	1	-	TCAP01C1901A	0.63	0.01	27,999	-
S5001P1812I	0.86	(0.01)	834,367	-	SCC24C1902A	0.09	-	40	-	TCAP01C1901B	0.44	0.01	18,606	-
S5001P1901A	1.12	0.01	34,030	1.00	SCC24P1901A	0.10	(0.01)	1	-	TCAP01P1901A	0.20	-	65,612	-
S5001P1901B	1.05	(0.02)	425,659	1.00	SCC27C1904A	0.28	0.02	1,600	-	TCAP11C1811A	-	-	-	-
S5001P1902A	0.94	-	11,118	-	SCC27P1904A	0.58	(0.03)	1,822	-	TCAP13C1901A	0.42	0.01	155,102	-
S5001P1902B	0.91	-	31,854	-	SCC28C1811A	-	-	-	-	TCAP19C1901A	0.30	0.01	31,248	-
S5006C1812A	0.15	0.01	104,736	-	SCC28C1812A	0.23	0.04	6,139	-	TCAP24C1903A	-	-	-	-
S5006C1812B	0.27	0.01	1,696	-	SCC28C1902A	0.11	-	300	-	THAI01C1901A	0.20	-	25,851	-
S5006C1812C	0.09	0.01	69,439	-	SCC42C1904A	0.16	0.01	702	-	THAI01C1901B	-	-	-	-
S5006C1812D	0.53	0.01	1,144	-	SCCC08C1811A	-	-	-	-	THAI01P1901A	0.73	0.02	2,624	-
S5006P1812A	0.83	(0.01)	32,522	-	SCCC27C1812A	0.02	(0.02)	1,059	-	THAI07C1811A	-	-	-	-
S5006P1812B	0.20	(0.02)	167,654	-	SGP06C1812A	-	-	-	-	THAI08C1903A	-	-	-	-
S5006P1812C	0.25	(0.02)	125,497	-	SGP08C1901A	0.18	(0.03)	11,610	-	THAI11C1906A	0.27	(0.01)	3,551	-
S5006P1812D	1.04	0.04	140	-	SGP11C1904A	0.10	-	6,687	-	THAI13C1811A	-	-	-	-
S5008C1812A	0.05	(0.01)	306,003	-	SGP13C1811A	-	-	-	-	THAI13C1902A	0.19	(0.01)	30,558	-
S5008C1812B	0.17	-	145,638	-	SGP13C1812A	0.07	(0.02)	7,210	-	THAI19C1901A	0.16	-	22,599	-
S5008C1812C	0.46	(0.01)	211,551	-	SGP19C1811A	-	-	-	-	THAI23C1901A	-	-	-	-
S5008P1812A	0.46	(0.01)	100,530	-	SGP19C1904A	0.18	(0.02)	2,491	-	THAI24C1901A	-	-	-	-
S5008P1812B	0.27	(0.01)	351,821	-	SGP24C1811A	-	-	-	-	THAI27C1905A	0.31	0.01	1,200	-
S5013C1812A	0.37	-	3,866,428	-	SGP24C1902A	0.48	(0.04)	3,520	-	THAI28C1901A	0.15	-	6,144	-
S5013C1812B	0.22	-	970,907	-	SGP27C1903A	0.20	-	3,600	-	THAN01C1812A	0.56	(0.03)	80,216	-
S5013C1812C	0.15	-	2,234,851	-	SGP28C1811A	-	-	-	-	THAN08C1904A	0.43	(0.04)	10,794	-
S5013C1812D	0.51	(0.02)	4,181,959	-	SGP28C1903A	0.12	(0.01)	16,288	-	THAN13C1902A	0.51	(0.03)	75,379	-
S5013C1812E	1.05	(0.01)	355,701	1.00	SIRI01C1901A	0.22	(0.01)	13,832	-	THAN19C1903A	0.67	(0.05)	39,119	-
S5013P1812A	0.61	(0.01)	8,485,428	-	SIRI01C1901B	0.03	(0.01)	40,524	-	THAN24C1903A	0.55	(0.05)	583	-
S5013P1812B	1.04	(0.02)	126,888	-	SIRI01P1901A	0.64	0.03	19,499	-	THCO08C1906A	0.13	-	9,284	-
S5013P1812C	1.36	(0.02)	520	1.00	SIRI06C1904A	0.19	(0.03)	13,500	-	THCO11C1902A	-	-	-	-
S5013P1812D	0.96	(0.01)	1,433,976	-	SIRI08C1903A	0.10	(0.01)	8,750	-	THCO19C1811A	-	-	-	-
S5013P1812E	0.27	(0.02)	1,570,894	-	SIRI11C1902A	0.06	0.02	11	-	THCO28C1901A	-	-	-	-
S5028C1812A	0.46	-	1,032,092	-	SIRI13C1902A	0.11	(0.01)	39,260	-	TISCO1C1902A	0.65	(0.02)	21,121	-
S5028C1812B	0.23	0.01	466,562	-	SIRI19C1902A	0.09	-	650	-	TISCO1C1902B	0.42	(0.01)	14,736	-
S5028C1812C	0.16	0.02	3,193	-	SIRI23C1811A	-	-	-	-	TISCO7C1902A	-	-	-	-
S5028C1812D	0.93	(0.02)	60,817	1.00	SIRI24C1903A	0.11	(0.01)	1	-	TISCO8C1903A	0.40	(0.01)	7,240	-
S5028P1812A	0.55	(0.01)	1,340,496	-	SIRI28C1901A	0.15	(0.01)	59,296	-	TISC11C1903A	0.10	0.01	250	-
S5028P1812B	0.91	(0.05)	911	-	SIRI28C1903A	0.10	(0.01)	28,724	-	TISC13C1811A	0.02	-	1	-
S5028P1812C	0.27	-	166,912	-	SPAL01C1902A	0.34	(0.03)	5,042	-	TISC13C1812A	0.29	(0.01)	27,004	-
SAWA01C1901A	0.79	(0.01)	40,480	-	SPAL01C1902B	0.17	(0.02)	24,058	-	TISC19C1901A	0.20	(0.01)	22,000	-
SAWA01C1901B	0.56	-	56,145	-	SPAL11C1905A	0.06	(0.01)	650	-	TISC24C1812A	0.01	-	100	-
SAWA01P1901A	0.34	(0.01)	43,711	-	SPAL13C1903A	0.23	(0.01)	2,224	-	TISC24C1904A	-	-	-	-
SAWA06C1811A	0.04	0.01	1	-	SPAL19C1902A	0.16	(0.03)	17,128	-	TISC28C1901A	0.39	(0.01)	49,152	-
SAWA06C1903A	1.18	0.02	8,970	1.00	SPAL23C1811A	-	-	-	-	TISC42C1904A	0.37	(0.01)	5,060	-
SAWA07C1812A	-	-	-	-	SPAL24C1812A	-	-	-	-	TKN01C1901A	0.22	-	54,923	-
SAWA08C1811A	-	-	-	-	SPAL24C1905A	0.39	(0.05)	1,251	-	TKN01C1901B	0.09	-	52,670	-
SAWA08C1902A	0.87	0.04	3,786	-	SPRC01C1902A	0.20	(0.02)	39,020	-	TKN08C1811A	-	-	-	-
SAWA08C1903A	0.45	0.02	7,080	-	SPRC01C1902B	0.11	(0.01)	39,730	-	TKN08C1903A	0.12	-	16,232	-
SAWA11C1906A	0.56	0.01	8,222	-	SPRC06C1902A	0.16	(0.04)	16,472	-	TKN11C1902A	0.04	-	1,819	-
SAWA13C1811A	-	-	-	-	SPRC07C1903A	-	-	-	-	TKN13C1811A	-	-	-	-
SAWA13C1812A	0.14	-	86,454	-	SPRC08C1903A	0.15	(0.01)	5,758	-	TKN13C1812A	0.02	-	6,300	-
SAWA13C1901A	-	-	-	-	SPRC11C1902A	0.04	(0.01)	8,210	-	TKN13C1903A	0.07	-	17,550	-
SAWA13C1903A	0.32	0.01	83,388	-	SPRC13C1812A	0.08	(0.02)	56,422	-	TKN13C1904A	0.29	-	16,343	-
SAWA13C1904A	0.54	-	89,738	-	SPRC19C1901A	0.16	(0.03)	8,388	-	TKN19C1811A	0.01	-	116	-
SAWA19C1901A	0.87	0.02	18,035	-	SPRC24C1903A	0.15	(0.01)	20,003	-	TKN19C1903A	0.15	0.01	32,547	-
SAWA19C1903A	0.45	(0.01)	57,631	-	STA01C1812A	1.11	(0.04)	119,545	1.00	TKN23C1902A	0.09	-	200	-
SAWA24C1812A	0.09	0.01	913	-	STA01C1812B	0.99	(0.07)	55,809	1.00	TKN24C1811A	-	-	-	-
SAWA24C1902A	0.66	0.01	5	-	STA08C1904A	0.47	(0.04)	40,668	-	TKN24C1812A	-	-	-	-
SAWA27C1903A	0.61	0.01	9,600	-	STA13C1812A	-	-	-	-	TKN24C1903A				

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB13C1812A	0.29	(0.04)	42,051	-	STEC13C1902A	0.57	(0.04)	137,945	-	TMB24C1901A	0.02	(0.01)	30	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB24C1902A	0.16	-	17,930	-	UNIQ13C1901A	0.11	(0.01)	5,814	-	IEC-W2	-	-	-	-
TMB27C1903A	0.26	(0.02)	3,600	-	UNIQ19C1811A	-	-	-	-	IHL-W1	5.25	-	414	5.00
TMB28C1901A	0.15	(0.02)	29,524	-	UNIQ23C1901A	-	-	-	-	ITD-W1	0.11	-	8,384	-
TOA01C1901A	-	-	-	-	UNIQ24C1811A	-	-	-	-	JAS-W3	2.20	(0.12)	8,432	2.00
TOA01C1901B	0.10	-	20,026	-	UNIQ28C1811A	-	-	-	-	JCK-W5	0.44	(0.05)	19,058	-
TOA08C1902A	0.07	0.01	500	-	UV01C1902A	0.34	-	51,631	-	JMART-W2	0.62	(0.06)	7,673	-
TOA13C1812A	0.06	-	300	-	UV01C1902B	0.23	-	11,214	-	JMT-W2	2.06	-	7,929	2.00
TOA19C1901A	0.11	-	14,600	-	UV06C1812A	-	-	-	-	MACO-W2	0.22	(0.01)	53,558	-
TOA24C1812A	-	-	-	-	UV08C1902A	0.20	(0.01)	5,580	-	MIDA-W2	-	-	-	-
TOA24C1904A	0.26	(0.01)	200	-	UV13C1812A	0.10	-	27,069	-	MILL-W3	0.03	(0.01)	9,154	-
TOA28C1812A	-	-	-	-	UV13C1904A	0.30	-	134,517	-	MILL-W4	0.25	-	705	-
TOP01C1901A	1.30	(0.05)	60,369	1.00	UV19C1902A	0.21	(0.01)	11,176	-	MILL-W5	0.22	-	2,175	-
TOP01C1901B	0.90	(0.09)	34,869	-	UV24C1812A	-	-	-	-	ML-W2	0.02	(0.01)	27,926	-
TOP01C1904A	0.59	(0.03)	39,528	-	UV24C1903A	0.42	-	3,400	-	MONO-W1	0.30	(0.06)	63,687	-
TOP01C1904B	0.41	(0.05)	39,004	-	VGI01C1812A	0.61	0.01	1,097	-	NEP-W3	-	-	-	-
TOP01P1901A	0.40	0.01	33,394	-	VGI06C1904A	-	-	-	-	NOK-W1	0.47	(0.03)	296	-
TOP01P1904A	1.44	0.03	32,195	1.00	VGI06C1904B	-	-	-	-	NUSA-W3	0.10	(0.05)	27	-
TOP06C1903A	0.95	(0.05)	1,760	1.00	VGI06C1904C	-	-	-	-	NVD-W1	0.37	-	2,208	-
TOP06C1903B	0.31	(0.05)	6,500	-	VGI08C1811A	-	-	-	-	ORI-W1	1.86	(0.18)	26,718	1.00
TOP07C1812A	-	-	-	-	VGI23C1905A	-	-	-	-	PACE-W2	0.14	-	33,075	-
TOP08C1811A	-	-	-	-	VGI23C1911A	-	-	-	-	PDI-W1	0.99	0.04	23,383	1.00
TOP08C1902A	0.40	(0.03)	10,694	-	VGI27C1812A	0.20	(0.02)	1,200	-	PDJ-W2	1.22	(0.03)	26	1.00
TOP11C1905A	0.86	(0.06)	7,850	-	WHA01C1812A	0.55	0.01	26,277	-	PDJ-W3	-	-	-	-
TOP13C1811A	-	-	-	-	WHA01C1812B	0.33	(0.01)	61,771	-	PDJ-W4	1.23	0.02	1	1.00
TOP13C1901A	0.38	(0.05)	84,801	-	WHA01P1812A	0.33	-	47,876	-	PLE-W3	0.01	-	16,645	-
TOP13C1902A	0.29	(0.04)	29,958	-	WHA06C1903A	0.39	(0.01)	10,786	-	RICH-W1	-	-	-	-
TOP19C1901A	0.25	(0.04)	23,009	-	WHA08C1811A	0.03	(0.02)	3,772	-	RICHY-W1	0.40	0.01	714	-
TOP23C1811A	-	-	-	-	WHA08C1904A	0.29	(0.01)	4,861	-	RICHY-W2	0.18	0.02	879	-
TOP24C1901A	0.05	-	10,010	-	WHA11C1903A	0.16	(0.01)	7,151	-	RS-W3	5.30	(0.30)	3,581	5.00
TOP24C1902A	0.30	(0.04)	200	-	WHA13C1812A	0.30	-	63,945	-	S-W1	0.08	-	11,102	-
TOP24C1903A	0.22	(0.02)	12	-	WHA19C1901A	0.37	-	37,265	-	SAMART-W2	0.54	(0.02)	17,944	-
TOP27C1903A	0.37	(0.03)	6,600	-	WHA24C1811A	-	-	-	-	SAWAD-W1	9.20	(0.05)	3,257	9.00
TOP28C1812A	0.28	(0.05)	13,043	-	WHA24C1902A	0.32	(0.01)	77,971	-	SDC-W1	0.18	(0.01)	5,203	-
TOP28C1903A	0.30	(0.03)	30,320	-	WHA27C1903A	0.50	(0.01)	10,500	-	SMT-W1	0.04	(0.01)	2,231	-
TP101C1812A	0.17	(0.01)	20,565	-	WHA28C1901A	0.36	-	10,743	-	SMT-W2	0.60	(0.01)	7,800	-
TP101C1812B	-	-	-	-	WHA28C1903A	0.22	-	30,311	-	SPORT-W5	0.01	-	60	-
TP107C1812A	-	-	-	-	WHAU13C1902A	0.16	0.01	33,854	-	SST-W2	2.06	0.07	50,570	2.00
TP113C1902A	0.17	0.01	42,325	-	WHAU19C1902A	0.22	0.02	8,676	-	SUPER-W4	0.07	-	181,119	-
TP119C1901A	0.16	(0.01)	39,562	-	WHAU24C1812A	-	-	-	-	SUSCO-W1	0.02	-	6,092	-
TP124C1902A	-	-	-	-	WHAU24C1902A	-	-	-	-	SVI-W3	2.48	0.02	1,245	2.00
TP1P11C1811A	-	-	-	-	WHAU27C1905A	0.21	-	12,600	-	TCC-W3	0.30	(0.04)	51,220	-
TP1P13C1811A	-	-	-	-	WORK01C1811A	0.03	(0.01)	640	-	TCC-W4	0.29	(0.04)	98,745	-
TP1P13C1902A	0.20	0.01	40,129	-	WORK01C1811B	-	-	-	-	TCC-W5	0.47	(0.04)	87,934	-
TP1P13C1904A	0.37	-	70,083	-	WORK01C1904A	0.21	(0.02)	29,698	-	TCL-W2	0.79	(0.01)	336	-
TP1P19C1902A	0.24	0.01	11,999	-	WORK01C1904B	0.14	(0.02)	15,223	-	TCMC-W2	0.27	(0.03)	11,859	-
TP1P19C1906A	0.46	0.01	8,575	-	WORK08C1901A	0.04	(0.01)	3,000	-	TFG-W1	1.29	-	200	1.00
TP1P24C1901A	-	-	-	-	WORK11C1903A	0.02	(0.01)	1,000	-	TFG-W2	0.67	0.06	1,054	-
TP1P27C1812A	-	-	-	-	WORK13C1811A	-	-	-	-	TGPRO-W3	0.02	-	19,831	-
TRUE01C1902A	0.34	(0.02)	107,962	-	WORK13C1812A	0.01	(0.01)	300	-	TH-W2	0.33	-	15,127	-
TRUE01C1902B	0.22	-	108,140	-	WORK13C1902A	0.08	(0.01)	11,687	-	THE-W2	0.08	0.01	55,565	-
TRUE01P1902A	0.47	(0.02)	16,845	-	WORK13C1903A	0.29	(0.02)	56,876	-	TNITY-W1	0.90	0.01	2,111	-
TRUE01P1902B	0.30	(0.02)	34,590	-	WORK19C1811A	-	-	-	-	TNPC-W1	0.39	-	13,793	-
TRUE06C1811A	-	-	-	-	WORK19C1902A	0.12	(0.02)	15,718	-	TRITN-W3	0.28	(0.01)	12,406	-
TRUE06C1906A	-	-	-	-	WORK24C1812A	-	-	-	-	TSR-W1	0.23	0.03	113,646	-
TRUE07C1902A	-	-	-	-	WORK24C1903A	0.11	0.01	200	-	TTA-W5	0.14	-	108,865	-
TRUE08C1902A	0.20	-	12,252	-	WORK27C1903A	-	-	-	-	TTCL-W1	1.26	0.01	45,847	1.00
TRUE08P1902A	-	-	-	-	WORK28C1811A	-	-	-	-	U-W1	-	-	-	-
TRUE11C1905A	0.22	0.01	4,904	-	WORK28C1901A	0.03	(0.01)	270	-	U-W4	0.01	-	14,550	-
TRUE13C1812A	0.06	-	1,817	-	Preferred/Foreign	-	-	-	-	VGI-W2	0.41	(0.01)	41,260	-
TRUE13C1901A	0.18	-	216,822	-	BH-Q	-	-	-	-	VIBHA-W2	1.34	(0.02)	229	1.00
TRUE13P1901A	-	-	-	-	CSC-Q	-	-	-	-	VIBHA-W3	0.29	-	4,546	-
TRUE16C1812A	-	-	-	-	JUTHA-Q	-	-	-	-	WAVE-W1	0.43	0.02	22,034	-
TRUE19C1901A	0.05	-	5,000	-	KTB-Q	-	-	-	-	WHA-W1	7.45	0.05	2,881	7.00
TRUE19C1903A	0.39	-	31,982	-	SCB-Q	-	-	-	-	WORK-W1	6.00	(0.30)	157	6.00
TRUE19P1903A	0.28	(0.01)	30,324	-	TCAP-Q	-	-	-	-	Preferred Shares	-	-	-	-
TRUE23C1902A	0.10	0.01	34,000	-	TIC-Q	-	-	-	-	BH-P	-	-	-	-
TRUE27C1904A	0.23	-	9,600	-	TISCO-Q	-	-	-	-	CSC-P	-	-	-	-
TRUE27P1904A	0.43	(0.01)	6,000	-	U-Q	-	-	-	-	JUTHA-P	-	-	-	-
TRUE28C1812A	0.04	(0.01)	203	-	Warrant	-	-	-	-	KTB-P	-	-	-	-
TRUE28C1903A	0.20	0.01	5,115	-	7UP-W2	0.03	-	4,613	-	SCB-P	-	-	-	-
TTA08C1906A	0.17	-	9,716	-	ACC-W1	0.04	-	5,001	-	TCAP-P	-	-	-	-
TTA13C1901A	-	-	-	-	AJA-W1	0.18	-	11,984	-	TIC-P	-	-	-	-
TTA19C1811A	-	-	-	-	ALT-W1	0.89	0.06	27,579	-	TISCO-P	-	-	-	-
TTA23C1901A	-	-	-	-	APEX-W1	0.05	0.01	1,756	-	U-P	3.32	(0.02)	82,930	3.00
TTA24C1902A	0.03	-	5,000	-	APURE-W2	0.21	(0.01)	20,165	-	Warrant (MAI)	-	-	-	-
TTA28C1812A	-	-	-	-	AS-W1	0.24	-	158	-	2S-W1	0.11	(0.01)	939	-
TU01C1901A	0.62	0.01	58,846	-	AYUD-W1	7.90	(0.10)	111,874	8.00	ACAP-W2	1.96	(0.02)	47,686	2.00
TU01C1901B	0.55	0.03	76,761	-	B-W3	-	-	-	-	AIRA-W2	0.02	(0.01)	4,606	-
TU01P1901A	0.11	(0.01)	32,249	-	B-W4	0.17	(0.01)	7,368	-	ATP30-W1	0.76	(0.01)	113	-
TU06C1902A	0.27	0.02	7,799	-	BWG-W4	0.06	0.01	112,891	-	BKD-W2	0.29	-	21,419	-
TU07C1902A	-	-	-	-	CEN-W4	0.01	-	13	-	BM-W1	0.43	0.03	25,649	-
TU08C1811A	-	-	-	-	CGD-W4	0.29	(0.01)	2,775	-	BSM-W2	0.07	-	31,342	-
TU11C1902A	0.03	-	6,756	-	CGH-W3	0.05	-	40,215	-	CHEWA-W1	0.15	-	69,848	-
TU11C1906A	0.20	0.01	9,706	-	CI-W1	0.36	0.02	4,354	-	CIG-W7	0.02	-	474	-
TU13C1902A	0.24	-	30,558	-	CKP-W1	0.55	(0.01)	53,255	-	DIMET-W2	0.08	-	30,248	-
TU19C1901A	0.23	0.01	35,185	-	CRANE-W1	1.38	(0.02)	1	1.00	DNA-W1	-	-	-	-
TU23C1902A	0.25	0.02	10,000	-	CWT-W4	0.39	(0.06)	178,587	-	ECF-W2	3.02	(0.48)	395	3.00
TU24C1901A	-	-	-	-	DCC-W1	0.94	0.04	133,278	-	ECF-W3	2.30	(0.02)	357	2.00
TU24C1904A	0.48	0.01	300	-	DCON-W1	-	-	-	-	EFORL-W3	0.01	-	570	-
TVO01C1903A	0.29	-	4,028	-	DIGI-W1	-	-	-	-	EFORL-W4	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday November 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TVO01C1903B	0.21	-	14,589	-	DIGI-W2	0.01	-	143	-	FC-W1	0.06	0.01	4,911	-
TVO11C1903A	-	-	-	-	EARTH-W4	-	-	-	-	FC-W2	0.04	0.01	22,155	-
TVO13C1902A	0.15	0.01	13,392	-	EIC-W2	-	-	-	-	FOCUS-W2	0.61	(0.03)	25,494	-
TVO13C1904A	0.24	(0.01)	27,642	-	EIC-W3	-	-	-	-	FVC-W2	0.42	0.02	104,988	-
TVO19C1902A	0.15	-	4,200	-	EVER-W3	0.07	(0.01)	80,805	-	ITEL-W1	0.56	(0.02)	6,282	-
TVO24C1903A	0.16	-	6,000	-	GJS-W3	0.01	-	30	-	JKN-W1	2.38	(0.02)	21,625	2.00
UNIQ08C1906A	0.18	-	3,400	-	GSTEL-W1	-	-	-	-	LIT-W1	2.00	(0.04)	1,274	2.00
UNIQ11C1811A	-	-	-	-	GSTEL-W2	-	-	-	-	META-W2	0.04	-	861	-
META-W3	0.15	-	28,224	-										
NCL-W3	0.42	0.06	319,359	-										
NDR-W1	-	-	-	-										
NEWS-W4	-	-	-	-										
NEWS-W6	-	-	-	-										
PIMO-W1	3.26	0.04	26,848	3.00										
PPS-W1	0.50	-	1,642	-										
PSTC-W1	0.19	0.01	1,216	-										
SIMAT-W2	0.27	(0.01)	5	-										
SIMAT-W3	0.44	-	36	-										
SIMAT-W4	1.11	-	118	1.00										
SKY-W1	13.10	(0.20)	310	13.00										
STAR-W3	1.64	(0.01)	145	1.00										
TAKUNI-W	0.20	-	29,021	-										
TAPAC-W3	1.63	(0.01)	178	1.00										
TSF-W4	-	-	-	-										
TSF-W5	-	-	-	-										
TVD-W2	0.64	-	3,270	-										
UAC-W2	0.70	0.01	5,913	-										
UKEM-W2	0.42	0.02	15,474	-										
UWC-W2	-	-	-	-										
XO-W1	6.70	(0.10)	9,613	6.00										
Preferred Shares														
SGF-P1	-	-	-	-										