

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.55	0.05	178	6.57	RS	14.70	0.10	49,584	14.61
POMPI	-	-	-	-	HUMAN	9.15	(0.65)	42,906	9.19	SE-ED	3.00	-	26	3.00
SAFARI	-	-	-	-	ILINK	5.00	(0.10)	3,098	5.04	SMM	0.92	(0.09)	10,782	0.97
VI	-	-	-	-	INET	3.56	(0.04)	3,857	3.56	SPORT	0.18	(0.01)	6,323	0.17
WORLD	-	-	-	-	INTUCH	49.25	(0.25)	68,382	49.40	TBSP	-	-	-	-
WR	-	-	-	-	JAS	4.92	0.02	99,083	4.93	TH	0.78	0.02	5,724	0.78
Agribusiness					JASIF	10.30	0.10	70,436	10.30	TKS	8.90	(0.15)	14,149	9.00
CHOTI	141.50	3.00	6	139.50	JMART	5.10	0.30	47,032	5.00	TRITN	0.42	(0.01)	50,090	0.43
EE	0.68	(0.01)	24,088	0.69	JTS	1.49	-	11	1.49	VGI	7.85	0.05	28,368	7.80
GFPT	14.60	0.20	15,625	14.61	MFEC	3.20	-	1,391	3.19	WAVE	2.20	(0.10)	157	2.21
LEE	2.62	0.02	899	2.60	MSC	7.15	0.05	1,150	7.14	WORK	29.25	(0.25)	10,094	29.50
NER	2.06	(0.10)	635,507	2.11	PT	6.00	-	2,182	5.98	Finance & Securities				
PPPM	5.10	(0.05)	4,952	5.04	SAMART	6.70	(0.05)	12,658	6.69	AEC	0.52	0.02	17,958	0.51
STA	15.90	(1.70)	273,561	16.49	SAMTEL	7.85	0.15	307	7.79	AEONTS	189.00	1.00	1,360	189.81
TRUBB	1.65	(0.04)	1,588	1.66	SDC	0.32	(0.02)	19,576	0.33	AMANAH	1.62	-	16,057	1.64
TWPC	8.30	-	672	8.39	SIS	9.90	0.10	7,187	9.85	ASAP	3.86	(0.46)	272,866	3.95
UPOIC	4.20	(0.02)	115	4.40	SVOA	1.25	-	2,280	1.24	ASK	23.40	(0.10)	2,945	23.56
UVAN	5.60	(0.05)	2,898	5.57	SYMC	5.30	-	5	5.30	ASP	3.50	-	24,587	3.50
VPO	0.55	(0.07)	5,012	0.55	SYNEX	12.50	(0.40)	23,400	12.73	BFIT	24.60	(0.40)	799	24.88
Banking					THCOM	8.10	(0.05)	3,651	8.16	CGH	0.98	0.03	109,844	0.98
BAY	40.75	-	1,362	40.56	TRUE	5.80	(0.05)	786,189	5.81	CNS	2.40	0.02	1,420	2.38
BBL	210.00	-	23,663	210.03	TWZ	0.11	-	25,879	0.11	ECL	1.87	(0.02)	10,776	1.88
CIMBT	0.84	0.01	8,397	0.83	Electronic Componer					FNS	4.10	0.02	1,350	4.11
KBANK	198.50	(0.50)	57,199	198.09	CCET	1.86	(0.01)	3,635	1.86	FSS	1.99	0.01	1,097	1.98
KKP	69.75	(1.00)	24,890	70.18	DELTA	69.00	0.50	7,578	68.69	GBX	0.59	-	394	0.58
KTB	20.00	-	162,156	20.06	EIC	0.05	-	820	0.04	GL	6.25	(0.50)	22,130	6.52
LHFG	1.47	0.01	22,989	1.46	HANA	36.25	0.75	38,127	35.87	IFS	3.08	-	1,209	3.09
SCB	138.00	0.50	26,738	137.65	KCE	28.25	(0.75)	93,410	28.41	JMT	11.60	0.60	80,017	11.43
TCAP	52.25	-	11,368	52.31	METCO	-	-	-	-	KCAR	11.10	-	603	11.06
TISCO	79.25	(0.75)	15,635	79.61	SMT	2.12	(0.02)	3,442	2.14	KGI	4.44	(0.02)	14,235	4.44
TMB	2.30	(0.02)	776,222	2.32	SPPT	4.10	0.02	1,928	4.10	KTC	33.75	(0.25)	60,053	34.06
Construction Materia					SVI	5.50	(0.10)	37,095	5.55	MBKET	11.30	0.10	1,386	11.30
CCP	0.37	(0.01)	42,606	0.37	TEAM	1.03	(0.01)	1,326	1.04	MFC	16.40	-	153	16.40
COTTO	2.38	(0.04)	28,279	2.39	Energy & Utilities					ML	0.94	(0.01)	2,817	0.95
DCC	2.12	(0.02)	63,936	2.12	ABPIF	8.25	0.05	2,011	8.20	MTC	49.75	0.25	73,049	49.98
DCON	0.51	(0.01)	15,052	0.52	AI	-	-	-	-	PE	0.23	-	1,169	0.21
DRT	5.50	(0.05)	3,818	5.53	AKR	0.87	(0.02)	10,244	0.88	PL	3.40	(0.02)	505	3.39
EPG	7.35	-	20,618	7.39	BAFS	32.25	-	638	32.22	S11	7.55	-	512	7.51
GEL	0.26	0.01	154,950	0.25	BANPU	17.30	(0.20)	187,450	17.44	SAWAD	46.00	0.50	61,188	46.23
PPP	3.06	(0.04)	1,218	3.04	BCP	32.50	0.25	21,572	32.42	THANI	9.00	0.25	51,851	8.90
Q-CON	5.15	0.05	33	5.01	BCPG	17.80	(0.10)	44,388	17.91	TK	9.70	-	1,216	9.50
RCI	4.00	0.02	9,572	3.99	BGRIM	26.25	(0.50)	61,983	26.11	TNITY	5.75	-	302	5.71
SCC	436.00	(2.00)	9,784	437.39	BPP	23.30	(0.10)	5,493	23.36	UOBKH	3.84	-	5	3.82
SCCC	236.00	(1.00)	338	236.62	BRRGIF	10.00	-	1,309	10.00	ZMICO	1.04	0.02	1,054	1.03
SCP	8.80	(0.20)	1,726	8.90	CKP	5.05	(0.05)	288,978	5.07	Food & Beverage				
SKN	4.80	(0.16)	10,943	4.87	DEMCO	3.44	-	5,268	3.43	APURE	1.30	0.01	2,855	1.28
TASCO	15.10	(0.40)	74,842	15.29	EA	48.50	(0.50)	95,099	48.67	ASIAN	7.65	-	18,462	7.66
TCMC	1.99	(0.11)	32,149	2.00	EARTH	-	-	-	-	BR	3.96	-	17,342	3.96
TOA	35.00	-	12,873	34.62	EASTW	11.00	0.10	6,754	10.99	BRR	6.60	-	803	6.61
TPIPL	1.81	-	57,841	1.81	EGATIF	11.50	0.10	65,063	11.50	CBG	44.75	(1.00)	10,119	45.50
UMI	1.15	(0.05)	3,246	1.17	EGCO	237.00	(1.00)	6,562	237.13	CFRESH	4.42	(0.06)	257	4.47
VNG	5.80	(0.15)	3,055	5.86	ESSO	13.20	(0.20)	126,911	13.39	CM	4.04	(0.02)	861	4.04
WIJK	2.06	(0.08)	8,290	2.08	GLOW	86.50	(0.50)	5,263	86.52	CPF	25.00	0.40	170,607	25.00
Petrochemicals & Ch					GPSC	54.75	-	4,449	54.84	CPI	1.51	0.01	2,289	1.50
BCT	49.25	-	61	49.40	GULF	75.50	(1.25)	118,984	75.56	F&D	-	-	-	-
CMAN	2.90	(0.02)	3,825	2.91	GUNKUL	3.08	-	101,466	3.09	HTC	15.20	(0.10)	518	15.11
GC	5.05	(0.05)	769	5.05	IEC	-	-	-	-	ICHI	3.86	(0.02)	4,853	3.85
GGC	10.90	(0.10)	6,817	10.99	IFEC	-	-	-	-	KBS	4.04	-	686	4.02
GIFT	3.96	(0.02)	290	3.96	IRPC	5.80	0.10	677,747	5.75	KSL	3.18	0.02	6,249	3.18
IVL	53.75	(0.25)	93,241	53.87	LANNA	13.20	(0.20)	818	13.27	KTIS	5.60	(0.05)	183	5.60
NFC	10.20	(0.10)	47	10.23	MDX	4.12	(0.06)	2,117	4.15	LST	4.46	0.02	776	4.44
PATO	13.80	0.10	490	13.65	PTG	7.50	(0.40)	323,349	7.63	M	72.75	1.00	4,883	72.77
PMTA	-	-	-	-	PTT	48.75	-	393,541	48.91	MALEE	8.10	(0.90)	63,562	8.38
PTTGC	77.00	0.25	76,262	77.20	PTTEP	133.00	1.00	139,447	133.43	MINT	35.75	(0.25)	89,692	35.86
SUTHA	3.80	0.02	228	3.80	RATCH	48.75	(0.75)	15,838	49.03	OISHI	84.75	(0.25)	48	83.91
TCCC	31.00	(1.25)	221	31.09	RPC	0.49	-	4,054	0.49	OSP	24.00	-	62,302	24.01
TPA	-	-	-	-	SCG	4.56	0.04	109	4.54	PB	-	-	-	-
UP	-	-	-	-	SCI	2.72	0.06	5,918	2.71	PM	8.75	(0.05)	2,561	8.75
VNT	22.90	0.60	9,147	22.70	SCN	4.40	0.02	40,106	4.35	PRG	-	-	-	-
WG	162.00	5.00	2	162.00	SGP	9.45	(0.25)	44,658	9.62	SAPPE	18.00	0.90	9,431	17.90
YCI	-	-	-	-	SKE	1.20	0.05	172,527	1.23	SAUCE	22.00	-	106	22.02
Commerce					SOLAR	2.16	0.06	6,134	2.15	SFP	-	-	-	-
BEAUTY	10.00	0.05	586,668	10.02	SPCG	19.90	0.10	3,555	19.84	SNP	20.00	(0.20)	21	20.10
BIG	1.42	-	45,934	1.42	SPRC	12.60	0.10	103,818	12.62	SORKON	69.75	0.75	17	69.76
BJC	50.25	(0.25)	136,908	50.65	SUPER	0.61	(0.03)	3,102,530	0.62	SSC	38.25	(0.25)	4	38.13
COL	22.40	0.40	1,016	22.15	SUSCO	2.66	-	6,259	2.68	SSF	6.20	0.05	139	6.12
COM7	19.80	(0.10)	29,144	19.86	TAE	2.20	-	1,470	2.20	SST	5.45	(0.05)	690	5.50
CPALL	69.25	0.75	196,719	68.80	TCC	0.52	(0.01)	96,760	0.52	TC	3.26	-	2,247	3.28
CSS	1.95	(0.01)	8,038	1.95	TOP	77.25	1.50	102,179	77.07	TFG	3.76	0.04	6,035	3.74
FN	1.89	(0.15)	12,478	1.92	TPIPP	6.00	(0.05)	59,170	6.05	TFMAMA	161.00	-	104	159.36
FTE	2.16	-	2,782	2.16	TTW	12.30	(0.10)	40,056	12.30	TIPCO	8.90	-	1,662	8.84
GLOBAL	20.00	0.40	75,614	19.99	WHAUP	5.95	0.05	10,215	5.92	TKN	10.70	(0.30)	124,496	10.83
HMPRO	14.90	-	114,462	14.96	WP	6.55	-	3,486	6.58	TU	17.80	(0.10)	80,455	17.86
IT	3.24	-	342	3.24	Media & Publishing					TVO	28.25	0.25	8,269	28.10
KAMART	4.12	0.02	33,886	4.13	AMARIN	4.66	-	658	4.65	Health Care Services				
LOXLEY	1.99	-	6,372	1.99	AQUA	0.44	-	138,796	0.44	AHC	20.00	(0.10)	122	20.00
MAKRO	32.25	0.25	1,926	32.09	AS	1.13	0.02	202	1.09	BCH	18.60	(0.10)	51,088	18.53
MC	11.50	(0.10)	3,770	11.50	BEC	5.20	(0.10)	70,604	5.27	BDMS	25.00	(0.25)	368,974	25.28
MEGA	31.50	(2.00)	36,862	32.22	EPCO	3.20	(0.04)	5,947	3.22	BH	187.50	1.00	6,101	187.49
MIDA	0.59	-	1,974	0.59	FE	-	-	-	-	CHG	2.14	-	507,685	2.15
ROBINS	67.50	(0.25)	7,549	67.73	GPI	2.36	-	1,435	2.34	CMR	2.66	0.04	178	2.63
RSP	3.96	0.06	1,930	3.99	GRAMMY	7.60	0.05	26	7.61	EKH	5.90	(0.10)	11,570	6.00
SINGER	8.80	0.05	233	8.67	MACO	1.55	0.01	17,949	1.55	KDH	96.50			

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	32.00	-	4,057	31.99	LALIN	5.80	(0.15)	6,271	5.80	TSC	11.50	(1.30)	198	11.08
VIBHA	2.26	-	12,826	2.25	LH	10.00	(0.20)	767,025	10.02	YNP	-	-	-	-
VIH	7.50	-	4,157	7.44	LPN	8.20	(0.10)	57,337	8.24	Industrial Materials	-	-	-	-
WPH	2.68	(0.02)	3,466	2.68	MBK	23.90	(0.40)	10,621	24.06	ALLA	1.51	-	3,617	1.52
Tourism & Leisure	-	-	-	-	MJD	3.28	(0.02)	730	3.29	ASEFA	4.86	0.02	2,456	4.87
ASIA	6.60	(0.10)	46	6.65	MK	3.98	0.08	3,144	3.96	CPT	0.95	(0.04)	97,184	0.97
CENTEL	40.00	(0.25)	9,290	40.14	NCH	0.90	(0.02)	4,587	0.90	CRANE	2.28	(0.16)	1,976	2.30
CSR	-	-	-	-	NNCL	1.77	0.01	1,595	1.76	CTW	8.70	(0.10)	49	8.72
DTC	10.90	-	1,330	10.92	NOBLE	13.70	-	3,039	13.56	FMT	24.50	-	2	24.50
ERW	6.40	(0.50)	392,400	6.47	NUSA	0.54	0.05	3,814,551	0.54	HTECH	6.80	0.05	6,621	6.78
GRAND	0.88	(0.04)	71,076	0.90	NVD	3.50	(0.02)	2,199	3.51	KKC	1.41	0.01	1,671	1.41
LRH	40.25	0.50	137	40.02	ORI	6.40	(0.05)	653,531	6.47	PK	2.46	(0.06)	12,297	2.48
MANRIN	29.00	-	118	28.04	PACE	0.49	0.01	42,809	0.48	SNC	14.00	(0.10)	3,629	13.98
OHTL	698.00	24.00	1	694.00	PF	0.95	(0.02)	634,648	0.95	TCJ	5.45	0.05	1,753	5.46
ROH	-	-	-	-	PLAT	7.60	-	6,057	7.58	VARO	7.30	1.10	2	7.28
SHANG	-	-	-	-	POLAR	-	-	-	-	Property Fund & REI	-	-	-	-
Home & Office Prodt.	-	-	-	-	PRECHA	1.58	-	75	1.59	AIMIRT	10.20	(0.20)	14,885	10.20
ACC	0.50	-	2,445	0.49	PRIN	1.60	0.01	4,005	1.59	AMATAR	10.90	-	46	10.90
AJA	0.34	-	55,756	0.34	PRINC	4.88	(0.04)	14,506	4.90	B-WORK	11.30	-	1,500	11.27
DTCI	-	-	-	-	PSH	18.90	(0.30)	18,257	19.01	BKKCP	12.70	-	252	12.71
FANCY	0.79	(0.03)	22,627	0.81	QH	2.98	-	573,447	3.00	BOFFICE	13.40	(0.10)	1,867	13.51
KYE	410.00	-	5	410.40	RICHY	1.73	(0.02)	30,109	1.73	CPNCG	16.50	0.10	1,518	16.40
L&E	2.70	0.02	587	2.70	RML	1.34	0.01	102,131	1.31	CPNREIT	27.25	0.25	13,787	27.35
MODERN	4.14	0.02	2,653	4.12	ROJNA	5.25	0.05	10,335	5.24	CPTGF	13.70	0.20	463	13.63
OGC	36.00	0.50	11	35.98	S	3.14	(0.06)	64,183	3.17	CRYSTAL	10.10	0.10	21	10.07
ROCK	-	-	-	-	SAMCO	1.99	-	4,057	2.01	CTARAF	4.80	0.04	887	4.80
SIAM	2.12	(0.02)	843	2.14	SC	3.26	-	16,292	3.29	DREIT	5.30	-	250	5.30
TSR	1.96	0.02	5,773	1.95	SENA	3.52	(0.08)	10,029	3.52	ERWPF	5.55	-	346	5.50
Insurance	-	-	-	-	SF	7.45	(0.15)	25,756	7.50	FUTUREPF	22.90	(0.10)	322	22.85
AYUD	41.50	(0.25)	769	41.74	SIRI	1.36	0.02	808,324	1.36	GAHREIT	-	-	-	-
BKI	345.00	(1.00)	128	345.00	SPALI	19.80	(0.20)	35,131	19.88	GLANDRT	13.00	(0.20)	5,141	13.00
BLA	32.25	(0.50)	7,683	32.68	TICON	15.40	(0.10)	339	15.43	GOLDFP	7.20	-	1,000	7.20
BUI	-	-	-	-	U	2.82	-	83,214	2.83	GVREIT	15.00	(0.10)	2,415	15.00
CHARAN	32.00	(0.25)	80	32.00	UV	6.85	(0.05)	35,024	6.84	HPF	5.40	0.05	1,007	5.31
INSURE	-	-	-	-	WHA	4.08	(0.04)	364,552	4.10	HREIT	6.85	-	716	6.85
MTI	96.75	0.25	11	96.64	WIN	0.66	0.02	206	0.65	IMPACT	19.80	0.20	5,676	19.79
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	9.15	-	127	9.15
NSI	81.00	2.00	62	81.05	UTP	11.20	(0.20)	7,189	11.28	LHHOTEL	16.50	0.20	142	16.40
SMK	39.50	(0.50)	90	39.76	Fashion	-	-	-	-	LHPF	8.25	-	71	8.29
THRE	0.98	0.01	41,465	0.98	AFC	9.05	(0.05)	70	9.06	LHSC	16.30	-	26	16.24
THREL	7.15	-	1,551	7.15	BTNC	19.10	(1.00)	5	19.10	LUXF	8.55	(0.10)	2,129	8.51
TIC	33.25	-	145	33.27	CPH	6.40	-	2,808	6.33	M-II	8.90	0.05	12	8.88
TIP	23.10	(0.20)	2,533	23.11	CPL	-	-	-	-	M-PAT	9.90	-	15	9.90
TSI	-	-	-	-	DIGI	0.21	-	293	0.21	M-STOR	9.90	(0.10)	36	9.90
TVI	3.74	(0.06)	1,895	3.77	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	LTX	96.50	0.25	56	96.77	MIT	-	-	-	-
PDI	12.50	0.10	6,665	12.69	NC	14.50	(0.50)	15	14.24	MJLF	12.60	-	2,022	12.60
THL	-	-	-	-	PAF	0.90	(0.03)	30,488	0.94	MINIT	1.46	(0.05)	407	1.44
Packaging	-	-	-	-	PDJ	2.44	-	460	2.42	MINIT2	-	-	-	-
AJ	8.95	-	11,439	8.85	PG	-	-	-	-	MNRF	3.36	0.02	2	3.36
ALUCON	178.00	-	33	178.41	SABINA	30.75	0.25	2,576	30.81	MONTRI	-	-	-	-
BGC	9.95	(1.05)	397,142	10.31	SAWANG	-	-	-	-	POPF	13.90	-	870	13.84
CSC	44.25	(0.25)	9	43.28	SUC	45.75	-	303	45.71	PPF	11.20	-	33	11.24
NEP	0.33	0.01	1,881	0.33	TNL	-	-	-	-	QHHR	8.45	-	385	8.45
NPPG	1.18	0.03	64,916	1.17	TPCORP	14.90	(0.10)	1	14.90	QHOP	3.26	(0.12)	213	3.26
PTL	16.10	(0.20)	2,134	16.12	TR	43.00	-	36	43.14	QHPF	13.30	-	3,596	13.20
SITHAI	1.15	(0.01)	2,233	1.15	TTI	26.25	2.25	1	26.25	SBPF	2.96	(0.24)	403	3.02
SLP	0.87	-	1,243	0.87	TTL	-	-	-	-	SHREIT	10.00	0.40	10,457	9.81
SMPC	12.80	(0.20)	1,287	12.90	TTTTM	167.00	2.50	27	166.06	SIRIP	11.40	(0.10)	25	11.41
SPACK	1.99	(0.01)	101	1.99	UPF	-	-	-	-	SPF	23.60	-	11,765	23.56
TCOAT	-	-	-	-	UT	14.50	0.10	3	14.17	SRIPANWA	11.10	-	442	11.01
TFI	0.28	-	2	0.28	WACOAL	44.00	(0.25)	130	44.02	SSPF	9.70	-	300	9.70
THIP	28.25	0.75	425	28.44	Transportation & Log	-	-	-	-	SSTPF	6.25	(0.05)	210	6.25
TMD	21.30	-	9	21.23	AAV	4.06	(0.04)	111,501	4.07	SSTRT	-	-	-	-
TOPP	196.00	(1.00)	3	196.00	AOT	64.50	(0.25)	99,579	64.77	TIF1	8.85	0.10	620	8.84
TPBI	6.90	(0.20)	1,961	6.74	ASIMAR	2.32	(0.06)	2,615	2.33	TLGF	19.00	(0.10)	16,274	19.04
TPP	-	-	-	-	B	0.56	-	3,416	0.56	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BA	12.00	-	25,636	12.01	TNPF	3.52	-	100	3.52
APCO	4.28	-	202	4.29	BEM	8.60	0.05	109,502	8.59	TPRIME	13.00	-	1,721	12.97
DDD	30.75	(0.25)	15,136	31.44	BTS	9.30	(0.05)	56,371	9.32	TREIT	12.00	-	4,839	12.01
JCT	89.00	(1.00)	8	88.13	BTSIGIF	12.10	-	28,586	12.10	TTLPF	23.00	(0.30)	124	23.00
OCC	-	-	-	-	III	6.10	(0.15)	8,797	6.09	TU-PF	-	-	-	-
S & J	23.10	0.10	1	23.10	JUTHA	1.24	(0.22)	1,913	1.30	URBNPF	3.92	0.08	154	3.94
STHAI	-	-	-	-	JWD	7.60	(0.25)	30,526	7.84	WHABT	-	-	-	-
TNR	10.80	(0.20)	2,449	10.97	KWC	-	-	-	-	WHART	10.60	-	9,913	10.55
TOG	4.52	(0.10)	1,160	4.59	NOK	2.56	(0.04)	12,286	2.57	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.20	(0.05)	2,545	5.21	AMC	1.90	(0.03)	2,160	1.91
BWG	1.17	-	142,630	1.16	PRM	6.95	(0.30)	29,842	7.05	BSBM	0.97	0.01	1,190	0.95
GENCO	0.80	-	3,134	0.81	PSL	10.70	0.30	35,748	10.73	CEN	1.12	(0.03)	11,253	1.14
PRO	-	-	-	-	RCL	4.98	0.04	5,997	5.02	CITY	2.62	-	242	2.62
TEAMG	2.28	0.04	9,732	2.27	TFFIF	10.10	-	86,647	10.10	CSP	1.28	(0.01)	28	1.28
Property Developmei	-	-	-	-	THAI	13.20	(0.10)	19,297	13.30	GJS	0.17	-	72,525	0.16
A	6.70	-	301	6.70	TSTE	-	-	-	-	GSTEL	-	-	-	-
AMATA	23.20	0.30	176,177	23.04	TTA	5.90	0.10	32,079	5.95	INOX	1.01	-	1,995	1.00
AMATAV	5.80	(0.05)	1,247	5.80	WICE	4.16	(0.08)	10,931	4.19	LHK	4.68	(0.02)	4,895	4.69
ANAN	3.96	0.08	207,901	3.96	Automotive	-	-	-	-	MAX	0.02	-	387,230	0.02
AP	7.30	0.05	104,927	7.32	AH	21.70	(1.70)	41,136	22.22	MCS	6.95	-	8,381	6.95
APEX	0.20	-	18,220	0.19	APCS	5.05	(0.10)	567	5.03	MILL	1.75	(0.05)	60,506	1.77
AQ	0.03	0.01	54,143	0.03	BAT-3K	-	-	-	-	PAP	3.74	(0.06)	736	3.76
BLAND	1.69	-	156,444	1.69	CWT	2.90	(0.04)	1,246	2.92	PERM	2.00	-	488	2.01
BROCK	-	-	-	-	EASON	2.32	(0.04)	12,847	2.34	RICH	-	-	-	-
CGD	1.32	-	5,412	1.32	GYT	368.00	(8.00)	18	370.33	SAM	0.62	-	680	0.61
CI	1.23	(0.12)	15,175	1.26	HFT	3.00	0.02	319	2.98	SMIT	6.35	0.05	9,256	6.38
CPN	75.25	(2.50)	72,589	76.08	IHL	8.70	-	3,102	8.71	SSI	-	-	-	-
ESTAR	0.58	0.01	34,618	0.57	INGRS	0.64	0.01	8,984	0.63	SSSC	2.92	-	597	2.92
EVER	0.52	(0.01)	159,216	0.53	IRC	20.70	(0.10)	5	20.70	TGPRO	0.13	(0.01)	9,044	0.13
GLAND	3.08	0.02	26,230	3.08	PCSGH	7.10	0.10	5,051	7.08	THE	2			

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TPCH	10.50	0.20	13,634	10.00	ADVA01P1902A	0.88	0.01	35,730	-
ABICO	4.68	(0.92)	27,597	4.00	TRT	2.14	(0.06)	2,075	2.00	ADVA01P1902B	0.66	0.01	50,367	-
AU	6.65	-	11,889	6.00	TSE	2.72	(0.02)	5,412	2.00	ADVA01P1905A	1.22	-	50,682	1.00
FC	0.36	-	5,335	-	UMS	-	-	-	-	ADVA06C1903A	0.08	(0.01)	210	-
JCKH	0.71	(0.01)	461	-	UWC	0.06	-	81,954	-	ADVA08C1903A	0.08	(0.01)	7,516	-
KASET	2.02	-	218	2.00	Services (MAI)	-	-	-	-	ADVA11C1905A	0.07	-	883	-
MM	3.90	-	744	3.00	ADAM	-	-	-	-	ADVA11P1905A	0.38	-	10,790	-
SUN	3.02	-	1,268	3.00	AKP	1.84	0.05	8,271	1.00	ADVA13C1811A	-	-	-	-
TACC	3.36	(0.08)	3,682	3.00	AMA	5.00	(0.05)	1,412	5.00	ADVA13C1901A	0.05	(0.02)	8,882	-
TMILL	2.98	(0.04)	1,280	2.00	ARIP	0.45	-	22,845	-	ADVA13C1904A	0.30	(0.01)	296,346	-
XO	12.00	(0.10)	3,787	12.00	ATP30	1.65	(0.01)	4,596	1.00	ADVA13P1904A	0.86	0.02	94,118	-
Consumer Products	-	-	-	-	AUCT	6.45	0.10	14,569	6.00	ADVA16C1812A	-	-	-	-
BGT	1.03	(0.01)	1,535	1.00	BOL	2.10	0.06	782	2.00	ADVA16C1912A	0.47	(0.53)	10	-
BIZ	2.66	(0.06)	1,588	2.00	CHUO	-	-	-	-	ADVA19C1901A	0.09	(0.02)	44,796	-
DOD	14.10	(0.20)	54,049	14.00	CMO	1.38	(0.03)	2,826	1.00	ADVA19C1905A	0.62	(0.02)	16,852	-
ECF	6.00	0.05	16,066	5.00	D	10.20	(0.10)	2,311	10.00	ADVA19P1904A	0.62	-	35,965	-
HPT	1.01	-	8,544	1.00	DCORP	1.68	(0.72)	127,627	1.00	ADVA23C1902A	0.07	(0.01)	9,050	-
JUBILE	17.60	(0.10)	356	17.00	DNA	0.42	(0.01)	114,492	-	ADVA24C1904A	0.12	(0.01)	1,100	-
MOONG	6.85	(0.10)	9,542	6.00	EFORL	0.07	-	138,006	-	ADVA24C1905A	-	-	-	-
NPK	27.50	0.50	55	26.00	ETE	1.16	-	5,806	1.00	ADVA24C1907A	0.39	(0.03)	2,000	-
OCEAN	5.85	0.35	86,486	5.00	FSMART	7.05	(0.15)	11,128	7.00	ADVA24P1908A	1.09	0.04	600	1.00
TM	2.08	-	1,564	2.00	FVC	0.92	(0.04)	1,715	-	ADVA27C1902A	-	-	-	-
Financials (MAI)	-	-	-	-	HARN	2.52	-	69	2.00	ADVA28C1901A	-	-	-	-
ACAP	4.40	(0.32)	39,058	4.00	JKN	10.70	0.10	4,407	10.00	ADVA28C1904A	0.21	(0.01)	36,064	-
AF	0.72	-	500	-	KIAT	0.48	(0.01)	35,452	-	ADVA42C1903A	-	-	-	-
AIRA	1.74	(0.06)	8,580	1.00	KOOL	1.45	(0.01)	4,184	1.00	AMAT01C1903A	0.75	0.02	85,780	-
ASN	3.84	-	467	3.00	LDC	1.05	-	947	1.00	AMAT01C1903B	0.56	0.02	130,667	-
BROOK	0.50	(0.01)	9,200	-	MPG	0.14	0.01	6,325	-	AMAT01P1903A	0.61	(0.02)	94,033	-
CHAYO	4.70	(0.28)	127,290	4.00	MVP	1.90	0.07	817,258	1.00	AMAT06C1903A	0.59	-	16,420	-
GCAP	2.88	(0.08)	34,095	2.00	NBC	0.46	(0.02)	2,120	-	AMAT08C1903A	0.55	-	16,282	-
LIT	7.00	(0.10)	3,847	7.00	NCL	1.47	-	215	1.00	AMAT11C1903A	0.35	(0.01)	26,676	-
SGF	1.44	(0.03)	153,432	1.00	NEWS	0.01	-	16,510	-	AMAT13C1812A	0.45	(0.03)	210	-
Industrials (MAI)	-	-	-	-	NINE	1.67	(0.06)	11,631	1.00	AMAT13C1902A	0.29	0.02	699,213	-
2S	2.92	-	809	2.00	OTO	2.64	(0.06)	729	2.00	AMAT19C1811A	0.03	(0.02)	2,559	-
ADB	1.04	0.02	6,366	1.00	PHOL	1.76	0.02	345	1.00	AMAT19C1902A	0.66	0.03	32,578	-
BM	3.18	(0.02)	568	3.00	PICO	3.90	(0.22)	463	3.00	AMAT23C1906A	0.51	(0.49)	45,001	-
CHO	1.48	0.03	119,221	1.00	PORT	6.85	0.20	276	6.00	AMAT24C1811A	-	-	-	-
CHOW	4.44	(0.02)	485	4.00	QLT	4.20	-	254	4.00	AMAT24C1904A	0.39	0.02	11,331	-
CIG	0.38	-	1,716	-	RP	2.84	(0.02)	1,246	2.00	AMAT27C1902A	0.82	-	9,907	-
COLOR	1.34	0.02	3,236	1.00	SE	1.97	(0.11)	322	1.00	AMAT28C1902A	0.45	0.01	43,936	-
CPR	5.25	-	926	5.00	SONIC	1.49	(0.01)	61,800	1.00	AMAT28C1903A	0.11	-	9,470	-
FPI	1.97	0.01	875	1.00	SPA	12.70	(0.20)	1,614	12.00	ANAN08C1906A	0.08	-	61,040	-
GTB	0.62	-	1,808	-	THMUI	1.40	-	1,540	1.00	ANAN13C1901A	0.03	-	1,101	-
KCM	0.96	-	6,081	-	TNDT	4.96	0.10	246	4.00	ANAN19C1811A	-	-	-	-
KWM	1.07	(0.02)	18,206	1.00	TNH	39.75	-	818	39.00	ANAN23C1901A	0.02	-	3,501	-
LVT	-	-	-	-	TNP	1.69	0.02	5,582	1.00	ANAN24C1811A	0.01	-	926	-
MBAX	4.10	-	998	4.00	TSF	0.03	-	17,043	-	AOT01C1902A	0.41	(0.01)	43,591	-
MGT	2.00	(0.02)	1,811	1.00	TVD	1.64	0.02	3,376	1.00	AOT01C1902B	0.20	(0.01)	19,224	-
NDR	2.20	-	27	2.00	TVT	0.89	0.01	3,412	-	AOT01C1904A	0.41	(0.01)	62,377	-
PDG	3.44	0.02	159	3.00	WINNER	3.12	-	690	3.00	AOT01C1904B	0.28	(0.01)	9,942	-
PIMO	4.70	0.04	1,426	4.00	Technology (MAI)	-	-	-	-	AOT01P1902A	0.79	0.01	36,948	-
PJW	1.61	0.04	3,497	1.00	COMAN	3.98	-	2,348	3.00	AOT01P1902B	0.37	0.01	86,091	-
PPM	1.63	(0.02)	604	1.00	ICN	1.96	0.07	5,579	1.00	AOT01P1904A	0.82	0.01	46,572	-
RWI	1.56	(0.01)	161	1.00	IRCP	0.73	-	1,770	-	AOT01P1904B	0.60	0.02	72,507	-
SALEE	1.01	0.01	1,723	1.00	ITEL	3.22	(0.02)	2,013	3.00	AOT06C1903A	0.29	(0.02)	16,390	-
SANKO	1.18	0.02	5,374	1.00	NETBAY	29.25	(0.25)	1,738	29.00	AOT06P1903A	0.37	0.01	13,100	-
SELIC	2.12	(0.10)	4,190	2.00	PLANET	1.52	(0.01)	114	1.00	AOT07C1902A	-	-	-	-
SWC	23.70	(0.30)	837	24.00	SIMAT	1.90	-	22,880	1.00	AOT08C1901A	0.12	(0.02)	22,925	-
TMC	0.83	-	1,734	-	SKY	13.50	(0.50)	9,092	13.00	AOT08C1904A	0.34	(0.01)	9,708	-
TMI	0.79	-	4,038	-	SPVI	1.35	(0.02)	2,837	1.00	AOT08P1903A	0.37	-	14,738	-
TMW	69.75	0.25	631	69.00	UPA	0.40	0.02	63,167	-	AOT11C1906A	-	-	-	-
TPAC	11.40	-	1,225	11.00	VCOM	3.18	0.04	5,218	3.00	AOT11P1906A	0.29	0.01	10,660	-
TPLAS	1.50	(0.01)	6,527	1.00	Unit Trust	-	-	-	-	AOT13C1811A	-	-	-	-
UAC	4.24	-	453	4.00	MGE	-	-	-	-	AOT13C1812A	0.06	-	2,790	-
UBIS	5.25	-	3,049	5.00	SCBSET	-	-	-	-	AOT13C1902A	0.29	(0.01)	51,657	-
UEC	1.43	-	305	1.00	ETF	-	-	-	-	AOT13P1812A	-	-	-	-
UKEM	0.78	(0.01)	17,105	-	IDIV	11.56	0.05	327	11.00	AOT13P1902A	0.25	(0.01)	15,528	-
UREKA	1.86	-	6,714	1.00	ABFTH	-	-	-	-	AOT16C1912A	0.80	(0.20)	7	-
YUASA	13.00	-	160	13.00	BMSCG	8.34	(0.05)	518	8.00	AOT19C1901A	0.21	(0.02)	87,986	-
ZIGA	2.40	(0.16)	8,402	2.00	BMSCITH	12.27	(0.01)	2,501	12.00	AOT19P1903A	0.28	0.02	38,482	-
Property & Construc	-	-	-	-	BSET100	10.38	(0.04)	841	10.00	AOT24C1811A	-	-	-	-
ARROW	7.95	-	522	7.00	CHINA	4.98	0.01	262	5.00	AOT24C1901A	-	-	-	-
BKD	3.02	0.02	426	3.00	EBANK	-	-	-	-	AOT24C1904A	-	-	-	-
BSM	0.64	(0.01)	3,459	-	ECOMM	-	-	-	-	AOT24P1903A	-	-	-	-
BTW	1.69	-	1,265	1.00	EFOOD	-	-	-	-	AOT27C1902A	0.26	(0.02)	8,400	-
CHEWA	1.15	0.01	32,230	1.00	EICT	4.44	(0.01)	5	4.00	AOT27P1903A	0.50	-	7,200	-
CRD	1.04	-	1,366	1.00	ENGY	6.22	(0.02)	12	6.00	AOT28C1812A	-	-	-	-
DIMET	0.87	(0.05)	8,268	-	ENY	-	-	-	-	AOT28C1901A	-	-	-	-
FLOYD	1.96	0.11	12,690	1.00	ESET50	-	-	-	-	AOT28C1902A	0.29	(0.01)	45,650	-
FOCUS	1.59	-	1,803	1.00	GLD	1.71	-	308	1.00	AOT28P1812A	-	-	-	-
HYDRO	1.23	(0.01)	661	1.00	TDEX	10.79	(0.03)	2,646	10.00	AOT42C1903A	0.20	(0.02)	2,040	-
JSP	0.48	0.01	73,241	-	TGOLDETF	3.73	0.01	102	3.00	AP01C1903A	0.13	(0.01)	101,232	

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP07C1904A	0.16	(0.02)	48	-	BDM527C1903A	0.10	-	15,000	-	BLA13C1902A	0.12	(0.01)	12,259	-
BANP08C1811A	-	-	-	-	BDM528C1902A	0.08	-	1,501	-	BLA19C1903A	0.23	-	1,000	-
BANP08C1904A	0.28	-	6,120	-	BDM542C1904A	0.11	(0.01)	26,312	-	BLA19C1906A	0.32	-	900	-
BANP08P1901A	0.34	0.03	6,006	-	BDM542P1904A	0.18	-	22,132	-	BLA24C1903A	-	-	-	-
BANP11C1902A	0.04	-	1	-	BEAU01C1812A	0.01	-	6,145	-	BLA27C1905A	-	-	-	-
BANP13C1902A	0.11	(0.01)	9,924	-	BEAU01C1812B	0.01	-	6,272	-	BLAN01C1903A	0.24	-	230	-
BANP13C1904A	0.30	(0.02)	27,251	-	BEAU01C1901A	0.24	0.01	227,623	-	BLAN01C1903B	0.11	-	7,348	-
BANP16C1812A	0.42	(0.02)	100	-	BEAU01C1901B	0.13	-	75,359	-	BLAN01P1903A	0.56	-	2,200	-
BANP16C1912A	0.62	(0.02)	30	-	BEAU01C1902A	0.75	(0.01)	37,870	-	BLAN11C1902A	0.06	-	2	-
BANP19C1811A	-	-	-	-	BEAU01C1902B	0.58	0.04	68,293	-	BLAN19C1902A	-	-	-	-
BANP19C1902A	0.16	(0.02)	12,418	-	BEAU01P1812A	1.41	(0.03)	129,219	1.00	BPP01C1811A	0.08	(0.01)	2,594	-
BANP23C1901A	-	-	-	-	BEAU01P1902A	0.70	(0.01)	91,277	-	BPP01C1811B	0.01	-	1,266	-
BANP24C1812A	-	-	-	-	BEAU06C1904A	1.22	0.03	18,584	1.00	BPP01C1903A	0.15	(0.01)	3,490	-
BANP24C1904A	-	-	-	-	BEAU08C1901A	0.01	-	17,437	-	BPP01C1903B	0.10	(0.01)	3,730	-
BANP24C1907A	-	-	-	-	BEAU08C1902A	0.53	-	22,486	-	BPP01P1811A	0.45	0.01	10,757	-
BANP24P1901A	0.26	-	1,781	-	BEAU11C1902A	-	-	-	-	BPP01P1903A	0.36	0.01	1,812	-
BANP27C1904A	0.25	(0.01)	3,100	-	BEAU13C1811A	-	-	-	-	BPP06C1903A	-	-	-	-
BANP27P1905A	0.47	0.02	3,600	-	BEAU13C1812A	-	-	-	-	BPP13C1811A	-	-	-	-
BANP28C1902A	-	-	-	-	BEAU13C1812B	0.23	-	145,552	-	BPP13C1901A	-	-	-	-
BANP28C1903A	-	-	-	-	BEAU13C1901A	0.07	(0.01)	118,902	-	BPP13C1902A	0.20	(0.03)	17,524	-
BANP42C1903A	-	-	-	-	BEAU13C1904A	0.25	-	294,876	-	BPP19C1903A	0.32	(0.02)	1,594	-
BANP42P1903A	0.63	0.02	6,300	-	BEAU19C1811A	-	-	-	-	BPP19C1903B	0.12	(0.01)	1,500	-
BBL06C1902A	0.73	(0.02)	12,606	-	BEAU19C1901A	0.58	0.02	49,113	-	BPP23C1901A	-	-	-	-
BBL08C1902A	0.48	-	11,764	-	BEAU19C1902A	0.16	-	31,777	-	BPP24C1902A	-	-	-	-
BBL08P1904A	0.36	-	9,542	-	BEAU23C1901A	0.01	-	30	-	BPP24C1904A	-	-	-	-
BBL11C1903A	0.37	-	14,986	-	BEAU24C1901A	-	-	-	-	BPP28C1812A	0.09	(0.02)	6,072	-
BBL11P1903A	0.09	(0.01)	52	-	BEAU24C1902A	0.02	-	270	-	BPP28C1902A	-	-	-	-
BBL13C1901A	0.23	-	24,860	-	BEAU24C1903A	-	-	-	-	BTS01C1903A	0.35	(0.03)	4,408	-
BBL19C1901A	0.19	(0.01)	155,361	-	BEAU24C1904A	0.28	0.01	5,730	-	BTS01C1903B	0.24	(0.02)	1,000	-
BBL23C1811A	0.07	(0.04)	10,944	-	BEAU27C1903A	0.14	-	20,740	-	BTS01P1903A	0.37	0.01	2	-
BBL23C1906A	0.35	(0.65)	49,944	-	BEC01C1812A	0.01	-	10,906	-	BTS06C1903A	-	-	-	-
BBL24C1812A	-	-	-	-	BEC01C1812B	0.02	0.01	1	-	BTS06C1903B	-	-	-	-
BBL24C1902A	-	-	-	-	BEC13C1811A	-	-	-	-	BTS06C1903C	-	-	-	-
BBL24C1907A	0.30	(0.03)	638	-	BEC13C1901A	0.01	-	830	-	BTS11C1904A	-	-	-	-
BBL24P1904A	0.34	0.01	450	-	BEC24C1812A	-	-	-	-	BTS19C1901A	0.18	(0.01)	2,120	-
BBL27C1904A	0.40	(0.01)	6,000	-	BEM01C1902A	0.36	-	20,288	-	BTS23C1905A	1.60	0.01	50	1.00
BBL27P1904A	0.52	(0.01)	4,800	-	BEM01C1902B	0.26	-	21,856	-	BTS24C1901A	-	-	-	-
BBL28C1901A	0.16	(0.02)	22,506	-	BEM01P1902A	0.33	-	10,368	-	BTS28C1902A	0.14	-	5,000	-
BBL42C1903A	0.23	(0.01)	4,040	-	BEM07C1903A	-	-	-	-	BTS42C1901A	-	-	-	-
BCH01C1902A	0.37	(0.01)	86,043	-	BEM08C1903A	0.23	0.01	1,604	-	BTS42P1901A	-	-	-	-
BCH01C1902B	0.20	(0.01)	84,683	-	BEM11C1903A	0.19	-	1,545	-	CBG01C1811A	0.05	(0.02)	37,537	-
BCH01P1902A	0.44	0.01	11,452	-	BEM13C1901A	0.28	0.01	10,962	-	CBG01C1811B	-	-	-	-
BCH06C1811A	0.11	(0.01)	4,600	-	BEM19C1901A	0.29	-	3,335	-	CBG01C1902A	0.37	(0.03)	151,314	-
BCH08C1901A	0.36	(0.02)	5,816	-	BEM23C1901A	0.14	-	1,000	-	CBG01C1902B	0.21	(0.03)	75,391	-
BCH11C1905A	0.34	(0.02)	4,795	-	BEM24C1902A	-	-	-	-	CBG01P1811A	1.13	0.05	10,892	1.00
BCH13C1902A	0.16	(0.01)	55,825	-	BEM27C1904A	0.22	(0.01)	600	-	CBG01P1811B	0.21	0.03	93,670	-
BCH19C1903A	0.40	(0.01)	9,316	-	BEM27P1905A	-	-	-	-	CBG01P1905A	0.89	0.03	43,627	-
BCH23C1811A	0.19	(0.03)	3,000	-	BEM42C1904A	0.21	-	3,012	-	CBG06C1903A	0.34	(0.04)	28,901	-
BCH24C1811A	-	-	-	-	BEM42P1904A	-	-	-	-	CBG06P1903A	0.83	0.06	10,074	-
BCH24C1904A	-	-	-	-	BGR01C1901A	0.88	(0.10)	3,762	-	CBG07C1812A	-	-	-	-
BCH27C1902A	0.59	(0.03)	2,407	-	BGR01C1901B	0.55	(0.09)	4,142	-	CBG08C1901A	0.10	(0.01)	10,715	-
BCH28C1902A	0.11	(0.01)	8,742	-	BGR01C1903A	0.26	(0.04)	8,958	-	CBG11C1902A	-	-	-	-
BCP01C1903A	0.16	-	177,813	-	BGR01C1903B	0.16	(0.03)	5,556	-	CBG13C1811A	-	-	-	-
BCP01C1903B	0.10	-	35,192	-	BGR106C1903A	0.68	(0.10)	2,400	-	CBG13C1812A	0.01	-	1,600	-
BCP01P1903A	0.46	(0.01)	16,028	-	BGR107C1903A	-	-	-	-	CBG13C1901A	0.21	(0.04)	152,563	-
BCP08C1901A	-	-	-	-	BGR108C1902A	0.49	(0.08)	4,130	-	CBG16C1912A	-	-	-	-
BCP11C1811A	-	-	-	-	BGR108C1904A	0.17	(0.02)	10,737	-	CBG19C1901A	0.16	(0.02)	42,200	-
BCP13C1902A	0.09	-	3,000	-	BGR113C1812A	-	-	-	-	CBG23C1901A	-	-	-	-
BCP19C1902A	-	-	-	-	BGR113C1812B	0.09	(0.02)	20,421	-	CBG24C1811A	-	-	-	-
BCP24C1811A	-	-	-	-	BGR19C1901A	0.36	(0.07)	3,500	-	CBG24C1901A	-	-	-	-
BCP24C1904A	-	-	-	-	BGR19C1903A	0.14	(0.03)	7,609	-	CBG24C1903A	-	-	-	-
BCP24C1907A	0.20	0.01	6,300	-	BGR24C1901A	0.35	(0.10)	130	-	CBG24C1904A	0.39	(0.04)	13,900	-
BCP28C1901A	-	-	-	-	BGR24C1902A	0.13	(0.03)	4,115	-	CBG28C1812A	0.04	(0.04)	1	-
BCPG01C1811A	0.15	-	44,038	-	BGR127C1905A	0.18	(0.02)	3,000	-	CBG42C1904A	0.20	(0.01)	16,120	-
BCPG01C1811B	0.01	-	4,700	-	BGR128C1812A	-	-	-	-	CENT01C1903A	0.42	-	15,198	-
BCPG01C1904A	0.29	(0.01)	30,320	-	BGR128C1901A	0.08	(0.02)	9,216	-	CENT01C1903B	0.29	-	29,737	-
BCPG01C1904B	0.18	(0.01)	28,252	-	BH01C1811A	0.44	-	36,910	-	CENT01P1903A	0.42	-	7,720	-
BCPG06C1811A	-	-	-	-	BH01C1811B	-	-	-	-	CENT06C1904A	0.14	0.01	2,800	-
BCPG08C1904A	0.13	-	1,152	-	BH01C1905A	0.33	0.01	5,927	-	CENT08C1902A	0.12	-	4,422	-
BCPG08C1904B	0.28	(0.01)	6,176	-	BH01C1905B	0.27	0.01	13,969	-	CENT11C1904A	-	-	-	-
BCPG11C1902A	0.05	0.01	4,700	-	BH01P1811A	0.89	(0.02)	11,816	-	CENT13C1811A	-	-	-	-
BCPG13C1812A	-	-	-	-	BH01P1905A	0.73	(0.01)	8,836	-	CENT13C1902A	0.20	(0.01)	16,522	-
BCPG13C1902A	0.09	(0.01)	58,715	-	BH08C1811A	-	-	-	-	CENT19C1901A	0.11	(0.01)	7,604	-
BCPG13C1904A	0.29	-	292,550	-	BH08C1902A	0.42	0.01	9,332	-	CENT19C1904A	0.38	(0.01)	7,200	-
BCPG19C1901A	0.20	(0.01)	42,647	-	BH11C1902A	-	-	-	-	CENT23C1902A	-	-	-	-
BCPG23C1902A	0.18	(0.02)	27,000	-	BH11C1905A	0.57	-	3,698	-	CENT24C1901A	0.04	-	1,500	-
BCPG24C1903A	-	-	-	-	BH13C1901A	0.43	0.01	30,321	-	CENT24C1902A	0.17	-	150	-
BCPG27C1903A	-	-	-	-	BH19C1901A	0.41	-	15,784	-	CENT27C1905A	0.37	0.01	2,400	-
BCPG28C1812A	0.21	(0.02)	48,114	-	BH24C1811A	-	-	-	-	CHG01C1903A	0.16	-	68,893	-
BCPG28C1901A	0.06	(0.01)	13,479	-	BH24C1902A	0.32	-	4,180	-	CHG01C1903B	0.08	-	13,496	-
BCPG28C1904A	0.26	(0.02)	29,172	-	BH27C1905A	0.21	-	3,600	-	CHG01P1903A	0.67	-	18,906	-
BDM501C1811A	0.10	(0.01)	46,891	-	BIG08C1906A	0.04	-	2	-	CHG07C1902A	-	-	-	-
BDM501C1811B	0.01	-	10,000	-	BIG13C1901A	0.01	-	1,600	-	CHG11C1904A	0.10	-	8,020	-
BDM501C1905A	0.23	(0.01)	176,103	-	BIG19C1811A	-	-	-	-	CHG13C1812A	-	-	-	-
BDM501C1905B	0.20	(0.01)	236,309	-	BIG24C1812A	-	-	-	-	CHG13C1903A	-	-	-	-
BDM501P1811A	0.27	0.01	19,148	-	BJ00C1812A	0.26	(0.02)	398,386	-	CHG13C1904A	0.22	-	366,337	-
BDM501P1905A	0.30	0.01	90,559	-	BJ00C1812B	0.06	-	28,973	-	CHG19C1902A	0.10	0.01	18,245	-
BDM506C1811A	0.29	(0.04)	7,140	-	BJ00P1812A	0.47	(0.01)	179,283	-	CHG23C1811A	0.16	(0.01)	6,000	-
BDM507C1904A	-	-	-	-	BJ006C1901A	0.02	(0.01)	12,120	-	CHG24C1811A	-	-	-	-
BDM508C1901A	-	-	-	-	BJ008C1903A	0.13	-	31,469	-	CHG24C1904A	0.07	-	150	-

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK24C1901A	-	-	-	-	CPN27C1903A	0.22	(0.07)	6,500	-	GLOB24C1903A	-	-	-	-
CK24C1904A	-	-	-	-	CPN28C1902A	0.15	(0.07)	22,506	-	GLOB24C1906A	-	-	-	-
CK28C1812A	-	-	-	-	DEL706C1903A	0.77	(0.02)	3,450	-	GLOW08C1811A	0.06	(0.03)	1,884	-
CK28C1902A	0.07	(0.02)	20	-	DEL708C1811A	-	-	-	-	GLOW19C1901A	0.20	(0.01)	20,335	-
CKP01C1812A	0.91	(0.07)	7,879	-	DEL724C1901A	-	-	-	-	GLOW27C1812A	0.11	(0.02)	2,400	-
CKP01C1812B	0.63	(0.08)	7,554	-	DEL727C1812A	-	-	-	-	GPSCO1C1902A	0.16	-	7,037	-
CKP08C1903A	0.83	(0.07)	5,260	-	DTAC01C1902A	0.82	0.02	5,573	-	GPSCO1C1902B	-	-	-	-
CKP08C1903B	0.16	(0.03)	17,224	-	DTAC01C1902B	0.57	(0.02)	2,705	-	GPSCO1P1902A	1.78	(0.02)	12,863	1.00
CKP13C1902A	-	-	-	-	DTAC01C1905A	0.59	(0.01)	33,194	-	GPSCO6C1811A	0.01	-	5,000	-
CKP13C1903A	0.57	(0.03)	87,454	-	DTAC01C1905B	0.50	(0.02)	39,988	-	GPSCO8C1902A	0.05	0.01	1	-
CKP13C1903B	0.15	(0.01)	28,710	-	DTAC01P1902A	0.49	(0.01)	8,216	-	GPSCI1C1902A	-	-	-	-
CKP19C1902A	0.66	(0.07)	2,716	-	DTAC01P1902B	0.26	(0.01)	15,514	-	GPSCI3C1812A	-	-	-	-
CKP19C1903A	0.20	(0.01)	30,936	-	DTAC01P1905A	0.87	(0.01)	36,684	-	GPSCI3C1903A	0.13	-	8,624	-
CKP24C1811A	-	-	-	-	DTAC06C1901A	0.18	(0.01)	6,446	-	GPSCI3C1904A	0.44	(0.01)	22,774	-
CKP24C1906A	0.19	(0.01)	6,000	-	DTAC06C1903A	0.41	-	5,147	-	GPSCI9C1901A	-	-	-	-
CKP27C1905A	0.21	(0.02)	8,534	-	DTAC06P1903A	0.40	0.01	830	-	GPSCI9C1905A	0.57	0.01	1,800	-
CKP28C1902A	-	-	-	-	DTAC07C1902A	-	-	-	-	GPSC24C1812A	-	-	-	-
CKP28C1903A	0.14	(0.02)	30,383	-	DTAC08C1903A	0.37	(0.01)	6,100	-	GPSC24C1904A	-	-	-	-
COM701C1811A	0.54	(0.03)	52,815	-	DTAC08P1902A	0.06	(0.01)	2,856	-	GPSC24C1904B	0.39	(0.02)	100	-
COM701C1811B	0.04	(0.03)	9,930	-	DTAC11C1904A	0.28	-	602	-	GPSC27C1902A	-	-	-	-
COM706C1903A	0.35	(0.02)	6,300	-	DTAC13C1811A	-	-	-	-	GPSC28C1903A	-	-	-	-
COM708C1811A	-	-	-	-	DTAC13C1812A	-	-	-	-	GUNK08C1902A	0.17	-	23,312	-
COM708C1903A	0.35	(0.02)	16,357	-	DTAC13C1902A	0.27	(0.01)	11,609	-	GUNK11C1903A	0.09	(0.01)	7,616	-
COM711C1811A	0.29	(0.02)	14,100	-	DTAC13P1811A	-	-	-	-	GUNK13C1903A	0.23	-	38,660	-
COM713C1812A	0.15	(0.03)	3,600	-	DTAC13P1812A	-	-	-	-	GUNK19C1903A	0.39	(0.01)	10,325	-
COM713C1903A	0.22	(0.01)	5,801	-	DTAC13P1903A	0.35	-	10,915	-	GUNK19C1906A	0.35	(0.02)	15,072	-
COM719C1811A	0.08	(0.02)	5,906	-	DTAC19C1811A	0.07	(0.02)	1,000	-	GUNK24C1812A	0.04	(0.01)	2,911	-
COM719C1904A	0.53	(0.01)	16,189	-	DTAC19C1904A	0.54	(0.01)	10,579	-	GUNK24C1903A	0.26	-	12,567	-
COM723C1901A	0.20	(0.02)	9,027	-	DTAC24C1901A	0.31	0.01	50	-	GUNK27C1905A	0.32	(0.02)	7,200	-
COM724C1811A	-	-	-	-	DTAC27C1903A	0.35	-	2,400	-	GUNK28C1903A	0.24	(0.02)	12,565	-
COM724C1904A	0.36	(0.01)	82	-	DTAC27P1903A	0.35	0.01	2,800	-	HANA01C1811A	0.32	0.02	28,945	-
COM727C1902A	-	-	-	-	DTAC28C1812A	-	-	-	-	HANA01C1811B	0.01	-	215	-
COM728C1903A	0.36	(0.01)	14,232	-	DTAC28C1902A	0.28	(0.01)	4,096	-	HANA01C1905A	0.38	0.02	68,109	-
CPAL01C1901A	0.15	0.01	15,707	-	DTAC42C1903A	0.34	(0.02)	8,120	-	HANA01C1905B	0.35	0.02	77,583	-
CPAL01C1901B	0.02	(0.01)	69,306	-	EA07C1903A	0.79	(0.01)	47	-	HANA08C1903A	0.21	-	17,317	-
CPAL01C1904A	0.68	0.02	48,758	-	EA08C1903A	0.72	(0.02)	12,809	-	HANA11C1904A	0.16	0.01	9,724	-
CPAL01C1904B	0.46	0.02	135,334	-	EA08C1903B	0.34	(0.01)	12,588	-	HANA13C1901A	0.16	0.04	91,867	-
CPAL01P1901A	1.37	(0.03)	49,385	1.00	EA11C1902A	0.17	(0.01)	14,237	-	HANA19C1902A	0.14	0.01	14,938	-
CPAL01P1901B	0.67	(0.05)	37,749	-	EA13C1811A	0.02	(0.02)	16,026	-	HANA23C1811A	0.16	0.01	6,344	-
CPAL01P1904A	0.67	(0.03)	42,247	-	EA13C1812A	0.26	(0.04)	5,474	-	HANA24C1903A	-	-	-	-
CPAL01P1904B	0.42	(0.01)	67,494	-	EA13C1812B	-	-	-	-	HANA28C1812A	0.20	0.03	21,632	-
CPAL06C1811A	0.54	-	11,802	-	EA13C1901A	0.33	(0.03)	43,604	-	HANA28C1902A	0.13	0.01	10,028	-
CPAL06C1811B	0.01	-	5,000	-	EA13C1903A	0.32	(0.02)	88,794	-	HMPRO1C1902A	0.35	(0.01)	23,743	-
CPAL07C1902A	-	-	-	-	EA19C1811A	0.18	(0.02)	40,364	-	HMPRO1C1902B	0.25	-	18,168	-
CPAL08C1902A	0.07	(0.02)	100	-	EA19C1902A	0.56	-	32,852	-	HMPRO1P1902A	0.31	(0.01)	17,171	-
CPAL08C1902B	0.29	-	17,552	-	EA23C1901A	-	-	-	-	HMPRO6C1811A	-	-	-	-
CPAL08P1904A	0.48	(0.01)	19,592	-	EA24C1901A	0.32	(0.03)	12,434	-	HMPR11C1906A	0.19	-	6,035	-
CPAL11C1903A	0.03	(0.01)	14,661	-	EA27C1902A	0.86	(0.01)	5,400	-	HMPR13C1812A	0.13	(0.01)	34,931	-
CPAL11P1903A	0.75	-	35,950	-	EA28C1901A	-	-	-	-	HMPR19C1901A	0.33	0.01	14,623	-
CPAL13C1812A	0.02	(0.01)	1,000	-	EA28C1902A	0.25	(0.01)	44,265	-	HMPR23C1901A	-	-	-	-
CPAL13C1901A	0.22	0.01	124,108	-	EGCO01C1903A	0.61	0.01	19,345	-	HMPR24C1901A	-	-	-	-
CPAL13C1903A	0.62	0.03	146,249	-	EGCO01C1903B	0.42	0.02	43,418	-	HMPR27C1905A	0.31	0.01	10,400	-
CPAL13P1902A	0.30	(0.02)	64,379	-	EGCO19C1901A	0.29	(0.02)	16,738	-	HMPR27P1905A	0.32	(0.01)	6,051	-
CPAL16C1912A	0.84	(0.16)	6	-	EGCO23C1811A	-	-	-	-	HMPR28C1903A	0.16	-	22,528	-
CPAL19C1811A	-	-	-	-	EGCO24C1901A	0.12	-	7	-	INTU01C1903A	0.22	(0.01)	85,059	-
CPAL19C1902A	0.29	-	17,821	-	EPG01C1903A	0.21	0.01	14,977	-	INTU01C1903B	0.11	-	9,034	-
CPAL19P1903A	0.36	(0.01)	5,906	-	EPG01C1903B	0.13	-	8,333	-	INTU01P1903A	0.90	0.03	32,340	-
CPAL23C1906A	0.53	(0.47)	68,000	-	EPG01P1903A	1.17	0.01	4,122	1.00	INTU01P1903B	0.68	0.01	37,608	-
CPAL24C1811A	-	-	-	-	EPG07C1811A	-	-	-	-	INTU11C1905A	0.09	(0.01)	3,061	-
CPAL24C1901A	0.04	(0.02)	2,950	-	EPG08C1903A	0.07	-	800	-	INTU11P1905A	0.41	0.02	2,070	-
CPAL24C1903A	0.21	(0.01)	30	-	EPG11C1903A	0.23	(0.01)	5,920	-	INTU13C1812A	-	-	-	-
CPAL24C1904A	-	-	-	-	EPG13C1811A	-	-	-	-	INTU19C1901A	0.05	(0.01)	5,000	-
CPAL24P1901A	0.16	(0.02)	673	-	EPG13C1902A	0.05	-	100	-	INTU24C1901A	0.02	-	1	-
CPAL27C1903A	0.29	(0.01)	97,800	-	EPG13C1903A	0.16	-	6,424	-	INTU24C1909A	0.24	(0.04)	6	-
CPAL27P1905A	0.51	0.01	14,200	-	EPG19C1902A	-	-	-	-	INTU28C1901A	-	-	-	-
CPAL28C1901A	0.16	-	8,127	-	EPG19C1904A	0.27	(0.01)	8,162	-	INTU28C1904A	0.16	(0.02)	30,693	-
CPAL28C1904A	0.39	0.03	59,214	-	EPG24C1902A	-	-	-	-	INTU42C1904A	0.09	(0.01)	1	-
CPAL41C1901A	0.37	(0.11)	57,000	-	EPG28C1902A	0.06	(0.01)	1	-	INTU42P1904A	0.38	0.02	9,380	-
CPAL42C1904A	0.35	(0.01)	4,048	-	ERW13C1902A	0.07	(0.04)	44,327	-	IRPC01C1903A	0.12	0.01	9,116	-
CPAL42P1904A	0.27	-	99	-	ERW19C1902A	0.14	(0.07)	46,656	-	IRPC01C1903B	0.06	-	26,893	-
CPF01C1902A	0.19	0.02	52,204	-	ERW24C1904A	0.16	(0.07)	1,314	-	IRPC01P1903A	0.72	0.02	30,153	-
CPF01C1902B	-	-	-	-	ESS001C1812A	0.19	(0.02)	71,026	-	IRPC01P1903B	0.59	(0.02)	61,258	-
CPF01P1902A	0.38	(0.03)	26,990	-	ESS001C1812B	0.04	(0.02)	29,181	-	IRPC06C1811A	-	-	-	-
CPF01P1902B	0.27	(0.02)	7,020	-	ESS001P1812A	0.65	0.04	35,987	-	IRPC06C1903A	-	-	-	-
CPF06C1903A	0.09	0.01	1,000	-	ESS008C1902A	0.15	(0.04)	15,672	-	IRPC07C1812A	-	-	-	-
CPF08C1901A	0.09	0.01	3,001	-	ESS011C1905A	0.40	(0.05)	12,134	-	IRPC08C1902A	0.08	-	300	-
CPF08C1904A	0.15	(0.85)	1,019	-	ESS013C1811A	-	-	-	-	IRPC11C1902A	-	-	-	-
CPF11C1902A	-	-	-	-	ESS013C1903A	0.17	(0.02)	53,920	-	IRPC11C1905A	0.13	(0.01)	6,180	-
CPF11P1902A	0.16	(0.03)	3,354	-	ESS019C1901A	0.10	(0.03)	35,586	-	IRPC13C1811A	-	-	-	-
CPF13C1902A	0.10	0.01	2,030	-	ESS024C1812A	-	-	-	-	IRPC13C1812A	-	-	-	-
CPF13C1903A	0.44	0.04	48,132	-	ESS024C1902A	0.13	(0.02)	150	-	IRPC13C1903A	0.17	0.01	91,948	-
CPF19C1901A	0.10	0.01	7,901	-	ESS028C1903A	0.11	(0.04)	58,368	-	IRPC19C1901A	0.08	-	17,003	-
CPF19C1904A	0.51	0.03	12,837	-	GFPT08C1906A	0.47	-	8,512	-	IRPC24C1812A	-	-	-	-
CPF24C1901A	-	-	-	-	GFPT13C1902A	0.19	(0.01)	27,209	-	IRPC24C1904A	0.16	0.01	7,000	-
CPF24C1902A	-	-	-	-	GFPT19C1811A	0.36	0.02	1,080	-	IRPC27C1903A	-	-	-	-
CPF24C1903A	-	-	-	-	GFPT19C1903A	0.31	-	9,901	-	IRPC27P1905A	0.41	-	4,800	-
CPF24C1904A	0.52	(0.02)	100	-	GFPT24C1812A	0.21	(0.04)	411	-	IRPC28C1812A	-	-	-	-
CPF27C1903A	0.06	0.01	101	-	GGC07C1902A									

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL01P1903B	0.86	0.02	34,866	-	KTC19C1811A	0.02	-	3	-	OR124C1903A	0.02	-	1	-
IVL06C1901A	0.07	(0.01)	12,110	-	KTC19C1901A	0.70	(0.03)	8,196	-	OR124C1905A	0.14	-	67,197	-
IVL07C1811A	-	-	-	-	KTC19C1903A	0.32	(0.01)	14,246	-	OR127C1905A	-	-	-	-
IVL08C1901A	0.17	(0.02)	12,772	-	KTC19P1903A	0.44	0.02	40,773	-	OR128C1902A	0.02	-	500	-
IVL08P1903A	0.58	0.01	22,348	-	KTC27C1903A	0.44	(0.02)	10,810	-	PLAN08C1811A	0.01	-	26,877	-
IVL11C1906A	0.26	(0.01)	15,536	-	KTC27P1903A	0.25	-	8,730	-	PRM08C1902A	0.12	(0.04)	8,856	-
IVL13C1812A	0.05	(0.01)	40,283	-	KTC27P1905A	0.48	0.01	10,800	-	PRM13C1901A	0.09	(0.04)	8,584	-
IVL13C1903A	0.21	(0.02)	56,505	-	KTC28C1901A	0.22	(0.02)	57,090	-	PRM13C1904A	0.25	(0.06)	28,183	-
IVL13C1904A	0.40	(0.01)	69,822	-	LH01C1903A	0.15	(0.02)	12,365	-	PRM19C1902A	0.14	(0.05)	19,119	-
IVL13P1811A	-	-	-	-	LH01C1903B	0.09	(0.02)	78,326	-	PRM19C1906A	0.41	(0.06)	25,230	-
IVL13P1902A	0.44	0.03	2,019	-	LH01P1903A	0.52	0.03	18,611	-	PSH08C1811A	-	-	-	-
IVL13P1903A	0.32	0.01	8,904	-	LH06C1903A	-	-	-	-	PSH08C1904A	-	-	-	-
IVL19C1903A	0.31	(0.01)	57,767	-	LH11C1906A	0.06	(0.01)	1,001	-	PSH11C1902A	0.07	(0.01)	1	-
IVL19P1903A	0.41	0.01	36,192	-	LH13C1902A	0.11	(0.02)	20,196	-	PSH13C1903A	0.15	-	4,650	-
IVL24C1812A	-	-	-	-	LH19C1901A	0.04	-	3,401	-	PSH19C1903A	0.22	(0.01)	1,200	-
IVL24C1901A	-	-	-	-	LH23C1901A	0.02	-	1	-	PSH23C1811A	-	-	-	-
IVL24C1906A	0.44	(0.05)	2,700	-	LH24C1903A	-	-	-	-	PSL01C1812A	0.12	0.03	68,106	-
IVL27C1902A	0.19	(0.01)	6,000	-	LH27C1905A	0.16	(0.01)	2,400	-	PSL01C1812B	0.04	0.01	4,000	-
IVL28C1812A	0.10	(0.02)	33,822	-	LH27P1905A	0.38	0.02	9,800	-	PSL11C1905A	0.11	-	14,344	-
IVL28C1902A	0.13	(0.01)	16,624	-	LPN01C1811A	0.02	-	4,909	-	PSL13C1903A	0.09	0.02	1,000	-
IVL28C1903A	0.30	(0.02)	58,701	-	LPN01C1811B	0.01	-	20,000	-	PSL19C1903A	0.18	0.01	6,924	-
IVL42C1903A	0.17	(0.01)	10,200	-	LPN01C1905A	0.27	(0.04)	32,849	-	PTG01C1811A	0.01	-	13,603	-
KBAN01C1901A	0.85	(0.03)	54,724	-	LPN01C1905B	0.22	(0.02)	44,325	-	PTG01C1811B	-	-	-	-
KBAN01C1901B	0.16	(0.01)	89,492	-	LPN08C1906A	0.07	-	1,001	-	PTG01C1902A	0.03	(0.01)	36,197	-
KBAN01C1904A	0.33	-	27,334	-	LPN13C1903A	0.04	(0.01)	5,000	-	PTG01C1902B	0.02	-	12,107	-
KBAN01C1904B	0.19	(0.01)	41,480	-	LPN19C1811A	-	-	-	-	PTG01P1811A	-	-	-	-
KBAN01P1901A	0.86	-	35,524	-	LPN19C1904A	0.18	(0.01)	29,586	-	PTG01P1902A	1.20	0.09	186,898	1.00
KBAN01P1901B	0.15	0.01	19,979	-	LPN24C1812A	-	-	-	-	PTG06C1904A	0.03	(0.01)	1,414	-
KBAN01P1904A	0.79	0.01	15,609	-	LPN24C1908A	-	-	-	-	PTG08C1902A	0.01	-	215	-
KBAN01P1904B	0.55	0.01	17,645	-	MAJ008C1811A	-	-	-	-	PTG08C1903A	-	-	-	-
KBAN06C1811A	0.03	(0.02)	9,540	-	MAJ011C1902A	0.03	-	1	-	PTG11C1903A	-	-	-	-
KBAN07C1811A	-	-	-	-	MAJ013C1903A	0.07	-	2,044	-	PTG13C1812A	-	-	-	-
KBAN08C1811A	0.04	(0.02)	1,854	-	MAJ019C1902A	-	-	-	-	PTG13C1901A	0.01	-	5,304	-
KBAN08C1903A	0.11	(0.01)	2,496	-	MAJ019C1904A	0.35	0.02	3,513	-	PTG13C1903A	0.05	(0.01)	6,772	-
KBAN08P1811A	-	-	-	-	MAJ024C1902A	-	-	-	-	PTG13C1904A	0.25	(0.09)	818,662	-
KBAN13C1901A	0.10	-	251	-	MALE01C1812A	0.01	-	6,836	-	PTG19C1902A	0.01	-	88,762	-
KBAN13C1904A	0.26	(0.01)	73,507	-	MALE08C1811A	-	-	-	-	PTG19C1902B	0.02	-	40,133	-
KBAN19C1901A	0.11	-	28,476	-	MALE27C1812A	-	-	-	-	PTG19P1903A	0.64	0.07	132,368	-
KBAN23C1902A	0.19	(0.01)	4,500	-	MC19C1811A	-	-	-	-	PTG24C1901A	0.01	-	100	-
KBAN24C1902A	-	-	-	-	MC24C1812A	-	-	-	-	PTG24C1902A	0.01	-	1,600	-
KBAN24C1903A	-	-	-	-	MEGA01C1811A	-	-	-	-	PTG24C1904A	0.07	(0.02)	16,200	-
KBAN24C1908A	-	-	-	-	MEGA01C1811B	-	-	-	-	PTG24C1905A	0.40	(0.09)	6,526	-
KBAN24P1811A	-	-	-	-	MEGA01C1904A	0.29	(0.07)	43,025	-	PTG27C1902A	-	-	-	-
KBAN24P1907A	0.49	-	100	-	MEGA01C1904B	0.21	(0.07)	33,377	-	PTG28C1812A	-	-	-	-
KBAN27C1903A	-	-	-	-	MEGA08C1811A	-	-	-	-	PTG28C1901A	0.01	-	650	-
KBAN27P1904A	0.71	0.01	3,600	-	MEGA08C1903A	0.12	(0.08)	36,715	-	PTL08C1811A	0.30	(0.03)	6,406	-
KBAN28C1812A	0.06	-	1,150	-	MEGA11C1902A	-	-	-	-	PTT01C1901A	0.50	0.01	153,219	-
KBAN28C1904A	0.17	-	38,690	-	MEGA13C1902A	0.11	(0.08)	59,566	-	PTT01C1901B	0.27	-	241,847	-
KBAN28P1904A	0.46	0.01	52,966	-	MEGA19C1902A	0.08	(0.05)	3,200	-	PTT01C1904A	0.34	-	67,804	-
KCE01C1903A	0.07	-	42,459	-	MEGA23C1902A	-	-	-	-	PTT01C1904B	0.22	-	102,443	-
KCE01C1903B	0.03	-	120,317	-	MEGA24C1812A	-	-	-	-	PTT01P1901A	0.43	(0.02)	43,067	-
KCE06C1903A	0.03	0.02	1,018	-	MEGA24C1903A	0.09	(0.12)	200	-	PTT01P1901B	0.18	-	43,879	-
KCE07C1902A	-	-	-	-	MINT01C1901A	0.29	(0.01)	51,717	-	PTT01P1904A	0.85	(0.01)	26,369	-
KCE08C1902A	0.02	0.01	53	-	MINT01C1901B	0.08	(0.02)	93,305	-	PTT01P1904B	0.67	(0.01)	54,624	-
KCE11C1904A	0.05	0.01	3,044	-	MINT01P1901A	0.23	0.01	59,711	-	PTT06C1811A	0.01	-	2,000	-
KCE13C1811A	-	-	-	-	MINT06C1901A	0.08	(0.02)	10,000	-	PTT06C1901A	0.18	-	2,011	-
KCE13C1812A	-	-	-	-	MINT06C1903A	-	-	-	-	PTT06P1901A	0.30	-	12,566	-
KCE13C1903A	0.04	0.01	451	-	MINT08C1903A	0.14	(0.01)	3,528	-	PTT07C1811A	-	-	-	-
KCE13C1904A	0.09	(0.01)	38,095	-	MINT11C1902A	-	-	-	-	PTT08C1902A	0.15	0.01	7,551	-
KCE19C1901A	0.02	-	29,000	-	MINT11P1902A	-	-	-	-	PTT08P1904A	0.61	(0.02)	5,668	-
KCE23C1901A	0.01	-	800	-	MINT13C1812A	0.09	(0.03)	117,560	-	PTT11C1902A	0.06	-	202	-
KCE24C1901A	0.01	-	300	-	MINT13C1903A	0.07	(0.02)	3,008	-	PTT13C1811A	-	-	-	-
KCE24C1904A	0.08	(0.02)	4,310	-	MINT13C1904A	0.24	(0.03)	97,699	-	PTT13C1812A	0.06	(0.01)	40,260	-
KCE27C1902A	-	-	-	-	MINT19C1901A	0.18	(0.02)	17,036	-	PTT13C1903A	0.29	-	128,107	-
KCE28C1902A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT13P1812A	-	-	-	-
KCE28C1904A	0.07	(0.01)	31,000	-	MINT24C1901A	0.11	(0.02)	6,000	-	PTT13P1902A	0.44	(0.01)	119,966	-
KKP01C1902A	0.36	(0.03)	14,605	-	MINT24C1902A	-	-	-	-	PTT16C1912A	0.66	0.01	5	-
KKP01C1902B	0.15	(0.03)	12,281	-	MINT27C1903A	0.12	(0.01)	1,251	-	PTT19C1901A	0.21	0.01	29,549	-
KKP08C1811A	-	-	-	-	MINT27P1905A	0.45	0.02	6,000	-	PTT19P1903A	0.38	(0.01)	12,800	-
KKP08C1904A	0.34	(0.04)	14,544	-	MINT28C1903A	0.08	-	4,005	-	PTT23C1901A	-	-	-	-
KKP11C1903A	0.14	(0.02)	10	-	MINT28C1904A	0.20	(0.02)	20,280	-	PTT23C1906A	0.37	(0.63)	74,450	-
KKP13C1903A	0.36	(0.03)	44,146	-	MINT42C1904A	0.16	-	2,124	-	PTT24C1812A	-	-	-	-
KKP19C1901A	0.22	(0.03)	12,118	-	MINT42P1904A	0.40	0.02	7,432	-	PTT24C1904A	0.21	-	23,000	-
KKP24C1812A	-	-	-	-	MONO08C1906A	0.03	0.01	11	-	PTT24P1901A	0.03	-	500	-
KKP24C1906A	-	-	-	-	MONO13C1811A	-	-	-	-	PTT24P1904A	0.31	0.01	502	-
KKP28C1902A	0.13	(0.02)	10,144	-	MONO13C1901A	-	-	-	-	PTT27C1903A	0.23	-	3,600	-
KT801C1903A	0.37	-	58,425	-	MONO19C1811A	-	-	-	-	PTT27P1903A	0.45	-	3,600	-
KT801C1903B	0.30	0.01	91,886	-	MONO23C1901A	0.02	0.01	6	-	PTT28C1812A	0.12	-	29,351	-
KT801P1903A	0.47	(0.01)	14,551	-	MONO24C1812A	-	-	-	-	PTT28C1901A	0.04	-	100	-
KT801P1903B	0.39	(0.01)	18,083	-	MONO24C1812B	-	-	-	-	PTT28C1904A	0.30	(0.01)	102,350	-
KT806C1902A	0.35	0.01	13,900	-	MONO28C1901A	0.02	-	1	-	PTT28P1812A	-	-	-	-
KT808C1903A	0.24	(0.01)	17,738	-	MTC06C1901A	1.10	0.01	13,920	1.00	PTT28P1903A	0.45	-	30,690	-
KT811C1811A	-	-	-	-	MTC08C1811A	0.13	(0.01)	33,751	-	PTTE01C1901A	0.47	0.01	432,224	-
KT813C1901A	-	-	-	-	MTC08C1902A	0.74	(0.01)	8,750	-	PTTE01C1901B	0.13	-	95,800	-
KT813C1903A	0.25	-	6,826	-	MTC08C1904A	0.30	0.01	9,094	-	PTTE01C1904A	0.40	0.01	360,665	-
KT819C1901A	0.29	(0.03)	12,540	-	MTC11C1904A	0.65	0.01	16,396	-	PTTE01C1904B	0.26	0.02	118,535	-
KT823C1811A	0.09	(0.01)	1,000	-	MTC13C1811A	-	-	-	-	PTTE01P1901A	1.05	(0.04)	88,448	1.00
KT823C1906A	0.42	(0.58)	28,300	-	MTC13C1901A	0.63	0.05	52	-	PTTE01P1901B	0.38	(0.03)	166,511	-
KT824C1811A	-	-	-											

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE19C1903A	0.29	-	174,044	-	S5006C1812B	0.13	(0.01)	27,428	-	SCC24C1812A	-	-	-	-
PTTE19P1903A	0.65	(0.01)	70,136	-	S5006C1812C	0.05	-	17,833	-	SCC24C1901A	-	-	-	-
PTTE23C1901A	-	-	-	-	S5006C1812D	0.34	(0.04)	68,801	-	SCC24C1902A	0.11	(0.02)	1	-
PTTE23C1906A	0.46	(0.54)	81,148	-	S5006C1903A	0.89	(0.13)	51,985	-	SCC24C1901A	-	-	-	-
PTTE24C1811A	-	-	-	-	S5006C1903B	1.00	(0.01)	5	1.00	SCC24P1901A	-	-	-	-
PTTE24C1901A	0.10	-	1,000	-	S5006C1903C	1.26	0.12	600	1.00	SCC27C1904A	-	-	-	-
PTTE24C1904A	0.46	0.01	40,150	-	S5006P1812A	0.96	0.02	16,432	-	SCC27P1904A	0.51	-	5,330	-
PTTE24P1901A	-	-	-	-	S5006P1812B	0.22	-	82,052	-	SCC28C1812A	0.25	-	3,978	-
PTTE24P1904A	0.73	(0.05)	340	-	S5006P1812C	0.25	-	212,508	-	SCC28C1902A	0.13	(0.01)	49,030	-
PTTE27C1903A	0.20	-	33,223	-	S5006P1812D	1.26	0.11	445	1.00	SCC42C1904A	0.18	(0.01)	5,536	-
PTTE27P1904A	1.05	(0.03)	13,500	1.00	S5006P1903A	-	-	-	-	SCCC08C1811A	-	-	-	-
PTTE28C1902A	0.26	0.02	43,043	-	S5006P1903B	-	-	-	-	SCCC27C1812A	-	-	-	-
PTTE28P1903A	0.83	(0.03)	88,600	-	S5006P1903C	0.66	(0.36)	400	-	SGP06C1812A	-	-	-	-
PTTE42C1903A	0.30	0.01	10,201	-	S5008C1812A	0.02	-	262,537	-	SGP08C1901A	0.10	-	3,832	-
PTTG01C1811A	0.07	-	7,120	-	S5008C1812B	0.06	(0.01)	13,703	-	SGP11C1904A	-	-	-	-
PTTG01C1901A	0.77	-	96,119	-	S5008C1812C	0.26	(0.02)	231,230	-	SGP13C1811A	-	-	-	-
PTTG01C1901B	0.34	(0.01)	59,497	-	S5008P1812A	0.44	(0.03)	123,385	-	SGP13C1812A	0.02	(0.01)	40,000	-
PTTG01C1904A	0.64	0.01	47,773	-	S5008P1812B	0.25	(0.01)	295,899	-	SGP13C1904A	0.16	-	122,802	-
PTTG01C1904B	0.42	0.01	62,415	-	S5013C1812A	0.20	(0.01)	5,187,937	-	SGP19C1811A	-	-	-	-
PTTG01P1811A	1.69	(0.02)	24,508	1.00	S5013C1812B	0.10	(0.02)	1,083,738	-	SGP19C1904A	0.11	-	13,578	-
PTTG01P1901A	0.70	(0.02)	28,768	-	S5013C1812C	0.06	(0.01)	1,596,254	-	SGP24C1811A	-	-	-	-
PTTG01P1901B	0.33	(0.01)	64,642	-	S5013C1812D	0.28	(0.02)	4,436,486	-	SGP24C1902A	0.27	(0.04)	6,100	-
PTTG01P1904A	1.32	(0.01)	24,234	1.00	S5013C1812E	0.74	(0.03)	1,871,085	-	SGP27C1903A	-	-	-	-
PTTG01P1904B	1.11	(0.02)	27,878	1.00	S5013C1903A	0.79	(0.21)	125,682	-	SGP28C1903A	0.07	(0.01)	8,000	-
PTTG06C1903A	0.64	(0.01)	10,970	-	S5013P1812A	0.66	-	12,232,662	-	SIRI01C1901A	0.09	-	110,826	-
PTTG06P1903A	0.29	(0.01)	11,860	-	S5013P1812B	1.15	(0.01)	107,417	1.00	SIRI01C1901B	0.02	-	1	-
PTTG07C1812A	-	-	-	-	S5013P1812C	1.51	-	6,160	1.00	SIRI01P1901A	0.94	(0.03)	7,452	-
PTTG08C1811A	-	-	-	-	S5013P1812D	1.05	-	539,162	1.00	SIRI06C1904A	0.07	(0.01)	5,500	-
PTTG08C1902A	0.23	-	5,300	-	S5013P1812E	0.26	-	1,432,097	-	SIRI08C1903A	0.04	(0.01)	4,046	-
PTTG08P1811A	0.23	(0.04)	4,392	-	S5013P1903A	1.24	0.24	14,132	1.00	SIRI11C1902A	0.03	0.01	2	-
PTTG08P1904A	0.62	(0.01)	19,554	-	S5028C1812A	0.27	(0.01)	1,106,016	-	SIRI13C1902A	-	-	-	-
PTTG11C1902A	-	-	-	-	S5028C1812B	0.11	-	380,510	-	SIRI19C1902A	0.03	(0.01)	3,393	-
PTTG13C1812A	0.01	(0.01)	8,781	-	S5028C1812C	0.07	-	141	-	SIRI23C1811A	-	-	-	-
PTTG13C1812B	0.22	-	45,536	-	S5028C1812D	0.65	(0.03)	102,298	-	SIRI24C1903A	-	-	-	-
PTTG13C1904A	0.62	-	67,417	-	S5028P1812A	0.60	-	1,556,719	-	SIRI24C1906A	0.10	0.01	800	-
PTTG19C1811A	-	-	-	-	S5028P1812B	1.02	0.01	896,618	1.00	SIRI28C1901A	0.04	(0.02)	29,900	-
PTTG19C1902A	0.40	0.01	12,419	-	S5028P1812C	0.27	-	445	-	SIRI28C1903A	0.03	(0.01)	20,451	-
PTTG23C1901A	0.01	-	100	-	SAWA01C1901A	0.75	0.03	80,735	-	SPAL01C1902A	0.17	(0.01)	32,625	-
PTTG23C1906A	0.51	(0.49)	46,001	-	SAWA01C1901B	0.50	0.03	138,556	-	SPAL01C1902B	0.06	-	8,404	-
PTTG24C1812A	-	-	-	-	SAWA01P1901A	0.33	(0.02)	62,981	-	SPAL11C1905A	-	-	-	-
PTTG24C1901A	-	-	-	-	SAWA06C1811A	-	-	-	-	SPAL13C1903A	0.10	(0.01)	16,812	-
PTTG24C1904A	0.42	(0.01)	1,000	-	SAWA06C1903A	1.10	0.01	11,360	1.00	SPAL19C1902A	0.06	(0.01)	812	-
PTTG24P1901A	-	-	-	-	SAWA07C1812A	-	-	-	-	SPAL23C1811A	-	-	-	-
PTTG24P1905A	-	-	-	-	SAWA08C1811A	-	-	-	-	SPAL24C1812A	-	-	-	-
PTTG27C1903A	0.17	-	2,400	-	SAWA08C1902A	0.78	0.03	11,532	-	SPAL24C1905A	-	-	-	-
PTTG27P1903A	0.27	(0.01)	6,000	-	SAWA08C1903A	0.40	0.02	13,092	-	SPRC01C1902A	0.14	0.01	16,614	-
PTTG28C1812A	0.19	-	33,450	-	SAWA11C1906A	0.53	0.02	9,036	-	SPRC01C1902B	0.06	-	8,060	-
PTTG28C1904A	0.47	-	76,136	-	SAWA13C1811A	-	-	-	-	SPRC06C1902A	0.08	0.01	9,387	-
PTTG42C1904A	0.34	-	14,144	-	SAWA13C1812A	0.07	0.01	11,562	-	SPRC07C1903A	0.05	(0.01)	2,900	-
PTTG42P1904A	0.71	(0.01)	12,240	-	SAWA13C1901A	-	-	-	-	SPRC08C1903A	0.08	(0.01)	3,122	-
QH01C1903A	0.12	(0.01)	26,134	-	SAWA13C1903A	0.28	0.01	43,585	-	SPRC11C1902A	0.03	-	1,001	-
QH01C1903B	-	-	-	-	SAWA13C1904A	0.49	0.02	84,190	-	SPRC13C1812A	0.03	-	17,690	-
QH01P1903A	0.93	0.02	9,884	-	SAWA19C1901A	0.80	0.04	13,809	-	SPRC19C1901A	0.09	-	5,050	-
QH11C1902A	0.12	(0.01)	4,987	-	SAWA19C1903A	0.41	0.02	23,209	-	SPRC24C1903A	-	-	-	-
QH13C1903A	0.07	(0.01)	2,000	-	SAWA24C1812A	0.03	-	2,700	-	STA01C1812A	0.74	(0.23)	95,214	-
QH13C1904A	0.19	(0.01)	15,915	-	SAWA24C1902A	0.60	-	114	-	STA01C1812B	0.47	(0.35)	25,337	-
QH19C1901A	-	-	-	-	SAWA27C1903A	0.58	0.03	8,400	-	STA08C1904A	0.24	(0.13)	37,256	-
QH19C1904A	0.25	-	3,503	-	SAWA28C1812A	-	-	-	-	STA13C1812A	-	-	-	-
QH24C1812A	-	-	-	-	SAWA28C1902A	0.31	0.02	95,051	-	STA13C1901A	0.52	(0.29)	231,299	-
QH24C1904A	0.22	(0.01)	1,000	-	SCB01C1902A	0.82	-	27,809	-	STA13C1902A	0.26	(0.19)	1,244,989	-
QH27C1903A	0.08	0.01	2,000	-	SCB01C1902B	0.53	-	35,549	-	STA19C1811A	0.43	(0.33)	11,580	-
QH27P1905A	0.40	-	2,400	-	SCB01C1904A	0.40	(0.01)	25,037	-	STA19C1903A	0.78	(0.28)	18,752	-
RATC19C1901A	0.13	(0.02)	7,000	-	SCB01C1904B	0.27	-	47,240	-	STA19C1903B	0.25	(0.15)	57,431	-
RATC24C1902A	-	-	-	-	SCB01P1902A	0.38	(0.01)	7,036	-	STA24C1902A	0.25	(0.20)	58,258	-
RATC27C1812A	-	-	-	-	SCB01P1902B	0.10	-	20,100	-	STA27C1904A	0.35	(0.17)	32,400	-
ROBI01C1903A	0.73	(0.04)	34,516	-	SCB01P1904A	1.09	(0.01)	31,706	1.00	STA28C1902A	0.30	(0.19)	55,981	-
ROBI01C1903B	0.49	(0.06)	31,886	-	SCB01P1904B	0.89	(0.01)	29,368	-	STA28C1903A	0.16	(0.13)	110,735	-
ROBI08C1903A	0.40	(0.08)	8,780	-	SCB06C1811A	0.36	(0.01)	8,340	-	STEC01C1902A	0.67	(0.10)	32,477	-
ROBI11C1906A	0.45	(0.05)	2,008	-	SCB07C1904A	-	-	-	-	STEC01C1902B	0.49	(0.07)	23,053	-
ROBI13C1902A	0.36	(0.04)	96,218	-	SCB08C1901A	0.22	(0.01)	7,920	-	STEC01P1902A	0.51	0.07	85,823	-
ROBI19C1901A	0.53	(0.05)	7,515	-	SCB11C1901A	0.08	(0.01)	5,040	-	STEC06C1903A	0.51	(0.11)	6,000	-
ROBI24C1901A	-	-	-	-	SCB11P1901A	0.20	(0.01)	8,321	-	STEC07C1904A	0.41	(0.07)	5,000	-
ROBI24C1903A	0.51	(0.02)	7,060	-	SCB13C1812A	0.21	-	26,688	-	STEC08C1903A	0.38	(0.06)	21,054	-
ROBI27C1905A	0.55	(0.05)	2,400	-	SCB13C1902A	0.16	(0.01)	44,916	-	STEC11C1903A	0.54	(0.10)	32,860	-
RS08C1901A	0.11	0.01	15,305	-	SCB13P1812A	-	-	-	-	STEC13C1902A	0.46	(0.09)	132,076	-
RS13C1901A	0.13	-	63,667	-	SCB19C1811A	-	-	-	-	STEC13C1903A	0.15	(0.02)	27,810	-
RS19C1901A	0.11	(0.01)	29,743	-	SCB19C1905A	0.53	-	12,432	-	STEC19C1901A	0.49	(0.09)	48,637	-
RS24C1811A	-	-	-	-	SCB24C1901A	-	-	-	-	STEC24C1901A	0.49	(0.14)	4,366	-
RS24C1904A	-	-	-	-	SCB24C1902A	-	-	-	-	STEC27C1902A	0.73	(0.09)	10,800	-
RS27C1905A	0.37	(0.02)	4,810	-	SCB24P1811A	-	-	-	-	STEC28C1902A	0.38	(0.07)	46,052	-
S10001C1811A	0.27	(0.01)	58	-	SCB24P1906A	0.52	(0.02)	180	-	STEC28C1903A	0.12	(0.02)	24,612	-
S10001C1911A	0.93	(0.02)	1,296	-	SCB27C1902A	0.26	-	1,200	-	STP108C1811A	0.01	-	18,000	-
S5001C1811A	0.37	(0.01)	226,601	-	SCB27P1903A	0.39	-	4,800	-	SUPE08C1811A	-	-	-	-
S5001C1811B	0.17	(0.01)	101,140	-	SCB28C1812A	0.24	-	12,627	-	SUPE08C1902A	0.03	(0.01)	2,400	-
S5001C1812F	0.38	(0.02)	1,781,376	-	SCB28C1902A	0.13	(0.01)	22,539	-	SUPE13C1811A	-	-	-	-
S5001C1812G	0.14	(0.01)	801,063	-	SCB28P1812A	-	-	-	-	SUPE13C1902A	0.02	-	7,053	-
S5001C1812H	0.11	(

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------	------------	-------	--------	-----------------	------------------	------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC27C1905A	0.37	(0.05)	13,200	-	TOP08C1811A	-	-	-	-	VGI08C1811A	0.42	(0.02)	3,652	-
TASC28C1902A	0.12	(0.03)	88,631	-	TOP08C1902A	0.21	0.02	21,232	-	VGI23C1905A	-	-	-	-
TCAP01C1901A	0.58	-	6,919	-	TOP11C1905A	0.61	0.06	21,579	-	VGI23C1911A	1.39	0.07	1	1.00
TCAP01C1901B	0.37	-	14,238	-	TOP13C1901A	0.20	0.03	95,251	-	VGI27C1812A	0.21	(0.01)	3,600	-
TCAP01P1901A	0.20	-	25,500	-	TOP13C1902A	0.16	0.02	52,154	-	WHA01C1812A	0.47	(0.04)	29,933	-
TCAP11C1811A	-	-	-	-	TOP19C1901A	0.12	0.01	49,693	-	WHA01C1812B	0.25	(0.04)	45,494	-
TCAP13C1901A	0.36	-	117,492	-	TOP23C1811A	-	-	-	-	WHA01P1812A	0.32	0.02	4,100	-
TCAP19C1901A	0.24	(0.01)	43,401	-	TOP24C1901A	0.02	0.01	2	-	WHA06C1903A	0.32	(0.02)	5,290	-
TCAP24C1903A	-	-	-	-	TOP24C1902A	0.15	0.03	87	-	WHA08C1811A	-	-	-	-
THAI01C1901A	0.17	(0.01)	17,600	-	TOP24C1903A	0.10	0.01	10,000	-	WHA08C1904A	0.25	(0.02)	13,461	-
THAI01C1901B	0.04	(0.02)	4,000	-	TOP27C1903A	0.23	0.03	7,200	-	WHA11C1903A	0.14	(0.01)	702	-
THAI01P1901A	0.71	0.03	8,518	-	TOP28C1812A	0.09	0.01	15,950	-	WHA13C1812A	0.22	(0.02)	40,007	-
THAI07C1811A	-	-	-	-	TOP28C1903A	0.18	0.02	75,490	-	WHA19C1901A	0.32	(0.01)	8,803	-
THAI08C1903A	0.14	(0.01)	8,675	-	TP101C1812A	0.11	(0.01)	9,458	-	WHA23C1906A	0.39	(0.61)	46,616	-
THAI11C1906A	0.26	(0.01)	6,475	-	TP101C1812B	-	-	-	-	WHA24C1811A	-	-	-	-
THAI13C1811A	-	-	-	-	TP107C1812A	-	-	-	-	WHA24C1902A	0.26	(0.04)	70	-
THAI13C1902A	0.17	(0.01)	36,578	-	TP113C1902A	0.10	(0.01)	21,643	-	WHA27C1903A	0.45	(0.02)	6,000	-
THAI19C1901A	0.13	-	2,000	-	TP119C1901A	0.11	0.01	2,938	-	WHA27P1905A	0.56	0.02	6,600	-
THAI23C1901A	-	-	-	-	TP124C1902A	0.03	-	1	-	WHA28C1901A	0.30	(0.03)	8,168	-
THAI24C1901A	0.04	(0.02)	5,590	-	TP1P11C1811A	-	-	-	-	WHA28C1903A	0.19	(0.01)	21,576	-
THAI27C1905A	0.28	(0.02)	7,200	-	TP1P13C1811A	-	-	-	-	WHAU13C1902A	0.13	-	2,416	-
THAI28C1901A	0.11	(0.02)	30,444	-	TP1P13C1902A	-	-	-	-	WHAU19C1902A	0.18	(0.02)	600	-
THAN01C1812A	0.51	0.02	16,284	-	TP1P13C1904A	0.34	(0.01)	4,216	-	WHAU23C1812A	-	-	-	-
THAN08C1904A	0.37	(0.02)	10,748	-	TP1P19C1902A	0.21	-	2,166	-	WHAU24C1902A	-	-	-	-
THAN13C1902A	0.44	0.04	47,113	-	TP1P19C1906A	0.43	(0.01)	874	-	WHAU27C1905A	-	-	-	-
THAN19C1903A	0.62	0.04	17,921	-	TP1P24C1901A	-	-	-	-	WORK01C1811A	0.01	-	1,829	-
THAN24C1903A	0.47	(0.04)	5,000	-	TP1P27C1812A	-	-	-	-	WORK01C1811B	-	-	-	-
THCO08C1906A	-	-	-	-	TRUE01C1902A	0.30	(0.02)	167,896	-	WORK01C1904A	0.15	-	20,390	-
THCO11C1902A	-	-	-	-	TRUE01C1902B	0.17	(0.02)	151,510	-	WORK01C1904B	0.10	-	24,092	-
THCO19C1811A	-	-	-	-	TRUE01C1905A	0.31	(0.03)	147,418	-	WORK08C1901A	-	-	-	-
THCO28C1901A	-	-	-	-	TRUE01C1905B	0.26	(0.02)	195,660	-	WORK11C1903A	0.02	-	30	-
TISCO1C1902A	0.64	(0.02)	16,160	-	TRUE01P1902A	0.50	0.02	64,649	-	WORK13C1811A	-	-	-	-
TISCO1C1902B	0.38	(0.02)	20,172	-	TRUE01P1902B	0.32	0.02	114,585	-	WORK13C1812A	-	-	-	-
TISCO7C1902A	-	-	-	-	TRUE01P1905A	0.56	0.01	81,649	-	WORK13C1902A	0.04	(0.01)	1,371	-
TISCO8C1903A	0.37	(0.01)	9,416	-	TRUE06C1811A	0.01	-	65,994	-	WORK13C1903A	0.19	-	46,796	-
TISCL1C1903A	0.08	(0.01)	151	-	TRUE06C1906A	0.15	(0.01)	70	-	WORK19C1811A	-	-	-	-
TISCL3C1811A	-	-	-	-	TRUE07C1902A	-	-	-	-	WORK19C1902A	0.07	0.01	1,270	-
TISCL3C1812A	0.22	(0.02)	27,182	-	TRUE08C1902A	0.15	(0.04)	50,228	-	WORK19C1903A	0.31	(0.01)	22,165	-
TISCL9C1901A	0.17	(0.01)	17,697	-	TRUE08P1902A	0.22	0.02	14,908	-	WORK24C1812A	-	-	-	-
TISC24C1812A	-	-	-	-	TRUE11C1905A	0.18	(0.02)	2,219	-	WORK24C1903A	0.05	(0.01)	1	-
TISC24C1904A	-	-	-	-	TRUE13C1812A	0.02	(0.01)	19,730	-	WORK24C1907A	-	-	-	-
TISC27C1905A	0.61	(0.02)	3,600	-	TRUE13C1901A	0.14	(0.01)	4,688	-	WORK27C1903A	0.05	-	50	-
TISC28C1901A	0.35	(0.02)	22,432	-	TRUE13P1901A	0.22	0.02	94,000	-	WORK28C1901A	-	-	-	-
TISC42C1904A	0.35	(0.02)	7,060	-	TRUE16C1812A	0.14	-	10,301	-	WORK28C1904A	0.14	-	20,403	-
TKN01C1901A	0.08	(0.02)	113,955	-	TRUE16C1912A	-	-	-	-	Preferred/Foreign	-	-	-	-
TKN01C1901B	0.03	-	33,526	-	TRUE19C1901A	0.03	(0.01)	3,182	-	BH-Q	-	-	-	-
TKN08C1811A	-	-	-	-	TRUE19C1903A	0.34	(0.01)	59,865	-	CSC-Q	-	-	-	-
TKN08C1903A	0.05	(0.01)	500	-	TRUE19P1903A	0.30	0.03	45,739	-	JUTHA-Q	-	-	-	-
TKN11C1902A	-	-	-	-	TRUE23C1902A	-	-	-	-	KTB-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TRUE27C1904A	0.20	(0.01)	29,200	-	SCB-Q	-	-	-	-
TKN13C1812A	0.01	-	998	-	TRUE27P1904A	0.47	0.03	25,200	-	TCAP-Q	-	-	-	-
TKN13C1903A	-	-	-	-	TRUE28C1812A	0.02	(0.01)	4,400	-	TIC-Q	-	-	-	-
TKN13C1904A	0.13	(0.03)	60,659	-	TRUE28C1903A	0.15	(0.03)	135,503	-	TISCO-Q	-	-	-	-
TKN19C1811A	-	-	-	-	TTA08C1906A	0.09	0.01	2,286	-	U-Q	-	-	-	-
TKN19C1903A	0.06	(0.01)	2,257	-	TTA13C1901A	0.03	0.01	953	-	Warrant	-	-	-	-
TKN23C1902A	0.03	-	3,708	-	TTA19C1811A	-	-	-	-	7UP-W2	0.03	0.01	1,228	-
TKN24C1811A	-	-	-	-	TTA23C1901A	0.01	-	501	-	ACC-W1	0.02	(0.01)	10,011	-
TKN24C1812A	-	-	-	-	TTA24C1902A	0.01	-	3,412	-	AJA-W1	0.18	-	50	-
TKN24C1903A	-	-	-	-	TTA28C1812A	-	-	-	-	ALT-W1	0.67	(0.03)	2,772	-
TKN24C1904A	0.14	(0.03)	2,259	-	TU01C1901A	0.63	(0.03)	49,173	-	APEX-W1	0.04	-	24,000	-
TKN28C1812A	0.02	-	8,000	-	TU01C1901B	0.54	(0.04)	45,086	-	APURE-W2	0.19	-	160	-
TKN28C1903A	-	-	-	-	TU01P1901A	0.09	-	12,826	-	AS-W1	0.23	0.01	2	-
TKN28C1904A	0.12	(0.01)	100,050	-	TU06C1902A	0.27	-	7,520	-	AYUD-W1	4.86	(0.34)	38,608	5.00
TMB01C1903A	0.26	-	50,686	-	TU07C1902A	-	-	-	-	B-W3	-	-	-	-
TMB01C1903B	0.19	(0.01)	70,422	-	TU08C1811A	-	-	-	-	B-W4	0.16	(0.01)	76,121	-
TMB01P1903A	0.40	0.02	21,535	-	TU11C1902A	-	-	-	-	BWG-W4	0.04	-	6,616	-
TMB06C1902A	0.07	(0.01)	100	-	TU11C1906A	0.19	-	13,816	-	CEN-W4	-	-	-	-
TMB06C1903A	0.24	(0.01)	5,500	-	TU13C1902A	0.23	(0.02)	41,946	-	CGD-W4	0.29	-	3,451	-
TMB07C1811A	-	-	-	-	TU19C1901A	0.22	(0.01)	21,072	-	CGH-W3	0.04	(0.01)	9,864	-
TMB07C1903A	-	-	-	-	TU23C1902A	0.21	(0.02)	10,000	-	CI-W1	0.25	(0.01)	6,134	-
TMB08C1901A	-	-	-	-	TU24C1901A	-	-	-	-	CKP-W1	0.53	(0.01)	40,012	-
TMB08C1903A	0.15	(0.01)	14,922	-	TU24C1904A	-	-	-	-	CRANE-W1	-	-	-	-
TMB11C1904A	0.06	(0.01)	1,800	-	TVO01C1903A	0.26	-	21,233	-	CWT-W4	0.16	(0.02)	9,145	-
TMB13C1811A	-	-	-	-	TVO01C1903B	0.18	-	28,498	-	DCC-W1	0.77	0.01	37,621	-
TMB13C1901A	-	-	-	-	TVO11C1903A	-	-	-	-	DCON-W1	2.56	-	15	2.00
TMB19C1901A	0.08	(0.01)	17,720	-	TVO13C1902A	0.12	-	4,366	-	DIGI-W1	-	-	-	-
TMB23C1906A	0.27	(0.73)	12,135	-	TVO13C1904A	0.22	0.01	14,584	-	DIGI-W2	0.01	-	230	-
TMB24C1901A	-	-	-	-	TVO19C1902A	0.12	-	14,987	-	EARTH-W4	-	-	-	-
TMB24C1902A	-	-	-	-	TVO24C1903A	-	-	-	-	EIC-W2	-	-	-	-
TMB27C1903A	0.25	(0.01)	2,400	-	UNI08C1906A	0.10	(0.04)	12,236	-	EIC-W3	-	-	-	-
TMB28C1901A	0.14	-	34,948	-	UNI11C1811A	-	-	-	-	EVER-W3	0.03	(0.01)	16,365	-
TOA01C1901A	0.22	(0.02)	124,716	-	UNI13C1901A	0.07	(0.01)	2,622	-	GJS-W3	-	-	-	-
TOA01C1901B	0.09	(0.02)	35,562	-	UNI19C1811A	-	-	-	-	GSTEL-W1	-	-	-	-
TOA08C1902A	0.07	(0.01)	256	-	UNI23C1901A	0.01	(0.02)	1,000	-	GSTEL-W2	-	-	-	-
TOA13C1812A	-	-	-	-	UNI24C1811A	-	-	-	-	IEC-W2	-	-	-	-
TOA19C1901A	0.10	(0.02)	2,232	-	UV01C1902A	0.25	0.01	71,524	-	IHL-W1	5.00	(0.30)	56	5.00
TOA24C1812A	-	-	-	-	UV01C1902B	0.15	0.01	7,224	-	ITD-W1	0.11	-	6,951	-
TOA24C1904A	0.30	-	4,450	-	UV06C1812A	-	-	-	-	JAS-W3	2.22	(0.06)	4,396	2.00
TOA28C1812A	-	-	-	-	UV08C1902A	0.13	-	7,675	-	JCK-W5	0.49	(0.02)	92	-
TOP01C1901A	1.05	0.08	72,437	1.00	UV13C1812A	0.04	0.01	6,178	-	JMART-W2	0.55	0.05	36,202	-
TOP01C1901B	0.59	0.06	154,360	-	UV13C1904A	0.21	(0.01)	119,550	-	JMT-W2	2.12	0.10	145	2.00

Main Board Quotation

Issue Date :

Friday November 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP01C1904A	0.41	0.04	113,948	-	UV19C1902A	0.14	(0.01)	20,260	-	MACO-W2	0.19	0.01	4,375	-
TOP01C1904B	0.27	0.03	169,790	-	UV24C1812A	-	-	-	-	MIDA-W2	-	-	-	-
TOP01P1901A	0.48	(0.04)	58,561	-	UV24C1903A	0.31	0.01	7,000	-	MILL-W3	0.03	0.01	18,704	-
TOP01P1904A	1.64	(0.10)	24,684	1.00	VGI01C1812A	0.66	-	3,084	-	MILL-W4	0.21	(0.01)	7,676	-
TOP06C1903A	0.65	0.08	33,872	-	VGI06C1904A	-	-	-	-	MILL-W5	0.18	-	7,913	-
TOP06C1903B	0.16	-	50	-	VGI06C1904B	-	-	-	-	ML-W2	0.02	-	100	-
TOP07C1812A	-	-	-	-	VGI06C1904C	-	-	-	-	MONO-W1	0.17	(0.01)	19,471	-
NEP-W3	-	-	-	-	BH-P	-	-	-	-	TVD-W2	0.72	0.04	7,868	-
NOK-W1	0.45	(0.01)	140	-	CSC-P	-	-	-	-	UAC-W2	0.60	(0.02)	1,820	-
NUSA-W3	0.21	0.06	4,140	-	JUTHA-P	-	-	-	-	UKEM-W2	0.42	0.01	1,113	-
NVD-W1	0.27	(0.01)	1,869	-	KTB-P	-	-	-	-	UWC-W2	-	-	-	-
ORI-W1	1.15	(0.10)	86,559	1.00	SCB-P	-	-	-	-	XO-W1	6.80	(0.05)	544	6.00
PACE-W2	0.11	0.01	11,764	-	TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-
PDJ-W1	0.73	(0.01)	5,694	-	TIC-P	-	-	-	-	SGF-P1	-	-	-	-
PDJ-W2	1.30	0.08	153	1.00	TISCO-P	-	-	-	-	-	-	-	-	-
PDJ-W3	1.29	0.07	120	1.00	U-P	3.28	0.02	16,397	3.00	-	-	-	-	-
PDJ-W4	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
PLE-W3	0.01	-	2,000	-	2S-W1	0.05	-	6,189	-	-	-	-	-	-
RICH-W1	-	-	-	-	ACAP-W2	0.91	(0.11)	36,013	-	-	-	-	-	-
RICHY-W1	0.30	-	3,912	-	AIRA-W2	-	-	-	-	-	-	-	-	-
RICHY-W2	0.15	(0.02)	7,319	-	ATP30-W1	0.70	(0.01)	326	-	-	-	-	-	-
RS-W3	3.96	(0.02)	761	4.00	BKD-W2	0.28	-	10,011	-	-	-	-	-	-
S-W1	0.03	(0.01)	129,708	-	BM-W1	0.41	0.01	993	-	-	-	-	-	-
SAMART-W2	0.49	-	4,173	-	BSM-W2	0.04	-	44,201	-	-	-	-	-	-
SAWAD-W1	8.50	(0.20)	1,505	8.00	CHEWA-W1	0.12	(0.01)	29,893	-	-	-	-	-	-
SDC-W1	0.16	-	4,670	-	CIG-W7	-	-	-	-	-	-	-	-	-
SMT-W1	0.02	(0.01)	2,542	-	DIMET-W2	0.06	(0.01)	17,947	-	-	-	-	-	-
SMT-W2	0.51	(0.01)	277	-	DNA-W1	-	-	-	-	-	-	-	-	-
SPORT-W5	-	-	-	-	ECF-W2	3.02	0.06	117	2.00	-	-	-	-	-
SST-W2	1.38	0.07	32,434	1.00	ECF-W3	2.14	(0.04)	160	2.00	-	-	-	-	-
SUPER-W4	0.05	(0.01)	924,698	-	EFORL-W3	0.01	-	2,015	-	-	-	-	-	-
SUSCO-W1	0.01	-	106	-	EFORL-W4	-	-	-	-	-	-	-	-	-
SVI-W3	2.26	(0.10)	4,389	2.00	FC-W1	-	-	-	-	-	-	-	-	-
TCC-W3	0.22	(0.03)	8,499	-	FC-W2	-	-	-	-	-	-	-	-	-
TCC-W4	0.22	(0.02)	21,753	-	FOCUS-W2	0.54	(0.03)	6,156	-	-	-	-	-	-
TCC-W5	0.33	(0.03)	1,035	-	FVC-W2	0.36	(0.03)	6,169	-	-	-	-	-	-
TCJ-W2	0.71	0.01	596	-	ITEL-W1	0.55	0.01	2,966	-	-	-	-	-	-
TCMC-W2	0.10	0.02	81,574	-	JKN-W1	2.04	-	3,143	2.00	-	-	-	-	-
TFG-W1	-	-	-	-	LIT-W1	1.80	0.01	893	1.00	-	-	-	-	-
TFG-W2	0.59	(0.01)	197	-	META-W2	0.03	-	151	-	-	-	-	-	-
TGPRO-W3	0.02	-	1,000	-	META-W3	0.13	-	15,958	-	-	-	-	-	-
TH-W2	0.21	(0.03)	43,631	-	NCL-W3	0.33	-	4,513	-	-	-	-	-	-
THE-W2	0.03	-	5,488	-	NDR-W1	-	-	-	-	-	-	-	-	-
TNITY-W1	0.84	-	3	-	NEWS-W4	-	-	-	-	-	-	-	-	-
TNPC-W1	0.32	(0.04)	4,795	-	NEWS-W6	-	-	-	-	-	-	-	-	-
TRITN-W3	0.27	(0.02)	14,022	-	PIMO-W1	2.94	0.04	14,404	2.00	-	-	-	-	-
TSR-W1	0.04	(0.01)	48,277	-	PPS-W1	-	-	-	-	-	-	-	-	-
TTA-W5	0.07	-	108,478	-	PSTC-W1	0.15	0.01	13,946	-	-	-	-	-	-
TTCL-W1	1.08	(0.05)	4,861	1.00	SANKO-W1	0.41	(0.02)	58,293	-	-	-	-	-	-
U-W1	0.01	-	88	-	SIMAT-W2	0.20	-	611	-	-	-	-	-	-
U-W4	-	-	-	-	SIMAT-W3	0.35	(0.03)	200	-	-	-	-	-	-
VGI-W2	0.39	(0.02)	26,431	-	SIMAT-W4	0.68	(0.01)	6,581	-	-	-	-	-	-
VIBHA-W2	1.24	(0.02)	755	1.00	SKY-W1	12.50	(0.10)	121	12.00	-	-	-	-	-
VIBHA-W3	0.27	(0.01)	3,848	-	STAR-W3	1.25	0.05	1,452	1.00	-	-	-	-	-
WAVE-W1	0.37	-	2,119	-	TAKUNI-W	0.19	-	3,929	-	-	-	-	-	-
WHA-W1	6.85	0.05	827	6.00	TAPAC-W3	1.20	(0.06)	794	1.00	-	-	-	-	-
WORK-W1	5.00	(0.75)	31	5.00	TSF-W4	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-