

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.30	-	46	6.26	RS	15.90	(0.10)	38,009	15.88
POMPI	-	-	-	-	HUMAN	9.95	(0.05)	2,803	9.95	SE-ED	3.08	0.02	141	3.07
SAFARI	-	-	-	-	ILINK	4.94	0.04	1,329	4.93	SMM	0.89	-	1,824	0.90
VI	-	-	-	-	INET	3.52	(0.02)	1,192	3.51	SPORT	-	-	-	-
WORLD	-	-	-	-	INTUCH	48.75	(0.25)	61,509	48.84	TBSP	15.00	2.10	54	14.12
WR	-	-	-	-	JAS	5.00	(0.10)	127,935	5.00	TH	0.80	-	532	0.80
Agribusiness	-	-	-	-	JASIF	10.20	-	17,682	10.20	TKS	9.00	(0.10)	2,471	9.06
CHOTI	131.50	1.00	58	131.18	JMART	5.40	-	49,319	5.42	TRITN	0.42	0.01	84,146	0.41
EE	0.70	-	11,445	0.70	JTS	1.45	(0.01)	403	1.45	VGI	7.95	0.10	117,140	7.92
GFPT	14.00	(0.30)	8,776	14.10	MFEC	3.04	(0.02)	677	3.02	WAVE	2.04	(0.06)	6	2.05
LEE	2.62	-	732	2.60	MSC	7.30	0.05	1,441	7.21	WORK	27.75	(0.75)	6,487	28.10
NER	1.97	(0.02)	407,080	1.99	PT	5.80	(0.05)	1,465	5.81	Finance & Securities	-	-	-	-
PPPM	3.82	(0.28)	20,365	3.86	SAMART	6.55	(0.05)	4,827	6.50	AEC	0.50	0.01	16,906	0.50
STA	16.60	(0.30)	132,963	16.87	SAMTEL	7.65	(0.15)	258	7.65	AEONTS	185.50	(3.50)	3,804	185.78
TRUBB	1.57	0.01	365	1.56	SDC	0.32	-	17,299	0.32	AMANAHA	1.55	0.01	2,645	1.54
TWPC	8.30	(0.10)	220	8.30	SIS	10.20	(0.10)	2,594	10.15	ASAP	3.54	(0.14)	12,170	3.56
UPOIC	4.44	0.14	284	4.33	SVOA	1.23	(0.01)	5,425	1.24	ASK	24.00	-	654	24.00
UVAN	5.40	(0.05)	332	5.40	SYMC	5.35	0.15	29	5.35	ASP	3.38	(0.02)	12,163	3.38
VPO	0.46	(0.01)	915	0.46	SYNEX	12.70	(0.10)	3,308	12.66	BFIT	21.10	(0.50)	790	21.26
Banking	-	-	-	-	THCOM	7.40	(0.35)	28,256	7.46	CGH	0.92	0.05	17,699	0.90
BAY	40.25	0.50	1,747	40.00	TRUE	5.85	(0.10)	578,727	5.85	CNS	2.20	(0.06)	3,988	2.21
BBL	206.00	(1.00)	43,120	206.84	TWZ	0.11	-	138,288	0.11	ECL	1.86	0.02	18,490	1.85
CIMBT	0.82	-	3,707	0.81	Electronic Componen	-	-	-	-	FNS	4.00	(0.08)	1,358	4.00
KBANK	191.00	(1.50)	84,149	191.06	CCET	1.80	-	14,425	1.81	FSS	1.92	(0.04)	2,552	1.92
KKP	70.25	(0.50)	22,651	70.28	DELTA	70.00	0.75	8,141	69.82	GBX	0.53	(0.02)	309	0.53
KTB	20.50	-	174,431	20.45	EIC	0.05	0.01	12,908	0.04	GL	6.05	(0.10)	2,251	6.05
LHFG	1.43	-	53,615	1.43	HANA	35.25	(1.00)	20,671	35.43	IFS	3.16	-	965	3.15
SCB	139.50	0.50	42,247	139.46	KCE	29.00	(1.00)	40,301	29.32	JMT	11.90	(0.20)	9,182	11.93
TCAP	54.00	0.75	23,067	53.41	METCO	216.00	(2.00)	2	218.00	KCAR	10.90	-	394	10.93
TISCO	80.00	(0.25)	34,761	79.99	SMT	2.02	(0.02)	472	2.00	KGI	4.42	(0.02)	9,832	4.42
TMB	2.30	(0.04)	1,296,856	2.31	SPPT	4.00	0.02	2,844	3.97	KTC	33.25	(0.75)	115,137	33.46
Construction Materia	-	-	-	-	SVI	4.96	(0.24)	168,939	5.00	MBKET	10.80	0.10	434	10.62
CCP	0.35	(0.01)	5,350	0.35	TEAM	1.02	(0.02)	4,342	1.03	MFC	16.60	(0.10)	198	16.48
COTTO	2.28	(0.02)	2,274	2.28	Energy & Utilities	-	-	-	-	ML	0.98	(0.01)	2,369	0.97
DCC	2.20	0.02	42,049	2.22	ABPIF	7.65	(0.10)	4,492	7.69	MTC	48.50	(0.75)	49,587	48.78
DCON	0.50	(0.01)	15,646	0.51	AI	-	-	-	-	PE	0.20	(0.01)	249	0.20
DRT	5.45	(0.05)	8,711	5.43	AKR	0.86	(0.02)	7,274	0.87	PL	3.32	-	303	3.32
EPG	7.45	(0.15)	18,701	7.55	BAFS	33.25	-	760	33.26	S11	7.25	-	2,089	7.24
GEL	0.29	(0.01)	20,163	0.30	BANPU	17.10	(0.40)	356,843	17.21	SAWAD	48.25	(1.75)	68,633	48.80
PPP	2.86	(0.02)	244	2.86	BCP	34.00	-	15,565	33.83	THANI	7.70	(0.50)	73,333	7.94
Q-CON	4.72	(0.06)	199	4.72	BCPG	17.50	(0.40)	26,905	17.61	TK	9.35	(0.20)	2,218	9.39
RCI	3.84	0.04	551	3.84	BGRIM	26.25	-	28,398	26.26	TNITY	5.70	(0.10)	2	5.70
SCC	440.00	-	10,918	440.15	BPP	23.70	(0.20)	6,776	23.82	UOBKH	3.88	0.04	18	3.89
SCCC	229.00	(1.00)	239	229.79	BRRGIF	10.00	-	130	9.98	ZMICO	1.07	-	8,850	1.06
SCP	8.70	(0.15)	1,717	8.75	CKP	5.30	0.05	323,759	5.22	Food & Beverage	-	-	-	-
SKN	4.04	(0.26)	16,372	4.09	DEMCO	3.56	(0.04)	8,861	3.62	APURE	1.34	(0.03)	8,248	1.36
TASCO	15.70	(0.20)	34,810	15.80	EA	48.00	(0.75)	93,303	48.12	ASIAN	8.00	(0.05)	19,546	8.02
TCMC	1.88	(0.03)	17,672	1.88	EARTH	-	-	-	-	BR	4.08	-	3,112	4.08
TOA	33.50	(1.25)	25,604	33.76	EASTW	10.90	(0.10)	5,363	10.92	BRR	6.55	-	624	6.50
TIPL	2.02	-	1,140,980	2.03	EGATIF	11.20	-	16,195	11.20	CBG	45.00	(2.25)	21,605	45.50
UMI	1.17	0.05	9,781	1.17	EGGO	240.00	(3.00)	12,561	241.16	CFRESH	4.36	0.06	158	4.30
VNG	4.98	(0.12)	2,638	5.01	ESSO	12.10	(0.10)	39,625	12.09	CM	3.98	(0.06)	855	4.01
WHK	2.08	(0.02)	677	2.07	GLOW	86.50	0.25	20,902	87.06	CPF	25.00	(0.25)	41,297	25.05
Petrochemicals & Che	-	-	-	-	GPSC	55.00	(0.50)	6,380	54.91	CPI	1.51	0.01	133	1.50
BCT	46.75	(1.00)	233	46.76	GULF	75.75	(0.25)	14,598	75.88	F&D	-	-	-	-
CMAN	2.76	(0.02)	3,070	2.76	GUNKUL	3.28	-	168,950	3.28	HTC	14.90	(0.50)	1,176	14.97
GC	5.10	-	125	5.05	IEC	-	-	-	-	ICHI	3.62	(0.08)	8,655	3.64
GGC	10.20	(0.30)	3,808	10.28	IFEC	-	-	-	-	KBS	4.00	(0.06)	591	3.99
GIFT	3.88	0.06	160	3.82	IRPC	6.00	(0.10)	657,351	5.98	KSL	3.22	(0.10)	5,223	3.24
IVL	54.75	0.25	122,992	54.98	LANNA	12.40	(0.10)	394	12.45	KTIS	5.20	(0.05)	381	5.22
NFC	6.35	-	234	6.35	MDX	4.08	0.02	224	4.07	LST	4.22	0.02	1,330	4.19
PATO	13.00	(0.10)	578	13.03	PTG	9.35	(0.40)	207,630	9.50	M	73.00	(0.25)	2,115	72.14
PMTA	11.40	(0.10)	1	11.40	PTT	49.25	(0.25)	520,157	49.39	MALEE	8.15	(0.10)	1,725	8.14
PTTGC	78.50	(0.75)	190,799	79.06	PTTEP	132.00	(3.00)	214,173	132.42	MINT	35.00	(0.75)	71,159	35.27
SUTHA	3.90	0.02	818	3.90	RATCH	49.75	(0.50)	21,062	49.76	OISHI	85.25	1.25	31	84.21
TCCC	28.75	-	224	28.48	RPC	0.44	-	985	0.45	OSP	25.00	-	46,177	25.04
TPA	6.55	(0.05)	12	6.56	SCG	4.54	(0.04)	8	4.51	PB	61.00	-	13	60.67
UP	24.50	-	33	24.50	SCI	2.78	0.06	73,536	2.87	PM	8.75	(0.10)	5,732	8.76
VNT	23.60	0.10	3,610	23.51	SCN	4.42	(0.04)	2,094	4.42	PRG	13.00	(0.10)	12	13.00
WG	179.00	-	1,109	179.00	SGP	8.70	(0.25)	60,763	8.78	SAPPE	17.00	(0.80)	8,128	17.01
YCI	-	-	-	-	SKE	1.05	(0.01)	6,378	1.07	SAUCE	22.00	-	22	21.85
Commerce	-	-	-	-	SOLAR	2.24	(0.02)	1,104	2.26	SFP	191.50	(0.50)	1	191.50
BEAUTY	8.75	(0.15)	308,617	8.81	SPCG	19.20	(0.10)	2,755	19.23	SNP	20.10	-	36	20.04
BIG	1.39	(0.03)	13,557	1.40	SPRC	11.70	-	157,176	11.68	SORKON	69.50	(1.50)	8	69.63
BJC	52.25	(1.25)	116,367	52.66	SUPER	0.56	-	878,208	0.56	SSC	34.75	(0.75)	2	34.88
COL	24.60	-	1,893	24.53	SUSCO	2.70	(0.08)	4,801	2.73	SSF	7.00	-	18	7.00
COM7	19.50	(0.30)	49,255	19.49	TAE	2.12	(0.02)	2,574	2.14	STT	5.20	(0.05)	103	5.20
CPALL	70.25	(1.25)	437,719	70.91	TCC	0.44	(0.02)	33,855	0.45	TC	3.24	-	160	3.24
CSS	1.98	(0.01)	3,449	1.98	TOP	72.50	(1.00)	58,729	72.93	TFG	3.42	(0.14)	10,882	3.48
FN	1.72	(0.02)	3,023	1.73	TPIPP	6.05	(0.05)	59,095	6.08	TFMAMA	160.00	(1.00)	2	160.00
FTE	2.08	(0.02)	1,565	2.08	TTW	12.20	-	41,497	12.13	TIPCO	8.20	(0.40)	12,590	8.34
GLOBAL	20.80	(0.30)	65,411	20.87	WHAUP	5.80	-	36,633	5.77	TKN	10.00	0.05	86,360	10.08
HMPRO	14.90	(0.50)	372,921	15.07	WP	6.40	(0.05)	921	6.41	TU	17.30	-	107,148	17.25
IT	3.36	0.04	300	3.35	Media & Publishing	-	-	-	-	TVO	27.50	-	3,722	27.46
KAMART	3.98	(0.04)	6,941	4.00	AMARIN	5.00	(0.05)	758	5.00	Health Care Services	-	-	-	-
LOXLEY	1.87	0.01	3,266	1.86	AQUA	0.45	(0.01)	183,165	0.45	AHC	19.00	(0.50)	204	19.13
MAKRO	33.00	-	1,721	32.88	AS	0.82	0.05	190	0.77	BCH	19.20	0.20	120,014	18.93
MC	11.30	0.20	8,667	11.37	BEC	5.40	(0.20)	53,185	5.48	BDSM	26.00	(0.75)	401,961	26.57
MEGA	32.25	(1.50)	16,255</											

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	31.75	0.25	1,946	31.66	LALIN	5.05	(0.05)	4,718	5.01	TSC	13.00	(0.10)	1	13.00
VIBHA	2.18	(0.06)	10,906	2.18	LH	10.10	-	486,483	10.01	YNP	-	-	-	-
VIH	6.95	(0.20)	4,302	7.00	LPN	7.55	(0.15)	62,860	7.62	Industrial Materials	-	-	-	-
WPH	2.58	(0.02)	2,122	2.59	MBK	22.50	0.20	14,873	22.42	ALLA	1.50	0.01	1,605	1.50
Tourism & Leisure	-	-	-	-	MJD	3.54	0.06	1,604	3.49	ASEFA	4.84	(0.02)	1,905	4.81
ASIA	6.80	0.05	7	6.73	MK	3.94	(0.06)	8,747	3.97	CPT	0.88	(0.05)	51,959	0.90
CENDEL	42.25	(1.00)	12,738	42.60	NCH	0.89	-	29	0.88	CRANE	2.10	(0.02)	466	2.11
CSR	-	-	-	-	NNCL	1.76	0.01	2,748	1.74	CTW	8.00	(0.10)	1,352	8.05
DTC	10.10	(0.20)	449	10.21	NOBLE	13.80	(0.20)	1,474	13.74	FMT	24.80	0.20	8	24.80
ERW	6.80	(0.10)	125,229	6.79	NUSA	0.55	0.03	289,192	0.54	HTECH	6.10	-	3,874	6.11
GRAND	0.83	-	8,386	0.83	NVD	3.36	(0.08)	1,306	3.39	KKC	1.29	0.02	141	1.29
LRH	53.00	2.50	699	51.53	ORI	7.95	-	184,946	7.94	PK	2.26	-	3,276	2.28
MANRIN	30.75	1.25	45	30.75	PACE	0.47	-	92,618	0.46	SNC	14.40	-	3,178	14.37
OHTL	-	-	-	-	PF	0.80	(0.06)	405,201	0.82	TCJ	5.40	-	8	5.41
ROH	-	-	-	-	PLAT	7.55	(0.15)	4,688	7.60	VARO	-	-	-	-
SHANG	77.00	2.00	13	74.31	POLAR	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PRECHA	1.64	0.01	554	1.61	AIMIRT	10.20	-	6,952	10.26
ACC	0.50	-	1,504	0.50	PRIN	1.59	(0.02)	9,303	1.59	AMATAR	10.80	-	644	10.73
AJA	0.40	0.02	200,771	0.40	PRINC	4.78	0.02	1,309	4.76	B-WORK	10.90	-	2,460	10.90
DTCI	-	-	-	-	PSH	18.70	(0.30)	13,793	18.72	BKKCP	12.60	-	100	12.60
FANCY	0.74	(0.01)	3,233	0.74	OH	2.96	-	289,982	2.96	BOFFICE	12.70	-	18,900	12.54
KYE	412.00	2.00	78	411.46	RICHY	1.63	(0.01)	6,462	1.63	CPNCG	15.40	(0.10)	4,212	15.42
L&E	2.68	-	53	2.68	RML	1.29	(0.02)	49,381	1.30	CPNREIT	26.00	(0.50)	13,185	26.00
MODERN	3.98	(0.02)	2,964	3.99	ROJNA	5.15	(0.05)	8,480	5.20	CPTGF	13.10	-	86	13.16
OGC	-	-	-	-	S	3.32	(0.02)	65,473	3.31	CRYSTAL	9.50	(0.05)	176	9.50
ROCK	-	-	-	-	SAMCO	2.00	0.01	347	2.00	CTARAF	4.76	0.02	69	4.72
SIAM	2.18	-	1,084	2.17	SC	3.20	(0.06)	23,547	3.21	DREIT	5.15	-	3	5.15
TSR	1.82	(0.01)	24,817	1.81	SENA	3.56	-	7,465	3.56	ERWPF	5.40	-	133	5.35
Insurance	-	-	-	-	SF	7.55	(0.25)	5,972	7.64	FUTUREPF	22.70	(0.10)	977	22.70
AYUD	42.00	0.50	86	41.41	SIRI	1.34	0.03	536,768	1.32	GAHREIT	-	-	-	-
BKI	339.00	(1.00)	66	339.73	SPALI	19.50	(0.50)	28,872	19.68	GLANDRT	12.30	(0.20)	3,256	12.49
BLA	30.75	(0.75)	7,351	30.98	TICON	15.20	0.20	543	15.32	GOLDPF	-	-	-	-
BUI	-	-	-	-	U	2.70	(0.04)	23,133	2.69	GVREIT	14.70	(0.10)	5,515	14.51
CHARAN	-	-	-	-	UV	7.00	(0.20)	27,897	7.05	HPF	5.20	-	59	5.20
INSURE	-	-	-	-	WHA	4.24	(0.06)	1,492,123	4.28	HREIT	6.75	(0.05)	7,685	6.73
MTI	99.25	1.00	39	98.86	WIN	0.71	0.06	238,571	0.73	IMPACT	19.10	(0.10)	1,481	19.03
NKI	58.00	(1.50)	25	58.50	Paper & Printing Mat	-	-	-	-	KPNPF	8.90	-	40	8.90
NSI	79.00	(0.75)	38	79.14	UTP	10.30	(0.30)	4,559	10.44	LHHOTEL	16.50	-	667	16.50
SMK	40.00	-	22	40.00	Fashion	-	-	-	-	LHPF	8.25	-	472	8.25
THRE	0.95	(0.02)	11,736	0.94	AFC	9.00	(0.05)	30	9.03	LHSC	16.20	(0.40)	4,460	16.20
THREL	6.90	-	3,197	6.86	BTNC	-	-	-	-	LUXF	-	-	-	-
TIC	32.75	(0.25)	2	33.25	CPH	5.55	(0.15)	21	5.60	M-II	8.40	-	3	8.40
TIP	22.80	(0.10)	1,135	22.87	CPL	3.16	(0.04)	3	3.16	M-PAT	-	-	-	-
TSI	0.41	(0.01)	1,932	0.41	DIGI	0.21	(0.01)	2,095	0.21	M-STOR	9.00	(0.15)	48	9.00
TVI	3.78	-	220	3.78	ICC	40.50	0.25	9	40.50	MIPF	22.00	-	3	22.00
Mining	-	-	-	-	LTX	101.00	-	22	100.89	MIT	4.68	-	2	4.68
PDI	11.90	-	749	11.90	NC	-	-	-	-	MJLF	12.50	-	94	12.51
THL	-	-	-	-	PAF	0.86	(0.01)	120	0.87	MNIT	-	-	-	-
Packaging	-	-	-	-	PDJ	2.34	-	801	2.35	MNIT2	-	-	-	-
AJ	8.20	(0.30)	123	8.22	PG	6.15	(0.05)	11	6.15	MNRF	3.02	(0.02)	2,000	3.02
ALUCON	-	-	-	-	SABINA	30.25	(1.00)	993	30.29	MONTRI	-	-	-	-
BGC	10.40	(0.30)	8,469	10.52	SAWANG	11.30	(0.10)	146	11.24	POPF	13.50	(0.10)	1,323	13.50
CSC	43.25	(0.25)	21	43.94	SUC	46.00	(0.25)	23	46.01	PPF	11.20	-	784	11.16
NEP	0.30	(0.03)	1	0.30	TNL	-	-	-	-	QHHR	8.50	-	101	8.50
NPPG	1.36	0.07	1,276,458	1.39	TPCORP	-	-	-	-	QHOP	3.34	(0.06)	104	3.21
PTL	14.80	(0.30)	3,971	14.82	TR	44.25	(1.00)	104	43.68	QHFP	13.20	(0.10)	555	13.27
SITHAI	1.15	(0.01)	2,288	1.16	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.86	-	19	0.86	TTL	-	-	-	-	SHREIT	9.55	0.05	22,061	9.50
SMPC	13.10	0.10	280	13.04	TTTM	191.50	3.00	324	191.04	SIRIP	11.90	0.40	18	11.90
SPACK	1.89	(0.02)	179	1.90	UPF	-	-	-	-	SPF	23.30	0.10	476	23.20
TCOAT	-	-	-	-	UT	-	-	-	-	SRIPANWA	10.90	-	276	10.88
TFI	0.25	-	28	0.25	WACOAL	46.75	1.75	11	46.41	SSPF	9.50	-	156	9.50
THIP	24.40	(1.60)	1,670	24.77	Transportation & Log	-	-	-	-	SSTPF	6.35	-	2	6.30
TMD	21.40	(0.10)	6	21.40	AAV	4.40	0.02	220,808	4.39	SSTRT	6.10	0.05	101	6.03
TOPP	198.00	-	5	198.00	AOT	63.50	(1.75)	289,816	64.21	TIF1	8.75	(0.05)	24	8.75
TPBI	7.30	(0.10)	206	7.20	ASIMAR	2.36	0.02	648	2.34	TLGF	18.60	(0.10)	14,916	18.60
TPP	-	-	-	-	B	0.52	(0.02)	3,658	0.52	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BA	12.30	(0.20)	6,299	12.39	TNPF	-	-	-	-
APCO	4.30	-	314	4.30	BEM	9.10	(0.10)	1,109,900	9.12	TPRIME	12.50	-	5,713	12.50
DDD	25.75	-	6,057	25.80	BTS	9.50	(0.05)	246,229	9.48	TREIT	11.80	(0.10)	18,499	11.66
JCT	85.00	-	34	85.00	BTSQIF	11.80	-	58,833	11.80	TTLPF	22.70	-	27	22.70
OCC	16.70	0.40	10	16.70	III	6.00	-	2,481	5.98	TU-PF	-	-	-	-
S & J	23.50	-	11	23.50	JUTHA	0.71	(0.02)	443	0.71	URBNPF	4.08	(0.42)	266	3.95
STHAI	-	-	-	-	JWD	7.05	(0.10)	6,836	7.07	WHABT	9.85	(0.05)	6	9.88
TNR	10.20	(0.10)	228	10.20	KWC	-	-	-	-	WHART	10.60	(0.10)	17,969	10.53
TOG	4.54	(0.04)	38	4.53	NOK	2.50	(0.04)	11,173	2.52	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.20	-	3,082	5.17	AMC	1.96	0.01	127	1.94
BWG	1.14	(0.02)	138,503	1.15	PRM	6.30	(0.25)	11,901	6.42	BSBM	0.94	0.02	894	0.94
GENCO	0.80	-	3,444	0.80	PSL	11.20	(0.60)	15,627	11.43	CEN	1.16	0.02	2,163	1.15
PRO	-	-	-	-	RCL	5.00	(0.10)	105	5.01	CITY	2.60	0.04	399	2.58
TEAMG	2.22	-	8,473	2.23	TFFIF	10.20	-	80,205	10.18	CSP	1.17	(0.03)	188	1.17
Property Developer	-	-	-	-	THAI	13.30	(0.50)	41,386	13.50	GJS	0.12	-	46,818	0.12
A	6.65	-	239	6.65	TSTE	7.00	-	5	7.00	GSTEL	-	-	-	-
AMATA	23.20	(0.40)	121,451	23.35	TTA	5.95	(0.10)	7,743	5.99	INOX	1.00	(0.01)	671	0.97
AMATAV	5.35	(0.05)	1,006	5.33	WICE	4.10	(0.04)	2,732	4.13	LHK	4.24	(0.02)	1,482	4.25
ANAN	3.88	(0.06)	51,909	3.89	Automotive	-	-	-	-	MAX	0.02	-	344,661	0.02
AP	6.55	(0.10)	82,579	6.60	AH	20.60	(0.60)	16,078	20.81	MCS	7.00	0.05	17,362	6.99
APEX	0.20	-	5,477	0.19	APCS	4.96	(0.02)	1,299	4.94	MILL	1.62	(0.02)	22,752	1.63
AQ	0.03	-	61,585	0.03	BAT-3K	240.00	10.00	2	240.00	PAP	3.64	-	131	3.64
BLAND	1.68	(0.01)	92,736	1.68	CWT	2.88	(0.06)	207	2.91	PERM	2.02	-	323	2.02
BROCK	-	-	-	-	EASON	2.24	(0.02)	3,150	2.22	RICH	-	-	-	-
CGD	1.34	-	1,570	1.33	GYT	-	-	-	-	SAM	0.57	(0.02)	1,618	0.57
CI	1.38	(0.01)	1,070	1.37	HFT	3.04	-	1,305	3.02	SMIT	6.30	(0.10)	1,211	6.29
CPN	75.25	(1.25)	42,522	75.87	IHL	8.00	-	2,475	7.99	SSI	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TAKUNI	0.82	(0.02)	3,852	-	ADVA01P1902B	0.68	0.03	51,235	-
ABICO	4.56	(0.06)	117	4.00	TPCH	10.40	(0.10)	21,935	10.00	ADVA01P1905A	1.27	0.05	22,373	1.00
AU	6.80	(0.05)	1,373	6.00	TRT	2.02	(0.02)	655	2.00	ADVA06C1903A	-	-	-	-
FC	0.34	0.01	6,380	-	TSE	2.60	-	2,076	2.00	ADVA08C1903A	-	-	-	-
JCKH	-	-	-	-	UMS	0.70	(0.01)	108	-	ADVA11C1905A	0.05	(0.01)	6,104	-
KASET	1.91	0.01	175	1.00	UWC	0.06	0.01	68,532	-	ADVA11P1905A	0.36	0.01	22,700	-
MM	3.84	-	1,341	3.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.03	-	2,103	-
SUN	2.96	(0.08)	1,967	3.00	ADAM	-	-	-	-	ADVA13C1904A	0.21	(0.02)	65,287	-
TACC	3.24	(0.02)	2,936	3.00	AKP	1.87	-	2,403	1.00	ADVA13P1904A	0.86	0.04	146,934	-
TMILL	2.96	-	843	2.00	AMA	5.05	(0.15)	3,531	5.00	ADVA16C1812A	0.10	(0.06)	4,002	-
XO	11.80	(0.20)	4,459	11.00	ARIP	0.44	(0.01)	337	-	ADVA16C1912A	0.42	(0.02)	6,704	-
Consumer Products	-	-	-	-	ATP30	1.61	(0.02)	3,015	1.00	ADVA19C1901A	0.04	(0.01)	11,908	-
BGT	1.00	0.01	6,407	1.00	AUCT	5.90	(0.25)	9,161	5.00	ADVA19C1905A	0.50	(0.04)	35,179	-
BIZ	2.60	-	186	2.00	BOL	2.06	-	3	2.00	ADVA19P1904A	0.59	0.03	51,626	-
DOD	13.70	(0.10)	8,701	13.00	CHUO	-	-	-	-	ADVA23C1902A	-	-	-	-
ECF	5.95	(0.05)	15,632	5.00	CMO	1.38	-	825	1.00	ADVA24C1904A	0.07	(0.01)	5,285	-
HPT	0.99	(0.01)	1,338	-	D	9.80	(0.10)	1,763	9.00	ADVA24C1905A	-	-	-	-
JUBILE	16.50	-	105	16.00	DCORP	0.74	(0.03)	11,487	-	ADVA24C1907A	0.28	(0.03)	1,050	-
MOONG	6.75	(0.05)	4,279	6.00	DNA	0.38	(0.01)	121,476	-	ADVA24P1908A	1.09	0.05	895	1.00
NPK	27.00	(0.75)	114	26.00	EFORL	0.06	-	72,017	-	ADVA27C1902A	-	-	-	-
OCEAN	4.36	0.02	8,206	4.00	ETE	1.08	(0.03)	3,940	1.00	ADVA28C1901A	-	-	-	-
TM	2.10	0.02	849	2.00	FSMART	6.65	(0.05)	1,747	6.00	ADVA28C1904A	0.14	(0.02)	5,500	-
Financials (MAI)	-	-	-	-	FVC	0.82	(0.02)	2,118	-	ADVA28C1904B	0.32	(0.04)	40,134	-
ACAP	3.82	(0.12)	8,579	3.00	HARN	2.54	-	358	2.00	ADVA42C1903A	-	-	-	-
AF	0.68	-	190	-	JKN	10.70	(0.10)	42,237	10.00	AMAT01C1903A	0.72	(0.04)	176,531	-
AIRA	1.68	(0.10)	71	1.00	KIAT	0.49	0.01	3,407	-	AMAT01C1903B	0.49	(0.05)	56,043	-
ASN	3.84	0.02	488	3.00	KOOL	1.37	(0.01)	2,074	1.00	AMAT01P1903A	0.55	0.04	81,050	-
BROOK	0.49	-	8,523	-	LDC	1.04	-	682	1.00	AMAT06C1903A	0.53	(0.06)	12,920	-
CHAYO	3.84	(0.06)	7,383	3.00	MPG	0.16	0.02	29,599	-	AMAT08C1903A	0.51	(0.05)	26,778	-
GCAP	2.82	(0.08)	5,919	2.00	MVP	1.78	(0.01)	2,736	1.00	AMAT11C1903A	0.31	(0.03)	17,220	-
LIT	6.45	(0.05)	1,751	6.00	NBC	0.42	(0.01)	274	-	AMAT13C1812A	-	-	-	-
SGF	1.44	(0.05)	57,358	1.00	NCL	1.48	(0.01)	1,000	1.00	AMAT13C1902A	0.21	(0.05)	472,138	-
Industrials (MAI)	-	-	-	-	NEWS	0.01	-	30,339,152	-	AMAT19C1902A	0.56	(0.07)	64,832	-
ZS	2.68	(0.06)	679	2.00	NINE	2.20	(0.04)	55,085	2.00	AMAT23C1906A	0.45	(0.04)	48,030	-
ADB	0.96	-	1,244	-	OTO	2.28	(0.02)	1,227	2.00	AMAT24C1904A	-	-	-	-
BM	3.12	(0.06)	281	3.00	PHOL	1.83	-	165	1.00	AMAT27C1902A	0.77	(0.06)	30,600	-
CHO	1.56	0.15	266,287	1.00	PICO	3.84	0.12	22	3.00	AMAT28C1902A	0.38	(0.05)	47,151	-
CHOW	4.20	(0.08)	602	4.00	PORT	6.55	(0.15)	165	6.00	AMAT28C1903A	0.09	(0.01)	6,128	-
CIG	0.31	0.01	8,992	-	QLT	4.14	(0.04)	130	4.00	ANAN08C1906A	0.06	(0.02)	200	-
COLOR	1.32	-	570	1.00	RP	2.78	(0.04)	377	2.00	ANAN13C1901A	0.01	-	2,345	-
CPR	5.25	(0.10)	722	5.00	SE	1.98	-	177	1.00	ANAN23C1901A	-	-	-	-
FPI	1.94	-	1,864	1.00	SISB	4.94	0.04	140,717	4.00	AOT01C1902A	0.33	(0.08)	197,592	-
GTB	0.62	(0.01)	93	-	SONIC	1.36	(0.02)	5,665	1.00	AOT01C1902B	0.13	(0.04)	48,237	-
KCM	0.94	0.01	2,231	-	SPA	12.00	-	1,784	12.00	AOT01C1904A	0.34	(0.06)	70,772	-
KWM	0.97	(0.01)	12,863	-	THMUI	1.38	-	2,032	1.00	AOT01C1904B	0.21	(0.04)	109,807	-
LVT	-	-	-	-	TNDT	4.70	(0.12)	2,971	4.00	AOT01P1902A	0.81	0.08	119,958	-
MBAX	4.04	(0.02)	940	4.00	TNH	39.00	0.25	315	38.00	AOT01P1902B	0.33	0.06	312,963	-
MGT	1.91	(0.06)	141	1.00	TNP	1.58	(0.02)	585	1.00	AOT01P1904A	0.83	0.07	156,809	-
NDR	2.08	(0.02)	208	2.00	TSF	0.02	-	2,971	-	AOT01P1904B	0.58	0.06	218,611	-
PDG	2.98	(0.06)	3,508	3.00	TVD	1.64	(0.03)	8,673	1.00	AOT06C1903A	0.21	(0.05)	24,872	-
PIMO	4.42	(0.06)	2,467	4.00	TVT	0.89	-	643	-	AOT06P1903A	0.34	0.05	32,050	-
PJW	1.59	0.01	382	1.00	WINNER	2.80	(0.02)	504	2.00	AOT07C1902A	0.29	(0.06)	6,660	-
PPM	1.66	(0.13)	538	1.00	Technology (MAI)	-	-	-	-	AOT08C1901A	0.07	(0.03)	1,000	-
RWI	1.63	0.09	9,466	1.00	COMAN	3.62	-	129	3.00	AOT08C1904A	0.25	(0.05)	19,967	-
SALEE	1.03	0.01	37	1.00	ICN	1.87	(0.02)	785	1.00	AOT08P1903A	0.36	0.05	10,897	-
SANKO	1.13	(0.01)	1,381	1.00	IRCP	0.74	-	1,457	-	AOT11C1906A	0.20	(0.03)	18,515	-
SELIC	2.44	0.12	19,105	2.00	ITEL	3.56	(0.06)	3,836	3.00	AOT11P1906A	0.27	0.03	15,920	-
SWC	19.50	(0.40)	1,110	19.00	NETBAY	30.00	(0.50)	91	30.00	AOT13C1812A	-	-	-	-
TMC	0.83	-	1,035	-	PLANET	1.48	(0.06)	12	1.00	AOT13C1902A	0.19	(0.06)	108,357	-
TMI	0.76	(0.01)	1,906	-	SIMAT	2.02	0.02	3,320	2.00	AOT13C1904A	0.40	(0.07)	31,010	-
TMW	68.75	(0.25)	204	68.00	SKY	13.60	0.10	1,472	13.00	AOT13P1812A	-	-	-	-
TPAC	11.00	(0.40)	81	11.00	SPVI	1.26	0.01	2,727	1.00	AOT13P1902A	0.21	0.03	45,544	-
TPLAS	1.48	(0.01)	1,746	1.00	UPA	0.38	-	4,439	-	AOT16C1912A	-	-	-	-
UAC	4.20	-	112	4.00	VCOM	3.22	0.02	1,010	3.00	AOT19C1901A	0.12	(0.06)	69,434	-
UBIS	5.25	-	2,195	5.00	Unit Trust	-	-	-	-	AOT19P1903A	0.23	0.03	15,601	-
UEC	1.34	-	320	1.00	MGE	-	-	-	-	AOT23C1906A	0.35	(0.05)	2,000	-
UKEM	0.74	(0.01)	4,384	-	SCBSET	-	-	-	-	AOT24C1901A	-	-	-	-
UREKA	2.08	(0.04)	36,834	2.00	ETF	-	-	-	-	AOT24C1904A	0.20	(0.03)	1	-
YUASA	11.30	(0.20)	127	11.00	1DIV	11.49	(0.05)	139	11.00	AOT24P1903A	-	-	-	-
ZIGA	2.00	(0.02)	6,731	2.00	ABFTH	-	-	-	-	AOT27C1902A	0.18	(0.02)	1,200	-
Property & Construc	-	-	-	-	BMSCG	8.21	(0.06)	230	8.00	AOT27P1903A	0.46	0.05	10,800	-
ARROW	7.85	(0.10)	534	7.00	BMSCITH	12.29	(0.12)	5,743	12.00	AOT28C1812A	-	-	-	-
BKD	2.98	(0.02)	647	3.00	BSET100	10.41	(0.10)	893	10.00	AOT28C1901A	0.02	(0.02)	3,848	-
BSM	0.56	-	2,153	-	CHINA	4.86	(0.01)	113	4.00	AOT28C1902A	0.21	(0.06)	47,358	-
BTW	1.57	(0.01)	29	1.00	EBANK	5.73	(0.05)	3	6.00	AOT28P1812A	-	-	-	-
CHEWA	1.14	(0.03)	46,010	1.00	ECOMM	8.10	(0.05)	8	8.00	AOT41P1905A	-	-	-	-
CMC	2.02	0.02	182,930	2.00	EFOOD	5.50	(0.02)	3	5.00	AOT42C1903A	0.17	(0.02)	4,080	-
CRD	1.05	-	369	1.00	EICT	4.34	(0.10)	14	4.00	AP01C1903A	-	-	-	-
DIMET	0.96	0.01	7,213	-	ENGY	6.22	(0.08)	59	6.00	AP01C1903B	0.02	-	1,000	-
FLOYD	1.96	0.01	508	1.00	ENY	7.46	(0.01)	2	7.00	AP13C1903A	-	-	-	-
FOCUS	1.55	0.01	936	1.00	ESET50	5.70	(0.05)	6	5.00	AP13C1904A	0.14	(0.02)	18,516	-
HYDRO	1.18	0.01	79	1.00	GLD	1.73	0.01	3,082	1.00	AP19C1902A				

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP08C1904A	0.22	-	19,294	-	BEAU01C1902B	0.28	(0.02)	59,202	-	BPP01C1903B	-	-	-	-
BANP08P1901A	0.27	0.02	51,728	-	BEAU01P1812A	1.74	0.03	17,184	1.00	BPP01P1903A	0.32	0.01	1,772	-
BANP11C1902A	-	-	-	-	BEAU01P1902A	0.85	0.03	169,543	-	BPP06C1903A	-	-	-	-
BANP11C1909A	0.28	(0.02)	39,296	-	BEAU06C1904A	0.81	(0.03)	6,250	-	BPP13C1901A	-	-	-	-
BANP13C1902A	0.06	(0.02)	1,511	-	BEAU08C1901A	-	-	-	-	BPP13C1902A	0.18	(0.01)	6,528	-
BANP13C1904A	0.25	(0.04)	295,680	-	BEAU08C1902A	0.25	(0.01)	20,696	-	BPP19C1903A	0.32	(0.01)	7,932	-
BANP16C1812A	0.34	(0.06)	899	-	BEAU11C1902A	0.01	(0.01)	199	-	BPP19C1903B	-	-	-	-
BANP16C1912A	0.57	(0.04)	15	-	BEAU13C1812A	-	-	-	-	BPP23C1901A	-	-	-	-
BANP19C1902A	0.11	(0.02)	11,670	-	BEAU13C1812B	0.01	-	7,721	-	BPP24C1902A	-	-	-	-
BANP23C1901A	-	-	-	-	BEAU13C1901A	0.01	(0.01)	32,141	-	BPP24C1904A	-	-	-	-
BANP23C1906A	0.33	(0.04)	129,440	-	BEAU13C1904A	0.12	(0.02)	9,921	-	BPP28C1812A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU13C1904B	0.48	(0.02)	281,046	-	BPP28C1902A	-	-	-	-
BANP24C1904A	-	-	-	-	BEAU19C1901A	0.26	(0.03)	28,727	-	BPP28C1904A	0.31	(0.02)	4,096	-
BANP24C1907A	0.24	(0.04)	357	-	BEAU19C1902A	-	-	-	-	BTS01C1903A	0.36	(0.03)	77,094	-
BANP24P1901A	0.16	0.01	9,000	-	BEAU23C1901A	-	-	-	-	BTS01C1903B	0.24	(0.02)	99,236	-
BANP27C1904A	0.18	(0.03)	21,000	-	BEAU23C1906A	0.21	(0.02)	20,283	-	BTS01P1903A	0.31	0.01	121,170	-
BANP27P1905A	0.46	0.02	16,190	-	BEAU24C1901A	-	-	-	-	BTS06C1903A	9.15	(0.05)	1,600	9.00
BANP28C1902A	-	-	-	-	BEAU24C1902A	0.01	-	76	-	BTS06C1903B	9.15	0.05	1,600	9.00
BANP28C1903A	0.12	(0.03)	71,680	-	BEAU24C1903A	-	-	-	-	BTS06C1903C	-	-	-	-
BANP42C1903A	-	-	-	-	BEAU24C1904A	0.14	(0.03)	2	-	BTS11C1904A	-	-	-	-
BANP42P1903A	0.64	0.04	32,720	-	BEAU27C1903A	-	-	-	-	BTS19C1901A	0.17	(0.02)	36,022	-
BBL06C1902A	0.56	(0.03)	13,640	-	BEC01C1812A	0.01	-	600	-	BTS23C1905A	1.62	(0.02)	26,005	1.00
BBL08C1902A	0.32	(0.01)	9,088	-	BEC01C1812B	-	-	-	-	BTS24C1901A	-	-	-	-
BBL08P1904A	0.34	-	6,754	-	BEC13C1901A	0.01	-	80	-	BTS28C1902A	0.12	(0.02)	65,072	-
BBL11C1903A	0.24	(0.02)	36,513	-	BEC24C1812A	-	-	-	-	BTS28C1901A	0.11	(0.01)	4,008	-
BBL11P1903A	-	-	-	-	BEM01C1902A	0.46	(0.02)	171,432	-	BTS42P1901A	0.09	(0.01)	4	-
BBL13C1901A	0.15	(0.01)	27,658	-	BEM01C1902B	0.34	(0.02)	187,326	-	CBG01C1902A	0.31	(0.08)	56,363	-
BBL19C1901A	0.11	(0.01)	29,596	-	BEM01P1902A	0.21	-	284,141	-	CBG01C1902B	0.16	(0.05)	49,276	-
BBL19P1904A	0.32	(0.01)	18,000	-	BEM07C1903A	0.35	0.05	190	-	CBG01P1905A	0.84	0.08	107,696	-
BBL23C1906A	0.30	-	29,624	-	BEM08C1903A	0.28	(0.03)	82,826	-	CBG06C1903A	0.32	(0.08)	17,097	-
BBL24C1812A	0.12	(0.04)	4,000	-	BEM11C1903A	0.24	(0.03)	29,572	-	CBG06P1903A	0.74	0.15	15,739	-
BBL24C1902A	-	-	-	-	BEM13C1901A	0.35	(0.02)	510,374	-	CBG07C1812A	-	-	-	-
BBL24C1907A	0.23	(0.03)	537	-	BEM19C1901A	0.39	(0.04)	91,053	-	CBG08C1902A	0.05	(0.06)	651	-
BBL24P1904A	0.32	-	2	-	BEM23C1901A	0.18	(0.01)	24,805	-	CBG11C1902A	-	-	-	-
BBL27C1904A	0.33	(0.03)	6,000	-	BEM24C1902A	0.20	(0.05)	9,400	-	CBG13C1812A	-	-	-	-
BBL27P1904A	0.50	(0.01)	4,800	-	BEM27C1904A	0.27	(0.02)	21,660	-	CBG13C1901A	0.16	(0.07)	121,836	-
BBL28C1901A	0.09	(0.01)	16,641	-	BEM27P1905A	0.16	0.01	15,880	-	CBG16C1912A	-	-	-	-
BBL28C1904A	0.21	(0.01)	32,736	-	BEM42C1904A	0.27	(0.01)	30,954	-	CBG19C1901A	0.10	(0.06)	27,755	-
BBL42C1903A	0.18	(0.02)	10,120	-	BEM42P1904A	0.11	-	6,072	-	CBG23C1901A	-	-	-	-
BCH01C1902A	0.40	0.03	55,966	-	BGR101C1901A	0.86	(0.01)	26,556	-	CBG24C1901A	0.08	(0.03)	3	-
BCH01C1902B	0.21	0.02	86,645	-	BGR101C1901B	0.46	(0.01)	23,656	-	CBG24C1903A	-	-	-	-
BCH01P1902A	0.34	(0.02)	34,212	-	BGR101C1903A	0.26	-	162,686	-	CBG24C1904A	0.35	(0.07)	8,790	-
BCH08C1901A	0.39	0.04	31,242	-	BGR101C1903B	0.15	-	50	-	CBG28C1812A	-	-	-	-
BCH11C1905A	0.36	0.02	14,672	-	BGR106C1903A	0.66	(0.04)	19,600	-	CBG28C1904A	0.29	(0.08)	16,266	-
BCH13C1902A	0.16	0.01	37,041	-	BGR107C1903A	-	-	-	-	CBG42C1904A	0.18	(0.03)	6,572	-
BCH19C1903A	0.42	0.02	17,080	-	BGR108C1902A	0.43	-	21,292	-	CENT01C1903A	0.48	(0.03)	26,475	-
BCH24C1904A	0.20	0.04	500	-	BGR108C1904A	0.15	-	35,747	-	CENT01C1903B	0.34	(0.03)	22,466	-
BCH27C1902A	0.63	0.03	55,580	-	BGR11C1909A	0.27	(0.01)	27,010	-	CENT01P1903A	0.31	0.01	8,676	-
BCH28C1902A	0.10	0.01	9,418	-	BGR13C1812A	-	-	-	-	CENT06C1904A	0.17	-	7,400	-
BCH28C1904A	0.30	0.02	51,076	-	BGR13C1812B	0.04	-	1,000	-	CENT08C1902A	0.13	(0.02)	2,274	-
BCP01C1903A	0.19	(0.01)	46,480	-	BGR13C1904A	0.17	(0.02)	109,630	-	CENT11C1904A	0.10	-	1	-
BCP01C1903B	0.11	(0.01)	29,272	-	BGR19C1901A	0.29	(0.01)	29,238	-	CENT11C1909A	0.42	(0.02)	24,941	-
BCP01P1903A	0.36	0.01	11,266	-	BGR19C1903A	0.12	(0.01)	7,116	-	CENT13C1902A	0.22	(0.05)	62,449	-
BCP08C1901A	0.07	-	1,644	-	BGR124C1901A	-	-	-	-	CENT19C1901A	0.12	(0.01)	17,898	-
BCP11C1909A	0.23	(0.02)	7,200	-	BGR124C1902A	0.10	(0.01)	2,100	-	CENT19C1904A	0.44	(0.05)	10,439	-
BCP13C1902A	0.10	(0.01)	43,871	-	BGR127C1905A	0.16	-	58,600	-	CENT23C1902A	-	-	-	-
BCP19C1902A	0.10	-	7,901	-	BGR128C1812A	-	-	-	-	CENT24C1901A	-	-	-	-
BCP24C1904A	-	-	-	-	BGR128C1901A	-	-	-	-	CENT24C1902A	-	-	-	-
BCP24C1907A	-	-	-	-	BH01C1905A	0.37	(0.01)	14,808	-	CENT27C1905A	0.42	(0.01)	2,400	-
BCP28C1901A	-	-	-	-	BH01C1905B	0.30	(0.01)	21,460	-	CHG01C1903A	0.11	(0.01)	53,768	-
BCP28C1904A	0.22	(0.02)	14,196	-	BH01P1905A	0.61	-	12,306	-	CHG01C1903B	-	-	-	-
BCPG01C1904A	0.24	(0.03)	14,592	-	BH08C1902A	0.48	(0.02)	12,592	-	CHG01P1903A	0.70	(0.01)	1,000	-
BCPG01C1904B	0.15	-	4,744	-	BH11C1902A	-	-	-	-	CHG07C1902A	-	-	-	-
BCPG08C1904A	0.09	(0.03)	1,428	-	BH11C1905A	0.63	(0.03)	4,945	-	CHG11C1904A	-	-	-	-
BCPG08C1904B	0.22	(0.02)	1,526	-	BH13C1901A	0.48	(0.03)	63,144	-	CHG13C1812A	-	-	-	-
BCPG11C1902A	0.05	-	3,009	-	BH19C1901A	0.46	(0.04)	42,800	-	CHG13C1903A	0.01	-	34	-
BCPG13C1812A	-	-	-	-	BH24C1902A	0.32	(0.04)	2	-	CHG13C1904A	0.15	(0.01)	51,054	-
BCPG13C1902A	0.05	(0.03)	610	-	BH27C1905A	0.23	(0.01)	6,302	-	CHG19C1902A	0.05	(0.02)	500	-
BCPG13C1904A	0.24	(0.02)	12,813	-	BIG08C1906A	0.03	(0.01)	2,950	-	CHG24C1904A	-	-	-	-
BCPG19C1901A	0.14	(0.03)	3,358	-	BIG13C1901A	-	-	-	-	CHG24C1911A	-	-	-	-
BCPG23C1902A	0.14	-	4,000	-	BIG24C1812A	-	-	-	-	CHG27C1905A	0.12	-	2,000	-
BCPG24C1903A	-	-	-	-	BJC01C1812A	0.30	(0.07)	202,092	-	CHG28C1812A	-	-	-	-
BCPG27C1903A	0.15	(0.01)	2,400	-	BJC01C1812B	0.03	(0.03)	7,707	-	CHG28C1902A	-	-	-	-
BCPG28C1812A	-	-	-	-	BJC01C1906A	0.55	(0.07)	69,510	-	CHG28C1904A	0.15	-	10,240	-
BCPG28C1901A	-	-	-	-	BJC01C1906B	0.49	(0.06)	133,675	-	CK01C1902A	0.22	(0.02)	43,643	-
BCPG28C1904A	0.23	(0.02)	6,144	-	BJC01P1812A	0.30	0.04	136,254	-	CK01C1902B	0.13	(0.01)	28,818	-
BDMS01C1905A	0.26	(0.03)	52,026	-	BJC01P1906A	0.62	0.04	70,883	-	CK01P1902A	0.30	0.02	57,220	-
BDMS01C1905B	0.23	(0.01)	75,654	-	BJC06C1901A	-	-	-	-	CK08C1901A	-	-	-	-
BDMS01P1905A	0.25	0.01	31,629	-	BJC08C1903A	0.13	(0.02)	9,868	-	CK11C1904A	0.10	(0.01)	5,612	-
BDMS07C1904A	0.14	(0.02)	400	-	BJC11C1905A	0.22	(0.02)	10,210	-	CK13C1902A	0.13	(0.01)	38,568	-
BDMS08C1901A	0.04	(0.01)	11,025	-	BJC13C1812A	-	-	-	-	CK16C1812A	-	-	-	-
BDMS08C1905A	0.22	-	24,404	-	BJC13C1902A	0.06	(0.02)	2,293	-	CK16C1912A	0.34	-	20	-
BDMS11C1904A	-	-	-	-	BJC13C1903A	0.21	(0.04)	81,696	-	CK19C1903A	0.19	(0.01)	55,527	-
BDMS13C1812A	-	-	-	-	BJC19C1902A	0.14	(0.03)	104,538	-	CK24C1901A	0.02	(0.07)	1,000	-
BDMS13C1903A	0.17	(0.02)	69,903	-	BJC23C1901A	-	-	-	-	CK24C1904A	0.18	-	11,025	-
BDMS16C1812A	-	-	-	-	BJC24C1901A	-	-	-	-	CK28C1812A	-	-	-	-
BDMS16C1912A	-	-	-	-	BJC27C1905A	0.26	(0.04)	64,555	-	CK28C1902A	0.08	-	5	-
BDMS19C1901A	0.15	(0.05)	11,529	-	BJC28C1812A	-	-	-	-	CKP01C1812A	1.08	-	11,388	1.00
BDMS19C1905A	0.71	0.02	5,154											

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM708C1903A	0.29	(0.02)	16,082	-	DTAC23C1906A	0.38	-	42,000	-	GUNK24C1812A	0.01	-	16,670	-
COM711C1909A	0.57	(0.02)	17,967	-	DTAC24C1901A	-	-	-	-	GUNK24C1903A	0.32	0.01	300	-
COM713C1812A	-	-	-	-	DTAC27C1903A	0.27	(0.01)	22,800	-	GUNK27C1905A	0.38	-	20,370	-
COM713C1903A	0.16	(0.02)	44,710	-	DTAC27P1903A	0.28	(0.01)	13,200	-	GUNK28C1903A	0.29	(0.01)	22,820	-
COM713C1904A	0.43	(0.04)	57,401	-	DTAC28C1812A	-	-	-	-	HANA01C1905A	0.33	(0.03)	62,743	-
COM719C1904A	0.45	(0.04)	10,684	-	DTAC28C1902A	0.20	(0.01)	32,307	-	HANA01C1905B	0.29	(0.03)	17,281	-
COM723C1901A	0.11	(0.02)	16,000	-	DTAC42C1903A	-	-	-	-	HANA08C1903A	0.15	(0.03)	17,967	-
COM724C1904A	-	-	-	-	EA07C1903A	0.70	(0.04)	2,315	-	HANA11C1904A	0.12	(0.01)	4,808	-
COM727C1902A	0.33	(0.04)	7,200	-	EA08C1903A	0.61	(0.04)	23,173	-	HANA13C1901A	0.09	(0.03)	36,544	-
COM728C1903A	0.29	(0.03)	12,768	-	EA08C1903B	0.25	(0.04)	17,450	-	HANA13C1905A	0.26	(0.74)	12,468	-
CPAL01C1901A	0.13	(0.02)	155,266	-	EA11C1902A	0.11	(0.02)	7,664	-	HANA19C1902A	0.09	(0.03)	3,895	-
CPAL01C1901B	0.02	-	1,428	-	EA13C1812A	0.03	(0.04)	1,246	-	HANA24C1903A	0.07	(0.04)	1,100	-
CPAL01C1904A	0.70	(0.05)	133,603	-	EA13C1812B	-	-	-	-	HANA28C1812A	-	-	-	-
CPAL01C1904B	0.47	(0.03)	266,481	-	EA13C1901A	0.19	(0.04)	121,182	-	HANA28C1902A	0.08	(0.02)	8,056	-
CPAL01P1901A	1.25	0.04	98,640	1.00	EA13C1903A	0.25	(0.03)	72,627	-	HANA28C1904A	0.25	(0.03)	28,460	-
CPAL01P1901B	0.42	0.04	138,376	-	EA19C1902A	0.45	(0.04)	65,467	-	HMPR01C1902A	0.34	(0.06)	51,199	-
CPAL01P1904A	0.58	0.03	80,406	-	EA23C1901A	0.45	(0.05)	10,000	-	HMPR01C1902B	0.23	(0.05)	50,597	-
CPAL01P1904B	0.32	0.02	40,816	-	EA24C1901A	-	-	-	-	HMPR01P1902A	0.29	0.04	34,423	-
CPAL07C1902A	0.24	(0.01)	6,101	-	EA27C1902A	0.76	(0.04)	20,700	-	HMPR11C1906A	0.18	(0.03)	15,234	-
CPAL08C1902A	0.08	-	1	-	EA28C1901A	-	-	-	-	HMPR13C1812A	0.05	(0.04)	20	-
CPAL08C1902B	0.28	(0.03)	65,699	-	EA28C1902A	0.15	(0.03)	11,164	-	HMPR13C1905A	0.24	(0.03)	28,743	-
CPAL08P1904A	0.34	0.01	24,178	-	EGCO01C1903A	0.59	(0.04)	32,879	-	HMPR19C1901A	0.27	(0.08)	38,037	-
CPAL11C1903A	0.02	(0.01)	41	-	EGCO01C1903B	0.38	(0.05)	89,872	-	HMPR23C1901A	-	-	-	-
CPAL11C1909A	0.46	(0.02)	28,713	-	EGCO19C1901A	0.25	(0.04)	29,358	-	HMPR24C1901A	-	-	-	-
CPAL11P1903A	0.52	0.03	6,529	-	EGCO24C1901A	-	-	-	-	HMPR27C1905A	0.28	(0.05)	12,800	-
CPAL13C1812A	-	-	-	-	EPG01C1903A	0.22	(0.02)	2,384	-	HMPR27P1905A	0.30	0.03	13,200	-
CPAL13C1901A	0.17	(0.05)	292,334	-	EPG01C1903B	0.12	(0.01)	11,329	-	HMPR28C1903A	0.13	(0.05)	56,760	-
CPAL13C1903A	0.62	(0.05)	480,396	-	EPG01P1903A	1.08	0.04	12,130	1.00	INTU01C1903A	0.18	(0.02)	34,392	-
CPAL13P1902A	0.18	0.02	146,028	-	EPG07C1906A	-	-	-	-	INTU01C1903B	0.07	-	100	-
CPAL16C1912A	0.90	(0.02)	13,320	-	EPG08C1903A	-	-	-	-	INTU01P1903A	0.92	0.02	29,742	-
CPAL19C1902A	0.26	(0.04)	41,800	-	EPG11C1903A	0.25	(0.01)	24,438	-	INTU01P1903B	0.68	0.03	46,132	-
CPAL19P1903A	0.22	0.01	13,600	-	EPG13C1902A	0.04	-	50	-	INTU11C1905A	-	-	-	-
CPAL23C1906A	0.55	(0.03)	176,500	-	EPG13C1903A	0.15	(0.02)	33,349	-	INTU11P1905A	0.38	0.02	11,330	-
CPAL24C1901A	0.03	(0.01)	15	-	EPG19C1902A	-	-	-	-	INTU13C1812A	-	-	-	-
CPAL24C1903A	0.22	(0.02)	20	-	EPG19C1904A	0.27	(0.03)	32,151	-	INTU13C1904A	0.21	(0.02)	61,649	-
CPAL24C1904A	0.59	0.02	1,600	-	EPG24C1902A	-	-	-	-	INTU19C1901A	-	-	-	-
CPAL24P1901A	0.05	(0.01)	1,255	-	EPG28C1902A	-	-	-	-	INTU24C1901A	-	-	-	-
CPAL27C1903A	0.30	(0.02)	14,400	-	EPG28C1904A	0.24	(0.02)	55,650	-	INTU24C1909A	0.20	(0.06)	1,000	-
CPAL27P1905A	0.41	-	23,600	-	ERW13C1902A	-	-	-	-	INTU28C1901A	-	-	-	-
CPAL28C1901A	0.12	(0.03)	6,370	-	ERW19C1902A	0.14	(0.03)	22,218	-	INTU28C1904A	0.12	(0.01)	12,176	-
CPAL28C1904A	0.39	(0.05)	82,581	-	ERW24C1904A	0.18	(0.01)	70	-	INTU42C1904A	-	-	-	-
CPAL41C1901A	0.35	(0.02)	13,320	-	ESSO01C1812A	0.06	-	14,566	-	INTU42P1904A	0.38	0.01	8,934	-
CPAL42C1904A	0.37	(0.03)	20,247	-	ESSO01C1812B	0.01	-	3,350	-	IRPC01C1903A	0.14	(0.01)	39,942	-
CPAL42P1904A	0.20	0.01	14,168	-	ESSO01C1906A	0.37	(0.01)	7,193	-	IRPC01C1903B	0.06	(0.01)	439	-
CPF01C1902A	0.17	-	40,547	-	ESSO01C1906B	0.31	(0.02)	12,696	-	IRPC01C1906A	0.34	(0.02)	72,363	-
CPF01C1902B	0.07	(0.01)	29,754	-	ESSO01P1812A	0.84	0.03	1,776	-	IRPC01C1906B	0.30	(0.03)	99,219	-
CPF01P1902A	0.36	(0.01)	5	-	ESSO01P1906A	0.65	0.01	10,995	-	IRPC01P1903A	0.63	0.03	38,532	-
CPF01P1902B	-	-	-	-	ESSO08C1902A	0.07	(0.01)	306	-	IRPC01P1903B	0.47	0.03	47,285	-
CPF06C1903A	-	-	-	-	ESSO11C1905A	0.28	-	8,805	-	IRPC06C1903A	0.12	(0.02)	16,000	-
CPF08C1901A	-	-	-	-	ESSO13C1903A	0.09	-	2,967	-	IRPC07C1812A	-	-	-	-
CPF08C1904A	0.15	-	3,310	-	ESSO13C1905A	0.26	(0.74)	9,777	-	IRPC08C1902A	0.08	(0.02)	1,680	-
CPF11C1902A	-	-	-	-	ESSO19C1901A	0.03	-	7,710	-	IRPC11C1902A	0.01	(0.01)	380	-
CPF11P1902A	-	-	-	-	ESSO24C1812A	-	-	-	-	IRPC11C1905A	0.14	(0.02)	12,360	-
CPF13C1902A	-	-	-	-	ESSO24C1902A	-	-	-	-	IRPC13C1812A	0.01	(0.02)	21,140	-
CPF13C1903A	-	-	-	-	ESSO28C1903A	-	-	-	-	IRPC13C1903A	0.18	(0.02)	103,406	-
CPF13C1905A	-	-	-	-	ESSO28C1904A	0.19	-	4,000	-	IRPC19C1901A	0.08	(0.01)	10,280	-
CPF19C1901A	0.07	(0.02)	6,700	-	GFPT08C1906A	0.40	(0.01)	5,524	-	IRPC19C1905A	0.26	(0.02)	38,285	-
CPF19C1904A	-	-	-	-	GFPT13C1902A	0.11	(0.03)	25,679	-	IRPC24C1812A	-	-	-	-
CPF24C1901A	-	-	-	-	GFPT19C1903A	0.22	(0.03)	10,400	-	IRPC24C1904A	0.17	(0.02)	100	-
CPF24C1902A	-	-	-	-	GFPT24C1812A	-	-	-	-	IRPC27C1903A	0.09	(0.02)	2,400	-
CPF24C1903A	-	-	-	-	GGC07C1902A	-	-	-	-	IRPC27P1905A	0.35	0.01	13,400	-
CPF24C1904A	0.46	(0.03)	1,500	-	GGC08C1906A	-	-	-	-	IRPC28C1812A	-	-	-	-
CPF27C1903A	-	-	-	-	GGC13C1902A	-	-	-	-	IRPC28C1902A	-	-	-	-
CPF28C1902A	-	-	-	-	GGC13C1905A	0.25	(0.75)	8,052	-	IRPC28C1904A	0.15	(0.04)	36,828	-
CPF28C1903A	-	-	-	-	GGC19C1902A	0.16	(0.02)	1,200	-	ITD06C1904A	0.11	0.01	9,800	-
CPN01C1902A	0.30	(0.04)	43,353	-	GGC23C1901A	-	-	-	-	ITD08C1902A	-	-	-	-
CPN01C1902B	0.11	(0.03)	19,084	-	GGC24C1812A	-	-	-	-	ITD11C1903A	-	-	-	-
CPN01P1902A	0.95	0.04	20,150	-	GGC24C1901A	-	-	-	-	ITD13C1812A	-	-	-	-
CPN07C1902A	0.19	(0.05)	10,760	-	GGC28C1905A	0.20	(0.01)	2,028	-	ITD13C1902A	0.08	-	1,000	-
CPN08C1903A	0.24	(0.02)	8,206	-	GLOB01C1903A	0.64	(0.05)	63,681	-	ITD19C1903A	0.17	(0.01)	6,577	-
CPN11C1903A	0.08	(0.01)	140	-	GLOB01C1903B	0.50	(0.02)	68,169	-	ITD24C1902A	-	-	-	-
CPN11P1903A	0.16	0.02	14,514	-	GLOB11C1906A	0.39	(0.03)	9,551	-	IVL01C1812A	0.13	0.01	187,236	-
CPN13C1812A	-	-	-	-	GLOB13C1901A	0.33	(0.04)	50,146	-	IVL01C1812B	0.01	-	118,000	-
CPN13C1903A	0.29	(0.04)	40,260	-	GLOB19C1901A	0.55	(0.01)	11,704	-	IVL01C1903A	0.35	-	178,712	-
CPN19C1901A	0.13	(0.04)	26,518	-	GLOB23C1906A	0.58	-	45,600	-	IVL01C1903B	0.21	-	124,721	-
CPN24C1901A	-	-	-	-	GLOB24C1903A	0.25	-	1,310	-	IVL01C1905A	0.55	0.02	170,674	-
CPN24C1904A	0.33	(0.05)	9,370	-	GLOB24C1906A	0.50	(0.02)	611	-	IVL01C1905B	0.50	0.01	153,285	-
CPN27C1903A	0.17	(0.02)	7,200	-	GL0W19C1901A	0.13	0.01	30,862	-	IVL01P1812A	0.64	-	70,935	-
CPN28C1902A	0.10	(0.04)	16,368	-	GL0W27C1812A	0.06	-	300	-	IVL01P1812B	0.13	(0.02)	158,921	-
CPN28C1904A	0.25	(0.04)	39,404	-	GPSC01C1902A	0.13	(0.02)	5,868	-	IVL01P1903A	0.97	(0.01)	50,133	-
DELTO6C1903A	0.77	0.02	1,425	-	GPSC01C1902B	0.04	(0.01)	850	-	IVL01P1903B	0.68	(0.03)	36,934	-
DELTO6C1901A	-	-	-	-	GPSC01C1905A	0.59	(0.02)	12,551	-	IVL01P1905A	0.68	(0.03)	71,208	-
DELTO6C1901B	-	-	-	-	GPSC01C1905B	0.49	(0.03)	59,526	-	IVL06C1901A	0.06	0.01	4,500	-
DTAC01C1902A	0.75	0.01	70,604	-	GPSC01P1902A	1.75	0.05	13,978	1.00	IVL07C1906A	0.52	-	12,421	-
DTAC01C1902B	0.49	-	89,159	-	GPSC08C1902A	-	-	-	-	IVL08C1901A	0.16	0.01	26,562	-
DTAC01C1905A	0.54	-	86,308	-	GPSC11C1902A	0.02	0.01	500	-	IVL08C1905A	0.44	(0.01)	24,316	-
DTAC01C1905B	0.44	(0.01)	96,564	-	GPSC11C1909A	0.45	(0.03)	12,020	-	IVL08P1903A	0.44</			

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL28P1904A	0.34	-	54,164	-	LPN13C1904A	0.17	(0.03)	25,109	-	PTG13C1904A	0.54	(0.12)	740,386	-
IVL42C1903A	0.17	-	12,160	-	LPN19C1904A	0.09	(0.02)	2,202	-	PTG19C1902A	0.01	-	7	-
KBAN01C1901A	0.62	(0.05)	57,118	-	LPN24C1812A	-	-	-	-	PTG19C1902B	0.05	(0.01)	15,376	-
KBAN01C1901B	0.05	(0.01)	52,247	-	LPN24C1908A	0.11	(0.02)	135	-	PTG19C1905A	0.83	(0.06)	49,492	-
KBAN01C1904A	0.25	(0.01)	13,305	-	MAJO11C1902A	-	-	-	-	PTG19P1903A	0.31	0.04	41,342	-
KBAN01C1904B	0.12	(0.01)	38,630	-	MAJO13C1903A	-	-	-	-	PTG24C1901A	0.01	-	510	-
KBAN01P1901A	0.97	0.03	46,727	-	MAJO19C1902A	-	-	-	-	PTG24C1902A	-	-	-	-
KBAN01P1901B	0.12	0.01	43,186	-	MAJO19C1904A	0.33	(0.01)	9,514	-	PTG24C1904A	-	-	-	-
KBAN01P1904A	0.86	0.02	45,260	-	MAJO24C1902A	-	-	-	-	PTG24C1905A	0.83	(0.10)	137	-
KBAN01P1904B	0.61	0.02	71,832	-	MALE01C1812A	0.01	-	3,700	-	PTG27C1902A	-	-	-	-
KBAN08C1903A	0.06	(0.01)	1,200	-	MALE27C1812A	-	-	-	-	PTG28C1812A	-	-	-	-
KBAN13C1901A	0.05	-	5,755	-	MC24C1812A	-	-	-	-	PTG28C1901A	0.01	-	300	-
KBAN13C1904A	0.16	(0.02)	24,769	-	MEGA01C1904A	0.29	(0.04)	53,955	-	PTG28C1904A	0.53	(0.12)	45,452	-
KBAN13C1904B	0.48	(0.04)	104,570	-	MEGA01C1904B	0.21	(0.04)	95,870	-	PTT01C1901A	0.49	(0.02)	179,803	-
KBAN19C1901A	0.04	(0.01)	2,930	-	MEGA08C1903A	-	-	-	-	PTT01C1901B	0.22	(0.03)	437,529	-
KBAN19P1904A	0.72	0.02	73,105	-	MEGA11C1902A	-	-	-	-	PTT01C1904A	0.33	-	69,272	-
KBAN23C1902A	0.09	(0.01)	9,000	-	MEGA13C1902A	0.10	(0.03)	56,542	-	PTT01C1904B	0.20	(0.01)	68,420	-
KBAN24C1902A	-	-	-	-	MEGA19C1902A	-	-	-	-	PTT01P1901A	0.36	0.01	108,977	-
KBAN24C1903A	-	-	-	-	MEGA23C1902A	-	-	-	-	PTT01P1901B	0.11	0.01	58,678	-
KBAN24C1908A	0.56	(0.03)	6,100	-	MEGA24C1812A	-	-	-	-	PTT01P1904A	0.79	-	87,700	-
KBAN24P1907A	0.52	(0.02)	2	-	MEGA24C1903A	-	-	-	-	PTT01P1904B	0.59	0.01	104,133	-
KBAN27C1903A	0.13	(0.02)	6,000	-	MINT01C1901A	0.24	(0.02)	226,182	-	PTT06C1901A	0.15	(0.01)	9,400	-
KBAN27P1904A	0.73	0.02	10,800	-	MINT01C1901B	0.04	-	24,897	-	PTT06P1901A	0.22	-	39,910	-
KBAN28C1812A	-	-	-	-	MINT01P1901A	0.21	0.01	118,622	-	PTT07C1906A	0.40	(0.01)	6,927	-
KBAN28C1904A	0.10	(0.01)	28,746	-	MINT06C1901A	-	-	-	-	PTT08C1902A	0.12	(0.01)	62,433	-
KBAN28C1905A	0.41	(0.04)	45,640	-	MINT06C1903A	-	-	-	-	PTT08P1904A	0.51	0.01	28,250	-
KBAN28P1904A	0.50	0.02	98,206	-	MINT07C1902A	0.26	(0.03)	5,868	-	PTT11C1902A	0.04	(0.01)	160	-
KCE01C1903A	0.06	(0.01)	42,147	-	MINT08C1903A	0.10	(0.01)	43,090	-	PTT11C1909A	-	-	-	-
KCE01C1903B	0.03	-	230	-	MINT11C1902A	-	-	-	-	PTT13C1812A	-	-	-	-
KCE01C1906A	0.41	(0.04)	77,531	-	MINT11P1902A	0.08	0.01	1,931	-	PTT13C1903A	0.25	(0.02)	268,402	-
KCE01C1906B	0.35	(0.04)	66,049	-	MINT13C1812A	-	-	-	-	PTT13P1812A	-	-	-	-
KCE06C1903A	0.01	(0.01)	1,441	-	MINT13C1903A	0.04	(0.01)	450	-	PTT13P1901A	0.32	(0.01)	176,373	-
KCE07C1902A	-	-	-	-	MINT13C1904A	0.19	(0.03)	60,196	-	PTT16C1912A	0.66	(0.01)	7,457	-
KCE08C1902A	0.01	-	20,001	-	MINT19C1901A	0.12	(0.03)	132,273	-	PTT19C1901A	0.16	(0.02)	92,397	-
KCE08C1905A	0.35	(0.05)	18,701	-	MINT24C1812A	-	-	-	-	PTT19P1903A	0.30	0.01	34,673	-
KCE11C1904A	-	-	-	-	MINT24C1901A	-	-	-	-	PTT23C1901A	0.01	-	500	-
KCE13C1812A	-	-	-	-	MINT24C1902A	-	-	-	-	PTT23C1906A	0.34	(0.02)	367,446	-
KCE13C1903A	-	-	-	-	MINT27C1903A	-	-	-	-	PTT24C1812A	-	-	-	-
KCE13C1904A	0.07	(0.03)	105,787	-	MINT27P1905A	0.44	0.02	32,800	-	PTT24C1904A	0.18	(0.02)	1,000	-
KCE19C1901A	0.01	(0.01)	12,438	-	MINT28C1903A	0.05	(0.01)	200	-	PTT24P1901A	-	-	-	-
KCE23C1901A	-	-	-	-	MINT28C1904A	0.16	(0.01)	157,520	-	PTT24P1904A	0.21	(0.02)	300	-
KCE24C1901A	-	-	-	-	MINT42C1904A	-	-	-	-	PTT27C1903A	0.19	(0.02)	3,600	-
KCE24C1904A	0.08	(0.01)	3,000	-	MINT42P1904A	0.39	0.02	19,190	-	PTT27P1903A	0.35	(0.01)	6,000	-
KCE27C1902A	-	-	-	-	MONO08C1906A	0.02	0.01	700	-	PTT28C1812A	-	-	-	-
KCE28C1902A	-	-	-	-	MONO13C1901A	-	-	-	-	PTT28C1901A	0.01	(0.01)	50	-
KCE28C1904A	0.06	(0.02)	1,715	-	MONO23C1901A	-	-	-	-	PTT28C1904A	0.29	(0.01)	33,024	-
KCE28C1905A	0.28	(0.04)	69,587	-	MONO24C1812A	-	-	-	-	PTT28P1812A	-	-	-	-
KKP01C1902A	0.32	(0.03)	25,536	-	MONO24C1812B	-	-	-	-	PTT28P1903A	0.34	-	74,218	-
KKP01C1902B	0.12	-	50	-	MONO28C1901A	-	-	-	-	PTTE01C1901A	0.39	(0.07)	269,662	-
KKP08C1904A	0.30	(0.01)	11,898	-	MTC06C1901A	0.99	(0.03)	8,081	1.00	PTTE01C1901B	0.07	(0.01)	139,603	-
KKP11C1903A	0.10	-	14	-	MTC08C1902A	0.62	(0.05)	12,474	-	PTTE01C1904A	0.34	(0.05)	388,091	-
KKP13C1903A	0.31	(0.01)	29,586	-	MTC08C1904A	0.21	(0.02)	32,150	-	PTTE01C1904B	0.20	(0.03)	97,122	-
KKP19C1901A	0.16	(0.02)	10,000	-	MTC11C1904A	0.55	(0.04)	13,011	-	PTTE01P1901A	1.03	0.10	109,614	1.00
KKP24C1812A	-	-	-	-	MTC13C1901A	0.46	(0.13)	2,001	-	PTTE01P1901B	0.26	0.03	305,804	-
KKP24C1906A	-	-	-	-	MTC13C1903A	0.31	(0.03)	128,291	-	PTTE01P1904A	1.53	0.10	106,972	1.00
KKP28C1902A	-	-	-	-	MTC19C1901A	0.63	(0.02)	22,124	-	PTTE01P1904B	1.18	0.09	138,057	1.00
KTB01C1903A	0.39	-	26,271	-	MTC19C1903A	0.33	(0.04)	22,527	-	PTTE06C1903A	0.30	(0.06)	45,424	-
KTB01C1903B	0.29	(0.01)	25,414	-	MTC23C1906A	0.32	(0.01)	30,026	-	PTTE07C1904A	-	-	-	-
KTB01P1903A	0.39	(0.01)	76,276	-	MTC24C1812A	-	-	-	-	PTTE08C1904A	0.25	(0.05)	38,542	-
KTB01P1903B	0.30	(0.01)	57,488	-	MTC24C1903A	-	-	-	-	PTTE08P1904A	1.20	0.08	33,446	1.00
KTB06C1902A	0.34	-	2,000	-	MTC24C1912A	0.71	(0.03)	2,070	-	PTTE11C1902A	0.22	(0.04)	242,555	-
KTB08C1903A	0.25	-	8,932	-	MTC27C1904A	0.46	(0.04)	7,350	-	PTTE13C1812A	0.07	(0.05)	32,570	-
KTB11C1909A	0.31	-	11,000	-	MTC28C1902A	0.44	(0.01)	12	-	PTTE13C1902A	0.06	(0.01)	104,943	-
KTB13C1901A	-	-	-	-	MTC28C1903A	0.20	(0.03)	14,932	-	PTTE13C1904A	0.42	(0.06)	179,848	-
KTB13C1903A	0.25	0.01	19,582	-	ORI08C1904A	0.07	-	2,020	-	PTTE13P1901A	0.18	0.02	131,388	-
KTB19C1901A	0.29	(0.01)	5,569	-	ORI11C1909A	0.67	-	40,001	-	PTTE13P1902A	0.76	0.06	64,919	-
KTB23C1906A	0.42	-	16,000	-	ORI13C1902A	0.02	(0.01)	9,377	-	PTTE19C1903A	0.23	(0.04)	48,220	-
KTB24C1904A	-	-	-	-	ORI13C1904A	0.16	-	1,300	-	PTTE19P1903A	0.55	0.03	87,049	-
KTB24P1901A	-	-	-	-	ORI13C1904B	0.50	(0.01)	133,372	-	PTTE23C1901A	-	-	-	-
KTB24P1907A	-	-	-	-	ORI19C1901A	0.07	0.01	1,864	-	PTTE23C1906A	0.39	(0.06)	55,209	-
KTB27C1905A	0.32	-	12,000	-	ORI19C1905A	0.60	(0.01)	25,950	-	PTTE24C1901A	-	-	-	-
KTB28C1903A	0.19	(0.01)	28,368	-	ORI24C1903A	-	-	-	-	PTTE24C1904A	0.39	(0.06)	600	-
KTB42C1903A	0.25	-	10,200	-	ORI24C1905A	-	-	-	-	PTTE24P1901A	-	-	-	-
KTB42P1903A	0.13	-	1,020	-	ORI27C1905A	-	-	-	-	PTTE24P1904A	0.62	0.06	1,010	-
KTC01C1901A	0.41	(0.04)	67,080	-	ORI28C1902A	-	-	-	-	PTTE27C1903A	0.14	(0.04)	21,519	-
KTC01C1901B	0.24	(0.04)	45,018	-	ORI28C1904A	0.62	-	30,558	-	PTTE27P1904A	0.93	0.06	6,200	-
KTC08C1903A	0.36	(0.04)	25,436	-	ORI28C1904B	0.41	-	59,790	-	PTTE28C1902A	0.16	(0.06)	74,357	-
KTC11C1902A	0.98	(0.14)	39,598	-	PRM08C1902A	0.05	(0.02)	9,064	-	PTTE28P1903A	0.75	0.05	45,656	-
KTC13C1812A	-	-	-	-	PRM13C1901A	0.03	-	50	-	PTTE42C1903A	0.24	(0.04)	20,400	-
KTC13C1812B	0.07	(0.03)	933	-	PRM13C1904A	0.13	(0.02)	8,616	-	PTTG01C1901A	0.77	(0.05)	112,850	-
KTC13C1903A	0.24	(0.04)	304,692	-	PRM19C1902A	-	-	-	-	PTTG01C1901B	0.26	(0.04)	169,486	-
KTC19C1901A	0.57	(0.07)	46,437	-	PRM19C1906A	0.28	(0.03)	2,400	-	PTTG01C1904A	0.63	(0.03)	87,292	-
KTC19C1903A	0.25	(0.02)	73,533	-	PSH08C1904A	0.14	(0.02)	12,986	-	PTTG01C1904B	0.38	(0.03)	134,121	-
KTC19P1903A	0.34	-	127,430	-	PSH11C1902A	-	-	-	-	PTTG01P1901A	0.54	0.03	103,459	-
KTC27C1903A	0.37	(0.05)	23,800	-	PSH13C1903A	-	-	-	-	PTTG01P1901B	0.18	0.01	52,974	-
KTC27P1903A	0.20	0.01	16,430	-	PSH19C1903A	0.14	(0.03)	7,654	-	PTTG01P1904A	1.20	0.03	74,729	1.00
KTC27P1905A	0.43	-	18,160	-	PSL01C1812A	0.11	(0.05)	34,938	-	PTTG01P1904B	0.97	0.04	87,431	-
KTC28C1901A	0.12	(0.03)												

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG24P1901A	-	-	-	-	SAWA01P1901A	0.19	0.03	139,255	-	SPRC06C1902A	0.02	0.01	1,000	-
PTTG24P1905A	0.56	(0.04)	20	-	SAWA06C1903A	1.23	(0.11)	8,229	1.00	SPRC07C1903A	-	-	-	-
PTTG27C1903A	0.13	(0.02)	2,490	-	SAWA07C1812A	-	-	-	-	SPRC08C1903A	-	-	-	-
PTTG27P1903A	0.16	-	7,200	-	SAWA08C1902A	0.86	(0.10)	11,973	-	SPRC11C1902A	-	-	-	-
PTTG28C1812A	-	-	-	-	SAWA08C1903A	0.43	(0.06)	10,431	-	SPRC11C1909A	0.17	(0.01)	1,702	-
PTTG28C1904A	0.45	(0.04)	98,909	-	SAWA11C1906A	0.57	(0.06)	11,640	-	SPRC13C1812A	-	-	-	-
PTTG42C1904A	0.32	(0.03)	8,096	-	SAWA13C1812A	-	-	-	-	SPRC13C1905A	0.17	(0.01)	145,347	-
PTTG42P1904A	0.62	0.02	9,792	-	SAWA13C1901A	-	-	-	-	SPRC19C1901A	-	-	-	-
QH01C1903A	0.09	(0.01)	1,000	-	SAWA13C1903A	0.29	(0.06)	66,501	-	SPRC19C1905A	0.20	(0.01)	9,299	-
QH01C1903B	-	-	-	-	SAWA13C1904A	-	-	-	-	SPRC24C1903A	0.03	(0.01)	100	-
QH01P1903A	0.93	0.02	2,043	-	SAWA19C1901A	0.87	(0.13)	26,606	-	STA01C1812A	0.84	(0.03)	29,268	-
QH11C1902A	-	-	-	-	SAWA19C1903A	0.42	(0.08)	34,993	-	STA01C1812B	0.57	(0.04)	30,692	-
QH13C1903A	-	-	-	-	SAWA24C1812A	-	-	-	-	STA01C1904A	0.46	(0.04)	47,656	-
QH13C1904A	0.15	(0.01)	8,226	-	SAWA24C1902A	-	-	-	-	STA01C1904B	0.38	(0.04)	37,008	-
QH19C1901A	-	-	-	-	SAWA24C1910A	0.87	(0.06)	23	-	STA08C1904A	0.25	(0.03)	21,216	-
QH19C1904A	0.20	(0.01)	4,240	-	SAWA27C1903A	0.63	(0.03)	12,000	-	STA11C1909A	0.42	(0.03)	46,522	-
QH24C1812A	0.01	-	1	-	SAWA28C1812A	-	-	-	-	STA13C1812A	-	-	-	-
QH24C1904A	0.16	(0.02)	1	-	SAWA28C1902A	0.30	(0.07)	28,466	-	STA13C1901A	0.58	(0.05)	144,908	-
QH27C1903A	-	-	-	-	SCB01C1902A	0.84	(0.01)	45,484	-	STA13C1902A	0.26	(0.04)	814,290	-
QH27P1905A	0.39	0.01	3,000	-	SCB01C1902B	0.51	0.01	110,374	-	STA19C1903A	0.88	(0.05)	22,052	-
RATC19C1901A	0.10	-	27,408	-	SCB01C1904A	0.40	0.01	54,204	-	STA19C1903B	0.26	(0.03)	33,748	-
RATC24C1902A	-	-	-	-	SCB01C1904B	0.26	0.01	38,896	-	STA24C1902A	0.25	(0.04)	38,855	-
RATC27C1812A	-	-	-	-	SCB01P1902A	0.31	-	30,221	-	STA27C1904A	0.36	(0.04)	34,800	-
ROBI01C1903A	0.70	(0.08)	37,533	-	SCB01P1902B	0.05	-	1,150	-	STA28C1902A	0.33	(0.04)	31,792	-
ROBI01C1903B	0.44	(0.08)	54,649	-	SCB01P1904A	0.99	(0.02)	25,070	1.00	STA28C1903A	0.16	(0.03)	37,345	-
ROBI08C1903A	0.34	(0.06)	13,579	-	SCB01P1904B	0.79	0.01	82,640	-	STEC01C1902A	0.66	-	45,354	-
ROBI11C1906A	0.40	(0.06)	31,632	-	SCB07C1904A	-	-	-	-	STEC01C1902B	0.46	-	41,944	-
ROBI13C1902A	0.30	(0.07)	75,541	-	SCB08C1901A	0.19	(0.01)	21,192	-	STEC01P1902A	0.43	-	70,106	-
ROBI19C1901A	0.46	(0.10)	63,100	-	SCB11C1901A	0.06	-	502	-	STEC06C1903A	0.47	(0.01)	7,200	-
ROBI24C1901A	0.06	(0.04)	11,920	-	SCB11P1901A	0.11	-	9,360	-	STEC07C1904A	0.39	-	1,300	-
ROBI24C1903A	0.42	(0.08)	8,800	-	SCB13C1812A	0.09	(0.01)	12,858	-	STEC08C1903A	0.33	(0.01)	26,534	-
ROBI27C1905A	0.46	(0.06)	12,000	-	SCB13C1902A	0.13	-	36,766	-	STEC11C1903A	0.52	-	27,854	-
RS08C1901A	0.10	(0.01)	13,084	-	SCB13C1905A	0.43	(0.57)	22,380	-	STEC13C1902A	0.41	-	124,016	-
RS13C1901A	0.12	(0.01)	49,903	-	SCB13P1812A	-	-	-	-	STEC13C1903A	0.12	(0.01)	73,844	-
RS13C1905A	0.42	(0.58)	26,918	-	SCB19C1905A	0.51	(0.01)	40,389	-	STEC19C1901A	0.43	(0.01)	54,998	-
RS19C1901A	0.11	(0.01)	33,328	-	SCB24C1901A	-	-	-	-	STEC24C1901A	-	-	-	-
RS24C1904A	0.40	(0.02)	1,470	-	SCB24C1902A	-	-	-	-	STEC27C1902A	0.72	0.02	11,700	-
RS27C1905A	0.43	(0.01)	8,600	-	SCB24P1906A	0.40	-	30	-	STEC28C1902A	0.34	(0.01)	38,008	-
S10001C1911A	0.91	(0.06)	2,584	-	SCB27C1902A	0.21	(0.01)	9,600	-	STEC28C1903A	0.10	-	17,428	-
S5001C1812F	0.25	(0.09)	801,453	-	SCB27P1903A	0.24	(0.01)	8,800	-	SUPE08C1902A	-	-	-	-
S5001C1812G	0.04	(0.03)	150,617	-	SCB28C1812A	-	-	-	-	SUPE13C1902A	0.01	-	1,837	-
S5001C1812H	0.02	(0.02)	19,077	-	SCB28C1902A	0.10	(0.01)	54,984	-	SUPE13C1903A	-	-	-	-
S5001C1812I	0.02	(0.02)	26,891	-	SCB28C1904A	0.33	(0.02)	70,437	-	SUPE19C1902A	0.01	-	504	-
S5001C1901A	0.23	(0.05)	338,139	-	SCB28P1812A	-	-	-	-	SUPE19C1903A	-	-	-	-
S5001C1901B	0.13	(0.05)	223,342	-	SCB28P1901A	0.23	(0.03)	35,430	-	SUPE23C1901A	-	-	-	-
S5001C1902A	0.45	(0.07)	179,476	-	SCB42C1903A	0.21	(0.01)	10,200	-	SUPE28C1902A	-	-	-	-
S5001C1902B	0.30	(0.07)	263,025	-	SCC01C1901A	0.59	-	50,419	-	TASCO1C1903A	0.40	(0.01)	25,954	-
S5001C1903F	0.82	(0.11)	932,348	-	SCC01C1901B	0.32	-	22,347	-	TASCO1C1903B	0.24	(0.02)	13,816	-
S5001P1812F	1.51	0.17	1,665,691	1.00	SCC01P1901A	0.18	-	52,788	-	TASCO1P1903A	0.49	0.03	50,939	-
S5001P1812G	0.85	0.16	1,825,316	-	SCC06C1902A	-	-	-	-	TASCO6C1903A	0.27	(0.04)	9,769	-
S5001P1812H	1.24	0.15	1,852,781	1.00	SCC07C1812A	-	-	-	-	TASC11C1904A	0.07	0.01	1,000	-
S5001P1812I	0.61	0.11	1,260,867	-	SCC08C1902A	0.17	-	3,533	-	TASC13C1901A	0.11	(0.02)	83,342	-
S5001P1901A	1.21	0.12	100,603	1.00	SCC11C1906A	0.15	-	3,230	-	TASC13C1904A	0.35	(0.03)	149,706	-
S5001P1901B	1.07	0.14	175,744	-	SCC13C1812A	-	-	-	-	TASC19C1902A	0.24	(0.02)	28,703	-
S5001P1902A	0.99	0.09	57,231	-	SCC13C1901A	0.19	(0.01)	12,150	-	TASC23C1902A	0.18	(0.05)	17,100	-
S5001P1902B	0.91	0.10	208,841	-	SCC13C1903A	0.14	(0.01)	33,723	-	TASC24C1903A	0.18	(0.03)	1,600	-
S5001P1903F	0.96	0.10	632,127	-	SCC19C1901A	0.17	(0.01)	8,818	-	TASC27C1905A	0.40	(0.06)	11,998	-
S5006C1812A	0.01	(0.01)	23,533	-	SCC24C1812A	-	-	-	-	TASC28C1902A	0.11	(0.03)	20,369	-
S5006C1812B	0.05	(0.03)	42,832	-	SCC24C1901A	-	-	-	-	TASC28C1904A	0.19	(0.02)	16,368	-
S5006C1812C	0.01	(0.01)	184,439	-	SCC24C1902A	-	-	-	-	TCAP01C1901A	0.64	0.02	6,210	-
S5006C1812D	0.21	(0.08)	68,273	-	SCC24C1910A	0.40	(0.01)	150	-	TCAP01C1901B	0.38	-	14,944	-
S5006C1903A	0.79	(0.11)	33,346	-	SCC24P1901A	0.02	(0.01)	1,000	-	TCAP01P1901A	0.13	-	14,840	-
S5006C1903B	0.94	(0.12)	1,168	-	SCC27C1904A	0.28	(0.01)	7,253	-	TCAP11C1909A	0.31	(0.01)	1,640	-
S5006C1903C	1.16	(0.12)	1,122	1.00	SCC27P1904A	0.46	(0.01)	6,000	-	TCAP13C1901A	0.39	0.03	12,924	-
S5006P1812A	0.68	0.12	57,603	-	SCC28C1812A	-	-	-	-	TCAP19C1901A	0.22	(0.02)	2,166	-
S5006P1812B	0.09	0.02	52,238	-	SCC28C1902A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5006P1812C	0.04	0.02	136,491	-	SCC42C1904A	0.16	(0.01)	1,384	-	THAI01C1901A	0.14	(0.03)	8,269	-
S5006P1812D	1.16	0.16	26,560	1.00	SCCC27C1812A	-	-	-	-	THAI01C1901B	0.03	-	3,000	-
S5006P1903A	0.92	0.09	2,133	-	SGP06C1812A	0.01	-	2,000	-	THAI01P1901A	0.64	0.10	29,440	-
S5006P1903B	0.71	0.09	4,686	-	SGP08C1901A	-	-	-	-	THAI08C1903A	0.12	(0.03)	4,469	-
S5006P1903C	0.53	0.08	35,904	-	SGP11C1904A	0.03	(0.01)	2,193	-	THAI11C1906A	0.24	(0.02)	1,504	-
S5008C1812A	0.01	-	1,002	-	SGP13C1812A	-	-	-	-	THAI13C1902A	0.13	(0.03)	15,584	-
S5008C1812B	0.01	(0.01)	5,700	-	SGP13C1904A	-	-	-	-	THAI19C1901A	0.12	-	300	-
S5008C1812C	0.10	(0.05)	115,964	-	SGP13C1905A	0.31	(0.04)	216,063	-	THAI19C1905A	0.39	(0.05)	18,075	-
S5008C1903A	0.63	(0.09)	8,606	-	SGP19C1904A	0.06	(0.02)	500	-	THAI23C1901A	-	-	-	-
S5008P1812A	0.15	0.04	276,369	-	SGP19C1905A	0.38	(0.04)	7,277	-	THAI24C1901A	0.02	(0.03)	4,000	-
S5008P1812B	0.04	0.01	31,832	-	SGP24C1902A	0.11	(0.07)	100	-	THAI27C1905A	0.26	(0.05)	4,521	-
S5008P1903A	0.58	0.06	9,766	-	SGP27C1903A	-	-	-	-	THAI28C1901A	0.07	(0.03)	679	-
S5013C1812A	0.05	(0.05)	2,271,044	-	SGP28C1903A	-	-	-	-	THAI28C1904A	0.17	(0.05)	8,444	-
S5013C1812B	0.02	(0.02)	2,051,712	-	SGP28C1904A	0.22	(0.04)	39,404	-	THAN01C1812A	0.22	(0.09)	7,797	-
S5013C1812C	0.01	-	1,368,827	-	SIRI01C1901A	-	-	-	-	THAN08C1904A	0.18	(0.05)	7,398	-
S5013C1812D	0.07	(0.06)	3,821,299	-	SIRI01C1901B	0.01	-	1,300	-	THAN13C1902A	0.17	(0.08)	34,035	-
S5013C1812E	0.44	(0.18)	3,681,077	-	SIRI01P1901A	1.01	(0.03)	5,520	1.00	THAN19C1903A	0.32	(0.11)	18,501	-
S5013C1903A	0.67	(0.12)	3,045,129	-	SIRI06C1904A	-	-	-	-	THAN24C1903A	-	-	-	-
S5013C1903B	1.07	(0.15)	1,060,097	1.00	SIRI08C1903A	-	-	-	-	THCO08C1906A	-	-	-	-
S5013P1812A	0.30</													

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA01C1901B	0.53	(0.08)	65,060	-	SPRC01C1902B	-	-	-	-	TKN08C1903A	0.03	-	30	-

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN11C1902A	-	-	-	-	TRUE13P1901A	0.13	(0.01)	8,000	-	BH-Q	-	-	-	-
TKN13C1812A	-	-	-	-	TRUE16C1812A	0.10	(0.01)	6,660	-	CSC-Q	-	-	-	-
TKN13C1903A	0.02	-	1,006	-	TRUE16C1912A	0.48	(0.02)	1,940	-	JUTHA-Q	-	-	-	-
TKN13C1904A	0.07	(0.01)	10,826	-	TRUE19C1901A	-	-	-	-	KTB-Q	-	-	-	-
TKN13C1904B	0.55	-	68,576	-	TRUE19C1903A	0.32	(0.02)	9,050	-	SCB-Q	-	-	-	-
TKN13C1905A	0.19	-	49,166	-	TRUE19P1903A	0.22	-	822	-	TCAP-Q	-	-	-	-
TKN19C1903A	0.03	-	1,500	-	TRUE23C1902A	-	-	-	-	TIC-Q	-	-	-	-
TKN19C1905A	0.29	(0.01)	34,969	-	TRUE27C1904A	-	-	-	-	TISCO-Q	-	-	-	-
TKN23C1902A	0.01	(0.01)	1	-	TRUE27P1904A	0.41	-	3,600	-	U-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TRUE28C1812A	-	-	-	-	Warrant	-	-	-	-
TKN24C1903A	-	-	-	-	TRUE28C1903A	0.13	(0.01)	24,660	-	7UP-W2	0.02	-	2,033	-
TKN24C1904A	-	-	-	-	TTA08C1906A	-	-	-	-	ACC-W1	0.02	-	37	-
TKN28C1812A	-	-	-	-	TTA13C1901A	-	-	-	-	AJA-W1	0.16	-	1,538	-
TKN28C1903A	-	-	-	-	TTA23C1901A	-	-	-	-	ALT-W1	0.69	(0.02)	699	-
TKN28C1904A	-	-	-	-	TTA24C1902A	-	-	-	-	APEX-W1	0.04	-	1,346	-
TMB01C1903A	0.23	(0.01)	105,562	-	TTA28C1812A	-	-	-	-	APURE-W2	0.19	(0.01)	5,030	-
TMB01C1903B	0.16	(0.03)	12,006	-	TU01C1901A	0.55	-	28,534	-	AS-W1	0.11	(0.01)	468	-
TMB01P1903A	0.39	0.02	70,127	-	TU01C1901B	0.43	(0.02)	28,198	-	AYUD-W1	4.72	(0.18)	8,595	4.00
TMB06C1902A	-	-	-	-	TU01P1901A	0.09	0.01	30,590	-	B-W3	-	-	-	-
TMB06C1903A	0.19	(0.04)	4,583	-	TU06C1902A	0.18	(0.03)	12,765	-	B-W4	0.14	(0.01)	11,909	-
TMB07C1903A	-	-	-	-	TU07C1902A	-	-	-	-	BTS-W4	0.36	0.36	3,330,511	-
TMB08C1901A	-	-	-	-	TU11C1902A	-	-	-	-	BWG-W4	0.02	(0.01)	150,582	-
TMB08C1903A	0.12	(0.01)	34,130	-	TU11C1906A	0.14	(0.02)	7,153	-	CEN-W4	-	-	-	-
TMB11C1904A	-	-	-	-	TU13C1902A	0.15	-	39,465	-	CGD-W4	0.26	-	17,292	-
TMB13C1901A	0.09	(0.01)	9,322	-	TU19C1901A	0.13	(0.01)	38,698	-	CGH-W3	0.05	-	798	-
TMB13C1904A	0.19	(0.03)	67,350	-	TU23C1902A	0.14	(0.03)	12,000	-	CI-W1	0.22	(0.01)	776	-
TMB19C1901A	-	-	-	-	TU24C1901A	-	-	-	-	CKP-W1	0.63	0.02	372,809	-
TMB23C1906A	0.24	(0.01)	52,002	-	TU24C1904A	-	-	-	-	CRANE-W1	0.95	0.02	18	-
TMB24C1901A	-	-	-	-	TV001C1903A	0.22	-	10	-	CWT-W4	0.10	(0.02)	15,308	-
TMB24C1902A	-	-	-	-	TV001C1903B	-	-	-	-	DCC-W1	0.84	0.01	170,130	-
TMB27C1903A	0.22	(0.02)	15,603	-	TVO11C1903A	-	-	-	-	DCON-W1	-	-	-	-
TMB28C1901A	0.09	(0.02)	28,000	-	TV013C1902A	-	-	-	-	DIGI-W1	0.02	-	61	-
TMB28C1904A	-	-	-	-	TVO13C1904A	0.17	-	250	-	DIGI-W2	0.02	0.01	1	-
TOA01C1901A	0.16	(0.03)	1,060	-	TVO19C1902A	-	-	-	-	EARTH-W4	-	-	-	-
TOA01C1901B	-	-	-	-	TV024C1903A	-	-	-	-	EIC-W2	-	-	-	-
TOA08C1902A	0.05	-	28	-	UNIQ08C1906A	0.10	-	7,401	-	EIC-W3	-	-	-	-
TOA13C1812A	-	-	-	-	UNIQ13C1901A	-	-	-	-	EMC-W6	0.12	-	85,036	-
TOA19C1901A	0.06	(0.02)	600	-	UNIQ23C1901A	-	-	-	-	EVER-W3	0.03	-	14,013	-
TOA24C1812A	-	-	-	-	UV01C1902A	0.24	(0.02)	5,756	-	GJS-W3	0.01	-	500	-
TOA24C1904A	0.21	(0.04)	4,195	-	UV01C1902B	0.13	(0.02)	3,519	-	GSTEL-W1	-	-	-	-
TOA28C1812A	-	-	-	-	UV06C1812A	-	-	-	-	GSTEL-W2	-	-	-	-
TOA28C1904A	0.20	(0.04)	26,312	-	UV08C1902A	0.11	(0.01)	3,719	-	IEC-W2	-	-	-	-
TOP01C1901A	0.74	(0.06)	32,167	-	UV13C1812A	-	-	-	-	IHL-W1	4.92	0.26	1	4.00
TOP01C1901B	0.27	(0.04)	80,888	-	UV13C1904A	0.20	(0.03)	19,707	-	ITD-W1	0.08	(0.01)	13,522	-
TOP01C1904A	0.25	(0.02)	25,295	-	UV19C1902A	0.12	(0.01)	8,623	-	JAS-W3	2.14	(0.06)	4,128	2.00
TOP01C1904B	0.13	(0.02)	175	-	UV24C1812A	-	-	-	-	JCK-W5	0.49	-	100	-
TOP01P1901A	0.53	0.02	59,315	-	UV24C1903A	0.30	(0.02)	5	-	JMART-W2	0.57	-	14,447	-
TOP01P1904A	1.83	0.04	30,516	1.00	VG101C1812A	0.68	0.02	12,698	-	JMT-W2	2.10	-	2,114	2.00
TOP06C1903A	0.36	(0.04)	14,085	-	VGI06C1904A	-	-	-	-	MACO-W2	0.21	-	17,578	-
TOP06C1903B	0.06	(0.03)	3,500	-	VGI06C1904B	-	-	-	-	MIDA-W2	-	-	-	-
TOP07C1812A	-	-	-	-	VGI06C1904C	-	-	-	-	MIL-W3	0.02	-	96,300	-
TOP08C1902A	0.08	(0.01)	4	-	VGI23C1905A	1.42	0.02	18,850	1.00	MILL-W4	0.16	(0.03)	56,475	-
TOP11C1905A	0.38	(0.02)	15,850	-	VGI23C1911A	1.39	0.02	15,000	1.00	MILL-W5	0.14	(0.01)	10,140	-
TOP13C1901A	0.07	(0.01)	12,904	-	VGI27C1812A	0.16	0.01	10,410	-	ML-W2	0.02	-	597	-
TOP13C1902A	0.05	(0.02)	3,470	-	WHA01C1812A	0.55	(0.04)	120,910	-	MONO-W1	0.44	0.02	510,871	-
TOP13C1904A	0.39	(0.04)	43,251	-	WHA01C1812B	0.22	(0.04)	132,490	-	NEP-W3	0.07	(0.01)	402	-
TOP19C1901A	0.03	(0.01)	2,305	-	WHA01C1906A	0.61	(0.04)	38,473	-	NOK-W1	0.34	(0.02)	338	-
TOP23C1906A	0.42	-	33,000	-	WHA01C1906B	0.52	(0.02)	86,755	-	NUSA-W3	0.35	0.01	64,524	-
TOP24C1901A	-	-	-	-	WHA01P1812A	0.14	-	138,949	-	NVD-W1	0.28	(0.01)	897	-
TOP24C1902A	0.03	(0.06)	4,422	-	WHA01P1906A	0.63	0.02	78,123	-	ORI-W1	0.89	0.01	305,900	-
TOP24C1903A	-	-	-	-	WHA06C1903A	0.37	-	11,040	-	PACE-W2	0.11	-	1,046	-
TOP24C1905A	0.47	(0.04)	2,925	-	WHA07C1906A	0.54	(0.02)	12,299	-	PDJ-W1	0.72	(0.01)	1,283	-
TOP27C1903A	-	-	-	-	WHA08C1904A	0.26	(0.02)	42,880	-	PDJ-W2	1.18	0.01	50	1.00
TOP28C1812A	-	-	-	-	WHA11C1903A	0.13	(0.01)	15,501	-	PDJ-W3	1.16	(0.07)	28	1.00
TOP28C1903A	-	-	-	-	WHA13C1812A	0.17	(0.05)	80,497	-	PDJ-W4	1.12	0.02	58	1.00
TOP28C1904A	0.32	(0.03)	44,608	-	WHA13C1905A	0.44	(0.03)	113,715	-	PLE-W3	-	-	-	-
TP101C1812A	0.12	0.01	17,788	-	WHA19C1901A	0.34	(0.04)	49,682	-	RICH-W1	-	-	-	-
TP101C1812B	-	-	-	-	WHA23C1906A	0.42	(0.01)	112,992	-	RICHY-W1	0.13	(0.01)	1,619	-
TP101C1906A	0.33	-	36,128	-	WHA24C1902A	0.27	(0.03)	5,177	-	RICHY-W2	0.12	(0.01)	2,324	-
TP101C1906B	0.28	-	20,404	-	WHA27C1903A	0.48	(0.02)	8,100	-	RS-W3	5.55	(0.05)	5,299	5.00
TP107C1812A	0.10	-	6,660	-	WHA27P1905A	0.46	-	10,838	-	S-W1	0.03	(0.01)	1,639	-
TPI13C1902A	0.09	(0.02)	9,270	-	WHA28C1901A	0.32	(0.03)	19,968	-	SAMART-W2	0.43	(0.04)	10,042	-
TPI19C1901A	0.08	(0.02)	8,622	-	WHA28C1903A	0.19	(0.02)	36,736	-	SAWAD-W1	8.75	(0.25)	634	8.00
TPI24C1902A	-	-	-	-	WHAU13C1902A	0.08	(0.01)	20,044	-	SDC-W1	0.17	-	7,014	-
TP1P11C1909A	0.50	-	48,000	-	WHAU19C1902A	0.13	(0.01)	5,000	-	SMT-W1	0.02	-	3,094	-
TP1P13C1902A	-	-	-	-	WHAU24C1812A	-	-	-	-	SMT-W2	0.44	(0.03)	1,878	-
TP1P13C1904A	0.54	-	173,392	-	WHAU24C1902A	-	-	-	-	SPORT-W5	-	-	-	-
TP1P19C1902A	0.34	(0.01)	60,156	-	WHAU27C1905A	0.15	(0.01)	8,401	-	SPORT-W7	0.04	0.04	41,347	-
TP1P19C1906A	0.62	(0.01)	4,450	-	WORK01C1904A	0.09	(0.02)	15,853	-	SST-W2	1.81	0.03	26,802	1.00
TP1P24C1901A	-	-	-	-	WORK01C1904B	0.07	-	1	-	SUPER-W4	0.05	-	297,945	-
TP1P27C1812A	-	-	-	-	WORK08C1901A	-	-	-	-	SUSCO-W1	-	-	-	-
TRUE01C1902A	0.29	(0.01)	53,374	-	WORK11C1903A	0.02	-	40	-	SVI-W3	2.00	(0.12)	2,872	2.00
TRUE01C1902B	0.14	(0.02)	52,574	-	WORK13C1812A	-	-	-	-	TCC-W3	0.18	(0.01)	338	-
TRUE01C1905A	0.30	(0.01)	18,318	-	WORK13C1902A	-	-	-	-	TCC-W4	0.18	(0.01)	2,481	-
TRUE01C1905B	0.24	(0.01)	25,221	-	WORK13C1903A	0.13	(0.01)	13,012	-	TCC-W5	0.28	(0.01)	4,764	-
TRUE01P1902A	0.46	0.01	18,736	-	WORK19C1902A	0.03	(0.01)	12,500	-	TCJ-W2	0.65	-	317	-
TRUE01P1902B	0.26	0.01	35,892	-	WORK19C1905A	0.26	-	7,750	-	TCMC-W2	0.07	-	15,593	-
TRUE01P1905A	0.52	0.01	20,944	-	WORK24C1812A	-	-	-	-	TFG-W1	0.93	(0.06)	830	-
TRUE06C1906A	0.14	(0.01)	3,001	-	WORK24C1903A	-	-	-	-	TFG-W2	0.35	(0.06)	5,767	-
TRUE07C1902A	-	-	-	-	WORK24C1907A	0.25	(0.01)	6,000	-	TGPRO-W3	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday December 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE08C1902A	0.13	(0.01)	24,718	-	WORK27C1903A	-	-	-	-	TH-W2	0.24	0.01	4,857	-
TRUE08P1902A	0.16	-	8,081	-	WORK28C1901A	-	-	-	-	THE-W2	0.03	-	76,717	-
TRUE11C1905A	-	-	-	-	WORK28C1904A	0.09	(0.02)	2,030	-	TNITY-W1	0.76	(0.03)	1,930	-
TRUE13C1812A	0.01	-	25,330	-	WORK28C1905A	0.23	(0.03)	12,897	-	TNPC-W1	0.26	(0.02)	44,128	-
TRUE13C1901A	0.10	(0.01)	34,200	-	Preferred/Foreign	-	-	-	-	TRITN-W3	0.26	-	6,478	-
TSR-W1	-	-	-	-										
TTA-W5	0.03	(0.01)	12,669	-										
TTCL-W1	1.12	(0.01)	6,637	1.00										
U-W1	-	-	-	-										
U-W4	0.01	-	200	-										
VGI-W2	0.43	(0.01)	189,749	-										
VIBHA-W2	1.17	(0.01)	2,784	1.00										
VIBHA-W3	0.22	(0.01)	11,561	-										
WAVE-W1	0.34	(0.01)	969	-										
WHA-W1	7.90	(0.10)	11,323	8.00										
WORK-W1	4.40	(0.10)	3	4.00										
Preferred Shares														
BH-P	-	-	-	-										
CSC-P	-	-	-	-										
JUTHA-P	-	-	-	-										
KTB-P	-	-	-	-										
SCB-P	-	-	-	-										
TCAP-P	-	-	-	-										
TIC-P	-	-	-	-										
TISCO-P	-	-	-	-										
U-P	3.26	0.08	14,981	3.00										
Warrant (MAI)	-	-	-	-										
2S-W1	0.04	-	22,577	-										
ACAP-W2	0.73	(0.04)	59,358	-										
AIRA-W2	0.01	(0.01)	72	-										
ATP30-W1	0.70	(0.02)	538	-										
BKD-W2	0.23	(0.01)	41,046	-										
BM-W1	0.38	(0.01)	202	-										
BSM-W2	-	-	-	-										
CHEWA-W1	0.14	-	53,426	-										
CIG-W7	-	-	-	-										
DIMET-W2	0.07	-	857	-										
ECF-W2	2.80	(0.10)	1,524	2.00										
ECF-W3	2.28	(0.02)	766	2.00										
EFORL-W3	0.01	(0.01)	47,260	-										
EFORL-W4	0.01	-	2,604	-										
FC-W1	0.05	0.01	2	-										
FC-W2	0.03	-	1,201	-										
FOCUS-W2	0.56	(0.02)	2,619	-										
FVC-W2	0.36	(0.02)	605	-										
ITEL-W1	0.55	(0.03)	3,525	-										
JKN-W1	2.02	(0.04)	3,391	2.00										
LIT-W1	1.58	(0.06)	191	1.00										
META-W2	0.03	0.01	4,300	-										
META-W3	0.10	-	2,932	-										
NCL-W3	0.28	(0.01)	3,376	-										
NDR-W1	-	-	-	-										
NEWS-W4	-	-	-	-										
NEWS-W6	-	-	-	-										
PIMO-W1	2.82	(0.10)	1,701	2.00										
PSTC-W1	0.14	(0.01)	31,131	-										
SANKO-W1	0.35	(0.02)	12,963	-										
SIMAT-W2	0.21	0.01	43	-										
SIMAT-W3	0.29	0.02	12	-										
SIMAT-W4	0.73	(0.02)	1,206	-										
SKY-W1	12.10	-	100	12.00										
STAR-W3	1.31	(0.07)	283	1.00										
TAKUNI-W	0.18	(0.01)	5,369	-										
TAPAC-W3	1.15	(0.02)	483	1.00										
TSF-W4	-	-	-	-										
TSF-W5	-	-	-	-										
TVD-W2	0.78	(0.05)	10,580	-										
UAC-W2	0.62	(0.01)	1,809	-										
UKEM-W2	0.41	(0.02)	2,227	-										
UWC-W2	-	-	-	-										
XO-W1	6.80	(0.15)	1,948	6.00										
Preferred Shares														
SGF-P1	-	-	-	-										

