

## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.35	0.05	207	6.31	RS	16.40	0.50	152,431	16.39
POMPUI	-	-	-	-	HUMAN	9.95	-	2,639	9.97	SE-ED	3.06	(0.02)	56	3.06
SAFARI	-	-	-	-	ILINK	4.94	-	2,475	4.88	SMM	0.89	-	7,369	0.90
VI	-	-	-	-	INET	3.52	-	2,132	3.52	SPORT	0.16	0.01	3,989	0.15
WORLD	-	-	-	-	INTUCH	48.75	-	32,484	48.68	TBSP	15.00	-	23	14.63
WR	-	-	-	-	JAS	5.00	-	46,669	5.03	TH	0.79	(0.01)	3,585	0.79
Agribusiness	-	-	-	-	JASIF	10.10	(0.10)	66,874	10.19	TKS	9.05	0.05	2,513	9.09
CHOTI	130.00	(1.50)	2	130.00	JMART	5.45	0.05	19,991	5.48	TRITN	0.41	(0.01)	129,424	0.41
EE	0.70	-	10,230	0.70	JTS	1.42	(0.03)	17	1.43	VGI	7.95	-	55,935	7.94
GFPT	13.60	(0.40)	33,575	13.84	MFEC	2.96	(0.08)	3,932	2.98	WAVE	2.04	-	5	2.04
LEE	2.62	-	215	2.62	MSC	7.25	(0.05)	588	7.25	WORK	27.75	-	6,348	27.86
NER	1.94	(0.03)	291,235	1.98	PT	5.90	0.10	5,458	5.90	Finance & Securities	-	-	-	-
PPPM	3.90	0.08	31,513	3.89	SAMART	6.60	0.05	17,591	6.59	AEC	0.49	(0.01)	4,734	0.49
STA	16.70	0.10	44,110	16.71	SAMTEL	7.80	0.15	545	7.75	AEONTS	186.00	0.50	3,078	186.64
TRUBB	1.57	-	1,791	1.56	SDC	0.32	-	3,246	0.32	AMANAH	1.54	(0.01)	3,559	1.55
TWPC	8.30	-	2,489	8.21	SIS	10.00	(0.20)	1,101	10.11	ASAP	3.42	(0.12)	14,188	3.47
UPOIC	4.44	-	50	4.44	SVOA	1.24	0.01	7,899	1.24	ASK	24.10	0.10	372	24.10
UVAN	5.45	0.05	1,614	5.45	SYMC	5.15	(0.20)	4	5.23	ASP	3.36	(0.02)	8,610	3.38
VPO	0.47	0.01	735	0.46	SYNEX	12.60	(0.10)	1,651	12.66	BFIT	21.10	-	444	21.16
Banking	-	-	-	-	THCOM	7.40	-	6,979	7.40	CGH	0.95	0.03	6,741	0.94
BAY	40.00	(0.25)	2,301	40.00	TRUE	5.90	0.05	560,528	5.86	CNS	2.20	-	889	2.19
BBL	206.00	-	41,891	206.86	TWZ	0.10	(0.01)	64,893	0.10	ECL	1.84	(0.02)	8,288	1.84
CIMBT	0.80	(0.02)	2,426	0.81	Electronic Componen	-	-	-	-	FNS	3.88	(0.12)	4,317	3.91
KBANK	190.00	(1.00)	87,416	190.66	CCET	1.79	(0.01)	6,386	1.81	FSS	1.92	-	472	1.92
KKP	70.25	-	20,582	70.34	DELTA	70.00	-	6,884	69.94	GBX	0.55	0.02	154	0.55
KTB	20.50	-	108,820	20.48	EIC	0.04	(0.01)	1,031	0.04	GL	6.05	-	3,187	6.04
LHFG	1.43	-	9,490	1.43	HANA	35.00	(0.25)	15,885	35.23	IFS	3.12	(0.04)	1,365	3.14
SCB	140.50	1.00	42,421	140.59	KCE	29.75	0.75	48,891	29.77	JMT	11.90	-	13,153	11.93
TCAP	53.00	(1.00)	16,729	53.28	METCO	202.00	(14.00)	135	198.25	KCAR	10.90	-	353	10.95
TISCO	81.00	1.00	43,224	80.72	SMT	2.02	-	6,187	2.00	KGI	4.40	(0.02)	14,854	4.41
TMB	2.26	(0.04)	1,257,575	2.29	SPPT	4.02	0.02	800	4.00	KTC	33.50	0.25	36,452	33.48
Construction Materia	-	-	-	-	SVI	4.94	(0.02)	61,892	4.97	MBKET	10.70	(0.10)	775	10.67
CCP	0.36	0.01	4,038	0.35	TEAM	1.01	(0.01)	4,482	1.01	MFC	16.70	0.10	1,038	16.76
COTTO	2.26	(0.02)	11,082	2.33	Energy & Utilities	-	-	-	-	ML	0.97	(0.01)	1,825	0.98
DCC	2.16	(0.04)	81,501	2.19	ABPIF	6.75	(0.90)	20,376	7.04	MTC	48.25	(0.25)	80,414	48.25
DCON	0.51	0.01	3,051	0.51	AI	-	-	-	-	PE	-	-	-	-
DRT	5.45	-	686	5.45	AKR	0.86	-	5,014	0.86	PL	3.36	0.04	668	3.34
EPG	7.45	-	7,309	7.52	BAFS	33.50	0.25	313	33.27	S11	7.25	-	732	7.29
GEL	0.30	0.01	68,030	0.30	BANPU	17.10	-	87,732	17.15	SAWAD	48.75	0.50	29,024	48.78
PPP	-	-	-	-	BCP	33.75	(0.25)	13,483	33.69	THANI	7.75	0.05	117,541	7.77
Q-CON	4.70	(0.02)	31	4.70	BCPG	17.30	(0.20)	30,153	17.42	TK	9.30	(0.05)	2,351	9.34
RCI	3.86	0.02	5,535	3.89	BGRIM	25.75	(0.50)	29,920	25.93	TNITY	5.75	0.05	53	5.77
SCC	440.00	-	8,519	441.16	BPP	23.90	0.20	5,399	23.75	UOBKH	3.80	(0.08)	49	3.80
SCCC	228.00	(1.00)	492	228.63	BRRGIF	10.00	-	1,066	9.95	ZMICO	1.07	-	878	1.07
SCP	8.70	-	1,322	8.73	CKP	5.20	(0.10)	128,129	5.26	Food & Beverage	-	-	-	-
SKN	4.00	(0.04)	6,008	3.99	DEMCO	3.46	(0.10)	6,077	3.53	APURE	1.30	(0.04)	9,411	1.32
TASCO	15.60	(0.10)	39,210	15.76	EA	47.75	(0.25)	63,825	48.11	ASIAN	8.10	0.10	69,758	8.16
TCMC	1.86	(0.02)	4,720	1.87	EARTH	-	-	-	-	BR	4.06	(0.02)	3,655	4.07
TOA	33.00	(0.50)	22,096	33.36	EASTW	11.00	0.10	1,160	10.97	BRR	6.55	-	676	6.51
TPIPL	2.00	(0.02)	392,376	2.03	EGATIF	11.20	-	41,823	11.19	CBG	45.25	0.25	7,605	45.24
UMI	1.27	0.10	208,165	1.30	EGCO	243.00	3.00	13,362	242.57	CFRESH	4.26	(0.10)	38	4.28
VNG	5.00	0.02	6,079	4.99	ESSO	11.90	(0.20)	71,562	11.95	CM	4.00	0.02	301	4.00
WHIK	2.06	(0.02)	4,631	2.09	GLOW	85.00	(1.50)	15,999	85.09	CPF	25.00	-	236,181	25.10
Petrochemicals & Che	-	-	-	-	GPSC	56.50	1.50	40,090	56.16	CPI	1.50	(0.01)	282	1.50
BCT	48.00	1.25	200	47.55	GULF	76.75	1.00	41,395	76.41	F&D	19.80	-	1	19.80
CMAN	2.76	-	439	2.77	GUNKUL	3.20	(0.08)	273,559	3.24	HTC	15.00	0.10	509	14.98
GC	5.10	-	2	5.08	IEC	-	-	-	-	ICHI	3.54	(0.08)	9,214	3.57
GGC	10.30	0.10	4,754	10.27	IFEC	-	-	-	-	KBS	3.98	(0.02)	603	3.98
GIFT	3.76	(0.12)	915	3.78	IRPC	5.90	(0.10)	506,837	5.94	KSL	3.22	-	3,518	3.19
IVL	55.00	0.25	55,316	55.07	LANNA	12.30	(0.10)	412	12.37	KTIS	5.30	0.10	28	5.28
NFC	6.35	-	76	6.33	MDX	4.08	-	214	4.05	LST	4.16	(0.06)	910	4.16
PATO	13.10	0.10	20	12.99	PTG	9.35	-	143,792	9.38	M	74.25	1.25	7,098	74.02
PMTA	11.60	0.20	4	11.60	PTT	49.00	(0.25)	554,571	49.14	MALEE	8.05	(0.10)	1,176	8.08
PTTGC	78.25	(0.25)	59,716	78.65	PTTEP	134.00	2.00	105,178	134.21	MINT	35.25	0.25	65,303	35.33
SUTHA	3.90	-	1	3.90	RATCH	49.75	-	7,039	49.75	OISHI	85.25	-	36	84.97
TCCC	28.75	-	36	28.71	RPC	0.44	-	6,350	0.44	OSP	25.25	0.25	104,529	25.34
TPA	-	-	-	-	SCG	4.54	-	6	4.54	PB	60.00	(1.00)	122	60.27
UP	24.00	(0.50)	5	24.00	SCI	2.76	(0.02)	7,985	2.79	PM	8.75	-	1,859	8.74
VNT	23.50	(0.10)	4,480	23.58	SCN	4.46	0.04	17,608	4.44	PRG	13.00	-	26	13.00
WG	179.00	-	515	179.00	SGP	8.50	(0.20)	61,324	8.57	SAPPE	16.80	(0.20)	3,506	16.86
YCI	-	-	-	-	SKE	1.06	0.01	574	1.06	SAUCE	21.80	(0.20)	38	21.80
Commerce	-	-	-	-	SOLAR	2.24	-	540	2.25	SFP	191.00	(0.50)	1	191.00
BEAUTY	8.80	0.05	294,060	8.86	SPCG	19.20	-	2,812	19.26	SNP	19.10	(1.00)	93	19.48
BIG	1.39	-	115,883	1.41	SPRC	11.60	(0.10)	113,011	11.62	SORKON	-	-	-	-
BJC	53.50	1.25	105,435	53.29	SUPER	0.56	-	731,847	0.56	SSC	35.00	0.25	8	35.00
COL	24.90	0.30	3,046	24.90	SUSCO	2.70	-	1,110	2.73	SSF	-	-	-	-
COM7	19.60	0.10	12,267	19.68	TAE	2.14	0.02	1,319	2.14	SST	5.15	(0.05)	238	5.16
CPALL	70.75	0.50	217,401	70.94	TCC	0.46	0.02	41,460	0.46	TC	3.22	(0.02)	419	3.25
CSS	1.98	-	955	1.99	TOP	72.25	(0.25)	58,639	72.53	TFG	3.32	(0.10)	12,583	3.39
FN	1.72	-	733	1.74	TPIPP	6.05	-	209,325	6.10	TFMAMA	160.00	-	11	160.00
FTE	2.08	-	593	2.08	TTW	12.30	0.10	13,752	12.25	TIPCO	8.15	(0.05)	7,392	8.12
GLOBAL	20.90	0.10	65,350	20.95	WHAUP	5.75	(0.05)	6,896	5.81	TKN	9.85	(0.15)	48,273	9.95
HMPRO	14.90	-	117,724	15.00	WP	6.30	(0.10)	5,105	6.36	TU	17.40	0.10	90,015	17.46
IT	3.36	-	134	3.34	Media & Publishing	-	-	-	-	TVO	27.50	-	3,008	27.55
KAMART	3.98	-	3,545	4.00	AMARIN	5.00	-	477	5.00	Health Care Services	-	-	-	-
LOXLEY	1.86	(0.01)	1,308	1.86	AQUA	0.45	-	67,727	0.45	AHC	19.10	0.10	78	19.06
MAKRO	33.50	0.50	1,136	33.33	AS	0.86	0.04	97	0.87	BCH	19.00	(0.20)	44,615	19.01
MC	11.30	-	2,356	11.29	BEC	5.50	0.10	54,369	5.48	BDMS	25.75	(0.25)	423,980	25.91
MEGA	32.00	(0.25)	12,447	31.91	EPCO	3.08	0.02	2,427	3.07	BH	195.00	(1.00)	7,161	195.52
MIDA	0.58	-	1,291	0.58	FE	152.00	(28.00)	49	151.14	CHG	2.08	-	129,215	2.08
ROBINS	69.00	1.50	17,601	68.72	GPI	2.26	(0.02)	9,211	2.29	CMR	2.56	(0.04)	65	2.57
RSP	3.84	0.06	2,661	3.81	GRAMMY	7.05	0.10	10	7.02	KDH	5.85	-	3,042	5.84
SINGER	8.40	(0.10)	391	8.45	MACO	1.59	(0.01)	102,657	1.60	KHH	97.00	0.25		

## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	31.75	-	2,035	31.60	LALIN	5.05	-	275	5.06	TSC	13.00	-	15	13.00
VIBHA	2.16	(0.02)	7,702	2.16	LH	10.10	-	339,259	10.05	YNP	-	-	-	-
VIH	6.95	-	2,111	6.97	LPN	7.35	(0.20)	85,236	7.44	Industrial Materials	-	-	-	-
WPH	2.60	0.02	11	2.59	MBK	22.60	0.10	31,176	22.65	ALLA	1.49	(0.01)	1,399	1.50
Tourism & Leisure	-	-	-	-	MJD	3.52	(0.02)	2,017	3.51	ASEFA	4.84	-	1,535	4.80
ASIA	6.75	(0.05)	33	6.73	MK	3.96	0.02	6,055	3.95	CPT	0.89	0.01	53,371	0.90
CENTEL	42.50	0.25	67,829	42.70	NCH	0.88	(0.01)	1,187	0.87	CRANE	2.12	0.02	472	2.11
CSR	-	-	-	-	NNCL	1.75	(0.01)	1,442	1.76	CTW	8.00	-	574	8.00
DTC	10.00	(0.10)	338	10.07	NOBLE	13.70	(0.10)	2,066	13.70	FMT	24.80	-	10	24.80
ERW	6.65	(0.15)	50,173	6.69	NUSA	0.53	(0.02)	215,178	0.54	HTECH	6.05	(0.05)	4,188	6.09
GRAND	0.84	0.01	2,318	0.84	NVD	3.30	(0.06)	4,133	3.29	KKC	1.29	-	1,477	1.28
LRH	51.75	(1.25)	46	51.65	ORI	7.95	-	29,709	7.96	PK	2.26	-	688	2.26
MANRIN	30.75	-	20	30.75	PACE	0.54	0.07	708,585	0.51	SNC	14.30	(0.10)	4,816	14.29
OHTL	546.00	(134.00)	52	551.79	PF	0.81	0.01	221,362	0.81	TCJ	5.40	-	196	5.40
ROH	-	-	-	-	PLAT	7.55	-	983	7.59	VARO	-	-	-	-
SHANG	-	-	-	-	POLAR	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PRECHA	1.63	(0.01)	243	1.64	AIMIRT	10.20	-	1,115	10.20
ACC	0.50	-	9,436	0.50	PRIN	1.60	0.01	1,200	1.60	AMATAR	10.90	0.10	705	10.84
AJA	0.42	0.02	219,394	0.41	PRINC	4.80	0.02	2,236	4.78	B-WORK	10.90	-	11	10.81
DTCI	29.50	0.50	3	29.50	PSH	18.70	-	3,790	18.80	BKKCP	-	-	-	-
FANCY	0.74	-	3,423	0.74	OH	2.94	(0.02)	354,233	2.94	BOFFICE	12.70	-	13,261	12.49
KYE	410.00	(2.00)	21	410.00	RICHY	1.64	0.01	5,971	1.63	CPNCG	15.20	(0.20)	7,476	15.22
L&E	2.68	-	98	2.68	RML	1.28	(0.01)	55,324	1.29	CPNREIT	26.00	-	23,926	25.98
MODERN	3.98	-	559	3.97	ROJNA	5.20	0.05	3,641	5.20	CPTGF	13.00	(0.10)	245	13.08
OGC	-	-	-	-	S	3.34	0.02	44,512	3.32	CRYSTAL	9.50	-	32	9.50
ROCK	-	-	-	-	SAMCO	2.00	-	702	1.99	CTARAF	4.74	(0.02)	290	4.71
SIAM	2.12	(0.06)	414	2.15	SC	3.20	-	18,188	3.22	DREIT	5.15	-	20	5.15
TSR	1.83	0.01	1,975	1.83	SENA	3.58	0.02	3,415	3.56	ERWPF	5.40	-	315	5.40
Insurance	-	-	-	-	SF	7.75	0.20	11,396	7.64	FUTUREPF	22.80	0.10	6	22.80
AYUD	41.75	(0.25)	122	41.77	SIRI	1.33	(0.01)	368,621	1.33	GAHREIT	-	-	-	-
BKI	339.00	-	69	339.00	SPALI	18.60	(0.90)	117,858	18.95	GLANDRT	12.30	-	5,860	12.30
BLA	30.25	(0.50)	19,417	30.53	TICON	14.90	(0.30)	2,355	14.89	GOLDPF	-	-	-	-
BUI	-	-	-	-	U	2.68	(0.02)	25,644	2.68	GVREIT	14.70	-	2,673	14.63
CHARAN	-	-	-	-	UV	7.10	0.10	12,563	7.10	HPF	5.20	-	15	5.16
INSURE	-	-	-	-	WHA	4.24	-	492,359	4.26	HREIT	6.75	-	2,396	6.71
MTI	97.75	(1.50)	90	98.39	WIN	0.68	(0.03)	75,814	0.71	IMPACT	19.30	0.20	3,025	19.14
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	8.95	0.05	350	8.95
NSI	-	-	-	-	UTP	10.40	0.10	3,740	10.38	LHHOTEL	16.50	-	1,150	16.50
SMK	40.00	-	118	39.85	Fashion	-	-	-	-	LHPF	8.25	-	306	8.25
THRE	0.94	(0.01)	3,306	0.94	AFC	-	-	-	-	LHSC	16.20	-	8,041	16.20
THREL	6.90	-	1,578	6.91	BTNC	-	-	-	-	LUXF	-	-	-	-
TIC	33.75	1.00	6	33.75	CPH	5.55	-	2	5.55	M-II	-	-	-	-
TIP	23.00	0.20	417	22.91	CPL	-	-	-	-	M-PAT	-	-	-	-
TSI	0.40	(0.01)	9,280	0.40	DIGI	0.22	0.01	441	0.21	M-STOR	8.95	(0.05)	70	8.93
TVI	3.80	0.02	145	3.80	ICC	39.75	(0.75)	1	39.75	MIPF	-	-	-	-
Mining	-	-	-	-	LTX	101.50	0.50	545	100.94	MIT	-	-	-	-
PDI	12.20	0.30	4,842	12.11	NC	-	-	-	-	MJLF	12.40	(0.10)	218	12.45
THL	-	-	-	-	PAF	0.86	-	1,411	0.85	MNIT	1.46	-	103	1.46
Packaging	-	-	-	-	PDJ	2.28	(0.06)	1,865	2.27	MNIT2	-	-	-	-
AJ	8.50	0.30	215	8.38	PG	-	-	-	-	MNRF	3.02	-	491	3.03
ALUCON	175.50	(3.00)	16	170.81	SABINA	30.50	0.25	155	30.35	MONTRI	-	-	-	-
BGC	10.50	0.10	13,092	10.51	SAWANG	11.30	-	63	12.70	POPF	13.50	-	3,351	13.49
CSC	-	-	-	-	SUC	46.00	-	1	46.00	PPF	11.20	-	30	11.20
NEP	0.33	0.03	2,249	0.31	TNL	-	-	-	-	QHHR	8.45	(0.05)	200	8.48
NPPG	1.32	(0.04)	364,289	1.35	TPCORP	14.50	0.10	25	14.50	QHOP	-	-	-	-
PTL	14.50	(0.30)	6,133	14.57	TR	44.25	-	15	44.25	QHFP	13.10	(0.10)	8,361	13.20
SITHAI	1.15	-	2,924	1.15	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.87	0.01	73	0.88	TTL	-	-	-	-	SHREIT	9.55	-	2,425	9.51
SMPC	13.10	-	739	13.09	TTTM	191.50	-	149	190.35	SIRIP	11.50	(0.40)	5	11.50
SPACK	1.89	-	20	1.89	UPF	64.00	-	1	64.00	SPF	23.40	0.10	1,273	23.34
TCOAT	-	-	-	-	UT	14.30	(0.30)	10	14.30	SRIPANWA	10.80	(0.10)	45	10.82
TFI	0.24	(0.01)	839	0.23	WACOAL	46.75	-	5	46.75	SSPF	-	-	-	-
THIP	24.40	-	1,338	24.48	Transportation & Log	-	-	-	-	SSTPF	6.35	-	11	6.35
TMD	21.50	0.10	107	21.21	AAV	4.38	(0.02)	149,359	4.39	SSTRT	6.10	-	2	6.10
TOPP	-	-	-	-	AOT	64.50	1.00	198,276	64.27	TIF1	8.70	(0.05)	160	8.71
TPBI	7.40	0.10	32	7.22	ASIMAR	2.34	(0.02)	98	2.34	TLGF	18.50	(0.10)	32,582	18.50
TPP	17.00	(2.90)	1	17.00	B	0.52	-	3,870	0.52	TLHPF	11.00	-	160	10.90
Personal Products &	-	-	-	-	BA	12.30	-	7,869	12.40	TNPF	-	-	-	-
APCO	4.24	(0.06)	883	4.24	BEM	9.15	0.05	240,022	9.16	TPRIME	12.50	-	5,537	12.50
DDD	25.50	(0.25)	3,775	25.77	BTS	9.45	(0.05)	115,266	9.47	TREIT	11.60	(0.20)	57,931	11.61
JCT	-	-	-	-	BTSgif	11.70	(0.10)	111,312	11.76	TTLPF	22.70	-	11	22.70
OCC	-	-	-	-	III	5.95	(0.05)	2,226	6.00	TU-PF	-	-	-	-
S & J	-	-	-	-	JUTHA	0.75	0.04	160	0.75	URBNPF	4.00	(0.08)	55	4.00
STHAI	-	-	-	-	JWD	7.05	-	3,374	7.05	WHABT	9.90	0.05	871	9.88
TNR	10.20	-	191	10.25	KWC	-	-	-	-	WHART	10.60	-	8,353	10.52
TOG	4.54	-	308	4.55	NOK	2.50	-	2,736	2.44	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.15	(0.05)	1,140	5.15	AMC	1.93	(0.03)	59	1.92
BWG	1.14	-	90,732	1.15	PRM	6.35	0.05	13,030	6.34	BSBM	0.94	-	863	0.93
GENCO	0.79	(0.01)	1,686	0.80	PSL	11.20	-	20,235	11.29	CEN	1.14	(0.02)	647	1.15
PRO	-	-	-	-	RCL	5.05	0.05	545	5.00	CITY	2.50	(0.10)	3,456	2.49
TEAMG	2.20	(0.02)	2,958	2.22	TFFIF	10.20	-	81,378	10.17	CSP	1.11	(0.06)	9,358	1.11
Property Developer	-	-	-	-	THAI	13.40	0.10	25,887	13.50	GJS	0.13	0.01	13,340	0.13
A	6.65	-	251	6.65	TSTE	-	-	-	-	GSTEL	-	-	-	-
AMATA	22.90	(0.30)	139,458	23.12	TTA	5.95	-	5,847	5.96	INOX	1.00	-	79	0.99
AMATAV	5.35	-	668	5.41	WICE	4.10	-	2,145	4.12	LHK	4.28	0.04	1,563	4.27
ANAN	3.90	0.02	27,233	3.90	Automotive	-	-	-	-	MAX	0.02	-	307,689	0.02
AP	6.55	-	68,875	6.56	AH	20.50	(0.10)	12,258	20.67	MCS	7.00	-	15,131	6.95
APEX	0.20	-	1,048	0.20	APCS	-	-	-	-	MILL	1.60	(0.02)	15,564	1.60
AQ	0.03	-	28,802	0.03	BAT-3K	240.00	-	8	240.00	PAP	3.64	-	76	3.63
BLAND	1.68	-	65,731	1.68	CWT	2.88	-	210	2.89	PERM	2.02	-	104	2.03
BROCK	2.20	(0.14)	1,000	2.19	EASON	2.22	(0.02)	365	2.23	RICH	-	-	-	-
CGD	1.34	-	510	1.33	GYT	366.00	(10.00)	16	362.19	SAM	0.57	-	1,066	0.57
CI	1.40	0.02	407	1.39	HFT	3.00	(0.04)	1,904	3.00	SMIT	6.25	(0.05)	829	6.25
CPN	76.75	1.50	92,275	77.16	IHL	8.00	-	1,302	8.00	SSI	-	-	-	-
ESTAR	0.56	(0.01)	10,513	0.56	INGRS	0.57	0.01	4,098	0.57	SSSC	2.88	-	155	2.88
EVER	0.54	-	403,072	0.56	IRC	21.20	0.20	228	21.06	TGPRO	0.13	-	147,394	0.13
GLAND	3.72	-	3,443	3.75	PCSGH	7.00	0.05	1,255	7.01	THE	1.95	(0.07)	50,501	2.01
GOLD	8.60	0.05	31,900	8.60	SAT	17.50	(0.10)	9,420	17.62	TIW	210.00	(1.00)	1	210.00
GREEN	1.04	-	2,222	1.03	SPG	-	-	-	-	TMT	13.10	(0.10)	144	13.16
J	1.40	-	1,410</											

## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	TAKUNI	0.82	-	7,815	-	ADVA01P1902B	0.69	0.01	46,458	-
ABICO	4.60	0.04	733	4.00	TPCH	10.40	-	10,759	10.00	ADVA01P1905A	1.29	0.02	25,890	1.00
AU	6.80	-	1,427	6.00	TRT	2.04	0.02	42	2.00	ADVA06C1903A	0.06	-	200	-
FC	0.37	0.03	51,467	-	TSE	2.58	(0.02)	1,076	2.00	ADVA08C1903A	0.05	-	170	-
JCKH	0.74	(0.01)	116	-	UMS	0.67	(0.03)	51	-	ADVA11C1905A	0.04	(0.01)	812	-
KASET	1.91	-	161	1.00	UWC	0.06	-	35,709	-	ADVA11P1905A	0.37	0.01	13,502	-
MM	3.84	-	283	3.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.03	-	104	-
SUN	3.00	0.04	2,541	3.00	ADAM	-	-	-	-	ADVA13C1904A	0.20	(0.01)	160,763	-
TACC	3.26	0.02	515	3.00	AKP	1.85	(0.02)	1,816	1.00	ADVA13P1904A	0.86	-	146,142	-
TMILL	2.88	(0.08)	1,250	2.00	AMA	5.05	-	883	5.00	ADVA16C1812A	0.09	(0.01)	29,901	-
XO	11.80	-	2,534	11.00	ARIP	0.43	(0.01)	1,178	-	ADVA16C1912A	0.41	(0.01)	3	-
Consumer Products	-	-	-	-	ATP30	1.59	(0.02)	6,211	1.00	ADVA19C1901A	0.04	-	3,200	-
BGT	1.01	0.01	10,497	1.00	AUCT	5.85	(0.05)	5,969	5.00	ADVA19C1905A	0.49	(0.01)	18,610	-
BIZ	2.62	0.02	1,487	2.00	BOL	2.06	-	481	2.00	ADVA19P1904A	0.59	-	83,852	-
DOD	13.80	0.10	4,196	13.00	CHUO	-	-	-	-	ADVA23C1902A	-	-	-	-
ECF	5.90	(0.05)	33,950	5.00	CMO	1.37	(0.01)	308	1.00	ADVA24C1904A	0.06	(0.01)	12,059	-
HPT	0.99	-	181	-	D	9.80	-	453	9.00	ADVA24C1905A	0.04	(0.04)	21	-
JUBILE	16.50	-	68	16.00	DCORP	0.72	(0.02)	9,716	-	ADVA24C1907A	0.27	(0.01)	5,130	-
MOONG	6.75	-	3,780	6.00	DNA	0.39	0.01	88,730	-	ADVA24P1908A	-	-	-	-
NPK	27.00	-	2	27.00	EFORL	0.06	-	59,958	-	ADVA27C1902A	-	-	-	-
OCEAN	4.32	(0.04)	9,538	4.00	ETE	1.08	-	588	1.00	ADVA28C1901A	-	-	-	-
TM	2.12	0.02	2,373	2.00	FSMART	6.55	(0.10)	1,812	6.00	ADVA28C1904A	0.13	(0.01)	25,041	-
Financials (MAI)	-	-	-	-	FVC	0.83	0.01	297	-	ADVA28C1904B	0.31	(0.01)	9,129	-
ACAP	3.88	0.06	9,117	3.00	HARN	2.54	-	174	2.00	ADVA42C1903A	-	-	-	-
AF	0.68	-	330	-	JKN	11.00	0.30	30,741	10.00	AMAT01C1903A	0.67	(0.05)	163,372	-
AIRA	1.68	-	10	1.00	KIAT	0.48	(0.01)	4,222	-	AMAT01C1903B	0.46	(0.03)	80,332	-
ASN	3.82	(0.02)	1	3.00	KOOL	1.34	(0.03)	2,025	1.00	AMAT01P1903A	0.56	0.01	91,824	-
BROOK	0.49	-	7,104	-	LDC	1.05	0.01	261	1.00	AMAT06C1903A	0.49	(0.04)	31,600	-
CHAYO	3.86	0.02	8,328	3.00	MPG	0.15	(0.01)	8,131	-	AMAT08C1903A	0.48	(0.03)	16,172	-
GCAP	2.80	(0.02)	4,598	2.00	MVP	1.81	0.03	5,091	1.00	AMAT11C1903A	0.29	(0.02)	14,280	-
LIT	6.50	0.05	3,043	6.00	NBC	0.43	0.01	241	-	AMAT13C1812A	0.29	(0.18)	2,400	-
SGF	1.45	0.01	13,998	1.00	NCL	1.43	(0.05)	95	1.00	AMAT13C1902A	0.19	(0.02)	443,768	-
Industrials (MAI)	-	-	-	-	NEWS	0.01	-	35,133,804	-	AMAT19C1902A	0.53	(0.03)	44,434	-
ZS	2.62	(0.06)	866	2.00	NINE	2.34	0.14	126,503	2.00	AMAT23C1906A	0.43	(0.02)	40,043	-
ADB	0.94	(0.02)	1,749	-	OTO	2.30	0.02	670	2.00	AMAT24C1904A	-	-	-	-
BM	3.10	(0.02)	310	3.00	PHOL	1.84	0.01	22	1.00	AMAT27C1902A	0.75	(0.02)	56,565	-
CHO	1.52	(0.04)	165,301	1.00	PICO	-	-	-	-	AMAT28C1902A	0.36	(0.02)	53,986	-
CHOW	4.20	-	241	4.00	PORT	6.50	(0.05)	996	6.00	AMAT28C1903A	0.08	(0.01)	2,031	-
CIG	0.32	0.01	1,812	-	QLT	4.14	-	395	4.00	ANAN08C1906A	-	-	-	-
COLOR	1.31	(0.01)	318	1.00	RP	2.74	(0.04)	1,191	2.00	ANAN13C1901A	0.01	-	2,320	-
CPR	5.25	-	700	5.00	SE	1.97	(0.01)	379	1.00	ANAN23C1901A	-	-	-	-
FPI	1.94	-	2,123	1.00	SISB	4.96	0.02	90,900	4.00	AOT01C1902A	0.37	0.04	200,368	-
GTB	0.60	(0.02)	803	-	SONIC	1.37	0.01	18,021	1.00	AOT01C1902B	0.15	0.02	45,071	-
KCM	0.91	(0.03)	7,619	-	SPA	12.20	0.20	3,896	12.00	AOT01C1904A	0.37	0.03	103,721	-
KWM	0.95	(0.02)	26,338	-	THMUI	1.35	(0.03)	127	1.00	AOT01C1904B	0.23	0.02	155,937	-
LVT	-	-	-	-	TNDT	4.62	(0.08)	1,836	4.00	AOT01P1902A	0.77	(0.04)	46,254	-
MBAX	4.00	(0.04)	710	4.00	TNH	39.00	-	278	39.00	AOT01P1902B	0.29	(0.04)	136,870	-
MGT	1.94	0.03	170	1.00	TNP	1.58	-	2,982	1.00	AOT01P1904A	0.79	(0.04)	54,842	-
NDR	2.08	-	180	2.00	TSF	0.02	-	10,593	-	AOT01P1904B	0.54	(0.04)	80,590	-
PDG	3.02	0.04	197	3.00	TVD	1.69	0.05	8,615	1.00	AOT06C1903A	0.24	0.03	34,000	-
PIMO	4.48	0.06	13,954	4.00	TVT	0.90	0.01	999	-	AOT06P1903A	0.31	(0.03)	15,374	-
PJW	1.61	0.02	3,129	1.00	WINNER	2.82	0.02	222	2.00	AOT07C1902A	0.29	-	6,100	-
PPM	1.67	0.01	1,302	1.00	Technology (MAI)	-	-	-	-	AOT08C1901A	0.08	0.01	17,600	-
RWI	1.65	0.02	8,155	1.00	COMAN	3.68	0.06	227	3.00	AOT08C1904A	0.27	0.02	14,289	-
SALEE	1.01	(0.02)	592	1.00	ICN	1.87	-	10,323	1.00	AOT08P1903A	0.33	(0.03)	2,075	-
SANKO	1.14	0.01	2,239	1.00	IRCP	0.74	-	615	-	AOT11C1906A	0.21	0.01	30,435	-
SELIC	2.54	0.10	22,977	2.00	ITEL	3.42	(0.14)	6,199	3.00	AOT11P1906A	0.25	(0.02)	7,740	-
SWC	19.50	-	712	19.00	NETBAY	28.75	(1.25)	830	29.00	AOT13C1812A	-	-	-	-
TMC	0.83	-	692	-	PLANET	-	-	-	-	AOT13C1902A	0.21	0.02	61,412	-
TMI	0.77	0.01	3,713	-	SIMAT	2.00	(0.02)	670	2.00	AOT13C1904A	0.43	0.03	61,735	-
TMW	68.75	-	68	68.00	SKY	13.40	(0.20)	4,965	13.00	AOT13P1812A	-	-	-	-
TPAC	10.80	(0.20)	1	10.00	SPVI	1.26	-	866	1.00	AOT13P1902A	0.18	(0.03)	19,432	-
TPLAS	1.49	0.01	3,292	1.00	UPA	0.38	-	5,539	-	AOT16C1912A	0.75	(0.03)	6	-
UAC	4.20	-	196	4.00	VCOM	3.24	0.02	3,340	3.00	AOT19C1901A	0.15	0.03	24,239	-
UBIS	5.20	(0.05)	46	5.00	Unit Trust	-	-	-	-	AOT19P1903A	0.20	(0.03)	3,559	-
UEC	1.37	0.03	681	1.00	MGE	-	-	-	-	AOT23C1906A	0.37	0.02	6,000	-
UKEM	0.73	(0.01)	8,303	-	SCBSET	-	-	-	-	AOT24C1901A	-	-	-	-
UREKA	2.12	0.04	6,718	2.00	ETF	-	-	-	-	AOT24C1904A	0.17	(0.03)	1	-
YUASA	11.30	-	70	11.00	1DIV	11.41	(0.08)	390	11.00	AOT24P1903A	-	-	-	-
ZIGA	1.99	(0.01)	5,263	2.00	ABFTH	-	-	-	-	AOT27C1902A	0.17	(0.01)	1,200	-
Property & Construc	-	-	-	-	BMSCG	8.17	(0.04)	139	8.00	AOT27P1903A	0.42	(0.04)	3,600	-
ARROW	7.90	0.05	1,084	7.00	BMSCITH	12.31	0.02	1,949	12.00	AOT28C1812A	-	-	-	-
BKD	3.00	0.02	122	3.00	BSET100	10.42	0.01	551	10.00	AOT28C1901A	0.01	(0.01)	4	-
BSM	0.55	(0.01)	7,153	-	CHINA	4.89	0.03	6	4.00	AOT28C1902A	0.24	0.03	77,594	-
BTW	1.54	(0.03)	227	1.00	EBANK	-	-	-	-	AOT28P1812A	-	-	-	-
CHEWA	1.14	-	19,021	1.00	ECOMM	-	-	-	-	AOT41P1905A	-	-	-	-
CMC	1.99	(0.03)	98,486	2.00	EFOOD	-	-	-	-	AOT42C1903A	0.16	(0.01)	2,040	-
CRD	-	-	-	-	EICT	-	-	-	-	AP01C1903A	0.05	(0.02)	1,020	-
DIMET	0.95	(0.01)	9,302	-	ENY	6.20	(0.02)	1	6.00	AP01C1903B	0.01	(0.01)	50	-
FLOYD	1.90	(0.06)	622	1.00	ENY	-	-	-	-	AP13C1903A	-	-	-	-
FOCUS	1.58	0.03	1,855	1.00	ESET50	-	-	-	-	AP13C1904A	-	-	-	-
HYDRO	1.15	(0.03)	935	1.00	GLD	1.73	-	2,548	1.00	AP19C1902A	-	-	-	-
JSP	0.50	-	13,949	-	TDEX	10.81	0.01	2,601	10.00	AP19C1906A	0.30	(0.70)	1,200	-

## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP07C1904A	0.13	(0.02)	34	-	BEAU01C1902A	0.47	0.01	142,547	-	BLAN19C1906A	0.30	(0.70)	10	-
BANP08C1904A	0.20	(0.02)	3,140	-	BEAU01C1902B	0.29	0.01	115,205	-	BPP01C1903A	0.14	(0.01)	9,558	-
BANP08P1901A	0.27	-	9,154	-	BEAU01P1812A	1.74	-	11,028	1.00	BPP01C1903B	-	-	-	-
BANP11C1902A	0.01	(0.01)	18,654	-	BEAU01P1902A	0.83	(0.02)	60,672	-	BPP01P1903A	-	-	-	-
BANP11C1909A	0.28	-	2,002	-	BEAU06C1904A	0.81	-	16,030	-	BPP06C1903A	-	-	-	-
BANP13C1902A	-	-	-	-	BEAU08C1901A	-	-	-	-	BPP13C1901A	-	-	-	-
BANP13C1904A	0.25	-	17,096	-	BEAU08C1902A	0.25	-	11,270	-	BPP13C1902A	0.17	(0.01)	53,796	-
BANP16C1812A	0.34	-	300	-	BEAU11C1902A	0.02	0.01	1	-	BPP19C1903A	0.31	(0.01)	44,227	-
BANP16C1912A	-	-	-	-	BEAU13C1812A	-	-	-	-	BPP19C1903B	0.11	(0.01)	6,000	-
BANP19C1902A	0.11	-	9,300	-	BEAU13C1812B	0.01	-	6,000	-	BPP23C1901A	-	-	-	-
BANP23C1901A	-	-	-	-	BEAU13C1901A	0.01	-	100,327	-	BPP24C1902A	-	-	-	-
BANP23C1906A	0.33	-	13,000	-	BEAU13C1904A	0.13	0.01	4,844	-	BPP24C1904A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU13C1904B	0.47	(0.01)	660,073	-	BPP28C1812A	-	-	-	-
BANP24C1904A	-	-	-	-	BEAU19C1901A	0.27	0.01	24,190	-	BPP28C1902A	-	-	-	-
BANP24C1907A	-	-	-	-	BEAU19C1902A	0.06	(0.01)	5,325	-	BPP28C1904A	0.31	-	10,179	-
BANP24P1901A	-	-	-	-	BEAU23C1901A	-	-	-	-	BTS01C1903A	0.35	(0.01)	4,205	-
BANP27C1904A	-	-	-	-	BEAU23C1906A	0.22	0.01	51,718	-	BTS01C1903B	0.23	(0.01)	260	-
BANP27P1905A	0.46	-	1,010	-	BEAU24C1901A	0.01	-	37,200	-	BTS01P1903A	0.31	-	12,582	-
BANP28C1902A	-	-	-	-	BEAU24C1902A	0.01	-	10	-	BTS06C1903A	-	-	-	-
BANP28C1903A	-	-	-	-	BEAU24C1903A	-	-	-	-	BTS06C1903B	-	-	-	-
BANP28C1903B	-	-	-	-	BEAU24C1904A	0.14	-	24,300	-	BTS06C1903C	-	-	-	-
BANP42C1903A	-	-	-	-	BEAU27C1903A	-	-	-	-	BTS11C1904A	0.04	(0.01)	1	-
BANP42P1903A	-	-	-	-	BEC01C1812A	0.01	-	2,001	-	BTS19C1901A	-	-	-	-
BBL06C1902A	0.56	-	9,666	-	BEC01C1812B	0.01	-	6,000	-	BTS23C1905A	-	-	-	-
BBL08C1902A	0.31	(0.01)	7,754	-	BEC13C1901A	-	-	-	-	BTS24C1901A	-	-	-	-
BBL08P1904A	0.34	-	14,002	-	BEC24C1812A	-	-	-	-	BTS28C1902A	0.12	-	2,245	-
BBL11C1903A	0.24	-	33,690	-	BEM01C1902A	0.46	-	45,272	-	BTS42C1901A	-	-	-	-
BBL11P1903A	0.06	-	100	-	BEM01C1902B	0.35	0.01	39,847	-	BTS42P1901A	0.09	-	1	-
BBL13C1901A	0.14	(0.01)	34,214	-	BEM01P1902A	0.21	-	23,062	-	CBG01C1902A	0.33	0.02	32,331	-
BBL19C1901A	0.11	-	55,330	-	BEM07C1903A	-	-	-	-	CBG01C1902B	0.16	-	4,407	-
BBL19P1904A	0.32	-	76,674	-	BEM08C1903A	0.29	0.01	12,870	-	CBG01P1905A	0.82	(0.02)	103,362	-
BBL23C1906A	0.28	(0.02)	59,000	-	BEM11C1903A	0.25	0.01	8,182	-	CBG06C1903A	0.32	-	6,246	-
BBL24C1812A	0.10	(0.02)	4,000	-	BEM13C1901A	0.35	-	149,446	-	CBG06P1903A	0.69	(0.05)	9,895	-
BBL24C1902A	-	-	-	-	BEM19C1901A	0.41	0.02	28,210	-	CBG07C1812A	-	-	-	-
BBL24C1907A	0.23	-	50	-	BEM23C1901A	0.19	0.01	3,901	-	CBG08C1902A	0.07	0.02	2,407	-
BBL24P1904A	0.31	(0.01)	1,000	-	BEM24C1902A	0.21	0.01	11,756	-	CBG11C1902A	0.02	(0.02)	893	-
BBL27C1904A	0.33	-	16,824	-	BEM27C1904A	0.28	0.01	450	-	CBG13C1812A	-	-	-	-
BBL27P1904A	0.50	-	13,200	-	BEM27P1905A	-	-	-	-	CBG13C1901A	0.15	(0.01)	72,617	-
BBL28C1901A	0.09	-	22,323	-	BEM42C1904A	0.26	(0.01)	12,846	-	CBG16C1912A	-	-	-	-
BBL28C1904A	0.21	-	58,217	-	BEM42P1904A	0.11	-	1	-	CBG19C1901A	0.10	-	15,492	-
BBL42C1903A	0.17	(0.01)	2,092	-	BGR101C1901A	0.80	(0.06)	7,834	-	CBG23C1901A	-	-	-	-
BCH01C1902A	0.38	(0.02)	21,328	-	BGR101C1901B	0.40	(0.06)	7,011	-	CBG24C1901A	0.07	(0.01)	3,500	-
BCH01C1902B	0.19	(0.02)	27,430	-	BGR101C1903A	0.24	(0.02)	21,248	-	CBG24C1903A	-	-	-	-
BCH01P1902A	0.35	0.01	22,925	-	BGR101C1903B	0.13	(0.02)	39,128	-	CBG24C1904A	0.34	(0.01)	9,238	-
BCH08C1901A	0.35	(0.04)	7,086	-	BGR106C1903A	0.59	(0.07)	5,150	-	CBG28C1812A	-	-	-	-
BCH11C1905A	0.34	(0.02)	6,100	-	BGR107C1903A	-	-	-	-	CBG28C1904A	0.30	0.01	21,506	-
BCH13C1902A	0.14	(0.02)	31,250	-	BGR108C1902A	0.38	(0.05)	4,960	-	CBG42C1904A	0.16	(0.02)	3,536	-
BCH19C1903A	0.40	(0.02)	5,974	-	BGR108C1904A	0.13	(0.02)	8,369	-	CENTO1C1903A	0.49	0.01	101,454	-
BCH24C1904A	0.18	(0.02)	700	-	BGR11C1909A	0.25	(0.02)	7,200	-	CENTO1C1903B	0.35	0.01	148,349	-
BCH27C1902A	0.60	(0.03)	4,500	-	BGR11C1812A	-	-	-	-	CENTO1P1903A	0.31	-	81,163	-
BCH28C1902A	0.09	(0.01)	2,000	-	BGR11C1812B	-	-	-	-	CENTO6C1904A	0.16	(0.01)	13,632	-
BCH28C1904A	0.28	(0.02)	22,798	-	BGR11C1904A	0.16	(0.01)	17,937	-	CENTO8C1902A	0.13	-	22,813	-
BCP01C1903A	0.19	-	33,666	-	BGR11C1901A	0.24	(0.05)	9,540	-	CENT11C1904A	0.10	-	602	-
BCP01C1903B	-	-	-	-	BGR11C1903A	0.11	(0.01)	21,639	-	CENT11C1909A	0.42	-	75,718	-
BCP01P1903A	0.38	0.02	15,200	-	BGR124C1901A	-	-	-	-	CENT13C1902A	0.23	0.01	223,085	-
BCP08C1901A	0.06	(0.01)	6,700	-	BGR124C1902A	0.09	(0.01)	600	-	CENT19C1901A	0.11	(0.01)	98,939	-
BCP11C1909A	0.22	(0.01)	9,600	-	BGR127C1905A	0.16	-	7,000	-	CENT19C1904A	0.45	0.01	50,495	-
BCP13C1902A	0.09	(0.01)	56,998	-	BGR128C1812A	-	-	-	-	CENT23C1902A	-	-	-	-
BCP19C1902A	0.09	(0.01)	15,500	-	BGR128C1901A	0.04	(0.02)	800	-	CENT24C1901A	-	-	-	-
BCP24C1904A	-	-	-	-	BH01C1905A	0.36	(0.01)	9,567	-	CENT24C1902A	-	-	-	-
BCP24C1907A	0.22	(0.03)	6,000	-	BH01C1905B	0.30	-	10,154	-	CENT27C1905A	0.42	-	28,800	-
BCP28C1901A	-	-	-	-	BH01P1905A	0.62	0.01	15,401	-	CHG01C1903A	0.12	0.01	31,476	-
BCP28C1904A	0.20	(0.02)	15,710	-	BH08C1902A	0.46	(0.02)	9,678	-	CHG01C1903B	-	-	-	-
BCPG01C1904A	0.23	(0.01)	6,691	-	BH11C1902A	-	-	-	-	CHG01P1903A	0.70	-	3,250	-
BCPG01C1904B	0.13	(0.02)	6,033	-	BH11C1905A	0.62	(0.01)	7,270	-	CHG07C1902A	-	-	-	-
BCPG08C1904A	-	-	-	-	BH13C1901A	0.45	(0.03)	55,986	-	CHG11C1904A	-	-	-	-
BCPG08C1904B	0.20	(0.02)	100	-	BH19C1901A	0.43	(0.03)	57,622	-	CHG13C1812A	-	-	-	-
BCPG11C1902A	0.04	(0.01)	81	-	BH24C1902A	0.34	0.02	2,000	-	CHG13C1903A	-	-	-	-
BCPG13C1812A	0.02	(0.03)	30	-	BH27C1905A	-	-	-	-	CHG13C1904A	0.15	-	2,170	-
BCPG13C1902A	0.04	(0.01)	180	-	BIG08C1906A	0.03	-	4,802	-	CHG19C1902A	-	-	-	-
BCPG13C1904A	0.21	(0.03)	1,080	-	BIG13C1901A	-	-	-	-	CHG24C1904A	0.04	-	2	-
BCPG19C1901A	0.12	(0.02)	5,251	-	BIG24C1812A	-	-	-	-	CHG24C1911A	-	-	-	-
BCPG23C1902A	-	-	-	-	BJC01C1812A	0.35	0.05	298,282	-	CHG27C1905A	0.12	-	1,200	-
BCPG24C1903A	0.05	(0.04)	1,259	-	BJC01C1812B	0.03	-	4,500	-	CHG28C1812A	-	-	-	-
BCPG27C1903A	0.14	(0.01)	2,400	-	BJC01C1906A	0.61	0.06	159,552	-	CHG28C1902A	-	-	-	-
BCPG28C1812A	-	-	-	-	BJC01C1906B	0.54	0.05	279,647	-	CHG28C1904A	0.15	-	2,048	-
BCPG28C1901A	0.01	(0.04)	5,002	-	BJC01P1812A	0.24	(0.06)	251,618	-	CK01C1902A	0.20	(0.02)	4,280	-
BCPG28C1904A	0.22	(0.01)	4,096	-	BJC01P1906A	0.57	(0.05)	88,904	-	CK01C1902B	0.11	(0.02)	8,225	-
BDMS01C1905A	0.25	(0.01)	49,198	-	BJC06C1901A	-	-	-	-	CK01P1902A	0.32	0.02	15,984	-
BDMS01C1905B	0.20	(0.03)	87,348	-	BJC08C1903A	0.14	0.01	35,285	-	CK08C1901A	-	-	-	-
BDMS01P1905A	0.26	0.01	72,693	-	BJC11C1905A	0.24	0.02	50,147	-	CK11C1904A	0.10	-	1,000	-
BDMS07C1904A	0.12	(0.02)	1,100	-	BJC13C1812A	-	-	-	-	CK13C1902A	-	-	-	-
BDMS08C1901A	0.03	(0.01)	1,006	-	BJC13C1902A	0.06	-	4,022	-	CK16C1812A	-	-	-	-
BDMS08C1905A	-	-	-	-	BJC13C1903A	0.24	0.03	163,362	-	CK16C1912A	0.31	(0.03)	41,256	-
BDMS11C1904A	-	-	-	-	BJC19C1902A	0.16	0.02	194,878	-	CK19C1903A	-	-	-	-
BDMS13C1812A	0.01	-	8,550	-	BJC23C1901A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS13C1903A	0.14	(0.03)	119,193	-	BJC24C1901A	-	-	-	-	CK24C1904A	-	-	-	-
BDMS16C1812A	-	-	-	-	BJC27C1905A	0.29	0.03	52,710	-	CK28C1812A	-	-	-	-
BDMS16C1912A	0.36	(0.03)	8	-	BJC28C1812A	-	-	-	-	CK28C1902A	-	-	-	-
BDMS19C1901A	0.14	(0.01)	25,105	-	BJC28C1904A	0.20	0.03	116,962	-	CKP01C1812A	1.04	(0.04)	9,809	1.00
BDMS19C1905A	0.62	(0.09)	4,000	-	BLA01C1812A	0.03								

## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP28C1903A	0.15	-	12,084	-	DTAC13P1903A	0.31	0.02	19,204	-	GUNK13C1903A	0.24	(0.04)	61,728	-
COM706C1903A	0.28	0.01	2,000	-	DTAC19C1904A	0.43	(0.04)	50,336	-	GUNK19C1903A	0.43	(0.05)	85,354	-
COM708C1903A	0.29	-	5,780	-	DTAC23C1906A	0.38	-	17,000	-	GUNK19C1906A	0.39	(0.03)	20,105	-
COM711C1909A	0.57	-	9,054	-	DTAC24C1901A	-	-	-	-	GUNK24C1812A	-	-	-	-
COM713C1812A	-	-	-	-	DTAC27C1903A	0.24	(0.03)	3,600	-	GUNK24C1903A	0.27	(0.05)	12,640	-
COM713C1903A	0.16	-	23,577	-	DTAC27P1903A	0.30	0.02	2,400	-	GUNK27C1905A	0.35	(0.03)	21,600	-
COM713C1904A	0.45	0.02	35,478	-	DTAC28C1812A	-	-	-	-	GUNK28C1903A	0.25	(0.04)	34,370	-
COM719C1904A	0.48	0.03	2,100	-	DTAC28C1902A	0.20	-	10,096	-	HANA01C1905A	0.32	(0.01)	60,306	-
COM723C1901A	0.11	-	210	-	DTAC42C1903A	0.29	(0.02)	4,080	-	HANA01C1905B	0.28	(0.01)	57,686	-
COM724C1904A	0.28	(0.02)	2,000	-	EA07C1903A	0.70	-	11,530	-	HANA08C1903A	0.14	(0.01)	3,738	-
COM727C1902A	0.34	0.01	900	-	EA08C1903A	0.59	(0.02)	8,875	-	HANA11C1904A	0.12	-	6,010	-
COM728C1903A	0.31	0.02	6,084	-	EA08C1903B	0.27	0.02	4,294	-	HANA13C1901A	0.08	(0.01)	41,672	-
CPAL01C1901A	0.13	-	55,398	-	EA11C1902A	0.12	0.01	870	-	HANA13C1905A	0.26	-	36,344	-
CPAL01C1901B	0.01	(0.01)	5,002	-	EA13C1812A	0.02	(0.01)	9,038	-	HANA19C1902A	0.08	(0.01)	4,596	-
CPAL01C1904A	0.72	0.02	50,908	-	EA13C1812B	-	-	-	-	HANA19C1906A	0.42	(0.58)	4,088	-
CPAL01C1904B	0.46	(0.01)	96,033	-	EA13C1901A	0.18	(0.01)	36,245	-	HANA24C1903A	-	-	-	-
CPAL01P1901A	1.25	-	48,322	1.00	EA13C1903A	0.24	(0.01)	41,705	-	HANA28C1812A	-	-	-	-
CPAL01P1901B	0.40	(0.02)	76,344	-	EA19C1902A	0.44	(0.01)	23,236	-	HANA28C1902A	0.07	(0.01)	6,028	-
CPAL01P1904A	0.57	(0.01)	23,055	-	EA23C1901A	0.47	0.02	10,000	-	HANA28C1904A	0.25	-	29,982	-
CPAL01P1904B	0.31	(0.01)	56,437	-	EA24C1901A	-	-	-	-	HMPR01C1902A	0.33	(0.01)	10,724	-
CPAL07C1902A	0.22	(0.02)	6,102	-	EA27C1902A	0.74	(0.02)	12,600	-	HMPR01C1902B	0.23	-	12,080	-
CPAL08C1902A	0.06	(0.02)	1	-	EA28C1901A	-	-	-	-	HMPR01P1902A	0.28	(0.01)	18,732	-
CPAL08C1902B	0.27	(0.01)	27,582	-	EA28C1902A	0.15	-	700	-	HMPR11C1906A	0.17	(0.01)	14,437	-
CPAL08P1904A	0.34	-	9,702	-	EGCO01C1903A	0.65	0.06	28,041	-	HMPR13C1812A	0.02	(0.03)	20	-
CPAL11C1903A	0.02	-	2,002	-	EGCO01C1903B	0.44	0.06	48,572	-	HMPR13C1905A	0.23	(0.01)	19,050	-
CPAL11C1909A	0.46	-	23,110	-	EGCO19C1901A	0.29	0.04	31,870	-	HMPR19C1901A	0.27	-	5,655	-
CPAL11P1903A	-	-	-	-	EGCO24C1901A	-	-	-	-	HMPR23C1901A	-	-	-	-
CPAL13C1812A	0.01	-	83,788	-	EPG01C1903A	0.21	(0.01)	5,700	-	HMPR24C1901A	0.08	(0.03)	9	-
CPAL13C1901A	0.18	0.01	39,206	-	EPG01C1903B	0.12	-	2,828	-	HMPR27C1905A	0.29	0.01	2,400	-
CPAL13C1903A	0.63	0.01	68,242	-	EPG01P1903A	1.08	-	7,349	1.00	HMPR27P1905A	0.30	-	2,400	-
CPAL13P1902A	0.17	(0.01)	40,220	-	EPG07C1906A	0.35	(0.04)	1,804	-	HMPR28C1903A	0.14	0.01	10,240	-
CPAL16C1912A	-	-	-	-	EPG08C1903A	-	-	-	-	INTU01C1903A	0.18	-	6,611	-
CPAL19C1902A	0.26	-	24,202	-	EPG11C1903A	0.24	(0.01)	16,929	-	INTU01C1903B	0.06	(0.01)	2,320	-
CPAL19P1903A	0.22	-	6,005	-	EPG13C1902A	-	-	-	-	INTU01P1903A	0.92	-	9,462	-
CPAL23C1906A	0.55	-	63,000	-	EPG13C1903A	0.15	-	14,254	-	INTU01P1903B	0.68	-	10,812	-
CPAL24C1901A	-	-	-	-	EPG19C1902A	-	-	-	-	INTU11C1905A	0.06	(0.02)	340	-
CPAL24C1903A	-	-	-	-	EPG19C1904A	0.26	(0.01)	28,215	-	INTU11P1905A	0.38	-	1,544	-
CPAL24C1904A	0.64	0.05	520	-	EPG24C1902A	-	-	-	-	INTU13C1812A	-	-	-	-
CPAL24P1901A	-	-	-	-	EPG28C1902A	-	-	-	-	INTU13C1904A	0.20	(0.01)	21,250	-
CPAL27C1903A	0.29	(0.01)	1,200	-	EPG28C1904A	0.24	-	2,300	-	INTU19C1901A	-	-	-	-
CPAL27P1905A	0.42	0.01	4,800	-	ERW13C1902A	0.06	(0.02)	34	-	INTU19C1906A	0.37	(0.63)	1	-
CPAL28C1901A	0.11	(0.01)	10,338	-	ERW19C1902A	0.13	(0.01)	1,025	-	INTU24C1901A	-	-	-	-
CPAL28C1904A	0.40	0.01	39,116	-	ERW24C1904A	-	-	-	-	INTU24C1909A	-	-	-	-
CPAL41C1901A	0.34	(0.01)	8,880	-	ESS001C1812A	0.04	(0.02)	5,906	-	INTU28C1901A	-	-	-	-
CPAL42C1904A	0.38	0.01	2,024	-	ESS001C1812B	0.01	-	1,600	-	INTU28C1904A	0.11	(0.01)	1,000	-
CPAL42P1904A	0.19	(0.01)	1,012	-	ESS001C1906A	0.35	(0.02)	16,124	-	INTU42C1904A	-	-	-	-
CPF01C1902A	0.17	-	1,015,031	-	ESS001C1906B	0.29	(0.02)	11,039	-	INTU42P1904A	0.38	-	2,548	-
CPF01C1902B	0.07	-	54,200	-	ESS001P1812A	0.88	0.04	3,213	-	IRPC01C1903A	0.13	(0.01)	2,090	-
CPF01P1902A	0.36	-	199,539	-	ESS001P1906A	0.67	0.02	8,960	-	IRPC01C1903B	0.06	-	6	-
CPF01P1902B	0.22	(0.01)	257,720	-	ESS008C1902A	-	-	-	-	IRPC01C1906A	0.32	(0.02)	43,450	-
CPF06C1903A	0.07	(0.01)	30	-	ESS011C1905A	0.24	(0.04)	13,884	-	IRPC01C1906B	0.29	(0.01)	55,564	-
CPF08C1901A	-	-	-	-	ESS013C1903A	0.07	(0.02)	8,041	-	IRPC01P1903A	0.65	0.02	32,395	-
CPF08C1904A	0.14	(0.01)	66,020	-	ESS013C1905A	0.25	(0.01)	4,549	-	IRPC01P1903B	0.48	0.01	35,402	-
CPF11C1902A	-	-	-	-	ESS019C1901A	0.02	(0.01)	2,900	-	IRPC06C1903A	0.11	(0.01)	6,900	-
CPF11P1902A	0.13	-	8,336	-	ESS019C1906A	0.35	(0.65)	860	-	IRPC07C1812A	-	-	-	-
CPF13C1902A	-	-	-	-	ESS024C1812A	-	-	-	-	IRPC08C1902A	0.08	-	5	-
CPF13C1903A	0.36	(0.04)	160,196	-	ESS024C1902A	-	-	-	-	IRPC11C1902A	-	-	-	-
CPF13C1905A	0.17	(0.83)	312,403	-	ESS028C1903A	0.04	(0.01)	10	-	IRPC11C1905A	0.14	-	5,150	-
CPF19C1901A	0.08	0.01	7,654	-	ESS028C1904A	0.18	(0.01)	4,000	-	IRPC13C1812A	-	-	-	-
CPF19C1904A	0.46	(0.03)	83,402	-	GFPT08C1906A	0.35	(0.05)	8,724	-	IRPC13C1903A	0.16	(0.02)	44,028	-
CPF24C1901A	-	-	-	-	GFPT13C1902A	0.11	-	9,424	-	IRPC19C1901A	0.07	(0.01)	5,075	-
CPF24C1902A	-	-	-	-	GFPT19C1903A	0.19	(0.03)	8,540	-	IRPC19C1905A	0.25	(0.01)	15,618	-
CPF24C1903A	0.11	-	2,977	-	GFPT24C1812A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPF24C1904A	0.46	-	3,032	-	GGC07C1902A	-	-	-	-	IRPC24C1904A	0.16	(0.01)	1,500	-
CPF27C1903A	-	-	-	-	GGC08C1906A	-	-	-	-	IRPC27C1903A	-	-	-	-
CPF28C1902A	-	-	-	-	GGC13C1902A	-	-	-	-	IRPC27P1905A	0.35	-	7,642	-
CPF28C1903A	-	-	-	-	GGC13C1905A	0.24	(0.01)	214	-	IRPC28C1812A	-	-	-	-
CPN01C1902A	0.35	0.05	70,082	-	GGC19C1902A	0.15	(0.01)	600	-	IRPC28C1902A	-	-	-	-
CPN01C1902B	0.13	0.02	422,705	-	GGC23C1901A	-	-	-	-	IRPC28C1904A	0.15	-	22,414	-
CPN01P1902A	0.89	(0.06)	99,959	-	GGC24C1812A	-	-	-	-	ITD06C1904A	0.10	(0.01)	1,960	-
CPN07C1902A	0.23	0.04	9,700	-	GGC24C1901A	0.04	(0.02)	1,000	-	ITD08C1902A	-	-	-	-
CPN08C1903A	0.27	0.03	19,818	-	GGC28C1905A	0.19	(0.01)	8,220	-	ITD11C1903A	-	-	-	-
CPN11C1903A	0.08	-	1,002	-	GLOB01C1903A	0.65	0.01	24,388	-	ITD13C1812A	-	-	-	-
CPN11P1903A	0.14	(0.02)	2,596	-	GLOB01C1903B	0.49	(0.01)	29,913	-	ITD13C1902A	-	-	-	-
CPN13C1812A	-	-	-	-	GLOB11C1906A	0.39	-	23,244	-	ITD19C1903A	0.17	-	3,668	-
CPN13C1903A	0.33	0.04	317,278	-	GLOB13C1901A	0.34	0.01	45,184	-	ITD24C1902A	-	-	-	-
CPN19C1901A	0.16	(0.03)	167,539	-	GLOB19C1901A	0.51	(0.04)	12,256	-	IVL01C1812A	0.12	(0.01)	50,281	-
CPN24C1901A	-	-	-	-	GLOB23C1906A	0.56	(0.02)	19,020	-	IVL01C1812B	0.01	-	75,494	-
CPN24C1904A	0.38	0.05	9,062	-	GLOB24C1903A	0.24	(0.01)	2,616	-	IVL01C1903A	0.35	-	12,143	-
CPN27C1903A	0.19	0.02	40,256	-	GLOB24C1906A	0.49	(0.01)	7,214	-	IVL01C1903B	0.21	-	50,465	-
CPN28C1902A	0.12	0.02	26,368	-	GLOW19C1901A	0.09	(0.04)	21,740	-	IVL01C1905A	0.55	-	27,860	-
CPN28C1904A	0.28	0.03	188,773	-	GLOW27C1812A	-	-	-	-	IVL01C1905B	0.48	(0.02)	25,554	-
DELTO6C1903A	0.77	-	3,000	-	GPSC01C1902A	0.14	0.01	47,930	-	IVL01P1812A	0.63	(0.01)	43,904	-
DELTO6C1901A	0.35	(0.03)	100	-	GPSC01C1902B	0.05	0.01	2	-	IVL01P1812B	0.13	-	114,792	-
DELTO6C1902A	-	-	-	-	GPSC01C1905A	0.63	0.04	87,353	-	IVL01P1903A	0.96	(0.01)	40,125	-
DTAC01C1902A	0.71	(0.04)	18,552	-	GPSC01C1905B	0.55	0.06	100,190	-	IVL01P1903B	0.69	0.01	35,070	-
DTAC01C1902B	0.44	(0.05)	24,927	-	GPSC01P1902A	1.64	(0.11)	55,145	1.00	IVL01P1905A	0.69	0.01	62,786	-
DTAC01C1905A	0.50	(0.04)	23,272	-	GPSC08C1902A	-	-							



## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL24C1906A	0.47	-	1	-	LH23C1901A	-	-	-	-	PTG01C1905B	0.82	(0.02)	14,407	-
IVL27C1902A	0.16	(0.01)	1,200	-	LH24C1903A	-	-	-	-	PTG01P1902A	0.82	(0.01)	93,824	-
IVL28C1812A	-	-	-	-	LH27C1905A	0.15	(0.02)	1,200	-	PTG06C1904A	-	-	-	-
IVL28C1902A	0.11	-	5,300	-	LH27P1905A	0.34	(0.02)	1,800	-	PTG08C1902A	-	-	-	-
IVL28C1903A	0.30	(0.01)	21,316	-	LPN01C1905A	0.14	(0.03)	48,063	-	PTG08C1903A	-	-	-	-
IVL28P1904A	0.32	(0.02)	40,240	-	LPN01C1905B	0.10	(0.02)	13,144	-	PTG11C1903A	-	-	-	-
IVL42C1903A	0.16	(0.01)	4,040	-	LPN08C1906A	0.03	(0.01)	16,080	-	PTG13C1812A	-	-	-	-
KBAN01C1901A	0.60	(0.02)	197,962	-	LPN13C1903A	-	-	-	-	PTG13C1901A	0.01	-	11,348	-
KBAN01C1901B	0.04	(0.01)	21,938	-	LPN13C1904A	0.14	(0.03)	32,174	-	PTG13C1903A	0.10	(0.01)	44,168	-
KBAN01C1904A	0.25	-	32,565	-	LPN19C1904A	0.07	(0.02)	10,581	-	PTG13C1904A	0.53	(0.01)	312,279	-
KBAN01C1904B	0.11	(0.01)	53,084	-	LPN24C1812A	-	-	-	-	PTG19C1902A	0.01	-	99	-
KBAN01P1901A	0.98	0.01	51,702	-	LPN24C1908A	0.09	(0.02)	15,350	-	PTG19C1902B	0.05	-	2	-
KBAN01P1901B	0.12	-	83,217	-	MAJO11C1902A	-	-	-	-	PTG19C1905A	0.79	(0.04)	10,576	-
KBAN01P1904A	0.87	0.01	23,237	-	MAJO13C1903A	0.06	-	533	-	PTG19P1903A	0.30	(0.01)	24,086	-
KBAN01P1904B	0.61	-	68,353	-	MAJO19C1902A	-	-	-	-	PTG24C1901A	0.01	-	300	-
KBAN08C1903A	0.06	-	250	-	MAJO19C1904A	0.33	-	7,022	-	PTG24C1902A	-	-	-	-
KBAN13C1901A	0.04	(0.01)	1,105	-	MAJO24C1902A	-	-	-	-	PTG24C1904A	-	-	-	-
KBAN13C1904A	0.16	-	26,013	-	MALE01C1812A	-	-	-	-	PTG24C1905A	0.80	(0.03)	21	-
KBAN13C1904B	0.46	(0.02)	101,010	-	MALE27C1812A	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN19C1901A	0.04	-	891	-	MC24C1812A	-	-	-	-	PTG28C1812A	-	-	-	-
KBAN19C1906A	0.74	(0.26)	39,536	-	MEGA01C1904A	0.27	(0.02)	13,163	-	PTG28C1901A	-	-	-	-
KBAN19P1904A	0.73	0.01	81,856	-	MEGA01C1904B	0.19	(0.02)	63,828	-	PTG28C1904A	0.50	(0.03)	21,390	-
KBAN23C1902A	-	-	-	-	MEGA08C1903A	0.09	(0.04)	764	-	PTT01C1901A	0.47	(0.02)	186,025	-
KBAN24C1902A	0.09	(0.08)	501	-	MEGA11C1902A	-	-	-	-	PTT01C1901B	0.21	(0.01)	245,020	-
KBAN24C1903A	-	-	-	-	MEGA13C1902A	0.10	-	200	-	PTT01C1904A	0.31	(0.02)	122,635	-
KBAN24C1908A	0.54	(0.02)	8,320	-	MEGA19C1902A	-	-	-	-	PTT01C1904B	0.19	(0.01)	258,986	-
KBAN24P1907A	0.53	0.01	4	-	MEGA19C1904A	0.37	(0.63)	8,400	-	PTT01P1901A	0.38	0.02	58,089	-
KBAN27C1903A	0.13	-	4,800	-	MEGA23C1902A	-	-	-	-	PTT01P1901B	0.11	-	32,676	-
KBAN27P1904A	0.73	-	10,800	-	MEGA24C1812A	-	-	-	-	PTT01P1904A	0.81	0.02	43,381	-
KBAN28C1812A	-	-	-	-	MEGA24C1903A	-	-	-	-	PTT01P1904B	0.61	0.02	71,943	-
KBAN28C1904A	0.10	-	4,890	-	MINT01C1901A	0.25	0.01	139,406	-	PTT06C1901A	0.13	(0.02)	21,445	-
KBAN28C1905A	0.39	(0.02)	45,124	-	MINT01C1901B	0.04	-	2,619	-	PTT06P1901A	0.24	0.02	25,948	-
KBAN28P1904A	0.50	-	94,053	-	MINT01P1901A	0.20	(0.01)	91,246	-	PTT07C1906A	0.38	(0.02)	1,810	-
KCE01C1903A	0.07	0.01	14,178	-	MINT06C1901A	-	-	-	-	PTT08C1902A	0.11	(0.01)	11,570	-
KCE01C1903B	0.03	-	214	-	MINT06C1903A	-	-	-	-	PTT08P1904A	0.53	0.02	15,612	-
KCE01C1906A	0.43	0.02	57,506	-	MINT07C1906A	0.26	-	7,101	-	PTT11C1902A	0.03	(0.01)	480	-
KCE01C1906B	0.36	0.01	58,528	-	MINT08C1903A	0.10	-	10,579	-	PTT11C1909A	0.28	(0.03)	5,851	-
KCE06C1903A	0.02	0.01	2,414	-	MINT11C1902A	-	-	-	-	PTT13C1812A	-	-	-	-
KCE07C1902A	0.02	-	1,070	-	MINT11P1902A	-	-	-	-	PTT13C1903A	0.24	(0.01)	226,452	-
KCE08C1902A	0.01	-	2,561	-	MINT13C1812A	-	-	-	-	PTT13P1812A	-	-	-	-
KCE08C1905A	0.36	0.01	18,122	-	MINT13C1903A	0.05	0.01	660	-	PTT13P1902A	0.34	0.02	109,348	-
KCE11C1904A	0.06	-	60	-	MINT13C1904A	0.19	-	290,160	-	PTT16C1912A	0.63	(0.03)	4,488	-
KCE13C1812A	-	-	-	-	MINT19C1901A	0.12	-	57,091	-	PTT19C1901A	0.15	(0.01)	43,645	-
KCE13C1903A	0.03	-	10,070	-	MINT24C1812A	-	-	-	-	PTT19P1903A	0.30	-	19,055	-
KCE13C1904A	0.09	0.02	98,904	-	MINT24C1901A	-	-	-	-	PTT23C1901A	-	-	-	-
KCE19C1901A	0.01	-	4,195	-	MINT24C1902A	-	-	-	-	PTT23C1906A	0.32	(0.02)	110,052	-
KCE19C1906A	0.46	(0.54)	12,372	-	MINT27C1903A	0.09	(0.01)	240	-	PTT24C1812A	-	-	-	-
KCE23C1901A	-	-	-	-	MINT27P1905A	0.44	-	22,520	-	PTT24C1904A	0.15	(0.03)	7	-
KCE24C1901A	-	-	-	-	MINT28C1903A	0.05	-	200	-	PTT24P1901A	-	-	-	-
KCE24C1904A	-	-	-	-	MINT28P1904A	0.16	-	107,948	-	PTT24P1904A	0.22	0.01	200	-
KCE27C1902A	-	-	-	-	MINT42C1904A	0.12	(0.02)	12,244	-	PTT27C1903A	0.17	(0.02)	4,125	-
KCE28C1902A	-	-	-	-	MINT42P1904A	0.39	-	21,348	-	PTT27P1903A	0.37	0.02	6,200	-
KCE28C1904A	0.06	-	15,598	-	MONO08C1906A	0.02	-	15	-	PTT28C1812A	-	-	-	-
KCE28C1905A	0.30	0.02	47,311	-	MONO13C1901A	0.01	-	2,000	-	PTT28C1901A	-	-	-	-
KKP01C1902A	0.33	0.01	8,646	-	MONO23C1901A	-	-	-	-	PTT28C1904A	0.28	(0.01)	44,500	-
KKP01C1902B	0.12	-	506	-	MONO24C1812A	-	-	-	-	PTT28P1812A	-	-	-	-
KKP08C1904A	0.29	(0.01)	13,804	-	MONO24C1812B	-	-	-	-	PTT28P1903A	0.36	0.02	55,358	-
KKP11C1903A	-	-	-	-	MONO28C1901A	-	-	-	-	PTTE01C1901A	0.43	0.04	324,731	-
KKP13C1903A	0.30	(0.01)	69,543	-	MTC06C1901A	0.95	(0.04)	20,176	-	PTTE01C1901B	0.07	-	20,535	-
KKP19C1901A	0.15	(0.01)	46,467	-	MTC08C1902A	0.60	(0.02)	10,445	-	PTTE01C1904A	0.36	0.02	177,966	-
KKP24C1812A	-	-	-	-	MTC08C1904A	0.20	(0.01)	38,499	-	PTTE01C1904B	0.22	0.02	216,415	-
KKP24C1906A	0.38	(0.03)	1,000	-	MTC11C1904A	0.54	(0.01)	21,411	-	PTTE01P1901A	0.96	(0.07)	89,798	-
KKP28C1902A	-	-	-	-	MTC13C1901A	0.46	-	4,000	-	PTTE01P1901B	0.23	(0.03)	193,566	-
KTB01C1903A	0.38	(0.01)	10,652	-	MTC13C1903A	0.30	(0.01)	134,149	-	PTTE01P1904A	1.47	(0.06)	47,901	1.00
KTB01C1903B	0.29	-	30,716	-	MTC19C1901A	0.61	(0.02)	54,562	-	PTTE01P1904B	1.13	(0.05)	67,410	1.00
KTB01P1903A	0.39	-	12,789	-	MTC19C1903A	0.32	(0.01)	48,073	-	PTTE06C1903A	0.32	0.02	43,216	-
KTB01P1903B	0.30	-	16,048	-	MTC23C1906A	0.30	(0.02)	48,200	-	PTTE07C1904A	0.20	(0.06)	200	-
KTB06C1902A	0.34	-	8,800	-	MTC24C1812A	-	-	-	-	PTTE08C1904A	0.26	0.01	19,840	-
KTB08C1903A	0.25	-	2,024	-	MTC24C1903A	0.26	(0.05)	700	-	PTTE08P1904A	1.14	(0.06)	14,508	1.00
KTB11C1909A	0.32	0.01	4,200	-	MTC24C1912A	0.69	(0.02)	145	-	PTTE11C1902A	0.24	0.02	202,083	-
KTB13C1901A	0.48	0.02	180	-	MTC27C1904A	0.46	-	3,550	-	PTTE13C1812A	0.08	0.01	14,286	-
KTB13C1903A	0.25	-	1,100	-	MTC28C1902A	0.42	(0.02)	6	-	PTTE13C1902A	0.06	-	26,879	-
KTB19C1901A	0.30	0.01	2,395	-	MTC28C1903A	0.19	(0.01)	49,970	-	PTTE13C1904A	0.45	0.03	215,314	-
KTB23C1906A	0.43	0.01	4,000	-	ORI08C1904A	-	-	-	-	PTTE13P1901A	0.15	(0.03)	26,100	-
KTB24C1904A	-	-	-	-	ORI11C1909A	0.67	-	9,600	-	PTTE13P1902A	0.71	(0.05)	53,210	-
KTB24P1901A	0.01	-	700	-	ORI13C1902A	0.01	(0.01)	17,288	-	PTTE19C1903A	0.24	0.01	45,088	-
KTB24P1907A	-	-	-	-	ORI13C1904A	0.15	(0.01)	1,420	-	PTTE19P1903A	0.51	(0.04)	36,131	-
KTB27C1905A	0.33	0.01	2,400	-	ORI13C1904B	0.50	-	35,550	-	PTTE23C1901A	-	-	-	-
KTB28C1903A	0.19	-	4,092	-	ORI19C1904A	0.07	-	3	-	PTTE23C1906A	0.42	0.03	29,511	-
KTB42C1903A	0.25	-	2,040	-	ORI19C1905A	0.60	-	4,250	-	PTTE24C1901A	-	-	-	-
KTB42P1903A	0.12	(0.01)	1,020	-	ORI24C1903A	-	-	-	-	PTTE24C1904A	0.42	0.03	1,502	-
KTC01C1901A	0.41	-	7,742	-	ORI24C1905A	0.29	(0.01)	1,470	-	PTTE24P1901A	-	-	-	-
KTC01C1901B	0.23	(0.01)	410	-	ORI27C1905A	-	-	-	-	PTTE24P1904A	0.55	(0.07)	11	-
KTC08C1903A	0.36	-	2,439	-	ORI28C1902A	0.03	-	1	-	PTTE27C1903A	0.16	0.02	11,423	-
KTC11C1902A	0.98	-	3,211	-	ORI28C1904A	0.61	(0.01)	2,104	-	PTTE27P1904A	-	-	-	-
KTC13C1812A	-	-	-	-	ORI28C1904B	0.40	(0.01)	12,576	-	PTTE28C1902A	0.18	0.02	69,437	-
KTC13C1812B	0.06	(0.01)	1,721	-	PRM08C1902A	0.05	-	5,000	-	PTTE28P1903A	0.69	(0.06)	8,262	-
KTC13C1903A	0.25	0.01	1,120	-	PRM13C1901A	0.03	-	100	-	PTTE42C1903A	0.25	0.01	2,040	-
KTC19C1901A	0.58	0.01	19,389	-	PRM13C1904A	0.12	(0.01)	13,590	-	PTTG01C1901A	0.75			

## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG13C1812A	-	-	-	-	S5028C1812C	0.01	-	1,608	-	SPAL01C1902A	0.08	(0.04)	36,782	-
PTTG13C1812B	0.06	(0.02)	7,571	-	S5028C1812D	0.36	-	166,506	-	SPAL01C1902B	-	-	-	-
PTTG13C1904A	0.59	-	74,060	-	S5028C1901A	0.51	-	941,202	-	SPAL11C1905A	-	-	-	-
PTTG19C1902A	0.35	(0.01)	18,766	-	S5028P1812A	0.28	(0.03)	263,655	-	SPAL13C1903A	-	-	-	-
PTTG23C1901A	-	-	-	-	S5028P1812B	-	-	-	-	SPAL13C1904A	0.15	(0.06)	78,969	-
PTTG23C1906A	0.47	-	32,030	-	S5028P1812C	0.06	(0.01)	54	-	SPAL19C1902A	-	-	-	-
PTTG24C1812A	-	-	-	-	S5028P1901A	0.55	(0.02)	302,297	-	SPAL19C1906A	0.31	(0.69)	19,676	-
PTTG24C1901A	-	-	-	-	SAWA01C1901A	0.85	0.03	17,442	-	SPAL24C1812A	-	-	-	-
PTTG24C1904A	0.36	(0.06)	7,050	-	SAWA01C1901B	0.54	0.01	16,064	-	SPAL24C1905A	-	-	-	-
PTTG24P1901A	-	-	-	-	SAWA01P1901A	0.18	(0.01)	60,033	-	SPRC01C1902A	0.06	-	10,276	-
PTTG24P1905A	0.58	0.02	20	-	SAWA06C1903A	1.26	0.03	6,200	1.00	SPRC01C1902B	-	-	-	-
PTTG27C1903A	0.13	-	380	-	SAWA07C1812A	-	-	-	-	SPRC06C1902A	-	-	-	-
PTTG27P1903A	0.15	(0.01)	5,400	-	SAWA08C1902A	0.85	(0.01)	6,485	-	SPRC07C1903A	-	-	-	-
PTTG28C1812A	-	-	-	-	SAWA08C1903A	0.42	(0.01)	10,736	-	SPRC08C1903A	-	-	-	-
PTTG28C1904A	0.45	-	41,822	-	SAWA11C1906A	0.56	(0.01)	6,541	-	SPRC11C1902A	-	-	-	-
PTTG42C1904A	0.32	-	20,240	-	SAWA13C1812A	-	-	-	-	SPRC11C1909A	0.17	-	1	-
PTTG42P1904A	0.61	(0.01)	14,888	-	SAWA13C1901A	-	-	-	-	SPRC13C1812A	-	-	-	-
QH01C1903A	0.08	(0.01)	1,050	-	SAWA13C1903A	0.30	0.01	35,204	-	SPRC13C1905A	-	-	-	-
QH01C1903B	-	-	-	-	SAWA13C1904A	0.55	(0.07)	2,546	-	SPRC19C1901A	0.03	-	9,000	-
QH01P1903A	0.94	0.01	9,137	-	SAWA19C1901A	0.90	0.03	3,900	-	SPRC19C1905A	0.20	-	138	-
QH11C1902A	0.09	-	2,550	-	SAWA19C1903A	0.43	0.01	21,332	-	SPRC24C1903A	-	-	-	-
QH13C1903A	-	-	-	-	SAWA24C1812A	-	-	-	-	STA01C1812A	0.83	(0.01)	6,922	-
QH13C1904A	0.14	(0.01)	10,586	-	SAWA24C1902A	-	-	-	-	STA01C1812B	0.58	0.01	810	-
QH19C1901A	-	-	-	-	SAWA24C1910A	0.89	0.02	9	-	STA01C1904A	0.48	0.02	11,478	-
QH19C1904A	0.20	-	601	-	SAWA27C1903A	0.62	(0.01)	13,200	-	STA01C1904B	0.40	0.02	3,020	-
QH24C1812A	0.01	-	1	-	SAWA28C1812A	-	-	-	-	STA08C1904A	0.25	-	5,104	-
QH24C1904A	0.15	(0.01)	310	-	SAWA28C1902A	0.31	0.01	5,078	-	STA11C1909A	0.42	-	14,466	-
QH27C1903A	-	-	-	-	SCB01C1902A	0.85	0.01	20,464	-	STA13C1812A	-	-	-	-
QH27P1905A	0.41	0.02	6,385	-	SCB01C1902B	0.49	(0.02)	75,812	-	STA13C1901A	0.59	0.01	34,284	-
RATC19C1901A	0.11	0.01	8,020	-	SCB01C1904A	0.41	0.01	40,165	-	STA13C1902A	0.27	0.01	229,341	-
RATC24C1902A	-	-	-	-	SCB01C1904B	0.25	(0.01)	12,473	-	STA19C1903A	0.88	-	11,400	-
RATC27C1812A	-	-	-	-	SCB01P1902A	0.30	(0.01)	34,776	-	STA19C1903B	0.27	0.01	2,176	-
ROBI01C1903A	0.77	0.07	18,155	-	SCB01P1902B	-	-	-	-	STA24C1902A	0.25	-	2,118	-
ROBI01C1903B	0.50	0.06	22,646	-	SCB01P1904A	0.99	-	34,664	-	STA27C1904A	0.36	-	9,600	-
ROBI08C1903A	0.40	0.06	8,332	-	SCB01P1904B	0.76	(0.03)	43,656	-	STA28C1902A	0.32	(0.01)	6,344	-
ROBI11C1906A	0.45	0.05	8,534	-	SCB07C1904A	-	-	-	-	STA28C1903A	0.16	-	4,257	-
ROBI13C1902A	0.34	0.04	43,250	-	SCB08C1901A	0.21	0.02	3,060	-	STEC01C1902A	0.57	(0.09)	75,343	-
ROBI19C1901A	0.51	0.05	32,502	-	SCB11C1901A	0.06	-	10	-	STEC01C1902B	0.38	(0.08)	39,284	-
ROBI24C1901A	0.08	0.02	3,300	-	SCB11P1901A	0.10	(0.01)	6,241	-	STEC01P1902A	0.48	0.05	141,358	-
ROBI24C1903A	0.48	0.06	2,000	-	SCB13C1812A	0.09	-	26,818	-	STEC06C1903A	0.38	(0.09)	8,323	-
ROBI27C1905A	0.51	0.05	4,500	-	SCB13C1902A	0.13	-	29,788	-	STEC07C1904A	0.32	(0.07)	3,203	-
RS08C1901A	0.11	0.01	6,335	-	SCB13C1905A	0.43	-	213,983	-	STEC08C1903A	0.28	(0.05)	14,978	-
RS13C1901A	0.15	0.03	93,101	-	SCB13P1812A	-	-	-	-	STEC11C1903A	0.43	(0.09)	20,610	-
RS13C1905A	0.45	0.03	164,421	-	SCB19C1905A	0.53	0.02	13,252	-	STEC13C1902A	0.34	(0.07)	94,272	-
RS19C1901A	0.12	0.01	11,432	-	SCB24C1901A	-	-	-	-	STEC13C1903A	0.10	(0.02)	41,717	-
RS24C1904A	0.45	0.05	51,667	-	SCB24C1902A	-	-	-	-	STEC19C1901A	0.35	(0.08)	49,419	-
RS27C1905A	0.47	0.04	19,210	-	SCB24P1906A	0.38	(0.02)	100	-	STEC24C1901A	0.28	(0.14)	13,744	-
S1000C1911A	0.90	(0.01)	1,303	-	SCB27C1902A	0.22	0.01	2,400	-	STEC27C1902A	0.61	(0.11)	8,100	-
S5001C1812F	0.25	-	976,320	-	SCB27P1903A	0.25	0.01	2,400	-	STEC28C1902A	0.28	(0.06)	20,192	-
S5001C1812G	0.04	-	91,254	-	SCB28C1812A	-	-	-	-	STEC28C1903A	0.08	(0.02)	14,240	-
S5001C1812H	0.02	-	24,857	-	SCB28C1902A	0.11	0.01	17,918	-	SUPE08C1902A	-	-	-	-
S5001C1812I	0.02	-	7,794	-	SCB28C1904A	0.34	0.01	4,192	-	SUPE13C1902A	0.01	-	2,252	-
S5001C1901A	0.23	-	209,252	-	SCB28P1812A	-	-	-	-	SUPE13C1903A	-	-	-	-
S5001C1901B	0.13	-	122,096	-	SCB28P1901A	0.21	(0.02)	39,669	-	SUPE19C1902A	0.01	-	3,723	-
S5001C1902A	0.45	-	316,601	-	SCB42C1903A	0.22	0.01	1,020	-	SUPE19C1903A	-	-	-	-
S5001C1902B	0.30	-	214,804	-	SCC01C1901A	0.59	-	90,793	-	SUPE19C1906A	0.24	(0.76)	4,146	-
S5001C1903F	0.82	-	700,008	-	SCC01C1901B	0.31	(0.01)	35,776	-	SUPE23C1901A	-	-	-	-
S5001P1812F	1.50	(0.01)	1,083,475	1.00	SCC01P1901A	0.17	(0.01)	71,625	-	SUPE28C1902A	-	-	-	-
S5001P1812G	0.81	(0.04)	1,664,768	-	SCC06C1902A	0.13	(0.01)	1,200	-	TASCO1C1903A	0.39	(0.01)	27,296	-
S5001P1812H	1.25	0.01	1,225,277	1.00	SCC07C1812A	-	-	-	-	TASCO1C1903B	0.22	(0.02)	29,219	-
S5001P1812I	0.57	(0.04)	816,086	-	SCC08C1902A	0.16	(0.01)	5,056	-	TASCO1P1903A	0.49	-	24,684	-
S5001P1901A	1.19	(0.02)	23,420	1.00	SCC11C1906A	0.14	(0.01)	9,200	-	TASCO8C1903A	0.27	-	8,322	-
S5001P1901B	1.04	(0.03)	182,442	1.00	SCC13C1812A	-	-	-	-	TASC11C1904A	-	-	-	-
S5001P1902A	0.98	(0.01)	28,549	-	SCC13C1901A	0.19	-	20,574	-	TASC13C1901A	0.11	-	2,000	-
S5001P1902B	0.88	(0.03)	92,246	-	SCC13C1903A	0.14	-	1,094	-	TASC13C1904A	0.35	-	232,838	-
S5001P1903F	0.93	(0.03)	522,119	-	SCC19C1901A	0.18	0.01	6,998	-	TASC19C1902A	0.22	(0.02)	20,763	-
S5006C1812A	0.02	0.01	5,921	-	SCC24C1812A	-	-	-	-	TASC23C1902A	0.17	(0.01)	32,000	-
S5006C1812B	0.04	(0.01)	71,068	-	SCC24C1901A	-	-	-	-	TASC24C1903A	0.17	(0.01)	54,000	-
S5006C1812C	0.01	-	15,643	-	SCC24C1902A	-	-	-	-	TASC27C1905A	0.39	(0.01)	10,800	-
S5006C1812D	0.20	(0.01)	107,816	-	SCC24C1910A	0.40	-	130	-	TASC28C1902A	0.09	(0.02)	751	-
S5006C1903A	0.78	(0.01)	39,683	-	SCC24P1901A	-	-	-	-	TASC28C1904A	0.19	-	25,552	-
S5006C1903B	0.95	0.01	270	-	SCC27C1904A	-	-	-	-	TCAP01C1901A	0.60	(0.04)	1,458	-
S5006C1903C	1.16	-	2,600	1.00	SCC27P1904A	0.45	(0.01)	7,000	-	TCAP01C1901B	0.34	(0.04)	4,648	-
S5006P1812A	0.67	(0.01)	25,473	-	SCC28C1812A	-	-	-	-	TCAP01P1901A	0.13	-	15,498	-
S5006P1812B	0.08	(0.01)	12,295	-	SCC28C1902A	0.11	-	30,690	-	TCAP11C1909A	0.30	(0.01)	2,480	-
S5006P1812C	0.02	(0.02)	19,514	-	SCC42C1904A	0.16	-	3,460	-	TCAP13C1901A	0.34	(0.05)	26,258	-
S5006P1812D	1.12	(0.04)	23,700	1.00	SCCC27C1812A	-	-	-	-	TCAP19C1901A	0.22	-	1,000	-
S5006P1903A	0.92	-	6,391	-	SGP06C1812A	0.01	-	650	-	TCAP24C1903A	-	-	-	-
S5006P1903B	0.69	(0.02)	3,280	-	SGP08C1901A	-	-	-	-	THAI01C1901A	0.14	-	18,915	-
S5006P1903C	0.52	(0.01)	17,831	-	SGP11C1904A	-	-	-	-	THAI01C1901B	0.02	(0.01)	110	-
S5008C1812A	0.01	-	1	-	SGP13C1812A	-	-	-	-	THAI01P1901A	0.61	(0.03)	14,304	-
S5008C1812B	0.01	-	211	-	SGP13C1904A	0.07	(0.02)	75	-	THAI08C1903A	0.13	0.01	1,540	-
S5008C1812C	0.08	(0.02)	22,283	-	SGP13C1905A	0.27	(0.04)	138,302	-	THAI11C1906A	0.24	-	5,534	-
S5008C1903A	0.62	(0.01)	8,548	-	SGP19C1904A	0.06	-	1,000	-	THAI13C1902A	0.12	(0.01)	26,440	-
S5008P1812A	0.12	(0.03)	195,303	-	SGP19C1905A	0.33	(0.05)	2,374	-	THAI19C1901A	0.08	(0.04)	12,757	-
S5008P1812B	0.04	-	2,910	-	SGP24C1902A	-	-	-	-	THAI19C1905A	0.39	-	30,400	-
S5008P1903A	0.56	(0.02)	5,085	-	SGP27C1903A	-	-	-	-	THAI23C1901A	-	-	-	-
S5013C1812A	0.05	-	1,388,871	-	SGP28C1903A	-	-							

## Main Board Quotation

## Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price
S5028C1812B	0.03	-	5,726	-

Securities	Close	Change	Volume (Lot)	Average Price
SIRI28C1904A	0.12	(0.01)	15,448	-

Securities	Close	Change	Volume (Lot)	Average Price
TISC08C1903A	0.33	0.02	10,484	-



## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC11C1903A	0.06	0.01	14,142	-	TRUE01C1902B	0.15	0.01	127,663	-	WORK13C1812A	-	-	-	-
TISC13C1812A	-	-	-	-	TRUE01C1905A	0.30	-	95,780	-	WORK13C1902A	-	-	-	-
TISC13C1904A	0.53	0.03	56,714	-	TRUE01C1905B	0.25	0.01	100,794	-	WORK13C1903A	0.12	(0.01)	9,229	-
TISC19C1901A	0.12	0.01	53,115	-	TRUE01P1902A	0.45	(0.01)	103,768	-	WORK19C1902A	0.03	-	1,085	-
TISC24C1812A	-	-	-	-	TRUE01P1902B	0.26	-	113,931	-	WORK19C1905A	0.24	(0.02)	3,272	-
TISC24C1904A	-	-	-	-	TRUE01P1905A	0.51	(0.01)	90,870	-	WORK24C1812A	-	-	-	-
TISC27C1905A	0.58	0.02	5,400	-	TRUE06C1906A	0.14	-	22,120	-	WORK24C1903A	-	-	-	-
TISC28C1901A	0.26	0.03	39,196	-	TRUE07C1902A	-	-	-	-	WORK24C1907A	-	-	-	-
TISC42C1904A	0.33	0.02	1,012	-	TRUE08C1902A	0.13	-	39,764	-	WORK27C1903A	-	-	-	-
TKN01C1901A	0.03	(0.01)	2,103	-	TRUE08P1902A	0.16	-	22,915	-	WORK28C1901A	-	-	-	-
TKN01C1901B	-	-	-	-	TRUE11C1905A	0.16	(0.01)	554	-	WORK28C1904A	0.09	-	8,042	-
TKN08C1903A	-	-	-	-	TRUE13C1812A	0.01	-	700	-	WORK28C1905A	0.23	-	10,052	-
TKN11C1902A	-	-	-	-	TRUE13C1901A	0.10	-	227,260	-	Preferred/Foreign	-	-	-	-
TKN13C1812A	-	-	-	-	TRUE13P1901A	0.13	-	52,000	-	BH-Q	-	-	-	-
TKN13C1903A	0.02	-	209	-	TRUE16C1812A	0.10	-	250	-	CSC-Q	-	-	-	-
TKN13C1904A	0.07	-	8,290	-	TRUE16C1912A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN13C1904B	0.51	(0.04)	24,421	-	TRUE19C1901A	0.01	(0.01)	4,599	-	KTB-Q	-	-	-	-
TKN13C1905A	0.18	(0.01)	13,953	-	TRUE19C1903A	0.31	(0.01)	36,572	-	SCB-Q	-	-	-	-
TKN19C1903A	-	-	-	-	TRUE19P1903A	0.22	-	42,066	-	TCAP-Q	-	-	-	-
TKN19C1905A	0.28	(0.01)	11,137	-	TRUE23C1902A	-	-	-	-	TIC-Q	-	-	-	-
TKN23C1902A	-	-	-	-	TRUE27C1904A	0.17	(0.01)	9,600	-	TISCO-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TRUE27P1904A	0.41	-	4,500	-	U-Q	-	-	-	-
TKN24C1903A	-	-	-	-	TRUE28C1812A	-	-	-	-	Warrant	-	-	-	-
TKN24C1904A	-	-	-	-	TRUE28C1903A	0.13	-	110,024	-	7UP-W2	-	-	-	-
TKN28C1812A	-	-	-	-	TTA08C1906A	-	-	-	-	ACC-W1	0.02	-	10,500	-
TKN28C1903A	-	-	-	-	TTA13C1901A	-	-	-	-	AJA-W1	0.18	0.02	7,396	-
TKN28C1904A	0.06	(0.01)	500	-	TTA23C1901A	-	-	-	-	ALT-W1	0.71	0.02	1,512	-
TMB01C1903A	-	-	-	-	TTA24C1902A	-	-	-	-	APEX-W1	0.04	-	2,000	-
TMB01C1903B	0.16	-	58,004	-	TTA28C1812A	-	-	-	-	APURE-W2	0.19	-	7,317	-
TMB01P1903A	0.40	0.01	14,319	-	TU01C1901A	0.57	0.02	23,560	-	AYUD-W1	0.09	(0.02)	192	-
TMB06C1902A	0.05	-	202	-	TU01C1901B	0.44	0.01	26,694	-	B-W3	4.80	0.08	23,020	4.00
TMB06C1903A	0.17	(0.02)	6,724	-	TU01P1901A	0.08	(0.01)	650	-	B-W4	0.15	0.01	264	-
TMB07C1903A	-	-	-	-	TU06C1902A	0.18	-	12,850	-	BTS-W4	0.60	0.24	5,337,282	-
TMB08C1901A	-	-	-	-	TU07C1902A	-	-	-	-	BWG-W4	0.02	-	39,214	-
TMB08C1903A	0.12	-	10,502	-	TU11C1902A	-	-	-	-	CEN-W4	-	-	-	-
TMB11C1904A	0.04	(0.02)	6,000	-	TU11C1906A	0.15	0.01	6,260	-	CGD-W4	0.26	-	1,023	-
TMB13C1901A	0.08	(0.01)	9,000	-	TU13C1902A	0.15	-	20,348	-	CGH-W3	0.05	-	19,908	-
TMB13C1904A	0.18	(0.01)	54,936	-	TU19C1901A	0.13	-	49,993	-	CI-W1	0.23	0.01	1,596	-
TMB19C1901A	-	-	-	-	TU23C1902A	0.15	0.01	11,332	-	CKP-W1	0.61	(0.02)	169,392	-
TMB23C1906A	0.24	-	26,000	-	TU24C1901A	-	-	-	-	CRANE-W1	-	-	-	-
TMB24C1901A	-	-	-	-	TU24C1904A	0.34	0.01	2,500	-	CWT-W4	0.07	(0.03)	35,699	-
TMB24C1902A	-	-	-	-	TV001C1903A	0.22	-	364	-	DCC-W1	0.86	0.02	318,515	-
TMB27C1903A	0.22	-	609	-	TV001C1903B	-	-	-	-	DCON-W1	2.38	(0.18)	10	2.00
TMB28C1901A	0.09	-	20,880	-	TVO01C1903A	-	-	-	-	DIGI-W1	0.02	-	2	-
TMB28C1904A	0.16	(0.02)	20,483	-	TVO13C1902A	0.07	-	80	-	DIGI-W2	0.02	-	756	-
TOA01C1901A	0.13	(0.03)	43,014	-	TVO13C1904A	-	-	-	-	EARTH-W4	-	-	-	-
TOA01C1901B	-	-	-	-	TVO19C1902A	-	-	-	-	EIC-W2	-	-	-	-
TOA08C1902A	-	-	-	-	TVO24C1903A	-	-	-	-	EIC-W3	-	-	-	-
TOA13C1812A	-	-	-	-	UNIQ08C1906A	0.09	(0.01)	9,390	-	EMC-W6	0.13	0.01	99,622	-
TOA19C1901A	-	-	-	-	UNIQ13C1901A	-	-	-	-	EVER-W3	0.03	-	2,613	-
TOA24C1812A	-	-	-	-	UNIQ23C1901A	-	-	-	-	GJS-W3	0.01	-	1,205	-
TOA24C1904A	0.20	(0.01)	1,177	-	UV01C1902A	0.25	0.01	15,002	-	GSTEL-W1	-	-	-	-
TOA28C1812A	-	-	-	-	UV01C1902B	0.13	-	199	-	GSTEL-W2	-	-	-	-
TOA28C1904A	0.18	(0.02)	25,350	-	UV06C1812A	-	-	-	-	IEC-W2	-	-	-	-
TOP01C1901A	0.73	(0.01)	29,638	-	UV08C1902A	0.11	-	381	-	IHL-W1	4.80	(0.12)	16	4.00
TOP01C1901B	0.25	(0.02)	48,126	-	UV13C1812A	-	-	-	-	ITD-W1	0.09	0.01	15,700	-
TOP01C1904A	0.23	(0.02)	154,237	-	UV13C1904A	0.21	0.01	28,009	-	JAS-W3	2.14	-	3,531	2.00
TOP01C1904B	0.13	-	901	-	UV19C1902A	-	-	-	-	JCK-W5	-	-	-	-
TOP01P1901A	0.54	0.01	53,722	-	UV24C1812A	-	-	-	-	JMART-W2	0.56	(0.01)	4,627	-
TOP01P1904A	1.85	0.02	18,099	1.00	UV24C1903A	0.30	-	388	-	JMT-W2	2.10	-	558	2.00
TOP06C1903A	0.34	(0.02)	60,205	-	VGI01C1812A	0.68	-	6,398	-	MACO-W2	0.20	(0.01)	26,703	-
TOP06C1903B	0.05	(0.01)	20	-	VGI06C1904A	-	-	-	-	MIDA-W2	-	-	-	-
TOP07C1812A	-	-	-	-	VGI06C1904B	-	-	-	-	MILL-W3	0.02	-	15,892	-
TOP08C1902A	0.08	-	1,000	-	VGI06C1904C	-	-	-	-	MILL-W4	0.14	(0.02)	4,509	-
TOP11C1905A	0.36	(0.02)	12,710	-	VGI23C1905A	1.42	-	6,210	1.00	MILL-W5	0.13	(0.01)	7,907	-
TOP13C1901A	0.06	(0.01)	3,135	-	VGI23C1911A	1.39	-	4,000	1.00	ML-W2	0.02	-	50	-
TOP13C1902A	0.05	-	3,250	-	VGI27C1812A	0.14	(0.02)	6,800	-	MONO-W1	0.40	(0.04)	324,513	-
TOP13C1904A	0.38	(0.01)	22,658	-	WHA01C1812A	0.55	-	31,872	-	NEP-W3	-	-	-	-
TOP19C1901A	0.03	-	4,035	-	WHA01C1812B	0.21	(0.01)	78,139	-	NOK-W1	0.38	0.04	956	-
TOP19C1906A	0.61	(0.39)	18,305	-	WHA01C1906A	0.62	0.01	26,224	-	NUSA-W3	0.34	(0.01)	24,591	-
TOP23C1906A	0.40	(0.02)	43,511	-	WHA01C1906B	0.51	(0.01)	41,514	-	NVD-W1	0.28	-	2,210	-
TOP24C1901A	-	-	-	-	WHA01P1812A	0.13	(0.01)	5,727	-	ORI-W1	0.86	(0.03)	76,312	-
TOP24C1902A	-	-	-	-	WHA01P1906A	0.62	(0.01)	51,848	-	PACE-W2	0.14	0.03	192,135	-
TOP24C1903A	0.03	(0.01)	10,000	-	WHA06C1903A	0.36	(0.01)	1,940	-	PDI-W1	1.08	0.36	308,015	1.00
TOP24C1905A	0.47	-	1	-	WHA07C1906A	-	-	-	-	PDJ-W2	1.18	-	221	1.00
TOP27C1903A	0.10	(0.02)	3,600	-	WHA08C1904A	0.27	0.01	3,170	-	PDJ-W3	1.15	(0.01)	13	1.00
TOP28C1812A	-	-	-	-	WHA11C1903A	0.13	-	9,163	-	PDJ-W4	1.12	-	6	1.00
TOP28C1903A	0.07	(0.01)	20	-	WHA13C1812A	0.17	-	37,406	-	PLE-W3	-	-	-	-
TOP28C1904A	0.31	(0.01)	45,952	-	WHA13C1905A	0.45	0.01	44,220	-	RICH-W1	-	-	-	-
TP101C1812A	0.11	(0.01)	38,634	-	WHA19C1901A	0.34	-	13,973	-	RICHY-W1	0.14	0.01	502	-
TP101C1812B	-	-	-	-	WHA23C1906A	0.42	-	35,000	-	RICHY-W2	0.12	-	2,302	-
TP101C1906A	0.33	-	26,306	-	WHA24C1902A	0.27	-	4,320	-	RS-W3	6.10	0.55	116,992	6.00
TP101C1906B	0.28	-	64,068	-	WHA27C1903A	0.47	(0.01)	4,500	-	S-W1	0.03	-	44,190	-
TP107C1812A	0.13	0.03	6,100	-	WHA27P1905A	0.46	-	6,076	-	SAMART-W2	0.43	-	23,127	-
TP113C1902A	0.10	0.01	25,330	-	WHA28C1901A	0.32	-	8,192	-	SAWAD-W1	8.80	0.05	895	8.00
TP119C1901A	0.08	-	17,904	-	WHA28C1903A	0.20	0.01	2,048	-	SDC-W1	0.17	-	3,371	-
TP124C1902A	-	-	-	-	WHAU13C1902A	0.08	-	500	-	SMT-W1	0.02	-	2,001	-
TP1P11C1909A	0.50	-	16,890	-	WHAU19C1902A	0.13	-	4,646	-	SMT-W2	0.43	(0.01)	590	-
TP1P13C1902A	-	-	-	-	WHAU24C1812A	-	-	-	-	SPORT-W5	-	-	-	-
TP1P13C1904A	0.51	(0.03)	57,123	-	WHAU24C1902A	-	-	-	-					

## Main Board Quotation

Issue Date :

Wednesday December 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPIP19C1902A	0.34	-	32,014	-	WHAU27C1905A	0.15	-	2,410	-	SPORT-W7	0.04	-	9,246	-
TPIP19C1906A	0.62	-	14,757	-	WORK01C1904A	0.09	-	24,864	-	SST-W2	1.86	0.05	18,706	1.00
TPIP24C1901A	-	-	-	-	WORK01C1904B	-	-	-	-	SUPER-W4	0.05	-	155,709	-
TPIP27C1812A	-	-	-	-	WORK08C1901A	-	-	-	-	SUSCO-W1	0.01	-	10	-
TRUE01C1902A	0.29	-	102,779	-	WORK11C1903A	-	-	-	-	SVI-W3	1.99	(0.01)	543	2.00
TCC-W3	0.19	0.01	816	-										
TCC-W4	0.18	-	5,022	-										
TCC-W5	0.32	0.04	5,480	-										
TCJ-W2	0.73	0.08	50,849	-										
TCMC-W2	0.07	-	8,495	-										
TFG-W1	0.71	(0.22)	5,142	-										
TFG-W2	0.37	0.02	3,010	-										
TGPRO-W3	0.02	-	3,505	-										
TH-W2	0.23	(0.01)	1,244	-										
THE-W2	0.04	0.01	28,280	-										
TNITY-W1	0.78	0.02	12,362	-										
TNPC-W1	0.28	0.02	59,002	-										
TRITN-W3	0.25	(0.01)	17,115	-										
TSR-W1	-	-	-	-										
TTA-W5	0.03	-	31,175	-										
TTCL-W1	1.12	-	2,886	1.00										
U-W1	0.01	-	2,000	-										
U-W4	-	-	-	-										
VGI-W2	0.43	-	134,125	-										
VIBHA-W2	1.15	(0.02)	4,277	1.00										
VIBHA-W3	0.22	-	9,075	-										
WAVE-W1	0.34	-	99	-										
WHA-W1	8.00	0.10	2,876	8.00										
WORK-W1	4.50	0.10	8	4.00										
Preferred Shares														
BH-P	-	-	-	-										
CSC-P	-	-	-	-										
JUTHA-P	-	-	-	-										
KTB-P	-	-	-	-										
SCB-P	-	-	-	-										
TCAP-P	-	-	-	-										
TIC-P	-	-	-	-										
TISCO-P	-	-	-	-										
U-P	3.28	0.02	16,190	3.00										
Warrant (MAI)	-	-	-	-										
2S-W1	0.04	-	5,592	-										
ACAP-W2	0.75	0.02	156,959	-										
AIRA-W2	0.02	0.01	1	-										
ATP30-W1	0.72	0.02	530	-										
BKD-W2	0.22	(0.01)	19,108	-										
BM-W1	0.37	(0.01)	384	-										
BSM-W2	-	-	-	-										
CHEWA-W1	0.13	(0.01)	18,702	-										
CIG-W7	-	-	-	-										
DIMET-W2	0.07	-	13,970	-										
ECF-W2	2.78	(0.02)	533	2.00										
ECF-W3	2.18	(0.10)	642	2.00										
EFORL-W3	0.01	-	5,148	-										
EFORL-W4	0.01	-	3,333	-										
FC-W1	-	-	-	-										
FC-W2	-	-	-	-										
FOCUS-W2	0.58	0.02	4,682	-										
FVC-W2	0.38	0.02	1,264	-										
ITEL-W1	0.54	(0.01)	6,794	-										
JKN-W1	2.08	0.06	6,119	2.00										
LIT-W1	1.59	0.01	90	1.00										
META-W2	0.02	(0.01)	4,400	-										
META-W3	0.10	-	276	-										
NCL-W3	0.29	0.01	2,233	-										
NDR-W1	-	-	-	-										
NEWS-W4	-	-	-	-										
NEWS-W6	-	-	-	-										
PIMO-W1	2.82	-	1,796	2.00										
PSTC-W1	0.13	(0.01)	11,829	-										
SANKO-W1	0.35	-	41,244	-										
SIMAT-W2	0.22	0.01	169	-										
SIMAT-W3	0.29	-	108	-										
SIMAT-W4	0.73	-	848	-										
SKY-W1	12.10	-	75	12.00										
STAR-W3	1.45	0.14	21,431	1.00										
TAKUNI-W	0.18	-	7,298	-										
TAPAC-W3	1.18	0.03	2,349	1.00										
TSF-W4	-	-	-	-										
TSF-W5	-	-	-	-										
TVD-W2	0.88	0.10	64,980	-										
UAC-W2	0.57	(0.05)	18,930	-										
UKEM-W2	0.42	0.01	807	-										
UWC-W2	-	-	-	-										
XO-W1	6.90	0.10	1,756	6.00										
Preferred Shares														
SGF-P1	-	-	-	-										

