

## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.35	-	11	6.35	RS	16.00	(0.40)	48,882	16.18
POMPUI	-	-	-	-	HUMAN	9.85	(0.10)	2,791	9.86	SE-ED	3.08	0.02	201	3.08
SAFARI	-	-	-	-	ILINK	4.84	(0.10)	4,345	4.84	SMM	0.88	(0.01)	2,315	0.89
VI	-	-	-	-	INET	3.48	(0.04)	4,395	3.52	SPORT	0.16	-	2,107	0.15
WORLD	-	-	-	-	INTUCH	48.00	(0.75)	92,417	48.36	TBSP	14.50	(0.50)	11	14.77
WR	-	-	-	-	JAS	5.00	-	181,026	5.02	TH	0.75	(0.04)	3,660	0.77
Agribusiness					JASIF	10.10	-	141,534	10.10	TKS	9.00	(0.05)	4,552	9.00
CHOTI	130.00	-	6	130.83	JMART	5.25	(0.20)	27,436	5.31	TRITN	0.41	-	50,359	0.41
EE	0.69	(0.01)	14,419	0.70	JTS	1.43	0.01	49	1.44	VGI	7.80	(0.15)	124,287	7.90
GFPT	13.60	-	14,247	13.69	MFEK	2.88	(0.08)	6,358	2.89	WAVE	2.06	0.02	131	2.04
LEE	2.62	-	621	2.60	MSC	7.25	-	1,056	7.22	WORK	26.50	(1.25)	12,200	27.41
NER	1.89	(0.05)	411,153	1.94	PT	5.75	(0.15)	6,220	5.84	Finance & Securities				
PPPM	3.92	0.02	4,305	3.96	SAMART	6.40	(0.20)	4,665	6.45	AEC	0.50	0.01	140	0.50
STA	17.10	0.40	226,671	17.13	SAMTEL	7.50	(0.30)	516	7.58	AEONTS	183.00	(3.00)	4,265	184.69
TRUBB	1.56	(0.01)	4,352	1.58	SDC	0.32	-	2,653	0.32	AMANAH	1.52	(0.02)	4,512	1.53
TWPC	8.20	(0.10)	1,333	8.29	SIS	9.95	(0.05)	2,145	10.02	ASAP	3.36	(0.06)	31,576	3.34
UPOIC	4.10	(0.34)	100	4.29	SVOA	1.23	(0.01)	4,584	1.24	ASK	24.10	-	367	24.18
UVAN	5.50	0.05	2,485	5.49	SYMC	5.15	-	2	5.18	ASP	3.36	-	20,784	3.37
VPO	0.45	(0.02)	74	0.46	SYNEX	12.50	(0.10)	5,189	12.48	BFIT	20.50	(0.60)	1,307	20.69
Banking					THCOM	7.45	0.05	8,620	7.53	CGH	0.97	0.02	63,518	0.96
BAY	40.00	-	3,423	39.85	TRUE	5.80	(0.10)	425,035	5.83	CNS	2.22	0.02	55	2.20
BBL	209.00	3.00	35,127	208.16	TWZ	0.10	-	119,646	0.10	ECL	1.81	(0.03)	13,806	1.82
CIMBT	0.79	(0.01)	18,349	0.80	Electronic Componer					FNS	3.88	-	99	3.89
KBANK	188.00	(2.00)	95,673	189.78	CCET	1.79	-	4,777	1.79	FSS	1.91	(0.01)	632	1.91
KKP	70.00	(0.25)	25,859	70.23	DELTA	70.00	-	6,293	69.90	GBX	0.55	-	27	0.55
KTB	20.40	(0.10)	266,526	20.39	EIC	0.04	-	17,449	0.04	GL	5.95	(0.10)	2,342	6.00
LHFG	1.42	(0.01)	23,759	1.43	HANA	34.75	(0.25)	17,045	34.83	IFS	3.14	0.02	2,611	3.15
SCB	142.50	2.00	91,988	142.08	KCE	29.25	(0.50)	45,293	29.41	JMT	11.70	(0.20)	17,021	11.73
TCAP	53.25	0.25	15,757	53.10	METCO	202.00	-	22	203.50	KCAR	10.90	-	481	10.95
TISCO	81.25	0.25	43,839	81.31	SMT	1.98	(0.04)	2,116	1.99	KGI	4.38	(0.02)	18,865	4.40
TMB	2.30	0.04	1,071,297	2.30	SPPT	3.98	(0.04)	3,005	3.96	KTC	32.25	(1.25)	130,699	32.57
Construction Materia					SVI	4.96	0.02	70,077	4.96	MBKET	10.70	-	1,269	10.76
CCP	0.36	-	7,727	0.35	TEAM	1.00	(0.01)	792	1.01	MFC	16.80	0.10	1,555	16.80
COTTO	2.26	-	25,476	2.34	Energy & Utilities					ML	0.97	-	2,680	0.97
DCC	2.12	(0.04)	50,888	2.15	ABPIF	6.25	(0.50)	20,794	6.17	MTC	47.25	(1.00)	95,288	47.95
DCON	0.50	(0.01)	13,306	0.50	AI	-	-	-	-	PE	0.19	(0.01)	32	0.19
DRT	5.45	-	1,837	5.42	AKR	0.85	(0.01)	9,732	0.86	PL	3.34	(0.02)	143	3.34
EPG	7.55	0.10	21,392	7.55	BAFS	33.25	(0.25)	1,334	33.10	S11	7.20	(0.05)	1,705	7.23
GEL	0.30	-	37,905	0.30	BANPU	16.80	(0.30)	231,592	16.94	SAWAD	48.00	(0.75)	32,935	48.37
PPP	-	-	-	-	BCP	33.25	(0.50)	17,851	33.48	THANI	7.45	(0.30)	111,702	7.55
Q-CON	4.68	(0.02)	52	4.70	BCPG	17.10	(0.20)	49,508	17.20	TK	9.15	(0.15)	2,996	9.30
RCI	3.84	(0.02)	139	3.84	BGRIM	26.00	0.25	45,241	26.29	TNITY	5.75	-	132	5.71
SCC	424.00	(16.00)	43,403	431.78	BPP	23.60	(0.30)	8,949	23.72	UOBKH	3.80	-	8	3.80
SCCC	222.00	(6.00)	1,116	224.09	BRRGIF	9.90	(0.10)	7,438	9.89	ZMICO	1.06	(0.01)	272	1.06
SCP	8.60	(0.10)	3,565	8.65	CKP	5.15	(0.05)	234,294	5.17	Food & Beverage				
SKN	4.02	0.02	4,853	4.01	DEMCO	3.44	(0.02)	4,626	3.47	APURE	1.29	(0.01)	5,265	1.31
TASCO	15.10	(0.50)	73,214	15.40	EA	46.75	(1.00)	141,033	47.46	ASIAN	7.90	(0.20)	59,875	8.03
TCMC	1.84	(0.02)	4,943	1.85	EARTH	-	-	-	-	BR	4.06	-	2,829	4.07
TOA	34.00	1.00	15,301	33.62	EASTW	10.90	(0.10)	5,662	10.99	BRR	6.55	-	1,528	6.51
TPIPL	2.00	-	505,723	2.02	EGATIF	11.10	(0.10)	40,344	11.16	CBG	44.00	(1.25)	16,179	44.61
UMI	1.44	0.17	609,794	1.43	EGCO	244.00	1.00	5,865	243.87	CFRESH	4.28	0.02	35	4.29
VNG	5.00	-	1,884	4.99	ESSO	11.60	(0.30)	104,050	11.76	CM	4.02	0.02	542	4.00
WIHK	2.06	-	6,423	2.07	GLOW	85.50	0.50	11,868	85.44	CPF	24.70	(0.30)	166,321	24.91
Petrochemicals & Ch					GPSC	55.25	(1.25)	11,104	55.77	CPI	1.50	-	189	1.50
BCT	48.25	0.25	183	48.16	GULF	75.75	(1.00)	61,334	76.51	F&D	-	-	-	-
CMAN	2.74	(0.02)	1,540	2.75	GUNKUL	3.12	(0.08)	228,419	3.16	HTC	15.20	0.20	172	15.16
GC	5.05	(0.05)	179	5.05	IEC	-	-	-	-	ICIH	3.44	(0.10)	12,039	3.49
GGC	10.10	(0.20)	6,374	10.28	IFEC	-	-	-	-	KBS	3.94	(0.04)	670	3.96
GIFT	3.76	-	327	3.72	IRPC	5.80	(0.10)	1,259,846	5.86	KSL	3.18	(0.04)	4,305	3.22
IVL	53.75	(1.25)	141,862	54.39	LANNA	12.20	(0.10)	1,307	12.25	KTIS	5.25	(0.05)	280	5.27
NFC	6.20	(0.15)	85	6.24	MDX	4.06	(0.02)	2,027	4.01	LST	4.16	-	105	4.17
PATO	12.90	(0.20)	2,356	12.99	PTG	9.30	(0.05)	136,421	9.42	M	74.00	(0.25)	6,350	73.84
PMTA	11.50	(0.10)	12	11.50	PTT	47.50	(1.50)	1,071,469	48.12	MALEE	8.05	-	5,406	8.09
PTTGC	76.50	(1.75)	146,636	77.65	PTTEP	125.00	(9.00)	590,728	129.16	MINT	35.25	-	53,209	35.27
SUTHA	3.84	(0.06)	6	3.84	RATCH	49.50	(0.25)	9,031	49.57	OISHI	82.50	(2.75)	20	82.88
TCCC	28.50	(0.25)	177	28.53	RPC	0.43	(0.01)	1,868	0.44	OSP	24.90	(0.35)	67,804	25.01
TPA	6.60	0.05	30	6.40	SCG	4.50	(0.04)	6	4.47	PB	60.25	0.25	115	59.91
UP	23.00	(1.00)	2	23.00	SCI	2.74	(0.02)	1,930	2.76	PM	8.70	(0.05)	4,731	8.74
VNT	23.50	-	17,654	23.71	SCN	4.40	(0.06)	5,161	4.42	PRG	-	-	-	-
WG	179.00	-	141	179.00	SGP	8.20	(0.30)	77,516	8.34	SAPPE	16.40	(0.40)	3,500	16.64
YCI	-	-	-	-	SKE	1.04	(0.02)	4,441	1.06	SAUCE	21.80	-	40	21.80
Commerce					SOLAR	2.16	(0.08)	3,834	2.21	SFP	190.00	(1.00)	3	192.67
BEAUTY	8.60	(0.20)	385,990	8.72	SPCG	19.10	(0.10)	5,813	19.28	SNP	19.50	0.40	34	19.48
BIG	1.33	(0.06)	64,664	1.38	SPRC	11.20	(0.40)	212,977	11.47	SORKON	69.75	0.25	9	69.75
BJC	54.00	0.50	80,054	54.00	SUPER	0.56	-	1,916,417	0.57	SSC	35.00	-	4	35.00
COL	24.30	(0.60)	929	24.54	SUSCO	2.66	(0.04)	7,190	2.68	SSF	-	-	-	-
COM7	19.80	0.20	33,522	19.87	TAE	2.10	(0.04)	3,414	2.12	SST	4.80	(0.35)	1,255	4.94
CPALL	70.75	-	215,434	70.86	TCC	0.47	0.01	161,152	0.48	TC	-	-	-	-
CSS	1.96	(0.02)	5,309	1.98	TOP	68.50	(3.75)	169,096	69.80	TFG	3.16	(0.16)	14,798	3.26
FN	1.70	(0.02)	787	1.72	TPIPP	6.00	(0.05)	73,126	6.05	TFMAMA	160.00	-	8	159.81
FTE	2.06	(0.02)	1,988	2.08	TTW	12.20	(0.10)	24,507	12.29	TIPCO	8.10	(0.05)	4,132	8.13
GLOBAL	20.90	-	54,723	20.91	WHAUP	5.75	-	14,880	5.75	TKN	9.55	(0.30)	67,417	9.62
HMPRO	15.10	0.20	231,381	15.14	WP	6.10	(0.20)	7,096	6.20	TU	17.50	0.10	139,380	17.47
IT	3.42	0.06	1,280	3.41	Media & Publishing					TVO	27.25	(0.25)	8,998	27.49
KAMART	3.96	(0.02)	7,643	3.98	AMARIN	5.00	-	826	5.00	Health Care Services				
LOXLEY	1.85	(0.01)	5,033	1.85	AQUA	0.45	-	63,139	0.45	AHC	18.60	(0.50)	181	18.90
MAKRO	33.25	(0.25)	2,839	33.17	AS	0.83	(0.03)	324	0.84	BCH	18.80	(0.20)	47,643	18.82
MC	11.30	-	3,735	11.26	BEC	5.35	(0.15)	85,337	5.51	BDMS	26.25	0.50	384,874	26.16
MEGA	31.75	(0.25)	12,682	31.41	EPCO	3.04	(0.04)	3,737	3.05	BH	194.50	(0.50)	8,861	194.67
MIDA	0.58	-	4,670	0.58	FE	154.00	2.00	11	149.82	CHG	2.06	(0.02)	155,852	2.08
ROBINS	68.25	(0.75)	10,841	68.39	GPI	2.24	(0.02)	925	2.26	CMR	2.54	(0.02)	1,315	2.55
RSP	3.88	0.04	106	3.86	GRAMMY	6.70	(0.35)	571	6.94	EKH	5.80	(0.05)	9,774	5.80
SINGER	8.50	0.1												

## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	31.75	-	7,414	31.55	LALIN	5.00	(0.05)	2,770	4.99	TSC	-	-	-	-
VIBHA	2.18	0.02	16,410	2.18	LH	10.00	(0.10)	559,245	10.00	YNP	-	-	-	-
VIH	6.90	(0.05)	4,327	6.94	LPN	7.00	(0.35)	278,909	7.05	Industrial Materials	-	-	-	-
WPH	2.58	(0.02)	1,803	2.57	MBK	21.80	(0.80)	30,595	22.15	ALLA	1.47	(0.02)	11,180	1.48
Tourism & Leisure	-	-	-	-	MJD	3.50	(0.02)	900	3.50	ASEFA	4.84	-	691	4.79
ASIA	6.75	-	70	6.69	MK	3.96	-	10,171	3.94	CPT	0.87	(0.02)	33,685	0.88
CENTEL	41.50	(1.00)	34,726	42.01	NCH	0.89	0.01	78	0.88	CRANE	2.10	(0.02)	1,876	2.13
CSR	-	-	-	-	NNCL	1.74	(0.01)	2,611	1.74	CTW	8.00	-	2,484	8.01
DTC	9.85	(0.15)	1,348	9.97	NOBLE	13.70	-	2,485	13.70	FMT	-	-	-	-
ERW	6.65	-	60,672	6.65	NUSA	0.51	(0.02)	265,720	0.53	HTECH	6.00	(0.05)	57,350	5.87
GRAND	0.82	(0.02)	5,769	0.83	NVD	3.24	(0.06)	710	3.25	KKC	1.26	(0.03)	677	1.28
LRH	51.00	(0.75)	95	51.24	ORI	7.75	(0.20)	115,166	7.86	PK	2.22	(0.04)	1,047	2.25
MANRIN	-	-	-	-	PACE	0.48	(0.06)	498,535	0.49	SNC	14.30	-	8,716	14.29
OHTL	546.00	-	10	551.68	PF	0.81	-	164,215	0.82	TCJ	5.40	-	2	5.40
ROH	37.25	(4.75)	31	37.25	PLAT	7.55	-	956	7.58	VARO	7.00	(0.35)	20	7.00
SHANG	-	-	-	-	POLAR	-	-	-	-	Property Fund & REI	-	-	-	-
Home & Office Prod.	-	-	-	-	PRECHA	1.62	(0.01)	973	1.63	AIMIRT	10.30	0.10	635	10.20
ACC	0.50	-	7,110	0.50	PRIN	1.59	(0.01)	12,192	1.58	AMATAR	10.80	(0.10)	14	10.89
AJA	0.41	(0.01)	239,398	0.42	PRINC	4.70	(0.10)	4,703	4.71	B-WORK	11.00	0.10	2,896	10.90
DTCI	-	-	-	-	PSH	18.40	(0.30)	7,690	18.54	BKKCP	12.60	-	13	12.68
FANCY	0.69	(0.05)	9,364	0.71	OH	2.90	(0.04)	544,266	2.91	BOFFICE	12.90	0.20	9,134	12.80
KYE	410.00	-	31	410.19	RICHY	1.64	-	11,199	1.64	CPNCG	15.30	0.10	3,664	15.22
L&E	2.68	-	147	2.68	RML	1.29	0.01	154,397	1.31	CPNREIT	26.00	-	10,868	26.08
MODERN	3.98	-	1,067	3.96	ROJNA	5.20	-	9,680	5.18	CPTGF	13.00	-	439	13.00
OGC	-	-	-	-	S	3.34	-	65,899	3.32	CRYSTAL	9.35	(0.15)	868	9.43
ROCK	-	-	-	-	SAMCO	1.98	(0.02)	1,504	1.98	CTARAF	4.74	-	599	4.72
SIAM	2.10	(0.02)	1,121	2.12	SC	3.16	(0.04)	14,860	3.18	DREIT	5.10	(0.05)	1,184	5.10
TSR	1.83	-	3,404	1.83	SENA	3.58	-	6,525	3.57	ERWPF	5.40	-	10	5.40
Insurance	-	-	-	-	SF	7.70	(0.05)	12,651	7.75	FUTUREPF	22.70	(0.10)	1,560	22.70
AYUD	41.50	(0.25)	104	41.74	SIRI	1.32	(0.01)	455,052	1.32	GAHREIT	-	-	-	-
BKI	339.00	-	19	339.32	SPALI	18.00	(0.60)	110,745	18.21	GLANDRT	12.30	-	1,145	12.30
BLA	30.00	(0.25)	8,565	30.20	TICON	14.80	(0.10)	672	14.83	GOLDFP	7.20	-	100	7.20
BUI	-	-	-	-	U	2.68	-	31,086	2.69	GVREIT	14.70	-	13,731	14.69
CHARAN	-	-	-	-	UV	6.90	(0.20)	23,228	6.88	HPF	5.20	-	42	5.20
INSURE	-	-	-	-	WHA	4.20	(0.04)	462,968	4.26	HREIT	6.75	-	7,144	6.67
MTI	98.00	0.25	11	98.14	WIN	0.66	(0.02)	28,698	0.67	IMPACT	19.10	(0.20)	1,823	19.18
NKI	52.50	(5.50)	3	53.08	Paper & Printing Mat	-	-	-	-	KPNPF	8.90	(0.05)	1	8.90
NSI	78.50	(0.50)	5	78.50	UTP	10.40	-	4,517	10.36	LHHOTEL	-	-	-	-
SMK	39.75	(0.25)	57	39.75	Fashion	-	-	-	-	LHPF	8.25	-	210	8.25
THRE	0.93	(0.01)	30,373	0.92	AFC	-	-	-	-	LHSC	16.20	-	2,831	17.03
THREL	6.90	-	1,448	6.90	BTNC	-	-	-	-	LUXF	-	-	-	-
TIC	33.75	-	1	33.75	CPH	-	-	-	-	M-II	-	-	-	-
TIP	22.90	(0.10)	987	22.90	CPL	3.04	(0.12)	15	3.04	M-PAT	-	-	-	-
TSI	0.40	-	5,201	0.40	DIGI	0.22	-	826	0.21	M-STOR	8.10	(0.85)	206	8.20
TVI	3.78	(0.02)	321	3.78	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	LTX	100.50	(1.00)	227	99.88	MIT	-	-	-	-
PDI	12.30	0.10	5,095	12.40	NC	14.50	-	1	14.50	MJLF	12.50	0.10	51	12.40
THL	-	-	-	-	PAF	0.83	(0.03)	1,631	0.84	MNIT	-	-	-	-
Packaging	-	-	-	-	PDJ	2.30	0.02	775	2.28	MNIT2	-	-	-	-
AJ	8.30	(0.20)	220	8.30	PG	6.30	0.15	2	6.25	MNRF	3.02	-	2,717	3.02
ALUCON	177.00	1.50	3	176.67	SABINA	30.00	(0.50)	1,160	30.07	MONTRI	-	-	-	-
BGC	10.40	(0.10)	17,045	10.50	SAWANG	-	-	-	-	POPF	13.40	(0.10)	3,689	13.42
CSC	43.25	-	12	43.25	SUC	46.00	-	278	46.00	PPF	11.20	-	1,100	11.02
NEP	0.31	(0.02)	100	0.31	TNL	-	-	-	-	QHHR	8.50	0.05	160	8.50
NPPG	1.27	(0.05)	278,784	1.30	TPCORP	14.50	-	2	14.35	QHOP	3.28	(0.06)	39	3.28
PTL	14.40	(0.10)	3,576	14.46	TR	44.50	0.25	32	44.47	QHPF	13.10	-	7,733	13.13
SITHAI	1.15	-	3,524	1.16	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.85	(0.02)	2,294	0.88	TTL	-	-	-	-	SHREIT	9.50	(0.05)	2,411	9.49
SMPC	13.00	(0.10)	1,368	13.03	TTTM	192.50	1.00	67	191.70	SIRIP	-	-	-	-
SPACK	1.89	-	438	1.89	UPF	-	-	-	-	SPF	23.40	-	668	23.38
TCOAT	-	-	-	-	UT	-	-	-	-	SRIPANWA	10.80	-	102	10.66
TFI	0.23	(0.01)	65	0.22	WACOAL	46.00	(0.75)	19	46.39	SSPF	9.50	-	10	9.50
THIP	24.20	(0.20)	157	24.33	Transportation & Log	-	-	-	-	SSTPF	-	-	-	-
TMD	21.50	-	21	21.50	AAV	4.32	(0.06)	152,027	4.37	SSTRT	-	-	-	-
TOPP	198.00	-	5	198.00	AOT	63.25	(1.25)	129,324	63.80	TIF1	8.70	-	306	8.80
TPBI	7.20	(0.20)	291	7.07	ASIMAR	2.20	(0.14)	1,630	2.21	TLGF	18.50	-	15,348	18.46
TPP	-	-	-	-	B	0.50	(0.02)	16,670	0.50	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BA	12.20	(0.10)	6,923	12.32	TNPF	3.40	(0.08)	105	3.40
APCO	4.24	-	401	4.23	BEM	9.30	0.15	669,164	9.31	TPRIME	12.50	-	6,284	12.50
DDD	23.90	(1.60)	27,222	24.21	BTS	9.50	0.05	194,564	9.48	TREIT	11.40	(0.20)	27,311	11.45
JCT	-	-	-	-	BTS GIF	11.60	(0.10)	86,881	11.68	TTLPF	22.60	(0.10)	13	22.55
OCC	-	-	-	-	III	5.90	(0.05)	8,150	5.96	TU-PF	-	-	-	-
S & J	-	-	-	-	JUTHA	0.76	0.01	276	0.76	URBNPF	4.00	-	4	4.00
STHAI	-	-	-	-	JWD	6.90	(0.15)	10,781	6.95	WHABT	9.85	(0.05)	50	9.85
TNR	10.00	(0.20)	872	10.11	KWC	-	-	-	-	WHART	10.60	-	22,802	10.51
TOG	4.54	-	384	4.54	NOK	2.54	0.04	4,930	2.50	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.20	0.05	4,220	5.19	AMC	1.91	(0.02)	344	1.93
BWG	1.13	(0.01)	370,699	1.15	PRM	6.05	(0.30)	27,169	6.20	BSBM	0.93	(0.01)	356	0.93
GENCO	0.79	-	5,118	0.79	PSL	11.00	(0.20)	16,026	11.04	CEN	1.11	(0.03)	5,296	1.12
PRO	-	-	-	-	RCL	5.00	(0.05)	761	5.00	CITY	2.48	(0.02)	342	2.50
TEAMG	2.18	(0.02)	26,837	2.21	TFFIF	10.20	-	115,583	10.18	CSP	1.12	0.01	1,733	1.10
Property Developme	-	-	-	-	THAI	13.20	(0.20)	25,471	13.31	GJS	0.12	(0.01)	15,321	0.13
A	6.65	-	200	6.65	TSTE	-	-	-	-	GSTEL	-	-	-	-
AMATA	22.50	(0.40)	165,217	22.63	TTA	5.90	(0.05)	16,588	5.96	INOX	1.00	-	191	1.00
AMATAV	5.35	-	654	5.40	WICE	4.04	(0.06)	3,617	4.09	LHK	4.24	(0.04)	2,207	4.27
ANAN	3.86	(0.04)	55,964	3.87	Automotive	-	-	-	-	MAX	0.02	-	1,588,262	0.02
AP	6.20	(0.35)	145,213	6.31	AH	20.20	(0.30)	9,625	20.44	MCS	7.00	-	27,733	6.99
APEX	0.20	-	9,388	0.20	APCS	4.90	(0.06)	265	4.90	MILL	1.60	-	15,250	1.60
AQ	0.03	-	23,109	0.02	BAT-3K	240.00	-	8	240.00	PAP	3.62	(0.02)	311	3.63
BLAND	1.68	-	151,602	1.67	CWT	2.80	(0.08)	4,211	2.87	PERM	2.00	(0.02)	597	2.02
BROCK	-	-	-	-	EASON	2.20	(0.02)	4,478	2.26	RICH	-	-	-	-
CGD	1.33	(0.01)	2,340	1.33	GYT	367.00	1.00	3	368.00	SAM	0.57	-	386	0.56
CI	1.40	-	580	1.39	HFT	2.96	(0.04)	2,412	2.99	SMIT	6.25	-	3,184	6.20
CPN	77.25	0.50	65,241	77.33	IHL	7.90	(0.10)	5,318	8.00	SSI	-	-	-	-
ESTAR	0.55	(0.01)	7,448	0.56	INGRS	0.56	(0.01)	11,494	0.57	SSSC	2.86	(0.02)	684	2.85
EVER	0.52	(0.02)	174,809	0.53	IRC	21.00	(0.20)	27	21.10	TGPRO	0.12	(0.01)	40,059	0.13
GLAND	3.64	(0.08)	6,712	3.66	PCSGH	6.95	(0.05)	6,407	6.95	THE	1.95	-	46,046	1.99
GOLD	8.00	(0.60)	34,891	8.05	SAT	17.90	0.40	19,759	17.71	TIW	-	-	-	-
GREEN	1.04	-	5,365	1.03	SPG	13.50	(0.40)	2	13.50	TMT	13.30	0.20	599	13.

## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	TAKUNI	0.81	(0.01)	4,068	-	ADVA01P1902B	0.80	0.11	144,854	-
ABICO	4.52	(0.08)	303	4.00	TPCH	10.40	-	8,587	10.00	ADVA01P1905A	1.43	0.14	113,071	1.00
AU	6.60	(0.20)	10,749	6.00	TRT	2.04	-	59	2.00	ADVA06C1903A	0.03	(0.03)	10,221	-
FC	0.36	(0.01)	18,462	-	TSE	2.58	-	2,763	2.00	ADVA08C1903A	0.04	(0.01)	3,500	-
JCKH	0.74	-	17	-	UMS	0.69	0.02	21	-	ADVA11C1905A	0.04	-	10,210	-
KASET	1.90	(0.01)	186	1.00	UWC	0.06	-	215,193	-	ADVA11P1905A	0.44	0.07	35,973	-
MM	3.84	-	542	3.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.02	(0.01)	11,316	-
SUN	2.98	(0.02)	1,349	3.00	ADAM	-	-	-	-	ADVA13C1904A	0.14	(0.06)	524,923	-
TACC	3.24	(0.02)	372	3.00	AKP	1.85	-	213	1.00	ADVA13P1904A	1.01	0.15	480,177	-
TMILL	2.86	(0.02)	1,537	2.00	AMA	5.00	(0.05)	1,212	5.00	ADVA16C1812A	0.06	(0.03)	1,003	-
XO	11.70	(0.10)	9,871	11.00	ARIP	0.43	-	1,062	-	ADVA16C1912A	0.40	(0.01)	4	-
Consumer Products	-	-	-	-	ATP30	1.59	-	4,378	1.00	ADVA19C1901A	0.02	(0.02)	41,730	-
BGT	1.00	(0.01)	4,234	1.00	AUCT	5.90	0.05	2,920	5.00	ADVA19C1905A	0.39	(0.10)	79,282	-
BIZ	2.64	0.02	2,376	2.00	BOL	2.04	(0.02)	62	2.00	ADVA19P1904A	0.72	0.13	217,517	-
DOD	13.50	(0.30)	30,019	13.00	CHUO	-	-	-	-	ADVA23C1902A	-	-	-	-
ECF	5.45	(0.45)	82,135	5.00	CMO	1.38	0.01	497	1.00	ADVA24C1904A	0.04	(0.02)	12,101	-
HPT	1.00	0.01	1,044	-	D	9.75	(0.05)	1,629	9.00	ADVA24C1905A	-	-	-	-
JUBILE	16.40	(0.10)	339	16.00	DCORP	0.71	(0.01)	11,776	-	ADVA24C1907A	0.20	(0.07)	12,761	-
MOONG	6.75	-	2,499	6.00	DNA	0.39	-	97,416	-	ADVA24P1908A	-	-	-	-
NPK	27.50	0.50	49	27.00	EFORL	0.06	-	12,535	-	ADVA27C1902A	-	-	-	-
OCEAN	4.32	-	10,347	4.00	ETE	1.07	(0.01)	2,084	1.00	ADVA28C1901A	0.01	-	2,072	-
TM	2.10	(0.02)	1,264	2.00	FSMART	6.35	(0.20)	6,580	6.00	ADVA28C1904A	0.08	(0.05)	50,712	-
Financials (MAI)	-	-	-	-	FVC	0.81	(0.02)	3,300	-	ADVA28C1904B	0.23	(0.08)	72,590	-
ACAP	3.82	(0.06)	3,125	3.00	HARN	2.50	(0.04)	1,639	2.00	ADVA42C1903A	-	-	-	-
AF	0.73	0.05	179	-	JKN	10.80	(0.20)	28,002	10.00	AMAT01C1903A	0.63	(0.04)	41,607	-
AIRA	1.68	-	16	1.00	KIAT	0.48	-	10,192	-	AMAT01C1903B	0.40	(0.06)	45,743	-
ASN	3.80	(0.02)	99	3.00	KOOL	1.32	(0.02)	1,537	1.00	AMAT01P1903A	0.61	0.05	106,953	-
BROOK	0.48	(0.01)	31,343	-	LDC	1.07	0.02	444	1.00	AMAT06C1903A	0.41	(0.08)	6,004	-
CHAYO	3.84	(0.02)	18,957	3.00	MPG	0.15	-	3,665	-	AMAT08C1903A	0.41	(0.07)	20,362	-
GCAP	2.66	(0.14)	5,497	2.00	MVP	1.77	(0.04)	12,039	1.00	AMAT11C1903A	0.24	(0.05)	7,428	-
LIT	6.45	(0.05)	2,467	6.00	NBC	0.40	(0.03)	560	-	AMAT13C1812A	-	-	-	-
SGF	1.43	(0.02)	31,432	1.00	NCL	1.43	-	1,363	1.00	AMAT13C1902A	0.16	(0.03)	1,070,626	-
Industrials (MAI)	-	-	-	-	NEWS	0.01	-	413,897	-	AMAT19C1902A	0.46	(0.07)	23,333	-
2S	2.56	(0.06)	2,335	2.00	NINE	2.14	(0.20)	75,725	2.00	AMAT23C1906A	0.38	(0.05)	32,008	-
ADB	0.93	(0.01)	1,998	-	OTO	2.28	(0.02)	985	2.00	AMAT24C1904A	-	-	-	-
BM	3.14	0.04	329	3.00	PHOL	1.83	(0.01)	102	1.00	AMAT27C1902A	-	-	-	-
CHO	1.53	0.01	113,102	1.00	PICO	-	-	-	-	AMAT28C1902A	0.30	(0.06)	49,028	-
CHOW	4.20	-	388	4.00	PORT	6.45	(0.05)	1,390	6.00	AMAT28C1903A	0.07	(0.01)	4,010	-
CIG	0.31	(0.01)	3,338	-	QLT	4.14	-	10	4.00	ANAN08C1906A	0.07	0.01	10	-
COLOR	1.31	-	1,671	1.00	RP	2.74	-	1,634	2.00	ANAN13C1901A	0.01	-	15,833	-
CPR	5.30	0.05	1,053	5.00	SE	1.94	(0.03)	116	1.00	ANAN23C1901A	-	-	-	-
FPI	1.95	0.01	464	1.00	SISB	4.80	(0.16)	103,114	4.00	AOT01C1902A	0.38	0.01	97,586	-
GTB	0.60	-	958	-	SONIC	1.34	(0.03)	12,742	1.00	AOT01C1902B	0.14	(0.01)	44,352	-
KCM	0.90	(0.01)	1,327	-	SPA	12.00	(0.20)	5,360	12.00	AOT01C1904A	0.36	(0.01)	62,783	-
KWM	0.95	-	40,193	-	THMUJ	1.35	-	472	1.00	AOT01C1904B	0.21	(0.02)	112,794	-
LVT	-	-	-	-	TNDT	4.58	(0.04)	1,997	4.00	AOT01P1902A	0.78	0.01	72,883	-
MBAX	3.96	(0.04)	719	3.00	TNH	38.75	(0.25)	273	38.00	AOT01P1902B	0.28	(0.01)	119,443	-
MGT	1.90	(0.04)	233	1.00	TNP	1.58	-	1,044	1.00	AOT01P1904A	0.78	(0.01)	37,594	-
NDR	2.08	-	1,311	2.00	TSF	0.03	0.01	3,416	-	AOT01P1904B	0.54	-	44,839	-
PDG	2.90	(0.12)	4,611	2.00	TVD	1.67	(0.02)	1,570	1.00	AOT06C1903A	0.24	-	13,110	-
PIMO	4.56	0.08	17,344	4.00	TVT	0.87	(0.03)	216	-	AOT06P1903A	0.30	(0.01)	11,060	-
PJW	1.54	(0.07)	649	1.00	WINNER	2.78	(0.04)	1,280	2.00	AOT07C1902A	-	-	-	-
PPM	1.72	0.05	981	1.00	Technology (MAI)	-	-	-	-	AOT08C1901A	0.08	-	16,800	-
RWI	1.65	-	2,837	1.00	COMAN	3.66	(0.02)	425	3.00	AOT08C1904A	0.30	0.03	1,299	-
SALEE	1.01	-	1,082	1.00	ICN	1.83	(0.04)	6,781	1.00	AOT08P1903A	0.33	-	13,792	-
SANKO	1.13	(0.01)	3,201	1.00	IRCP	0.73	(0.01)	673	-	AOT11C1906A	0.20	(0.01)	17,990	-
SELIC	2.48	(0.06)	7,100	2.00	ITEL	3.54	0.12	9,911	3.00	AOT11P1906A	0.24	(0.01)	1,640	-
SWC	19.50	-	413	19.00	NETBAY	28.75	-	1,053	29.00	AOT13C1812A	-	-	-	-
TMC	0.83	-	1,462	-	PLANET	1.48	-	66	1.00	AOT13C1902A	0.21	-	30,457	-
TMI	0.76	(0.01)	1,036	-	SIMAT	2.20	0.20	25,630	2.00	AOT13C1904A	0.44	0.01	19,204	-
TMW	67.75	(1.00)	281	68.00	SKY	13.50	0.10	1,531	13.00	AOT13P1812A	-	-	-	-
TPAC	10.70	(0.10)	1,156	10.00	SPVI	1.24	(0.02)	3,074	1.00	AOT13P1902A	0.18	-	29,304	-
TPLAS	1.49	-	10,462	1.00	UPA	0.38	-	9,049	-	AOT16C1912A	0.78	0.03	1	-
UAC	4.22	0.02	789	4.00	VCOM	3.16	(0.08)	21,119	3.00	AOT19C1901A	0.16	0.01	4,024	-
UBIS	5.15	(0.05)	3,643	5.00	Unit Trust	-	-	-	-	AOT19P1903A	0.20	-	16,972	-
UEC	1.35	(0.02)	1,036	1.00	MGE	-	-	-	-	AOT23C1906A	0.39	0.02	10,000	-
UKEM	0.71	(0.02)	6,972	-	SCBSET	-	-	-	-	AOT24C1901A	-	-	-	-
UREKA	2.12	-	10,466	2.00	ETF	-	-	-	-	AOT24C1904A	0.18	0.01	3	-
YUASA	11.20	(0.10)	76	11.00	1DIV	11.22	(0.19)	2,865	11.00	AOT24P1903A	-	-	-	-
ZIGA	1.96	(0.03)	4,287	1.00	ABFTH	-	-	-	-	AOT27C1902A	0.19	0.02	1,200	-
Property & Construc	-	-	-	-	BMSCG	8.09	(0.08)	255	8.00	AOT27P1903A	0.42	-	7,200	-
ARROW	7.85	(0.05)	553	7.00	BMSCITH	12.15	(0.16)	5,658	12.00	AOT28C1812A	-	-	-	-
BKD	3.00	-	806	3.00	BSET100	10.29	(0.13)	1,342	10.00	AOT28C1901A	0.02	0.01	25,518	-
BSM	0.56	0.01	5,204	-	CHINA	4.92	0.03	9	4.00	AOT28C1902A	0.24	-	20,654	-
BTW	1.57	0.03	2	1.00	EBANK	-	-	-	-	AOT28P1812A	-	-	-	-
CHEWA	1.13	(0.01)	24,129	1.00	ECOMM	-	-	-	-	AOT41P1905A	-	-	-	-
CMC	1.92	(0.07)	86,347	1.00	EFOOD	5.42	(0.08)	8	5.00	AOT42C1903A	0.16	-	2,040	-
CRD	1.02	(0.03)	1,566	1.00	EICT	4.32	(0.02)	2	4.00	AP01C1903A	0.04	(0.01)	88	-
DIMET	0.93	(0.02)	14,399	-	ENGY	6.02	(0.18)	2	6.00	AP01C1903B	0.01	-	2	-
FLOYD	1.89	(0.01)	2,088	1.00	ENY	7.34	(0.12)	8	7.00	AP13C1903A	-	-	-	-
FOCUS	1.58	-	1,940	1.00	ESET50	-	-	-	-	AP13C1904A	0.12	(0.02)	2,578	-
HYDRO	1.18	0.03	1,128	1.00	GLD	1.72	(0.01)	21,498	1.00	AP19C1902A	-	-	-	

## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP07C1904A	0.11	(0.02)	24	-	BEAU01C1902A	0.42	(0.05)	166,831	-	BLAN19C1906A	0.28	(0.02)	6,000	-
BANP08C1904A	0.17	(0.03)	13,210	-	BEAU01C1902B	0.25	(0.04)	47,855	-	BPP01C1903A	0.14	-	7,120	-
BANP08P1901A	0.31	0.04	24,416	-	BEAU01P1812A	1.81	0.07	27,801	1.00	BPP01C1903B	-	-	-	-
BANP11C1902A	0.02	0.01	1	-	BEAU01P1902A	0.87	0.04	202,225	-	BPP01P1903A	0.33	0.01	28,126	-
BANP11C1909A	0.26	(0.02)	15,174	-	BEAU06C1904A	0.77	(0.04)	7,580	-	BPP06C1903A	-	-	-	-
BANP13C1902A	0.05	(0.01)	2,000	-	BEAU08C1901A	-	-	-	-	BPP13C1901A	-	-	-	-
BANP13C1904A	0.22	(0.03)	362,702	-	BEAU08C1902A	0.22	(0.03)	23,699	-	BPP13C1902A	0.16	(0.01)	50,050	-
BANP16C1812A	0.34	-	1,000	-	BEAU11C1902A	0.01	(0.01)	18,007	-	BPP19C1903A	0.29	(0.02)	8,020	-
BANP16C1912A	0.54	(0.03)	5	-	BEAU13C1812A	-	-	-	-	BPP19C1903B	0.11	-	10,018	-
BANP19C1902A	0.08	(0.03)	23,323	-	BEAU13C1812B	-	-	-	-	BPP23C1901A	-	-	-	-
BANP23C1901A	-	-	-	-	BEAU13C1901A	0.02	0.01	545,055	-	BPP24C1902A	-	-	-	-
BANP23C1906A	0.30	(0.03)	56,000	-	BEAU13C1904A	0.11	(0.02)	151,341	-	BPP24C1904A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU13C1904B	0.43	(0.04)	418,363	-	BPP28C1812A	-	-	-	-
BANP24C1904A	-	-	-	-	BEAU19C1901A	0.22	(0.05)	37,363	-	BPP28C1902A	0.06	(0.01)	300	-
BANP24C1907A	0.24	-	135	-	BEAU19C1902A	0.06	-	1,535	-	BPP28C1904A	0.29	(0.02)	40,960	-
BANP24P1901A	-	-	-	-	BEAU23C1901A	-	-	-	-	BTS01C1903A	0.36	0.01	12,037	-
BANP27C1904A	0.17	(0.01)	10,800	-	BEAU23C1906A	0.19	(0.03)	204	-	BTS01C1903B	0.23	-	12,556	-
BANP27P1905A	0.48	0.02	17,710	-	BEAU24C1901A	-	-	-	-	BTS01P1903A	0.31	-	14,370	-
BANP28C1902A	-	-	-	-	BEAU24C1902A	-	-	-	-	BTS06C1903A	9.15	-	900	9.00
BANP28C1903A	0.10	(0.02)	30,600	-	BEAU24C1903A	-	-	-	-	BTS06C1903B	9.15	-	900	9.00
BANP42C1903A	-	-	-	-	BEAU24C1904A	0.12	(0.02)	2	-	BTS06C1903C	-	-	-	-
BANP42P1903A	0.68	0.04	45,556	-	BEAU27C1903A	-	-	-	-	BTS11C1904A	-	-	-	-
BBL06C1902A	0.60	0.04	6,011	-	BEC01C1812A	0.01	-	609	-	BTS19C1901A	0.15	(0.02)	10,886	-
BBL08C1902A	0.34	0.03	16,579	-	BEC01C1812B	-	-	-	-	BTS23C1905A	1.62	-	7,000	1.00
BBL08P1904A	0.33	(0.01)	2,851	-	BEC13C1901A	-	-	-	-	BTS24C1901A	-	-	-	-
BBL11C1903A	0.27	0.03	19,813	-	BEC24C1812A	-	-	-	-	BTS28C1902A	0.12	-	14,509	-
BBL11P1903A	0.05	(0.01)	122	-	BEM01C1902A	0.51	0.05	89,392	-	BTS42C1901A	0.10	(0.01)	2,100	-
BBL13C1901A	0.16	0.02	1,227	-	BEM01C1902B	0.38	0.03	139,288	-	BTS42P1901A	0.08	(0.01)	200	-
BBL19C1901A	0.12	0.01	47,654	-	BEM01P1902A	0.17	(0.04)	98,182	-	CBG01C1902A	0.28	(0.05)	40,651	-
BBL19P1904A	0.29	(0.03)	12,000	-	BEM07C1903A	-	-	-	-	CBG01C1902B	0.14	(0.02)	20,635	-
BBL23C1906A	0.30	0.02	34,400	-	BEM08C1903A	0.33	0.04	38,548	-	CBG01P1905A	0.90	0.08	68,714	-
BBL24C1812A	-	-	-	-	BEM11C1903A	0.29	0.04	37,840	-	CBG06C1903A	0.28	(0.04)	7,689	-
BBL24C1902A	-	-	-	-	BEM13C1901A	0.39	0.04	381,251	-	CBG06P1903A	0.77	0.08	12,007	-
BBL24C1907A	0.24	0.01	587	-	BEM19C1901A	0.47	0.06	65,205	-	CBG07C1812A	-	-	-	-
BBL24P1904A	-	-	-	-	BEM23C1901A	0.21	0.02	19,316	-	CBG08C1902A	0.05	(0.02)	251	-
BBL27C1904A	0.34	0.01	4,800	-	BEM24C1902A	0.25	0.04	548	-	CBG11C1902A	0.03	0.01	1	-
BBL27P1904A	0.49	(0.01)	2,400	-	BEM27C1904A	0.30	0.02	9,450	-	CBG13C1812A	-	-	-	-
BBL28C1901A	0.09	-	1	-	BEM27P1905A	0.14	(0.02)	5,068	-	CBG13C1901A	0.12	(0.03)	36,164	-
BBL28C1904A	0.24	0.03	16,966	-	BEM42C1904A	0.30	0.04	21,912	-	CBG16C1912A	-	-	-	-
BBL42C1903A	0.18	0.01	6,440	-	BEM42P1904A	0.09	(0.02)	2,276	-	CBG19C1901A	0.08	(0.02)	5,892	-
BCH01C1902A	0.36	(0.02)	26,420	-	BGR101C1901A	0.82	0.02	19,050	-	CBG23C1901A	-	-	-	-
BCH01C1902B	0.17	(0.02)	24,786	-	BGR101C1901B	0.42	0.02	31,558	-	CBG24C1901A	0.06	(0.01)	3,501	-
BCH01P1902A	0.37	0.02	32,656	-	BGR101C1903A	0.24	-	95,882	-	CBG24C1903A	-	-	-	-
BCH08C1901A	0.32	(0.03)	3,170	-	BGR101C1903B	0.13	-	108,171	-	CBG24C1904A	0.28	(0.06)	3,000	-
BCH11C1905A	0.32	(0.02)	2,679	-	BGR106C1903A	0.65	0.06	7,560	-	CBG28C1812A	-	-	-	-
BCH13C1902A	0.12	(0.02)	24,800	-	BGR107C1903A	-	-	-	-	CBG28C1904A	0.25	(0.05)	30,930	-
BCH19C1903A	0.37	(0.03)	6,000	-	BGR108C1902A	0.39	0.01	11,144	-	CBG42C1904A	0.14	(0.02)	9,108	-
BCH24C1904A	-	-	-	-	BGR108C1904A	0.13	-	30,722	-	CENT01C1903A	0.44	(0.05)	35,087	-
BCH27C1902A	0.58	(0.02)	3,600	-	BGR11C1909A	0.26	0.01	21,600	-	CENT01C1903B	0.30	(0.05)	28,704	-
BCH28C1902A	0.07	(0.02)	2,088	-	BGR13C1812A	-	-	-	-	CENT01P1903A	0.34	0.03	55,168	-
BCH28C1904A	0.26	(0.02)	12,829	-	BGR13C1812B	0.03	(0.01)	6,930	-	CENT06C1904A	0.14	(0.02)	6,892	-
BCP01C1903A	0.16	(0.03)	10,322	-	BGR13C1904A	0.16	-	50,835	-	CENT08C1902A	0.11	(0.02)	14,196	-
BCP01C1903B	-	-	-	-	BGR19C1901A	0.28	0.04	12,700	-	CENT11C1904A	-	-	-	-
BCP01P1903A	0.40	0.02	19,770	-	BGR19C1903A	0.12	0.01	41,894	-	CENT11C1909A	0.40	(0.02)	27,235	-
BCP08C1901A	-	-	-	-	BGR124C1901A	-	-	-	-	CENT13C1902A	0.18	(0.05)	50,108	-
BCP11C1909A	-	-	-	-	BGR124C1902A	0.09	-	1,650	-	CENT19C1901A	0.08	(0.03)	22,411	-
BCP13C1902A	0.08	(0.01)	5,000	-	BGR127C1905A	0.16	-	13,800	-	CENT19C1904A	0.39	(0.06)	18,494	-
BCP19C1902A	0.07	(0.02)	5,500	-	BGR128C1812A	-	-	-	-	CENT23C1902A	-	-	-	-
BCP24C1904A	-	-	-	-	BGR128C1901A	-	-	-	-	CENT24C1901A	-	-	-	-
BCP24C1907A	-	-	-	-	BH01C1905A	0.36	-	31,365	-	CENT24C1902A	0.18	(0.05)	200	-
BCP28C1901A	-	-	-	-	BH01C1905B	0.29	(0.01)	34,534	-	CENT27C1905A	0.37	(0.05)	18,484	-
BCP28C1904A	-	-	-	-	BH01P1905A	0.62	-	7,750	-	CHG01C1903A	0.12	-	8,600	-
BCPG01C1904A	0.20	(0.03)	16,660	-	BH08C1902A	0.44	(0.02)	13,632	-	CHG01C1903B	-	-	-	-
BCPG01C1904B	0.12	(0.01)	3	-	BH11C1902A	-	-	-	-	CHG01P1903A	0.71	0.01	2,790	-
BCPG08C1904A	-	-	-	-	BH11C1905A	0.61	(0.01)	9,151	-	CHG07C1902A	-	-	-	-
BCPG08C1904B	0.18	(0.02)	17,442	-	BH13C1901A	0.42	(0.03)	48,505	-	CHG11C1904A	-	-	-	-
BCPG11C1902A	0.04	-	1	-	BH19C1901A	0.41	(0.02)	42,261	-	CHG13C1812A	-	-	-	-
BCPG13C1812A	-	-	-	-	BH24C1902A	0.30	(0.04)	4,700	-	CHG13C1903A	-	-	-	-
BCPG13C1902A	-	-	-	-	BH27C1905A	0.22	(0.01)	9,000	-	CHG13C1904A	0.15	-	580	-
BCPG13C1904A	0.20	(0.01)	74,648	-	BIG08C1906A	-	-	-	-	CHG19C1902A	0.05	-	4,500	-
BCPG19C1901A	0.11	(0.01)	4,732	-	BIG13C1901A	-	-	-	-	CHG24C1904A	-	-	-	-
BCPG23C1902A	0.11	(0.03)	1,000	-	BIG24C1812A	-	-	-	-	CHG24C1911A	0.70	(0.01)	6,032	-
BCPG24C1903A	-	-	-	-	BJC01C1812A	0.39	0.04	20,218	-	CHG27C1905A	-	-	-	-
BCPG27C1903A	0.13	(0.01)	1,200	-	BJC01C1812B	-	-	-	-	CHG28C1812A	-	-	-	-
BCPG28C1812A	-	-	-	-	BJC01C1906A	0.63	0.02	15,219	-	CHG28C1902A	-	-	-	-
BCPG28C1901A	-	-	-	-	BJC01C1906B	0.56	0.02	30,159	-	CHG28C1904A	-	-	-	-
BCPG28C1904A	0.18	(0.04)	24,576	-	BJC01P1812A	0.21	(0.03)	49,026	-	CK01C1902A	0.20	-	82,636	-
BDM01C1905A	0.27	0.02	42,062	-	BJC01P1906A	0.55	(0.02)	13,747	-	CK01C1902B	0.11	-	1,000	-
BDM01C1905B	0.21	0.01	47,459	-	BJC06C1901A	-	-	-	-	CK01P1902A	0.32	-	20,852	-
BDM01P1905A	0.25	(0.01)	18,444	-	BJC08C1903A	0.15	0.01	2,249	-	CK08C1901A	-	-	-	-
BDM07C1904A	-	-	-	-	BJC11C1905A	0.25	0.01	11,195	-	CK11C1904A	0.09	(0.01)	4,010	-
BDM08C1901A	0.04	0.01	5,006	-	BJC13C1812A	-	-	-	-	CK13C1902A	0.11	(0.02)	61,153	-
BDM08C1905A	0.20	(0.02)	17,000	-	BJC13C1902A	0.07	0.01	1,393	-	CK16C1812A	-	-	-	-
BDM11C1904A	-	-	-	-	BJC13C1903A	0.25	0.01	5,401	-	CK16C1912A	0.31	-	2	-
BDM13C1812A	-	-	-	-	BJC19C1902A	0.17	0.01	48,054	-	CK19C1903A	0.16	(0.03)	9,700	-
BDM13C1903A	0.16	0.02	98,250	-	BJC23C1901A	-	-	-	-	CK23C1901A	-	-	-	-
BDM16C1812A	-	-	-	-	BJC24C1901A	-	-	-	-	CK24C1904A	0.16	(0.02)	6,000	-
BDM16C1912A	-	-	-	-	BJC27C1905A	0.31	0.02	600	-	CK28C1812A	-	-	-	-
BDM19C1901A	0.15	0.01	14,749	-	BJC28C1812A	-	-	-	-	CK28C1902A	-	-	-	-
BDM19C1905A	0.65	0.03	7,062	-	BJC28C1904A	0.21	0.01	24,953	-	CKP01C1812A	1.00	(0.04)	9,456	1

## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP28C1903A	0.13	(0.02)	21,883	-	DTAC13P1903A	0.32	0.01	34,294	-	GUNK11C1903A	0.07	(0.02)	4,213	-
COM706C1903A	0.29	0.01	5,040	-	DTAC19C1904A	0.42	(0.01)	47,419	-	GUNK13C1903A	0.20	(0.04)	51,215	-
COM708C1903A	0.30	0.01	14,881	-	DTAC23C1906A	0.34	(0.04)	38,185	-	GUNK19C1903A	0.38	(0.05)	34,904	-
COM711C1909A	0.59	0.02	22,081	-	DTAC24C1901A	-	-	-	-	GUNK19C1906A	0.34	(0.05)	20,174	-
COM713C1812A	-	-	-	-	DTAC27C1903A	0.22	(0.02)	22,800	-	GUNK24C1812A	0.01	-	2	-
COM713C1903A	0.17	0.01	47,056	-	DTAC27P1903A	0.31	0.01	22,800	-	GUNK24C1903A	0.23	(0.04)	6,250	-
COM713C1904A	0.45	-	93,698	-	DTAC28C1812A	-	-	-	-	GUNK27C1905A	0.31	(0.04)	9,300	-
COM719C1904A	0.49	0.01	21,947	-	DTAC28C1902A	0.16	(0.04)	38,816	-	GUNK28C1903A	0.22	(0.03)	12,230	-
COM723C1901A	0.12	0.01	16,215	-	DTAC29C1903A	0.26	(0.03)	18,360	-	HANA01C1905A	0.31	(0.01)	21,366	-
COM724C1904A	-	-	-	-	EA07C1902A	0.61	(0.09)	721	-	HANA01C1905B	0.26	(0.02)	5,315	-
COM727C1902A	-	-	-	-	EA08C1903A	0.55	(0.04)	37,532	-	HANA08C1903A	0.13	(0.01)	2,813	-
COM728C1903A	0.31	-	28,400	-	EA08C1903B	0.22	(0.05)	33,495	-	HANA11C1904A	0.11	(0.01)	1,202	-
CPAL01C1901A	0.12	(0.01)	100,104	-	EA11C1902A	0.09	(0.03)	10,166	-	HANA13C1901A	0.08	-	3,040	-
CPAL01C1901B	0.02	0.01	5,815	-	EA13C1812A	0.02	-	100	-	HANA13C1905A	0.24	(0.02)	14,530	-
CPAL01C1904A	0.72	-	51,707	-	EA13C1812B	-	-	-	-	HANA19C1902A	0.08	-	781	-
CPAL01C1904B	0.45	(0.01)	65,440	-	EA13C1901A	0.14	(0.04)	128,950	-	HANA19C1906A	0.41	(0.01)	1,438	-
CPAL01P1901A	1.25	-	46,398	1.00	EA13C1903A	0.21	(0.03)	123,552	-	HANA24C1903A	0.06	(0.01)	1,150	-
CPAL01P1901B	0.38	(0.02)	77,595	-	EA19C1902A	0.39	(0.05)	78,876	-	HANA28C1812A	-	-	-	-
CPAL01P1904A	0.57	-	58,558	-	EA23C1901A	0.45	(0.02)	10,000	-	HANA28C1902A	0.07	-	3,042	-
CPAL01P1904B	0.30	(0.01)	9,509	-	EA24C1901A	0.15	(0.09)	300	-	HANA28C1904A	0.22	(0.03)	29,252	-
CPAL07C1902A	0.23	0.01	6,104	-	EA27C1902A	0.68	(0.06)	19,900	-	HMPR01C1902A	0.36	0.03	24,397	-
CPAL08C1902A	-	-	-	-	EA28C1901A	-	-	-	-	HMPR01C1902B	0.25	0.02	39,816	-
CPAL08C1902B	0.28	0.01	102	-	EA28C1902A	0.11	(0.04)	46,808	-	HMPR01P1902A	0.26	(0.02)	36,798	-
CPAL08P1904A	0.33	(0.01)	5,307	-	EGC001C1903A	0.63	(0.02)	7,335	-	HMPR11C1906A	0.20	0.03	7,045	-
CPAL11C1903A	0.02	-	7,100	-	EGC001C1903B	0.42	(0.02)	22,586	-	HMPR13C1812A	-	-	-	-
CPAL11C1909A	0.46	-	4,300	-	EGC019C1901A	0.28	(0.01)	5,994	-	HMPR13C1905A	0.24	0.01	70,208	-
CPAL11P1903A	-	-	-	-	EGC024C1901A	-	-	-	-	HMPR19C1901A	0.29	0.02	29,928	-
CPAL13C1812A	-	-	-	-	EPG01C1903A	0.22	0.01	14,642	-	HMPR23C1901A	-	-	-	-
CPAL13C1901A	0.18	-	54,273	-	EPG01C1903B	0.12	-	20,188	-	HMPR24C1901A	-	-	-	-
CPAL13C1903A	0.62	(0.01)	54,476	-	EPG01P1903A	1.06	(0.02)	5,564	1.00	HMPR27C1905A	0.29	-	8,676	-
CPAL13P1902A	0.16	(0.01)	4,278	-	EPG07C1906A	0.36	0.01	1,300	-	HMPR27P1905A	0.28	(0.02)	12,201	-
CPAL16C1912A	0.92	0.02	1	-	EPG08C1903A	-	-	-	-	HMPR28C1903A	0.15	0.01	18,000	-
CPAL19C1902A	0.26	-	34,212	-	EPG11C1903A	0.26	0.02	3,609	-	INTU01C1903A	0.16	(0.02)	78,458	-
CPAL19P1903A	0.21	(0.01)	9,208	-	EPG13C1902A	-	-	-	-	INTU01C1903B	0.06	-	1,250	-
CPAL23C1906A	0.54	(0.01)	11,000	-	EPG13C1903A	0.15	-	16,608	-	INTU01P1903A	0.95	0.03	43,235	-
CPAL24C1901A	-	-	-	-	EPG19C1902A	-	-	-	-	INTU01P1903B	0.71	0.03	48,856	-
CPAL24C1903A	-	-	-	-	EPG19C1904A	0.28	0.02	18,884	-	INTU11C1905A	-	-	-	-
CPAL24C1904A	-	-	-	-	EPG24C1902A	-	-	-	-	INTU11P1905A	0.40	0.02	14,420	-
CPAL24P1901A	0.05	-	31	-	EPG28C1902A	-	-	-	-	INTU13C1812A	-	-	-	-
CPAL27C1903A	-	-	-	-	EPG28C1904A	0.24	-	15,236	-	INTU13C1904A	0.19	(0.01)	96,270	-
CPAL27P1905A	0.41	(0.01)	1,200	-	ERW13C1902A	0.04	(0.02)	1,580	-	INTU19C1901A	-	-	-	-
CPAL28C1901A	0.11	-	6,092	-	ERW19C1902A	0.12	(0.01)	4,357	-	INTU19C1906A	0.34	(0.03)	19,476	-
CPAL28C1904A	0.40	-	28,573	-	ERW24C1904A	0.16	(0.02)	6,500	-	INTU24C1901A	-	-	-	-
CPAL41C1901A	0.33	(0.01)	6,660	-	ESS001C1812A	0.04	-	20,100	-	INTU24C1909A	-	-	-	-
CPAL42C1904A	0.36	(0.02)	14	-	ESS001C1812B	-	-	-	-	INTU28C1901A	-	-	-	-
CPAL42P1904A	0.19	-	1,012	-	ESS001C1906A	0.32	(0.03)	16,873	-	INTU28C1904A	0.11	-	4,100	-
CPF01C1902A	0.15	(0.02)	160,053	-	ESS001C1906B	0.26	(0.03)	23,371	-	INTU42C1904A	-	-	-	-
CPF01C1902B	-	-	-	-	ESS001P1812A	0.94	0.06	7,577	-	INTU42P1904A	0.40	0.02	11,092	-
CPF01P1902A	0.38	0.02	72,989	-	ESS001P1906A	0.69	0.02	73,330	-	IRPC01C1903A	0.11	(0.02)	172,366	-
CPF01P1902B	0.23	0.01	14,947	-	ESS008C1902A	0.05	(0.02)	3,690	-	IRPC01C1903B	0.05	(0.01)	1,274	-
CPF06C1903A	-	-	-	-	ESS011C1905A	0.23	(0.01)	4,475	-	IRPC01C1906A	0.31	(0.01)	109,970	-
CPF08C1901A	-	-	-	-	ESS013C1903A	0.06	(0.01)	30,156	-	IRPC01C1906B	0.26	(0.03)	114,820	-
CPF08C1904A	0.14	-	36,168	-	ESS013C1905A	0.22	(0.03)	10,345	-	IRPC01P1903A	0.69	0.04	77,253	-
CPF11C1902A	0.03	-	3	-	ESS019C1901A	0.03	0.01	660	-	IRPC01P1903B	0.52	0.04	60,512	-
CPF11P1902A	0.14	0.01	25,432	-	ESS019C1906A	0.32	(0.03)	1,830	-	IRPC06C1903A	0.10	(0.01)	25,900	-
CPF13C1902A	-	-	-	-	ESS024C1812A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPF13C1903A	0.33	(0.03)	80,916	-	ESS024C1902A	-	-	-	-	IRPC08C1902A	0.07	(0.01)	1,564	-
CPF13C1905A	-	-	-	-	ESS028C1903A	-	-	-	-	IRPC11C1902A	0.01	-	78,157	-
CPF19C1901A	0.07	(0.01)	3,752	-	ESS028C1904A	0.18	-	4,000	-	IRPC11C1905A	0.12	(0.02)	9,270	-
CPF19C1904A	0.42	(0.04)	34,104	-	GFPT08C1906A	0.36	0.01	4,374	-	IRPC13C1812A	-	-	-	-
CPF24C1901A	-	-	-	-	GFPT13C1902A	0.10	(0.01)	1,922	-	IRPC13C1903A	0.14	(0.02)	61,476	-
CPF24C1902A	-	-	-	-	GFPT19C1903A	0.19	-	6,490	-	IRPC19C1901A	0.05	(0.02)	34,876	-
CPF24C1903A	0.10	(0.01)	3,190	-	GFPT24C1812A	-	-	-	-	IRPC19C1905A	0.24	(0.01)	56,570	-
CPF24C1904A	0.43	(0.03)	6,032	-	GGC07C1902A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPF27C1903A	-	-	-	-	GGC08C1906A	-	-	-	-	IRPC24C1904A	0.17	0.01	3	-
CPF28C1902A	-	-	-	-	GGC13C1902A	-	-	-	-	IRPC27C1903A	0.09	-	2,400	-
CPF28C1903A	-	-	-	-	GGC13C1905A	0.24	-	38,778	-	IRPC27P1905A	0.38	0.03	19,350	-
CPN01C1902A	0.35	-	50,111	-	GGC19C1902A	0.15	-	27,212	-	IRPC28C1812A	-	-	-	-
CPN01C1902B	0.14	0.01	56,736	-	GGC23C1901A	-	-	-	-	IRPC28C1902A	-	-	-	-
CPN01P1902A	0.87	(0.02)	41,662	-	GGC24C1812A	-	-	-	-	IRPC28C1904A	0.14	(0.01)	35,690	-
CPN07C1902A	0.25	0.02	8,200	-	GGC24C1901A	-	-	-	-	ITD06C1904A	0.09	(0.01)	3,400	-
CPN08C1903A	0.27	-	7,738	-	GGC28C1905A	0.18	(0.01)	76,604	-	ITD08C1902A	-	-	-	-
CPN11C1903A	0.09	0.01	1,320	-	GLOB01C1903A	0.65	-	32,464	-	ITD11C1903A	-	-	-	-
CPN11P1903A	0.12	(0.02)	7,370	-	GLOB01C1903B	0.49	-	44,137	-	ITD13C1812A	-	-	-	-
CPN13C1812A	-	-	-	-	GLOB11C1906A	0.39	-	7,210	-	ITD13C1902A	-	-	-	-
CPN13C1903A	0.34	0.01	44,578	-	GLOB13C1901A	0.33	(0.01)	53,886	-	ITD19C1903A	0.16	(0.01)	3,800	-
CPN19C1901A	0.17	0.01	27,169	-	GLOB19C1901A	0.51	-	6,140	-	ITD24C1902A	-	-	-	-
CPN24C1901A	-	-	-	-	GLOB23C1906A	0.56	-	20,000	-	IVL01C1812A	0.08	(0.04)	218,203	-
CPN24C1904A	0.41	0.03	1,642	-	GLOB24C1903A	0.23	(0.01)	502	-	IVL01C1812B	0.01	-	86,687	-
CPN27C1903A	0.19	-	10,800	-	GLOB24C1906A	-	-	-	-	IVL01C1903A	0.32	(0.03)	134,449	-
CPN28C1902A	0.12	-	14,230	-	GLOW13C1905A	0.64	(0.36)	7,968	-	IVL01C1903B	0.18	(0.03)	111,989	-
CPN28C1904A	0.29	0.01	39,108	-	GLOW19C1901A	0.09	-	19,984	-	IVL01C1905A	0.51	(0.04)	106,053	-
DELTO6C1903A	0.76	(0.01)	1,430	-	GLOW27C1812A	-	-	-	-	IVL01C1905B	0.44	(0.04)	105,734	-
DELT24C1901A	0.35	-	200	-	GPSC01C1902A	0.13	(0.01)	2,366	-	IVL01P1812A	0.72	0.09	88,830	-
DELT27C1812A	-	-	-	-	GPSC01C1902B	0.05	-	1	-	IVL01P1812B	0.15	0.02	295,396	-
DTAC01C1902A	0.69	(0.02)	64,297	-	GPSC01C1905A	0.59	(0.04)	29,238	-	IVL01P1903A	1.02	0.06	81,682	-
DTAC01C1902B	0.42	(0.02)	77,582	-	GPSC01C1905B	0.49	(0.06)	18,818	-	IVL01P1903B	0.73	0.04	79,710	-
DTAC01C1905A	0.49	(0.01)	70,776	-	GPSC01P1902A	1.71	0.07	19,965	1.00					



## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL24C1901A	0.08	(0.01)	52	-	LH19C1906A	0.42	-	24,744	-	PTG01C1905A	0.91	0.01	20,884	-
IVL24C1906A	0.41	(0.06)	20	-	LH23C1901A	-	-	-	-	PTG01C1905B	0.83	0.01	31,700	-
IVL27C1902A	0.14	(0.02)	18,000	-	LH24C1903A	-	-	-	-	PTG01P1902A	0.82	-	102,051	-
IVL28C1812A	-	-	-	-	LH27C1905A	0.15	-	1	-	PTG06C1904A	-	-	-	-
IVL28C1902A	0.09	(0.02)	14,987	-	LH27P1905A	0.34	-	3,600	-	PTG08C1902A	-	-	-	-
IVL28C1903A	0.26	(0.04)	83,637	-	LPN01C1905A	0.11	(0.03)	99,530	-	PTG08C1903A	-	-	-	-
IVL28P1904A	0.36	0.04	85,687	-	LPN01C1905B	0.07	(0.03)	28,892	-	PTG11C1903A	-	-	-	-
IVL42C1903A	0.14	(0.02)	10,200	-	LPN08C1906A	0.02	(0.01)	27,500	-	PTG13C1812A	-	-	-	-
KBAN01C1901A	0.56	(0.04)	92,377	-	LPN13C1903A	-	-	-	-	PTG13C1901A	0.01	-	206	-
KBAN01C1901B	0.03	(0.01)	5,314	-	LPN13C1904A	0.10	(0.04)	17,637	-	PTG13C1903A	0.09	(0.01)	145,639	-
KBAN01C1904A	0.22	(0.03)	42,138	-	LPN19C1904A	0.04	(0.03)	19,907	-	PTG13C1904A	0.53	-	422,978	-
KBAN01C1904B	0.10	(0.01)	61,421	-	LPN24C1812A	-	-	-	-	PTG19C1902A	0.01	-	201	-
KBAN01P1901A	1.03	0.05	39,467	-	LPN24C1908A	0.07	(0.02)	13,403	-	PTG19C1902B	0.04	(0.01)	7	-
KBAN01P1901B	0.12	-	106,662	-	MAJ01C1902A	-	-	-	-	PTG19C1905A	0.81	0.02	23,574	-
KBAN01P1904A	0.89	0.02	49,964	-	MAJ013C1903A	-	-	-	-	PTG19P1903A	0.31	0.01	24,484	-
KBAN01P1904B	0.63	0.02	64,712	-	MAJ019C1902A	-	-	-	-	PTG24C1901A	0.01	-	2,700	-
KBAN08C1903A	-	-	-	-	MAJ019C1904A	0.32	(0.01)	11,720	-	PTG24C1902A	-	-	-	-
KBAN13C1901A	0.03	(0.01)	715	-	MAJ024C1902A	0.09	(0.01)	1,000	-	PTG24C1904A	-	-	-	-
KBAN13C1904A	0.14	(0.02)	18,088	-	MAL01C1812A	0.01	-	2,000	-	PTG24C1905A	0.80	-	560	-
KBAN13C1904B	0.43	(0.03)	82,424	-	MAL027C1812A	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN19C1901A	0.03	(0.01)	20,070	-	MC24C1812A	-	-	-	-	PTG28C1812A	-	-	-	-
KBAN19C1906A	0.69	(0.05)	28,080	-	MEGA01C1904A	0.26	(0.01)	16,847	-	PTG28C1901A	-	-	-	-
KBAN19P1904A	0.76	0.03	63,110	-	MEGA01C1904B	0.17	(0.02)	75,846	-	PTG28C1904A	0.50	-	21,662	-
KBAN23C1902A	-	-	-	-	MEGA08C1903A	0.08	(0.01)	772	-	PTT01C1901A	0.40	(0.07)	220,290	-
KBAN24C1902A	-	-	-	-	MEGA11C1902A	-	-	-	-	PTT01C1901B	0.16	(0.05)	240,139	-
KBAN24C1903A	0.03	(0.07)	200	-	MEGA13C1902A	0.06	(0.04)	2,092	-	PTT01C1904A	0.26	(0.05)	263,862	-
KBAN24C1908A	0.50	(0.04)	15,000	-	MEGA19C1902A	-	-	-	-	PTT01C1904B	0.15	(0.04)	127,483	-
KBAN24P1907A	-	-	-	-	MEGA19C1906A	0.34	(0.03)	4,922	-	PTT01P1901A	0.44	0.06	145,508	-
KBAN27C1903A	-	-	-	-	MEGA23C1902A	0.01	(0.01)	6	-	PTT01P1901B	0.14	0.03	143,654	-
KBAN27P1904A	0.74	0.01	12,600	-	MEGA24C1812A	-	-	-	-	PTT01P1904A	0.88	0.07	113,048	-
KBAN28C1812A	-	-	-	-	MEGA24C1903A	-	-	-	-	PTT01P1904B	0.66	0.05	113,972	-
KBAN28C1904A	0.08	(0.02)	26,461	-	MINT01C1901A	0.25	-	42,666	-	PTT06C1901A	0.09	(0.04)	13,823	-
KBAN28C1905A	0.37	(0.02)	21,982	-	MINT01C1901B	0.03	(0.01)	7,200	-	PTT06P1901A	0.31	0.07	59,008	-
KBAN28P1904A	0.52	0.02	58,879	-	MINT01P1901A	0.20	-	55,897	-	PTT07C1906A	0.31	(0.07)	4,855	-
KCE01C1903A	0.06	(0.01)	30,960	-	MINT06C1901A	0.04	(0.02)	500	-	PTT08C1902A	0.08	(0.03)	13,054	-
KCE01C1903B	0.02	(0.01)	21,610	-	MINT06C1903A	-	-	-	-	PTT08P1904A	0.62	0.09	31,676	-
KCE01C1906A	0.41	(0.02)	66,410	-	MINT07C1906A	0.25	(0.01)	3,000	-	PTT11C1902A	0.03	-	801	-
KCE01C1906B	0.35	(0.01)	85,291	-	MINT08C1903A	0.09	(0.01)	4,082	-	PTT11C1909A	0.26	(0.02)	7,095	-
KCE06C1903A	0.01	(0.01)	91,000	-	MINT11C1902A	-	-	-	-	PTT13C1812A	-	-	-	-
KCE07C1902A	-	-	-	-	MINT11P1902A	-	-	-	-	PTT13C1903A	0.20	(0.04)	400,027	-
KCE08C1902A	0.01	-	40,000	-	MINT13C1812A	-	-	-	-	PTT13P1812A	-	-	-	-
KCE08C1905A	0.34	(0.02)	15,000	-	MINT13C1903A	0.05	-	1,405	-	PTT13P1902A	0.41	0.07	231,539	-
KCE11C1904A	-	-	-	-	MINT13C1904A	0.19	-	155,164	-	PTT16C1912A	0.58	(0.05)	225	-
KCE13C1812A	-	-	-	-	MINT19C1901A	0.12	-	69,314	-	PTT19C1901A	0.11	(0.04)	69,125	-
KCE13C1903A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT19P1903A	0.35	0.05	63,880	-
KCE13C1904A	0.08	(0.01)	48,491	-	MINT24C1901A	-	-	-	-	PTT23C1901A	-	-	-	-
KCE19C1901A	-	-	-	-	MINT24C1902A	-	-	-	-	PTT23C1906A	0.27	(0.05)	276,482	-
KCE19C1906A	0.44	(0.02)	22,779	-	MINT27C1903A	-	-	-	-	PTT24C1812A	-	-	-	-
KCE23C1901A	-	-	-	-	MINT27P1905A	0.44	-	12,300	-	PTT24C1904A	-	-	-	-
KCE24C1901A	-	-	-	-	MINT28C1903A	-	-	-	-	PTT24P1901A	-	-	-	-
KCE24C1904A	-	-	-	-	MINT28C1904A	0.16	-	16,140	-	PTT24P1904A	0.28	0.06	401	-
KCE27C1902A	-	-	-	-	MINT42C1904A	0.12	-	8,196	-	PTT27C1903A	0.14	(0.03)	10,800	-
KCE28C1902A	-	-	-	-	MINT42P1904A	0.39	-	11,016	-	PTT27P1903A	0.43	0.06	17,000	-
KCE28C1904A	-	-	-	-	MONO08C1906A	0.01	(0.01)	632	-	PTT28C1812A	-	-	-	-
KCE28C1905A	0.28	(0.02)	22,599	-	MONO13C1901A	0.01	-	1,000	-	PTT28C1901A	0.01	-	979	-
KKP01C1902A	0.32	(0.01)	10,258	-	MONO23C1901A	-	-	-	-	PTT28C1904A	0.23	(0.05)	40,858	-
KKP01C1902B	0.10	(0.02)	3,646	-	MONO24C1812A	-	-	-	-	PTT28P1812A	-	-	-	-
KKP08C1904A	0.30	0.01	4,672	-	MONO24C1812B	-	-	-	-	PTT28P1903A	0.44	0.08	114,653	-
KKP11C1903A	0.09	(0.01)	17	-	MONO28C1901A	-	-	-	-	PTTE01C1901A	0.27	(0.16)	1,084,324	-
KKP13C1903A	0.29	(0.01)	17,924	-	MTC06C1901A	0.89	(0.06)	11,501	-	PTTE01C1901B	0.05	(0.02)	159,102	-
KKP19C1901A	0.14	(0.01)	10,184	-	MTC08C1902A	0.54	(0.06)	11,142	-	PTTE01C1904A	0.25	(0.11)	1,312,943	-
KKP24C1812A	-	-	-	-	MTC08C1904A	0.18	(0.02)	12,570	-	PTTE01C1904B	0.13	(0.09)	573,381	-
KKP24C1906A	-	-	-	-	MTC11C1904A	0.49	(0.05)	12,287	-	PTTE01P1901A	1.23	0.27	363,401	1.00
KKP28C1902A	-	-	-	-	MTC13C1901A	-	-	-	-	PTTE01P1901B	0.38	0.15	817,059	-
KTB01C1903A	0.37	(0.01)	51,362	-	MTC13C1903A	0.28	(0.02)	98,671	-	PTTE01P1904A	1.72	0.25	241,815	1.00
KTB01C1903B	0.29	-	53,974	-	MTC19C1901A	0.56	(0.05)	16,152	-	PTTE01P1904B	1.43	0.30	297,201	1.00
KTB01P1903A	0.40	0.01	33,271	-	MTC19C1903A	0.28	(0.04)	25,680	-	PTTE06C1903A	0.19	(0.13)	125,024	-
KTB01P1903B	0.30	-	38,424	-	MTC23C1906A	0.28	(0.02)	11,100	-	PTTE07C1904A	-	-	-	-
KTB06C1902A	0.33	(0.01)	6,300	-	MTC24C1812A	0.70	(0.17)	7,000	-	PTTE08C1904A	0.17	(0.09)	60,988	-
KTB08C1903A	0.24	(0.01)	13,872	-	MTC24C1903A	0.28	0.02	6,002	-	PTTE08P1904A	1.42	0.28	66,746	1.00
KTB11C1909A	-	-	-	-	MTC24C1912A	0.68	(0.01)	32	-	PTTE11C1902A	0.13	(0.11)	450,083	-
KTB13C1901A	-	-	-	-	MTC27C1904A	0.44	(0.02)	10,500	-	PTTE13C1812A	0.02	(0.06)	159,379	-
KTB13C1903A	0.23	(0.02)	14,580	-	MTC28C1902A	0.43	0.01	5	-	PTTE13C1902A	0.04	(0.02)	276,574	-
KTB19C1901A	0.27	(0.03)	5,200	-	MTC28C1903A	0.17	(0.02)	33,768	-	PTTE13C1904A	0.31	(0.14)	687,727	-
KTB23C1906A	0.41	(0.02)	40,000	-	ORI08C1904A	0.06	(0.01)	68	-	PTTE13P1901A	0.30	0.15	418,331	-
KTB24C1904A	-	-	-	-	ORI11C1909A	0.63	(0.04)	42,180	-	PTTE13P1902A	1.00	0.29	122,752	-
KTB24P1901A	-	-	-	-	ORI13C1902A	0.01	-	2,330	-	PTTE19C1903A	0.16	(0.08)	390,966	-
KTB24P1907A	-	-	-	-	ORI13C1904A	0.13	(0.02)	59,358	-	PTTE19P1903A	0.70	0.19	272,141	-
KTB27C1905A	0.32	(0.01)	8,600	-	ORI13C1904B	0.45	(0.05)	86,741	-	PTTE23C1901A	-	-	-	-
KTB28C1903A	-	-	-	-	ORI19C1904A	0.05	(0.02)	32,017	-	PTTE23C1906A	0.29	(0.13)	283,449	-
KTB42C1903A	0.24	(0.01)	2,040	-	ORI19C1905A	0.55	(0.05)	15,506	-	PTTE24C1901A	0.02	(0.07)	15,890	-
KTB42P1903A	-	-	-	-	ORI24C1903A	0.02	(0.01)	17,000	-	PTTE24C1904A	0.27	(0.15)	26,592	-
KT001C1901A	0.37	(0.04)	57,740	-	ORI24C1905A	0.26	(0.03)	1,750	-	PTTE24P1901A	0.17	0.07	3,688	-
KT001C1901B	0.18	(0.05)	52,668	-	ORI27C1905A	-	-	-	-	PTTE24P1904A	0.74	0.19	6,069	-
KT08C1903A	0.32	(0.04)	25,901	-	ORI28C1902A	0.03	-	401	-	PTTE27C1903A	0.11	(0.05)	21,600	-
KT01C1902A	0.80	(0.18)	19,384	-	ORI28C1904A	0.56	(0.05)	22,026	-	PTTE27P1904A	-	-	-	-
KTC13C1812A	-	-	-	-	ORI28C1904B	0.35	(0.05)	45,168	-	PTTE28C1902A	0.10	(0.08)	77,716	-
KTC13C1812B	0.05	(0.01)	113	-	PRM08C1902A	-	-	-	-	PTTE28P1903A	0.95	0.26	76,615	-
KTC13C1903A	0.21	(0.04)												

## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG11C1909A	0.62	(0.05)	73,310	-	S5028C1812B	0.02	(0.01)	10,141	-	SIRI28C1904A	0.11	(0.01)	24,899	-
PTTG13C1812A	-	-	-	-	S5028C1812C	0.01	-	300	-	SPAL01C1902A	0.06	(0.02)	16,178	-
PTTG13C1812B	0.04	(0.02)	5,720	-	S5028C1812D	0.23	(0.13)	79,353	-	SPAL01C1902B	-	-	-	-
PTTG13C1904A	0.52	(0.07)	106,475	-	S5028C1901A	0.41	(0.10)	962,325	-	SPAL11C1905A	0.03	(0.01)	4,000	-
PTTG19C1902A	0.30	(0.05)	47,124	-	S5028P1812A	0.38	0.10	392,527	-	SPAL13C1903A	-	-	-	-
PTTG23C1901A	-	-	-	-	S5028P1812B	-	-	-	-	SPAL13C1904A	0.11	(0.04)	153,856	-
PTTG23C1906A	0.40	(0.07)	79,161	-	S5028P1812C	0.08	0.02	2,465	-	SPAL19C1902A	-	-	-	-
PTTG24C1812A	-	-	-	-	S5028P1901A	0.65	0.10	677,862	-	SPAL19C1906A	0.27	(0.04)	46,515	-
PTTG24C1901A	-	-	-	-	SAWA01C1901A	0.81	(0.04)	23,217	-	SPAL24C1812A	-	-	-	-
PTTG24C1904A	0.37	0.01	6,900	-	SAWA01C1901B	0.51	(0.03)	37,334	-	SPAL24C1905A	-	-	-	-
PTTG24P1901A	-	-	-	-	SAWA01P1901A	0.19	0.01	64,626	-	SPRC01C1902A	0.05	(0.01)	12,975	-
PTTG24P1905A	0.64	0.06	440	-	SAWA06C1903A	1.20	(0.06)	8,042	1.00	SPRC01C1902B	-	-	-	-
PTTG27C1903A	0.11	(0.02)	3,600	-	SAWA07C1812A	-	-	-	-	SPRC06C1902A	0.01	(0.01)	63,900	-
PTTG27P1903A	0.18	0.03	15,000	-	SAWA08C1902A	0.81	(0.04)	17,755	-	SPRC07C1903A	-	-	-	-
PTTG28C1812A	-	-	-	-	SAWA08C1903A	0.40	(0.02)	17,030	-	SPRC08C1903A	-	-	-	-
PTTG28C1904A	0.39	(0.06)	82,550	-	SAWA11C1906A	0.54	(0.02)	12,673	-	SPRC11C1902A	-	-	-	-
PTTG42C1904A	0.28	(0.04)	12,144	-	SAWA13C1812A	-	-	-	-	SPRC11C1909A	0.13	(0.04)	802	-
PTTG42P1904A	0.66	0.05	17,636	-	SAWA13C1901A	-	-	-	-	SPRC13C1812A	-	-	-	-
QHO1C1903A	0.07	(0.01)	3,011	-	SAWA13C1903A	0.27	(0.03)	44,392	-	SPRC13C1905A	0.15	(0.02)	86,064	-
QHO1C1903B	-	-	-	-	SAWA13C1904A	0.51	(0.04)	3,734	-	SPRC19C1901A	0.02	(0.01)	3,249	-
QHO1P1903A	0.98	0.04	16,915	-	SAWA19C1901A	0.84	(0.06)	11,468	-	SPRC19C1905A	0.15	(0.05)	1,012	-
QH11C1902A	0.07	(0.02)	200	-	SAWA19C1903A	0.40	(0.03)	28,905	-	SPRC24C1903A	-	-	-	-
QH13C1903A	-	-	-	-	SAWA24C1812A	-	-	-	-	STA01C1812A	0.87	0.04	36,090	-
QH13C1904A	0.12	(0.02)	27,138	-	SAWA24C1902A	-	-	-	-	STA01C1812B	0.62	0.04	22,774	-
QH19C1901A	0.01	(0.01)	400	-	SAWA24C1910A	0.85	(0.04)	15	-	STA01C1904A	0.50	0.02	101,874	-
QH19C1904A	0.18	(0.02)	7,238	-	SAWA27C1903A	0.59	(0.03)	19,210	-	STA01C1904B	0.41	0.01	89,346	-
QH24C1812A	-	-	-	-	SAWA28C1812A	-	-	-	-	STA08C1904A	0.28	0.03	24,648	-
QH24C1904A	0.13	(0.02)	300	-	SAWA28C1902A	0.29	(0.02)	31,436	-	STA11C1909A	0.43	0.01	35,191	-
QH27C1903A	-	-	-	-	SCB01C1902A	0.90	0.05	34,855	-	STA13C1812A	1.10	0.29	106	1.00
QH27P1905A	0.42	0.01	6,300	-	SCB01C1902B	0.55	0.06	116,018	-	STA13C1901A	0.62	0.03	89,087	-
RATC19C1901A	0.09	(0.02)	20	-	SCB01C1904A	0.44	0.03	33,496	-	STA13C1902A	0.31	0.04	490,159	-
RATC24C1902A	-	-	-	-	SCB01C1904B	0.27	0.02	246	-	STB19C1903A	0.94	0.06	31,736	-
RATC27C1812A	-	-	-	-	SCB01P1902A	0.26	(0.04)	14,300	-	STA19C1903B	0.30	0.03	46,549	-
ROBI01C1903A	0.73	(0.04)	59,150	-	SCB01P1902B	0.04	(0.01)	250	-	STB24C1902A	0.28	0.03	14,867	-
ROBI01C1903B	0.47	(0.03)	18,503	-	SCB01P1904A	0.94	(0.05)	11,660	-	STA27C1904A	0.37	0.01	20,404	-
ROBI08C1903A	0.36	(0.04)	8,369	-	SCB01P1904B	0.71	(0.05)	14,138	-	STA28C1902A	0.37	0.05	29,160	-
ROBI11C1906A	0.42	(0.03)	5,020	-	SCB07C1904A	-	-	-	-	STA28C1903A	0.19	0.03	69,251	-
ROBI13C1902A	0.32	(0.02)	40,191	-	SCB08C1901A	0.23	0.02	10,112	-	STEC01C1902A	0.56	(0.01)	39,133	-
ROBI19C1901A	0.47	(0.04)	36,172	-	SCB11C1901A	0.07	0.01	300	-	STEC01C1902B	0.35	(0.03)	43,766	-
ROBI24C1901A	-	-	-	-	SCB11P1901A	0.09	(0.01)	600	-	STEC01P1902A	0.50	0.02	71,005	-
ROBI24C1903A	0.44	(0.04)	1,500	-	SCB13C1812A	0.11	0.02	21,039	-	STEC06C1903A	0.37	(0.01)	5,753	-
ROBI27C1905A	0.51	-	10,160	-	SCB13C1902A	0.14	0.01	3,810	-	STEC07C1904A	0.30	(0.02)	3,004	-
RS08C1901A	0.10	(0.01)	4,668	-	SCB13C1905A	0.45	0.02	69,125	-	STEC08C1903A	0.26	(0.02)	5,841	-
RS13C1901A	0.11	(0.04)	40,514	-	SCB13P1812A	-	-	-	-	STEC11C1903A	0.41	(0.02)	9,820	-
RS13C1905A	0.41	(0.04)	72,184	-	SCB19C1905A	0.56	0.03	9,638	-	STEC13C1902A	0.32	(0.02)	52,624	-
RS19C1901A	0.10	(0.02)	23,091	-	SCB24C1901A	-	-	-	-	STEC13C1903A	0.10	-	53,526	-
RS24C1904A	0.41	(0.04)	13,670	-	SCB24C1902A	-	-	-	-	STEC19C1901A	0.32	(0.03)	17,812	-
RS27C1905A	0.43	(0.04)	12,000	-	SCB24P1906A	0.36	(0.02)	180	-	STEC24C1901A	0.26	(0.02)	3,675	-
S10001C1911A	0.85	(0.05)	3,060	-	SCB27C1902A	0.23	0.01	2,400	-	STEC27C1902A	0.59	(0.02)	7,200	-
S5001C1812F	0.16	(0.09)	2,133,700	-	SCB27P1903A	0.23	(0.02)	1,500	-	STEC28C1902A	0.26	(0.02)	19,500	-
S5001C1812G	0.02	(0.02)	213,671	-	SCB28C1812A	-	-	-	-	STEC28C1903A	0.08	-	2,048	-
S5001C1812H	0.02	-	14,296	-	SCB28C1902A	-	-	-	-	SUPE08C1902A	-	-	-	-
S5001C1812I	0.02	-	11,405	-	SCB28C1904A	0.37	0.03	10,480	-	SUPE13C1902A	0.01	-	957	-
S5001C1901A	0.17	(0.06)	261,374	-	SCB28P1812A	-	-	-	-	SUPE13C1903A	-	-	-	-
S5001C1901B	0.10	(0.03)	97,832	-	SCB28P1901A	0.18	(0.03)	28,149	-	SUPE19C1902A	0.01	-	9	-
S5001C1902A	0.36	(0.09)	340,219	-	SCB42C1903A	0.23	0.01	3,060	-	SUPE19C1903A	-	-	-	-
S5001C1902B	0.23	(0.07)	279,936	-	SCC01C1901A	0.47	(0.12)	31,239	-	SUPE19C1906A	0.25	0.01	51,444	-
S5001C1903F	0.70	(0.12)	779,441	-	SCC01C1901B	0.21	(0.10)	52,936	-	SUPE23C1901A	-	-	-	-
S5001P1812F	1.71	0.21	2,148,115	1.00	SCC01P1901A	0.24	0.07	157,321	-	SUPE28C1902A	-	-	-	-
S5001P1812G	1.03	0.22	2,988,954	-	SCC06C1902A	-	-	-	-	TASC01C1903A	0.33	(0.06)	213,116	-
S5001P1812H	1.46	0.21	2,090,983	1.00	SCC07C1812A	-	-	-	-	TASC01C1903B	0.18	(0.04)	144,456	-
S5001P1812I	0.75	0.18	1,403,617	-	SCC08C1902A	0.11	(0.05)	14,904	-	TASC01P1903A	0.54	0.05	53,696	-
S5001P1901A	1.34	0.15	82,533	1.00	SCC11C1906A	0.12	(0.02)	14,711	-	TASC08C1903A	0.22	(0.05)	10,974	-
S5001P1901B	1.23	0.19	319,212	1.00	SCC13C1812A	-	-	-	-	TASC11C1904A	0.04	(0.03)	2,000	-
S5001P1902A	1.10	0.12	23,832	1.00	SCC13C1901A	0.12	(0.07)	4,925	-	TASC13C1901A	0.06	(0.05)	71,618	-
S5001P1902B	1.03	0.15	69,176	-	SCC13C1903A	0.10	(0.04)	4,541	-	TASC13C1904A	0.29	(0.06)	197,306	-
S5001P1903F	1.06	0.13	667,441	-	SCC19C1901A	0.12	(0.06)	12,720	-	TASC19C1902A	0.19	(0.03)	68,033	-
S5006C1812A	0.02	-	13,211	-	SCC24C1812A	-	-	-	-	TASC23C1902A	0.15	(0.02)	24,001	-
S5006C1812B	0.03	(0.01)	3,168	-	SCC24C1901A	-	-	-	-	TASC24C1903A	-	-	-	-
S5006C1812C	0.02	0.01	95,809	-	SCC24C1902A	-	-	-	-	TASC27C1905A	0.34	(0.05)	15,600	-
S5006C1812D	0.12	(0.08)	49,990	-	SCC24C1910A	0.31	(0.09)	10	-	TASC28C1902A	0.10	0.01	4,000	-
S5006C1903A	0.64	(0.14)	81,276	-	SCC24P1901A	-	-	-	-	TASC28C1904A	0.15	(0.04)	20,460	-
S5006C1903B	0.80	(0.15)	2,342	-	SCC27C1904A	0.23	(0.05)	1,200	-	TCAP01C1901A	0.60	-	13,054	-
S5006C1903C	1.01	(0.15)	19,428	1.00	SCC27P1904A	0.53	0.08	15,467	-	TCAP01C1901B	0.34	-	17,188	-
S5006P1812A	0.84	0.17	52,366	-	SCC28C1812A	-	-	-	-	TCAP01P1901A	0.13	-	26,351	-
S5006P1812B	0.12	0.04	24,105	-	SCC28C1902A	0.10	(0.01)	1	-	TCAP11C1909A	0.31	0.01	2,460	-
S5006P1812C	0.04	0.02	47,114	-	SCC42C1904A	0.12	(0.04)	2,076	-	TCAP13C1901A	0.35	0.01	7,016	-
S5006P1812D	1.34	0.22	17,200	1.00	SCC27C1812A	-	-	-	-	TCAP19C1901A	0.20	(0.02)	25,548	-
S5006P1903A	1.03	0.11	8,902	-	SGP06C1812A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5006P1903B	0.81	0.12	13,585	-	SGP08C1901A	-	-	-	-	THAI01C1901A	0.13	(0.01)	7,168	-
S5006P1903C	0.63	0.11	25,616	-	SGP11C1904A	0.02	(0.01)	3	-	THAI01C1901B	-	-	-	-
S5008C1812A	0.01	-	1	-	SGP13C1812A	-	-	-	-	THAI01P1901A	0.64	0.03	19,013	-
S5008C1812B	-	-	-	-	SGP13C1904A	0.07	-	200	-	THAI08C1903A	0.11	(0.02)	4,683	-
S5008C1812C	0.04	(0.04)	11,302	-	SGP13C1905A	0.22	(0.05)	221,939	-	THAI11C1906A	0.22	(0.02)	3,012	-
S5008C1903A	0.52	(0.10)	6,753	-	SGP19C1904A	-	-	-	-	THAI13C1902A	0.11	(0.01)	11,184	-
S5008P1812A	0.18	0.06	301,383	-	SGP19C1905A	0.29	(0.04)	9,409	-	THAI19C1901A				

## Main Board Quotation

Issue Date :

Thursday December 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC08C1903A	0.34	0.01	14,518	-	TRUE01C1902A	0.28	(0.01)	179,183	-	WORK11C1903A	0.01	(0.01)	24,315	-
TISC11C1903A	-	-	-	-	TRUE01C1902B	0.15	-	1,567	-	WORK13C1812A	-	-	-	-
TISC13C1812A	0.06	(0.03)	390	-	TRUE01C1905A	0.30	-	111,768	-	WORK13C1902A	0.02	-	2,095	-
TISC13C1904A	0.54	0.01	42,159	-	TRUE01C1905B	0.23	(0.02)	142,151	-	WORK13C1903A	0.10	(0.02)	21,824	-
TISC19C1901A	0.12	-	4,145	-	TRUE01P1902A	0.45	-	68,386	-	WORK19C1902A	0.02	(0.01)	200	-
TISC24C1812A	-	-	-	-	TRUE01P1902B	0.25	(0.01)	92,828	-	WORK19C1905A	0.21	(0.03)	10,327	-
TISC24C1904A	-	-	-	-	TRUE01P1905A	0.52	0.01	85,883	-	WORK24C1812A	-	-	-	-
TISC27C1905A	0.60	0.02	4,620	-	TRUE06C1906A	0.13	(0.01)	11,570	-	WORK24C1903A	-	-	-	-
TISC28C1901A	0.26	-	59,156	-	TRUE07C1902A	-	-	-	-	WORK24C1907A	0.20	(0.05)	10,000	-
TISC42C1904A	0.34	0.01	2,024	-	TRUE08C1902A	-	-	-	-	WORK27C1903A	-	-	-	-
TKN01C1901A	0.02	(0.01)	43,050	-	TRUE08P1902A	-	-	-	-	WORK28C1901A	-	-	-	-
TKN01C1901B	0.01	-	20,000	-	TRUE11C1905A	0.16	-	554	-	WORK28C1904A	0.06	(0.03)	4,056	-
TKN08C1903A	-	-	-	-	TRUE13C1812A	-	-	-	-	WORK28C1905A	0.18	(0.05)	30,844	-
TKN11C1902A	0.01	(0.01)	3,700	-	TRUE13C1901A	0.10	-	29	-	Preferred/Foreign	-	-	-	-
TKN13C1812A	-	-	-	-	TRUE13P1901A	0.13	-	10	-	BH-Q	-	-	-	-
TKN13C1903A	-	-	-	-	TRUE16C1812A	-	-	-	-	CSC-Q	-	-	-	-
TKN13C1904A	0.06	(0.01)	4,532	-	TRUE16C1912A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN13C1904B	0.44	(0.07)	35,881	-	TRUE19C1901A	0.01	-	4,600	-	KTB-Q	-	-	-	-
TKN13C1905A	0.14	(0.04)	6,445	-	TRUE19C1903A	0.30	(0.01)	31,790	-	SCB-Q	-	-	-	-
TKN19C1903A	0.02	(0.01)	14,200	-	TRUE19P1903A	0.22	-	58,064	-	TCAP-Q	-	-	-	-
TKN19C1905A	0.24	(0.04)	16,986	-	TRUE23C1902A	-	-	-	-	TIC-Q	-	-	-	-
TKN23C1902A	-	-	-	-	TRUE27C1904A	0.17	-	12,000	-	TISCO-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TRUE27P1904A	0.41	-	10,800	-	U-Q	-	-	-	-
TKN24C1903A	-	-	-	-	TRUE28C1812A	-	-	-	-	Warrant	-	-	-	-
TKN24C1904A	0.07	(0.01)	129	-	TRUE28C1903A	0.12	(0.01)	126,688	-	7UP-W2	0.01	(0.01)	1,000	-
TKN28C1812A	-	-	-	-	TTA08C1906A	0.06	(0.02)	24,163	-	ACC-W1	0.02	-	1,853	-
TKN28C1903A	0.01	-	200	-	TTA13C1901A	-	-	-	-	AJA-W1	0.18	-	7,346	-
TKN28C1904A	0.05	(0.01)	2,999	-	TTA23C1901A	-	-	-	-	ALT-W1	0.68	(0.03)	7,469	-
TMB01C1903A	0.21	(0.02)	117,086	-	TTA24C1902A	-	-	-	-	APEX-W1	0.04	-	5,355	-
TMB01C1903B	0.15	(0.01)	96,144	-	TTA28C1812A	-	-	-	-	APURE-W2	0.19	-	23,742	-
TMB01P1903A	0.39	(0.01)	38,297	-	TU01C1901A	0.55	(0.02)	60,218	-	AS-W1	0.10	0.01	116	-
TMB06C1902A	0.04	(0.01)	100	-	TU01C1901B	0.45	0.01	48,962	-	AYUD-W1	4.66	(0.14)	13,259	4.00
TMB06C1903A	0.19	0.02	8,310	-	TU01P1901A	0.07	(0.01)	600	-	B-W3	-	-	-	-
TMB07C1903A	0.16	(0.03)	6,100	-	TU06C1902A	0.18	-	10,100	-	B-W4	0.14	(0.01)	7,347	-
TMB08C1901A	-	-	-	-	TU07C1902A	-	-	-	-	BTS-W4	0.55	(0.05)	5,059,897	-
TMB08C1903A	0.11	(0.01)	21,548	-	TU11C1902A	-	-	-	-	BWG-W4	0.01	(0.01)	50,670	-
TMB11C1904A	0.04	-	24,000	-	TU11C1906A	0.15	-	6,632	-	CEN-W4	-	-	-	-
TMB13C1901A	0.08	-	32	-	TU13C1902A	0.16	0.01	34,314	-	CGD-W4	0.27	0.01	10,227	-
TMB13C1904A	0.18	-	39,464	-	TU19C1901A	0.13	-	28,563	-	CGH-W3	0.05	-	1,144	-
TMB19C1901A	-	-	-	-	TU23C1902A	0.14	(0.01)	6,000	-	CI-W1	0.20	(0.03)	4,380	-
TMB23C1906A	0.23	(0.01)	63,635	-	TU24C1901A	-	-	-	-	CKP-W1	0.57	(0.04)	303,130	-
TMB24C1901A	-	-	-	-	TU24C1904A	-	-	-	-	CRANE-W1	1.00	0.05	5	1.00
TMB24C1902A	-	-	-	-	TVO01C1903A	0.22	-	530	-	CWT-W4	0.06	(0.01)	44,875	-
TMB27C1903A	0.22	-	6,606	-	TVO01C1903B	-	-	-	-	DCC-W1	0.82	(0.04)	101,656	-
TMB28C1901A	0.09	-	8,000	-	TVO11C1903A	-	-	-	-	DCON-W1	2.50	0.12	20	2.00
TMB28C1904A	0.15	(0.01)	12,288	-	TVO13C1902A	-	-	-	-	DIGI-W1	0.02	-	101	-
TOA01C1901A	0.15	0.02	91,555	-	TVO13C1904A	0.17	-	100	-	DIGI-W2	-	-	-	-
TOA01C1901B	-	-	-	-	TVO19C1902A	0.07	(0.02)	3	-	EARTH-W4	-	-	-	-
TOA08C1902A	-	-	-	-	TVO24C1903A	-	-	-	-	EIC-W2	-	-	-	-
TOA13C1812A	-	-	-	-	UNI08C1906A	0.09	-	3,641	-	EIC-W3	-	-	-	-
TOA19C1901A	-	-	-	-	UNI01C1901A	-	-	-	-	EMC-W6	0.14	0.01	37,199	-
TOA24C1812A	-	-	-	-	UNI03C1901A	-	-	-	-	EVER-W3	0.03	-	6,153	-
TOA24C1904A	0.21	0.01	9,630	-	UNI03C1901A	-	-	-	-	GJS-W3	-	-	-	-
TOA28C1812A	-	-	-	-	UV01C1902A	0.25	-	9,600	-	GSTEL-W1	-	-	-	-
TOA28C1904A	0.20	0.02	18,599	-	UV01C1902B	0.13	-	12,146	-	GSTEL-W2	-	-	-	-
TOP01C1901A	0.56	(0.17)	40,695	-	UV06C1812A	-	-	-	-	IEC-W2	-	-	-	-
TOP01C1901B	0.16	(0.09)	115,712	-	UV08C1902A	0.11	-	5,630	-	IHL-W1	4.78	(0.02)	18	4.00
TOP01C1904A	0.17	(0.06)	117,772	-	UV13C1812A	-	-	-	-	ITD-W1	0.09	-	10,841	-
TOP01C1904B	0.08	(0.05)	2,918	-	UV13C1904A	0.21	-	43,304	-	JAS-W3	2.12	(0.02)	121,677	2.00
TOP01P1901A	0.68	0.14	135,456	-	UV19C1902A	0.13	0.01	11,214	-	JCK-W5	-	-	-	-
TOP01P1904A	2.10	0.25	54,538	1.00	UV24C1812A	-	-	-	-	JMART-W2	0.49	(0.07)	19,933	-
TOP06C1903A	0.21	(0.13)	158,754	-	UV24C1903A	0.31	0.01	89	-	JMT-W2	2.04	(0.06)	4,352	2.00
TOP06C1903B	0.03	(0.02)	5,401	-	VGI01C1812A	0.65	(0.03)	25,724	-	MACO-W2	0.20	-	114,816	-
TOP07C1812A	-	-	-	-	VGI06C1904A	-	-	-	-	MIDA-W2	-	-	-	-
TOP08C1902A	-	-	-	-	VGI06C1904B	-	-	-	-	MILL-W3	0.02	-	15,281	-
TOP11C1905A	0.26	(0.10)	6,070	-	VGI06C1904C	-	-	-	-	MILL-W4	0.15	0.01	3,336	-
TOP13C1901A	0.04	(0.02)	10,538	-	VGI23C1905A	1.39	(0.03)	26,000	1.00	MILL-W5	0.15	0.02	8,191	-
TOP13C1902A	0.04	(0.01)	6,543	-	VGI23C1911A	1.36	(0.03)	27,001	1.00	ML-W2	0.02	-	700	-
TOP13C1904A	0.28	(0.10)	95,230	-	VGI27C1812A	0.12	(0.02)	9,625	-	MONO-W1	0.38	(0.02)	234,864	-
TOP19C1901A	0.02	(0.01)	9,680	-	WHA01C1812A	0.52	(0.03)	39,580	-	NEP-W3	-	-	-	-
TOP19C1906A	0.49	(0.12)	29,936	-	WHA01C1812B	0.18	(0.03)	37,837	-	NOK-W1	0.33	(0.05)	116	-
TOP23C1906A	0.31	(0.09)	34,900	-	WHA01C1906A	0.61	(0.01)	23,565	-	NUSA-W3	0.35	0.01	26,025	-
TOP24C1901A	-	-	-	-	WHA01C1906B	0.49	(0.02)	31,352	-	NVD-W1	0.29	0.01	24,157	-
TOP24C1902A	-	-	-	-	WHA01P1812A	0.13	-	24,786	-	ORI-W1	0.80	(0.06)	167,821	-
TOP24C1903A	0.02	(0.01)	11,902	-	WHA01P1906A	0.62	-	17,070	-	PACE-W2	0.13	(0.01)	51,922	-
TOP24C1905A	0.35	(0.12)	1,000	-	WHA06C1903A	0.35	(0.01)	6,480	-	PDI-W1	1.03	(0.05)	267,649	1.00
TOP27C1903A	0.05	(0.05)	7,400	-	WHA07C1906A	0.53	(0.01)	8,270	-	PDJ-W2	1.15	(0.03)	557	1.00
TOP28C1812A	-	-	-	-	WHA08C1904A	0.25	(0.02)	16,082	-	PDJ-W3	1.09	(0.06)	231	1.00
TOP28C1903A	0.04	(0.03)	1,001	-	WHA11C1903A	0.13	-	6,616	-	PDJ-W4	1.08	(0.04)	609	1.00
TOP28C1904A	0.22	(0.09)	39,576	-	WHA13C1812A	0.13	(0.04)	30,246	-	PLE-W3	-	-	-	-
TP101C1812A	0.10	(0.01)	33,696	-	WHA13C1905A	0.44	(0.01)	69,594	-	RICH-W1	-	-	-	-
TP101C1812B	-	-	-	-	WHA19C1901A	0.32	(0.02)	18,329	-	RICHY-W1	0.15	0.01	31,849	-
TP101C1906A	0.32	(0.01)	22,554	-	WHA23C1906A	0.40	(0.02)	35,050	-	RICHY-W2	0.12	-	4,104	-
TP101C1906B	0.27	(0.01)	43,807	-	WHA24C1902A	0.26	(0.01)	2,727	-	RS-W3	5.65	(0.45)	16,374	5.00
TP107C1812A	-	-	-	-	WHA27C1903A	0.47	-	6,300	-	S-W1	0.04	0.01	40,151	-
TP113C1902A	0.08	(0.02)	20,709	-	WHA27P1905A	0.46	-	12,000	-	SAMART-W2	0.42	(0.01)	20,531	-
TP119C1901A	-	-	-	-	WHA28C1901A	0.30	(0.02)	8,214	-	SAWAD-W1	8.50	(0.30)	1,621	8.00
TP124C1902A	-	-	-	-	WHA28C1903A	0.18	(0.02)	22,950	-	SDC-W1	0.16	(0.01)	11,251	-
TP1P11C1909A	0.50	-	22,701	-	WHAU13C1902A	0.08	-	11,000	-	SMT-W1	0.01	(0.01)	5,168	-
TP1P13C1902A	0.33	0.03	500	-	WHAU19C1902A	0.13	-	2,004	-	SMT-W2	0.44	0.01	1,665	-
TP1P13C1904A	0.51	-	44,498	-	WHAU24C1812A	-	-	-	-	SPORT-W5	0.01	-	1,000	-
TP1P19C1902A	0.34	-	32,265	-	WHAU24C1902A	-	-	-	-	SPORT-W7	0.04	-	3,922	-
TP1P19C1906A	0.62	-	7,782	-	WHAU27C1905A	0.15	-	1,255	-	SST-W2	1.74	(0.12)	58,297	1.00
TP1P24C1901A	0.16	(0.01)	4,050	-	WORK01C1904A	0.07	(0.02)	2,370	-	SUPER-W4	0.05	-	238,9	



