

## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.00	-	234	5.99	RS	15.20	0.60	52,700	14.91
POMPI	-	-	-	-	HUMAN	9.70	0.20	10,229	9.70	SE-ED	3.10	0.02	26	3.09
SAFARI	-	-	-	-	ILINK	4.74	0.06	2,755	4.68	SMM	0.92	0.02	4,433	0.91
VI	-	-	-	-	INET	3.28	(0.06)	2,779	3.29	SPORT	0.14	-	180	0.14
WORLD	-	-	-	-	INTUCH	47.50	1.00	51,347	46.98	TBSP	14.10	(0.90)	39	14.25
WR	-	-	-	-	JAS	4.94	0.10	88,534	4.88	TH	0.70	-	577	0.71
Agribusiness	-	-	-	-	JASIF	10.10	-	70,775	10.08	TKS	8.75	0.10	3,292	8.72
CHOTI	-	-	-	-	JMART	5.05	0.11	4,881	5.01	TRITN	0.41	(0.01)	105,494	0.42
EE	0.65	-	33,608	0.65	JTS	1.40	-	462	1.39	VGI	7.60	0.25	163,746	7.48
GFPT	13.20	0.40	50,634	13.10	MFEC	2.80	0.04	1,401	2.79	WAVE	2.04	0.04	3	2.06
LEE	2.54	(0.02)	3,477	2.54	MSC	7.20	-	936	7.15	WORK	25.25	0.35	7,146	25.09
NER	1.89	0.09	495,680	1.86	PT	5.90	0.05	1,970	5.87	Finance & Securities	-	-	-	-
PPPM	3.28	(0.02)	3,151	3.30	SAMART	6.50	0.35	33,361	6.31	AEC	0.49	-	1,425	0.48
STA	16.00	(0.20)	82,335	16.08	SAMTEL	7.40	0.15	497	7.32	AEONTS	174.50	(1.00)	3,564	174.78
TRUBB	1.56	0.01	200	1.55	SDC	0.31	-	4,304	0.30	AMANAH	1.45	-	19,265	1.45
TWPC	8.15	0.05	1,764	8.05	SIS	9.65	0.25	2,095	9.44	ASAP	3.20	0.08	16,159	3.15
UPOIC	4.40	0.88	4	4.03	SVOA	1.21	0.01	10,183	1.20	ASK	23.70	(0.10)	487	23.75
UVAN	5.35	-	515	5.33	SYMC	4.98	(0.02)	39	4.94	ASP	3.24	0.02	24,731	3.20
VPO	0.44	-	7	0.44	SYNEX	11.90	0.30	1,996	11.91	BFIT	19.70	0.10	327	19.76
Banking	-	-	-	-	THCOM	6.60	-	25,726	6.64	CGH	0.94	(0.01)	61,623	0.93
BAY	39.50	0.75	3,170	39.10	TRUE	5.65	-	1,089,614	5.65	CNS	2.14	-	387	2.13
BBL	208.00	3.00	53,747	205.73	TWZ	0.10	-	39,154	0.10	ECL	1.76	0.01	9,067	1.75
CIMBT	0.78	(0.02)	18,585	0.78	Electronic Componen	-	-	-	-	FNS	3.84	0.04	22	3.83
KBANK	188.50	3.50	116,350	187.02	CCET	1.80	0.06	18,568	1.75	FSS	1.94	0.03	405	1.93
KKP	67.00	(0.25)	61,144	67.12	DELTA	70.00	-	12,680	69.86	GBX	0.54	-	270	0.54
KTB	20.20	0.20	313,530	20.10	EIC	0.04	-	18,468	0.04	GL	5.65	0.05	2,363	5.62
LHFG	1.41	0.03	18,474	1.39	HANA	34.00	0.25	16,210	33.81	IFS	3.06	-	1,568	3.07
SCB	138.50	2.00	51,623	137.71	KCE	28.50	1.00	34,145	28.25	JMT	11.20	0.10	7,700	11.28
TCAP	54.50	2.00	110,930	53.58	METCO	202.00	(1.00)	2	202.00	KCAR	10.70	(0.10)	409	10.78
TISCO	80.50	1.50	29,612	79.82	SMT	1.95	-	557	1.95	KGI	4.34	-	28,821	4.33
TMB	2.32	0.02	2,061,382	2.31	SPPT	3.94	(0.04)	1,260	3.95	KTC	31.75	1.00	102,857	31.20
Construction Materia	-	-	-	-	SVI	5.20	0.10	25,866	5.16	MBKET	10.30	-	999	10.37
CCP	0.34	-	3,341	0.34	TEAM	0.99	0.01	675	0.98	MFC	16.70	0.20	93	16.63
COTTO	2.14	0.04	2,093	2.13	Energy & Utilities	-	-	-	-	ML	0.98	0.02	1,713	0.96
DCC	2.10	0.02	26,792	2.10	ABPIF	6.15	0.05	2,389	6.11	MTC	48.50	1.75	64,605	47.74
DCON	0.50	0.01	19,545	0.50	AI	-	-	-	-	PE	0.22	-	103	0.17
DRT	5.40	-	395	5.40	AKR	0.82	0.01	2,005	0.81	PL	3.26	0.06	925	3.23
EPG	7.35	0.30	17,666	7.19	BAFS	32.75	-	937	32.69	S11	7.20	0.20	2,535	7.02
GEL	0.29	0.01	108,045	0.29	BANPU	16.50	0.20	212,215	16.37	SAWAD	47.75	1.75	57,099	47.15
PPP	2.78	0.02	561	2.74	BCP	32.50	0.25	28,466	32.24	THANI	7.50	0.15	63,739	7.47
Q-CON	4.78	-	101	4.22	BCPG	17.00	0.40	52,495	16.82	TK	8.70	(0.05)	1,179	8.62
RCI	3.88	0.06	6,929	3.88	BGRIM	26.75	0.25	50,536	26.89	TNITY	5.60	-	380	5.63
SCC	430.00	8.00	12,311	427.81	BPP	23.40	0.20	27,557	23.12	UOBKH	3.84	(0.08)	72	3.81
SCCC	214.00	3.00	565	214.84	BRRGIF	9.90	-	803	9.85	ZMICO	1.03	-	1,323	1.02
SCP	8.50	0.05	1,775	8.46	CKP	5.10	-	280,904	5.10	Food & Beverage	-	-	-	-
SKN	3.88	0.08	1,952	3.81	DEMCO	2.80	0.04	6,094	2.83	APURE	1.23	(0.01)	2,217	1.24
TASCO	15.30	0.60	75,323	15.14	EA	45.75	1.00	161,767	45.44	ASIAN	7.35	0.25	19,775	7.32
TCMC	1.54	0.03	45,210	1.52	EARTH	-	-	-	-	BR	3.96	-	4,011	3.95
TOA	34.00	-	4,737	33.79	EASTW	10.80	-	20,501	10.80	BRR	6.45	-	1,680	6.29
TPILP	2.00	0.01	1,140,875	2.00	EGATIF	11.10	-	30,159	11.11	CBG	41.00	1.25	21,699	40.36
UMI	1.27	(0.06)	83,468	1.29	EGGO	252.00	10.00	22,639	247.08	CFRESH	4.16	0.04	287	4.16
VNG	4.98	(0.02)	121	4.97	ESSO	11.40	0.60	58,353	11.10	CM	3.88	(0.08)	567	3.90
WIIK	2.00	0.02	3,945	1.99	GLOW	86.50	(0.50)	33,312	86.55	CPF	24.90	0.20	118,206	24.93
Petrochemicals & Che	-	-	-	-	GPSC	60.00	3.00	84,509	59.22	CPI	1.47	(0.03)	512	1.48
BCT	48.25	0.75	4	47.75	GULF	77.50	0.50	52,205	76.89	F&D	-	-	-	-
CMAN	2.60	0.02	6,693	2.61	GUNKUL	2.96	0.08	168,936	2.92	HTC	15.00	0.20	374	14.97
GC	5.05	0.05	75	5.00	IEC	-	-	-	-	ICHI	3.30	-	5,795	3.28
GGC	10.10	0.20	7,122	10.03	IFEC	-	-	-	-	KBS	3.82	(0.02)	660	3.80
GIFT	3.66	0.06	66	3.65	IRPC	5.80	0.10	616,710	5.74	KSL	3.06	0.02	15,810	3.00
IVL	53.50	(0.25)	144,121	53.41	LANNA	11.80	-	274	11.75	KTIS	5.30	-	225	5.30
NFC	6.05	-	33	6.06	MDX	3.92	0.02	183	3.90	LST	4.00	(0.02)	865	4.00
PATO	13.00	(0.10)	286	13.00	PTG	9.30	0.65	299,913	9.15	M	74.50	1.25	10,677	73.85
PMTA	11.30	(0.10)	97	11.30	PTT	47.00	(0.25)	871,236	46.63	MALEE	8.20	0.20	4,172	8.01
PTTGC	72.00	(0.50)	231,281	71.74	PTTEP	118.00	1.00	299,801	116.08	MINT	35.25	0.75	110,850	34.85
SUTHA	3.70	-	111	3.70	RATCH	48.50	(0.25)	5,649	48.35	OISHI	81.00	0.75	18	80.47
TCCC	28.50	(0.25)	21	28.50	RPC	0.40	-	4,201	0.40	OSP	24.80	0.40	26,176	24.66
TPA	-	-	-	-	SCG	4.48	(0.04)	176	4.49	PB	60.25	(0.25)	141	60.25
UP	-	-	-	-	SCI	2.58	(0.04)	5,838	2.59	PM	8.70	0.05	2,642	8.73
VNT	21.20	0.90	22,646	20.84	SCN	4.14	0.04	9,163	4.13	PRG	-	-	-	-
WG	179.00	-	38	179.00	SGP	8.70	0.70	125,772	8.36	SAPPE	15.60	0.30	5,257	15.11
YCI	-	-	-	-	SKE	1.06	(0.01)	1,017	1.07	SAUCE	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.08	(0.02)	1,072	2.09	SFP	-	-	-	-
BEAUTY	7.80	0.05	697,515	7.75	SPCG	19.00	0.20	3,196	18.89	SNP	19.60	(0.10)	1	19.60
BIG	1.34	0.01	5,396	1.34	SPRC	10.20	0.20	272,500	10.08	SORKON	70.00	(0.50)	1	70.00
BJC	54.50	0.75	31,578	54.19	SUPER	0.53	-	1,327,227	0.53	SSC	-	-	-	-
COL	23.30	0.30	479	23.33	SUSCO	2.58	0.04	7,834	2.56	SSF	6.85	(0.10)	26	6.88
COM7	18.30	0.10	49,739	18.00	TAE	2.08	0.02	1,933	2.07	SST	4.34	0.04	127	4.33
CPALL	70.00	(0.25)	169,513	70.00	TCC	0.43	0.01	537,066	0.42	TC	3.18	(0.02)	251	3.16
CSS	1.93	0.01	4,919	1.92	TOP	66.00	(0.25)	112,981	65.70	TFG	3.06	(0.06)	8,800	3.09
FN	1.54	0.01	5,423	1.55	TPIPP	6.00	0.15	77,002	5.94	TFMAMA	161.00	0.50	84	160.99
FTE	1.98	0.03	1,208	1.96	TTW	12.30	-	28,265	12.27	TIPCO	7.45	0.15	3,206	7.39
GLOBAL	20.70	0.30	32,705	20.73	WHAUP	5.70	0.05	38,711	5.68	TKN	8.95	0.30	131,956	8.86
HMPRO	15.40	0.40	132,279	15.31	WP	5.45	-	7,170	5.43	TU	16.80	0.30	92,999	16.62
IT	3.32	0.04	111	3.28	Media & Publishing	-	-	-	-	TVO	26.75	-	7,517	26.77
KAMART	3.78	0.02	4,368	3.78	AMARIN	4.98	0.06	188	5.09	Health Care Services	-	-	-	-
LOXLEY	1.75	(0.01)	7,143	1.76	AQUA	0.40	-	135,058	0.40	AHC	18.50	0.30	13	18.50
MAKRO	33.00	0.75	2,772	32.62	AS	0.85	0.15	66	0.87	BCH	18.60	-	24,062	18.57
MC	11.40	0.30	4,212	11.30	BEC	5.10	-	78,735	5.10	BDMS	27.00	0.75	337,553	26.78
MEGA	30.00	-	5,627	29.97	EPCO	2.68	-	7,918	2.71	BH	197.00	5.00	7,718	195.17
MIDA	0.58	0.01	114	0.57	FE	156.00	-	8	155.81	CHG	2.08	-	385,582	2.09
ROBINS	68.00	1.00	14,806	67.48	GPI	2.16	-	487	2.16	CMR	2.44	0.04	172	2.42
RSP	3.78	(0.02)	60	3.78	GRAMMY	6.35	(0.25)	879	6.31	EKH	5.70	0.15	8,979	5.59
SINGER	7.65	0.05	323	7.59	MACO	1.57	0.02							

## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	31.75	0.25	3,525	31.61	LALIN	5.00	0.02	767	4.97	TSC	13.10	0.10	47	12.88
VIBHA	2.12	-	19,861	2.11	LH	9.90	0.10	194,244	9.79	YNP	-	-	-	-
VIH	6.80	0.05	3,046	6.79	LPN	7.00	0.05	29,054	7.03	Industrial Materials	-	-	-	-
WPH	2.48	0.02	968	2.47	MBK	20.40	-	28,541	20.53	ALLA	1.45	-	1,172	1.44
Tourism & Leisure	-	-	-	-	MJD	3.42	-	2,161	3.42	ASEFA	4.80	0.04	351	4.78
ASIA	6.50	-	85	6.49	MK	3.88	-	9,776	3.86	CPT	0.74	(0.04)	67,460	0.74
CENDEL	41.00	1.00	21,633	40.61	NCH	0.86	-	205	0.86	CRANE	2.00	0.01	403	2.01
CSR	-	-	-	-	NNCL	1.67	(0.01)	5,124	1.68	CTW	7.85	0.15	1,207	7.74
DTC	9.85	0.15	357	9.79	NOBLE	14.30	0.20	1,581	14.17	FMT	24.70	-	4	24.70
ERW	6.25	0.05	58,000	6.27	NUSA	0.50	0.05	342,642	0.49	HTECH	5.70	0.15	4,537	5.70
GRAND	0.81	0.01	6,491	0.80	NVD	3.20	0.04	232	3.20	KKC	1.20	0.02	110	1.19
LRH	48.00	(2.00)	2	47.50	ORI	7.20	0.20	65,355	7.14	PK	2.16	(0.02)	457	2.13
MANRIN	30.25	1.25	2	30.25	PACE	0.45	0.01	128,028	0.44	SNC	14.00	0.10	633	14.00
OHTL	490.00	2.00	7	493.23	PF	0.74	(0.01)	239,472	0.74	TCJ	5.30	0.15	3	5.27
ROH	36.25	-	5	36.25	PLAT	7.45	0.25	1,314	7.38	VARO	7.40	0.40	3	7.40
SHANG	75.50	-	4	75.50	POLAR	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PRECHA	1.62	0.02	110	1.55	AIMIRT	10.20	0.10	353	10.20
ACC	0.50	-	6,875	0.49	PRIN	1.60	0.01	2,031	1.59	AMATAR	10.70	-	343	10.70
AJA	0.39	-	43,933	0.39	PRINC	4.70	0.14	13,606	4.57	B-WORK	10.60	(0.10)	2,943	10.69
DTCI	-	-	-	-	PSH	18.20	-	9,105	18.19	BKKCP	12.50	-	44	12.50
FANCY	0.67	0.02	1,373	0.67	OH	2.80	0.02	394,367	2.78	BOFFICE	12.70	0.10	816	12.66
KYE	410.00	2.00	19	408.21	RICHY	1.57	0.01	10,637	1.56	CPNCG	15.10	-	397	15.11
L&E	2.66	0.04	769	2.64	RML	1.26	(0.01)	84,658	1.26	CPNREIT	25.75	0.25	13,141	25.46
MODERN	3.78	0.04	764	3.73	ROJINA	5.05	-	9,985	5.05	CPTGF	12.80	-	404	12.80
OGC	35.00	0.25	82	34.80	S	3.22	0.06	33,352	3.20	CRYSTAL	9.40	0.15	5,051	9.38
ROCK	-	-	-	-	SAMCO	1.85	(0.01)	1,078	1.87	CTARAF	4.76	0.06	147	4.74
SIAM	2.02	-	523	2.01	SC	2.98	0.04	8,608	2.97	DREIT	5.00	-	279	5.00
TSR	1.86	0.06	7,032	1.83	SENA	3.50	0.04	3,590	3.47	ERWPF	5.40	0.05	22	5.40
Insurance	-	-	-	-	SF	7.50	(0.10)	3,152	7.56	FUTUREPF	22.60	-	131	22.59
AYUD	41.00	(0.25)	12	41.06	SIRI	1.28	(0.01)	962,679	1.27	GAHREIT	9.50	-	36	9.50
BKI	-	-	-	-	SPALI	18.90	(0.20)	32,433	18.90	GLANDRT	12.10	(0.20)	4,572	12.29
BLA	28.75	1.25	19,335	28.44	TICON	14.50	-	44	14.55	GOLDPF	-	-	-	-
BUI	-	-	-	-	U	2.60	-	26,469	2.60	GVREIT	14.50	-	4,517	14.50
CHARAN	31.50	0.25	3	31.50	UV	6.60	(0.05)	15,359	6.62	HPF	5.20	-	229	5.17
INSURE	-	-	-	-	WHA	4.22	0.04	473,986	4.22	HREIT	6.70	(0.10)	5,706	6.73
MTI	97.25	0.50	8	96.81	WIN	0.55	-	6,119	0.56	IMPACT	19.00	-	1,582	19.00
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	8.85	0.05	30	8.85
NSI	77.50	(0.25)	11	77.64	UTP	10.20	0.10	4,207	10.19	LHHOTEL	16.40	-	676	16.40
SMK	39.25	(0.25)	24	39.60	Fashion	-	-	-	-	LHPF	8.20	-	234	8.20
THRE	0.89	(0.01)	8,568	0.90	AFC	-	-	-	-	LHSC	16.30	-	7,189	16.30
THREL	6.85	-	2,547	6.79	BTNC	-	-	-	-	LUXF	-	-	-	-
TIC	32.75	-	1	32.75	CPH	5.60	-	113	5.57	M-II	-	-	-	-
TIP	22.90	0.10	901	22.83	CPL	3.02	(0.02)	30	3.02	M-PAT	9.80	-	1	9.80
TSI	0.41	-	4,364	0.41	DIGI	0.22	-	299	0.22	M-STOR	7.65	0.15	32	6.76
TVI	3.82	0.06	686	3.78	ICC	40.75	1.00	1	40.75	MIPF	-	-	-	-
Mining	-	-	-	-	LTX	101.00	-	48	100.77	MIT	-	-	-	-
PDI	12.40	0.20	2,043	12.21	NC	-	-	-	-	MJLF	12.40	(0.10)	441	12.41
THL	-	-	-	-	PAF	0.80	(0.01)	493	0.81	MNIT	-	-	-	-
Packaging	-	-	-	-	PDJ	2.28	0.02	1,183	2.30	MNIT2	-	-	-	-
AJ	8.35	(0.15)	11	8.28	PG	5.80	-	2	5.83	MNRF	3.02	-	329	3.02
ALUCON	175.00	(3.00)	8	176.50	SABINA	29.75	-	417	29.13	MONTRI	-	-	-	-
BGC	10.50	0.30	9,532	10.35	SAWANG	11.10	-	6	11.10	POPF	13.20	(0.10)	1,614	13.22
CSC	42.50	(0.50)	2	42.50	SUC	46.50	(0.25)	147	46.50	PPF	11.20	0.10	250	11.11
NEP	0.30	(0.01)	1,985	0.30	TNL	-	-	-	-	QHHR	8.45	-	447	8.42
NPPG	1.37	0.02	346,973	1.38	TPCORP	-	-	-	-	QHOP	3.32	-	316	3.33
PTL	14.10	0.10	5,571	14.13	TR	43.25	(0.25)	19	43.38	QHFP	13.10	-	655	13.10
SITHAI	1.09	(0.01)	8,062	1.09	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.84	0.01	616	0.84	TTL	-	-	-	-	SHREIT	9.20	0.05	279	9.20
SMPC	12.80	-	342	12.82	TTTM	192.00	0.50	21	191.74	SIRIP	-	-	-	-
SPACK	1.69	-	113	1.68	UPF	-	-	-	-	SPF	23.20	(0.20)	1,450	23.20
TCOAT	-	-	-	-	UT	-	-	-	-	SRIPANWA	10.70	(0.10)	374	10.76
TFI	0.22	0.01	1	0.22	WACOAL	45.75	(1.25)	5	45.75	SSPF	9.50	0.05	507	9.40
THIP	23.40	(0.10)	201	23.49	Transportation & Log	-	-	-	-	SSTPF	-	-	-	-
TMD	-	-	-	-	AAV	4.26	0.12	113,531	4.24	SSTRT	-	-	-	-
TOPP	-	-	-	-	AOT	63.75	1.00	225,664	63.06	TIF1	8.70	(0.05)	37	8.70
TPBI	6.55	-	87	6.49	ASIMAR	2.14	0.02	436	2.11	TLGF	18.70	0.10	2,043	18.64
TPP	-	-	-	-	B	0.43	-	5,966	0.42	TLHPF	11.00	0.20	3	10.87
Personal Products &	-	-	-	-	BA	12.00	0.20	8,912	11.83	TNPF	-	-	-	-
APCO	4.18	(0.02)	581	4.11	BEM	9.30	0.30	496,718	9.22	TPRIME	12.50	-	5	12.50
DDD	21.70	0.10	7,266	21.52	BTS	9.40	0.20	200,326	9.33	TREIT	11.00	-	10,747	11.02
JCT	-	-	-	-	BTSgif	11.70	-	38,639	11.57	TTLPF	-	-	-	-
OCC	-	-	-	-	III	5.50	(0.05)	7,432	5.50	TU-PF	1.69	-	12	1.70
S & J	-	-	-	-	JUTHA	0.70	(0.04)	1,212	0.70	URBNPF	4.28	0.38	1	4.28
STHAI	-	-	-	-	JWD	6.55	0.10	9,808	6.52	WHABT	9.80	(0.05)	531	9.90
TNR	9.80	(0.50)	1,851	9.82	KWC	-	-	-	-	WHART	10.70	0.10	12,619	10.64
TOG	4.44	(0.08)	2,393	4.46	NOK	2.60	0.02	4,858	2.58	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.05	-	1,299	5.04	AMC	1.83	(0.04)	575	1.84
BWG	1.07	(0.01)	156,689	1.07	PRM	5.65	0.30	46,327	5.49	BSBM	0.93	-	1,200	0.93
GENCO	0.76	-	7,546	0.76	PSL	10.40	-	9,293	10.47	CEN	1.09	(0.01)	17,564	1.09
PRO	-	-	-	-	RCL	4.90	(0.02)	419	4.89	CITY	2.42	(0.02)	395	2.43
TEAMG	2.12	0.04	8,900	2.09	TFFIF	10.30	0.10	75,323	10.26	CSP	1.14	0.01	175	1.11
Property Developer	-	-	-	-	THAI	13.10	0.20	26,012	13.04	GJS	0.12	-	50,969	0.12
A	6.65	-	250	6.65	TSTE	-	-	-	-	GSTEL	-	-	-	-
AMATA	22.70	0.70	222,085	22.24	TTA	5.75	0.15	12,440	5.65	INOX	0.99	-	225	0.99
AMATAV	4.98	(0.12)	3,809	5.01	WICE	3.94	(0.02)	10,271	3.98	LHK	4.14	(0.02)	2,247	4.14
ANAN	3.56	0.06	58,978	3.56	Automotive	-	-	-	-	MAX	0.02	-	1,169,908	0.02
AP	6.30	0.10	134,749	6.29	AH	21.20	0.30	10,417	20.95	MCS	6.90	-	7,160	6.88
APEX	0.20	-	4,050	0.20	APCS	4.84	-	55	4.80	MILL	1.49	0.01	593	1.49
AQ	0.02	-	49,814	0.02	BAT-3K	-	-	-	-	PAP	3.54	-	104	3.55
BLAND	1.66	-	133,937	1.66	CWT	2.72	0.02	655	2.72	PERM	1.96	0.06	242	1.93
BROCK	2.06	-	203	2.06	EASON	2.22	0.02	2,364	2.21	RICH	-	-	-	-
CGD	1.30	0.01	10,110	1.28	GYT	-	-	-	-	SAM	0.50	(0.01)	2,431	0.49
CI	-	-	-	-	HFT	2.96	0.02	1,186	2.91	SMIT	6.00	(0.10)	4,319	6.01
CPN	76.25	1.00	55,468	75.91	IHL	8.00	-	508	8.03	SSI	-	-	-	-
ESTAR	0.53	-	50,526	0.52	INGRS	0.59	0.02	33,086	0.59	SSSC	2.84	-	327	2.83
EVER	0.52	0.02	43,516	0.51	IRC	20.50	(0.10)	97	20.51	TGPRO	0.13	0.01	32,852	0.12
GLAND	3.10	(0.36)	40,203	3.13	PCSGH	6.95	-	317	6.95	THE	1.93	(0.02)	40,005	1.95
GOLD	7.70	(0.05)	9,530	7.71	SAT	17.20	-	8,944	17.08	TIW	-	-	-	-
GREEN	1.00	-	5,352	1.00	SPG	13.80	1.10	2	13.10	TMT	13.20	0.30</		

## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	SSP	7.65	-	1,067	7.00	ADVA01P1902A	0.94	(0.08)	52,788	-
ABICO	4.54	0.20	928	4.00	TAKUNI	0.80	0.01	3,696	-	ADVA01P1902B	0.67	(0.09)	51,937	-
AU	6.20	(0.15)	25,341	6.00	TPCH	10.10	0.10	9,011	10.00	ADVA01P1905A	1.27	(0.10)	40,615	1.00
FC	0.36	0.02	10,008	-	TRT	1.94	-	294	1.00	ADVA06C1903A	0.03	0.01	93,259	-
JCKH	0.64	-	589	-	TSE	2.20	(0.18)	21,867	2.00	ADVA08C1903A	-	-	-	-
KASET	1.83	(0.02)	707	1.00	UMS	0.68	0.01	471	-	ADVA11C1905A	0.05	-	3,290	-
MM	3.68	(0.02)	800	3.00	UWC	0.06	-	44,807	-	ADVA11P1905A	0.36	(0.04)	21,145	-
SUN	3.02	0.06	6,665	3.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.02	0.01	661	-
TACC	3.00	-	2,972	2.00	ADAM	-	-	-	-	ADVA13C1904A	0.19	0.04	246,492	-
TMILL	2.76	(0.02)	2,629	2.00	AKP	1.87	0.03	1,801	1.00	ADVA13P1904A	0.83	(0.11)	259,862	-
XO	11.50	-	4,331	11.00	AMA	4.78	0.06	693	4.00	ADVA16C1812A	-	-	-	-
<b>Consumer Products</b>														
BGT	1.01	-	4,039	1.00	ARIP	0.41	-	2,875	-	ADVA16C1912A	0.40	0.03	10,001	-
BIZ	2.54	(0.04)	25,189	2.00	ATP30	1.59	0.01	438	1.00	ADVA19C1901A	0.03	0.01	103,040	-
DOD	13.70	0.60	32,049	13.00	AUCT	5.70	0.10	3,036	5.00	ADVA19C1905A	0.48	0.07	77,855	-
DOD	13.70	0.60	32,049	13.00	BOL	2.00	(0.04)	1,005	2.00	ADVA19P1904A	0.57	(0.10)	73,375	-
ECF	2.90	(0.16)	268,045	2.00	CHUO	-	-	-	-	ADVA23C1902A	-	-	-	-
HPT	0.85	(0.05)	2,777	-	CMO	1.36	0.02	291	1.00	ADVA24C1904A	0.04	-	10	-
JUBILE	16.20	-	752	16.00	D	9.50	-	3,333	9.00	ADVA24C1905A	-	-	-	-
MOONG	6.60	(0.05)	2,536	6.00	DCORP	0.52	(0.02)	24,163	-	ADVA24C1907A	0.25	0.04	1,665	-
NPK	28.50	-	2	28.00	DNA	0.30	(0.05)	447,263	-	ADVA24P1908A	1.08	(0.12)	1,640	1.00
OCEAN	4.28	-	25,054	4.00	EFORL	0.06	-	20,869	-	ADVA27C1902A	-	-	-	-
TM	2.06	(0.02)	4,570	2.00	ETE	1.02	(0.01)	1,982	1.00	ADVA28C1901A	0.01	-	10	-
<b>Financials (MAI)</b>														
ACAP	3.26	0.04	22,104	3.00	FSMART	5.50	0.20	36,069	5.00	ADVA28C1904A	0.12	0.03	30,847	-
AF	0.71	0.01	398	-	FVC	0.75	0.01	3,008	-	ADVA28C1904B	0.30	0.05	138,453	-
AIRA	1.55	(0.02)	1,123	1.00	HARN	2.52	-	244	2.00	ADVA42C1903A	-	-	-	-
ASN	3.78	(0.10)	119	3.00	KJN	9.45	0.20	21,911	9.00	AMAT01C1903A	0.64	0.08	106,704	-
BROOK	0.47	(0.01)	8,373	-	KIAT	0.48	-	3,240	-	AMAT01C1903B	0.41	0.05	143,732	-
CHAYO	3.58	0.06	9,191	3.00	KOOL	1.20	(0.01)	1,405	1.00	AMAT01P1903A	0.57	(0.07)	259,612	-
GCAP	2.44	0.04	1,813	2.00	LDC	1.01	0.01	219	1.00	AMAT06C1903A	0.43	0.06	43,705	-
LIT	6.15	0.15	2,990	6.00	MPG	0.16	-	11,842	-	AMAT08C1903A	0.41	0.04	54,833	-
SGF	1.30	0.06	57,716	1.00	MVP	1.75	0.05	3,746	1.00	AMAT11C1903A	0.24	0.02	19,376	-
<b>Industrials (MAI)</b>														
ZS	2.54	-	189	2.00	NCL	1.42	0.03	200	1.00	AMAT13C1902A	0.15	0.03	235,986	-
ADB	0.87	-	833	-	NEWS	0.01	-	728	-	AMAT13C1905A	0.48	0.06	755,247	-
BM	2.94	-	211	2.00	NINE	1.94	0.10	19,340	1.00	AMAT19C1902A	0.48	0.07	77,777	-
CHO	1.47	0.02	19,856	1.00	OTO	2.18	-	392	2.00	AMAT23C1906A	0.38	0.04	59,000	-
CHOW	-	-	-	-	PHOL	1.80	0.05	2	1.00	AMAT24C1904A	0.26	(0.10)	51	-
CIG	0.30	-	964	-	PICO	3.58	-	2	3.00	AMAT27C1902A	-	-	-	-
COLOR	1.31	0.01	2,779	1.00	PORT	5.95	(0.30)	3,839	6.00	AMAT28C1902A	0.30	0.03	91,226	-
CPR	5.25	(0.05)	407	5.00	QLT	4.16	(0.02)	141	4.00	AMAT28C1903A	0.07	0.01	4,004	-
FPI	1.91	(0.03)	190	1.00	RP	2.64	0.04	162	2.00	ANAN08C1906A	0.05	0.01	100	-
GTB	0.59	-	1,251	-	SE	1.91	(0.02)	176	1.00	ANAN13C1901A	-	-	-	-
KCM	0.86	-	1,186	-	SISB	4.46	0.10	28,377	4.00	ANAN23C1901A	-	-	-	-
KWM	1.06	0.05	24,244	1.00	SONIC	1.32	0.01	7,035	1.00	AOT01C1902A	0.37	0.02	274,098	-
LVT	-	-	-	-	SPA	11.50	(0.10)	3,569	11.00	AOT01C1902B	0.14	0.03	144,491	-
MBAX	3.96	-	214	3.00	THMUI	1.31	0.01	600	1.00	AOT01C1904A	0.36	0.02	282,944	-
MGT	1.85	0.05	93	1.00	TNDT	4.22	0.02	309	4.00	AOT01C1904B	0.21	0.01	272,632	-
NDR	2.10	0.02	17	2.00	TNH	37.75	(0.25)	455	37.00	AOT01P1902A	0.74	(0.04)	45,739	-
PDG	2.88	0.06	240	2.00	TNP	1.45	0.02	1,296	1.00	AOT01P1902B	0.25	(0.04)	151,070	-
PIMO	4.70	-	27,034	4.00	TSF	0.02	(0.01)	15,342	-	AOT01P1904A	0.76	(0.04)	58,940	-
PJW	1.47	0.02	452	1.00	TVD	1.57	-	2,621	1.00	AOT01P1904B	0.51	(0.04)	99,016	-
PPM	1.42	(0.05)	778	1.00	TVT	0.85	(0.02)	880	-	AOT06C1903A	0.22	0.02	50,640	-
RWI	1.68	(0.01)	3,216	1.00	WINNER	2.78	0.06	983	2.00	AOT06P1903A	0.28	(0.03)	29,175	-
SALEE	1.02	0.01	819	1.00	Technology (MAI)	-	-	-	-	AOT07C1902A	-	-	-	-
SANKO	1.09	(0.01)	2,005	1.00	COMAN	3.42	0.02	728	3.00	AOT08C1901A	0.06	0.01	201	-
SELIC	2.64	-	11,020	2.00	ICN	1.69	-	3,479	1.00	AOT08C1904A	0.26	0.02	48,566	-
SWC	19.50	(0.10)	355	19.00	IRCP	0.59	(0.08)	4,636	-	AOT08P1903A	0.30	(0.01)	27,566	-
TMC	0.81	-	684	-	ITEL	3.44	0.02	9,432	3.00	AOT11C1906A	0.20	0.01	29,654	-
TMI	0.76	-	5,080	-	NETBAY	26.50	(0.25)	553	26.00	AOT11P1906A	0.23	(0.02)	11,480	-
TMW	66.25	-	74	66.00	PLANET	1.47	(0.04)	73	1.00	AOT13C1812A	0.01	-	1,160	-
TPAC	10.50	(0.40)	1	10.00	SIMAT	1.97	-	6,031	1.00	AOT13C1902A	0.20	0.03	126,472	-
TPLAS	1.72	0.11	170,050	1.00	SKY	13.50	0.10	2,617	13.00	AOT13C1904A	0.42	0.03	206,586	-
UAC	4.06	0.06	42	4.00	SPVI	1.19	0.02	2,122	1.00	AOT13P1812A	-	-	-	-
UBIS	5.15	(0.10)	150	5.00	UPA	0.36	-	25,806	-	AOT13P1902A	0.15	(0.03)	41,682	-
UEC	1.29	-	100	1.00	VCOM	3.00	-	155	3.00	AOT13P1905A	0.45	(0.55)	2,158	-
UKEM	0.64	0.01	3,141	-	Unit Trust	-	-	-	-	AOT16C1912A	0.71	(0.01)	1	-
UREKA	2.00	(0.06)	29,170	2.00	MGE	-	-	-	-	AOT19C1901A	0.13	0.02	67,125	-
YUASA	10.00	-	168	9.00	SCBSET	-	-	-	-	AOT19P1903A	0.18	(0.02)	93,666	-
ZIGA	1.90	-	2,126	1.00	ETF	-	-	-	-	AOT23C1906A	0.36	0.01	58,000	-
<b>Property &amp; Construc</b>														
ARROW	7.75	0.05	54	7.00	IDIV	11.03	-	1,143	10.00	AOT24C1901A	-	-	-	-
BKD	2.98	0.04	596	2.00	ABFTH	-	-	-	-	AOT24C1904A	-	-	-	-
BSM	0.50	0.02	10,358	-	BMSCG	7.85	0.05	145	7.00	AOT24P1903A	-	-	-	-
BTW	1.37	(0.03)	1,357	1.00	BMSCITH	12.07	0.12	12,214	11.00	AOT27C1902A	0.16	0.02	6,600	-
CHEWA	1.11	0.02	30,468	1.00	BSET100	10.22	0.12	8,327	10.00	AOT27P1903A	0.39	(0.03)	11,100	-
CMC	1.73	0.02	50,164	1.00	CHINA	4.80	(0.01)	822	4.00	AOT28C1901A	0.02	0.01	10	-
CRD	1.00	(0.01)	2,644	1.00	EBANK	5.65	0.03	2	5.00	AOT28C1902A	0.21	-	181,197	-
DIMET	0.91	0.03	4,449	-	ECOMM	-	-	-	-	AOT41P1905A	-	-	-	-
FLOYD	1.80	-	16	1.00	EFOOD	-	-	-	-	AOT42C1903A	0.16	0.02	16,325	-
FOCUS	1.56	0.04	300	1.00	EICT	-	-	-	-	AP01C1903A	0.04	0.01	150	-
HYDRO	1.15	0.01	334	1.00	ENGY	5.87	(0.03)	21	5.00	AP01C1903B	-	-	-	-
JSP	0.48	-	7,172	-	ENY	-	-	-	-	AP13C1903A	-	-	-	-
K	2.56	0.10	5	2.00	ESET50	5.50	(0.03)	2	5.00	AP13C1904A	0.09	(0.01)	25,258	-
META	1.94	(0.03												

## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP06C1903A	0.06	-	50	-	BDMS42P1904A	-	-	-	-	BLA24C1903A	-	-	-	-
BANP07C1904A	0.09	-	90	-	BEAU01C1812A	0.01	(0.01)	47,126	-	BLA27C1905A	0.15	0.02	6,550	-
BANP08C1904A	0.14	(0.01)	15,990	-	BEAU01C1812B	0.01	-	2,037	-	BLAN01C1903A	0.18	(0.01)	5,228	-
BANP08P1901A	0.32	(0.02)	36,294	-	BEAU01C1901A	0.05	-	15,090	-	BLAN01C1903B	-	-	-	-
BANP11C1902A	0.02	0.01	50	-	BEAU01C1901B	0.01	(0.01)	20	-	BLAN01P1903A	0.58	-	7,582	-
BANP11C1909A	0.23	(0.01)	20,014	-	BEAU01C1902A	0.28	-	154,389	-	BLAN11C1902A	-	-	-	-
BANP13C1902A	0.04	-	70	-	BEAU01C1902B	0.15	0.01	135,500	-	BLAN19C1902A	-	-	-	-
BANP13C1904A	0.19	0.01	144,572	-	BEAU01P1812A	2.04	-	10,053	2.00	BLAN19C1906A	0.27	-	11,126	-
BANP16C1812A	0.25	-	5,100	-	BEAU01P1902A	1.05	(0.02)	334,641	1.00	BPP01C1903A	0.12	(0.01)	70,698	-
BANP16C1912A	0.49	(0.01)	1	-	BEAU06C1904A	0.56	0.01	25,311	-	BPP01C1903B	-	-	-	-
BANP19C1902A	0.06	-	5,400	-	BEAU08C1901A	-	-	-	-	BPP01P1903A	0.34	(0.01)	90,766	-
BANP23C1901A	-	-	-	-	BEAU08C1902A	0.11	-	18,936	-	BPP06C1903A	-	-	-	-
BANP23C1906A	0.26	0.01	40,000	-	BEAU11C1902A	0.01	-	27	-	BPP13C1901A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU13C1812A	-	-	-	-	BPP13C1902A	0.12	(0.01)	92,914	-
BANP24C1904A	-	-	-	-	BEAU13C1812B	-	-	-	-	BPP19C1903A	0.26	0.01	60,569	-
BANP24C1907A	0.17	(0.01)	7	-	BEAU13C1901A	0.01	-	600	-	BPP19C1903B	-	-	-	-
BANP24P1901A	-	-	-	-	BANP24C1904A	0.08	-	46	-	BPP23C1901A	-	-	-	-
BANP27C1904A	0.14	(0.01)	7,200	-	BEAU13C1904B	0.29	0.01	771,662	-	BPP24C1902A	-	-	-	-
BANP27P1905A	0.50	(0.01)	5,400	-	BEAU19C1901A	0.11	-	61,138	-	BPP24C1904A	-	-	-	-
BANP28C1902A	-	-	-	-	BEAU19C1902A	0.02	(0.01)	920	-	BPP28C1902A	-	-	-	-
BANP28C1903A	0.08	(0.02)	14,144	-	BEAU23C1901A	-	-	-	-	BPP28C1904A	0.24	(0.02)	362,532	-
BANP28C1905A	0.19	(0.81)	93,856	-	BEAU23C1906A	0.13	(0.01)	22,645	-	BTS01C1903A	0.33	0.03	65,182	-
BANP42C1903A	-	-	-	-	BEAU24C1901A	-	-	-	-	BTS01C1903B	0.21	0.03	86,397	-
BANP42P1903A	0.72	(0.02)	9,180	-	BEAU24C1902A	0.01	-	100	-	BTS01P1903A	0.32	(0.04)	54,448	-
BBL06C1902A	0.55	0.06	32,601	-	BEAU24C1903A	-	-	-	-	BTS06C1903A	-	-	-	-
BBL08C1902A	0.30	0.05	20,468	-	BEAU24C1904A	0.07	-	6,601	-	BTS06C1903B	-	-	-	-
BBL08P1904A	0.32	(0.03)	24,847	-	BEAU27C1903A	0.03	-	610	-	BTS06C1903C	-	-	-	-
BBL11C1903A	0.22	0.02	75,321	-	BEAU28C1904A	0.20	0.01	80,882	-	BTS11C1904A	0.03	-	210	-
BBL11P1903A	-	-	-	-	BEC01C1812A	0.01	-	19,765	-	BTS19C1901A	0.12	0.01	16,622	-
BBL13C1901A	0.14	0.03	20,028	-	BEC01C1812B	0.01	-	2	-	BTS23C1905A	1.60	0.04	17,000	1.00
BBL13C1905A	0.29	(0.71)	11,057	-	BEC13C1901A	-	-	-	-	BTS24C1901A	-	-	-	-
BBL19C1901A	0.10	0.02	23,600	-	BEC24C1812A	-	-	-	-	BTS28C1902A	0.10	0.02	10,082	-
BBL19P1904A	0.30	(0.03)	37,230	-	BEM01C1902A	0.49	0.07	81,388	-	BTS42C1901A	0.07	(0.03)	200	-
BBL23C1906A	0.28	0.03	88,534	-	BEM01C1902B	0.37	0.07	121,058	-	BTS42P1901A	0.09	(0.02)	100	-
BBL24C1812A	-	-	-	-	BEM01P1902A	0.17	(0.05)	49,818	-	CBG01C1902A	0.18	0.02	97,164	-
BBL24C1902A	-	-	-	-	BEM07C1903A	-	-	-	-	CBG01C1902B	0.07	0.01	40,475	-
BBL24C1907A	-	-	-	-	BEM08C1903A	0.31	0.07	67,524	-	CBG01P1905A	1.02	(0.06)	89,931	1.00
BBL24P1904A	-	-	-	-	BEM11C1903A	0.26	0.06	15,620	-	CBG06C1903A	0.17	0.02	23,772	-
BBL27C1904A	0.32	0.02	5,700	-	BEM13C1901A	0.36	0.06	296,186	-	CBG06P1903A	0.96	(0.14)	17,390	1.00
BBL27P1904A	0.48	(0.03)	7,300	-	BEM19C1901A	0.44	0.09	28,458	-	CBG07C1812A	-	-	-	-
BBL28C1901A	0.07	0.02	18,138	-	BEM23C1901A	0.19	0.05	11,600	-	CBG08C1902A	-	-	-	-
BBL28C1904A	0.20	-	58,120	-	BEM24C1902A	0.22	0.05	1,590	-	CBG11C1902A	-	-	-	-
BBL42C1903A	0.16	0.01	15,580	-	BEM27C1904A	0.27	0.03	16,400	-	CBG13C1812A	-	-	-	-
BCH01C1902A	0.32	-	28,536	-	BEM27P1905A	0.14	(0.02)	60,600	-	CBG13C1901A	0.05	0.01	1,720	-
BCH01C1902B	0.13	-	212,762	-	BEM28C1905A	0.22	0.05	64,536	-	CBG16C1912A	0.63	0.03	761	-
BCH01P1902A	0.38	(0.01)	16,659	-	BEM42C1904A	0.27	0.03	22,216	-	CBG19C1901A	0.03	0.01	24,394	-
BCH06C1903A	0.27	0.01	5,600	-	BEM42P1904A	0.09	(0.03)	101	-	CBG23C1901A	-	-	-	-
BCH08C1901A	0.28	0.01	14,782	-	BGRIO1C1901A	0.91	0.10	15,267	-	CBG24C1901A	0.02	-	13	-
BCH11C1905A	0.30	0.01	9,930	-	BGRIO1C1901B	0.47	0.08	25,142	-	CBG24C1903A	-	-	-	-
BCH13C1902A	0.10	-	10,434	-	BGRIO1C1903A	0.27	0.01	96,758	-	CBG24C1904A	0.18	0.02	18,570	-
BCH19C1903A	0.34	-	28,131	-	BGRIO1C1903B	0.16	0.02	123,705	-	CBG28C1904A	0.16	0.02	158,451	-
BCH24C1904A	-	-	-	-	BGRIO6C1903A	0.74	0.07	8,210	-	CBG42C1904A	0.10	-	2,024	-
BCH27C1902A	0.54	0.01	8,100	-	BGRIO7C1903A	-	-	-	-	CENT01C1903A	0.41	0.03	54,625	-
BCH28C1902A	0.06	0.01	3,072	-	BGRIO8C1902A	0.47	0.08	9,312	-	CENT01C1903B	0.26	0.03	77,364	-
BCH28C1904A	0.23	-	19,327	-	BGRIO8C1904A	0.16	0.02	28,694	-	CENT01P1903A	0.35	(0.03)	53,604	-
BCP01C1903A	0.14	-	108,870	-	BGR11C1909A	0.29	0.02	24,000	-	CENT06C1904A	0.11	0.01	7,152	-
BCP01C1903B	-	-	-	-	BGR11C1909A	-	-	-	-	CENT08C1902A	0.08	(0.01)	3,558	-
BCP01P1903A	0.45	-	16,258	-	BGR13C1812A	-	-	-	-	CENT11C1904A	-	-	-	-
BCP08C1901A	-	-	-	-	BGR13C1812B	-	-	-	-	CENT11C1909A	0.35	0.01	38,454	-
BCP11C1909A	0.18	-	21,600	-	BGR13C1904A	0.19	0.02	36,696	-	CENT13C1902A	0.16	0.01	45,550	-
BCP13C1902A	-	-	-	-	BGR19C1901A	0.32	0.08	11,372	-	CENT19C1901A	0.06	-	6,000	-
BCP19C1902A	-	-	-	-	BGR19C1903A	0.13	0.02	30,686	-	CENT19C1904A	0.37	0.04	45,335	-
BCP24C1904A	-	-	-	-	BGR124C1901A	0.29	0.07	600	-	CENT23C1902A	-	-	-	-
BCP24C1907A	0.16	-	370	-	BGR124C1902A	0.10	0.01	5,000	-	CENT24C1901A	0.01	(0.02)	100	-
BCP28C1901A	-	-	-	-	BGR127C1905A	0.17	0.03	8,100	-	CENT24C1902A	-	-	-	-
BCP28C1904A	0.16	-	5,042	-	BGR128C1901A	-	-	-	-	CENT27C1905A	-	-	-	-
BCPG01C1904A	0.20	0.03	56,391	-	BGR128C1905A	0.18	(0.82)	53,730	-	CHG01C1903A	0.11	0.01	36,056	-
BCPG01C1904B	0.10	0.01	48,907	-	BH01C1905A	0.36	0.01	11,880	-	CHG01C1903B	0.04	-	2,010	-
BCPG06C1903A	0.25	0.04	17,680	-	BH01C1905B	0.29	0.01	15,324	-	CHG01P1903A	0.69	(0.02)	3,564	-
BCPG08C1904A	0.07	0.01	4,522	-	BH01P1905A	0.59	(0.05)	30,701	-	CHG07C1902A	-	-	-	-
BCPG08C1904B	0.16	0.02	15,686	-	BH08C1902A	0.43	0.02	15,988	-	CHG11C1904A	-	-	-	-
BCPG11C1902A	0.04	0.03	13,002	-	BH11C1902A	-	-	-	-	CHG13C1812A	-	-	-	-
BCPG13C1812A	-	-	-	-	BH11C1905A	0.61	0.02	4,290	-	CHG13C1903A	-	-	-	-
BCPG13C1902A	-	-	-	-	BH13C1901A	0.42	0.07	96,714	-	CHG13C1904A	0.14	-	37,984	-
BCPG13C1904A	0.18	0.02	262,370	-	BH19C1901A	0.40	0.06	57,407	-	CHG19C1902A	0.05	0.01	4,500	-
BCPG19C1901A	0.08	0.02	16,913	-	BH24C1902A	0.26	(0.04)	6,400	-	CHG24C1904A	-	-	-	-
BCPG23C1902A	0.08	(0.01)	5,000	-	BH27C1905A	0.22	0.01	49,000	-	CHG24C1911A	0.70	0.02	6,000	-
BCPG24C1903A	-	-	-	-	BIG08C1906A	0.02	-	2,400	-	CHG27C1905A	0.12	0.01	900	-
BCPG27C1903A	0.10	-	13,500	-	BIG13C1901A	-	-	-	-	CHG28C1902A	-	-	-	-
BCPG28C1901A	-	-	-	-	BIG24C1812A	-	-	-	-	CHG28C1904A	0.14	-	16,264	-
BCPG28C1904A	0.17	0.03	152,172	-	BJC01C1812A	0.39	0.04	41,878	-	CHG28C1905A	0.17	-	5,343	-
BDMS01C1905A	0.29	0.02	51,235	-	BJC01C1812B	-	-	-	-	CK01C1902B	0.08	(0.01)	40,952	-
BDMS01C1905B	0.24	0.02	48,892	-	BJC01C1906A	0.64	0.03	24,632	-	CK01P1902A	0.34	(0.01)	42,762	-
BDMS01P1905A	0.22	(0.04)	7,033	-	BJC01C1906B	0.56	0.04	48,320	-	CK08C1901A	0.03	(0.03)	2,000	-
BDMS06C1903A	0.14	0.02	13,300	-	BJC01P1812A	0.17	(0.04)	13,655	-	CK11C1904A	0.07	-	7,424	-
BDMS07C1904A	-	-	-	-	BJC01P1906A	0.53	(0.03)	12,248	-	CK13C1902A	0.08	(0.01)	60	-
BDMS08C1901A	0.05	0.01	1	-	BJC06C1901A	-	-	-	-	CK16C1812A	-	-	-	-
BDMS08C1905A	0.23	0.03	6,198	-	BJC06C1903A	0.39	0.04	7,970	-	CK16C1912A	0.29	-	6	-
BDMS11C1904A	0.07	(0.01)	301	-	BJC08C1903A	0.15	0.01	7,564	-	CK19C1903A	0.13	-	1,378	

## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP24C1906A	-	-	-	-	DTAC13C1812A	-	-	-	-	GPSC28C1903A	0.11	0.05	52,328	-
CKP27C1905A	0.19	0.01	13,200	-	DTAC13C1902A	0.13	0.01	38,986	-	GPSC28C1904A	0.43	0.10	137,084	-
CKP28C1902A	-	-	-	-	DTAC13C1904A	0.38	0.03	60,781	-	GUNK08C1902A	0.08	-	7,758	-
CKP28C1903A	0.12	-	30,440	-	DTAC13P1812A	-	-	-	-	GUNK11C1903A	0.04	(0.01)	3,510	-
COM706C1903A	0.15	(0.03)	1,800	-	DTAC13P1903A	0.31	(0.05)	20,012	-	GUNK13C1903A	0.14	0.03	44,791	-
COM708C1903A	0.17	-	16,448	-	DTAC19C1904A	0.41	0.05	49,276	-	GUNK19C1903A	0.29	0.04	58,885	-
COM711C1909A	0.44	-	30,124	-	DTAC23C1906A	0.32	0.02	38,300	-	GUNK19C1906A	0.27	0.02	92,998	-
COM713C1903A	0.09	-	15,909	-	DTAC24C1901A	-	-	-	-	GUNK24C1812A	-	-	-	-
COM713C1904A	0.30	0.01	99,910	-	DTAC27C1903A	0.22	0.02	21,900	-	GUNK24C1903A	0.15	0.01	1,000	-
COM719C1904A	0.33	0.01	26,629	-	DTAC27P1903A	0.28	(0.04)	16,501	-	GUNK27C1905A	0.24	0.02	63,250	-
COM723C1901A	0.04	(0.03)	6,210	-	DTAC28C1902A	0.15	0.02	29,478	-	GUNK28C1903A	0.15	0.01	129,155	-
COM724C1904A	0.14	(0.10)	800	-	DTAC42C1903A	0.25	0.02	8,120	-	HANA01C1905A	0.27	-	20,674	-
COM727C1902A	0.20	(0.01)	19,200	-	EA07C1903A	0.56	0.06	2,649	-	HANA01C1905B	0.22	(0.01)	56,091	-
COM728C1903A	0.19	-	22,308	-	EA08C1903A	0.48	0.04	30,858	-	HANA08C1903A	0.11	-	714	-
CPAL01C1901A	0.10	-	38,163	-	EA08C1903B	0.19	0.02	23,582	-	HANA11C1904A	0.09	0.01	1,202	-
CPAL01C1901B	0.01	-	45,340	-	EA11C1902A	0.08	0.01	1,832	-	HANA13C1901A	-	-	-	-
CPAL01C1904A	0.68	(0.01)	85,941	-	EA13C1812A	-	-	-	-	HANA13C1905A	0.20	-	72,752	-
CPAL01C1904B	0.41	(0.01)	121,977	-	EA13C1812B	-	-	-	-	HANA19C1902A	0.06	-	830	-
CPAL01P1901A	1.30	0.04	28,975	1.00	EA13C1901A	0.10	0.02	63,709	-	HANA19C1906A	0.37	0.02	18,408	-
CPAL01P1901B	0.38	(0.01)	33,214	-	EA13C1903A	0.17	0.02	145,101	-	HANA24C1903A	-	-	-	-
CPAL01P1904A	0.58	(0.01)	46,535	-	EA19C1902A	0.34	0.03	103,509	-	HANA28C1902A	-	-	-	-
CPAL01P1904B	0.31	-	53,092	-	EA23C1901A	0.32	0.02	62,510	-	HANA28C1904A	0.19	0.01	63,844	-
CPAL06C1903A	0.29	(0.02)	16,500	-	EA24C1901A	-	-	-	-	HMPR01C1902A	0.38	0.04	54,678	-
CPAL07C1902A	-	-	-	-	EA27C1902A	0.63	0.06	22,500	-	HMPR01C1902B	0.26	0.02	30,826	-
CPAL08C1902A	0.05	-	11	-	EA28C1901A	0.21	0.01	100	-	HMPR01P1902A	0.23	(0.03)	18,448	-
CPAL08C1902B	0.23	-	12,215	-	EA28C1902A	0.09	0.02	21,001	-	HMPR11C1906A	0.19	0.02	13,821	-
CPAL08P1904A	0.34	-	13,624	-	EGCO01C1903A	0.72	0.10	84,039	-	HMPR13C1812A	-	-	-	-
CPAL11C1903A	0.02	-	10	-	EGCO01C1903B	0.51	0.11	175,759	-	HMPR13C1905A	0.25	0.02	65,162	-
CPAL11C1909A	-	-	-	-	EGCO19C1901A	0.35	0.10	80,308	-	HMPR19C1901A	0.33	0.05	20,866	-
CPAL11P1903A	0.50	(0.01)	20,700	-	EGCO24C1901A	0.09	0.03	4,911	-	HMPR23C1901A	-	-	-	-
CPAL13C1812A	-	-	-	-	EPG01C1903A	0.17	0.01	14,931	-	HMPR24C1901A	-	-	-	-
CPAL13C1901A	0.14	(0.01)	37,372	-	EPG01C1903B	0.09	0.02	7,199	-	HMPR27C1905A	0.31	0.02	14,700	-
CPAL13C1903A	0.57	(0.02)	110,691	-	EPG01P1903A	1.16	(0.05)	8,342	1.00	HMPR27P1905A	0.25	(0.03)	13,800	-
CPAL13P1902A	0.16	-	48,020	-	EPG07C1906A	0.28	(0.05)	400	-	HMPR28C1903A	0.16	0.02	62,200	-
CPAL16C1912A	-	-	-	-	EPG08C1903A	-	-	-	-	INTU01C1903A	0.14	0.01	87,989	-
CPAL19C1902A	0.22	(0.01)	12,527	-	EPG11C1903A	0.19	0.01	12,208	-	INTU01C1903B	0.04	0.01	800	-
CPAL19P1903A	0.21	(0.01)	23,400	-	EPG13C1902A	-	-	-	-	INTU01P1903A	0.99	(0.06)	21,835	1.00
CPAL23C1906A	0.49	-	11,500	-	EPG13C1903A	0.12	0.03	18,169	-	INTU01P1903B	0.75	(0.08)	17,722	-
CPAL24C1901A	-	-	-	-	EPG19C1902A	0.04	(0.01)	1,700	-	INTU11C1905A	0.05	(0.01)	80	-
CPAL24C1903A	-	-	-	-	EPG19C1904A	0.24	0.05	19,208	-	INTU11P1905A	0.42	(0.06)	7,052	-
CPAL24C1904A	0.54	(0.01)	500	-	EPG24C1902A	-	-	-	-	INTU13C1812A	0.10	0.07	5	-
CPAL24P1901A	-	-	-	-	EPG28C1902A	-	-	-	-	INTU13C1904A	0.16	0.03	83,134	-
CPAL27C1903A	0.25	-	3,000	-	EPG28C1904A	0.20	0.03	23,351	-	INTU19C1901A	-	-	-	-
CPAL27P1905A	0.43	-	450	-	ERW13C1902A	-	-	-	-	INTU19C1906A	0.31	0.03	26,866	-
CPAL28C1901A	0.07	-	1	-	ERW19C1902A	0.08	0.01	14,869	-	INTU24C1901A	-	-	-	-
CPAL28C1904A	0.36	0.01	58,666	-	ERW24C1904A	0.11	0.01	76	-	INTU24C1909A	-	-	-	-
CPAL41C1901A	-	-	-	-	ESSO01C1812A	0.02	0.01	5	-	INTU28C1901A	-	-	-	-
CPAL42C1904A	0.33	(0.01)	10,840	-	ESSO01C1812B	-	-	-	-	INTU28C1904A	0.08	0.01	28,000	-
CPAL42P1904A	0.20	-	6,072	-	ESSO01C1906A	0.29	0.04	50,589	-	INTU42C1904A	-	-	-	-
CPF01C1902A	0.16	0.01	55,001	-	ESSO01C1906B	0.22	0.03	72,438	-	INTU42P1904A	0.46	(0.02)	4,896	-
CPF01C1902B	-	-	-	-	ESSO01P1812A	0.99	(0.13)	4,293	1.00	IRPC01C1903A	0.10	-	277,683	-
CPF01P1902A	0.37	-	18,624	-	ESSO01P1906A	0.72	(0.07)	9,818	-	IRPC01C1903B	0.04	-	250	-
CPF01P1902B	0.21	(0.01)	49,253	-	ESSO08C1902A	-	-	-	-	IRPC01C1906A	0.29	0.01	114,005	-
CPF06C1903A	0.05	(0.02)	1	-	ESSO11C1905A	0.20	0.03	12,500	-	IRPC01C1906B	0.24	0.01	215,499	-
CPF08C1901A	-	-	-	-	ESSO13C1903A	0.05	-	3,350	-	IRPC01P1903A	0.69	(0.02)	62,169	-
CPF08C1904A	0.13	-	10,600	-	ESSO13C1905A	0.18	0.03	48,872	-	IRPC01P1903B	0.55	-	61,780	-
CPF11C1902A	0.03	-	1	-	ESSO19C1901A	-	-	-	-	IRPC06C1903A	0.08	-	11,500	-
CPF11P1902A	0.12	(0.02)	8,632	-	ESSO19C1906A	0.28	0.05	22,535	-	IRPC07C1812A	-	-	-	-
CPF13C1902A	-	-	-	-	ESSO24C1812A	-	-	-	-	IRPC08C1902A	0.05	(0.02)	500	-
CPF13C1903A	0.34	-	18,330	-	ESSO24C1902A	-	-	-	-	IRPC11C1902A	-	-	-	-
CPF13C1905A	0.16	0.01	16,234	-	ESSO28C1903A	0.03	-	17	-	IRPC11C1905A	0.11	-	8,503	-
CPF19C1901A	0.06	-	1,002	-	ESSO28C1904A	0.12	0.02	32,296	-	IRPC13C1812A	-	-	-	-
CPF19C1904A	0.43	-	39,757	-	GFFT08C1906A	0.30	0.04	22,181	-	IRPC13C1903A	0.13	0.01	104,641	-
CPF24C1901A	-	-	-	-	GFFT13C1902A	0.06	0.01	8,158	-	IRPC19C1901A	0.04	0.01	541	-
CPF24C1902A	-	-	-	-	GFFT19C1903A	0.15	0.02	34,782	-	IRPC19C1905A	0.22	0.01	36,535	-
CPF24C1903A	-	-	-	-	GFFT24C1812A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPF24C1904A	-	-	-	-	GGC07C1902A	-	-	-	-	IRPC24C1904A	0.12	(0.01)	3,010	-
CPF27C1903A	-	-	-	-	GGC08C1906A	-	-	-	-	IRPC27C1903A	0.07	(0.01)	6,000	-
CPF28C1902A	-	-	-	-	GGC13C1902A	-	-	-	-	IRPC27P1905A	0.38	(0.01)	6,080	-
CPF28C1903A	-	-	-	-	GGC13C1905A	0.21	(0.03)	41,697	-	IRPC28C1902A	0.03	(0.04)	10	-
CPN01C1902A	0.30	0.02	105,615	-	GGC19C1902A	0.12	-	3,054	-	IRPC28C1904A	0.12	0.01	49,501	-
CPN01C1902B	0.10	-	91,026	-	GGC23C1901A	-	-	-	-	ITD06C1904A	0.06	-	3,770	-
CPN01P1902A	0.92	(0.05)	42,422	-	GGC24C1812A	-	-	-	-	ITD08C1902A	-	-	-	-
CPN06C1903A	0.37	-	35,000	-	GGC24C1901A	-	-	-	-	ITD11C1903A	-	-	-	-
CPN07C1902A	0.19	(0.01)	2,160	-	GGC28C1905A	0.17	-	37,229	-	ITD13C1812A	-	-	-	-
CPN08C1903A	0.22	(0.01)	19,126	-	GLOB01C1903A	0.63	0.02	36,375	-	ITD13C1902A	-	-	-	-
CPN11C1903A	0.06	(0.01)	381	-	GLOB01C1903B	0.46	0.03	42,715	-	ITD19C1903A	0.11	-	885	-
CPN11P1903A	0.12	(0.02)	5,360	-	GLOB11C1906A	0.37	0.01	18,720	-	ITD24C1902A	-	-	-	-
CPN13C1812A	-	-	-	-	GLOB13C1901A	0.29	0.03	49,694	-	IVL01C1812A	0.05	(0.01)	89,667	-
CPN13C1903A	0.29	0.01	122,741	-	GLOB19C1901A	0.48	0.03	24,792	-	IVL01C1812B	0.01	-	41	-
CPN19C1901A	0.12	(0.01)	78,614	-	GLOB23C1906A	0.53	0.01	41,000	-	IVL01C1903A	0.29	(0.01)	244,864	-
CPN24C1901A	-	-	-	-	GLOB24C1903A	-	-	-	-	IVL01C1903B	0.16	(0.01)	159,670	-
CPN24C1904A	0.34	0.02	13,005	-	GLOB24C1906A	-	-	-	-	IVL01C1905A	0.49	-	281,562	-
CPN27C1903A	0.16	-	5,700	-	GLOW13C1905A	0.66	(0.02)	23,488	-	IVL01C1905B	0.41	(0.01)	266,008	-
CPN28C1902A	0.09	-	10,138	-	GLOW19C1901A	0.09	-	5,190	-	IVL01P1812A	0.73	(0.08)	75,797	-
CPN28C1904A	0.25	-	99,440	-	GLOW27C1812A	-	-	-	-	IVL01P1812B	0.11	(0.03)	299,850	-
DELTO6C1903A	0.75	-	5,400	-	GPSCO1C1902A	0.19	0.04	158,834	-	IVL01P1903A	1.02	0.01	86,911	1.00
DELTT24C1901A	0.31	(0.02)	600	-	GPSCO1C1902B	0.08	0.03	4	-	IVL01P1903B	0.75	0.02	37,967	-



## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL23C1906A	0.34	0.01	71,200	-	LH13C1902A	0.07	-	4,000	-	PSL19C1903A	0.12	-	13,770	-
IVL24C1812A	-	-	-	-	LH19C1901A	-	-	-	-	PTG01C1902A	0.07	0.03	110,497	-
IVL24C1901A	0.05	-	13	-	LH19C1906A	0.39	0.01	8,699	-	PTG01C1902B	0.02	0.01	1,002	-
IVL24C1906A	0.37	(0.04)	2,000	-	LH23C1901A	-	-	-	-	PTG01C1905A	0.87	0.14	159,638	-
IVL27C1902A	0.12	0.01	11,250	-	LH24C1903A	-	-	-	-	PTG01C1905B	0.78	0.13	272,713	-
IVL28C1902A	0.07	-	12,000	-	LH27C1905A	0.13	-	1,800	-	PTG01P1902A	0.82	(0.13)	162,938	-
IVL28C1903A	0.24	(0.01)	170,795	-	LH27P1905A	0.38	-	4,200	-	PTG06C1904A	0.03	(0.01)	5,854	-
IVL28P1904A	0.34	(0.02)	76,682	-	LPN01C1905A	0.10	-	15,040	-	PTG08C1902A	-	-	-	-
IVL42C1903A	0.12	0.01	16,320	-	LPN01C1905B	0.07	-	7,942	-	PTG08C1903A	0.03	-	5,000	-
KBAN01C1901A	0.54	0.06	342,860	-	LPN08C1906A	-	-	-	-	PTG11C1903A	-	-	-	-
KBAN01C1901B	0.03	0.01	2,751	-	LPN13C1903A	0.01	(0.03)	3,201	-	PTG13C1812A	-	-	-	-
KBAN01C1904A	0.23	0.02	245,308	-	LPN13C1904A	0.10	0.01	19,397	-	PTG13C1901A	0.01	-	2	-
KBAN01C1904B	0.10	0.02	61,437	-	LPN19C1904A	0.05	-	39	-	PTG13C1903A	0.09	0.02	39,201	-
KBAN01P1901A	1.00	(0.11)	76,322	1.00	LPN24C1812A	-	-	-	-	PTG13C1904A	0.49	0.13	1,234,739	-
KBAN01P1901B	0.10	(0.03)	169,530	-	LPN24C1908A	-	-	-	-	PTG19C1902A	0.01	-	3,005	-
KBAN01P1904A	0.90	(0.03)	61,817	-	MAJO11C1902A	-	-	-	-	PTG19C1902B	0.04	0.01	280,082	-
KBAN01P1904B	0.62	(0.04)	91,496	-	MAJO13C1903A	-	-	-	-	PTG19C1905A	0.76	0.14	53,488	-
KBAN06C1903A	0.29	0.03	57,000	-	MAJO19C1902A	-	-	-	-	PTG19P1903A	0.30	(0.09)	335,279	-
KBAN08C1903A	0.04	-	100	-	MAJO19C1904A	0.25	(0.04)	20,888	-	PTG24C1901A	-	-	-	-
KBAN13C1901A	0.02	-	605	-	MAJO24C1902A	0.05	(0.02)	3,000	-	PTG24C1902A	-	-	-	-
KBAN13C1904A	0.13	0.01	41,269	-	MALE01C1812A	0.01	-	62,000	-	PTG24C1904A	0.14	0.03	100	-
KBAN13C1904B	0.41	0.05	260,153	-	MALE27C1812A	-	-	-	-	PTG24C1905A	0.76	0.16	3,071	-
KBAN13P1905A	0.81	(0.06)	192,941	-	MC24C1812A	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN19C1901A	0.02	-	1,500	-	MEGA01C1904A	0.21	-	1,014	-	PTG28C1901A	-	-	-	-
KBAN19C1906A	0.68	0.06	146,045	-	MEGA01C1904B	0.13	-	824	-	PTG28C1904A	0.45	0.12	275,856	-
KBAN19P1904A	0.72	(0.08)	99,527	-	MEGA08C1903A	0.06	(0.01)	1,488	-	PTT01C1901A	0.37	-	343,236	-
KBAN23C1902A	0.06	(0.01)	5,000	-	MEGA11C1902A	-	-	-	-	PTT01C1901B	0.13	-	191,255	-
KBAN24C1902A	-	-	-	-	MEGA13C1902A	0.04	(0.02)	170	-	PTT01C1904A	0.23	(0.01)	238,549	-
KBAN24C1903A	-	-	-	-	MEGA19C1902A	-	-	-	-	PTT01C1904B	0.13	(0.01)	155,325	-
KBAN24C1908A	0.49	0.06	14,486	-	MEGA19C1906A	0.30	0.01	13,277	-	PTT01P1901A	0.44	-	132,435	-
KBAN24P1907A	-	-	-	-	MEGA23C1902A	-	-	-	-	PTT01P1901B	0.13	-	95,350	-
KBAN27C1903A	0.10	0.01	7,200	-	MEGA24C1812A	-	-	-	-	PTT01P1904A	0.89	-	166,225	-
KBAN27P1904A	0.74	(0.04)	30,000	-	MEGA24C1903A	-	-	-	-	PTT01P1904B	0.69	0.01	121,519	-
KBAN28C1904A	0.09	0.02	28,001	-	MINT01C1901A	0.23	0.03	204,588	-	PTT06C1901A	0.07	(0.01)	22,392	-
KBAN28C1905A	0.35	0.03	211,898	-	MINT01C1901B	0.03	-	4,050	-	PTT06C1903A	0.12	-	19,172	-
KBAN28P1904A	0.52	(0.04)	120,682	-	MINT01P1901A	0.18	(0.04)	131,473	-	PTT06P1901A	0.34	0.03	42,701	-
KCE01C1903A	0.05	0.01	17,300	-	MINT06C1901A	-	-	-	-	PTT06P1903A	0.37	0.02	41,482	-
KCE01C1903B	-	-	-	-	MINT06C1903A	0.03	-	199	-	PTT07C1906A	0.28	(0.02)	7,430	-
KCE01C1906A	0.38	0.02	65,822	-	MINT07C1906A	-	-	-	-	PTT08C1902A	0.05	(0.03)	17,450	-
KCE01C1906B	0.32	0.04	101,734	-	MINT08C1903A	0.09	0.01	5,432	-	PTT08P1904A	0.63	0.04	33,886	-
KCE06C1903A	0.01	-	3,480	-	MINT11C1902A	-	-	-	-	PTT11C1902A	0.03	0.01	528	-
KCE07C1902A	-	-	-	-	MINT11P1902A	-	-	-	-	PTT11C1909A	0.23	(0.01)	4,060	-
KCE08C1902A	-	-	-	-	MINT13C1812A	-	-	-	-	PTT13C1903A	0.17	(0.01)	196,408	-
KCE08C1905A	0.30	0.01	37,000	-	MINT13C1903A	0.04	(0.01)	1,005	-	PTT13P1902A	0.41	0.01	278,992	-
KCE11C1904A	0.04	(0.02)	1,096	-	MINT13C1904A	0.18	0.02	302,586	-	PTT16C1912A	0.56	(0.01)	1,032	-
KCE13C1812A	-	-	-	-	MINT19C1901A	0.11	0.02	112,543	-	PTT19C1901A	0.09	-	41,759	-
KCE13C1903A	0.03	-	1	-	MINT24C1812A	-	-	-	-	PTT19P1903A	0.35	0.01	62,339	-
KCE13C1904A	0.07	0.01	42,412	-	MINT24C1901A	-	-	-	-	PTT23C1901A	-	-	-	-
KCE13C1905A	0.23	(0.77)	25,401	-	MINT24C1902A	-	-	-	-	PTT23C1906A	0.24	-	61,180	-
KCE19C1901A	0.01	-	10	-	MINT27C1903A	0.07	-	1,541	-	PTT24C1812A	-	-	-	-
KCE19C1906A	0.39	0.02	47,647	-	MINT27P1905A	0.43	(0.04)	15,360	-	PTT24C1904A	-	-	-	-
KCE23C1901A	-	-	-	-	MINT28C1903A	-	-	-	-	PTT24P1901A	-	-	-	-
KCE24C1901A	-	-	-	-	MINT28C1904A	0.15	0.02	53,968	-	PTT24P1904A	0.28	0.01	1,686	-
KCE24C1904A	-	-	-	-	MINT42C1904A	0.11	0.01	6,072	-	PTT27C1903A	0.12	(0.01)	5,760	-
KCE27C1902A	-	-	-	-	MINT42P1904A	0.39	(0.03)	18,972	-	PTT27P1903A	0.43	0.02	12,600	-
KCE28C1902A	-	-	-	-	MONO08C1906A	0.02	-	25,032	-	PTT28C1901A	-	-	-	-
KCE28C1904A	-	-	-	-	MONO13C1901A	-	-	-	-	PTT28C1904A	0.21	(0.01)	69,131	-
KCE28C1905A	0.24	0.02	58,308	-	MONO23C1901A	-	-	-	-	PTT28P1903A	0.43	0.01	56,288	-
KKP01C1902A	0.22	(0.02)	133,035	-	MONO24C1812A	-	-	-	-	PTTE01C1901A	0.15	0.01	582,054	-
KKP01C1902B	0.05	(0.01)	2,290	-	MONO24C1812B	-	-	-	-	PTTE01C1902A	0.03	0.01	44,202	-
KKP08C1904A	0.19	(0.02)	13,392	-	MONO28C1901A	-	-	-	-	PTTE01C1904A	0.17	-	424,555	-
KKP11C1903A	-	-	-	-	MTC06C1901A	0.98	0.13	33,996	-	PTTE01C1904B	0.08	-	256,065	-
KKP13C1903A	0.20	(0.01)	41,982	-	MTC06C1903A	0.36	0.07	29,060	-	PTTE01P1901A	1.47	(0.03)	112,794	1.00
KKP19C1901A	0.07	-	5,560	-	MTC08C1902A	0.59	0.08	29,794	-	PTTE01P1901B	0.54	(0.06)	285,763	-
KKP24C1812A	-	-	-	-	MTC08C1904A	0.19	0.03	78,803	-	PTTE01P1904A	1.93	(0.05)	107,199	2.00
KKP24C1906A	0.25	(0.13)	1,876	-	MTC11C1904A	0.53	0.07	50,195	-	PTTE01P1904B	1.66	(0.05)	89,187	1.00
KKP28C1902A	0.03	(0.01)	45	-	MTC13C1901A	-	-	-	-	PTTE06C1903A	0.11	0.01	39,363	-
KTB01C1903A	0.34	0.02	108,362	-	MTC13C1903A	0.29	0.05	259,230	-	PTTE07C1904A	0.07	-	808	-
KTB01C1903B	0.25	0.02	144,485	-	MTC19C1901A	0.61	0.12	33,632	-	PTTE08C1904A	0.10	-	11,794	-
KTB01P1903A	0.41	(0.03)	51,305	-	MTC19C1903A	0.31	0.06	69,258	-	PTTE08P1904A	1.67	0.02	22,288	1.00
KTB01P1903B	0.31	(0.03)	74,468	-	MTC23C1906A	0.29	0.03	60,540	-	PTTE11C1902A	0.06	-	61,634	-
KTB06C1902A	0.28	0.03	19,400	-	MTC24C1812A	-	-	-	-	PTTE13C1812A	-	-	-	-
KTB08C1903A	0.20	0.01	20,870	-	MTC24C1903A	0.26	0.06	1,411	-	PTTE13C1902A	0.03	-	39,299	-
KTB11C1909A	0.28	0.02	24,298	-	MTC24C1912A	0.70	0.06	96	-	PTTE13C1904A	0.21	0.01	613,447	-
KTB13C1901A	-	-	-	-	MTC27C1904A	0.44	0.03	24,750	-	PTTE13C1905A	0.38	(0.62)	462,866	-
KTB13C1903A	0.20	0.01	32,818	-	MTC28C1902A	-	-	-	-	PTTE13P1901A	0.44	(0.06)	217,782	-
KTB19C1901A	0.23	0.03	25,267	-	MTC28C1903A	0.19	0.04	70,517	-	PTTE13P1902A	1.24	(0.13)	30,003	1.00
KTB23C1906A	0.37	0.02	64,660	-	ORI08C1904A	0.04	0.01	1,551	-	PTTE13P1905A	0.67	(0.33)	149,639	-
KTB24C1904A	-	-	-	-	ORI11C1909A	0.52	0.04	37,450	-	PTTE19C1903A	0.09	-	111,430	-
KTB24P1901A	-	-	-	-	ORI13C1902A	0.01	-	2,275	-	PTTE19P1903A	0.85	(0.04)	59,863	-
KTB24P1907A	-	-	-	-	ORI13C1904A	0.08	0.01	2,070	-	PTTE23C1901A	-	-	-	-
KTB27C1905A	0.29	0.02	11,600	-	ORI13C1904B	0.34	0.03	132,139	-	PTTE23C1906A	0.21	-	49,895	-
KTB28C1903A	0.15	-	52,299	-	ORI19C1904A	0.03	-	960	-	PTTE24C1901A	0.01	-	2,000	-
KTB42C1903A	0.21	0.01	10,200	-	ORI19C1905A	0.42	0.04	18,094	-	PTTE24C1904A	0.18	0.02	105	-
KTB42P1903A	-	-	-	-	ORI24C1903A	-	-	-	-	PTTE24P1901A	0.23	(0.03)	12,289	-
KTC01C1901A	0.33	0.04	256,228	-	ORI24C1905A	-	-	-	-	PTTE24P1904A	1.00	0.08	670	1.00
KTC01C1901B	0.16	0.03	287,876	-	ORI27C1905A	-	-	-	-	PTTE27C1903A	0.06	(0.02)	6,476	-
KTC08C1903A	0.29	0.02	32,287	-	ORI28C1902A	0.01	(0.02)	46	-</					

## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG08C1902A	0.06	(0.02)	7,840	-	S5013P1812D	1.03	(0.17)	176	1.00	SIRI19C1902A	-	-	-	-
PTTG08P1904A	0.72	0.03	34,145	-	S5013P1812E	0.03	(0.04)	94,506	-	SIRI19C1906A	0.25	-	14,654	-
PTTG11C1902A	-	-	-	-	S5013P1903A	1.25	(0.19)	7,581,420	1.00	SIRI24C1903A	-	-	-	-
PTTG11C1909A	0.46	(0.03)	38,240	-	S5013P1903B	0.72	(0.14)	3,355,630	-	SIRI24C1906A	-	-	-	-
PTTG13C1812A	-	-	-	-	S5028C1812A	0.01	-	6,179	-	SIRI28C1901A	-	-	-	-
PTTG13C1812B	-	-	-	-	S5028C1812B	0.01	(0.01)	11	-	SIRI28C1903A	0.01	(0.02)	2,500	-
PTTG13C1904A	0.34	(0.02)	172,433	-	S5028C1812C	-	-	-	-	SIRI28C1904A	0.09	-	14,888	-
PTTG19C1902A	0.16	(0.02)	54,582	-	S5028C1812D	0.09	0.02	27,283	-	SPAL01C1902A	0.08	-	15,714	-
PTTG23C1901A	-	-	-	-	S5028C1901A	0.29	0.05	721,122	-	SPAL01C1902B	-	-	-	-
PTTG23C1906A	0.25	(0.02)	59,200	-	S5028C1903A	0.43	0.06	512,502	-	SPAL11C1905A	-	-	-	-
PTTG24C1812A	-	-	-	-	S5028C1903B	0.63	0.10	1,222,055	-	SPAL13C1903A	0.03	(0.07)	200	-
PTTG24C1901A	-	-	-	-	S5028P1812A	0.36	(0.19)	3,863	-	SPAL13C1904A	0.15	(0.02)	102,676	-
PTTG24C1904A	0.17	(0.11)	2,950	-	S5028P1812B	-	-	-	-	SPAL19C1902A	-	-	-	-
PTTG24P1901A	-	-	-	-	S5028P1812C	-	-	-	-	SPAL19C1906A	0.33	0.01	18,590	-
PTTG24P1905A	-	-	-	-	S5028P1901A	0.65	(0.16)	820,005	-	SPAL24C1812A	-	-	-	-
PTTG27C1903A	0.05	(0.01)	3,940	-	S5028P1903A	1.02	(0.18)	1,003,078	1.00	SPAL24C1905A	-	-	-	-
PTTG27P1903A	0.26	0.03	19,700	-	SAWA01C1901A	0.79	0.08	72,664	-	SPRC01C1902A	0.01	(0.01)	46,100	-
PTTG28C1904A	0.25	(0.02)	248,870	-	SAWA01C1901B	0.44	0.06	134,896	-	SPRC01C1902B	-	-	-	-
PTTG42C1904A	0.18	(0.02)	8,096	-	SAWA01P1901A	0.17	(0.05)	108,952	-	SPRC06C1902A	-	-	-	-
PTTG42P1904A	0.85	0.04	38,058	-	SAWA06C1903A	1.16	0.11	12,264	1.00	SPRC07C1903A	-	-	-	-
QH01C1903A	0.05	(0.02)	1	-	SAWA07C1812A	-	-	-	-	SPRC08C1903A	-	-	-	-
QH01C1903B	-	-	-	-	SAWA08C1902A	0.75	0.08	18,082	-	SPRC11C1902A	-	-	-	-
QH01P1903A	1.07	-	11,109	1.00	SAWA08C1903A	0.37	0.05	17,419	-	SPRC11C1909A	0.08	(0.02)	5,306	-
QH11C1902A	-	-	-	-	SAWA11C1906A	0.52	0.05	20,159	-	SPRC13C1812A	-	-	-	-
QH13C1903A	-	-	-	-	SAWA13C1901A	-	-	-	-	SPRC13C1905A	0.10	0.01	1,101	-
QH13C1904A	0.09	-	19,230	-	SAWA13C1903A	0.25	0.05	66,199	-	SPRC19C1901A	-	-	-	-
QH19C1901A	-	-	-	-	SAWA13C1904A	0.48	0.07	104,903	-	SPRC19C1905A	0.09	-	34,251	-
QH19C1904A	0.14	0.01	39,210	-	SAWA19C1901A	0.80	0.11	35,178	-	SPRC24C1903A	-	-	-	-
QH24C1812A	-	-	-	-	SAWA19C1903A	0.37	0.05	46,739	-	STA01C1812A	0.73	(0.06)	34,810	-
QH24C1904A	0.09	-	200	-	SAWA24C1812A	-	-	-	-	STA01C1812B	0.39	(0.11)	22,994	-
QH27C1903A	-	-	-	-	SAWA24C1902A	0.51	0.08	5,350	-	STA01C1904A	0.40	(0.04)	74,228	-
QH27P1905A	-	-	-	-	SAWA24C1910A	0.78	0.03	50	-	STA01C1904B	0.32	(0.03)	59,159	-
RATC19C1901A	0.06	(0.01)	6,000	-	SAWA27C1903A	0.54	0.05	24,750	-	STA08C1904A	0.19	(0.03)	15,623	-
RATC24C1902A	0.06	(0.04)	100	-	SAWA28C1902A	0.26	0.05	124,483	-	STA11C1909A	0.36	(0.02)	41,742	-
RATC27C1812A	-	-	-	-	SCB01C1902A	0.78	0.03	109,263	-	STA13C1812A	-	-	-	-
ROBI01C1903A	0.72	0.04	42,704	-	SCB01C1902B	0.41	0.03	162,752	-	STA13C1901A	0.45	(0.03)	109,290	-
ROBI01C1903B	0.45	0.04	20,715	-	SCB01C1904A	0.37	0.04	124,163	-	STA13C1902A	0.18	(0.03)	577,964	-
ROBI06C1903A	0.43	0.04	14,500	-	SCB01C1904B	0.22	0.02	45,079	-	STA19C1903A	0.76	(0.06)	38,272	-
ROBI08C1903A	0.34	0.03	13,972	-	SCB01P1902A	0.31	(0.03)	36,548	-	STA19C1903B	0.20	(0.03)	23,830	-
ROBI11C1906A	0.41	0.03	9,538	-	SCB01P1902B	0.05	(0.01)	105	-	STA24C1902A	0.18	(0.03)	10,370	-
ROBI13C1902A	0.29	0.03	76,310	-	SCB01P1904A	1.04	(0.04)	31,298	1.00	STA27C1904A	0.28	(0.04)	26,700	-
ROBI19C1901A	0.45	0.03	58,951	-	SCB01P1904B	0.80	(0.05)	27,705	-	STA28C1902A	0.24	(0.04)	26,348	-
ROBI24C1901A	-	-	-	-	SCB06C1903A	0.31	0.03	28,900	-	STA28C1903A	0.11	(0.03)	181,260	-
ROBI24C1903A	0.35	-	6,500	-	SCB07C1904A	-	-	-	-	STEC01C1902A	0.46	0.05	147,344	-
ROBI27C1905A	-	-	-	-	SCB08C1901A	0.15	0.02	5,384	-	STEC01C1902B	0.26	0.03	134,815	-
RS08C1901A	0.05	(0.01)	4,694	-	SCB11C1901A	-	-	-	-	STEC01P1902A	0.56	(0.07)	60,412	-
RS13C1901A	0.07	0.01	27,790	-	SCB11P1901A	0.11	(0.01)	8,320	-	STEC06C1903A	0.27	0.04	11,385	-
RS13C1905A	0.33	0.05	121,949	-	SCB13C1812A	-	-	-	-	STEC07C1904A	0.24	0.04	1,000	-
RS19C1901A	0.06	0.01	7,702	-	SCB13C1902A	0.10	0.01	1	-	STEC08C1903A	0.19	0.01	29,529	-
RS24C1904A	0.32	0.03	3,293	-	SCB13C1905A	0.38	0.03	279,111	-	STEC11C1903A	0.32	0.04	45,404	-
RS27C1905A	0.34	0.02	17,870	-	SCB13P1812A	-	-	-	-	STEC13C1902A	0.23	0.03	105,307	-
S10001C1911A	0.80	0.04	3,516	-	SCB13P1905A	0.47	(0.03)	45,006	-	STEC13C1903A	0.07	-	47,000	-
S5001C1812F	0.09	0.04	243,546	-	SCB19C1905A	0.48	0.04	17,400	-	STEC19C1901A	0.22	0.02	117,998	-
S5001C1812G	0.01	-	31,875	-	SCB24C1901A	-	-	-	-	STEC24C1901A	0.15	0.03	7,200	-
S5001C1812H	0.02	0.01	3,600	-	SCB24C1902A	-	-	-	-	STEC27C1902A	0.48	0.03	25,200	-
S5001C1812I	0.01	-	42,992	-	SCB24P1906A	-	-	-	-	STEC28C1902A	0.18	0.02	64,678	-
S5001C1901A	0.15	0.01	85,423	-	SCB27C1902A	0.16	0.01	7,800	-	STEC28C1903A	0.05	-	22,048	-
S5001C1901B	0.06	(0.02)	83,455	-	SCB27P1903A	0.25	(0.03)	3,900	-	SUPE08C1902A	0.01	-	100	-
S5001C1902A	0.32	0.06	424,446	-	SCB28C1902A	0.08	0.02	4,075	-	SUPE13C1902A	-	-	-	-
S5001C1902B	0.18	0.03	436,196	-	SCB28C1904A	0.28	0.02	65,332	-	SUPE13C1903A	-	-	-	-
S5001C1903F	0.60	0.08	1,507,045	-	SCB28P1901A	0.23	(0.05)	8,722	-	SUPE19C1902A	-	-	-	-
S5001P1812F	1.84	(0.20)	547,878	-	SCB42C1903A	0.17	0.01	8,160	-	SUPE19C1903A	-	-	-	-
S5001P1812G	1.15	(0.29)	1,096,154	1.00	SCC01C1901A	0.50	0.06	138,195	-	SUPE19C1906A	0.20	(0.01)	44,340	-
S5001P1812H	1.61	(0.29)	730,516	1.00	SCC01C1901B	0.21	0.04	205,929	-	SUPE23C1901A	-	-	-	-
S5001P1812I	0.76	(0.32)	1,892,076	-	SCC01P1901A	0.21	(0.04)	42,214	-	SUPE28C1902A	-	-	-	-
S5001P1901A	1.41	(0.16)	112,123	1.00	SCC06C1902A	0.09	0.02	146	-	TASCO1C1903A	0.35	0.07	150,434	-
S5001P1901B	1.29	(0.21)	191,697	1.00	SCC07C1812A	-	-	-	-	TASCO1C1903B	0.19	0.05	133,991	-
S5001P1902A	1.15	(0.11)	57,552	1.00	SCC08C1902A	0.11	0.02	15,250	-	TASCO1P1903A	0.52	(0.08)	34,591	-
S5001P1902B	1.08	(0.17)	167,568	1.00	SCC11C1906A	-	-	-	-	TASCO8C1903A	0.21	0.05	17,561	-
S5001P1903F	1.11	(0.15)	1,125,080	1.00	SCC13C1812A	-	-	-	-	TASC11C1904A	-	-	-	-
S5006C1812A	0.02	-	31,534	-	SCC13C1901A	0.11	0.01	5,567	-	TASC13C1901A	0.06	0.02	33,070	-
S5006C1812B	0.02	0.01	10,002	-	SCC13C1903A	0.10	0.02	9,519	-	TASC13C1904A	0.30	0.05	293,506	-
S5006C1812C	0.01	(0.01)	7,941	-	SCC19C1901A	0.11	0.02	18,900	-	TASC19C1902A	0.18	0.04	48,641	-
S5006C1812D	0.05	0.02	16,853	-	SCC24C1812A	-	-	-	-	TASC23C1902A	0.13	0.03	16,000	-
S5006C1903A	0.53	0.10	66,957	-	SCC24C1901A	-	-	-	-	TASC24C1903A	-	-	-	-
S5006C1903B	0.69	0.10	7,249	-	SCC24C1902A	-	-	-	-	TASC27C1905A	0.34	0.06	9,600	-
S5006C1903C	0.91	0.12	46,435	-	SCC24C1910A	0.32	0.05	160	-	TASC28C1902A	0.07	0.02	32,002	-
S5006C1903D	0.49	0.10	120,027	-	SCC24P1901A	-	-	-	-	TASC28C1904A	0.14	0.04	32,483	-
S5006P1812A	0.93	(0.24)	33,538	1.00	SCC27C1904A	0.23	0.03	6,010	-	TCAP01C1901A	0.66	0.09	67,955	-
S5006P1812B	0.10	(0.09)	64,049	-	SCC27P1904A	0.50	(0.04)	3,755	-	TCAP01C1901B	0.39	0.08	151,819	-
S5006P1812C	0.03	(0.03)	10,232	-	SCC28C1902A	0.05	-	2,000	-	TCAP01P1901A	0.09	(0.04)	3,120	-
S5006P1812D	1.50	(0.21)	898	1.00	SCC42C1904A	0.12	0.02	2,768	-	TCAP11C1909A	0.33	0.05	21,451	-
S5006P1903A	1.11	(0.13)	6,497	1.00	SCCC27C1812A	-	-	-	-	TCAP13C1901A	0.38	0.07	225,466	-
S5006P1903B	0.88	(0.14)	622	-	SGP06C1812A	-	-	-	-	TCAP19C1901A	0.23	0.05	52,116	-
S5006P1903C	0.66	(0.18)	25,395	-	SGP06C1903A	0.20	0.09	15,700	-	TCAP24C1903A	0.14	(0.05)	1	-
S5006P1903D	0.57	(0.19)	54,931	-	SGP08C1901A	0.03	0.02	1	-	THAI01C1901A				

## Main Board Quotation

## Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013P1812C	1.74	(0.20)	27	1.00	SIRI13C1902A	-	-	-	-	THAN24C1903A	0.16	0.02	170	-





## Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPI19C1901A	-	-	-	-	WHA28C1903A	0.17	0.01	34,816	-	SMT-W1	0.01	-	14,307	-
TPI24C1902A	-	-	-	-	WHAU13C1902A	0.06	-	60	-	SMT-W2	0.42	0.01	1,404	-
TPIP11C1909A	0.46	(0.01)	36,200	-	WHAU19C1902A	0.10	-	5,903	-	SPORT-W5	-	-	-	-
TPIP13C1902A	-	-	-	-	WHAU24C1812A	-	-	-	-	SPORT-W7	0.03	(0.01)	2,410	-
TPIP13C1904A	0.49	0.01	58,493	-	WHAU24C1902A	-	-	-	-	SST-W2	1.51	0.02	3,644	1.00
SUPER-W4	0.04	-	44,343	-										
SUSCO-W1	0.01	-	4	-										
SVI-W3	1.95	(0.01)	1,325	1.00										
TCC-W3	0.19	-	17,504	-										
TCC-W4	0.18	-	22,903	-										
TCC-W5	0.32	-	4,960	-										
TCJ-W2	0.65	0.04	1,494	-										
TCMC-W2	0.06	-	47,803	-										
TFG-W1	0.50	0.02	782	-										
TFG-W2	0.33	(0.01)	1,433	-										
TGPRO-W3	0.01	(0.01)	19,405	-										
TH-W2	0.18	(0.01)	4,888	-										
THE-W2	0.03	(0.01)	13,364	-										
TNITY-W1	0.77	0.01	987	-										
TNPC-W1	0.22	-	31,950	-										
TRITN-W3	0.26	-	18,786	-										
TSR-W1	-	-	-	-										
TTA-W5	0.04	0.01	12,765	-										
TTCL-W1	0.94	-	5,405	-										
U-W1	-	-	-	-										
U-W4	-	-	-	-										
VGI-W2	0.40	0.02	212,471	-										
VIBHA-W2	1.08	(0.01)	1,370	1.00										
VIBHA-W3	0.20	-	2,033	-										
WAVE-W1	0.32	-	695	-										
WHA-W1	7.65	0.30	3,332	7.00										
WORK-W1	4.90	0.90	1	4.00										
Preferred Shares														
BH-P	-	-	-	-										
CSC-P	-	-	-	-										
JUTHA-P	-	-	-	-										
KTB-P	-	-	-	-										
SCB-P	-	-	-	-										
TCAP-P	-	-	-	-										
TIC-P	-	-	-	-										
TISCO-P	-	-	-	-										
U-P	3.28	0.04	15,572	3.00										
Warrant (MAI)														
2S-W1	0.03	-	743	-										
ACAP-W2	0.44	0.10	307,696	-										
AIRA-W2	0.01	(0.01)	1,009	-										
ATP30-W1	0.70	0.01	1	-										
BKD-W2	0.20	-	146,462	-										
BM-W1	0.36	-	897	-										
BSM-W2	-	-	-	-										
CHEWA-W1	0.12	0.01	7,919	-										
CIG-W7	0.01	-	79,695	-										
DIMET-W2	0.06	-	1,000	-										
ECF-W2	0.90	(0.13)	112,404	1.00										
ECF-W3	1.40	(0.13)	30,638	1.00										
EFORL-W3	0.01	-	71,777	-										
EFORL-W4	-	-	-	-										
FC-W1	0.05	0.01	307	-										
FC-W2	-	-	-	-										
FOCUS-W2	0.53	(0.01)	1,211	-										
FVC-W2	0.39	0.04	1,417	-										
ITEL-W1	0.46	(0.01)	6,653	-										
JKN-W1	1.80	0.09	4,328	1.00										
LIT-W1	1.60	0.12	3	1.00										
META-W2	0.01	(0.01)	1,339	-										
META-W3	0.06	(0.01)	1,681	-										
NCL-W3	0.28	(0.02)	1,576	-										
NDR-W1	-	-	-	-										
NEWS-W4	-	-	-	-										
NEWS-W6	-	-	-	-										
PIMO-W1	2.46	(0.06)	611	2.00										
PSTC-W1	0.06	(0.02)	55,403	-										
SANKO-W1	0.29	0.01	18,291	-										
SIMAT-W2	0.17	-	50	-										
SIMAT-W3	0.23	(0.01)	123	-										
SIMAT-W4	0.83	(0.01)	3,008	-										
SKY-W1	-	-	-	-										
STAR-W3	1.12	(0.03)	772	1.00										
TAKUNI-W	0.16	-	76	-										
TAPAC-W3	0.99	(0.02)	398	-										
TSF-W4	-	-	-	-										
TSF-W5	-	-	-	-										
TVD-W2	0.73	0.01	10,235	-										
UAC-W2	0.52	0.03	3,193	-										
UKEM-W2	0.41	0.02	73	-										
UWC-W2	-	-	-	-										

### Main Board Quotation

Issue Date :

Wednesday December 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
XO-W1	6.85	0.05	426	6.00	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SGF-P1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-