

Asia Plus Securities Company Limited Daily Quotation Report

Thursday December 20, 2018

NOTE :

1. This is a preliminary quotation, not an official one
2. Volumes are presented in board lot (100 shares)
3. Trading values are in thousand (1,000) baht
4. Fundamental statistics are estimated values
5. Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
PTT	46.75	1,948,499	-0.5%
PTTEP	116.50	1,620,991	-1.3%
KBANK	188.00	1,430,274	-0.3%
TQM	22.80	1,248,092	-0.9%
PTTGC	72.00	1,146,988	0.0%
S5013P1903A	1.25	1,117,584	#N/A
IVL	52.75	1,069,807	-1.4%
GULF	80.50	1,052,172	3.9%
AOT	64.50	979,744	1.2%
BDMS	26.75	824,307	-0.9%

Sector Ranking	
Sector	%Value
AGRI	46.4441
AUTO	2.0724
BANK	0.5717
COMM	0.0815
CONMAT	13.4405
CONS	5.1200
ENERG	2.0864
ETRON	1.7915
FASHION	23.8207
FIN	0.6355
FOOD	0.0263
HEALTH	3.2776
HOME	2.3755
ICT	3.4265
IMM	0.0158
INSUR	5.9485
MEDIA	0.0515
MINE	3.6756
PAPER	0.6381
PERSON	0.0050
PETRO	0.0114
PFUND	0.0618
PKG	6.5147
PROF	0.4319
PROP	0.1921
STEEL	0.0616
TOURISM	5.2340
TRANS	0.0813

Top Ten Gainers			
Stock	Last	Value '000	%Change
BEAU01C1812A	0.02	29	100.0%
BEC01C1812A	0.02	11	100.0%
BEC01C1812B	0.02	11	100.0%
GPSC24C1904A	0.32	223	100.0%
S5001C1812I	0.02	12	100.0%
SMT-W1	0.02	4	100.0%
SPRC01C1902A	0.02	5	100.0%
S5006P1812C	0.05	26	66.7%
AAV11C1904A	0.03	0	50.0%
AQ	0.03	84	50.0%

Top Ten Losers			
Stock	Last	Value '000	%Change
BGRI13C1812B	0.01	2	-66.7%
CWT-W4	0.01	3	-66.7%
CBG13C1905A	0.39	3,053	-61.0%
PRM08C1902A	0.02	0	-60.0%
TRUE16C1812A	0.02	28	-60.0%
ADVA13C1901A	0.01	0	-50.0%
BANP11C1902A	0.01	1	-50.0%
DIGI-W2	0.01	0	-50.0%
EPG13C1902A	0.02	2	-50.0%
ESSO01C1812A	0.01	17	-50.0%

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
SET Index	1,594.86	1,599.20	1,583.11	1,596.10	(5.02)	(0.31)
SET 50	1,063.33	1,067.24	1,056.07	1,066.22	(2.25)	(0.21)
SET 100	2,342.31	2,350.18	2,324.73	2,345.88	(7.55)	(0.32)
SETHD	1,188.78	1,194.08	1,182.06	1,190.99	(3.62)	(0.30)
sSET	762.70	763.45	752.71	755.25	(8.41)	(1.10)
MAI	369.30	369.45	363.62	364.72	(4.87)	(1.32)
AGRI	194.57	195.31	191.71	193.02	(2.41)	(1.23)
AUTO	484.06	484.99	481.00	482.13	(1.64)	(0.34)
BANK	527.37	528.12	520.26	527.54	(1.96)	(0.37)
COMM	40,381.62	40,481.20	40,058.26	40,381.81	(125.44)	(0.31)
CONMAT	10,665.03	10,717.58	10,594.12	10,706.37	(14.37)	(0.13)
CONS	88.72	88.84	87.49	87.78	(1.15)	(1.29)
ENERG	23,447.82	23,587.02	23,280.95	23,510.75	(42.29)	(0.18)
ETRON	1,547.16	1,548.24	1,530.91	1,541.87	(8.90)	(0.57)
FASHION	733.26	733.26	723.23	725.27	(6.50)	(0.89)
FIN	3,517.77	3,524.80	3,472.17	3,503.05	(21.00)	(0.60)
FOOD	11,008.21	11,057.85	10,912.70	11,015.15	(46.05)	(0.42)
HEALTH	6,019.71	6,030.92	5,946.56	5,992.62	(34.69)	(0.58)
HOME	29.66	29.75	29.49	29.66	(0.09)	(0.30)
ICT	143.94	144.09	142.64	144.09	(0.41)	(0.28)
IMM	46.78	46.78	46.17	46.37	(0.51)	(1.09)
INSUR	11,585.95	11,621.80	11,486.97	11,557.65	(34.47)	(0.30)
MEDIA	47.47	47.51	46.77	46.94	(0.71)	(1.49)
MINE	10.30	10.39	10.14	10.22	(0.08)	(0.78)
PAPER	2,869.39	2,897.52	2,813.13	2,813.13	(56.26)	(1.96)
PERSON	239.28	240.53	235.63	236.07	(4.16)	(1.73)
PETRO	1,283.76	1,297.00	1,269.27	1,280.64	(8.24)	(0.64)
PFUND	155.91	157.00	154.83	200.74	(0.05)	(0.02)
PKG	3,332.95	3,340.03	3,281.74	3,297.72	(45.50)	(1.36)
PROF	152.43	152.43	146.31	146.31	(5.85)	(3.84)
PROP	286.89	287.48	283.13	286.34	(1.81)	(0.63)
STEEL	30.69	31.08	30.41	30.51	(0.24)	(0.78)
TOURISM	622.51	626.74	619.48	623.78	(1.72)	(0.27)
TRANS	360.55	363.97	358.25	363.89	1.49	0.41

Volume by Board (Lot)	
Main Board	11,519,731,814
Foreign Board	44
Total	11,519,731,858

Value by Board (Mn.Bt.)	
Main Board	34,897.96
Foreign Board	74.08
Total	34,972.05

Gainers and Losers	
Gainers	301
Losers	982
Unchanged	404

Fundamental Figures	
Price/Earnings	13.95
Price/Book Value	2.05
Dividend Yield	3.57

ASP's Daily Quotation Report

Thursday December 20, 2018



Main Board Quotation

Issue Date

Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
QHOP	3.32	191261	-	3.40	3.28	3.38	3.28	3.38	0.06	729	239	3.28
QHPP	13.10	191261	13.00	13.10	13.00	13.10	13.10	13.20	-	532	694	13.04
SBPF	3.10	291161	-	3.08	3.08	3.08	2.80	3.10	(0.02)	3	1	3.08
SHREIT	9.20	191261	-	9.25	9.15	9.15	9.10	9.15	(0.05)	711	652	9.17
SIRIP	11.40	171261	-	-	-	-	11.30	12.00	-	-	-	0
SRIPANWA	23.20	191261	23.20	23.20	22.90	23.00	23.00	23.20	(0.20)	1,616	3,723	23.04
SSPF	10.70	191261	-	10.80	10.80	10.80	10.60	10.90	0.10	50	54	10.8
SSTPF	9.50	191261	-	9.70	9.30	9.45	9.30	9.45	(0.05)	340	318	9.34
SSTRT	6.30	171261	-	-	-	-	6.25	6.35	-	-	-	0
TIF1	6.00	191261	-	6.05	6.05	6.05	6.00	6.05	0.05	1	1	6.05
TIF2	8.70	191261	8.80	8.80	8.80	8.80	8.70	8.80	0.10	10	9	8.8
TLGF	18.70	191261	18.70	18.90	18.60	18.70	18.70	18.80	-	16,639	31,267	18.79
TLHPF	11.00	191261	-	-	-	-	10.80	11.00	-	-	-	0
TNPF	3.48	171261	-	-	-	-	3.34	3.48	-	-	-	0
TPRIME	12.50	191261	-	-	-	-	12.50	12.80	-	-	-	0
TREIT	11.00	191261	11.00	11.10	10.90	11.10	11.00	11.10	0.10	10,818	11,892	10.99
TTLPF	22.60	181261	-	-	-	-	22.40	22.50	-	-	-	0
TU-PF	1.69	191261	-	1.70	1.70	1.70	1.69	1.70	0.01	10	2	1.7
URBNPF	4.28	191261	-	4.00	3.80	4.00	3.82	4.00	(0.28)	3	1	3.87
WHABT	9.80	191261	-	-	-	-	9.80	9.85	-	-	-	0
WHART	10.70	191261	10.60	10.70	10.60	10.70	10.50	10.70	-	29,893	31,827	10.65
Steel												
AMC	1.83	191261	1.81	1.83	1.80	1.83	1.80	1.83	-	1,403	253	1.81
BSBM	0.93	191261	0.93	0.93	0.92	0.92	0.92	0.93	(0.01)	40,911	3,804	0.93
CEN	1.09	191261	1.09	1.09	1.06	1.06	1.08	1.09	(0.01)	12,769	1,375	1.08
CITY	2.42	191261	-	2.42	2.40	2.40	2.40	2.42	(0.02)	300	72	2.4
CSP	1.14	191261	-	1.12	1.09	1.09	1.09	1.10	(0.05)	637	70	1.11
GJS	0.12	191261	0.12	0.13	0.11	0.13	0.12	0.13	0.01	238,372	2,860	0.12
GSTEL	0.13	150561	-	-	-	-	-	-	-	-	-	0
INOX	0.99	191261	-	1.04	0.98	0.98	0.98	0.99	(0.01)	1,278	130	1.02
LHK	4.14	191261	4.14	4.16	4.12	4.12	4.12	4.14	(0.02)	2,133	880	4.13
MAX	0.02	191261	0.02	0.03	0.01	0.02	0.01	0.02	-	503,998	1,008	0.02
MCS	6.90	191261	6.90	6.95	6.85	6.90	6.85	6.90	-	4,860	3,359	6.91
MILL	1.49	191261	-	1.50	1.47	1.48	1.47	1.48	(0.01)	560	83	1.48
PAP	3.54	191261	-	3.54	3.52	3.54	3.52	3.54	-	244	86	3.52
PERM	1.96	191261	1.90	1.96	1.85	1.95	1.92	1.95	(0.01)	817	155	1.89
RICH	0.07	90560	-	-	-	-	-	-	-	-	-	0
SAM	0.50	191261	-	0.50	0.46	0.46	0.46	0.50	(0.04)	3,361	165	0.49
SMIT	6.00	191261	5.95	6.05	5.95	6.00	5.95	6.00	-	3,696	2,209	5.98
SSI	0.05	260459	-	-	-	-	-	-	-	-	-	0
SSSC	2.84	191261	-	2.84	2.82	2.82	2.82	2.84	(0.02)	349	99	2.83
TGPRO	0.13	191261	0.12	0.13	0.12	0.12	0.12	0.13	(0.01)	4,010	48	0.12
THE	1.93	191261	-	1.97	1.88	1.94	1.94	1.96	0.01	49,249	9,579	1.95
TIW	200.00	181261	-	-	-	-	200.00	260.00	-	-	-	0
TMT	13.20	191261	-	13.20	13.10	13.10	13.10	13.20	(0.10)	213	280	13.14
TSTH	0.67	191261	0.64	0.67	0.63	0.65	0.64	0.65	(0.02)	23,935	1,550	0.65
TWP	3.92	191261	3.74	3.86	3.74	3.82	3.80	3.82	(0.10)	189	71	3.77
TYCN	2.82	191261	2.84	2.84	2.60	2.74	2.70	2.74	(0.08)	1,075	288	2.68
Construction Service												
BJCHI	1.96	191261	-	1.97	1.93	1.94	1.94	1.95	(0.02)	2,295	446	1.94
CK	24.70	191261	24.70	24.80	24.40	24.60	24.60	24.70	(0.10)	40,791	100,326	24.6
CNT	2.06	191261	2.02	2.04	2.00	2.00	2.00	2.02	(0.06)	912	184	2.02
EMC	0.26	191261	0.25	0.26	0.25	0.26	0.25	0.26	-	99,834	2,566	0.26
ITD	2.44	191261	2.44	2.44	2.40	2.40	2.40	2.42	(0.04)	47,322	11,426	2.41
NWR	0.80	191261	0.79	0.79	0.78	0.78	0.78	0.79	(0.02)	38,953	3,052	0.78
PAE	0.07	90559	-	-	-	-	-	-	-	-	-	0
PLE	1.10	191261	1.10	1.10	1.09	1.10	1.09	1.10	-	16,473	1,797	1.09
PREB	9.90	191261	9.90	9.90	9.80	9.85	9.80	9.85	(0.05)	984	968	9.84
PYLON	7.00	191261	7.00	7.10	6.95	7.00	7.00	7.05	-	2,864	2,013	7.03
SEAFCCO	9.15	191261	9.15	9.15	9.00	9.05	9.00	9.05	(0.10)	12,745	11,527	9.04
SQ	2.18	191261	2.20	2.20	2.16	2.16	2.16	2.18	(0.02)	3,119	677	2.17
SRICHA	10.70	191261	10.40	10.80	10.40	10.60	10.50	10.60	(0.10)	314	333	10.59
STEC	22.40	191261	22.30	22.50	21.80	22.10	22.00	22.10	(0.30)	167,599	369,530	22.05
STPI	4.12	191261	4.10	4.12	4.04	4.10	4.08	4.10	(0.02)	11,098	4,527	4.08
SYNTEC	2.84	191261	2.84	2.86	2.78	2.82	2.82	2.84	(0.02)	20,694	5,822	2.81
TPOLY	2.78	191261	2.80	2.80	2.72	2.72	2.74	2.76	(0.06)	1,624	445	2.74
TRC	0.43	191261	0.43	0.43	0.41	0.41	0.41	0.42	(0.02)	83,104	3,473	0.42
TTCL	7.10	191261	7.05	7.05	6.55	6.65	6.65	6.70	(0.45)	11,076	7,513	6.78
UNIQ	10.20	191261	10.10	10.20	9.75	9.90	9.90	9.95	(0.30)	100,887	99,901	9.9

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AUCT	5.70	191261	5.75	5.75	5.65	5.65	5.65	5.75	(0.05)	1,832.00	1,041.00	5.00
BOL	2.00	191261	-	2.00	1.98	1.99	1.98	1.99	(0.01)	1,347.00	267.00	1.00
CHUO	4.42	160559	-	-	-	-	-	-	-	-	-	-
CMO	1.36	191261	-	1.35	1.34	1.35	1.34	1.35	(0.01)	596.00	80.00	1.00
D	9.50	191261	-	9.55	9.40	9.45	9.40	9.45	(0.05)	1,312.00	1,242.00	9.00
DCORP	0.52	191261	0.51	0.51	0.45	0.47	0.46	0.47	(0.05)	26,129.00	1,241.00	-
DNA	0.30	191261	0.29	0.29	0.27	0.27	0.27	0.28	(0.03)	121,459.00	3,429.00	-
EFORL	0.06	191261	0.06	0.07	0.06	0.06	0.06	0.07	-	98,543.00	591.00	-
ETE	1.02	191261	1.04	1.04	1.01	1.01	1.01	1.02	(0.01)	2,903.00	297.00	1.00
FSMART	5.50	191261	5.55	5.60	5.35	5.50	5.45	5.50	-	16,750.00	9,186.00	5.00
FVC	0.75	191261	0.75	0.76	0.70	0.74	0.72	0.74	(0.01)	1,128.00	81.00	-
HARN	2.52	191261	2.46	2.52	2.42	2.48	2.46	2.48	(0.04)	1,072.00	265.00	2.00
JKN	9.45	191261	9.40	9.40	8.90	9.00	9.00	9.05	(0.45)	15,743.00	14,303.00	9.00
KIAT	0.48	191261	-	0.48	0.46	0.46	0.46	0.47	(0.02)	21,851.00	1,027.00	-
KOOL	1.20	191261	1.15	1.19	1.15	1.16	1.16	1.17	(0.04)	4,333.00	506.00	1.00
LDC	1.01	191261	-	1.00	0.97	0.99	0.98	1.00	(0.02)	4,307.00	426.00	-
MPG	0.16	191261	0.16	0.17	0.15	0.16	0.15	0.16	-	13,086.00	207.00	-
MVP	1.75	191261	1.75	1.75	1.66	1.67	1.66	1.67	(0.08)	6,243.00	1,052.00	1.00
NBC	0.50	191261	-	0.50	0.49	0.50	0.41	0.49	-	2.00	-	-
NCL	1.42	191261	-	1.40	1.39	1.40	1.39	1.40	(0.02)	331.00	46.00	1.00
NEWS	0.01	191261	0.01	0.01	0.01	0.01	-	0.01	-	4,415.00	4.00	-
NINE	1.94	191261	1.99	2.04	1.92	1.94	1.94	1.95	-	27,579.00	5,494.00	1.00
OTO	2.18	191261	2.22	2.24	2.16	2.16	2.16	2.22	(0.02)	582.00	127.00	2.00
PHOL	1.80	191261	1.71	1.79	1.34	1.75	1.62	1.75	(0.05)	751.00	122.00	1.00
PICO	3.58	191261	-	3.70	3.34	3.60	3.56	3.60	0.02	252.00	89.00	3.00
PORT	5.95	191261	5.85	6.00	5.25	6.00	5.75	6.00	0.05	7,397.00	4,210.00	5.00
QLT	4.16	191261	-	4.14	4.10	4.14	4.10	4.14	(0.02)	301.00	124.00	4.00
RP	2.64	191261	-	2.64	2.60	2.60	2.60	2.64	(0.04)	135.00	35.00	2.00
SE	1.91	191261	-	1.90	1.90	1.90	1.89	1.90	(0.01)	266.00	51.00	1.00
SISB	4.46	191261	4.42	4.42	4.02	4.16	4.14	4.16	(0.30)	89,988.00	37,727.00	4.00
SONIC	1.32	191261	1.32	1.32	1.28	1.30	1.30	1.31	(0.02)	30,900.00	3,994.00	1.00
SPA	11.50	191261	-	11.80	11.40	11.50	11.30	11.50	-	4,733.00	5,446.00	11.00
THMUI	1.31	191261	-	1.30	1.25	1.27	1.27	1.30	(0.04)	1,028.00	131.00	1.00
TNDT	4.22	191261	-	4.34	4.16	4.22	4.20	4.22	-	201.00	84.00	4.00
TNH	37.75	191261	38.00	38.00	37.75	38.00	37.75	38.00	0.25	758.00	2,870.00	37.00
TNP	1.45	191261	-	1.45	1.40	1.42	1.41	1.42	(0.03)	1,640.00	231.00	1.00
TSF	0.02	191261	0.03	0.03	0.02	0.02	0.02	0.03	-	55,925.00	115.00	-
TVD	1.57	191261	1.56	1.57	1.52	1.52	1.52	1.53	(0.05)	4,897.00	754.00	1.00
TVT	0.85	191261	-	0.86	0.84	0.84	0.84	0.85	(0.01)	501.00	42.00	-
WINNER	2.78	191261	2.78	2.78	2.74	2.74	2.74	2.76	(0.04)	578.00	159.00	2.00
Technology (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
COMAN	3.42	191261	-	3.44	3.32	3.32	3.32	3.36	(0.10)	1,448.00	484.00	3.00
ICN	1.69	191261	1.72	1.93	1.65	1.85	1.85	1.86	0.16	134,545.00	24,926.00	1.00
IRCP	0.59	191261	0.59	0.60	0.55	0.56	0.55	0.56	(0.03)	3,521.00	197.00	-
ITEL	3.44	191261	3.44	3.46	3.30	3.36	3.32	3.40	(0.08)	2,754.00	924.00	3.00
NETBAY	26.50	191261	26.50	26.50	25.75	26.25	26.25	26.50	(0.25)	348.00	911.00	26.00
PLANET	1.47	191261	-	1.52	1.46	1.52	1.46	1.52	0.05	422.00	62.00	1.00
SIMAT	1.97	191261	-	1.99	1.93	1.93	1.93	1.96	(0.04)	2,033.00	398.00	1.00
SKY	13.50	191261	13.40	13.40	13.30	13.30	13.30	13.40	(0.20)	3,267.00	4,345.00	13.00
SPVI	1.19	191261	-	1.19	1.15	1.16	1.16	1.17	(0.02)	3,509.00	409.00	1.00
UPA	0.36	191261	0.36	0.37	0.35	0.36	0.35	0.36	-	11,939.00	427.00	-
VCOM	3.00	191261	3.00	3.02	2.96	3.00	2.98	3.00	-	1,986.00	592.00	2.00
Unit Trust	-	-	-	-	-	-	-	-	-	-	-	-
MGE	10.00	160861	-	-	-	-	8.50	-	-	-	-	-
SCBSET	5.80	20248	-	-	-	-	-	-	-	-	-	-
ETF	-	-	-	-	-	-	-	-	-	-	-	-
1DIV	11.03	191261	11.00	11.02	10.99	11.00	10.99	11.03	(0.03)	416.00	457.00	11.00
ABFTH	1,210.00	280861	-	-	-	-	1,218.00	1,226.00	-	-	-	-
BMSCG	7.85	191261	7.85	7.85	7.77	7.77	7.77	7.78	(0.08)	602.00	470.00	7.00
BMSCITH	12.07	191261	12.02	12.05	11.94	12.05	12.03	12.05	(0.02)	5,656.00	6,779.00	11.00
BSET100	10.22	191261	-	10.19	10.11	10.19	10.17	10.19	(0.03)	7,457.00	7,550.00	10.00
CHINA	4.80	191261	4.70	4.82	4.66	4.74	4.71	4.75	(0.06)	923.00	434.00	4.00
EBANK	5.65	191261	-	-	-	-	5.62	5.65	-	-	-	-
ECOMM	7.98	181261	-	-	-	-	8.00	8.03	-	-	-	-
EFOOD	5.31	171261	-	-	-	-	5.27	5.30	-	-	-	-
EICT	4.26	181261	-	4.29	4.29	4.29	4.23	4.26	0.03	10.00	4.00	4.00
ENGY	5.87	191261	-	-	-	-	5.91	5.93	-	-	-	-
ENY	7.14	141261	-	6.99	6.99	6.99	6.96	6.99	(0.15)	8.00	6.00	6.00
ESET50	5.50	191261	5.56	5.57	5.56	5.56	5.54	5.58	0.06	1,004.00	558.00	5.00
GLD	1.74	191261	-	1.74	1.72	1.74	1.73	1.74	-	4,415.00	765.00	1.00
TDEX	10.63	191261	10.61	10.61	10.53	10.59	10.56	10.59	(0.04)	5,829.00	6,151.00	10.00
TGOLDETF	3.79	191261	-	3.79	3.79	3.79	3.78	3.79	-	11.00	4.00	3.00
TH100	5.04	111261	-	5.04	5.04	5.04	5.04	-	-	3.00	2.00	5.00
Warrant Foreign	-	-	-	-	-	-	-	-	-	-	-	-
AAV01C1902A	0.42	191261	-	0.44	0.41	0.42	0.41	0.42	-	28,161.00	1,202.00	-
AAV01C1902B	0.28	191261	-	0.30	0.27	0.27	0.27	0.28	(0.01)	11,702.00	330.00	-
AAV01P1902A	0.57	191261	0.56	0.57	0.54	0.56	0.55	0.56	(0.01)	23,293.00	1,300.00	-
AAV06C1904A	0.24	191261	-	0.26	0.24	0.24	0.23	0.24	-	4,886.00	122.00	-
AAV08C1903A	0.19	191261	-	0.20	0.18	0.18	0.19	0.20	(0.01)	10,207.00	191.00	-
AAV11C1904A	0.02	191261	-	0.03	0.03	0.03	0.01	0.03	0.01	1.00	-	-
AAV13C1901A	0.15	191261	0.15	0.16	0.14	0.15	0.15	0.16	-	25,364.00	377.00	-
AAV19C1902A	0.12	191261	-	0.14	0.12	0.12	0.12	0.13	-	12,476.00	156.00	-
AAV24C1903A	0.12	121261	-	-	-	-	0.08	0.09	-	-	-	-
AAV24C1904A	0.17	191261	-	0.18	0.18	0.18	0.17	0.18	0.01	270.00	5.00	-
AAV28C1902A	0.12	191261	-	0.14	0.13	0.13	0.13	0.14	0.01	11,020.00	151.00	-
ADVA01C1902A	0.08	191261	-	0.09	0.07	0.08	0.08	0.09	-	33,519.00	268.00	-
ADVA01C1902B	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
ADVA01C1905A	0.43	191261	0.42	0.44	0.41	0.44	0.44	0.45	0.01	103,517.00	4,373.00	-
ADVA01C1905B	0.33	191261	0.32	0.34	0.31	0.34	0.34	0.35	0.01	94,985.00	3,057.00	-
ADVA01P1902A	0.94	191261	0.95	0.98	0.92	0.92	0.91	0.92	(0.02)	93,148.00	8,968.00	-
ADVA01P1902B	0.67	191261	0.68	0.71	0.65	0.65	0.64	0.65	(0.02)	105,382.00	7,311.00	-
ADVA01P1905A	1.27	191261	1.28	1.31	1.22	1.22	1.22	1.23	(0.05)	76,432.00	9,858.00	1.00
ADVA06C1903A	0.03	191261	-	0.03	0.03	0.03	0.03	0.04	-	29,068.00	87.00	-
ADVA08C1903A	0.05	171261	0.04	0.04	0.04	0.04	0.04	0.05	(0.01)	100.00	-	-
ADVA11C1905A	0.05	191261	-	-	-	-	0.04	0.06	-	-	-	-
ADVA11P1905A	0.36	191261	-	0.37	0.35	0.35	0.33	0.34	(0.01)	24,000.00	867.00	-
ADVA13C1901A	0.02	191261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	431.00	-	-
ADVA13C1904A	0.19	191261	0.17	0.19	0.16	0.19	0.19	0.20	-	426,377.00	7,285.00	-
ADVA13P1904A	0.83	191261	-	0.88	0.80	0.80	0.80	0.81	(0.03)	679,325.00	58,199.00	-
ADVA16C1812A	0.04	181261	-	0.05	0.05	0.05	0.06	0.08	0.01	1.00	-	-
ADVA16C1912A	0.40	191261	-	0.40	0.40	0.40	0.40	0.42	-	10.00	-	-
ADVA19C1901A	0.03	191261	0.02	0.								

Foreign Board Quotation

Issue Date : **Thursday December 20, 2018**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
AMAT01P1903A	0.57	191261	0.58	0.65	0.58	0.60	0.60	0.61	0.03	181,302.00	11,225.00	-
AMAT06C1903A	0.43	191261	-	0.41	0.35	0.38	0.37	0.38	(0.05)	34,050.00	1,239.00	-
AMAT08C1903A	0.41	191261	-	0.39	0.34	0.37	0.37	0.38	(0.04)	56,505.00	2,029.00	-
AMAT11C1903A	0.24	191261	-	0.23	0.20	0.21	0.21	0.22	(0.03)	15,662.00	327.00	-
AMAT13C1812A	0.19	191261	-	-	-	-	-	-	-	-	-	-
AMAT13C1902A	0.15	191261	-	0.14	0.11	0.14	0.14	0.15	(0.01)	435,837.00	5,257.00	-
AMAT13C1905A	0.48	191261	-	0.45	0.40	0.43	0.43	0.44	(0.05)	431,270.00	18,340.00	-
AMAT19C1902A	0.48	191261	-	0.45	0.39	0.42	0.41	0.42	(0.06)	96,071.00	3,943.00	-
AMAT23C1906A	0.38	191261	-	0.36	0.33	0.34	0.34	0.36	(0.04)	62,000.00	2,113.00	-
AMAT24C1904A	0.26	191261	-	0.23	0.22	0.22	0.22	0.23	(0.04)	20,200.00	455.00	-
AMAT27C1902A	0.75	121261	-	-	-	-	0.63	0.65	-	-	-	-
AMAT28C1902A	0.30	191261	-	0.29	0.25	0.27	0.27	0.28	(0.03)	128,203.00	3,343.00	-
AMAT28C1903A	0.07	191261	-	0.06	0.05	0.06	0.06	0.07	(0.01)	10,000.00	58.00	-
ANAN08C1906A	0.05	191261	0.05	0.05	0.04	0.04	0.03	0.04	(0.01)	5,040.00	20.00	-
ANAN13C1901A	0.01	141261	-	-	-	-	-	0.01	-	-	-	-
ANAN23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
AOT01C1902A	0.37	191261	0.35	0.39	0.35	0.39	0.39	0.40	0.02	180,847.00	6,638.00	-
AOT01C1902B	0.14	191261	0.12	0.14	0.12	0.14	0.14	0.15	-	119,895.00	1,592.00	-
AOT01C1904A	0.36	191261	0.37	0.40	0.35	0.39	0.39	0.40	0.03	226,895.00	8,308.00	-
AOT01C1904B	0.21	191261	0.20	0.24	0.20	0.24	0.23	0.24	0.03	141,928.00	3,094.00	-
AOT01P1902A	0.74	191261	0.77	0.77	0.69	0.69	0.69	0.70	(0.05)	19,495.00	1,451.00	-
AOT01P1902B	0.25	191261	-	0.26	0.22	0.22	0.21	0.22	(0.03)	29,931.00	733.00	-
AOT01P1904A	0.76	191261	-	0.77	0.71	0.71	0.71	0.72	(0.05)	28,846.00	2,184.00	-
AOT01P1904B	0.51	191261	-	0.52	0.49	0.49	0.47	0.48	(0.05)	63,793.00	3,294.00	-
AOT06C1903A	0.22	191261	-	0.24	0.22	0.24	0.24	0.25	0.02	21,750.00	485.00	-
AOT06P1903A	0.28	191261	-	0.28	0.26	0.26	0.24	0.25	(0.02)	19,940.00	543.00	-
AOT07C1902A	0.29	121261	-	0.31	0.31	0.31	0.32	0.33	0.02	700.00	22.00	-
AOT08C1901A	0.06	191261	-	0.07	0.07	0.07	0.07	0.08	0.01	2,000.00	14.00	-
AOT08C1904A	0.26	191261	-	0.29	0.26	0.29	0.29	0.30	0.03	22,577.00	604.00	-
AOT08P1903A	0.30	191261	-	0.30	0.28	0.28	0.27	0.28	(0.02)	15,313.00	451.00	-
AOT11C1906A	0.20	191261	-	0.21	0.20	0.21	0.22	0.23	0.01	26,610.00	539.00	-
AOT11P1906A	0.23	191261	-	0.23	0.22	0.23	0.21	0.22	-	5,740.00	132.00	-
AOT13C1812A	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
AOT13C1902A	0.20	191261	-	0.22	0.19	0.22	0.22	0.23	0.02	69,260.00	1,404.00	-
AOT13C1904A	0.42	191261	-	0.44	0.41	0.44	0.45	0.49	0.02	57,996.00	2,445.00	-
AOT13P1812A	0.01	271161	-	-	-	-	-	0.01	-	-	-	-
AOT13P1902A	0.15	191261	-	0.15	0.13	0.13	0.12	0.13	(0.02)	18,859.00	271.00	-
AOT13P1905A	0.45	191261	-	0.45	0.42	0.42	0.41	0.42	(0.03)	16,220.00	718.00	-
AOT16C1912A	0.71	191261	-	0.78	0.75	0.78	0.75	0.78	0.07	17.00	1.00	-
AOT19C1901A	0.13	191261	0.13	0.15	0.12	0.15	0.15	0.16	0.02	30,905.00	407.00	-
AOT19P1903A	0.18	191261	-	0.18	0.17	0.17	0.16	0.17	(0.01)	27,864.00	500.00	-
AOT23C1906A	0.36	191261	-	0.38	0.36	0.38	0.38	0.40	0.02	44,000.00	1,611.00	-
AOT24C1901A	0.01	181261	-	-	-	-	-	0.03	-	-	-	-
AOT24C1904A	0.17	141261	-	-	-	-	0.19	0.20	-	-	-	-
AOT24P1903A	0.17	141261	-	-	-	-	0.11	0.12	-	-	-	-
AOT27C1902A	0.16	191261	-	0.16	0.15	0.16	0.17	0.18	-	8,400.00	128.00	-
AOT27P1903A	0.39	191261	-	0.39	0.38	0.38	0.36	0.37	(0.01)	11,100.00	425.00	-
AOT28C1901A	0.02	191261	0.02	0.02	0.02	0.02	-	0.02	-	2.00	-	-
AOT28C1902A	0.21	191261	-	0.25	0.22	0.25	0.26	0.27	0.04	109,188.00	2,511.00	-
AOT41P1905A	1.00	0	-	-	-	-	0.38	0.39	-	-	-	-
AOT42C1903A	0.16	191261	-	0.17	0.16	0.17	0.17	0.18	0.01	16,320.00	262.00	-
AP01C1903A	0.04	191261	-	0.04	0.04	0.04	0.02	0.03	-	1.00	-	-
AP01C1903B	0.01	181261	-	-	-	-	0.01	0.02	-	-	-	-
AP13C1903A	0.02	301161	-	-	-	-	-	0.03	-	-	-	-
AP13C1904A	0.09	191261	-	0.10	0.10	0.10	0.09	0.10	0.01	1,998.00	20.00	-
AP19C1902A	0.02	191261	-	-	-	-	-	0.02	-	-	-	-
AP19C1906A	0.24	191261	0.24	0.24	0.23	0.23	0.23	0.24	(0.01)	3,844.00	91.00	-
AP23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
AP24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
AP24C1907A	0.07	141261	-	-	-	-	0.05	0.06	-	-	-	-
AP42C1901A	0.10	21161	-	-	-	-	-	0.01	-	-	-	-
AP42P1901A	0.98	191261	-	1.01	0.98	1.01	1.03	1.08	0.03	1,218.00	121.00	1.00
BA11C1902A	0.01	181261	-	-	-	-	0.01	0.02	-	-	-	-
BA24C1901A	0.01	121261	-	-	-	-	-	0.01	-	-	-	-
BANP01C1812A	0.01	191261	0.01	0.01	0.01	0.01	0.01	0.02	-	56,714.00	57.00	-
BANP01C1812B	0.01	191261	-	0.01	0.01	0.01	0.01	0.02	-	10,089.00	10.00	-
BANP01C1903A	0.13	191261	0.13	0.13	0.12	0.12	0.11	0.12	(0.01)	26,998.00	336.00	-
BANP01C1903B	0.06	191261	-	0.05	0.05	0.05	0.04	0.05	(0.01)	2,001.00	10.00	-
BANP01C1905A	0.41	191261	0.40	0.40	0.37	0.37	0.37	0.38	(0.04)	65,846.00	2,582.00	-
BANP01C1905B	0.35	191261	0.33	0.33	0.31	0.31	0.30	0.31	(0.04)	70,448.00	2,254.00	-
BANP01P1812A	1.36	191261	1.41	1.41	1.39	1.41	1.41	1.43	0.05	11,150.00	1,567.00	1.00
BANP01P1812B	0.86	191261	0.93	0.93	0.89	0.93	0.93	0.96	0.07	13,532.00	1,248.00	-
BANP01P1903A	0.99	191261	1.00	1.03	1.00	1.02	1.02	1.04	0.03	32,895.00	3,342.00	1.00
BANP01P1903B	0.63	191261	0.67	0.68	0.64	0.67	0.67	0.69	0.04	28,098.00	1,869.00	-
BANP01P1905A	0.53	191261	0.55	0.55	0.54	0.55	0.55	0.56	0.02	48,060.00	2,630.00	-
BANP06C1903A	0.06	191261	-	-	-	-	0.01	0.02	-	-	-	-
BANP07C1904A	0.09	191261	-	-	-	-	0.07	0.08	-	-	-	-
BANP08C1904A	0.14	191261	-	0.13	0.13	0.13	0.12	0.13	(0.01)	12,498.00	162.00	-
BANP08P1901A	0.32	191261	-	0.35	0.33	0.35	0.36	0.38	0.03	3,800.00	131.00	-
BANP11C1902A	0.02	191261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,000.00	1.00	-
BANP11C1909A	0.23	191261	-	0.22	0.22	0.22	0.21	0.22	(0.01)	2,002.00	44.00	-
BANP13C1902A	0.04	191261	-	0.03	0.03	0.03	0.02	0.03	(0.01)	3,500.00	11.00	-
BANP13C1904A	0.19	191261	-	0.18	0.17	0.17	0.17	0.18	(0.02)	40,806.00	734.00	-
BANP16C1812A	0.25	191261	-	-	-	-	0.22	0.24	-	-	-	-
BANP16C1912A	0.49	191261	-	0.49	0.49	0.49	0.48	0.50	-	3.00	-	-
BANP19C1902A	0.06	191261	-	0.06	0.06	0.06	0.05	0.06	-	2,706.00	16.00	-
BANP23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
BANP23C1906A	0.26	191261	-	0.25	0.25	0.25	0.23	0.25	(0.01)	8,000.00	200.00	-
BANP24C1904A	0.10	71261	-	-	-	-	0.04	0.05	-	-	-	-
BANP24C1907A	0.17	191261	0.17	0.17	0.17	0.17	0.15	0.16	-	292.00	5.00	-
BANP24P1901A	0.19	181261	-	-	-	-	0.19	0.20	-	-	-	-
BANP27C1904A	0.14	191261	-	0.13	0.13	0.13	0.12	0.13	(0.01)	900.00	12.00	-
BANP27P1905A	0.50	191261	-	0.51	0.50	0.51	0.52	0.53	0.01	4,950.00	251.00	-
BANP28C1902A	0.02	141261	-	-	-	-	0.01	0.02	-	-	-	-
BANP28C1903A	0.08	191261	-	0.07	0.07	0.07	0.07	0.08	(0.01)	2,500.00	18.00	-
BANP28C1905A	0.19	191261	-	0.18	0.17	0.17	0.17	0.18	(0.02)	3,072.00	54.00	-
BANP42C1903A	0.07	261161	-	-	-	-	0.03	0.04	-	-	-	-
BANP42P1903A	0.72	191261	-	0.75	0.73	0.75	0.77	0.80	0.03	9,102.00	671.00	-
BBL06C1902A	0.55	191261	-	0.52	0.50	0.50	0.51	0.52	(0.05)	2,660.00	137.00	-
BBL08C1902A	0.30	191261	0.28	0.28	0.23	0.26	0.26	0.27	(0.04)	15,264.00	383.00	-
BBL08P1904A	0.3											

Foreign Board Quotation

Issue Date :

Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
BCH01C1902A	0.32	191261	0.30	0.32	0.30	0.31	0.30	0.31	(0.01)	56,244.00	1,770.00	-
BCH01C1902B	0.13	191261	0.13	0.14	0.13	0.13	0.12	0.13	-	148,183.00	2,020.00	-
BCH01P1902A	0.38	191261	0.41	0.41	0.39	0.39	0.39	0.40	0.01	11,276.00	448.00	-
BCH06C1903A	0.27	191261	-	0.27	0.26	0.26	0.25	0.26	(0.01)	3,600.00	95.00	-
BCH08C1901A	0.28	191261	-	0.27	0.25	0.26	0.26	0.27	(0.02)	10,727.00	283.00	-
BCH11C1905A	0.30	191261	-	0.29	0.28	0.28	0.28	0.29	(0.02)	3,151.00	91.00	-
BCH13C1902A	0.10	191261	-	0.10	0.09	0.09	0.09	0.10	(0.01)	26,162.00	250.00	-
BCH19C1903A	0.34	191261	0.32	0.33	0.31	0.32	0.32	0.33	(0.02)	25,849.00	836.00	-
BCH24C1904A	0.12	181261	-	-	-	-	0.12	0.13	-	-	-	-
BCH27C1902A	0.54	191261	-	0.54	0.52	0.54	0.52	0.53	-	4,500.00	241.00	-
BCH28C1902A	0.06	191261	-	-	-	-	0.05	0.06	-	-	-	-
BCH28C1904A	0.23	191261	-	0.23	0.22	0.23	0.22	0.23	-	9,516.00	219.00	-
BCP01C1903A	0.14	191261	0.13	0.14	0.12	0.12	0.12	0.13	(0.02)	36,649.00	441.00	-
BCP01C1903B	0.07	181261	-	-	-	-	0.05	0.06	-	-	-	-
BCP01P1903A	0.45	191261	-	0.48	0.45	0.48	0.45	0.47	0.03	48,128.00	2,268.00	-
BCP08C1901A	0.06	121261	-	-	-	-	0.02	0.03	-	-	-	-
BCP11C1909A	0.18	191261	-	0.18	0.16	0.16	0.17	0.18	(0.02)	13,000.00	231.00	-
BCP13C1902A	0.06	171261	-	-	-	-	0.05	0.06	-	-	-	-
BCP19C1902A	0.05	181261	-	0.05	0.04	0.05	0.04	0.05	-	1,500.00	7.00	-
BCP24C1904A	0.07	31261	-	-	-	-	0.02	0.03	-	-	-	-
BCP24C1907A	0.16	191261	-	0.15	0.15	0.15	0.14	0.15	(0.01)	250.00	4.00	-
BCP28C1901A	0.09	31261	-	-	-	-	0.01	0.02	-	-	-	-
BCP28C1904A	0.16	191261	-	0.15	0.14	0.14	0.14	0.15	(0.02)	224,304.00	3,150.00	-
BCPG01C1904A	0.20	191261	0.19	0.19	0.17	0.18	0.18	0.19	(0.02)	15,763.00	275.00	-
BCPG01C1904B	0.10	191261	-	0.10	0.09	0.09	0.09	0.10	(0.01)	11,289.00	110.00	-
BCPG06C1903A	0.25	191261	-	0.25	0.20	0.23	0.22	0.23	(0.02)	18,850.00	421.00	-
BCPG08C1904A	0.07	191261	-	0.07	0.06	0.06	0.06	0.07	(0.01)	4,325.00	26.00	-
BCPG08C1904B	0.16	191261	-	0.16	0.14	0.15	0.15	0.16	(0.01)	26,628.00	401.00	-
BCPG11C1902A	0.04	191261	-	-	-	-	0.01	0.04	-	-	-	-
BCPG13C1812A	0.02	121261	-	-	-	-	-	0.05	-	-	-	-
BCPG13C1902A	0.04	171261	-	-	-	-	0.02	0.04	-	-	-	-
BCPG13C1904A	0.18	191261	0.17	0.18	0.16	0.17	0.17	0.18	(0.01)	54,453.00	927.00	-
BCPG19C1901A	0.08	191261	0.08	0.08	0.07	0.07	0.07	0.08	(0.01)	4,188.00	32.00	-
BCPG23C1902A	0.08	191261	-	0.08	0.07	0.07	0.07	0.08	(0.01)	2,000.00	15.00	-
BCPG24C1903A	0.03	171261	-	-	-	-	0.03	0.04	-	-	-	-
BCPG27C1903A	0.10	191261	-	0.10	0.09	0.09	0.09	0.10	(0.01)	3,600.00	35.00	-
BCPG28C1901A	0.02	171261	-	-	-	-	-	0.02	-	-	-	-
BCPG28C1904A	0.17	191261	-	0.17	0.15	0.16	0.16	0.17	(0.01)	525,080.00	8,347.00	-
BDMS01C1905A	0.29	191261	0.29	0.29	0.28	0.29	0.27	0.28	-	31,535.00	915.00	-
BDMS01C1905B	0.24	191261	-	0.24	0.22	0.22	0.21	0.22	(0.02)	60,946.00	1,450.00	-
BDMS01P1905A	0.22	191261	0.22	0.24	0.22	0.23	0.23	0.24	0.01	46,262.00	1,061.00	-
BDMS06C1903A	0.14	191261	-	0.13	0.13	0.13	0.11	0.12	(0.01)	25,000.00	325.00	-
BDMS07C1904A	0.15	171261	-	-	-	-	0.14	0.15	-	-	-	-
BDMS08C1901A	0.05	191261	-	-	-	-	0.03	0.04	-	-	-	-
BDMS08C1905A	0.23	191261	0.22	0.22	0.21	0.21	0.20	0.21	(0.02)	27,830.00	588.00	-
BDMS11C1904A	0.07	191261	0.07	0.07	0.07	0.07	0.06	0.07	-	1,250.00	9.00	-
BDMS13C1903A	0.19	191261	-	0.18	0.17	0.17	0.17	0.18	(0.02)	67,100.00	1,142.00	-
BDMS16C1812A	0.96	31261	-	-	-	-	0.92	0.96	-	-	-	-
BDMS16C1912A	0.38	181261	-	-	-	-	0.37	0.39	-	-	-	-
BDMS19C1901A	0.18	191261	-	0.17	0.17	0.17	0.17	0.18	(0.01)	10,877.00	185.00	-
BDMS19C1905A	0.69	191261	-	0.69	0.69	0.69	0.69	0.72	-	5,770.00	398.00	-
BDMS23C1906A	0.60	191261	-	0.59	0.59	0.59	0.57	0.62	(0.01)	26,000.00	1,534.00	-
BDMS24C1905A	0.16	191261	-	0.15	0.15	0.15	0.14	0.15	(0.01)	1,005.00	15.00	-
BDMS24C1909A	0.74	281161	-	-	-	-	0.67	0.70	-	-	-	-
BDMS27C1903A	0.11	191261	-	0.11	0.11	0.11	0.11	0.12	-	5,600.00	62.00	-
BDMS28C1902A	0.08	191261	-	0.08	0.08	0.08	0.08	0.09	-	1,023.00	8.00	-
BDMS28C1904A	0.57	271161	-	-	-	-	0.54	0.61	-	-	-	-
BDMS42C1904A	0.13	191261	-	-	-	-	0.12	0.13	-	-	-	-
BDMS42P1904A	0.13	181261	-	-	-	-	0.11	0.12	-	-	-	-
BEAU01C1812A	0.01	191261	0.01	0.02	0.01	0.02	0.01	0.02	0.01	28,713.00	29.00	-
BEAU01C1812B	0.01	191261	-	0.01	0.01	0.01	0.01	0.02	-	316.00	-	-
BEAU01C1901A	0.05	191261	0.05	0.05	0.04	0.04	0.03	0.04	(0.01)	50,947.00	204.00	-
BEAU01C1901B	0.01	191261	-	0.01	0.01	0.01	0.01	0.02	-	15,001.00	15.00	-
BEAU01C1902A	0.28	191261	-	0.28	0.24	0.24	0.24	0.25	(0.04)	93,840.00	2,387.00	-
BEAU01C1902B	0.15	191261	-	0.14	0.12	0.12	0.12	0.13	(0.03)	36,896.00	480.00	-
BEAU01P1812A	2.04	191261	-	2.14	2.06	2.10	2.08	2.10	0.06	45,127.00	9,298.00	2.00
BEAU01P1902A	1.05	191261	1.07	1.15	1.06	1.12	1.12	1.13	0.07	498,081.00	55,662.00	1.00
BEAU06C1904A	0.56	191261	0.56	0.56	0.49	0.49	0.49	0.50	(0.07)	48,516.00	2,488.00	-
BEAU08C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
BEAU08C1902A	0.11	191261	-	0.11	0.09	0.09	0.09	0.10	(0.02)	9,548.00	98.00	-
BEAU11C1902A	0.01	191261	0.01	0.01	0.01	0.01	0.01	0.02	-	100.00	-	-
BEAU13C1812B	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
BEAU13C1901A	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	45,445.00	45.00	-
BEAU13C1904A	0.08	191261	-	0.08	0.07	0.08	0.07	0.08	-	3,095.00	22.00	-
BEAU13C1904B	0.29	191261	0.26	0.29	0.24	0.25	0.25	0.26	(0.04)	1,196,309.00	31,124.00	-
BEAU19C1901A	0.11	191261	-	0.10	0.08	0.09	0.09	0.10	(0.02)	52,084.00	492.00	-
BEAU19C1902A	0.02	191261	0.02	0.02	0.02	0.02	0.02	0.03	-	517.00	1.00	-
BEAU23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
BEAU23C1906A	0.13	191261	0.13	0.13	0.12	0.12	0.11	0.12	(0.01)	71,003.00	885.00	-
BEAU24C1901A	0.01	121261	-	-	-	-	-	0.01	-	-	-	-
BEAU24C1902A	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
BEAU24C1903A	0.13	181261	-	0.11	0.11	0.11	0.11	0.12	(0.02)	1,029.00	11.00	-
BEAU24C1904A	0.07	191261	0.07	0.07	0.06	0.06	0.06	0.07	(0.01)	5.00	-	-
BEAU27C1903A	0.03	191261	-	0.03	0.03	0.03	0.02	0.03	-	5,000.00	15.00	-
BEAU28C1904A	0.20	191261	-	0.19	0.17	0.17	0.17	0.18	(0.03)	926,448.00	16,896.00	-
BEC01C1812A	0.01	191261	-	0.02	0.01	0.02	0.01	0.02	0.01	10,772.00	11.00	-
BEC01C1812B	0.01	191261	-	0.02	0.01	0.02	0.01	0.02	0.01	11,001.00	11.00	-
BEC13C1901A	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
BEM01C1902A	0.49	191261	0.46	0.50	0.45	0.49	0.49	0.50	-	87,078.00	4,132.00	-
BEM01C1902B	0.37	191261	0.33	0.36	0.32	0.34	0.34	0.36	(0.03)	78,746.00	2,685.00	-
BEM01P1902A	0.17	191261	-	0.20	0.17	0.18	0.17	0.18	0.01	96,581.00	1,804.00	-
BEM07C1903A	0.35	111261	-	-	-	-	0.31	0.33	-	-	-	-
BEM08C1903A	0.31	191261	-	0.30	0.26	0.29	0.29	0.30	(0.02)	32,166.00	891.00	-
BEM11C1903A	0.26	191261	-	0.26	0.22	0.25	0.24	0.25	(0.01)	13,464.00	321.00	-
BEM13C1901A	0.36	191261	-	0.36	0.31	0.34	0.35	0.36	(0.02)	313,587.00	10,450.00	-
BEM19C1901A	0.44	191261	-	0.42	0.37	0.42	0.42	0.44	(0.02)	54,837.00	2,157.00	-
BEM23C1901A	0.19	191261	-	0.18	0.16	0.18	0.17	0.19	(0.01)	5,850.00	99.00	-
BEM24C1902A	0.22	191261	-	-	-	-	0.21	0.22	-	-	-	-
BEM27C1904A	0.27	191261	-	0.28	0.26	0.27	0.28	0.29	-	13,200.00	356.00	-
BEM27P1905A	0.14	191261	-	0.15	0.14	0.14	0.14	0.15	-	4,400.00	65.00	-
BEM28C1905A	0.22	191261	-	0.21	0.19							

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BGR119C1903A	0.13	191261	-	0.13	0.12	0.13	0.13	0.14	-	20,936.00	252.00	-
BGR124C1901A	0.29	191261	-	-	-	-	0.25	0.28	-	-	-	-
BGR124C1902A	0.10	191261	-	-	-	-	0.10	0.11	-	-	-	-
BGR127C1905A	0.17	191261	-	0.16	0.16	0.16	0.15	0.18	(0.01)	8,400.00	134.00	-
BGR128C1901A	0.04	141261	-	-	-	-	0.03	0.04	-	-	-	-
BGR128C1905A	0.18	191261	-	0.17	0.17	0.17	0.17	0.18	(0.01)	61,440.00	1,044.00	-
BH01C1905A	0.36	191261	-	0.38	0.35	0.37	0.37	0.38	0.01	23,240.00	847.00	-
BH01C1905B	0.29	191261	-	0.30	0.28	0.29	0.29	0.30	-	30,475.00	874.00	-
BH01P1905A	0.59	191261	0.60	0.61	0.59	0.59	0.58	0.59	-	25,355.00	1,517.00	-
BH08C1902A	0.43	191261	-	0.47	0.42	0.45	0.46	0.47	0.02	12,903.00	582.00	-
BH11C1902A	0.04	31261	-	0.03	0.03	0.03	0.01	0.03	(0.01)	45.00	-	-
BH11C1905A	0.61	191261	-	0.64	0.59	0.62	0.63	0.64	0.01	7,420.00	466.00	-
BH13C1901A	0.42	191261	-	0.45	0.40	0.44	0.44	0.45	0.02	52,748.00	2,281.00	-
BH19C1901A	0.40	191261	-	0.43	0.37	0.41	0.42	0.43	0.01	38,474.00	1,560.00	-
BH24C1902A	0.26	191261	-	-	-	-	0.29	0.30	-	-	-	-
BH27C1905A	0.22	191261	-	0.23	0.21	0.22	0.22	0.23	-	8,400.00	185.00	-
BIG08C1906A	0.02	191261	-	0.02	0.02	0.02	0.02	0.03	-	6,820.00	14.00	-
BIG13C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
BJC01C1812A	0.39	191261	-	0.38	0.38	0.38	0.38	0.39	(0.01)	4,247.00	161.00	-
BJC01C1812B	0.03	181261	-	-	-	-	0.01	0.02	-	-	-	-
BJC01C1906A	0.64	191261	0.63	0.63	0.62	0.62	0.62	0.63	(0.02)	11,114.00	689.00	-
BJC01C1906B	0.56	191261	-	0.56	0.53	0.55	0.55	0.56	(0.01)	9,894.00	542.00	-
BJC01P1812A	0.17	191261	0.17	0.19	0.17	0.18	0.16	0.17	0.01	25,299.00	447.00	-
BJC01P1906A	0.53	191261	0.54	0.54	0.54	0.54	0.53	0.54	0.01	9,981.00	539.00	-
BJC06C1901A	0.03	71261	-	-	-	-	0.02	0.03	-	-	-	-
BJC06C1903A	0.39	191261	-	0.38	0.37	0.37	0.37	0.38	(0.02)	2,300.00	85.00	-
BJC08C1903A	0.15	191261	-	0.14	0.14	0.14	0.14	0.15	(0.01)	2,982.00	42.00	-
BJC11C1905A	0.25	191261	-	0.24	0.24	0.24	0.24	0.25	(0.01)	2,440.00	59.00	-
BJC13C1812A	0.01	71261	-	-	-	-	-	-	-	-	-	-
BJC13C1902A	0.06	191261	-	0.06	0.06	0.06	0.06	0.07	-	290.00	2.00	-
BJC13C1903A	0.26	191261	-	0.25	0.24	0.25	0.24	0.25	(0.01)	41,361.00	1,003.00	-
BJC19C1902A	0.16	191261	-	0.15	0.15	0.15	0.15	0.16	(0.01)	15,602.00	234.00	-
BJC23C1901A	0.10	131161	-	-	-	-	0.02	0.03	-	-	-	-
BJC24C1901A	0.05	301161	-	-	-	-	-	0.02	0.03	-	-	-
BJC27C1905A	0.30	191261	-	0.29	0.29	0.29	0.30	0.31	(0.01)	3,600.00	104.00	-
BJC28C1904A	0.21	191261	-	0.20	0.20	0.20	0.20	0.21	(0.01)	4,096.00	82.00	-
BLA01C1812A	0.01	191261	-	0.01	0.01	0.01	0.01	0.02	-	1.00	-	-
BLA08C1904A	0.09	191261	-	0.10	0.09	0.09	0.09	0.10	-	6,900.00	67.00	-
BLA11C1909A	0.11	191261	-	0.12	0.11	0.11	0.11	0.12	-	6,204.00	73.00	-
BLA13C1902A	0.04	171261	-	-	-	-	0.02	0.04	-	-	-	-
BLA19C1903A	0.07	191261	-	0.07	0.06	0.07	0.07	0.08	-	5,004.00	35.00	-
BLA19C1906A	0.15	191261	-	0.15	0.14	0.14	0.14	0.15	(0.01)	4,508.00	64.00	-
BLA24C1903A	0.09	71261	-	-	-	-	0.02	0.03	-	-	-	-
BLA27C1905A	0.15	191261	0.15	0.15	0.14	0.14	0.14	0.15	(0.01)	1,550.00	23.00	-
BLAN01C1903A	0.18	191261	-	0.18	0.16	0.16	0.15	0.16	(0.02)	25,022.00	414.00	-
BLAN01C1903B	0.09	71261	-	-	-	-	0.05	0.06	-	-	-	-
BLAN01P1903A	0.58	191261	0.61	0.61	0.59	0.61	0.61	0.63	0.03	8,538.00	516.00	-
BLAN11C1902A	0.03	181261	-	-	-	-	0.02	0.03	-	-	-	-
BLAN19C1902A	0.03	181261	-	-	-	-	0.02	0.03	-	-	-	-
BLAN19C1906A	0.27	191261	-	0.26	0.24	0.24	0.24	0.25	(0.03)	7,106.00	179.00	-
BPP01C1903A	0.12	191261	-	0.14	0.12	0.14	0.14	0.15	0.02	73,060.00	890.00	-
BPP01C1903B	0.10	71261	-	-	-	-	0.08	0.09	-	-	-	-
BPP01P1903A	0.34	191261	-	0.35	0.33	0.33	0.31	0.32	(0.01)	47,714.00	1,654.00	-
BPP06C1903A	0.13	311061	-	-	-	-	0.08	0.09	-	-	-	-
BPP13C1901A	0.07	31261	-	-	-	-	0.04	0.07	-	-	-	-
BPP13C1902A	0.12	191261	-	0.14	0.12	0.14	0.15	0.17	0.02	34,487.00	426.00	-
BPP19C1903A	0.26	191261	0.24	0.29	0.24	0.29	0.29	0.30	0.03	8,136.00	202.00	-
BPP19C1903B	0.09	181261	-	0.09	0.09	0.09	0.10	0.11	-	3,200.00	29.00	-
BPP23C1901A	0.04	261161	-	-	-	-	0.01	0.02	-	-	-	-
BPP24C1902A	0.04	131161	-	-	-	-	0.02	0.03	-	-	-	-
BPP24C1904A	0.21	61261	-	-	-	-	0.17	0.18	-	-	-	-
BPP28C1902A	0.06	131261	-	-	-	-	0.05	0.06	-	-	-	-
BPP28C1904A	0.24	191261	-	0.27	0.24	0.26	0.29	0.30	0.02	33,848.00	834.00	-
BTS01C1903A	0.33	191261	-	0.33	0.32	0.32	0.33	0.34	(0.01)	7,634.00	244.00	-
BTS01C1903B	0.21	191261	-	0.19	0.19	0.19	0.20	0.21	(0.02)	13,914.00	264.00	-
BTS01P1903A	0.32	191261	0.32	0.34	0.31	0.31	0.30	0.31	(0.01)	12,143.00	400.00	-
BTS06C1903A	9.00	181261	-	-	-	-	9.05	9.15	-	-	-	-
BTS06C1903B	9.00	181261	-	-	-	-	9.05	9.15	-	-	-	-
BTS06C1903C	9.00	181261	-	-	-	-	9.05	9.15	-	-	-	-
BTS11C1904A	0.03	191261	-	-	-	-	0.03	0.04	-	-	-	-
BTS19C1901A	0.12	191261	-	0.11	0.11	0.11	0.13	0.14	(0.01)	5,338.00	59.00	-
BTS23C1905A	1.60	191261	-	1.59	1.59	1.59	1.60	1.62	(0.01)	2,000.00	318.00	1.00
BTS24C1901A	0.11	21061	-	-	-	-	-	0.01	-	-	-	-
BTS28C1902A	0.10	191261	-	0.09	0.09	0.09	0.09	0.10	(0.01)	6,000.00	54.00	-
BTS42C1901A	0.07	191261	-	-	-	-	0.07	0.08	-	-	-	-
BTS42P1901A	0.09	191261	-	0.08	0.08	0.08	0.07	0.08	(0.01)	100.00	1.00	-
CBG01C1902A	0.18	191261	0.16	0.17	0.16	0.17	0.16	0.17	(0.01)	97,517.00	1,563.00	-
CBG01C1902B	0.07	191261	-	0.07	0.06	0.06	0.06	0.07	(0.01)	24,331.00	150.00	-
CBG01P1905A	1.02	191261	1.04	1.09	1.03	1.04	1.04	1.05	0.02	67,774.00	7,272.00	1.00
CBG06C1903A	0.17	191261	-	0.16	0.15	0.15	0.15	0.16	(0.02)	11,201.00	168.00	-
CBG06P1903A	0.96	191261	1.00	1.10	1.00	1.04	1.03	1.04	0.08	8,742.00	928.00	1.00
CBG07C1812A	0.01	141261	-	-	-	-	-	-	-	-	-	-
CBG08C1902A	0.03	171261	-	-	-	-	0.01	0.02	-	-	-	-
CBG11C1902A	0.02	181261	0.02	0.02	0.02	0.02	0.01	0.03	-	1,688.00	3.00	-
CBG13C1812A	0.01	31261	-	-	-	-	-	-	-	-	-	-
CBG13C1901A	0.05	191261	-	-	-	-	0.04	0.05	-	-	-	-
CBG13C1905A	1.00	0	-	0.39	0.37	0.39	0.39	0.40	(0.61)	81,832.00	3,053.00	-
CBG16C1912A	0.63	191261	-	0.60	0.59	0.59	0.59	0.62	(0.04)	1,900.00	113.00	-
CBG19C1901A	0.03	191261	-	0.02	0.02	0.02	0.02	0.03	(0.01)	300.00	1.00	-
CBG23C1901A	0.02	41261	-	-	-	-	-	0.01	-	-	-	-
CBG24C1901A	0.02	191261	-	-	-	-	0.01	0.02	-	-	-	-
CBG24C1903A	0.14	71261	-	-	-	-	0.03	0.04	-	-	-	-
CBG24C1904A	0.18	191261	-	-	-	-	0.16	0.17	-	-	-	-
CBG28C1904A	0.16	191261	-	0.15	0.14	0.15	0.15	0.16	(0.01)	207,869.00	2,911.00	-
CBG42C1904A	0.10	191261	-	-	-	-	0.09	0.10	-	-	-	-
CENT01C1903A	0.41	191261	-	0.41	0.40	0.41	0.40	0.41	-	18,488.00	750.00	-
CENT01C1903B	0.26	191261	-	0.26	0.24	0.26	0.25	0.26	-	13,038.00	328.00	-
CENT01P1903A	0.35	191261	0.35	0.36	0.34	0.34	0.34	0.35	(0.01)	16,344.00	583.00	-
CENT06C1904A	0.11	191261	-	-	-	-	0.10	0.11	-	-	-	-
CENT08C1902A	0.08	191261	-	-	-	-	0.08	0.09	-	-	-	-
CENT11C1904A	0.10	121261	-	-	-	-	0.06	0.07	-	-	-	-
CENT11C1909A	0.35	191261	-	0.35	0.35	0.35	0.35	0.36	-	3,204.00	112.00	-
CENT13C1902A												

Asia Plus Securities Company Limited

Daily Quotation

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
CHG13C1904A	0.14	191261	-	0.15	0.14	0.15	0.15	0.16	0.01	3,035.00	45.00	-
CHG19C1902A	0.05	191261	-	-	-	-	0.05	0.06	-	-	-	-
CHG24C1904A	0.04	121261	-	-	-	-	0.03	0.04	-	-	-	-
CHG24C1911A	0.70	191261	0.70	0.70	0.70	0.70	0.68	0.70	-	6,000.00	420.00	-
CHG27C1905A	0.12	191261	-	0.11	0.11	0.11	0.11	0.12	(0.01)	2,700.00	30.00	-
CHG28C1902A	0.02	41261	-	-	-	-	0.01	0.02	-	-	-	-
CHG28C1904A	0.14	191261	-	0.14	0.14	0.14	0.14	0.15	-	30,672.00	429.00	-
CK01C1902A	0.17	191261	-	0.16	0.16	0.16	0.15	0.16	(0.01)	121,133.00	1,938.00	-
CK01C1902B	0.08	191261	-	0.08	0.08	0.08	0.07	0.08	-	34,219.00	274.00	-
CK01P1902A	0.34	191261	-	0.35	0.34	0.34	0.34	0.35	-	24,208.00	847.00	-
CK08C1901A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
CK11C1904A	0.07	191261	-	-	-	-	0.06	0.07	-	-	-	-
CK13C1902A	0.08	191261	-	-	-	-	0.08	0.09	-	-	-	-
CK16C1812A	0.10	41261	-	-	-	-	0.01	0.03	-	-	-	-
CK16C1912A	0.29	191261	-	0.28	0.28	0.28	0.27	0.29	(0.01)	12.00	-	-
CK19C1903A	0.13	191261	-	0.13	0.12	0.12	0.12	0.13	(0.01)	600.00	8.00	-
CK24C1901A	0.01	141261	-	-	-	-	0.01	0.02	-	-	-	-
CK24C1904A	0.16	131261	-	-	-	-	0.12	0.13	-	-	-	-
CK28C1902A	0.04	171261	-	-	-	-	0.04	0.05	-	-	-	-
CKP01C1812A	0.96	191261	0.92	0.92	0.92	0.92	0.92	0.96	(0.04)	7,038.00	647.00	-
CKP01C1812B	0.51	191261	0.46	0.46	0.46	0.46	0.46	0.51	(0.05)	8,800.00	405.00	-
CKP01C1906A	0.30	191261	0.29	0.29	0.29	0.29	0.29	0.30	(0.01)	58,852.00	1,707.00	-
CKP01C1906B	0.22	191261	0.21	0.21	0.21	0.21	0.21	0.22	(0.01)	87,613.00	1,840.00	-
CKP08C1903A	0.79	191261	-	0.75	0.75	0.75	0.79	0.82	(0.04)	5,996.00	450.00	-
CKP08C1903B	0.14	191261	-	0.13	0.12	0.12	0.14	0.15	(0.02)	21,652.00	279.00	-
CKP13C1902A	0.82	281161	-	-	-	-	0.76	0.84	-	-	-	-
CKP13C1903A	0.50	191261	0.49	0.49	0.47	0.49	0.49	0.52	(0.01)	42,078.00	1,987.00	-
CKP13C1903B	0.13	191261	-	0.12	0.12	0.12	0.12	0.13	(0.01)	2,830.00	34.00	-
CKP19C1902A	0.59	191261	-	0.59	0.56	0.59	0.59	0.62	-	10,226.00	574.00	-
CKP19C1903A	0.17	191261	0.17	0.17	0.16	0.17	0.17	0.18	-	22,895.00	367.00	-
CKP24C1906A	0.16	181261	-	0.17	0.16	0.17	0.16	0.17	0.01	2,050.00	33.00	-
CKP27C1905A	0.19	191261	-	0.19	0.19	0.19	0.19	0.20	-	600.00	11.00	-
CKP28C1902A	0.61	171261	-	-	-	-	0.60	0.66	-	-	-	-
CKP28C1903A	0.12	191261	-	0.11	0.11	0.11	0.12	0.13	(0.01)	80,886.00	890.00	-
COM706C1903A	0.15	191261	-	0.14	0.13	0.13	0.14	0.15	(0.02)	801.00	11.00	-
COM708C1903A	0.17	191261	-	0.17	0.15	0.16	0.17	0.18	(0.01)	18,289.00	292.00	-
COM711C1909A	0.44	191261	-	0.44	0.41	0.44	0.44	0.45	-	12,355.00	523.00	-
COM713C1903A	0.09	191261	-	0.08	0.08	0.08	0.08	0.09	(0.01)	38,152.00	305.00	-
COM713C1904A	0.30	191261	0.26	0.29	0.26	0.28	0.29	0.30	(0.02)	192,943.00	5,345.00	-
COM719C1904A	0.33	191261	0.29	0.32	0.28	0.32	0.32	0.33	(0.01)	44,441.00	1,340.00	-
COM723C1901A	0.04	191261	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1,400.00	4.00	-
COM724C1904A	0.14	191261	-	-	-	-	0.15	0.16	-	-	-	-
COM727C1902A	0.20	191261	-	0.20	0.18	0.19	0.20	0.21	(0.01)	22,500.00	428.00	-
COM728C1903A	0.19	191261	-	0.18	0.16	0.18	0.18	0.19	(0.01)	65,952.00	1,169.00	-
CPAL01C1901A	0.10	191261	0.09	0.09	0.08	0.09	0.09	0.10	(0.01)	24,644.00	222.00	-
CPAL01C1901B	0.01	191261	0.02	0.02	0.01	0.01	0.01	0.02	-	5,030.00	5.00	-
CPAL01C1904A	0.68	191261	0.67	0.67	0.67	0.67	0.67	0.68	(0.01)	25,584.00	1,714.00	-
CPAL01C1904B	0.41	191261	0.40	0.41	0.40	0.40	0.40	0.41	(0.01)	34,562.00	1,383.00	-
CPAL01P1901A	1.30	191261	1.32	1.32	1.30	1.30	1.28	1.30	-	19,827.00	2,616.00	1.00
CPAL01P1901B	0.38	191261	0.37	0.38	0.37	0.37	0.35	0.37	(0.01)	71,552.00	2,714.00	-
CPAL01P1904A	0.58	191261	0.59	0.60	0.58	0.59	0.57	0.58	0.01	58,732.00	3,465.00	-
CPAL01P1904B	0.31	191261	0.31	0.32	0.31	0.31	0.30	0.31	-	79,390.00	2,461.00	-
CPAL06C1903A	0.29	191261	-	0.28	0.27	0.27	0.27	0.28	(0.02)	6,700.00	181.00	-
CPAL07C1902A	0.20	171261	0.18	0.18	0.18	0.18	0.19	0.20	(0.02)	5.00	-	-
CPAL08C1902A	0.05	191261	-	-	-	-	0.04	0.05	-	-	-	-
CPAL08C1902B	0.23	191261	-	0.22	0.22	0.22	0.22	0.23	(0.01)	3,324.00	73.00	-
CPAL08P1904A	0.34	191261	0.35	0.35	0.34	0.34	0.33	0.34	-	4,036.00	137.00	-
CPAL11C1903A	0.02	191261	-	-	-	-	0.01	0.03	-	-	-	-
CPAL11C1909A	0.42	181261	-	0.42	0.41	0.41	0.42	0.43	(0.01)	2,360.00	98.00	-
CPAL11P1903A	0.50	191261	-	0.51	0.51	0.51	0.49	0.51	0.01	14,040.00	716.00	-
CPAL13C1812A	0.01	121261	-	-	-	-	-	0.01	-	-	-	-
CPAL13C1901A	0.14	191261	-	0.13	0.12	0.13	0.13	0.14	(0.01)	32,505.00	422.00	-
CPAL13C1903A	0.57	191261	-	0.57	0.55	0.57	0.57	0.58	-	75,828.00	4,247.00	-
CPAL13P1902A	0.16	191261	-	0.16	0.16	0.16	0.15	0.16	-	49,980.00	800.00	-
CPAL16C1912A	0.92	131261	-	-	-	-	0.84	0.87	-	-	-	-
CPAL19C1902A	0.22	191261	0.21	0.21	0.21	0.21	0.21	0.22	(0.01)	3,505.00	74.00	-
CPAL19P1903A	0.21	191261	-	0.21	0.21	0.21	0.20	0.21	-	27,390.00	575.00	-
CPAL23C1906A	0.49	191261	-	0.47	0.47	0.47	0.47	0.49	(0.02)	5,500.00	259.00	-
CPAL24C1901A	0.03	111261	-	-	-	-	0.01	0.02	-	-	-	-
CPAL24C1903A	0.20	141261	-	-	-	-	0.16	0.17	-	-	-	-
CPAL24C1904A	0.54	191261	-	0.54	0.54	0.54	0.54	0.55	-	540.00	29.00	-
CPAL24P1901A	0.04	181261	-	-	-	-	0.03	0.04	-	-	-	-
CPAL27C1903A	0.25	191261	-	0.24	0.24	0.24	0.24	0.25	(0.01)	3,600.00	86.00	-
CPAL27P1905A	0.43	191261	-	0.43	0.43	0.43	0.42	0.43	-	4,050.00	174.00	-
CPAL28C1901A	0.07	191261	-	-	-	-	0.06	0.07	-	-	-	-
CPAL28C1904A	0.36	191261	-	0.36	0.35	0.35	0.36	0.37	(0.01)	12,761.00	447.00	-
CPAL41C1901A	0.30	141261	-	-	-	-	0.20	0.22	-	-	-	-
CPAL42C1904A	0.33	191261	-	0.32	0.32	0.32	0.33	0.34	(0.01)	6,072.00	194.00	-
CPAL42P1904A	0.20	191261	-	0.21	0.20	0.21	0.19	0.20	0.01	1,013.00	20.00	-
CPF01C1902A	0.16	191261	0.15	0.15	0.14	0.15	0.15	0.16	(0.01)	62,871.00	943.00	-
CPF01C1902B	0.06	171261	-	-	-	-	0.05	0.06	-	-	-	-
CPF01P1902A	0.37	191261	-	0.37	0.37	0.37	0.36	0.37	-	857.00	32.00	-
CPF01P1902B	0.21	191261	-	0.22	0.22	0.22	0.21	0.22	0.01	42,666.00	939.00	-
CPF06C1903A	0.05	191261	-	-	-	-	0.04	0.05	-	-	-	-
CPF08C1901A	0.06	181261	-	-	-	-	0.05	0.06	-	-	-	-
CPF08C1904A	0.13	191261	-	-	-	-	0.13	0.14	-	-	-	-
CPF11C1902A	0.03	191261	-	-	-	-	0.01	0.03	-	-	-	-
CPF11P1902A	0.12	191261	-	0.13	0.13	0.13	0.12	0.13	0.01	5,306.00	69.00	-
CPF13C1902A	0.08	61261	-	-	-	-	0.06	0.08	-	-	-	-
CPF13C1903A	0.34	191261	-	0.33	0.32	0.33	0.33	0.34	(0.01)	12,561.00	405.00	-
CPF13C1905A	0.16	191261	-	-	-	-	0.15	0.16	-	-	-	-
CPF19C1901A	0.06	191261	-	0.06	0.04	0.06	0.05	0.06	-	67.00	-	-
CPF19C1904A	0.43	191261	-	0.43	0.42	0.43	0.43	0.44	-	30,364.00	1,278.00	-
CPF24C1901A	0.03	171261	-	-	-	-	0.02	0.03	-	-	-	-
CPF24C1902A	0.02	171261	-	-	-	-	0.01	0.02	-	-	-	-
CPF24C1903A	0.09	171261	-	-	-	-	0.09	0.10	-	-	-	-
CPF24C1904A	0.44	141261	-	-	-	-	0.42	0.43	-	-	-	-
CPF27C1903A	0.06	161161	-	-	-	-	0.04	0.06	-	-	-	-
CPF28C1902A	0.07	41261	-	-	-	-	0.05	0.06	-	-	-	-
CPF28C1903A	0.39	221161	-	-	-	-	0.34	0.38	-	-	-	-
CPN01C1902A	0.30	191261	-	0.31	0.26	0.30	0.30	0.31	-	51,548.00	1,445.00	-
CPN01C1902B	0.10	191261	-	0.11	0.09	0.11	0.10	0.11	0.01	39,420.00	403.00	-
CPN01P1902A	0.92	191261	0.93	1.01	0.90	0.90	0.					

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
DEL24C1901A	0.31	191261	0.29	0.29	0.29	0.29	0.30	0.31	(0.02)	55.00	2.00	-
DEL27C1812A	0.04	291061	-	0.03	0.01	0.03	0.01	0.03	(0.01)	102.00	-	-
DTAC01C1902A	0.67	191261	0.65	0.67	0.64	0.65	0.65	0.66	(0.02)	52,232.00	3,445.00	-
DTAC01C1902B	0.39	191261	0.37	0.39	0.37	0.38	0.37	0.38	(0.01)	71,901.00	2,737.00	-
DTAC01C1905A	0.48	191261	0.46	0.48	0.46	0.47	0.46	0.47	(0.01)	61,118.00	2,874.00	-
DTAC01C1905B	0.39	191261	-	0.37	0.36	0.36	0.36	0.37	(0.03)	60,230.00	2,225.00	-
DTAC01P1902A	0.44	191261	-	0.47	0.45	0.46	0.45	0.46	0.02	73,329.00	3,390.00	-
DTAC01P1902B	0.20	191261	-	0.21	0.19	0.20	0.19	0.20	-	82,787.00	1,656.00	-
DTAC01P1905A	0.88	191261	0.91	0.91	0.89	0.90	0.89	0.90	0.02	87,155.00	7,861.00	-
DTAC06C1901A	0.06	191261	-	-	-	-	0.04	0.05	-	-	-	-
DTAC06C1903A	0.27	191261	-	0.27	0.25	0.26	0.25	0.26	(0.01)	11,550.00	299.00	-
DTAC06P1903A	0.35	191261	-	0.38	0.36	0.37	0.36	0.37	0.02	9,904.00	370.00	-
DTAC07C1902A	0.24	131261	-	-	-	-	0.19	0.20	-	-	-	-
DTAC08C1903A	0.25	191261	0.23	0.24	0.22	0.23	0.23	0.24	(0.02)	34,719.00	792.00	-
DTAC08P1902A	0.04	191261	-	-	-	-	0.04	0.05	-	-	-	-
DTAC11C1904A	0.19	191261	-	0.18	0.18	0.18	0.18	0.19	(0.01)	7,224.00	130.00	-
DTAC13C1812A	0.26	271161	-	-	-	-	-	-	-	-	-	-
DTAC13C1902A	0.13	191261	-	0.13	0.12	0.12	0.12	0.13	(0.01)	20,274.00	249.00	-
DTAC13C1904A	0.38	191261	-	0.37	0.35	0.36	0.36	0.37	(0.02)	56,022.00	2,008.00	-
DTAC13P1812A	0.01	61161	-	-	-	-	-	-	-	-	-	-
DTAC13P1903A	0.31	191261	-	0.32	0.31	0.31	0.31	0.32	-	18,446.00	586.00	-
DTAC19C1904A	0.41	191261	0.39	0.40	0.38	0.39	0.39	0.40	(0.02)	30,267.00	1,179.00	-
DTAC23C1906A	0.32	191261	-	0.31	0.30	0.31	0.30	0.31	(0.01)	38,000.00	1,168.00	-
DTAC24C1901A	0.10	181261	-	-	-	-	0.09	0.10	-	-	-	-
DTAC27C1903A	0.22	191261	-	0.21	0.20	0.21	0.20	0.21	(0.01)	8,400.00	171.00	-
DTAC27P1903A	0.28	191261	-	0.31	0.30	0.30	0.30	0.31	0.02	20,940.00	635.00	-
DTAC28C1902A	0.15	191261	-	0.14	0.14	0.14	0.14	0.15	(0.01)	36,692.00	514.00	-
DTAC42C1903A	0.25	191261	-	0.23	0.23	0.23	0.23	0.24	(0.02)	8,200.00	189.00	-
EA07C1903A	0.56	191261	0.55	0.55	0.50	0.54	0.54	0.55	(0.02)	5,904.00	304.00	-
EA08C1903A	0.48	191261	0.47	0.48	0.43	0.48	0.47	0.48	-	18,586.00	836.00	-
EA08C1903B	0.19	191261	-	0.18	0.16	0.17	0.18	0.19	(0.02)	14,777.00	249.00	-
EA11C1902A	0.08	191261	0.08	0.08	0.06	0.07	0.07	0.08	(0.01)	22,607.00	139.00	-
EA13C1812A	0.02	141261	-	-	-	-	-	-	-	-	-	-
EA13C1812B	0.45	171261	-	-	-	-	0.32	0.41	-	-	-	-
EA13C1901A	0.10	191261	0.09	0.10	0.07	0.09	0.09	0.10	(0.01)	65,707.00	544.00	-
EA13C1903A	0.17	191261	0.16	0.17	0.15	0.17	0.17	0.18	-	64,377.00	1,043.00	-
EA19C1902A	0.34	191261	0.35	0.35	0.30	0.33	0.33	0.35	(0.01)	49,838.00	1,577.00	-
EA23C1901A	0.32	191261	-	0.32	0.28	0.30	0.31	0.33	(0.02)	37,500.00	1,126.00	-
EA24C1901A	0.07	181261	-	-	-	-	0.07	0.08	-	-	-	-
EA27C1902A	0.63	191261	-	0.61	0.56	0.59	0.61	0.62	(0.04)	15,300.00	891.00	-
EA28C1901A	0.21	191261	-	-	-	-	0.19	0.22	-	-	-	-
EA28C1902A	0.09	191261	-	0.08	0.07	0.08	0.08	0.09	(0.01)	8,113.00	62.00	-
EGCO01C1903A	0.72	191261	-	0.73	0.70	0.73	0.73	0.74	0.01	46,003.00	3,272.00	-
EGCO01C1903B	0.51	191261	0.48	0.51	0.47	0.51	0.51	0.52	-	80,076.00	3,874.00	-
EGCO19C1901A	0.35	191261	0.34	0.36	0.32	0.36	0.37	0.38	0.01	47,268.00	1,547.00	-
EGCO24C1901A	0.09	191261	-	0.09	0.08	0.09	0.09	0.10	-	2,840.00	24.00	-
EPG01C1903A	0.17	191261	0.17	0.17	0.15	0.17	0.15	0.16	-	25,524.00	398.00	-
EPG01C1903B	0.09	191261	-	0.08	0.08	0.08	0.07	0.08	(0.01)	2,232.00	18.00	-
EPG01P1903A	1.16	191261	1.12	1.21	1.12	1.14	1.16	1.17	(0.02)	26,941.00	3,180.00	1.00
EPG07C1906A	0.28	191261	-	-	-	-	0.27	0.28	-	-	-	-
EPG08C1903A	0.07	71261	-	-	-	-	0.04	0.05	-	-	-	-
EPG11C1903A	0.19	191261	-	0.21	0.18	0.20	0.19	0.20	0.01	27,129.00	515.00	-
EPG13C1902A	0.04	111261	-	0.02	0.02	0.02	0.01	0.03	(0.02)	1,000.00	2.00	-
EPG13C1903A	0.12	191261	-	0.12	0.09	0.11	0.10	0.11	(0.01)	14,238.00	154.00	-
EPG19C1902A	0.04	191261	-	-	-	-	0.03	0.04	-	-	-	-
EPG19C1904A	0.24	191261	-	0.23	0.20	0.22	0.21	0.22	(0.02)	28,473.00	603.00	-
EPG24C1902A	0.12	121161	-	-	-	-	0.04	0.05	-	-	-	-
EPG28C1902A	0.06	41261	-	-	-	-	0.02	0.03	-	-	-	-
EPG28C1904A	0.20	191261	-	0.19	0.17	0.19	0.18	0.19	(0.01)	92,084.00	1,588.00	-
ERW13C1902A	0.05	141261	-	-	-	-	0.02	0.03	-	-	-	-
ERW19C1902A	0.08	191261	-	0.07	0.06	0.06	0.06	0.07	(0.02)	2,200.00	14.00	-
ERW24C1904A	0.11	191261	-	-	-	-	0.09	0.10	-	-	-	-
ESSO01C1812A	0.02	191261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	17,246.00	17.00	-
ESSO01C1812B	0.01	181261	-	0.01	0.01	0.01	0.01	0.02	-	146.00	-	-
ESSO01C1906A	0.29	191261	0.28	0.29	0.25	0.26	0.25	0.26	(0.03)	39,819.00	1,061.00	-
ESSO01C1906B	0.22	191261	0.20	0.23	0.19	0.20	0.19	0.20	(0.02)	43,140.00	911.00	-
ESSO01P1812A	0.99	191261	-	1.09	1.03	1.09	1.07	1.09	0.10	38,241.00	4,021.00	1.00
ESSO01P1906A	0.72	191261	0.75	0.80	0.73	0.77	0.77	0.79	0.05	61,611.00	4,738.00	-
ESSO08C1902A	0.04	171261	-	-	-	-	0.02	0.03	-	-	-	-
ESSO11C1905A	0.20	191261	-	0.20	0.17	0.17	0.17	0.18	(0.03)	8,110.00	149.00	-
ESSO13C1903A	0.05	191261	0.05	0.05	0.04	0.04	0.03	0.05	(0.01)	2,004.00	8.00	-
ESSO13C1905A	0.18	191261	-	0.18	0.16	0.16	0.16	0.17	(0.02)	9,948.00	171.00	-
ESSO19C1901A	0.02	141261	0.02	0.02	0.01	0.02	0.01	0.02	-	3,650.00	5.00	-
ESSO19C1906A	0.28	191261	-	0.27	0.24	0.24	0.24	0.25	(0.04)	20,713.00	526.00	-
ESSO24C1902A	0.05	71261	-	-	-	-	0.01	0.02	-	-	-	-
ESSO28C1903A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
ESSO28C1904A	0.12	191261	-	0.12	0.10	0.10	0.10	0.11	(0.02)	6,270.00	68.00	-
GFPT08C1906A	0.30	191261	-	0.30	0.28	0.30	0.29	0.30	-	9,449.00	279.00	-
GFPT13C1902A	0.06	191261	-	0.07	0.06	0.06	0.06	0.07	-	6,184.00	37.00	-
GFPT19C1903A	0.15	191261	-	0.15	0.14	0.14	0.14	0.15	(0.01)	24,446.00	360.00	-
GGC07C1902A	0.13	41061	-	-	-	-	0.01	0.02	-	-	-	-
GGC08C1906A	0.04	181261	-	-	-	-	0.03	0.04	-	-	-	-
GGC13C1902A	0.07	31261	-	-	-	-	0.02	0.05	-	-	-	-
GGC13C1905A	0.21	191261	-	0.20	0.20	0.20	0.19	0.20	(0.01)	14,037.00	281.00	-
GGC19C1902A	0.12	191261	-	0.12	0.12	0.12	0.11	0.12	-	3,000.00	36.00	-
GGC23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
GGC24C1901A	0.02	181261	-	-	-	-	0.01	0.02	-	-	-	-
GGC28C1905A	0.17	191261	-	0.16	0.16	0.16	0.16	0.17	(0.01)	2,395.00	38.00	-
GLOB01C1903A	0.63	191261	0.61	0.62	0.61	0.62	0.62	0.63	(0.01)	23,854.00	1,473.00	-
GLOB01C1903B	0.46	191261	0.43	0.45	0.43	0.45	0.45	0.46	(0.01)	8,882.00	399.00	-
GLOB11C1906A	0.37	191261	-	0.36	0.36	0.36	0.37	0.38	(0.01)	6,180.00	222.00	-
GLOB13C1901A	0.29	191261	0.29	0.29	0.27	0.28	0.28	0.29	(0.01)	11,446.00	311.00	-
GLOB19C1901A	0.48	191261	-	0.46	0.46	0.46	0.47	0.49	(0.02)	2,400.00	110.00	-
GLOB23C1906A	0.53	191261	-	0.52	0.52	0.52	0.52	0.54	(0.01)	9,020.00	469.00	-
GLOB24C1903A	0.24	141261	-	0.20	0.19	0.20	0.20	0.21	(0.04)	6,000.00	117.00	-
GLOB24C1906A	0.44	181261	-	0.44	0.44	0.44	0.45	0.46	-	6,001.00	264.00	-
GLOW13C1905f	0.66	191261	-	0.68	0.65	0.65	0.65	0.66	(0.01)	6,561.00	436.00	-
GLOW19C1901f	0.09	1										

Asia Plus Securities Company Limited

Daily Quotation

Foreign Board Quotation

Issue Date :

Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
GPSC28C1904A	0.43	191261	-	0.55	0.40	0.55	0.56	0.57	0.12	59,990.00	2,693.00	-
GUNK08C1902A	0.08	191261	-	0.07	0.07	0.07	0.07	0.08	(0.01)	4,560.00	32.00	-
GUNK11C1903A	0.04	191261	-	-	-	-	0.04	0.05	-	-	-	-
GUNK13C1903A	0.14	191261	-	0.13	0.12	0.13	0.13	0.14	(0.01)	15,140.00	193.00	-
GUNK19C1903A	0.29	191261	-	0.28	0.26	0.27	0.28	0.29	(0.02)	17,655.00	483.00	-
GUNK19C1906A	0.27	191261	-	0.26	0.25	0.26	0.25	0.26	(0.01)	34,931.00	888.00	-
GUNK24C1903A	0.15	191261	-	0.14	0.14	0.14	0.14	0.15	(0.01)	2,000.00	28.00	-
GUNK27C1905A	0.24	191261	-	0.23	0.22	0.22	0.23	0.24	(0.02)	14,400.00	324.00	-
GUNK28C1903A	0.15	191261	-	0.14	0.14	0.14	0.14	0.15	(0.01)	85,036.00	1,191.00	-
HANA01C1905A	0.27	191261	0.27	0.27	0.26	0.27	0.26	0.27	-	103,673.00	2,746.00	-
HANA01C1905B	0.22	191261	0.21	0.23	0.21	0.21	0.21	0.22	(0.01)	80,124.00	1,762.00	-
HANA08C1903A	0.11	191261	-	0.11	0.10	0.10	0.10	0.11	(0.01)	18,376.00	187.00	-
HANA11C1904A	0.09	191261	-	0.09	0.08	0.08	0.08	0.09	(0.01)	25,242.00	207.00	-
HANA13C1901A	0.07	171261	-	-	-	-	0.05	0.08	-	-	-	-
HANA13C1905A	0.20	191261	-	0.20	0.19	0.20	0.20	0.21	-	109,959.00	2,097.00	-
HANA19C1902A	0.06	191261	-	0.06	0.05	0.05	0.05	0.06	(0.01)	10,034.00	51.00	-
HANA19C1906A	0.37	191261	0.38	0.38	0.35	0.36	0.36	0.37	(0.01)	41,280.00	1,476.00	-
HANA24C1903A	0.06	131261	-	-	-	-	0.04	0.05	-	-	-	-
HANA28C1902A	0.05	181261	-	0.04	0.04	0.04	0.04	0.05	(0.01)	16,168.00	65.00	-
HANA28C1904A	0.19	191261	0.19	0.20	0.17	0.18	0.18	0.19	(0.01)	484,392.00	8,443.00	-
HMPR01C1902A	0.38	191261	-	0.39	0.36	0.38	0.38	0.39	-	67,190.00	2,568.00	-
HMPR01C1902B	0.26	191261	-	0.27	0.24	0.25	0.25	0.26	(0.01)	33,510.00	857.00	-
HMPR01P1902A	0.23	191261	0.23	0.25	0.23	0.23	0.23	0.24	-	29,419.00	708.00	-
HMPR11C1906A	0.19	191261	-	0.20	0.19	0.19	0.20	0.21	-	8,250.00	158.00	-
HMPR13C1905A	0.25	191261	0.26	0.26	0.24	0.25	0.26	0.27	-	88,014.00	2,218.00	-
HMPR19C1901A	0.33	191261	0.32	0.32	0.29	0.32	0.32	0.34	(0.01)	22,310.00	683.00	-
HMPR23C1901A	0.02	71261	-	-	-	-	0.01	0.02	-	-	-	-
HMPR24C1901A	0.07	171261	-	-	-	-	0.08	0.09	-	-	-	-
HMPR27C1905A	0.31	191261	0.32	0.32	0.30	0.31	0.32	0.33	-	13,000.00	403.00	-
HMPR27P1905A	0.25	191261	-	0.27	0.26	0.27	0.26	0.28	0.02	13,200.00	355.00	-
HMPR28C1903A	0.16	191261	-	0.16	0.15	0.15	0.16	0.17	(0.01)	26,538.00	402.00	-
INTU01C1903A	0.14	191261	-	0.13	0.13	0.13	0.13	0.14	(0.01)	75,783.00	985.00	-
INTU01C1903B	0.04	191261	-	0.04	0.04	0.04	0.03	0.04	-	100.00	-	-
INTU01P1903A	0.99	191261	1.02	1.04	1.01	1.01	0.98	0.99	0.02	25,878.00	2,644.00	1.00
INTU01P1903B	0.75	191261	0.77	0.80	0.75	0.75	0.73	0.75	-	32,201.00	2,521.00	-
INTU11C1905A	0.05	191261	-	-	-	-	0.05	0.06	-	-	-	-
INTU11P1905A	0.42	191261	-	0.44	0.44	0.44	0.41	0.43	0.02	5,150.00	227.00	-
INTU13C1812A	0.10	191261	-	-	-	-	-	0.09	-	-	-	-
INTU13C1904A	0.16	191261	-	0.15	0.14	0.15	0.15	0.16	(0.01)	75,042.00	1,057.00	-
INTU19C1901A	0.01	141261	-	-	-	-	-	0.02	-	-	-	-
INTU19C1906A	0.31	191261	0.30	0.31	0.28	0.31	0.31	0.32	-	28,002.00	808.00	-
INTU24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
INTU24C1909A	0.14	181261	-	0.14	0.14	0.14	0.15	0.16	-	2,500.00	35.00	-
INTU28C1901A	0.02	301161	-	-	-	-	-	0.02	-	-	-	-
INTU28C1904A	0.08	191261	-	0.08	0.07	0.08	0.08	0.09	-	12,000.00	90.00	-
INTU42C1904A	0.10	291161	-	-	-	-	0.04	0.05	-	-	-	-
INTU42P1904A	0.46	191261	-	0.45	0.45	0.45	0.43	0.45	(0.01)	6,120.00	275.00	-
IRPC01C1903A	0.10	191261	-	0.11	0.10	0.10	0.10	0.11	-	350,108.00	3,851.00	-
IRPC01C1903B	0.04	191261	0.04	0.04	0.03	0.04	0.03	0.04	-	611.00	2.00	-
IRPC01C1906A	0.29	191261	0.29	0.30	0.29	0.30	0.29	0.30	0.01	196,706.00	5,896.00	-
IRPC01C1906B	0.24	191261	-	0.25	0.25	0.25	0.24	0.25	0.01	239,830.00	5,996.00	-
IRPC01P1903A	0.69	191261	0.69	0.69	0.67	0.67	0.67	0.69	(0.02)	75,723.00	5,224.00	-
IRPC01P1903B	0.55	191261	0.52	0.52	0.52	0.52	0.51	0.52	(0.03)	79,667.00	4,143.00	-
IRPC06C1903A	0.08	191261	-	-	-	-	0.08	0.09	-	-	-	-
IRPC07C1812A	0.01	261161	-	-	-	-	-	0.01	-	-	-	-
IRPC08C1902A	0.05	191261	-	0.05	0.05	0.05	0.05	0.06	-	23.00	-	-
IRPC11C1902A	0.01	131261	-	0.01	0.01	0.01	0.01	0.02	-	400.00	-	-
IRPC11C1905A	0.11	191261	-	0.12	0.11	0.11	0.11	0.12	-	1,030.00	12.00	-
IRPC13C1812A	0.01	111261	-	-	-	-	-	0.01	-	-	-	-
IRPC13C1903A	0.13	191261	-	0.13	0.13	0.13	0.13	0.14	-	185,932.00	2,417.00	-
IRPC19C1901A	0.04	191261	-	-	-	-	0.04	0.05	-	-	-	-
IRPC19C1905A	0.22	191261	-	0.22	0.22	0.22	0.22	0.23	-	64,464.00	1,418.00	-
IRPC24C1904A	0.12	191261	-	0.13	0.12	0.13	0.12	0.13	0.01	8,000.00	103.00	-
IRPC27C1903A	0.07	191261	-	-	-	-	0.07	0.08	-	-	-	-
IRPC27P1905A	0.38	191261	-	0.38	0.37	0.37	0.37	0.38	(0.01)	17,101.00	633.00	-
IRPC28C1902A	0.03	191261	-	0.03	0.03	0.03	0.03	0.04	-	10.00	-	-
IRPC28C1904A	0.12	191261	-	0.12	0.12	0.12	0.12	0.13	-	63,426.00	761.00	-
ITD06C1904A	0.06	191261	-	0.06	0.06	0.06	0.05	0.06	-	400.00	2.00	-
ITD08C1902A	0.06	71261	-	-	-	-	0.03	0.04	-	-	-	-
ITD11C1903A	0.04	31261	-	-	-	-	0.01	0.03	-	-	-	-
ITD13C1812A	0.02	121161	-	-	-	-	-	0.02	-	-	-	-
ITD13C1902A	0.03	181261	-	-	-	-	-	0.02	0.06	-	-	-
ITD19C1903A	0.11	191261	-	0.11	0.10	0.10	0.10	0.11	(0.01)	5,553.00	61.00	-
ITD24C1902A	0.08	191161	-	-	-	-	0.01	0.02	-	-	-	-
IVL01C1812A	0.05	191261	0.04	0.05	0.02	0.03	0.03	0.04	(0.02)	53,114.00	209.00	-
IVL01C1812B	0.01	191261	0.01	0.01	0.01	0.01	0.01	0.02	-	130.00	-	-
IVL01C1903A	0.29	191261	0.28	0.29	0.25	0.27	0.27	0.28	(0.02)	181,662.00	5,014.00	-
IVL01C1903B	0.16	191261	-	0.16	0.14	0.15	0.14	0.15	(0.01)	290,646.00	4,375.00	-
IVL01C1905A	0.49	191261	0.47	0.49	0.43	0.46	0.45	0.46	(0.03)	243,056.00	11,236.00	-
IVL01C1905B	0.41	191261	0.39	0.41	0.34	0.38	0.37	0.38	(0.03)	277,183.00	10,622.00	-
IVL01P1812A	0.73	191261	-	0.87	0.75	0.81	0.77	0.79	0.08	72,016.00	5,780.00	-
IVL01P1812B	0.11	191261	-	0.16	0.09	0.10	0.10	0.11	(0.01)	359,679.00	4,048.00	-
IVL01P1903A	1.02	191261	1.03	1.12	1.02	1.05	1.05	1.06	0.03	118,899.00	12,697.00	1.00
IVL01P1903B	0.75	191261	-	0.84	0.74	0.76	0.76	0.78	0.01	70,057.00	5,502.00	-
IVL01P1905A	0.72	191261	-	0.81	0.73	0.75	0.75	0.76	0.03	137,139.00	10,476.00	-
IVL06C1901A	0.02	191261	-	-	-	-	0.01	0.02	-	-	-	-
IVL06C1903A	0.25	191261	-	0.25	0.18	0.21	0.21	0.22	(0.04)	41,009.00	904.00	-
IVL07C1906A	0.42	181261	0.42	0.43	0.38	0.38	0.41	0.42	(0.04)	298.00	12.00	-
IVL08C1901A	0.10	191261	0.09	0.09	0.07	0.08	0.08	0.09	(0.02)	13,736.00	113.00	-
IVL08C1905A	0.37	191261	0.35	0.36	0.31	0.34	0.34	0.35	(0.03)	38,136.00	1,302.00	-
IVL08P1903A	0.47	191261	0.51	0.55	0.47	0.51	0.51	0.52	0.04	34,297.00	1,766.00	-
IVL11C1906A	0.21	191261	0.21	0.21	0.18	0.20	0.19	0.20	(0.01)	24,080.00	465.00	-
IVL13C1812A	0.01	121261	-	-	-	-	-	0.01	-	-	-	-
IVL13C1903A	0.14	191261	-	0.14	0.11	0.12	0.12	0.13	(0.02)	79,165.00	981.00	-
IVL13C1904A	0.33	191261	0.31	0.32	0.27	0.30	0.30	0.31	(0.03)	147,371.00	4,365.00	-
IVL13P1902A	0.26	191261	-	0.33	0.25	0.28	0.27	0.28	0.02	75,296.00	2,137.00	-
IVL13P1903A	0.21</											

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
KBAN08C1903A	0.04	191261	-	0.04	0.04	0.04	0.04	0.05	-	170.00	1.00	-
KBAN13C1901A	0.02	191261	0.02	0.02	0.02	0.02	0.02	0.03	-	605.00	1.00	-
KBAN13C1904A	0.13	191261	-	0.13	0.12	0.13	0.13	0.14	-	11,138.00	139.00	-
KBAN13C1904B	0.41	191261	0.40	0.40	0.35	0.40	0.40	0.41	(0.01)	97,404.00	3,582.00	-
KBAN13P1905A	0.81	191261	0.86	0.87	0.82	0.82	0.81	0.82	0.01	145,477.00	12,382.00	-
KBAN19C1901A	0.02	191261	-	-	-	-	0.01	0.02	-	-	-	-
KBAN19C1906A	0.68	191261	0.67	0.68	0.62	0.68	0.67	0.68	-	59,632.00	3,790.00	-
KBAN19P1904A	0.72	191261	0.73	0.79	0.73	0.76	0.72	0.73	0.04	76,609.00	5,861.00	-
KBAN23C1902A	0.06	191261	-	0.05	0.05	0.05	0.05	0.06	(0.01)	5,000.00	25.00	-
KBAN24C1902A	0.06	141261	-	-	-	-	0.06	0.07	-	-	-	-
KBAN24C1903A	0.02	141261	-	-	-	-	0.02	0.03	-	-	-	-
KBAN24C1908A	0.49	191261	-	0.47	0.43	0.43	0.47	0.48	(0.06)	9,434.00	434.00	-
KBAN24P1907A	0.60	181261	0.58	0.59	0.58	0.58	0.53	0.54	(0.02)	14,001.00	812.00	-
KBAN27C1903A	0.10	191261	-	0.10	0.09	0.09	0.10	0.11	(0.01)	2,700.00	26.00	-
KBAN27P1904A	0.74	191261	-	0.78	0.75	0.77	0.74	0.75	0.03	10,900.00	836.00	-
KBAN28C1904A	0.09	191261	-	0.08	0.07	0.08	0.08	0.09	(0.01)	8,195.00	64.00	-
KBAN28C1905A	0.35	191261	-	0.34	0.30	0.34	0.34	0.35	(0.01)	78,065.00	2,455.00	-
KBAN28P1904A	0.52	191261	-	0.56	0.53	0.53	0.52	0.53	0.01	115,313.00	6,298.00	-
KCE01C1903A	0.05	191261	-	0.04	0.04	0.04	0.04	0.05	(0.01)	40,000.00	160.00	-
KCE01C1903B	0.03	171261	-	-	-	-	0.02	0.03	-	-	-	-
KCE01C1906A	0.38	191261	0.36	0.38	0.36	0.37	0.36	0.37	(0.01)	51,159.00	1,879.00	-
KCE01C1906B	0.32	191261	-	0.31	0.30	0.30	0.30	0.31	(0.02)	49,844.00	1,512.00	-
KCE06C1903A	0.01	191261	-	-	-	-	0.01	0.02	-	-	-	-
KCE07C1902A	0.01	181261	-	-	-	-	0.01	0.02	-	-	-	-
KCE08C1902A	0.01	131261	-	-	-	-	0.01	0.01	-	-	-	-
KCE08C1905A	0.30	191261	-	0.31	0.29	0.31	0.30	0.31	0.01	33,132.00	988.00	-
KCE11C1904A	0.04	191261	-	-	-	-	0.03	0.05	-	-	-	-
KCE13C1812A	0.01	41261	-	-	-	-	0.01	0.01	-	-	-	-
KCE13C1903A	0.03	191261	-	-	-	-	0.01	0.03	-	-	-	-
KCE13C1904A	0.07	191261	-	0.07	0.07	0.07	0.06	0.07	-	5,000.00	35.00	-
KCE13C1905A	0.23	191261	0.23	0.23	0.21	0.22	0.22	0.23	(0.01)	26,802.00	590.00	-
KCE19C1901A	0.01	191261	-	-	-	-	0.01	0.01	-	-	-	-
KCE19C1906A	0.39	191261	-	0.40	0.38	0.39	0.39	0.40	-	17,004.00	659.00	-
KCE23C1901A	0.01	41261	-	-	-	-	0.01	0.01	-	-	-	-
KCE24C1901A	0.01	41261	-	-	-	-	0.01	0.01	-	-	-	-
KCE24C1904A	0.08	111261	-	-	-	-	0.05	0.06	-	-	-	-
KCE27C1902A	0.06	131161	-	-	-	-	0.01	0.03	-	-	-	-
KCE28C1902A	0.01	201161	-	-	-	-	0.01	0.03	-	-	-	-
KCE28C1904A	0.06	121261	-	-	-	-	0.04	0.05	-	-	-	-
KCE28C1905A	0.24	191261	-	0.24	0.23	0.23	0.23	0.24	(0.01)	34,538.00	807.00	-
KKP01C1902A	0.22	191261	-	0.23	0.22	0.23	0.23	0.24	0.01	31,902.00	716.00	-
KKP01C1902B	0.05	191261	-	0.06	0.06	0.06	0.06	0.07	0.01	1,240.00	7.00	-
KKP08C1904A	0.19	191261	-	0.21	0.20	0.21	0.21	0.22	0.02	5,396.00	110.00	-
KKP11C1903A	0.06	181261	-	-	-	-	0.05	0.06	-	-	-	-
KKP13C1903A	0.20	191261	-	0.22	0.20	0.22	0.22	0.23	0.02	62,817.00	1,292.00	-
KKP19C1901A	0.07	191261	-	0.07	0.07	0.07	0.07	0.08	-	2,150.00	15.00	-
KKP24C1906A	0.25	191261	0.26	0.27	0.26	0.27	0.27	0.29	0.02	1,370.00	36.00	-
KKP28C1902A	0.03	191261	-	-	-	-	0.04	0.05	-	-	-	-
KTB01C1903A	0.34	191261	0.34	0.34	0.32	0.32	0.32	0.33	(0.02)	21,312.00	682.00	-
KTB01C1903B	0.25	191261	-	0.23	0.23	0.23	0.23	0.24	(0.02)	26,662.00	613.00	-
KTB01P1903A	0.41	191261	-	0.44	0.42	0.43	0.42	0.43	0.02	35,582.00	1,547.00	-
KTB01P1903B	0.31	191261	-	0.34	0.32	0.33	0.32	0.33	0.02	24,509.00	821.00	-
KTB06C1902A	0.28	191261	-	0.25	0.25	0.25	0.25	0.26	(0.03)	3,000.00	75.00	-
KTB08C1903A	0.20	191261	-	0.19	0.18	0.19	0.19	0.20	(0.01)	3,050.00	55.00	-
KTB11C1909A	0.28	191261	-	0.26	0.26	0.26	0.27	0.28	(0.02)	4,400.00	114.00	-
KTB13C1901A	0.41	181261	-	-	-	-	0.39	0.40	-	-	-	-
KTB13C1903A	0.20	191261	0.21	0.21	0.18	0.19	0.19	0.20	(0.01)	17,900.00	328.00	-
KTB19C1901A	0.23	191261	-	0.22	0.20	0.22	0.22	0.23	(0.01)	5,698.00	115.00	-
KTB23C1906A	0.37	191261	-	0.35	0.35	0.35	0.35	0.37	(0.02)	11,000.00	385.00	-
KTB24C1904A	0.23	281161	-	-	-	-	0.16	0.17	-	-	-	-
KTB24P1901A	0.01	121261	-	-	-	-	0.01	0.01	-	-	-	-
KTB24P1907A	0.33	181261	-	-	-	-	0.30	0.31	-	-	-	-
KTB27C1905A	0.29	191261	-	0.27	0.27	0.27	0.27	0.28	(0.02)	2,800.00	76.00	-
KTB28C1903A	0.15	191261	-	0.15	0.14	0.14	0.14	0.15	(0.01)	4,177.00	59.00	-
KTB42C1903A	0.21	191261	-	-	-	-	0.20	0.21	-	-	-	-
KTB42P1903A	0.15	181261	-	0.14	0.14	0.14	0.13	0.14	(0.01)	1,020.00	14.00	-
KTC01C1901A	0.33	191261	0.32	0.32	0.31	0.32	0.31	0.32	(0.01)	109,610.00	3,470.00	-
KTC01C1901B	0.16	191261	-	0.14	0.14	0.14	0.14	0.15	(0.02)	44,000.00	616.00	-
KTC08C1903A	0.29	191261	0.28	0.28	0.27	0.28	0.28	0.29	(0.01)	15,800.00	437.00	-
KTC11C1902A	0.78	191261	0.75	0.75	0.69	0.69	0.71	0.75	(0.09)	118.00	9.00	-
KTC13C1812B	0.01	191261	-	0.02	0.01	0.01	0.01	0.01	-	1,009.00	1.00	-
KTC13C1903A	0.18	191261	-	0.18	0.17	0.17	0.17	0.18	(0.01)	65,083.00	1,106.00	-
KTC19C1901A	0.42	191261	0.39	0.39	0.38	0.39	0.39	0.41	(0.03)	10,320.00	399.00	-
KTC19C1903A	0.18	191261	0.17	0.17	0.17	0.17	0.17	0.18	(0.01)	84,753.00	1,441.00	-
KTC19P1903A	0.35	191261	0.36	0.37	0.36	0.36	0.36	0.37	0.01	75,926.00	2,750.00	-
KTC27C1903A	0.30	191261	-	0.29	0.29	0.29	0.29	0.30	(0.01)	10,310.00	299.00	-
KTC27P1903A	0.20	191261	-	0.22	0.21	0.22	0.21	0.22	0.02	13,320.00	283.00	-
KTC27P1905A	0.46	191261	-	0.48	0.46	0.48	0.47	0.48	0.02	8,357.00	395.00	-
KTC28C1901A	0.05	191261	-	-	-	-	0.04	0.05	-	-	-	-
LH01C1903A	0.11	191261	-	0.10	0.10	0.10	0.10	0.11	(0.01)	26,909.00	269.00	-
LH01C1903B	0.06	141261	-	-	-	-	0.05	0.06	-	-	-	-
LH01P1903A	0.53	191261	-	0.56	0.54	0.54	0.53	0.54	0.01	21,916.00	1,208.00	-
LH06C1903A	0.04	271161	-	-	-	-	0.01	0.02	-	-	-	-
LH11C1906A	0.04	141261	-	-	-	-	0.03	0.04	-	-	-	-
LH13C1902A	0.07	191261	-	-	-	-	0.07	0.08	-	-	-	-
LH19C1901A	0.01	171261	-	-	-	-	0.01	0.01	-	-	-	-
LH19C1906A	0.39	191261	-	0.37	0.35	0.37	0.37	0.38	(0.02)	28,607.00	1,022.00	-
LH23C1901A	0.01	41261	-	-	-	-	0.01	0.01	-	-	-	-
LH24C1903A	0.02	31261	-	-	-	-	0.01	0.02	-	-	-	-
LH27C1905A	0.13	191261	-	0.12	0.12	0.12	0.13	-	(0.01)	3,150.00	38.00	-
LH27P1905A	0.38	191261	-	0.40	0.37	0.37	0.36	-	(0.01)	14,420.00	561.00	-
LPN01C1905A	0.10	191261	-	0.10	0.09	0.09	0.08	0.09	(0.01)	29,275.00	264.00	-
LPN01C1905B	0.07	191261	-	0.06	0.05	0.05	0.05	0.06	(0.02)	3,144.00	18.00	-
LPN08C1906A	0.03	141261	-	-	-	-	0.01	0.02	-	-	-	-
LPN13C1903A	0.01	191261	-	-	-	-	0.01	0.04	-	-	-	-
LPN13C1904A	0.10	191261	-	0.09	0.09	0.09	0.07	0.08	(0.01)	14.00	-	-
LPN19C1904A	0.05	191261	-	0.04	0.03	0.03	0.03	0.04	(0.02)	11,850.00	47.00	-
LPN24C1908A	0.07	131261	-	0.06	0.06	0.06	0.05	0.06	(0.01)	500.00	3.00	-
MAJO11C1902A	0.03	161161	-	-	-	-	0.01	0.03	-	-	-	-
MAJO13C1903A	0.05	181261	-	-	-	-	0.03	0.04	-	-	-	-
MAJO19C1902A	0.02	181261	-	-	-	-	0.01	0.02	-	-	-	-
MAJO19C1904A	0.25	191261	0.22	0.23	0.22	0.22	0.21	0.22	(0.03)	8,726.00	193.00	-
MAJO24C1902A	0.05	191261	-	0.04	0.04	0.04						

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
MINT01P1901A	0.18	191261	0.20	0.20	0.18	0.18	0.17	0.18	-	154,771.00	2,977.00	-
MINT06C1901A	0.03	181261	-	-	-	-	0.03	0.04	-	-	-	-
MINT06C1903A	0.03	191261	-	-	-	-	0.03	0.04	-	-	-	-
MINT07C1906A	0.25	141261	-	-	-	-	0.25	0.26	-	-	-	-
MINT08C1903A	0.09	191261	-	0.08	0.08	0.08	0.09	0.10	(0.01)	2,400.00	19.00	-
MINT11C1902A	0.02	71261	-	-	-	-	0.01	0.03	-	-	-	-
MINT11P1902A	0.10	181261	-	-	-	-	0.06	0.07	-	-	-	-
MINT13C1812A	0.05	41261	-	-	-	-	-	0.05	-	-	-	-
MINT13C1903A	0.04	191261	-	-	-	-	0.04	0.05	-	-	-	-
MINT13C1904A	0.18	191261	0.17	0.18	0.17	0.18	0.18	0.19	-	408,767.00	6,960.00	-
MINT19C1901A	0.11	191261	-	0.11	0.09	0.11	0.11	0.12	-	119,698.00	1,193.00	-
MINT24C1901A	0.10	31261	-	-	-	-	0.03	0.04	-	-	-	-
MINT24C1902A	0.04	61261	-	-	-	-	0.02	0.03	-	-	-	-
MINT27C1903A	0.07	191261	-	0.07	0.07	0.07	0.07	0.08	-	12,700.00	89.00	-
MINT27P1905A	0.43	191261	-	0.45	0.43	0.43	0.43	0.44	-	25,660.00	1,133.00	-
MINT28C1903A	0.04	181261	-	-	-	-	0.04	0.05	-	-	-	-
MINT28C1904A	0.15	191261	-	0.15	0.14	0.15	0.15	0.16	-	17,044.00	241.00	-
MINT42C1904A	0.11	191261	-	0.10	0.10	0.10	0.11	0.12	(0.01)	1,012.00	10.00	-
MINT42P1904A	0.39	191261	-	0.41	0.38	0.38	0.38	0.40	(0.01)	23,258.00	909.00	-
MONO08C1906A	0.02	191261	-	0.02	0.02	0.02	0.01	0.02	-	1,990.00	4.00	-
MONO13C1901A	0.01	131261	-	-	-	-	-	0.01	-	-	-	-
MONO23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
MONO28C1901A	0.01	141261	-	-	-	-	-	-	-	-	-	-
MTC06C1901A	0.98	191261	-	0.98	0.94	0.98	0.99	1.00	-	10,722.00	1,031.00	-
MTC06C1903A	0.36	191261	-	0.36	0.34	0.36	0.36	0.37	-	16,161.00	570.00	-
MTC08C1902A	0.59	191261	-	0.60	0.55	0.59	0.60	0.61	-	14,024.00	806.00	-
MTC08C1904A	0.19	191261	-	0.19	0.18	0.19	0.19	0.20	-	13,354.00	248.00	-
MTC11C1904A	0.53	191261	-	0.53	0.51	0.53	0.54	0.55	-	18,540.00	968.00	-
MTC13C1901A	0.40	171261	-	-	-	-	0.44	0.46	-	-	-	-
MTC13C1903A	0.29	191261	0.30	0.30	0.27	0.30	0.30	0.31	0.01	147,858.00	4,245.00	-
MTC19C1901A	0.61	191261	0.59	0.62	0.57	0.62	0.62	0.63	0.01	29,282.00	1,730.00	-
MTC19C1903A	0.31	191261	0.30	0.32	0.29	0.32	0.32	0.33	0.01	64,593.00	1,957.00	-
MTC23C1906A	0.29	191261	-	0.29	0.28	0.29	0.29	0.31	-	37,050.00	1,052.00	-
MTC24C1903A	0.26	191261	0.24	0.26	0.24	0.26	0.25	0.26	-	2,261.00	57.00	-
MTC24C1912A	0.70	191261	-	0.71	0.70	0.71	0.71	0.72	0.01	45.00	3.00	-
MTC27C1904A	0.44	191261	-	0.46	0.44	0.46	0.47	0.48	0.02	18,450.00	835.00	-
MTC28C1902A	0.43	131261	-	0.44	0.39	0.41	0.44	0.48	(0.02)	1,010.00	43.00	-
MTC28C1903A	0.19	191261	-	0.19	0.16	0.18	0.19	0.20	(0.01)	110,382.00	1,959.00	-
ORI08C1904A	0.04	191261	-	-	-	-	0.03	0.04	-	-	-	-
ORI11C1909A	0.52	191261	-	0.50	0.48	0.48	0.47	0.48	(0.04)	9,650.00	470.00	-
ORI13C1902A	0.01	191261	-	0.01	0.01	0.01	0.01	0.01	-	6,936.00	7.00	-
ORI13C1904A	0.08	191261	-	0.08	0.07	0.07	0.06	0.07	(0.01)	7,076.00	50.00	-
ORI13C1904B	0.34	191261	0.34	0.34	0.30	0.30	0.29	0.30	(0.04)	26,243.00	809.00	-
ORI19C1904A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
ORI19C1905A	0.42	191261	-	0.41	0.37	0.37	0.36	0.37	(0.05)	10,838.00	408.00	-
ORI24C1903A	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
ORI24C1905A	0.19	141261	-	-	-	-	0.14	0.15	-	-	-	-
ORI27C1905A	0.03	141261	-	-	-	-	0.02	0.04	-	-	-	-
ORI28C1902A	0.01	191261	-	-	-	-	0.01	0.02	-	-	-	-
ORI28C1904A	0.40	191261	0.42	0.42	0.35	0.36	0.35	0.36	(0.04)	21,820.00	810.00	-
ORI28C1904B	0.26	191261	-	0.24	0.22	0.22	0.22	0.23	(0.04)	17,477.00	411.00	-
PRM08C1902A	0.05	121261	-	0.02	0.02	0.02	0.02	0.03	(0.03)	13.00	-	-
PRM13C1901A	0.03	141261	-	0.02	0.02	0.02	-	0.02	(0.01)	110.00	-	-
PRM13C1904A	0.06	191261	-	0.05	0.05	0.05	0.04	0.05	(0.01)	1,489.00	7.00	-
PRM19C1902A	0.07	71261	-	-	-	-	0.01	0.02	-	-	-	-
PRM19C1906A	0.17	191261	-	0.17	0.14	0.15	0.15	0.16	(0.02)	4,550.00	73.00	-
PSH08C1904A	0.11	191261	-	0.11	0.10	0.10	0.10	0.11	(0.01)	2,993.00	32.00	-
PSH11C1902A	0.03	141261	-	-	-	-	0.02	0.03	-	-	-	-
PSH13C1903A	0.10	121261	-	0.05	0.05	0.05	0.05	0.10	(0.05)	1.00	-	-
PSH19C1903A	0.11	191261	-	0.10	0.10	0.10	0.10	0.11	(0.01)	3,822.00	38.00	-
PSL01C1812A	0.03	191261	0.02	0.02	0.01	0.02	0.01	0.02	(0.01)	5,796.00	12.00	-
PSL01C1812B	0.01	191261	-	0.01	0.01	0.01	0.01	0.02	-	3,998.00	4.00	-
PSL11C1905A	0.08	191261	-	0.08	0.07	0.07	0.07	0.08	(0.01)	2,810.00	20.00	-
PSL13C1903A	0.05	171261	-	0.05	0.04	0.04	0.04	0.05	(0.01)	18,162.00	77.00	-
PSL19C1903A	0.12	191261	0.12	0.12	0.10	0.11	0.11	0.12	(0.01)	15,502.00	167.00	-
PTG01C1902A	0.07	191261	0.07	0.07	0.06	0.06	0.06	0.07	(0.01)	42,453.00	255.00	-
PTG01C1902B	0.02	191261	-	0.02	0.01	0.01	0.01	0.02	(0.01)	2.00	-	-
PTG01C1905A	0.87	191261	0.83	0.85	0.81	0.85	0.84	0.85	(0.02)	86,990.00	7,333.00	-
PTG01C1905B	0.78	191261	0.74	0.76	0.71	0.71	0.75	0.76	(0.07)	20,484.00	1,542.00	-
PTG01P1902A	0.82	191261	0.83	0.90	0.83	0.84	0.84	0.85	0.02	82,083.00	7,112.00	-
PTG06C1904A	0.03	191261	-	0.02	0.02	0.02	0.02	0.03	(0.01)	15,680.00	31.00	-
PTG08C1902A	0.01	61261	-	-	-	-	-	0.01	-	-	-	-
PTG08C1903A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
PTG11C1903A	0.03	141261	-	-	-	-	0.01	0.03	-	-	-	-
PTG13C1812A	0.01	291161	-	-	-	-	-	0.01	-	-	-	-
PTG13C1901A	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
PTG13C1903A	0.09	191261	-	0.08	0.08	0.08	0.08	0.09	(0.01)	20,240.00	162.00	-
PTG13C1904A	0.49	191261	0.46	0.46	0.41	0.46	0.46	0.47	(0.03)	654,782.00	29,436.00	-
PTG19C1902A	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
PTG19C1902B	0.04	191261	-	0.04	0.03	0.03	0.03	0.04	(0.01)	6,506.00	22.00	-
PTG19C1905A	0.76	191261	-	0.74	0.70	0.74	0.74	0.76	(0.02)	23,208.00	1,694.00	-
PTG19P1903A	0.30	191261	0.30	0.33	0.30	0.31	0.30	0.31	0.01	42,838.00	1,335.00	-
PTG24C1901A	0.01	131261	-	-	-	-	-	0.01	-	-	-	-
PTG24C1902A	0.01	61261	-	-	-	-	-	0.01	-	-	-	-
PTG24C1904A	0.14	191261	-	-	-	-	0.13	0.14	-	-	-	-
PTG24C1905A	0.76	191261	-	-	-	-	0.73	0.74	-	-	-	-
PTG27C1902A	0.01	41261	-	-	-	-	0.01	0.02	-	-	-	-
PTG28C1901A	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
PTG28C1904A	0.45	191261	-	0.44	0.38	0.44	0.43	0.44	(0.01)	116,135.00	4,884.00	-
PTT01C1901A	0.37	191261	0.36	0.38	0.34	0.34	0.34	0.36	(0.03)	180,088.00	6,583.00	-
PTT01C1901B	0.13	191261	0.12	0.13	0.12	0.12	0.11	0.12	(0.01)	14,854.00	180.00	-
PTT01C1904A	0.23	191261	0.24	0.24	0.23	0.23	0.22	0.23	-	137,225.00	3,249.00	-
PTT01C1904B	0.13	191261	-	0.13	0.11	0.12	0.11	0.12	(0.01)	27,923.00	333.00	-
PTT01P1901A	0.44	191261	0.45	0.46	0.45	0.46	0.45	0.46	0.02	35,726.00	1,618.00	-
PTT01P1901B	0.13	191261	-	0.13	0.13	0.13	0.12	0.13	-	40,200.00	523.00	-
PTT01P1904A	0.89	191261	0.90	0.92	0.90	0.91	0.90	0.91	0.02	33,085.00	2,992.00	-
PTT01P1904B	0.69	191261	0.69	0.70	0.69	0.70	0.69	0.70	0.01	26,156.00	1,813.00	-
PTT06C1901A	0.07	191261	-	0.07	0.06	0.06	0.05	0.06	(0.01)	4,730.00	28.00	-
PTT06C1903A	0.12	191261	-	0.13	0.11	0.11	0.10	0.11	(0.01)	21,158.00	252.00	-
PTT06P1901A	0.34	191261	-	0.34	0.32	0.32	0.32	0.33	(0.02)	13,740.00	447.00	-
PTT06P1903A	0.37	191261	-	0.37	0.35	0.36	0.35	0.36	(0.01)	12,750.00	451.00	-
PTT07C1906A	0.28	191261	-	-	-	-	0.27	0.28	-	-	-	-
PTT08C1902A	0.05	191261	0.05	0.05	0.05	0.0						

Foreign Board Quotation

Issue Date :

Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
PTT27C1903A	0.12	191261	-	-	-	-	0.12	0.13	-	-	-	-
PTT27P1903A	0.43	191261	-	0.43	0.42	0.43	0.43	0.44	-	3,600.00	152.00	-
PTT28C1901A	0.01	181261	-	0.01	0.01	0.01	-	0.01	-	300.00	-	-
PTT28C1904A	0.21	191261	-	0.21	0.20	0.20	0.19	0.20	(0.01)	109,613.00	2,285.00	-
PTT28P1903A	0.43	191261	-	0.44	0.43	0.44	0.44	0.46	0.01	38,855.00	1,681.00	-
PTTE01C1901A	0.15	191261	0.15	0.15	0.13	0.13	0.13	0.14	(0.02)	218,061.00	3,097.00	-
PTTE01C1901B	0.03	191261	0.02	0.02	0.01	0.02	0.01	0.02	(0.01)	14,110.00	28.00	-
PTTE01C1904A	0.17	191261	0.15	0.17	0.15	0.16	0.15	0.16	(0.01)	135,838.00	2,154.00	-
PTTE01C1904B	0.08	191261	0.08	0.08	0.07	0.07	0.07	0.08	(0.01)	65,517.00	469.00	-
PTTE01P1901A	1.47	191261	1.49	1.56	1.48	1.52	1.52	1.54	0.05	60,672.00	9,259.00	1.00
PTTE01P1901B	0.54	191261	0.55	0.61	0.54	0.57	0.57	0.58	0.03	160,501.00	9,311.00	-
PTTE01P1904A	1.93	191261	1.98	2.02	1.96	1.99	1.99	2.00	0.06	69,066.00	13,764.00	1.00
PTTE01P1904B	1.66	191261	-	1.74	1.68	1.72	1.72	1.74	0.06	63,671.00	10,999.00	1.00
PTTE06C1903A	0.11	191261	-	0.10	0.09	0.09	0.09	0.10	(0.02)	4,403.00	43.00	-
PTTE07C1904A	0.07	191261	-	0.07	0.07	0.07	0.06	0.07	-	482.00	3.00	-
PTTE08C1904A	0.10	191261	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	10,942.00	103.00	-
PTTE08P1904A	1.67	191261	1.68	1.73	1.66	1.72	1.72	1.73	0.05	24,946.00	4,267.00	1.00
PTTE11C1902A	0.06	191261	-	0.05	0.05	0.05	0.05	0.06	(0.01)	29,664.00	148.00	-
PTTE13C1812A	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
PTTE13C1902A	0.03	191261	0.03	0.03	0.03	0.03	0.02	0.03	-	20,000.00	60.00	-
PTTE13C1904A	0.21	191261	0.20	0.20	0.18	0.19	0.19	0.20	(0.02)	348,981.00	6,738.00	-
PTTE13C1905A	0.38	191261	0.37	0.38	0.35	0.36	0.36	0.37	(0.02)	348,160.00	12,711.00	-
PTTE13P1901A	0.44	191261	0.50	0.52	0.44	0.50	0.50	0.51	0.06	156,060.00	7,694.00	-
PTTE13P1902A	1.24	191261	1.36	1.36	1.33	1.33	1.33	1.38	0.09	32.00	4.00	1.00
PTTE13P1905A	0.67	191261	-	0.72	0.68	0.71	0.71	0.72	0.04	164,589.00	11,599.00	-
PTTE19C1903A	0.09	191261	-	0.09	0.08	0.08	0.08	0.09	(0.01)	41,560.00	335.00	-
PTTE19P1903A	0.85	191261	0.89	0.91	0.85	0.89	0.89	0.90	0.04	43,242.00	3,819.00	-
PTTE23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
PTTE23C1906A	0.21	191261	-	0.20	0.19	0.20	0.19	0.20	(0.01)	78,151.00	1,497.00	-
PTTE24C1901A	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
PTTE24C1904A	0.18	191261	-	0.16	0.16	0.16	0.15	0.16	(0.02)	100.00	2.00	-
PTTE24P1901A	0.23	191261	-	0.26	0.24	0.26	0.25	0.26	0.03	22,600.00	578.00	-
PTTE24P1904A	1.00	191261	-	1.01	0.99	0.99	0.97	0.99	(0.01)	72.00	7.00	-
PTTE27C1903A	0.06	191261	-	-	-	-	-	0.04	0.05	-	-	-
PTTE27P1904A	1.22	141261	-	-	-	-	-	1.38	1.42	-	-	-
PTTE28C1902A	0.05	191261	-	0.05	0.04	0.04	0.04	0.05	(0.01)	14,523.00	58.00	-
PTTE28P1903A	1.15	191261	-	1.22	1.17	1.22	1.20	1.24	0.07	64,417.00	7,806.00	1.00
PTTE41C1905A	0.26	191261	0.23	0.24	0.23	0.24	0.23	0.24	(0.02)	4,011.00	95.00	-
PTTE42C1903A	0.11	191261	-	0.11	0.10	0.10	0.10	0.11	(0.01)	5,200.00	57.00	-
PTTG01C1901A	0.45	191261	0.45	0.49	0.45	0.47	0.45	0.46	0.02	212,324.00	9,965.00	-
PTTG01C1901B	0.09	191261	0.08	0.09	0.08	0.09	0.08	0.09	-	16,800.00	150.00	-
PTTG01C1904A	0.41	191261	0.41	0.42	0.41	0.41	0.40	0.41	-	135,185.00	5,619.00	-
PTTG01C1904B	0.21	191261	-	0.22	0.21	0.21	0.20	0.21	-	129,177.00	2,747.00	-
PTTG01P1901A	0.79	191261	-	0.81	0.77	0.78	0.78	0.80	(0.01)	114,976.00	9,023.00	-
PTTG01P1901B	0.30	191261	-	0.31	0.28	0.30	0.29	0.30	-	121,496.00	3,543.00	-
PTTG01P1904A	1.52	191261	1.52	1.52	1.47	1.49	1.49	1.50	(0.03)	75,648.00	11,267.00	1.00
PTTG01P1904B	1.27	191261	-	1.28	1.24	1.24	1.25	1.27	(0.03)	95,319.00	11,959.00	1.00
PTTG06C1903A	0.32	191261	0.32	0.35	0.31	0.32	0.32	0.33	-	344,468.00	11,283.00	-
PTTG06P1903A	0.34	191261	-	0.34	0.32	0.33	0.33	0.34	(0.01)	41,000.00	1,361.00	-
PTTG07C1812A	0.01	131261	-	-	-	-	-	-	-	-	-	-
PTTG08C1902A	0.06	191261	-	-	-	-	0.06	0.07	-	-	-	-
PTTG08P1904A	0.72	191261	-	0.71	0.68	0.70	0.70	0.71	(0.02)	27,481.00	1,902.00	-
PTTG11C1902A	0.02	181261	-	-	-	-	0.01	0.05	-	-	-	-
PTTG11C1909A	0.46	191261	-	0.48	0.46	0.46	0.46	0.47	-	53,852.00	2,543.00	-
PTTG13C1812B	0.02	141261	-	-	-	-	-	0.05	-	-	-	-
PTTG13C1904A	0.34	191261	0.34	0.36	0.33	0.35	0.34	0.35	0.01	195,564.00	6,795.00	-
PTTG19C1902A	0.16	191261	-	0.17	0.16	0.16	0.16	0.17	-	51,808.00	846.00	-
PTTG23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
PTTG23C1906A	0.25	191261	-	0.26	0.25	0.25	0.24	0.25	-	53,070.00	1,350.00	-
PTTG24C1901A	0.08	71261	-	-	-	-	0.01	0.02	-	-	-	-
PTTG24C1904A	0.17	191261	-	-	-	-	0.16	0.17	-	-	-	-
PTTG24P1901A	0.19	261061	-	-	-	-	0.03	0.04	-	-	-	-
PTTG24P1905A	0.78	181261	-	-	-	-	0.81	0.82	-	-	-	-
PTTG27C1903A	0.05	191261	-	0.05	0.05	0.05	0.05	0.06	-	4,500.00	23.00	-
PTTG27P1903A	0.26	191261	-	0.24	0.24	0.24	0.24	0.25	(0.02)	18,350.00	440.00	-
PTTG28C1904A	0.25	191261	-	0.25	0.23	0.25	0.24	0.25	-	141,003.00	3,466.00	-
PTTG42C1904A	0.18	191261	-	0.18	0.18	0.18	0.18	0.19	-	10,120.00	182.00	-
PTTG42P1904A	0.85	191261	-	0.84	0.81	0.84	0.83	0.85	(0.01)	29,988.00	2,464.00	-
QH01C1903A	0.05	191261	0.04	0.04	0.04	0.04	0.04	0.05	(0.01)	39.00	-	-
QH01C1903B	0.05	211161	-	-	-	-	0.01	0.02	-	-	-	-
QH01P1903A	1.07	191261	-	1.13	1.11	1.11	1.09	1.11	0.04	4,078.00	457.00	1.00
QH11C1902A	0.04	171261	-	-	-	-	0.03	0.04	-	-	-	-
QH13C1903A	0.06	61261	-	-	-	-	0.02	0.05	-	-	-	-
QH13C1904A	0.09	191261	-	0.08	0.08	0.08	0.08	0.09	(0.01)	13,288.00	106.00	-
QH19C1901A	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
QH19C1904A	0.14	191261	-	0.13	0.12	0.13	0.12	0.13	(0.01)	2,346.00	28.00	-
QH24C1904A	0.09	191261	-	-	-	-	0.08	0.09	-	-	-	-
QH27C1903A	0.06	201161	-	-	-	-	0.02	0.04	-	-	-	-
QH27P1905A	0.46	181261	0.46	0.46	0.46	0.46	0.47	0.49	-	734.00	34.00	-
RATC19C1901A	0.06	191261	-	-	-	-	0.07	0.08	-	-	-	-
RATC24C1902A	0.06	191261	-	-	-	-	0.06	0.07	-	-	-	-
RATC27C1812A	0.01	71261	-	-	-	-	0.01	0.03	-	-	-	-
ROBI01C1903A	0.72	191261	-	0.73	0.67	0.70	0.69	0.70	(0.02)	51,805.00	3,653.00	-
ROBI01C1903B	0.45	191261	-	0.45	0.41	0.42	0.41	0.42	(0.03)	61,582.00	2,595.00	-
ROBI06C1903A	0.43	191261	-	0.44	0.38	0.40	0.39	0.40	(0.03)	32,940.00	1,326.00	-
ROBI08C1903A	0.34	191261	0.32	0.34	0.31	0.32	0.32	0.33	(0.02)	19,161.00	611.00	-
ROBI11C1906A	0.41	191261	-	0.41	0.38	0.38	0.39	0.40	(0.03)	15,291.00	588.00	-
ROBI13C1902A	0.29	191261	-	0.29	0.26	0.27	0.27	0.28	(0.02)	97,038.00	2,580.00	-
ROBI19C1901A	0.45	191261	0.42	0.45	0.40	0.42	0.42	0.43	(0.03)	134,800.00	5,613.00	-
ROBI24C1901A	0.05	171261	-	-	-	-	0.04	0.05	-	-	-	-
ROBI24C1903A	0.35	191261	-	0.38	0.38	0.38	0.37	0.38	0.03	3,500.00	133.00	-
ROBI27C1905A	0.47	171261	-	0.49	0.47	0.49	0.47	0.49	0.02	1,800.00	86.00	-
RS08C1901A	0.05	191261	-	0.05	0.04	0.04	0.04	0.05	(0.01)	5,578.00	25.00	-
RS13C1901A	0.07	191261	-	0.06	0.05	0.06	0.06	0.07	(0.01)	34,605.00	207.00	-
RS13C1905A	0.33	191261	0.31	0.32	0.29	0.30	0.30	0.31	(0.03)	40,167.00	1,248.00	-
RS19C1901A	0.06	191261	-	0.05	0.05	0.05	0.05	0.06	(0.01)	4,000.00	20.00	-
RS24C1904A	0.32	191261	-	0.29	0.29	0.29	0.29	0.30	(0.03)	293.00	8.00	-
RS27C1905A	0.34	191261	-	0.34	0.32	0.33	0.33	0.34	(0.01)	12,000.00	396.00	-
S10001C1911A	0.80	191261	-	0.79	0.76	0.78	0.78	0.79				

Asia Plus Securities Company Limited

Daily Quotation

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
S5001P1903F	1.11	191261	1.17	1.24	1.11	1.11	1.11	1.12	-	1,081,068.00	129,345.00	1.00
S5006C1812A	0.02	191261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	31,925.00	32.00	-
S5006C1812B	0.02	191261	-	0.02	0.01	0.02	0.01	0.02	-	61,001.00	61.00	-
S5006C1812C	0.01	191261	0.01	0.01	0.01	0.01	0.01	0.02	-	59,232.00	59.00	-
S5006C1812D	0.05	191261	-	0.03	0.01	0.03	0.03	0.04	(0.02)	59,326.00	137.00	-
S5006C1903A	0.53	191261	0.47	0.51	0.44	0.51	0.51	0.52	(0.02)	48,088.00	2,247.00	-
S5006C1903B	0.69	191261	-	0.66	0.59	0.66	0.67	0.68	(0.03)	5,977.00	370.00	-
S5006C1903C	0.91	191261	0.84	0.89	0.80	0.89	0.89	0.90	(0.02)	55,079.00	4,606.00	-
S5006C1903D	0.49	191261	0.43	0.46	0.38	0.46	0.46	0.47	(0.03)	64,495.00	2,715.00	-
S5006P1812A	0.93	191261	1.08	1.15	0.95	0.95	0.92	0.93	0.02	37,062.00	3,952.00	1.00
S5006P1812B	0.10	191261	-	0.15	0.09	0.09	0.08	0.09	(0.01)	42,195.00	508.00	-
S5006P1812C	0.03	191261	-	0.05	0.04	0.05	0.02	0.05	0.02	5,325.00	26.00	-
S5006P1812D	1.50	191261	-	1.66	1.59	1.66	1.50	1.51	0.16	500.00	82.00	1.00
S5006P1903A	1.11	191261	-	1.22	1.09	1.09	1.09	1.11	(0.02)	21,359.00	2,514.00	1.00
S5006P1903B	0.88	191261	-	0.97	0.94	0.95	0.86	0.87	0.07	21,848.00	2,072.00	-
S5006P1903C	0.66	191261	0.72	0.79	0.67	0.67	0.66	0.67	0.01	55,768.00	4,150.00	-
S5006P1903D	0.57	191261	0.64	0.70	0.58	0.58	0.57	0.58	0.01	68,679.00	4,511.00	-
S5008C1812A	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	620.00	1.00	-
S5008C1812B	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
S5008C1812C	0.03	141261	-	-	-	-	-	0.01	-	-	-	-
S5008C1903A	0.42	191261	0.37	0.42	0.35	0.42	0.41	0.42	-	233,879.00	8,536.00	-
S5008P1812A	0.12	191261	0.13	0.18	0.09	0.09	0.09	0.10	(0.03)	512,173.00	7,645.00	-
S5008P1812B	0.02	191261	0.02	0.03	0.02	0.02	0.01	0.02	-	28,586.00	57.00	-
S5008P1903A	0.70	191261	0.75	0.80	0.71	0.71	0.70	0.71	0.01	233,992.00	17,922.00	-
S5013C1812A	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	1,501.00	2.00	-
S5013C1812B	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
S5013C1812C	0.01	191261	0.01	0.01	0.01	0.01	-	0.01	-	1,010.00	1.00	-
S5013C1812D	0.01	191261	0.01	0.01	0.01	0.01	-	0.01	-	5,000.00	5.00	-
S5013C1812E	0.13	191261	0.09	0.10	0.06	0.09	0.09	0.10	(0.04)	3,161,542.00	25,508.00	-
S5013C1903A	0.48	191261	0.44	0.47	0.40	0.46	0.46	0.47	(0.02)	5,891,666.00	254,645.00	-
S5013C1903B	0.81	191261	0.75	0.80	0.70	0.79	0.79	0.80	(0.02)	4,420,483.00	325,616.00	-
S5013P1812A	0.34	191261	0.42	0.51	0.32	0.32	0.32	0.33	(0.02)	5,427,676.00	241,280.00	-
S5013P1812B	0.99	191261	1.18	1.20	1.01	1.01	0.96	1.01	0.02	1,933.00	207.00	1.00
S5013P1812C	1.74	191261	1.79	1.86	1.78	1.86	1.58	1.65	0.12	430.00	77.00	1.00
S5013P1812D	1.03	191261	-	1.12	1.01	1.07	0.92	0.96	0.04	422.00	46.00	1.00
S5013P1812E	0.03	191261	0.03	0.04	0.02	0.02	0.01	0.02	(0.01)	83,026.00	236.00	-
S5013P1903A	1.25	191261	1.33	1.40	1.25	1.25	1.25	1.26	-	8,252,031.00	1,117,584.00	1.00
S5013P1903B	0.72	191261	0.78	0.83	0.73	0.73	0.73	0.74	0.01	4,016,853.00	319,169.00	-
S5028C1812A	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	51.00	-	-
S5028C1812B	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
S5028C1812C	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
S5028C1812D	0.09	191261	-	0.06	0.05	0.06	0.07	0.09	(0.03)	11,992.00	61.00	-
S5028C1901A	0.29	191261	0.27	0.29	0.23	0.28	0.28	0.29	(0.01)	950,669.00	24,276.00	-
S5028C1903A	0.43	191261	0.40	0.42	0.37	0.42	0.42	0.43	(0.01)	415,582.00	16,105.00	-
S5028C1903B	0.63	191261	0.59	0.62	0.55	0.62	0.62	0.63	(0.01)	1,001,450.00	56,617.00	-
S5028P1812A	0.36	191261	0.43	0.50	0.43	0.44	0.38	0.41	0.08	1,597.00	74.00	-
S5028P1812B	1.20	181261	-	-	-	-	0.95	1.00	-	-	-	-
S5028P1812C	0.10	141261	0.05	0.05	0.05	0.05	0.04	0.06	(0.05)	1,500.00	8.00	-
S5028P1901A	0.65	191261	0.71	0.77	0.65	0.65	0.65	0.66	-	616,319.00	44,927.00	-
S5028P1903A	1.02	191261	1.08	1.14	1.03	1.03	1.02	1.03	0.01	1,117,241.00	123,806.00	1.00
SAWA01C1901A	0.79	191261	-	0.77	0.71	0.75	0.75	0.76	(0.04)	102,990.00	7,602.00	-
SAWA01C1901E	0.44	191261	0.37	0.43	0.37	0.41	0.40	0.41	(0.03)	204,836.00	8,021.00	-
SAWA01P1901A	0.17	191261	-	0.21	0.18	0.18	0.18	0.19	0.01	188,768.00	3,716.00	-
SAWA06C1903A	1.16	191261	-	1.14	1.06	1.08	1.11	1.12	(0.08)	20,530.00	2,226.00	1.00
SAWA07C1812A	0.73	301161	-	-	-	-	0.53	0.55	-	-	-	-
SAWA08C1902A	0.75	191261	-	0.72	0.65	0.65	0.70	0.72	(0.10)	29,903.00	2,015.00	-
SAWA08C1903A	0.37	191261	0.37	0.37	0.32	0.34	0.35	0.36	(0.03)	39,696.00	1,327.00	-
SAWA11C1906A	0.52	191261	-	0.49	0.47	0.49	0.50	0.51	(0.03)	15,190.00	730.00	-
SAWA13C1901A	1.05	291161	-	-	-	-	0.60	0.66	-	-	-	-
SAWA13C1903A	0.25	191261	0.24	0.24	0.21	0.22	0.22	0.23	(0.03)	80,235.00	1,752.00	-
SAWA13C1904A	0.48	191261	0.48	0.48	0.41	0.45	0.45	0.46	(0.03)	138,647.00	5,987.00	-
SAWA19C1901A	0.80	191261	-	0.77	0.70	0.75	0.75	0.76	(0.05)	44,340.00	3,164.00	-
SAWA19C1903A	0.37	191261	-	0.36	0.32	0.36	0.35	0.36	(0.01)	91,208.00	3,025.00	-
SAWA24C1902A	0.51	191261	-	0.48	0.44	0.48	0.46	0.48	(0.03)	2,300.00	106.00	-
SAWA24C1910A	0.78	191261	-	0.81	0.78	0.81	0.80	0.81	0.03	19.00	2.00	-
SAWA27C1903A	0.54	191261	-	0.53	0.49	0.51	0.52	0.53	(0.03)	38,250.00	1,924.00	-
SAWA28C1902A	0.26	191261	-	0.24	0.21	0.23	0.23	0.24	(0.03)	456,466.00	10,078.00	-
SCB01C1902A	0.78	191261	-	0.79	0.74	0.79	0.78	0.79	0.01	77,133.00	5,813.00	-
SCB01C1902B	0.41	191261	-	0.41	0.37	0.40	0.40	0.41	(0.01)	68,364.00	2,616.00	-
SCB01C1904A	0.37	191261	-	0.35	0.33	0.35	0.35	0.36	(0.02)	75,397.00	2,552.00	-
SCB01C1904B	0.22	191261	-	0.21	0.19	0.21	0.20	0.21	(0.01)	85,833.00	1,658.00	-
SCB01P1902A	0.31	191261	0.32	0.35	0.31	0.31	0.30	0.31	-	70,009.00	2,316.00	-
SCB01P1902B	0.05	191261	-	0.05	0.05	0.05	0.04	0.05	-	100.00	1.00	-
SCB01P1904A	1.04	191261	-	1.09	1.04	1.04	1.02	1.04	-	63,815.00	6,843.00	1.00
SCB01P1904B	0.80	191261	-	0.85	0.79	0.79	0.79	0.80	(0.01)	94,428.00	7,888.00	-
SCB06C1903A	0.31	191261	-	0.30	0.27	0.29	0.31	0.32	(0.02)	21,404.00	610.00	-
SCB07C1904A	0.44	81061	-	-	-	-	0.21	0.22	-	-	-	-
SCB08C1901A	0.15	191261	-	0.14	0.11	0.14	0.14	0.15	(0.01)	16,113.00	189.00	-
SCB11C1901A	0.07	131261	-	-	-	-	0.03	0.04	-	-	-	-
SCB11P1901A	0.11	191261	-	0.12	0.11	0.11	0.10	0.11	-	9,800.00	116.00	-
SCB13C1812A	0.11	131261	-	-	-	-	-	-	-	-	-	-
SCB13C1902A	0.10	191261	-	-	-	-	0.09	0.10	-	-	-	-
SCB13C1905A	0.38	191261	-	0.37	0.33	0.36	0.37	0.38	(0.02)	206,818.00	7,264.00	-
SCB13P1812A	0.01	131161	-	-	-	-	-	-	-	-	-	-
SCB13P1905A	0.47	191261	-	0.51	0.47	0.47	0.47	0.48	-	134,572.00	6,701.00	-
SCB19C1905A	0.48	191261	0.44	0.47	0.44	0.47	0.47	0.48	(0.01)	34,218.00	1,537.00	-
SCB24C1901A	0.20	191161	-	-	-	-	0.07	0.08	-	-	-	-
SCB24C1902A	0.16	301161	-	-	-	-	0.10	0.11	-	-	-	-
SCB24P1906A	0.36	131261	-	0.44	0.43	0.43	0.39	0.40	0.07	72.00	3.00	-
SCB27C1902A	0.16	191261	-	0.16	0.14	0.15	0.15	0.16	(0.01)	9,300.00	134.00	-
SCB27P1903A	0.25	191261	-	0.27	0.24	0.24	0.24	0.25	(0.01)	13,200.00	347.00	-
SCB28C1902A	0.08	191261	-	0.07	0.06	0.07	0.07	0.08	(0.01)	16,000.00	100.00	-
SCB28C1904A	0.28	191261	-	0.28	0.25	0.28	0.28	0.29	-	131,676.00	3,394.00	-
SCB28P1901A	0.23	191261	-	0.26	0.22	0.22	0.22	0.23	(0.01)	41,808.00	1,037.00	-
SCB42C1903A	0.17	191261	-	0.17	0.16	0.17	0.17	0.18	-	10,200.00	166.00	-
SCC01C1901A	0.50	191261	0.50	0.51	0.50	0.51	0.51</					

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
SGP06C1812A	0.01	181261	-	-	-	-	0.01	0.02	-	-	-	-
SGP06C1903A	0.20	191261	-	0.17	0.17	0.17	0.16	0.17	(0.03)	2,750.00	47.00	-
SGP08C1901A	0.03	191261	-	-	-	-	0.01	0.02	-	-	-	-
SGP11C1904A	0.02	141261	-	-	-	-	0.02	0.04	-	-	-	-
SGP13C1812A	0.01	231161	-	-	-	-	-	0.01	-	-	-	-
SGP13C1904A	0.07	191261	-	-	-	-	0.05	0.10	-	-	-	-
SGP13C1905A	0.29	191261	-	0.26	0.25	0.26	0.26	0.27	(0.03)	40,607.00	1,052.00	-
SGP19C1904A	0.04	171261	-	-	-	-	0.04	0.05	-	-	-	-
SGP19C1905A	0.36	191261	-	0.34	0.33	0.33	0.33	0.34	(0.03)	27,500.00	908.00	-
SGP24C1902A	0.09	191261	-	-	-	-	0.07	0.08	-	-	-	-
SGP27C1903A	0.07	71261	-	-	-	-	0.04	0.05	-	-	-	-
SGP28C1903A	0.04	41261	-	-	-	-	0.01	0.03	-	-	-	-
SGP28C1904A	0.20	191261	-	0.18	0.17	0.18	0.18	0.19	(0.02)	453,804.00	7,738.00	-
SIRI01C1901A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
SIRI01C1901B	0.02	141261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI01P1901A	1.11	191261	1.16	1.16	1.13	1.15	1.13	1.16	0.04	2,492.00	288.00	1.00
SIRI06C1904A	0.04	181261	-	-	-	-	0.03	0.04	-	-	-	-
SIRI08C1903A	0.03	31261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI11C1902A	0.01	181261	-	-	-	-	0.01	0.03	-	-	-	-
SIRI13C1902A	0.03	171261	-	-	-	-	-	0.07	-	-	-	-
SIRI19C1902A	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
SIRI19C1906A	0.25	191261	0.24	0.24	0.24	0.24	0.24	0.25	(0.01)	2,030.00	49.00	-
SIRI24C1903A	0.08	141161	-	-	-	-	0.01	0.02	-	-	-	-
SIRI24C1906A	0.06	141261	-	-	-	-	0.04	0.05	-	-	-	-
SIRI28C1901A	0.01	171261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI28C1903A	0.01	191261	-	-	-	-	0.01	0.03	-	-	-	-
SIRI28C1904A	0.09	191261	-	0.08	0.08	0.08	0.08	0.09	(0.01)	200.00	2.00	-
SPAL01C1902A	0.08	191261	-	-	-	-	0.07	0.08	-	-	-	-
SPAL01C1902B	0.04	71261	-	-	-	-	0.01	0.02	-	-	-	-
SPAL11C1905A	0.03	131261	-	0.03	0.03	0.03	0.02	0.03	-	100.00	-	-
SPAL13C1903A	0.03	191261	-	-	-	-	0.03	0.07	-	-	-	-
SPAL13C1904A	0.15	191261	-	0.15	0.15	0.15	0.15	0.16	-	42,283.00	634.00	-
SPAL19C1902A	0.02	171261	-	-	-	-	0.01	0.02	-	-	-	-
SPAL19C1906A	0.33	191261	-	0.32	0.31	0.32	0.32	0.33	(0.01)	20,198.00	631.00	-
SPAL24C1905A	0.12	181261	-	-	-	-	0.11	0.12	-	-	-	-
SPRC01C1902A	0.01	191261	-	0.02	0.01	0.02	0.01	0.02	0.01	5,001.00	5.00	-
SPRC01C1902B	0.02	171261	-	0.02	0.01	0.01	0.01	0.02	(0.01)	2.00	-	-
SPRC06C1902A	0.02	181261	-	-	-	-	0.01	0.02	-	-	-	-
SPRC07C1903A	0.05	161161	-	-	-	-	0.01	0.02	-	-	-	-
SPRC08C1903A	0.05	31261	-	-	-	-	0.01	0.02	-	-	-	-
SPRC11C1902A	0.01	181261	-	-	-	-	0.01	0.02	-	-	-	-
SPRC11C1909A	0.08	191261	-	0.08	0.08	0.08	0.07	0.08	-	1,702.00	14.00	-
SPRC13C1812A	0.01	281161	-	-	-	-	-	0.01	-	-	-	-
SPRC13C1905A	0.10	191261	-	-	-	-	0.08	0.10	-	-	-	-
SPRC19C1901A	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
SPRC19C1905A	0.09	191261	0.09	0.09	0.09	0.09	0.08	0.09	-	1,700.00	15.00	-
SPRC24C1903A	0.01	141261	-	-	-	-	-	0.01	-	-	-	-
STA01C1812A	0.73	191261	0.72	0.75	0.67	0.69	0.69	0.70	(0.04)	10,309.00	737.00	-
STA01C1812B	0.39	191261	-	0.41	0.35	0.35	0.33	0.35	(0.04)	13,972.00	528.00	-
STA01C1904A	0.40	191261	-	0.41	0.37	0.37	0.37	0.38	(0.03)	34,382.00	1,328.00	-
STA01C1904B	0.32	191261	-	0.32	0.28	0.29	0.29	0.30	(0.03)	16,120.00	473.00	-
STA08C1904A	0.19	191261	-	0.20	0.17	0.18	0.18	0.19	(0.01)	5,573.00	98.00	-
STA11C1909A	0.36	191261	-	0.37	0.33	0.33	0.34	0.35	(0.03)	41,997.00	1,469.00	-
STA13C1812A	1.10	131261	-	-	-	-	-	-	-	-	-	-
STA13C1901A	0.45	191261	-	0.46	0.38	0.41	0.41	0.43	(0.04)	130,596.00	5,545.00	-
STA13C1902A	0.18	191261	0.18	0.19	0.15	0.15	0.15	0.16	(0.03)	617,846.00	10,686.00	-
STA19C1903A	0.76	191261	-	0.77	0.69	0.71	0.71	0.72	(0.05)	20,737.00	1,532.00	-
STA19C1903B	0.20	191261	-	0.20	0.17	0.18	0.17	0.18	(0.02)	15,644.00	297.00	-
STA24C1902A	0.18	191261	-	0.17	0.14	0.14	0.14	0.15	(0.04)	8,129.00	122.00	-
STA27C1904A	0.28	191261	0.28	0.29	0.25	0.25	0.26	0.27	(0.03)	39,600.00	1,071.00	-
STA28C1902A	0.24	191261	-	0.25	0.21	0.21	0.22	0.23	(0.03)	23,582.00	542.00	-
STA28C1903A	0.11	191261	0.13	0.13	0.09	0.10	0.10	0.11	(0.01)	359,884.00	3,891.00	-
STEC01C1902A	0.46	191261	0.42	0.46	0.40	0.43	0.42	0.43	(0.03)	98,674.00	4,215.00	-
STEC01C1902B	0.26	191261	0.23	0.26	0.22	0.23	0.23	0.24	(0.03)	358,040.00	8,539.00	-
STEC01P1902A	0.56	191261	0.57	0.64	0.57	0.61	0.59	0.61	0.05	147,957.00	9,033.00	-
STEC06C1903A	0.27	191261	-	0.27	0.23	0.23	0.23	0.24	(0.04)	10,000.00	246.00	-
STEC07C1904A	0.24	191261	-	0.21	0.21	0.21	0.21	0.22	(0.03)	1,000.00	21.00	-
STEC08C1903A	0.19	191261	-	0.19	0.17	0.17	0.17	0.18	(0.02)	11,016.00	193.00	-
STEC11C1903A	0.32	191261	-	0.31	0.27	0.28	0.29	0.30	(0.04)	40,930.00	1,161.00	-
STEC13C1902A	0.23	191261	-	0.23	0.20	0.20	0.21	0.22	(0.03)	105,570.00	2,288.00	-
STEC13C1903A	0.07	191261	-	0.07	0.07	0.07	0.07	0.08	-	4,000.00	28.00	-
STEC19C1901A	0.22	191261	-	0.22	0.18	0.19	0.19	0.20	(0.03)	111,015.00	2,189.00	-
STEC24C1901A	0.15	191261	-	0.15	0.12	0.13	0.12	0.13	(0.02)	310.00	4.00	-
STEC27C1902A	0.48	191261	-	-	-	-	0.46	0.48	-	-	-	-
STEC28C1902A	0.18	191261	-	0.18	0.15	0.15	0.16	0.17	(0.03)	60,716.00	948.00	-
STEC28C1903A	0.05	191261	-	0.05	0.05	0.05	0.05	0.06	-	4,000.00	20.00	-
SUPE08C1902A	0.01	191261	-	-	-	-	0.01	0.02	-	-	-	-
SUPE13C1902A	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
SUPE13C1903A	0.05	141261	-	-	-	-	0.01	0.04	-	-	-	-
SUPE19C1902A	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
SUPE19C1903A	0.02	181261	-	-	-	-	0.01	0.02	-	-	-	-
SUPE19C1906A	0.20	191261	-	0.20	0.20	0.20	0.20	0.21	-	41.00	1.00	-
SUPE23C1901A	0.05	61261	-	-	-	-	-	0.01	-	-	-	-
SUPE28C1902A	0.01	171261	-	-	-	-	0.01	0.02	-	-	-	-
TASC01C1903A	0.35	191261	0.34	0.34	0.32	0.32	0.32	0.33	(0.03)	18,596.00	622.00	-
TASC01C1903B	0.19	191261	-	0.18	0.17	0.17	0.16	0.17	(0.02)	97,929.00	1,674.00	-
TASC01P1903A	0.52	191261	0.52	0.56	0.52	0.55	0.53	0.55	0.03	54,033.00	2,936.00	-
TASC08C1903A	0.21	191261	0.21	0.21	0.19	0.19	0.19	0.20	(0.02)	10,719.00	212.00	-
TASC11C1904A	0.04	131261	-	-	-	-	0.04	0.05	-	-	-	-
TASC13C1901A	0.06	191261	-	-	-	-	0.05	0.06	-	-	-	-
TASC13C1904A	0.30	191261	-	0.29	0.27	0.27	0.28	0.29	(0.03)	51,129.00	1,428.00	-
TASC19C1902A	0.18	191261	0.18	0.18	0.16	0.16	0.16	0.17	(0.02)	2,608.00	44.00	-
TASC23C1902A	0.13	191261	-	0.13	0.12	0.12	0.11	0.13	(0.01)	15,000.00	184.00	-
TASC24C1903A	0.11	171261	-	-	-	-	0.11	0.12	-	-	-	-
TASC27C1905A	0.34	191261	-	0.31	0.31	0.31	0.32	0.34	(0.03)	600.00	19.00	-
TASC28C1902A	0.07	191261	-	0.06	0.05	0.05	0.06	0.07	(0.02)	8,100.00	49.00	-
TASC28C1904A	0.14	191261	-	0.13	0.13	0.13	0.13	0.14	(0.01)	18,414.00	239.00	-
TCAP01C1901A	0.66	191261	0.66	0.66	0.63	0.65	0.64	0.65	(0.01)	46,935.00	3,046.00	-
TCAP01C1901B	0.39	191261	0.36	0.40	0.36	0.37	0.36	0.37	(0.02)	84,203.00	3,162.00	-
TCAP01P1901A	0.09	191261	-	0.10	0.09	0.09	0.08	0.09	-	121,222.00	1,193.00	-
TCAP11C1909A	0.33	191261	-	0.33	0.31	0.32	0.32	0.33	(0.01)	14,786.00	482.00	-
TCAP13C1901A	0.38	191261	-	0.38	0.35	0.37	0.37	0.38	(0.01)	149,438.00	5,383.00	-
TCAP19C1901A	0.23	191261	-	0.23	0.20	0.22	0.22	0.23	(0.01)	39,813.00	858.00	-
TCAP24C1903A	0.14	191261	-	0.17	0.17	0.17	0.15	0.16	0.03	89.00	2.00	-
THAI01C1901A	0.10	191261	0.10	0.10	0.08							

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
THAI27C1905A	0.23	191261	-	0.23	0.20	0.21	0.21	0.22	(0.02)	13,336.00	293.00	-
THAI28C1901A	0.05	131261	-	-	-	-	0.02	0.03	-	-	-	-
THAI28C1904A	0.13	191261	-	0.13	0.12	0.12	0.11	0.12	(0.01)	43,470.00	534.00	-
THAN01C1812A	0.13	191261	0.10	0.12	0.09	0.09	0.09	0.10	(0.04)	2,606.00	28.00	-
THAN08C1904A	0.14	191261	-	0.13	0.13	0.13	0.12	0.13	(0.01)	642.00	8.00	-
THAN13C1902A	0.12	191261	0.13	0.13	0.10	0.10	0.10	0.11	(0.02)	2,599.00	31.00	-
THAN19C1903A	0.26	191261	-	0.26	0.24	0.25	0.24	0.25	(0.01)	17,943.00	438.00	-
THAN24C1903A	0.16	191261	-	-	-	-	0.13	0.14	-	-	-	-
THCO08C1906A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
THCO11C1902A	0.08	171061	-	-	-	-	0.01	0.03	-	-	-	-
THCO28C1901A	0.01	111261	-	-	-	-	-	-	-	-	-	-
TISCO1C1902A	0.59	191261	-	0.59	0.56	0.59	0.59	0.60	-	25,957.00	1,503.00	-
TISCO1C1902B	0.29	191261	-	0.28	0.27	0.28	0.28	0.29	(0.01)	30,869.00	847.00	-
TISCO7C1902A	0.43	171261	-	-	-	-	0.41	0.42	-	-	-	-
TISCO8C1903A	0.28	191261	-	0.29	0.27	0.29	0.29	0.30	0.01	8,840.00	247.00	-
TISCO11C1903A	0.06	121261	-	-	-	-	0.04	0.06	-	-	-	-
TISCO13C1812A	0.06	131261	-	-	-	-	-	0.02	-	-	-	-
TISCO13C1904A	0.49	191261	-	0.49	0.45	0.49	0.49	0.50	-	54,716.00	2,555.00	-
TISCO19C1901A	0.09	191261	-	0.09	0.08	0.09	0.09	0.10	-	12,300.00	99.00	-
TISCO24C1904A	0.29	171261	-	-	-	-	0.27	0.28	-	-	-	-
TISCO27C1905A	0.54	191261	-	0.54	0.52	0.54	0.55	0.56	-	11,850.00	625.00	-
TISCO28C1901A	0.19	191261	-	0.19	0.16	0.19	0.19	0.20	-	23,504.00	411.00	-
TISCO28C1905A	0.48	191261	-	0.49	0.46	0.49	0.50	0.51	0.01	81,852.00	3,904.00	-
TISCO42C1904A	0.30	191261	-	0.30	0.28	0.30	0.30	0.31	-	8,072.00	236.00	-
TKN01C1901A	0.02	191261	0.02	0.02	0.01	0.02	0.01	0.02	-	1,617.00	3.00	-
TKN01C1901B	0.01	191261	-	0.02	0.01	0.01	0.01	0.02	-	1,550.00	2.00	-
TKN08C1903A	0.02	191261	-	-	-	-	0.01	0.02	-	-	-	-
TKN11C1902A	0.01	181261	-	-	-	-	0.01	0.02	-	-	-	-
TKN13C1812A	0.01	61261	-	-	-	-	-	0.01	-	-	-	-
TKN13C1903A	0.02	191261	-	-	-	-	0.01	0.02	-	-	-	-
TKN13C1904A	0.05	191261	-	0.05	0.04	0.05	0.03	0.05	-	1,010.00	4.00	-
TKN13C1904B	0.31	191261	-	0.32	0.22	0.24	0.23	0.24	(0.07)	79,768.00	2,203.00	-
TKN13C1905A	0.11	191261	0.11	0.11	0.10	0.10	0.09	0.10	(0.01)	7,813.00	85.00	-
TKN19C1903A	0.01	191261	-	0.01	0.01	0.01	0.01	0.02	-	100.00	-	-
TKN19C1905A	0.19	191261	-	0.19	0.15	0.15	0.15	0.16	(0.04)	20,746.00	352.00	-
TKN23C1902A	0.01	111261	-	-	-	-	-	0.01	-	-	-	-
TKN24C1903A	0.03	301161	-	-	-	-	-	0.01	-	-	-	-
TKN24C1904A	0.03	181261	-	-	-	-	0.02	0.03	-	-	-	-
TKN28C1903A	0.01	181261	-	0.01	0.01	0.01	0.01	0.03	-	100.00	-	-
TKN28C1904A	0.02	191261	-	-	-	-	0.02	0.03	-	-	-	-
TMB01C1903A	0.22	191261	-	0.22	0.20	0.20	0.19	0.20	(0.02)	44,736.00	896.00	-
TMB01C1903B	0.16	191261	-	0.17	0.14	0.14	0.13	0.14	(0.02)	11,000.00	157.00	-
TMB01P1903A	0.37	191261	0.35	0.40	0.35	0.39	0.39	0.40	0.02	130,594.00	5,085.00	-
TMB06C1902A	0.04	191261	-	0.05	0.04	0.04	0.03	0.04	-	1,363.00	7.00	-
TMB06C1903A	0.20	191261	-	0.21	0.16	0.16	0.16	0.17	(0.04)	56,975.00	1,129.00	-
TMB07C1903A	0.16	131261	-	-	-	-	0.12	0.13	-	-	-	-
TMB08C1901A	0.02	211161	-	-	-	-	-	0.01	-	-	-	-
TMB08C1903A	0.11	191261	0.10	0.13	0.09	0.09	0.09	0.10	(0.02)	2,989.00	33.00	-
TMB11C1904A	0.04	191261	-	0.04	0.04	0.04	0.03	0.04	-	150.00	1.00	-
TMB13C1901A	0.07	191261	-	-	-	-	0.06	0.07	-	-	-	-
TMB13C1904A	0.19	191261	-	0.20	0.16	0.17	0.17	0.18	(0.02)	46,966.00	866.00	-
TMB19C1901A	0.04	171261	-	0.05	0.04	0.04	0.03	0.04	-	475.00	2.00	-
TMB23C1906A	0.23	191261	-	0.25	0.21	0.21	0.20	0.22	(0.02)	18,751.00	412.00	-
TMB24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TMB24C1902A	0.10	71261	-	0.08	0.08	0.08	0.05	0.06	(0.02)	1,000.00	8.00	-
TMB27C1903A	0.23	191261	-	0.23	0.20	0.20	0.20	0.21	(0.03)	3,629.00	76.00	-
TMB28C1901A	0.07	191261	-	0.09	0.06	0.06	0.06	0.07	(0.01)	9,296.00	69.00	-
TMB28C1904A	0.16	191261	-	0.17	0.14	0.14	0.14	0.15	(0.02)	26,432.00	390.00	-
TOA01C1901A	0.14	191261	-	0.13	0.12	0.12	0.12	0.13	(0.02)	129,046.00	1,650.00	-
TOA01C1901B	0.07	61261	-	-	-	-	0.02	0.03	-	-	-	-
TOA08C1902A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
TOA13C1812A	0.05	281161	-	-	-	-	-	0.05	-	-	-	-
TOA19C1901A	0.04	181261	-	-	-	-	0.03	0.04	-	-	-	-
TOA24C1904A	0.17	181261	-	-	-	-	0.19	0.20	-	-	-	-
TOA28C1904A	0.18	191261	-	0.18	0.17	0.17	0.18	0.19	(0.01)	45,692.00	812.00	-
TOP01C1901A	0.45	191261	0.45	0.48	0.42	0.43	0.43	0.44	(0.02)	164,883.00	7,336.00	-
TOP01C1901B	0.09	191261	-	0.09	0.08	0.08	0.08	0.09	(0.01)	24,750.00	207.00	-
TOP01C1904A	0.12	191261	0.12	0.13	0.11	0.11	0.11	0.12	(0.01)	119,606.00	1,440.00	-
TOP01C1904B	0.06	191261	0.05	0.06	0.05	0.05	0.04	0.05	(0.01)	38,502.00	193.00	-
TOP01P1901A	0.77	191261	0.78	0.79	0.74	0.78	0.76	0.78	0.01	46,389.00	3,574.00	-
TOP01P1904A	2.24	191261	-	2.28	2.20	2.26	2.24	2.26	0.02	30,556.00	6,901.00	2.00
TOP06C1903A	0.15	191261	0.15	0.16	0.14	0.14	0.14	0.15	(0.01)	23,392.00	345.00	-
TOP06C1903B	0.02	191261	-	-	-	-	0.01	0.02	-	-	-	-
TOP07C1812A	0.01	281161	-	-	-	-	-	0.01	-	-	-	-
TOP08C1902A	0.08	121261	-	-	-	-	0.02	0.03	-	-	-	-
TOP11C1905A	0.19	191261	-	0.20	0.18	0.18	0.19	0.20	(0.01)	7,655.00	148.00	-
TOP13C1901A	0.02	191261	-	0.02	0.01	0.02	0.01	0.02	-	10,001.00	10.00	-
TOP13C1902A	0.02	181261	-	-	-	-	0.01	0.02	-	-	-	-
TOP13C1904A	0.21	191261	0.21	0.23	0.20	0.21	0.21	0.22	-	38,754.00	827.00	-
TOP19C1901A	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
TOP19C1906A	0.39	191261	0.40	0.41	0.38	0.38	0.39	0.40	(0.01)	34,144.00	1,354.00	-
TOP23C1906A	0.24	191261	0.24	0.25	0.23	0.23	0.23	0.24	(0.01)	28,500.00	687.00	-
TOP24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TOP24C1902A	0.03	111261	-	-	-	-	-	0.01	-	-	-	-
TOP24C1903A	0.01	191261	-	0.02	0.01	0.01	-	0.01	-	101.00	-	-
TOP24C1905A	0.27	191261	-	-	-	-	0.27	0.28	-	-	-	-
TOP27C1903A	0.05	171261	-	0.04	0.04	0.04	0.03	0.04	(0.01)	900.00	4.00	-
TOP28C1903A	0.03	181261	-	-	-	-	0.02	0.03	-	-	-	-
TOP28C1904A	0.15	191261	-	0.16	0.14	0.14	0.14	0.15	(0.01)	53,164.00	774.00	-
TP101C1812A	0.08	191261	-	0.08	0.06	0.06	0.07	0.08	(0.02)	5,078.00	35.00	-
TP101C1812B	0.07	81161	-	-	-	-	0.01	0.02	-	-	-	-
TP101C1906A	0.30	191261	0.29	0.31	0.29	0.29	0.30	0.31	(0.01)	14,540.00	431.00	-
TP101C1906B	0.25	191261	0.24	0.26	0.24	0.24	0.25	0.26	(0.01)	24,890.00	612.00	-
TP107C1812A	0.13	121261	-	-	-	-	0.05	0.07	-	-	-	-
TP113C1902A	0.08	191261	-	0.07	0.07	0.07	0.07	0.08	(0.01)	10,348.00	72.00	-
TP119C1901A	0.05	181261	-	0.06	0.05	0.06	0.06	0.07	0.01	6,396.00	33.00	-
TP124C1902A	0.02	301161	-	-	-	-	0.01	0.02	-	-	-	-
TP1P11C1909A	0.46	191261	-	0.46	0.44	0.45	0.45	0.46	(0.01)	31,500.00	1,417.00	-
TP1P13C1902A	0.26	141261	-	-	-	-	0.23	0.24	-	-	-	-
TP1P13C1904A	0.49	191261	-	0.48	0.44	0.47	0.47	0.48	(0.02)	60,484.00	2,831.00	-
TP1P13C1905A	0.18	181261	-	0.18	0.17	0.18	0.17	0.18	-	8,398.00	149.00	-
TP1P19C1902A	0.29	191261	-	0.29	0.26	0.28	0.28	0.29	(0.01)	32,781.00	917.00	-
TP1P19C1906A	0.57	191261	-	0.57	0.53	0.56	0.56	0.57	(0.01)	16,916.00	947.00	-
TP1P24C1901A	0.16	131261	-	-	-	-	0.12	0.13	-	-	-	-
TP1P27C1812A	0.05											

Asia Plus Securities Company Limited

Daily Quotation

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
TRUE08C1902A	0.09	191261	-	0.07	0.07	0.07	0.07	0.08	(0.02)	3,840.00	27.00	-
TRUE08P1902A	0.16	191261	0.19	0.20	0.17	0.19	0.19	0.20	0.03	33,566.00	642.00	-
TRUE11C1905A	0.14	191261	-	0.13	0.12	0.12	0.12	0.13	(0.02)	11,864.00	147.00	-
TRUE13C1812A	0.01	121261	-	-	-	-	-	-	-	-	-	-
TRUE13C1901A	0.06	191261	-	0.05	0.05	0.05	0.04	0.05	(0.01)	4,000.00	20.00	-
TRUE13C1905A	0.19	191261	-	0.16	0.16	0.16	0.16	0.17	(0.03)	23,000.00	368.00	-
TRUE13P1901A	0.13	191261	-	0.16	0.13	0.16	0.15	0.16	0.03	50,014.00	758.00	-
TRUE16C1812A	0.05	191261	-	0.04	0.02	0.02	0.01	0.02	(0.03)	12,510.00	28.00	-
TRUE16C1912A	0.45	191261	-	0.40	0.40	0.40	0.39	0.41	(0.05)	51.00	2.00	-
TRUE19C1901A	0.01	181261	-	-	-	-	-	0.01	-	-	-	-
TRUE19C1903A	0.26	191261	0.24	0.26	0.22	0.22	0.23	0.24	(0.04)	21,005.00	474.00	-
TRUE19P1903A	0.23	191261	0.26	0.27	0.23	0.26	0.26	0.27	0.03	61,090.00	1,579.00	-
TRUE23C1902A	0.07	71261	-	-	-	-	0.02	0.03	-	-	-	-
TRUE27C1904A	0.14	191261	-	0.12	0.12	0.12	0.12	0.13	(0.02)	900.00	11.00	-
TRUE27P1904A	0.44	191261	-	0.48	0.44	0.48	0.47	0.48	0.04	11,000.00	517.00	-
TRUE28C1903A	0.10	191261	-	0.10	0.08	0.08	0.08	0.09	(0.02)	21,900.00	179.00	-
TTA08C1906A	0.06	191261	-	0.05	0.05	0.05	0.04	0.05	(0.01)	5.00	-	-
TTA13C1901A	0.03	161161	-	-	-	-	-	0.03	-	-	-	-
TTA23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TTA24C1902A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TU01C1901A	0.47	191261	-	0.51	0.45	0.45	0.47	0.48	(0.02)	38,550.00	1,853.00	-
TU01C1901B	0.32	191261	0.30	0.36	0.30	0.33	0.31	0.33	0.01	77,215.00	2,501.00	-
TU01P1901A	0.10	191261	0.11	0.11	0.09	0.10	0.09	0.10	-	26,192.00	260.00	-
TU06C1902A	0.10	191261	-	0.13	0.10	0.11	0.10	0.11	0.01	39,335.00	441.00	-
TU07C1902A	0.07	191261	-	0.07	0.07	0.07	0.06	0.07	-	10.00	-	-
TU11C1902A	0.04	301161	-	-	-	-	0.01	0.03	-	-	-	-
TU11C1906A	0.11	191261	-	0.12	0.10	0.11	0.11	0.12	-	8,854.00	98.00	-
TU13C1902A	0.10	191261	-	0.11	0.09	0.09	0.10	0.11	(0.01)	15,942.00	163.00	-
TU19C1901A	0.07	191261	0.07	0.08	0.07	0.07	0.07	0.08	-	4,150.00	31.00	-
TU23C1902A	0.09	181261	-	0.10	0.08	0.08	0.08	0.09	(0.01)	26,000.00	223.00	-
TU24C1901A	0.05	41261	-	-	-	-	0.01	0.02	-	-	-	-
TU24C1904A	0.28	141261	-	-	-	-	0.24	0.25	-	-	-	-
TVO01C1903A	0.19	191261	-	0.19	0.19	0.19	0.18	0.19	-	40,408.00	768.00	-
TVO01C1903B	0.14	71261	-	-	-	-	0.10	0.11	-	-	-	-
TVO11C1903A	0.03	261161	-	-	-	-	0.02	0.04	-	-	-	-
TVO13C1902A	0.06	171261	0.05	0.05	0.05	0.05	0.04	0.05	(0.01)	1,061.00	5.00	-
TVO13C1904A	0.14	181261	-	-	-	-	0.13	0.14	-	-	-	-
TVO19C1902A	0.07	131261	-	-	-	-	0.05	0.06	-	-	-	-
TVO24C1903A	0.14	151161	-	-	-	-	0.06	0.07	-	-	-	-
UNIQ08C1906A	0.06	191261	-	0.05	0.04	0.05	0.04	0.05	(0.01)	6,027.00	24.00	-
UNIQ13C1901A	0.01	181261	-	0.01	0.01	0.01	0.01	0.02	-	24,137.00	24.00	-
UNIQ23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
UV01C1902A	0.20	191261	0.20	0.20	0.17	0.17	0.17	0.18	(0.03)	87,408.00	1,550.00	-
UV01C1902B	0.10	191261	-	0.09	0.08	0.08	0.08	0.09	(0.02)	4,392.00	37.00	-
UV06C1812A	0.02	291161	-	-	-	-	-	-	-	-	-	-
UV08C1902A	0.09	171261	-	-	-	-	0.06	0.07	-	-	-	-
UV13C1812A	0.01	71261	-	-	-	-	-	-	-	-	-	-
UV13C1904A	0.17	191261	0.16	0.16	0.14	0.15	0.15	0.16	(0.02)	37,498.00	566.00	-
UV19C1902A	0.09	191261	-	-	-	-	0.07	0.08	-	-	-	-
UV24C1903A	0.26	191261	-	0.24	0.22	0.22	0.22	0.23	(0.04)	2.00	-	-
VGI01C1812A	0.58	191261	-	0.58	0.56	0.57	0.55	0.56	(0.01)	3,456.00	198.00	-
VGI06C1904A	6.00	181261	-	-	-	-	6.10	6.20	-	-	-	-
VGI06C1904B	6.00	181261	-	-	-	-	6.10	6.20	-	-	-	-
VGI06C1904C	6.05	181261	-	-	-	-	6.10	6.20	-	-	-	-
VGI23C1905A	1.34	191261	-	1.34	1.34	1.34	1.32	1.34	-	2,000.00	268.00	1.00
VGI23C1911A	1.31	191261	-	1.31	1.31	1.31	1.29	1.31	-	2,000.00	262.00	1.00
VGI27C1812A	0.05	191261	-	-	-	-	0.04	0.05	-	-	-	-
WHA01C1812A	0.53	191261	-	0.53	0.50	0.51	0.50	0.51	(0.02)	19,738.00	1,013.00	-
WHA01C1812B	0.15	191261	-	0.13	0.12	0.12	0.12	0.13	(0.03)	11,810.00	153.00	-
WHA01C1906A	0.58	191261	-	0.59	0.57	0.57	0.57	0.58	(0.01)	20,915.00	1,213.00	-
WHA01C1906B	0.47	191261	-	0.48	0.46	0.46	0.46	0.47	(0.01)	26,470.00	1,240.00	-
WHA01P1812A	0.10	191261	0.09	0.10	0.09	0.10	0.09	0.10	-	10,709.00	105.00	-
WHA01P1906A	0.62	191261	0.63	0.64	0.62	0.63	0.62	0.63	0.01	46,902.00	2,958.00	-
WHA06C1903A	0.32	191261	-	0.32	0.31	0.31	0.30	0.31	(0.01)	3,400.00	106.00	-
WHA07C1906A	0.53	131261	-	-	-	-	-	0.50	-	-	-	-
WHA08C1904A	0.24	191261	-	0.24	0.22	0.22	0.23	0.24	(0.02)	12,854.00	296.00	-
WHA11C1903A	0.12	191261	-	0.12	0.11	0.11	0.11	0.12	(0.01)	806.00	9.00	-
WHA13C1812A	0.08	191261	-	0.06	0.04	0.04	0.05	0.06	(0.04)	26,810.00	136.00	-
WHA13C1905A	0.42	191261	0.41	0.42	0.40	0.41	0.41	0.42	(0.01)	36,816.00	1,511.00	-
WHA19C1901A	0.30	191261	0.30	0.30	0.28	0.29	0.29	0.30	(0.01)	16,122.00	465.00	-
WHA23C1906A	0.36	191261	-	0.37	0.35	0.35	0.35	0.37	(0.01)	31,175.00	1,128.00	-
WHA24C1902A	0.23	191261	-	0.23	0.21	0.21	0.21	0.22	(0.02)	14,000.00	305.00	-
WHA27C1903A	0.44	191261	-	0.44	0.42	0.42	0.43	0.44	(0.02)	4,500.00	194.00	-
WHA27P1905A	0.46	191261	-	0.47	0.46	0.47	0.46	0.47	0.01	6,750.00	312.00	-
WHA28C1901A	0.27	191261	-	-	-	-	0.26	0.27	-	-	-	-
WHA28C1903A	0.17	191261	-	0.16	0.16	0.16	0.16	0.17	(0.01)	17,352.00	278.00	-
WHAU13C1902f	0.06	191261	-	-	-	-	0.05	0.06	-	-	-	-
WHAU19C1902f	0.10	191261	-	0.09	0.09	0.09	0.10	0.11	(0.01)	3,341.00	30.00	-
WHAU24C1902f	0.13	41261	-	-	-	-	0.06	0.07	-	-	-	-
WHAU27C1905f	0.13	191261	-	0.13	0.13	0.13	0.13	0.14	-	2,250.00	29.00	-
WORK01C1904f	0.06	191261	0.05	0.05	0.04	0.05	0.04	0.05	(0.01)	2,361.00	12.00	-
WORK01C1904E	0.03	171261	-	0.02	0.02	0.02	0.02	0.03	(0.01)	500.00	1.00	-
WORK08C1901f	0.01	271161	-	-	-	-	-	0.01	-	-	-	-
WORK11C1903f	0.02	191261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	12,154.00	12.00	-
WORK13C1812f	0.01	301161	-	-	-	-	-	-	-	-	-	-
WORK13C1902f	0.02	191261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	600.00	1.00	-
WORK13C1903f	0.06	191261	-	0.06	0.06	0.06	0.04	0.06	-	8.00	-	-
WORK19C1902f	0.01	171261	-	0.01	0.01	0.01	-	0.02	-	1,000.00	1.00	-
WORK19C1905f	0.15	191261	-	0.14	0.14	0.14	0.14	0.15	(0.01)	5,800.00	81.00	-
WORK24C1903f	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
WORK24C1907f	0.15	191261	-	0.14	0.14	0.14	0.14	0.15	(0.01)	9,000.00	126.00	-
WORK27C1903f	0.04	41261	-	-	-	-	0.01	0.03	-	-	-	-
WORK28C1901f	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
WORK28C1904f	0.05	171261	-	0.04	0.04	0.04	0.03	0.04	(0.01)	18,246.00	73.00	-
WORK28C1905f	0.14	191261	-	0.13	0.13	0.13	0.12	0.13	(0.01)	40,273.00	524.00	-
Preferred/Foreign												
BH-Q	23.40	210936	-	-	-	-	52.00	-	-	-	-	-
CSC-Q	76.00	0	-	-	-	-	-	-	-	-	-	-
JUTHA-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
KTB-Q	-	0	-	-	-	-	-	-	-	-	-	-
SCB-Q	170.00	211057	-	-	-	-	55.75	-	-	-	-	-
TCAP-Q	-	0	-	-	-	-	-	-	-	-	-	-
TIC-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
TISCO-Q	8.00	0	-	-	-	-	-	-	-	-	-	-
U-Q	4.00	21161	-	-	-	-	2.60	-	-	-	-	-
Warrant												
7UP-W2	0.01	191261	-	0.01	0.01	0.01	0.01	0.02	-	8,293.00	8.00	-
ACC-W1	0.02											

Foreign Board Quotation

Issue Date : Thursday December 20, 2018

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
B-W3	0.01	261061	-	-	-	0.12	-	0.01	-	-	-	-
B-W4	0.12	191261	0.13	0.13	0.12	0.12	0.11	0.12	-	4,189.00	50.00	-
BTS-W4	0.40	191261	0.38	0.39	0.34	0.36	0.36	0.37	(0.04)	865,609.00	31,558.00	-
BWG-W4	0.01	191261	0.01	0.02	0.01	0.01	0.01	0.02	-	14,192.00	14.00	-
CEN-W4	0.01	91161	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.26	191261	-	0.26	0.24	0.26	0.24	0.26	-	1,629.00	41.00	-
CGH-W3	0.05	191261	-	0.05	0.04	0.04	0.04	0.05	(0.01)	182.00	1.00	-
CI-W1	0.19	191261	-	0.20	0.17	0.19	0.18	0.19	-	1,459.00	26.00	-
CKP-W1	0.55	191261	0.55	0.55	0.53	0.54	0.54	0.55	(0.01)	74,169.00	4,010.00	-
CRANE-W1	0.98	181261	-	-	-	-	0.90	1.04	-	-	-	-
CWT-W4	0.03	191261	-	0.02	0.01	0.01	0.01	0.02	(0.02)	3,369.00	3.00	-
DCC-W1	0.77	191261	0.75	0.76	0.74	0.75	0.74	0.75	(0.02)	33,436.00	2,508.00	-
DCON-W1	2.50	131261	-	-	-	-	2.06	2.80	-	-	-	-
DIGI-W1	0.02	191261	-	0.02	0.02	0.02	0.01	0.02	-	3.00	-	-
DIGI-W2	0.02	141261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	174.00	-	-
EARTH-W4	0.09	140660	-	-	-	-	-	-	-	-	-	-
EIC-W2	0.01	241061	-	-	-	-	-	0.01	-	-	-	-
EIC-W3	0.04	61261	-	-	-	-	-	0.04	-	-	-	-
EMC-W6	0.14	191261	0.14	0.14	0.13	0.14	0.14	0.15	-	87,373.00	1,218.00	-
EVER-W3	0.03	191261	0.03	0.03	0.02	0.03	0.02	0.03	-	14,539.00	29.00	-
GJS-W3	0.01	121261	-	0.01	0.01	0.01	-	0.01	-	6.00	-	-
GSTEL-W1	0.01	20561	-	-	-	-	-	-	-	-	-	-
GSTEL-W2	0.01	40561	-	-	-	-	-	-	-	-	-	-
IEC-W2	0.01	150859	-	-	-	-	-	-	-	-	-	-
IHL-W1	4.70	141261	-	-	-	-	4.30	4.66	-	-	-	-
ITD-W1	0.08	191261	0.08	0.08	0.07	0.08	0.07	0.08	-	13,147.00	99.00	-
JAS-W3	2.00	191261	1.90	2.00	1.88	1.88	1.88	1.89	(0.12)	16,247.00	3,104.00	1.00
JCK-W5	0.48	191261	-	0.49	0.44	0.49	0.44	0.49	0.01	327.00	15.00	-
JMART-W2	0.43	191261	0.43	0.44	0.41	0.41	0.41	0.42	(0.02)	4,023.00	167.00	-
JMT-W2	2.04	191261	-	2.00	1.97	1.97	1.97	1.98	(0.07)	2,277.00	452.00	1.00
MACO-W2	0.19	191261	0.19	0.19	0.18	0.18	0.18	0.19	(0.01)	1,630.00	30.00	-
MIDA-W2	0.01	61261	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
MILL-W3	0.02	191261	-	0.02	0.02	0.02	0.01	0.02	-	1,000.00	2.00	-
MILL-W4	0.15	191261	-	0.15	0.14	0.14	0.13	0.14	(0.01)	11,321.00	158.00	-
MILL-W5	0.11	191261	-	0.12	0.11	0.11	0.11	0.12	-	2,459.00	27.00	-
ML-W2	0.02	191261	0.02	0.02	0.02	0.02	0.01	0.02	-	89.00	-	-
MONO-W1	0.31	191261	0.31	0.33	0.30	0.30	0.29	0.30	(0.01)	97,373.00	3,007.00	-
NEP-W3	0.03	181261	-	-	-	-	0.03	0.06	-	-	-	-
NOK-W1	0.30	191261	-	0.27	0.27	0.27	0.27	0.29	(0.03)	870.00	23.00	-
NUSA-W3	0.31	191261	0.33	0.35	0.31	0.32	0.32	0.33	0.01	40,691.00	1,363.00	-
NVD-W1	0.28	191261	-	0.27	0.26	0.26	0.26	0.27	(0.02)	4,000.00	106.00	-
ORI-W1	0.67	191261	0.63	0.65	0.58	0.60	0.59	0.60	(0.07)	124,967.00	7,644.00	-
PACE-W2	0.11	191261	-	0.11	0.10	0.11	0.10	0.11	-	5,613.00	56.00	-
PDI-W1	1.18	191261	1.17	1.20	1.04	1.06	1.06	1.07	(0.12)	105,818.00	11,781.00	1.00
PDJ-W2	0.96	191261	-	0.99	0.95	0.99	0.97	0.99	0.03	32.00	3.00	-
PDJ-W3	1.01	191261	1.01	1.01	0.99	0.99	0.99	1.02	(0.02)	102.00	10.00	-
PDJ-W4	1.01	191261	-	0.99	0.99	0.99	0.99	1.01	(0.02)	73.00	7.00	-
RICHY-W1	0.12	191261	0.13	0.13	0.12	0.12	0.12	0.13	-	3,755.00	45.00	-
RICHY-W2	0.12	191261	0.12	0.13	0.12	0.13	0.11	0.12	0.01	34.00	-	-
RS-W3	5.45	191261	5.35	5.35	5.15	5.25	5.25	5.30	(0.20)	5,082.00	2,660.00	5.00
S-W1	0.05	191261	-	0.05	0.04	0.04	0.04	0.05	(0.01)	64,842.00	261.00	-
SAMART-W2	0.44	191261	-	0.43	0.41	0.41	0.41	0.42	(0.03)	4,205.00	174.00	-
SAWAD-W1	7.90	191261	8.15	8.15	7.65	7.70	7.70	7.85	(0.20)	884.00	694.00	7.00
SDC-W1	0.16	191261	-	0.15	0.14	0.15	0.14	0.15	(0.01)	2,085.00	29.00	-
SMT-W1	0.01	191261	0.01	0.02	0.01	0.02	0.01	0.02	0.01	4,013.00	4.00	-
SMT-W2	0.42	191261	-	0.42	0.39	0.39	0.39	0.40	(0.03)	725.00	29.00	-
SPORT-W5	0.01	131261	-	-	-	-	-	0.01	-	-	-	-
SPORT-W7	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
SST-W2	1.51	191261	1.51	1.55	1.42	1.42	1.42	1.43	(0.09)	2,296.00	341.00	1.00
SUPER-W4	0.04	191261	0.04	0.05	0.04	0.05	0.04	0.05	0.01	43,244.00	207.00	-
SUSCO-W1	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
SVI-W3	1.95	191261	-	1.98	1.91	1.91	1.91	1.94	(0.04)	380.00	74.00	1.00
TCC-W3	0.19	191261	-	0.19	0.17	0.17	0.17	0.18	(0.02)	17,362.00	307.00	-
TCC-W4	0.18	191261	0.18	0.18	0.17	0.17	0.17	0.18	(0.01)	4,463.00	76.00	-
TCC-W5	0.32	191261	0.31	0.31	0.30	0.31	0.30	0.31	(0.01)	221.00	7.00	-
TCJ-W2	0.65	191261	0.65	0.65	0.59	0.65	0.60	0.64	-	2,137.00	134.00	-
TCMC-W2	0.06	191261	0.06	0.07	0.06	0.06	0.05	0.06	-	19,680.00	118.00	-
TFG-W1	0.50	191261	-	0.45	0.45	0.45	0.45	0.50	(0.05)	375.00	17.00	-
TFG-W2	0.33	191261	-	0.34	0.32	0.32	0.32	0.33	(0.01)	411.00	13.00	-
TGPRO-W3	0.01	191261	-	0.02	0.01	0.01	0.01	0.02	-	60.00	-	-
TH-W2	0.18	191261	-	0.19	0.17	0.17	0.17	0.19	(0.01)	6,007.00	107.00	-
THE-W2	0.03	191261	0.03	0.04	0.03	0.03	0.03	0.04	-	299,614.00	899.00	-
TNITY-W1	0.77	191261	-	0.77	0.74	0.76	0.73	0.76	(0.01)	1,004.00	76.00	-
TNPC-W1	0.22	191261	0.23	0.23	0.19	0.21	0.20	0.21	(0.01)	17,938.00	370.00	-
TRITN-W3	0.26	191261	0.25	0.26	0.24	0.25	0.24	0.25	(0.01)	37,828.00	944.00	-
TSR-W1	0.01	261161	-	-	-	-	-	-	-	-	-	-
TTA-W5	0.04	191261	0.04	0.04	0.02	0.02	0.02	0.03	(0.02)	36,286.00	104.00	-
TTCL-W1	0.94	191261	-	0.93	0.84	0.84	0.84	0.85	(0.10)	8,332.00	740.00	-
U-W1	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
U-W4	0.01	111261	-	-	-	-	-	0.01	-	-	-	-
VGI-W2	0.40	191261	0.40	0.40	0.38	0.38	0.37	0.38	(0.02)	120,837.00	4,650.00	-
VIBHA-W2	1.08	191261	1.09	1.09	1.08	1.09	1.08	1.09	0.01	1,023.00	111.00	1.00
VIBHA-W3	0.20	191261	-	0.20	0.19	0.20	0.19	0.20	-	54.00	1.00	-
WAVE-W1	0.32	191261	0.33	0.44	0.33	0.34	0.34	0.35	0.02	27,321.00	1,035.00	-
WHA-W1	7.65	191261	-	7.50	7.30	7.35	7.35	7.50	(0.30)	1,820.00	1,342.00	7.00
WORK-W1	4.90	191261	-	-	-	-	3.38	4.40	-	-	-	-
Preferred Shares												
BH-P	40.25	120159	-	-	-	-	42.25	-	-	-	-	-
CSC-P	150.00	140760	-	-	-	-	-	-	-	-	-	-
JUTHA-P	10.00	0	-	-	-	-	-	-	-	-	-	-
KTB-P	153.00	80356	-	-	-	-	-	-	-	-	-	-
SCB-P	139.00	141261	-	-	-	-	134.50	-	-	-	-	-
TCAP-P	560.00	170654	-	-	-	-	-	-	-	-	-	-
TIC-P	21.50	271156	-	-	-	-	12.40	-	-	-	-	-
TISCO-P	1,346.00	140556	-	-	-	-	-	-	-	-	-	-
U-P	3.28	191261	3.24	3.28	3.20	3.28	3.20	3.28	-	37,536.00	12,252.00	3.00
Warrant (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
2S-W1	0.03	191261	-	0.03	0.01	0.01	0.01	0.02	(0.02)	51,514.00	68.00	-
ACAP-W2	0.44	191261	0.43	0.49	0.34	0.36	0.35	0.36	(0.08)	249,516.00	10,735.00	-
AIRA-W2	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	70,715.00	71.00	-
ATP30-W1	0.70	191261	-	0.70	0.67	0.70	0.67	0.70	-	50.00	3.00	-
BKD-W2	0.20	191261	-	0.21	0.19	0.19	0.19	0.20	(0.01)	35,591.00	704.00	-
BM-W1	0.36	191261	0.31	0.35	0.31	0.35	0.31	0.34	(0.01)	907.00	30.00	-
BSM-W2	0.03	31261	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.12	191261	-	0.13	0.11	0.11	0.11	0.12	(0.01)	3,771.00	44.00	-
CIG-W7	0.01	191261	-	0.01	0.01	0.01	-	0.01	-	50,000.00	50.00	-
DIMET-W2	0.06	191261	-	0.06	0.05	0.06	0.05	0.06	-	555.00	3.00	-
ECF-W2	0.90	191261	0.78	0.82	0.43	0.45	0.45	0.46	(0.45)	200,101.00		

