

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	5.95	-	169	5.88	RS	14.80	0.30	26,812	14.63
POMPUI	-	-	-	-	HUMAN	8.95	-	8,821	8.94	SE-ED	3.06	-	300	3.06
SAFARI	-	-	-	-	ILINK	4.02	(0.10)	5,344	4.06	SMM	2.60	0.60	448,790	2.53
VI	-	-	-	-	INET	3.00	(0.04)	3,759	3.01	SPORT	0.15	-	2,682	0.14
WORLD	-	-	-	-	INTUCH	47.00	0.50	39,724	46.66	TBSP	14.80	1.40	301	14.46
WR	-	-	-	-	JAS	4.44	(0.24)	256,133	4.52	TH	0.70	-	9,209	0.70
Agribusiness					JASIF	9.90	(0.05)	93,099	9.93	TKS	8.50	(0.15)	4,931	8.52
CHOTI	130.00	4.00	1	130.00	JMART	4.80	-	5,245	4.80	TRITN	0.40	(0.01)	112,149	0.39
EE	0.61	0.01	12,623	0.61	JTS	1.34	0.02	157	1.32	VGI	7.55	0.15	61,089	7.43
GFPT	12.10	(0.20)	20,329	12.16	MFECE	2.80	0.04	9,351	2.80	WAVE	2.04	0.04	460	1.98
LEE	2.50	(0.02)	2,018	2.54	MSC	7.20	0.05	1,414	7.15	WORK	23.00	-	13,371	23.09
NER	1.73	(0.03)	170,318	1.74	PT	5.65	0.05	2,456	5.55	Finance & Securities				
PPPM	2.94	(0.16)	8,478	2.93	SAMART	6.15	(0.10)	20,237	6.12	AEC	0.44	(0.01)	4,499	0.44
STA	14.30	0.30	44,762	14.23	SAMTEL	7.10	(0.05)	171	7.16	AEONTS	172.50	(1.50)	1,188	172.52
TRUBB	1.52	0.03	1,506	1.51	SDC	0.30	-	18,330	0.30	AMANAHA	1.37	(0.01)	5,901	1.38
TPWC	7.85	-	902	7.82	SIS	9.80	-	1,515	9.72	ASAP	3.08	-	2,354	3.09
UPOIC	4.10	0.04	38	4.30	SVOA	1.18	-	3,814	1.18	ASK	23.30	-	879	23.28
UVAN	5.20	-	3,549	5.19	SYMC	4.86	0.12	208	4.79	ASP	3.06	(0.08)	48,551	3.07
VPO	0.41	-	245	0.40	SYNEX	11.40	-	841	11.39	BFIT	17.40	(0.90)	2,851	17.62
Banking					THCOM	6.05	0.05	8,292	6.04	CGH	0.93	0.03	4,034	0.92
BAY	39.00	-	830	38.94	TRUE	5.15	(0.05)	590,178	5.15	CNS	2.12	-	2,641	2.10
BBL	202.00	(1.00)	16,661	201.42	TWZ	0.09	-	446,096	0.09	ECL	1.54	(0.03)	16,785	1.56
CIMBT	0.76	-	1,094	0.77	Electronic Componer					FNS	3.52	(0.12)	820	3.57
KBANK	183.00	0.50	32,277	182.99	CCET	1.76	-	559	1.76	FSS	1.84	(0.01)	795	1.86
KKP	65.25	-	10,905	65.42	DELTA	69.00	(0.50)	3,789	69.01	GBX	0.53	(0.01)	307	0.53
KTB	19.60	(0.10)	240,148	19.59	EIC	0.04	-	6,898	0.04	GL	5.30	-	2,743	5.34
LHFG	1.38	0.01	15,601	1.37	HANA	32.00	0.25	11,871	31.90	IFS	3.02	0.04	2,879	3.00
SCB	132.00	-	39,666	132.29	KCE	26.50	1.00	47,396	26.25	JMT	10.80	-	7,785	10.75
TCAP	52.00	(0.50)	31,700	51.90	METCO	202.00	2.00	2	202.00	KCAR	10.60	-	56	10.60
TISCO	77.25	-	19,552	77.28	SMT	1.91	(0.01)	5,746	1.89	KGI	4.18	(0.04)	24,473	4.19
TMB	2.20	-	800,664	2.21	SPPT	3.80	-	2,832	3.79	KTC	30.25	0.25	45,174	30.15
Construction Materia					SVI	4.98	0.02	55,262	4.93	MBKET	10.10	-	796	10.11
CCP	0.32	(0.01)	8,840	0.32	TEAM	0.86	(0.03)	2,033	0.87	MFC	16.70	0.10	527	16.45
COTTO	2.00	(0.06)	2,043	2.02	Energy & Utilities					ML	0.96	0.02	1,182	0.96
DCC	1.96	(0.02)	29,638	1.96	ABPIF	6.05	-	2,532	6.06	MTC	48.25	-	42,212	48.13
DCON	0.49	(0.01)	24,600	0.49	AI	-	-	-	-	PE	0.20	-	3,328	0.20
DRT	5.30	-	208	5.30	AKR	0.79	(0.01)	22,075	0.80	PL	3.18	0.04	220	3.14
EPG	6.90	0.25	25,133	6.78	BAFS	32.50	(0.25)	1,134	32.16	S11	6.85	(0.05)	1,457	6.94
GEL	0.28	0.01	38,949	0.28	BANPU	15.40	(0.10)	190,013	15.49	SAWAD	45.75	1.25	54,222	45.24
PPP	2.70	-	591	2.64	BCP	31.50	(0.25)	17,898	31.48	THANI	7.20	(0.10)	36,204	7.19
Q-CON	4.88	(0.10)	63	4.60	BPCG	15.40	(0.50)	82,403	15.48	TK	8.25	(0.15)	2,810	8.10
RCI	3.82	-	1,476	3.81	BGRIM	26.25	-	33,792	26.25	TNITY	5.45	0.05	229	5.44
SCC	430.00	2.00	11,090	429.23	BPP	22.30	(0.40)	16,583	22.45	UOBKH	3.70	-	18	3.65
SCCC	204.00	(2.00)	936	205.68	BRRGIF	9.90	-	2,100	9.85	ZMICO	1.01	-	1,298	1.00
SCP	8.45	-	1,193	8.40	CKP	5.00	(0.05)	155,856	5.01	Food & Beverage				
SKN	3.68	-	2,948	3.67	DEMCO	2.72	0.04	4,546	2.69	APURE	1.22	-	2,220	1.23
TASCO	14.70	(0.30)	31,218	14.83	EA	41.75	(1.75)	188,393	41.94	ASIAN	7.00	0.20	6,985	6.98
TCMC	1.65	0.06	19,070	1.65	EARTH	-	-	-	-	BR	3.82	(0.02)	4,047	3.83
TOA	32.25	(0.50)	14,333	32.27	EASTW	10.70	-	6,001	10.70	BRR	6.00	0.15	1,023	5.76
TPIPL	1.94	(0.04)	374,204	1.93	EGATIF	11.20	-	58,164	11.20	CBG	32.75	0.50	43,356	32.84
UMI	1.32	0.06	132,634	1.30	EGCO	248.00	(2.00)	6,802	247.50	CFRESH	4.14	-	315	4.07
VNG	4.94	0.02	2,133	4.78	ESSO	10.30	(0.20)	104,309	10.31	CM	3.90	-	339	3.92
WIHK	1.90	-	2,698	1.87	GLOW	88.00	0.50	12,245	87.94	CPF	24.10	(0.40)	137,540	24.06
Petrochemicals & Chv					GPSC	62.50	(0.75)	40,048	62.35	CPI	1.49	0.04	875	1.47
BCT	44.50	(0.25)	445	43.76	GULF	78.50	1.00	38,952	77.98	F&D	17.50	(2.20)	11	15.66
CMAN	2.52	(0.04)	6,707	2.53	GUNKUL	2.80	-	113,992	2.78	HTC	13.60	(0.50)	1,655	13.69
GC	4.98	(0.02)	477	4.99	IEC	-	-	-	-	ICHI	2.98	-	5,177	2.98
GGC	9.90	0.40	10,499	9.70	IFEC	-	-	-	-	KBS	3.78	(0.02)	538	3.80
GIFT	3.64	-	168	3.60	IRPC	5.70	0.05	376,871	5.70	KSL	2.96	(0.02)	6,812	2.96
IVL	53.00	-	102,643	53.09	LANNA	11.50	(0.10)	571	11.55	KTIS	5.30	-	135	5.25
NFC	5.55	0.05	5	5.55	MDX	3.76	0.04	536	3.75	LST	3.88	(0.08)	1,093	3.89
PATO	13.00	0.10	864	12.90	PTG	8.60	-	69,248	8.63	M	73.50	0.50	1,393	73.35
PMTA	10.80	0.10	74	10.66	PTT	45.50	0.25	480,552	45.52	MALEE	7.90	(0.15)	3,808	7.97
PTTGC	71.25	(0.25)	82,319	71.16	PTTEP	113.00	1.50	84,718	112.71	MINT	34.00	(0.25)	56,027	34.02
SUTHA	3.74	0.04	1,053	3.72	RATCH	48.50	(0.25)	7,280	48.33	OISHI	80.50	1.50	11	77.73
TCCC	28.25	-	26	28.25	RPC	0.40	0.01	5,996	0.39	OSP	24.10	-	12,831	24.15
TPA	6.45	(0.10)	2	6.43	SCG	4.26	(0.02)	258	4.28	PB	60.50	0.25	108	60.27
UP	24.00	1.00	10	24.00	SCI	2.44	(0.04)	6,598	2.44	PM	8.30	(0.10)	9,669	8.14
VNT	20.60	(0.20)	5,569	20.85	SCN	4.02	0.02	1,025	3.97	PRG	13.40	(0.40)	1	13.40
WG	179.00	-	7	179.07	SGP	8.40	(0.10)	22,067	8.41	SAPPE	13.80	(0.10)	2,973	13.85
YCI	-	-	-	-	SKE	1.00	-	862	0.99	SAUCE	22.00	0.10	5	21.94
Commerce					SOLAR	2.02	0.04	3,288	2.03	SFP	-	-	-	-
BEAUTY	6.60	-	706,903	6.65	SPCG	18.20	(0.50)	9,914	18.32	SNP	19.60	0.10	4	19.50
BIG	1.24	(0.02)	23,214	1.25	SPRC	9.65	0.05	104,508	9.64	SORKON	67.25	(0.75)	13	65.27
BJC	51.00	0.50	48,159	51.02	SUPER	0.52	0.01	324,861	0.52	SSC	-	-	-	-
COL	22.00	-	584	22.05	SUSCO	2.34	(0.10)	15,530	2.35	SSF	6.40	(0.10)	110	6.45
COM7	16.30	(0.10)	50,277	16.30	TAE	2.02	-	886	2.01	SST	4.02	-	82	4.02
CPALL	69.00	-	243,680	68.90	TCC	0.39	-	359,914	0.39	TC	-	-	-	-
CSS	1.87	(0.02)	7,476	1.88	TOP	65.75	0.50	40,038	65.60	TFG	3.04	-	7,694	3.04
FN	1.40	-	3,024	1.40	TPIPP	5.60	(0.05)	163,844	5.60	TFMAMA	158.50	0.50	14	158.14
FTE	1.92	-	1,139	1.93	TTW	12.40	0.20	17,521	12.36	TIPCO	7.35	0.10	1,266	7.22
GLOBAL	18.90	(0.20)	116,576	18.75	WHAUP	5.55	(0.15)	35,734	5.54	TKN	8.05	0.10	45,065	8.03
HMPRO	15.00	-	98,671	15.03	WP	4.98	-	1,347	4.98	TU	16.20	0.10	66,802	16.24
IT	-	-	-	-	Media & Publishing					TVO	27.00	0.50	5,263	26.92
KAMART	3.36	(0.12)	17,359	3.38	AMARIN	4.94	0.04	231	4.92	Health Care Services				
LOXLEY	1.65	(0.02)	6,893	1.65	AQUA	0.39	-	111,633	0.39	AHC	17.80	0.50	138	17.57
MAKRO	32.00	-	367	31.85	AS	0.79	0.04	13	0.73	BCH	18.00	-	89,367	17.91
MC	10.70	-	5,762	10.83	BEC	4.72	-	44,709	4.75	BDMS	26.25	0.25	174,436	26.25
MEGA	29.00	0.75	3,858	28.81	EPCO	2.58	-	2,649	2.62	BH	191.50	0.50	8,225	190.08
MIDA	0.58	0.01	10,250	0.58	FE	-	-	-	-	CHG	1.94	(0.02)	316,516	1.93
ROBINS	64.00	(1.25)	15,375	64.32	GPI	2.16	0.02	930	2.14	CMR	2.32	-	1,088	2.31
RSP	3.82	(0.02)	260	3.80	GRAMMY	5.95	(0.15)	172	5.97	EKH	5.45	-	3,077	5.45
SINGER	6.60	-	1,247	6.40	MACO	1.55	-	46,853	1.53	KDH	-	-	-	-
SPC	51.50	0.50	150	51.5										

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	32.50	0.25	11,828	32.35	KWG	1.83	(0.03)	273	1.85	TRU	4.76	(0.02)	146	4.71
VIBHA	2.02	-	16,096	2.03	LALIN	4.90	(0.02)	671	4.90	TSC	13.00	-	61	12.95
VIH	6.10	(0.20)	12,760	6.16	LH	9.80	-	301,169	9.83	YNP	-	-	-	-
WPH	2.34	(0.02)	832	2.35	LPN	6.05	0.15	172,403	6.02	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	MBK	19.60	(0.20)	7,886	19.66	ALLA	1.38	0.01	1,575	1.37
ASIA	6.70	0.05	67	6.66	MJD	3.46	(0.06)	2,480	3.44	ASEFA	4.72	-	184	4.72
CENDEL	39.75	(1.00)	17,399	39.99	MK	3.70	-	6,710	3.70	CPT	0.65	-	48,224	0.66
CSR	-	-	-	-	NCH	0.87	0.03	180	0.84	CRANE	2.00	-	277	1.99
DTC	9.65	(0.20)	998	9.66	NNCL	1.61	-	8,275	1.60	CTW	7.75	(0.05)	319	7.75
ERW	6.25	0.05	13,683	6.22	NOBLE	14.00	0.10	7,777	14.00	FMT	24.70	0.50	10	24.70
GRAND	0.80	(0.01)	7,722	0.80	NUSA	0.47	(0.01)	109,873	0.47	HTECH	5.25	(0.05)	4,784	5.29
LRH	46.50	(0.75)	52	45.78	NVD	3.30	0.04	46	3.27	KKC	1.11	(0.08)	1,427	1.12
MANRIN	-	-	-	-	ORI	6.75	-	35,732	6.79	PK	2.06	(0.02)	386	2.07
OHTL	480.00	6.00	1	478.00	PACE	0.40	(0.02)	132,430	0.40	SNC	13.40	-	2,803	13.37
ROH	-	-	-	-	PF	0.71	0.02	80,729	0.69	TCJ	5.10	(0.05)	415	5.09
SHANG	76.75	0.25	6	72.83	PLAT	7.00	(0.05)	3,938	7.00	VARO	-	-	-	-
Home & Office Prods	-	-	-	-	POLAR	-	-	-	-	Property Fund & REI	-	-	-	-
ACC	0.50	-	3,697	0.49	PRECHA	1.56	(0.02)	104	1.56	AIMIRT	10.20	0.10	506	10.20
AJA	0.36	(0.01)	51,791	0.37	PRIN	1.59	0.01	8,413	1.58	AMATAR	10.80	0.10	234	10.70
DTCI	-	-	-	-	PRINC	4.68	(0.02)	2,667	4.65	B-WORK	10.60	-	2510	10.60
FANCY	0.63	(0.02)	405	0.64	PSH	17.50	(0.10)	6,730	17.42	BKKCP	12.40	(0.10)	370	12.40
KYE	402.00	(4.00)	42	402.38	QH	2.62	0.02	215,553	2.61	BOFFICE	12.60	0.30	5,532	12.43
L&E	2.58	(0.02)	559	2.58	RICHY	1.50	(0.01)	10,029	1.50	CPNCG	14.90	-	493	14.89
MODERN	3.76	-	270	3.75	RML	1.09	(0.09)	64,210	1.13	CPNREIT	25.00	0.10	7,421	24.85
OGC	33.50	0.25	3	33.33	ROJNA	4.80	-	6,368	4.80	CPTGF	12.80	0.10	32	12.73
ROCK	-	-	-	-	S	3.08	-	46,633	3.06	CRYSTAL	9.45	0.20	374	9.43
SIAM	2.08	-	812	2.06	SAMCO	1.69	(0.06)	2,481	1.69	CTARAF	4.74	-	134	4.70
TSR	1.81	-	1,569	1.81	SC	2.72	(0.04)	12,994	2.74	DREIT	5.00	-	341	5.00
Insurance	-	-	-	-	SENA	3.28	(0.08)	14,996	3.30	ERWPF	5.35	-	339	5.30
AYUD	40.50	0.25	111	40.73	SF	7.30	(0.05)	15,411	7.27	FUTUREPF	22.60	(0.10)	93	22.55
BKI	327.00	(2.00)	72	328.14	SIRI	1.21	-	398,690	1.20	GAHREIT	9.50	-	50	9.50
BLA	27.00	(0.50)	9,430	27.23	SPALI	17.60	-	38,517	17.56	GLANDRT	12.10	0.10	282	12.10
BUI	-	-	-	-	TICON	14.00	0.20	262	13.68	GOLDFP	-	-	-	-
CHARAN	33.00	1.50	123	30.25	U	2.58	(0.06)	65,014	2.58	GVREIT	14.40	-	187	14.41
INSURE	-	-	-	-	UV	6.10	(0.10)	27,669	6.00	HPF	-	-	-	-
MTI	97.00	-	96	97.02	WHA	4.00	(0.06)	1,176,621	4.04	HREIT	6.70	-	20,104	6.79
NKI	-	-	-	-	WIN	0.53	-	7,356	0.53	IMPACT	19.00	-	717	18.98
NSI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
SMK	39.25	-	13	39.50	UTP	9.25	-	9,976	9.28	LHHOTEL	16.10	-	69	16.10
THRE	0.86	-	3,184	0.87	Fashion	-	-	-	-	LHPF	8.20	0.05	13	8.20
THREL	6.40	0.05	4,730	6.42	AFC	-	-	-	-	LHSC	16.30	-	244	16.22
TIC	33.50	0.75	20	33.50	BTNC	-	-	-	-	LUXF	-	-	-	-
TIP	22.60	-	336	22.64	CPH	5.85	0.05	320	5.84	M-II	9.30	0.80	23	9.08
TQM	22.90	(0.20)	28,414	22.94	CPL	3.00	-	56	3.00	M-PAT	9.80	-	1	9.80
TSI	0.41	-	27,050	0.41	DIGI	0.21	0.01	901	0.21	M-STOR	7.50	-	23	7.48
TVI	3.70	-	244	3.70	ICC	40.50	0.25	110	40.50	MIPF	-	-	-	-
Mining	-	-	-	-	LTX	111.00	(14.00)	243	114.50	MIT	-	-	-	-
PDI	12.20	0.30	4,108	12.14	NC	-	-	-	-	MJLF	12.30	-	549	12.32
THL	-	-	-	-	PAF	0.76	-	411	0.76	MNIT	-	-	-	-
Packaging	-	-	-	-	PDJ	2.20	-	808	2.20	MNIT2	-	-	-	-
AJ	8.35	-	106	8.30	PG	5.70	0.10	129	5.50	MNRF	3.02	-	101	3.02
ALUCON	174.00	-	1	174.00	SABINA	28.50	-	184	28.42	MONTRI	5.90	(0.10)	1	5.90
BGC	10.10	0.15	16,526	10.14	SAWANG	11.10	-	10	11.10	POPF	13.20	-	1,130	13.20
CSC	41.00	(1.50)	11	41.00	SUC	45.50	0.25	454	45.35	PPF	11.20	0.10	110	11.11
NEP	0.30	(0.01)	707	0.31	TNL	18.70	0.20	1	18.70	QHHR	8.45	0.05	276	8.40
NPPG	1.16	(0.03)	122,706	1.18	TPCORP	-	-	-	-	QHOP	3.34	0.06	90	3.31
PTL	13.00	-	1,593	12.97	TR	42.50	1.25	114	42.22	QHPF	13.00	(0.10)	1,317	13.06
SITHAI	1.08	(0.02)	7,701	1.10	TTI	-	-	-	-	SBPF	2.78	(0.14)	96	2.80
SLP	0.80	(0.04)	1,971	0.82	TTL	-	-	-	-	SHREIT	8.80	(0.05)	1,234	8.64
SMPG	12.50	0.20	722	12.46	TTTTM	203.00	(4.00)	59	204.05	SIRIP	-	-	-	-
SPACK	1.64	(0.01)	41	1.62	UPF	64.75	0.75	3	64.75	SPF	23.00	(0.10)	2,279	23.04
TCOAT	28.25	(1.00)	14	28.25	UT	14.00	-	60	14.00	SRIPANWA	10.70	(0.10)	152	10.69
TFI	0.24	0.03	425	0.23	WACOAL	-	-	-	-	SSPF	9.45	0.10	100	9.45
THIP	23.50	(0.20)	106	23.57	Transportation & Log	-	-	-	-	SSTPF	6.25	(0.10)	1	6.25
TMD	21.00	(0.10)	44	20.92	AAV	4.16	(0.02)	91,025	4.19	SSTRT	-	-	-	-
TOPP	-	-	-	-	AOT	64.00	1.25	120,241	63.49	TIF1	8.65	(0.05)	154	8.69
TPBI	5.95	0.05	196	5.92	ASIMAR	2.06	(0.04)	1,978	2.03	TLGF	18.50	-	1,240	18.50
TPP	-	-	-	-	B	0.38	(0.01)	129	0.39	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BA	11.60	-	5,753	11.54	TNPF	3.46	0.04	2	3.33
APCO	3.98	(0.02)	853	3.99	BEM	9.50	(0.45)	1,757,761	9.58	TPRIME	-	-	-	-
DDD	18.80	0.30	14,241	18.81	BTS	9.45	-	149,398	9.43	TREIT	11.20	-	2,623	11.20
JCT	83.50	(0.50)	3	83.50	BTSGIF	11.60	0.10	4,338	11.57	TTLPF	22.30	-	5	22.30
OCC	16.60	0.60	4	16.45	III	4.94	0.02	1,695	4.92	TU-PF	1.70	-	10	1.70
S & J	23.40	0.10	5	23.40	JUTHA	0.61	(0.03)	1	0.61	URBNPF	4.10	0.22	1	4.10
STHAI	-	-	-	-	JWD	6.55	-	2,525	6.54	WHABT	-	-	-	-
TNR	9.80	0.10	528	9.80	KWC	-	-	-	-	WHART	10.70	-	4,007	10.78
TOG	4.36	(0.02)	1,310	4.36	NOK	2.46	-	1,060	2.44	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	4.98	-	4,465	4.98	AMC	1.78	-	847	1.77
BWG	1.02	0.02	76,133	1.01	PRM	5.05	-	25,505	5.00	BSBM	0.93	0.01	517	0.93
GENCO	0.73	(0.01)	22,325	0.73	PSL	9.70	(0.05)	18,060	9.73	CEN	1.06	-	651	1.06
PRO	-	-	-	-	RCL	4.76	(0.02)	5,026	4.77	CITY	2.26	(0.02)	574	2.25
TEAMG	1.79	(0.06)	15,827	1.83	TFFIF	10.10	-	137,937	10.10	CSP	1.12	0.07	180	1.09
Property Developer	-	-	-	-	THAI	12.60	0.10	11,520	12.62	GJS	0.12	-	26,220	0.12
A	6.65	0.05	150	6.65	TSTE	-	-	-	-	GSTEL	-	-	-	-
AMATA	20.20	-	148,101	20.17	TTA	5.20	(0.10)	11,657	5.25	INOX	0.99	0.02	130	0.98
AMATAV	4.68	(0.10)	2,237	4.75	WICE	3.60	(0.16)	13,436	3.65	LHK	3.88	(0.14)	4,409	3.94
ANAN	3.30	(0.06)	113,026	3.28	Automotive	-	-	-	-	MAX	0.02	-	69,855	0.02
AP	5.90	-	24,221	5.90	AH	18.80	(0.20)	4,783	18.81	MCS	6.65	0.05	7,237	6.65
APEX	0.20	-	4,852	0.20	APCS	4.78	(0.02)	10	4.78	MILL	1.51	0.01	10,956	1.47
AQ	0.02	(0.01)	117,097	0.02	BAT-3K	-	-	-	-	PAP	3.40	0.02	539	3.33
BLAND	1.55	(0.01)	140,674	1.55	CWT	2.70	-	478	2.70	PERM	1.89	(0.01)	1,430	1.89
BROCK	2.04	(0.02)	362	2.05	EASON	2.16	-	5,161	2.15	RICH	-	-	-	-
CGD	1.29	-	2,178	1.29	GYT	368.00	-	2	368.00	SAM	0.46	0.01	759	0.45
CI	1.25	0.01	550	1.24	HFT	2.92	0.02	4,923	2.90	SMIT	5.95	0.05	1,700	5.93
CPN	73.50	(0.50)	48,747	73.07	IHL	7.80	(0.10)	708	7.84	SSI	-	-	-	-
ESTAR	0.52	-	5,976	0.52	INGRS	0.59	-	6,087	0.59	SSSC	2.74	(0.04)	1,279	2.74
EVER	0.47	-	55,055	0.47	IRC	20.50	-	8	20.48	TGPRO	0.12	0.01	37,478	0.12
GLAND	3.10	0.02	536	3.08	PCSGH	6.95	-	1,917	6.95	THE	1.56	(0.11)	5,664	1.57
GOLD	7.00</													

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	SSP	7.55	-	2,881	7.00	ADVA01P1902A	0.97	0.01	45,639	-
ABICO	4.20	(0.10)	658	4.00	TAKUNI	0.74	(0.04)	2,783	-	ADVA01P1902B	0.71	0.03	56,820	-
AU	5.50	-	25,102	5.00	TPCH	9.00	-	6,491	9.00	ADVA01P1905A	1.30	0.03	47,806	1.00
FC	0.35	-	1,988	-	TRT	1.70	0.01	4,266	1.00	ADVA06C1903A	-	-	-	-
JCKH	0.50	(0.10)	1,527	-	TSE	2.12	(0.02)	2,713	2.00	ADVA08C1903A	0.04	-	150	-
KASET	1.78	(0.02)	463	1.00	UMS	0.62	(0.02)	43	-	ADVA11C1905A	-	-	-	-
MM	3.48	(0.02)	259	3.00	UWC	0.06	-	85,589	-	ADVA11P1905A	0.35	0.01	8,559	-
SUN	2.84	(0.12)	4,434	2.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.01	-	18,718	-
TACC	2.70	(0.02)	2,434	2.00	ADAM	-	-	-	-	ADVA13C1904A	0.15	(0.01)	173,531	-
TMILL	2.64	(0.02)	3,253	2.00	AKP	1.94	(0.04)	5,032	1.00	ADVA13C1905A	0.58	(0.02)	231,093	-
XO	10.90	-	3,827	10.00	AMA	4.72	(0.04)	1,788	4.00	ADVA13P1904A	0.86	0.02	164,643	-
Consumer Products														
BGT	1.00	-	8,134	1.00	ARIP	0.39	-	5,285	-	ADVA16C1812A	-	-	-	-
BIZ	2.20	(0.14)	5,507	2.00	ATP30	1.53	(0.02)	1,150	1.00	ADVA16C1912A	-	-	-	-
DOD	13.00	(0.40)	63,160	13.00	AUCT	5.05	(0.10)	6,108	5.00	ADVA19C1901A	-	-	-	-
ECF	2.22	0.06	40,630	2.00	BOL	2.02	0.03	1,025	2.00	ADVA19C1905A	0.43	(0.02)	36,947	-
HPT	0.76	(0.03)	889	-	CHUO	-	-	-	-	ADVA19P1904A	0.57	0.01	60,425	-
JUBILE	14.30	(0.50)	3,171	14.00	CMO	1.26	(0.06)	1,924	1.00	ADVA23C1902A	-	-	-	-
MOONG	6.40	-	481	6.00	D	9.00	(0.05)	828	8.00	ADVA24C1904A	-	-	-	-
NPK	24.40	(1.35)	1	24.00	DCORP	0.50	0.01	9,603	-	ADVA24C1905A	-	-	-	-
OCEAN	4.12	(0.04)	49,837	4.00	DNA	0.34	0.07	811,571	-	ADVA24C1907A	0.24	-	4,000	-
TM	2.00	(0.04)	259	2.00	EFORL	0.06	-	48,805	-	ADVA24P1908A	1.10	0.05	244	1.00
Financials (MAI)														
ACAP	2.80	(0.08)	7,370	2.00	ETE	0.87	(0.03)	10,885	-	ADVA27C1902A	-	-	-	-
AF	0.70	-	445	-	FSMART	5.55	0.05	12,771	5.00	ADVA28C1901A	-	-	-	-
AIRA	1.55	-	5	1.00	FVC	0.64	(0.04)	3,207	-	ADVA28C1904A	0.09	(0.01)	16,032	-
ASN	-	-	-	-	HARN	2.42	(0.04)	1,264	2.00	ADVA28C1904B	0.26	-	32,484	-
BROOK	0.41	-	36,966	-	JKN	8.00	(0.10)	8,917	8.00	ADVA28C1905A	0.43	(0.03)	31,168	-
CHAYO	3.46	(0.06)	3,437	3.00	KIAT	0.46	-	21,044	-	ADVA41C1905A	0.60	(0.40)	4,440	-
GCAP	2.22	-	1,646	2.00	KOOL	1.19	0.07	17,701	1.00	ADVA42C1903A	-	-	-	-
LIT	5.65	0.05	2,638	5.00	LDC	0.90	-	575	-	AMAT01C1903A	0.39	0.01	154,884	-
SGF	1.23	-	26,644	1.00	MPG	0.16	(0.01)	6,231	-	AMAT01C1903B	0.20	(0.01)	74,284	-
Industrials (MAI)														
2S	2.36	(0.08)	3,654	2.00	MVP	1.41	(0.06)	6,760	1.00	AMAT01P1903A	0.79	(0.01)	174,831	-
ADB	0.81	0.01	877	-	NBC	0.41	-	60	-	AMAT06C1903A	0.19	-	26,951	-
BM	2.92	(0.08)	225	2.00	NCL	1.40	(0.02)	1,916	1.00	AMAT08C1903A	0.20	-	26,920	-
CHO	1.33	(0.02)	9,927	1.00	NEWS	0.01	-	107	-	AMAT11C1903A	0.11	-	12,344	-
CHOW	4.08	(0.02)	305	4.00	NINE	2.24	0.42	199,396	2.00	AMAT13C1902A	0.04	(0.01)	10,812	-
CIG	0.31	0.01	4,017	-	OTO	1.99	(0.03)	7,494	2.00	AMAT13C1905A	0.27	-	587,403	-
COLOR	1.30	0.02	1,271	1.00	PHOL	1.67	(0.06)	1,106	1.00	AMAT19C1902A	0.22	(0.01)	139,082	-
CPR	5.30	0.05	1,260	5.00	PICO	3.70	-	50	3.00	AMAT23C1906A	0.22	-	24,010	-
FPI	1.88	(0.01)	457	1.00	PORT	5.30	(0.10)	4,336	5.00	AMAT24C1904A	0.12	(0.04)	240	-
GTB	0.58	(0.01)	1,717	-	OLT	4.00	-	62	4.00	AMAT27C1902A	0.41	(0.34)	1,800	-
KCM	0.80	(0.04)	4,828	-	RP	2.42	-	719	2.00	AMAT28C1902A	0.13	-	67,252	-
KWM	0.97	-	14,120	-	SE	1.80	(0.04)	545	1.00	AMAT28C1903A	0.03	-	29,070	-
LVT	-	-	-	-	SISB	4.22	-	10,089	4.00	ANAN08C1906A	-	-	-	-
MBAX	3.92	0.02	310	3.00	SONIC	1.27	-	4,405	1.00	ANAN13C1901A	-	-	-	-
MGT	1.76	0.01	807	1.00	SPA	11.10	0.10	3,152	11.00	ANAN23C1901A	-	-	-	-
NDR	2.00	(0.02)	173	1.00	THMUI	1.19	-	2,179	1.00	AOT01C1902A	0.36	0.04	318,155	-
PDG	2.80	-	10	2.00	TNDT	4.08	-	190	4.00	AOT01C1902B	0.12	0.03	292,551	-
PIMO	4.94	0.08	20,650	4.00	TNH	37.75	0.25	36	37.00	AOT01C1904A	0.36	0.04	208,721	-
PJW	1.41	-	2,959	1.00	TNP	1.36	(0.03)	483	1.00	AOT01C1904B	0.20	0.01	222,652	-
PPM	1.09	(0.03)	2,427	1.00	TSF	0.02	-	125,966	-	AOT01P1902A	0.72	(0.07)	81,094	-
RWI	1.70	0.02	830	1.00	TVD	1.44	-	2,434	1.00	AOT01P1902B	0.21	(0.05)	231,074	-
SALEE	1.02	-	259	1.00	TVT	0.75	(0.03)	1,495	-	AOT01P1904A	0.75	(0.05)	74,227	-
SANKO	1.09	-	125	1.00	WINNER	2.74	0.02	1,869	2.00	AOT01P1904B	0.48	(0.05)	174,352	-
SELIC	2.50	-	2,522	2.00	Technology (MAI)	-	-	-	-	AOT06C1903A	0.21	0.02	31,940	-
SWC	19.20	0.30	379	19.00	COMAN	3.12	(0.02)	159	3.00	AOT06P1903A	0.26	(0.04)	19,830	-
TMC	0.76	(0.01)	3,231	-	ICN	1.66	-	4,486	1.00	AOT07C1902A	0.29	-	2	-
TMI	0.76	-	3,463	-	IRCP	0.55	-	950	-	AOT08C1901A	-	-	-	-
TMW	64.50	0.50	211	64.00	ITEL	3.04	(0.06)	42,691	3.00	AOT08C1904A	0.25	0.02	34,944	-
TPAC	10.00	(0.50)	792	10.00	NETBAY	24.00	0.70	2,949	22.00	AOT08P1903A	0.28	(0.03)	19,188	-
TPLAS	1.47	(0.02)	5,473	1.00	PLANET	1.47	0.06	744	1.00	AOT11C1906A	0.19	0.01	44,350	-
UAC	3.98	0.06	684	3.00	SIMAT	1.98	0.12	1,480	1.00	AOT11P1906A	0.22	(0.02)	8,290	-
UBIS	5.10	0.05	1,021	5.00	SKY	12.80	-	6,256	12.00	AOT13C1902A	0.19	0.04	106,070	-
UEC	1.24	-	1,290	1.00	SPVI	1.09	(0.02)	2,491	1.00	AOT13C1904A	0.42	0.06	110,822	-
UKEM	0.62	-	5,334	-	UPA	0.35	0.02	72,929	-	AOT13P1902A	0.13	(0.02)	19,567	-
UREKA	2.10	0.08	22,154	2.00	VCOM	2.92	0.04	1,035	2.00	AOT13P1905A	0.42	(0.04)	36,955	-
YUASA	9.75	0.25	15	9.00	Unit Trust	-	-	-	-	AOT16C1912A	-	-	-	-
ZIGA	1.78	0.02	1,769	1.00	MGE	-	-	-	-	AOT19C1901A	0.12	0.02	30,573	-
Property & Construc														
ARROW	7.65	(0.15)	1,011	7.00	SCBSET	-	-	-	-	AOT19P1903A	0.16	(0.02)	37,777	-
BKD	3.06	0.02	1,059	3.00	ETF	-	-	-	-	AOT23C1906A	0.35	0.02	46,600	-
BSM	0.50	(0.01)	2,386	-	1DIV	10.84	0.04	149	10.00	AOT24C1901A	-	-	-	-
BTW	1.34	-	326	1.00	ABFTH	-	-	-	-	AOT24C1904A	-	-	-	-
CHEWA	1.07	(0.01)	14,552	1.00	BMSCG	7.41	(0.09)	338	7.00	AOT24P1903A	-	-	-	-
CMC	1.56	(0.05)	32,466	1.00	BMSCITH	11.77	0.01	4,361	11.00	AOT27C1902A	0.14	0.02	10,500	-
CRD	0.99	0.03	569	-	BSET100	9.92	-	6,885	9.00	AOT27P1903A	0.38	(0.02)	5,400	-
DIMET	0.85	-	696	-	CHINA	4.59	0.02	233	4.00	AOT28C1901A	-	-	-	-
FLOYD	1.74	-	1,145	1.00	EBANK	-	-	-	-	AOT28C1902A	0.23	0.05	120,426	-
FOCUS	1.49	0.06	9,374	1.00	ECOMM	-	-	-	-	AOT41P1905A	-	-	-	-
HYDRO	1.26	-	1,112	1.00	EFOOD	5.26	0.07	1	5.00	AOT42C1903A	0.15	0.02	14,280	-
JSP	0.46	(0.01)	18,139	-	EICT	-	-	-	-	AP01C1903A	0.01	(0.01)	3,980	-
K	2.48	-	121	2.00	ENGY	5.78	(0.02)	6	5.00	AP01C1903B	-	-	-	-
META	2.02	0.12	185,125	1.00	ENY	-	-	-	-	AP13C1903A	-	-	-	-
PPS	0.67	(0.01)	8,556	-	ESET50	-	-	-	-	AP13C1904A	-	-	-	-
SMART	0.93													

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP06C1903A	-	-	-	-	BEAU01C1812A	0.01	-	35,125	-	BLAN01C1903B	-	-	-	-
BANP07C1904A	0.05	-	253	-	BEAU01C1812B	0.01	-	49,102	-	BLAN01P1903A	0.76	0.04	5,197	-
BANP08C1904A	0.08	(0.02)	29,667	-	BEAU01C1901A	0.02	-	12,620	-	BLAN11C1902A	-	-	-	-
BANP08P1901A	0.49	0.03	31,159	-	BEAU01C1901B	0.01	(0.01)	140	-	BLAN19C1902A	-	-	-	-
BANP11C1902A	0.01	-	100	-	BEAU01C1902A	0.12	(0.01)	225,291	-	BLAN19C1906A	0.17	(0.01)	10,050	-
BANP11C1909A	0.17	(0.01)	2,000	-	BEAU01C1902B	0.05	-	13,898	-	BPP01C1903A	0.10	(0.01)	7,310	-
BANP13C1902A	-	-	-	-	BEAU01P1812A	2.36	0.02	299	2.00	BPP01C1903B	-	-	-	-
BANP13C1904A	0.12	(0.01)	100	-	BEAU01P1902A	1.43	0.02	69,155	1.00	BPP01P1903A	0.38	0.02	16,007	-
BANP16C1812A	-	-	-	-	BEAU06C1904A	0.29	(0.01)	36,423	-	BPP06C1903A	-	-	-	-
BANP16C1912A	0.41	(0.01)	5	-	BEAU08C1901A	-	-	-	-	BPP13C1901A	0.02	-	10	-
BANP19C1902A	0.03	(0.02)	29,968	-	BEAU08C1902A	0.04	-	3,600	-	BPP13C1902A	-	-	-	-
BANP19C1906A	0.29	(0.01)	34,096	-	BEAU11C1902A	0.02	0.01	1	-	BPP19C1903A	0.18	(0.02)	5,854	-
BANP23C1901A	-	-	-	-	BEAU13C1812B	-	-	-	-	BPP19C1903B	0.07	-	1,600	-
BANP23C1906A	0.19	-	50,000	-	BEAU13C1901A	0.01	-	10,000	-	BPP23C1901A	-	-	-	-
BANP24C1904A	-	-	-	-	BEAU13C1904A	0.03	(0.01)	52,113	-	BPP24C1902A	-	-	-	-
BANP24C1907A	-	-	-	-	BEAU13C1904B	0.14	0.01	580,473	-	BPP24C1904A	-	-	-	-
BANP24P1901A	-	-	-	-	BEAU19C1901A	0.03	-	5,122	-	BPP28C1902A	-	-	-	-
BANP27C1904A	-	-	-	-	BEAU19C1902A	0.01	-	500	-	BPP28C1904A	0.18	(0.02)	7,168	-
BANP27P1905A	0.57	0.01	17,150	-	BEAU23C1901A	-	-	-	-	BTS01C1903A	0.35	0.01	38,874	-
BANP28C1902A	-	-	-	-	BEAU23C1906A	0.07	(0.02)	9,600	-	BTS01C1903B	0.21	-	46,776	-
BANP28C1903A	0.03	(0.02)	8,096	-	BEAU24C1901A	-	-	-	-	BTS01P1903A	0.29	(0.01)	83,880	-
BANP28C1905A	-	-	-	-	BEAU24C1902A	-	-	-	-	BTS06C1903A	9.15	-	200	9.00
BANP42C1903A	-	-	-	-	BEAU24C1903A	0.05	(0.03)	100	-	BTS06C1903B	9.15	-	200	9.00
BANP42P1903A	0.90	0.02	12,260	-	BEAU24C1904A	-	-	-	-	BTS06C1903C	9.15	-	200	9.00
BBL06C1902A	0.39	(0.04)	8,520	-	BEAU27C1903A	-	-	-	-	BTS11C1904A	-	-	-	-
BBL08C1902A	0.17	(0.02)	33,118	-	BEAU28C1904A	0.08	(0.01)	23,788	-	BTS19C1901A	0.13	-	2,707	-
BBL08P1904A	0.36	0.01	21,612	-	BEAU41C1907A	0.27	(0.01)	200	-	BTS23C1905A	1.62	(0.01)	23,000	1.00
BBL11C1903A	0.14	(0.02)	22,273	-	BEC01C1812A	-	-	-	-	BTS24C1901A	-	-	-	-
BBL11P1903A	-	-	-	-	BEC01C1812B	-	-	-	-	BTS28C1902A	0.10	-	11,312	-
BBL13C1901A	0.08	0.01	150	-	BEC13C1901A	-	-	-	-	BTS28C1905A	0.23	-	10,280	-
BBL13C1905A	0.24	(0.01)	13,710	-	BEM01C1902A	0.55	(0.09)	272,859	-	BTS42C1901A	-	-	-	-
BBL19C1901A	0.05	-	2,000	-	BEM01C1902B	0.43	(0.10)	391,766	-	BTS42P1901A	-	-	-	-
BBL19P1904A	0.33	(0.01)	23,912	-	BEM01P1902A	0.13	0.04	828,574	-	CBG01C1902A	0.04	-	221,314	-
BBL23C1906A	0.21	-	6,500	-	BEM07C1903A	0.43	(0.09)	30	-	CBG01C1902B	0.01	(0.01)	2,680	-
BBL24C1902A	-	-	-	-	BEM08C1903A	0.34	(0.12)	77,291	-	CBG01P1905A	1.51	(0.02)	102,427	1.00
BBL24C1907A	-	-	-	-	BEM11C1903A	0.31	(0.09)	22,256	-	CBG06C1903A	0.03	-	40,485	-
BBL24P1904A	0.33	(0.03)	3,330	-	BEM13C1901A	0.40	(0.15)	9,350	-	CBG06P1903A	1.85	(0.08)	22,055	1.00
BBL27C1904A	0.26	0.01	4,050	-	BEM13C1905A	0.41	(0.10)	1,019,420	-	CBG07C1812A	-	-	-	-
BBL27P1904A	0.53	(0.02)	5,470	-	BEM13C1905B	0.15	(0.85)	19,965	-	CBG08C1902A	-	-	-	-
BBL28C1901A	0.02	-	12,046	-	BEM19C1901A	0.49	(0.17)	100,340	-	CBG11C1902A	0.03	0.01	1	-
BBL28C1904A	0.17	-	25,621	-	BEM23C1901A	0.24	(0.11)	18,415	-	CBG13C1901A	-	-	-	-
BBL42C1903A	0.12	-	3,060	-	BEM24C1902A	0.25	(0.14)	21,618	-	CBG13C1905A	0.16	0.01	225,716	-
BCH01C1902A	0.26	0.01	92,038	-	BEM27C1904A	0.31	(0.17)	14,600	-	CBG16C1912A	0.36	0.02	504	-
BCH01C1902B	0.09	0.01	18,020	-	BEM27P1905A	0.11	0.01	18,152	-	CBG19C1901A	-	-	-	-
BCH01P1902A	0.46	-	19,905	-	BEM28C1905A	0.25	(0.09)	296,590	-	CBG19C1906A	0.23	0.01	66,405	-
BCH06C1903A	0.19	(0.01)	9,600	-	BEM42C1904A	0.32	(0.08)	59,122	-	CBG23C1901A	-	-	-	-
BCH08C1901A	0.18	(0.01)	14,514	-	BEM42P1904A	0.07	0.02	3,709	-	CBG24C1901A	-	-	-	-
BCH11C1905A	0.24	-	3,050	-	BGR10C1901A	0.86	0.08	16,852	-	CBG24C1903A	-	-	-	-
BCH13C1902A	0.06	-	6,854	-	BGR10C1901B	0.39	0.05	29,168	-	CBG24C1904A	-	-	-	-
BCH13C1905A	0.22	(0.01)	41,693	-	BGR10C1903A	0.24	0.01	70,331	-	CBG28C1904A	-	-	-	-
BCH19C1903A	0.26	(0.01)	40,226	-	BGR10C1903B	0.12	-	41,621	-	CBG42C1904A	-	-	-	-
BCH24C1904A	-	-	-	-	BGR106C1903A	0.65	0.06	5,920	-	CENT01C1903A	0.36	(0.05)	64,824	-
BCH27C1902A	0.45	(0.02)	450	-	BGR107C1903A	-	-	-	-	CENT01C1903B	0.20	(0.05)	63,846	-
BCH28C1902A	0.03	(0.01)	4,096	-	BGR108C1902A	0.36	0.02	12,009	-	CENT01P1903A	0.38	0.03	55,073	-
BCH28C1904A	0.18	-	53,450	-	BGR108C1904A	0.13	-	12,174	-	CENT06C1904A	0.07	(0.03)	7,560	-
BCP01C1903A	0.11	-	15,314	-	BGR11C1909A	0.27	0.01	23,600	-	CENT08C1902A	0.06	(0.01)	4,160	-
BCP01C1903B	-	-	-	-	BGR113C1812B	-	-	-	-	CENT11C1904A	-	-	-	-
BCP01P1903A	0.49	0.02	12,358	-	BGR113C1904A	0.15	-	28,716	-	CENT11C1909A	0.33	(0.02)	45,283	-
BCP08C1901A	-	-	-	-	BGR119C1901A	0.24	0.01	17,274	-	CENT13C1902A	-	-	-	-
BCP11C1909A	0.15	(0.01)	4,400	-	BGR119C1903A	0.11	0.01	16,328	-	CENT19C1901A	0.03	(0.02)	16,250	-
BCP13C1902A	0.04	-	10	-	BGR124C1901A	0.17	(0.01)	14	-	CENT19C1904A	0.31	(0.04)	66,203	-
BCP19C1902A	-	-	-	-	BGR124C1902A	0.08	0.01	2,500	-	CENT23C1902A	-	-	-	-
BCP24C1904A	-	-	-	-	BGR127C1905A	0.15	0.01	8,550	-	CENT24C1901A	-	-	-	-
BCP24C1907A	0.13	(0.02)	1,650	-	BGR128C1901A	-	-	-	-	CENT24C1902A	-	-	-	-
BCP28C1901A	-	-	-	-	BGR128C1905A	0.15	-	50,224	-	CENT27C1905A	0.28	(0.03)	11,700	-
BCP28C1904A	-	-	-	-	BH01C1905A	0.31	-	39,861	-	CHG01C1903A	0.07	-	17,494	-
BCPG01C1904A	0.10	(0.03)	40,522	-	BH01C1905B	0.24	-	37,224	-	CHG01C1903B	0.02	-	3,300	-
BCPG01C1904B	0.05	-	440	-	BH01P1905A	0.65	0.01	29,990	-	CHG01P1903A	0.82	0.03	40,950	-
BCPG06C1903A	0.11	(0.04)	10,540	-	BH08C1902A	0.31	(0.02)	9,698	-	CHG07C1902A	-	-	-	-
BCPG08C1904A	0.04	(0.01)	2,945	-	BH11C1902A	-	-	-	-	CHG11C1904A	-	-	-	-
BCPG08C1904B	0.08	(0.02)	9,677	-	BH11C1905A	0.51	(0.01)	23,420	-	CHG13C1903A	-	-	-	-
BCPG11C1902A	0.01	(0.01)	24,999	-	BH13C1901A	0.29	-	67,677	-	CHG13C1904A	-	-	-	-
BCPG13C1812A	-	-	-	-	BH19C1901A	0.27	-	69,614	-	CHG19C1902A	-	-	-	-
BCPG13C1902A	0.01	-	252	-	BH24C1902A	-	-	-	-	CHG19C1906A	0.25	-	11,854	-
BCPG13C1904A	0.09	(0.02)	59,261	-	BH27C1905A	0.18	-	6,300	-	CHG24C1904A	0.02	(0.01)	200	-
BCPG13C1905A	0.22	(0.05)	615,072	-	BIG08C1906A	-	-	-	-	CHG24C1911A	-	-	-	-
BCPG19C1901A	0.02	(0.02)	19,038	-	BIG13C1901A	-	-	-	-	CHG27C1905A	0.08	-	3,600	-
BCPG23C1902A	0.03	(0.04)	12,000	-	BJC01C1812A	0.18	0.02	89,732	-	CHG28C1902A	-	-	-	-
BCPG24C1903A	-	-	-	-	BJC01C1812B	-	-	-	-	CHG28C1904A	0.09	-	11,264	-
BCPG27C1903A	-	-	-	-	BJC01C1906A	0.49	0.02	66,587	-	CK01C1902A	0.16	-	142,561	-
BCPG28C1901A	0.01	(0.01)	1	-	BJC01C1906B	0.39	0.02	99,121	-	CK01C1902B	-	-	-	-
BCPG28C1904A	0.08	(0.02)	79,408	-	BJC01P1812A	0.33	(0.04)	38,130	-	CK01P1902A	0.33	0.01	31,058	-
BDMS01C1905A	0.25	-	70,105	-	BJC01P1906A	0.65	(0.01)	87,815	-	CK08C1901A	-	-	-	-
BDMS01C1905B	0.20	0.01	94,662	-	BJC06C1901A	-	-	-	-	CK11C1904A	0.07	0.01	7,826	-
BDMS01P1905A	0.24	-	53,650	-	BJC06C1903A	0.21	0.02	22,801	-	CK13C1902A	0.08	(0.02)	12,500	-
BDMS06C1903A	0.10	0.01	32,400	-	BJC08C1903A	0.08	(0.01)	5,094	-	CK16C1812A	-	-	-	-
BDMS07C1904A	-	-	-	-	BJC11C1905A	0.16	0.01	10,570	-	CK16C1912A	0.28	-	40,000	-
BDMS08C1901A	-	-	-	-	BJC13C1902A	-	-	-	-	CK19C1903A	-	-	-	-
BDMS08C1905A	0.19	0.01	41,914	-	BJC13C1903A	0.14	-	42,426	-	CK24C1901A	-	-	-	-
BDMS11C1904A	-	-	-	-	BJC19C1902A	0.08	0.01	15,106	-	CK24C1904A	-	-	-	-
BDMS13C1903A	0.15													

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP27C1905A	0.18	-	900	-	DTAC19C1904A	0.32	(0.03)	32,743	-	GUNK19C1903A	0.20	-	27,500	-
CKP28C1902A	0.52	(0.03)	4,400	-	DTAC23C1906A	0.26	(0.02)	81,000	-	GUNK19C1906A	0.20	-	7,632	-
CKP28C1903A	0.10	-	13,626	-	DTAC24C1901A	-	-	-	-	GUNK24C1903A	-	-	-	-
COM706C1903A	-	-	-	-	DTAC27C1903A	0.13	(0.04)	23,850	-	GUNK27C1905A	0.17	-	4,500	-
COM708C1903A	0.07	(0.02)	6,042	-	DTAC27P1903A	0.32	0.02	25,250	-	GUNK28C1903A	0.09	(0.01)	8,620	-
COM711C1909A	0.30	(0.03)	39,400	-	DTAC28C1902A	0.09	(0.02)	44,787	-	HANA01C1905A	0.20	0.01	9,548	-
COM713C1903A	-	-	-	-	DTAC28C1905A	0.30	(0.03)	260,470	-	HANA01C1905B	0.16	0.01	33,862	-
COM713C1904A	0.15	(0.02)	78,042	-	DTAC42C1903A	0.19	(0.02)	42,880	-	HANA08C1903A	0.07	-	504	-
COM719C1904A	0.16	(0.02)	32,494	-	EA07C1903A	0.35	(0.08)	18,617	-	HANA11C1904A	-	-	-	-
COM723C1901A	-	-	-	-	EA08C1903A	0.30	(0.07)	37,856	-	HANA13C1901A	-	-	-	-
COM724C1904A	-	-	-	-	EA08C1903B	0.10	(0.03)	10,810	-	HANA13C1905A	0.14	-	35,522	-
COM727C1902A	0.08	(0.02)	8,550	-	EA11C1902A	0.03	(0.01)	30,282	-	HANA19C1902A	-	-	-	-
COM728C1903A	0.08	(0.01)	17,140	-	EA13C1812B	-	-	-	-	HANA19C1906A	0.28	-	12,082	-
CPAL01C1901A	0.07	-	94,925	-	EA13C1901A	0.02	(0.02)	22,721	-	HANA24C1903A	-	-	-	-
CPAL01C1901B	0.01	-	33,052	-	EA13C1903A	0.09	(0.02)	23,970	-	HANA28C1902A	0.02	-	507	-
CPAL01C1904A	0.62	-	139,361	-	EA13C1905A	0.26	(0.06)	61,539	-	HANA28C1904A	0.11	(0.01)	16,105	-
CPAL01C1904B	0.34	(0.02)	112,498	-	EA19C1902A	0.19	(0.06)	36,144	-	HMPR01C1902A	0.33	(0.01)	22,941	-
CPAL01P1901A	1.37	-	89,189	1.00	EA23C1901A	0.16	(0.05)	59,370	-	HMPR01C1902B	0.21	-	11,577	-
CPAL01P1901B	0.37	(0.02)	144,445	-	EA24C1901A	-	-	-	-	HMPR01P1902A	0.25	-	22,878	-
CPAL01P1904A	0.61	0.01	95,955	-	EA27C1902A	0.41	(0.15)	10,240	-	HMPR11C1906A	0.16	(0.01)	10,303	-
CPAL01P1904B	0.32	-	24,979	-	EA28C1901A	0.05	(0.03)	4,734	-	HMPR13C1905A	0.21	(0.01)	70,117	-
CPAL06C1903A	0.21	-	33,801	-	EA28C1902A	0.03	(0.02)	12,050	-	HMPR19C1901A	0.27	0.01	2,328	-
CPAL07C1902A	-	-	-	-	EGCO01C1903A	0.68	(0.01)	22,659	-	HMPR23C1901A	-	-	-	-
CPAL08C1902A	0.03	(0.02)	60	-	EGCO01C1903B	0.43	(0.03)	49,318	-	HMPR24C1901A	-	-	-	-
CPAL08C1902B	0.18	-	3,170	-	EGCO19C1901A	0.29	(0.03)	9,875	-	HMPR27C1905A	0.28	-	9,900	-
CPAL08P1904A	0.36	0.01	18,136	-	EGCO24C1901A	-	-	-	-	HMPR27P1905A	0.27	(0.02)	1,350	-
CPAL11C1903A	0.01	-	100	-	EPG01C1903A	0.11	(0.01)	24,114	-	HMPR28C1903A	0.12	-	46,816	-
CPAL11C1909A	0.39	0.01	41,810	-	EPG01C1903B	0.05	0.01	8,005	-	INTU01C1903A	0.12	0.01	2,766	-
CPAL11P1903A	0.52	-	90,642	-	EPG01P1903A	1.28	(0.07)	19,222	1.00	INTU01C1903B	0.03	-	100	-
CPAL13C1901A	0.09	-	58,502	-	EPG07C1906A	0.22	(0.06)	50	-	INTU01P1903A	1.03	-	27,022	1.00
CPAL13C1903A	0.51	-	463,631	-	EPG08C1903A	-	-	-	-	INTU01P1903B	0.79	(0.02)	26,892	-
CPAL13P1902A	0.15	(0.02)	250,455	-	EPG11C1903A	0.13	-	41,013	-	INTU11C1905A	0.04	(0.01)	14	-
CPAL16C1912A	0.82	(0.01)	1	-	EPG13C1902A	-	-	-	-	INTU11P1905A	0.45	(0.01)	12,874	-
CPAL19C1902A	0.17	-	12,264	-	EPG13C1903A	0.06	(0.01)	17,517	-	INTU13C1904A	0.12	-	114,579	-
CPAL19P1903A	0.21	(0.01)	15,300	-	EPG13C1905A	0.22	(0.78)	52,721	-	INTU19C1901A	-	-	-	-
CPAL23C1906A	0.41	-	72,000	-	EPG19C1902A	-	-	-	-	INTU19C1906A	0.29	0.02	28,206	-
CPAL24C1901A	-	-	-	-	EPG19C1904A	0.15	0.01	9,871	-	INTU24C1901A	-	-	-	-
CPAL24C1903A	-	-	-	-	EPG24C1902A	-	-	-	-	INTU24C1909A	-	-	-	-
CPAL24C1904A	-	-	-	-	EPG28C1902A	-	-	-	-	INTU28C1901A	-	-	-	-
CPAL24P1901A	-	-	-	-	EPG28C1904A	0.12	0.01	318,609	-	INTU28C1904A	0.06	-	500	-
CPAL27C1903A	0.19	(0.01)	2,700	-	ERW13C1902A	-	-	-	-	INTU28C1905A	0.23	-	47,008	-
CPAL27P1905A	0.45	0.01	11,700	-	ERW19C1902A	-	-	-	-	INTU42C1904A	0.04	(0.06)	9	-
CPAL28C1901A	0.02	(0.01)	30,529	-	ERW24C1904A	0.10	(0.02)	60	-	INTU42P1904A	0.47	-	11,016	-
CPAL28C1904A	0.31	-	101,698	-	ESS001C1812A	0.01	-	38,876	-	IRPC01C1903A	0.09	-	81,534	-
CPAL41C1901A	-	-	-	-	ESS001C1812B	-	-	-	-	IRPC01C1903B	0.03	-	2,250	-
CPAL42C1904A	0.28	(0.01)	36,432	-	ESS001C1906A	0.21	-	6,794	-	IRPC01C1906A	0.27	0.02	187,081	-
CPAL42P1904A	0.21	(0.01)	33,397	-	ESS001C1906B	0.15	(0.01)	26,791	-	IRPC01C1906B	0.21	-	243,408	-
CPF01C1902A	0.12	(0.01)	154,643	-	ESS001P1812A	1.22	0.08	3,820	1.00	IRPC01P1903A	0.72	-	87,455	-
CPF01C1902B	0.04	(0.01)	1,500	-	ESS001P1906A	0.87	0.03	12,007	-	IRPC01P1903B	0.56	(0.02)	103,796	-
CPF01P1902A	0.41	0.03	62,334	-	ESS008C1902A	-	-	-	-	IRPC06C1903A	0.06	-	3,000	-
CPF01P1902B	0.25	0.03	86,799	-	ESS011C1905A	0.13	(0.03)	5,080	-	IRPC06C1812A	-	-	-	-
CPF06C1903A	-	-	-	-	ESS013C1903A	0.02	(0.01)	3,364	-	IRPC08C1902A	-	-	-	-
CPF08C1901A	-	-	-	-	ESS013C1905A	0.12	-	601	-	IRPC11C1902A	-	-	-	-
CPF08C1904A	0.10	(0.01)	11,625	-	ESS019C1901A	-	-	-	-	IRPC11C1905A	0.09	-	4,030	-
CPF11C1902A	-	-	-	-	ESS019C1906A	0.19	(0.01)	8,968	-	IRPC13C1903A	0.11	-	292,550	-
CPF11P1902A	0.15	0.02	12,163	-	ESS024C1902A	-	-	-	-	IRPC19C1901A	0.02	(0.01)	400	-
CPF13C1902A	-	-	-	-	ESS028C1903A	-	-	-	-	IRPC19C1905A	0.20	0.01	71,226	-
CPF13C1903A	0.24	(0.04)	55,450	-	ESS028C1904A	-	-	-	-	IRPC24C1904A	0.11	0.01	6,000	-
CPF13C1905A	0.12	(0.02)	32,240	-	GFFT08C1906A	0.20	(0.02)	2,880	-	IRPC27C1903A	-	-	-	-
CPF19C1901A	0.03	(0.02)	1,502	-	GFFT13C1902A	0.03	-	7,680	-	IRPC27P1905A	0.38	(0.01)	31,501	-
CPF19C1904A	0.34	(0.03)	22,510	-	GFFT19C1903A	0.09	-	2,632	-	IRPC28C1902A	0.02	(0.01)	600	-
CPF24C1901A	-	-	-	-	GGC07C1902A	-	-	-	-	IRPC28C1904A	0.10	-	2,046	-
CPF24C1902A	-	-	-	-	GGC08C1906A	-	-	-	-	ITD06C1904A	0.03	(0.01)	811	-
CPF24C1903A	0.07	(0.01)	15	-	GGC13C1902A	-	-	-	-	ITD08C1902A	-	-	-	-
CPF24C1904A	-	-	-	-	GGC13C1905A	0.19	0.03	292,616	-	ITD11C1903A	-	-	-	-
CPF27C1903A	-	-	-	-	GGC19C1902A	0.09	-	45,754	-	ITD13C1902A	-	-	-	-
CPF28C1902A	-	-	-	-	GGC23C1901A	-	-	-	-	ITD19C1903A	0.06	(0.01)	1,406	-
CPF28C1903A	-	-	-	-	GGC24C1901A	-	-	-	-	ITD24C1902A	-	-	-	-
CPN01C1902A	0.20	(0.02)	117,960	-	GGC28C1905A	0.15	0.02	1,116,318	-	IVL01C1812A	0.01	(0.01)	144,123	-
CPN01C1902B	0.05	(0.02)	16,030	-	GLOB01C1903A	0.43	(0.03)	73,083	-	IVL01C1812B	0.01	-	9,500	-
CPN01P1902A	1.09	0.03	50,462	1.00	GLOB01C1903B	0.27	(0.02)	99,240	-	IVL01C1903A	0.27	(0.01)	171,585	-
CPN06C1903A	0.23	(0.02)	27,810	-	GLOB11C1906A	0.24	(0.02)	19,570	-	IVL01C1903B	0.14	-	48,993	-
CPN07C1902A	-	-	-	-	GLOB13C1901A	0.11	(0.01)	45,531	-	IVL01C1905A	0.46	0.01	229,500	-
CPN08C1903A	0.15	(0.03)	19,466	-	GLOB19C1901A	0.23	(0.03)	142,850	-	IVL01C1905B	0.37	(0.01)	221,040	-
CPN11C1903A	-	-	-	-	GLOB23C1906A	0.34	(0.03)	57,000	-	IVL01P1812A	0.74	(0.03)	35,925	-
CPN11P1903A	0.14	(0.01)	24,054	-	GLOB24C1903A	-	-	-	-	IVL01P1812B	0.02	(0.02)	84,090	-
CPN13C1903A	0.19	(0.02)	45,879	-	GLOB24C1906A	-	-	-	-	IVL01P1903A	1.03	-	59,340	1.00
CPN19C1901A	0.06	(0.02)	29,426	-	GLOW13C1905A	0.69	0.02	28,865	-	IVL01P1903B	0.72	(0.01)	40,520	-
CPN24C1901A	-	-	-	-	GLOW19C1901A	0.08	-	10,000	-	IVL01P1905A	0.73	-	91,667	-
CPN24C1904A	0.24	(0.01)	3,080	-	GLOW19C1906A	1.04	0.01	13,008	1.00	IVL06C1901A	-	-	-	-
CPN27C1903A	0.10	(0.04)	8,100	-	GLOW27C1812A	-	-	-	-	IVL06C1903A	0.21	(0.01)	27,160	-
CPN28C1902A	0.04	(0.01)	14,299	-	GPSC01C1902A	0.24	(0.03)	46,140	-	IVL07C1906A	-	-	-	-
CPN28C1904A	0.16	(0.03)	89,546	-	GPSC01C1902B	0.08	(0.02)	2,500	-	IVL08C1901A	0.07	-	3,672	-
DELTO6C1903A	0.70	(0.02)	400	-	GPSC01C1905A	0.87	(0.05)	106,546	-	IVL08C1905A	0.34	-	25,378	-
DELTO6C1901A	-	-	-	-	GPSC01C1905B	0.80	(0.03)	110,471	-	IVL08P1903A	0.47	(0.01)	24,354	-
DELTO6C1812A	-	-	-	-	GPSC01P1902A	1.20	0.04	198,463	1.00	IVL11C1906A	0.19	-	13,070	-
DTAC01C1902A	0.56	(0.06)	113,302	-	GPSC06C1903A	0.70	(0.06)	23,500	-	IVL13C1903A	0.11	(0.01)	66,769	-
DTAC01C1902B	0.29	(0.04)	99,347	-	GPSC08C1902A	0.06	(0.01)	400	-	IVL13C1904A	0.30	0.01	112,654	-

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN01C1904B	0.06	-	56,861	-	LPN13C1904A	-	-	-	-	PTG24C1901A	-	-	-	-
KBAN01P1901A	1.16	-	31,183	1.00	LPN19C1904A	0.01	(0.01)	21	-	PTG24C1902A	-	-	-	-
KBAN01P1901B	0.11	(0.01)	43,094	-	LPN19C1906A	0.17	0.01	11,400	-	PTG24C1904A	0.10	(0.01)	60	-
KBAN01P1904A	0.96	(0.01)	37,917	-	LPN24C1908A	-	-	-	-	PTG24C1905A	0.57	(0.05)	2	-
KBAN01P1904B	0.68	(0.01)	16,850	-	MAJO11C1902A	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN06C1903A	0.19	-	14,800	-	MAJO13C1903A	-	-	-	-	PTG28C1901A	-	-	-	-
KBAN08C1903A	-	-	-	-	MAJO19C1902A	-	-	-	-	PTG28C1904A	0.28	-	752,251	-
KBAN13C1901A	0.01	-	6	-	MAJO19C1904A	0.17	0.02	10,108	-	PTT01C1901A	0.29	0.01	371,874	-
KBAN13C1904A	0.09	-	19,976	-	MAJO24C1902A	-	-	-	-	PTT01C1901B	0.08	-	11,143	-
KBAN13C1904B	0.30	-	39,566	-	MALE01C1812A	0.01	-	105,000	-	PTT01C1904A	0.19	0.01	306,509	-
KBAN13P1905A	0.88	(0.02)	52,587	-	MALE27C1812A	-	-	-	-	PTT01C1904B	0.09	-	66,066	-
KBAN19C1901A	0.02	0.01	709	-	MEGA01C1904A	0.18	0.01	154,308	-	PTT01P1901A	0.50	(0.02)	99,692	-
KBAN19C1906A	0.57	0.01	29,941	-	MEGA01C1904B	0.10	-	9,828	-	PTT01P1901B	0.15	-	146,437	-
KBAN19P1904A	0.80	(0.02)	33,723	-	MEGA08C1903A	0.04	(0.02)	2,866	-	PTT01P1904A	0.97	(0.01)	92,703	-
KBAN23C1902A	0.04	(0.01)	345	-	MEGA11C1902A	-	-	-	-	PTT01P1904B	0.74	(0.02)	66,982	-
KBAN24C1902A	-	-	-	-	MEGA13C1902A	-	-	-	-	PTT06C1901A	0.03	-	400	-
KBAN24C1903A	-	-	-	-	MEGA19C1902A	-	-	-	-	PTT06C1903A	0.07	0.01	27,750	-
KBAN24C1908A	0.39	-	125	-	MEGA19C1906A	0.26	0.02	57,666	-	PTT06P1901A	0.38	(0.02)	24,892	-
KBAN24P1907A	-	-	-	-	MEGA23C1902A	-	-	-	-	PTT06P1903A	0.39	(0.02)	22,000	-
KBAN27C1903A	-	-	-	-	MEGA24C1903A	0.02	(0.02)	100	-	PTT07C1906A	0.23	-	500	-
KBAN27P1904A	0.79	-	1,800	-	MINT01C1901A	0.17	(0.02)	105,101	-	PTT08C1902A	0.04	-	2	-
KBAN28C1904A	0.06	-	4,013	-	MINT01C1901B	0.01	(0.01)	111	-	PTT08P1904A	0.68	(0.02)	25,704	-
KBAN28C1905A	0.26	-	83,674	-	MINT01P1901A	0.22	-	65,452	-	PTT11C1902A	0.01	(0.01)	1,144	-
KBAN28P1904A	0.57	(0.01)	18,322	-	MINT06C1901A	0.02	(0.01)	500	-	PTT11C1909A	0.19	(0.01)	3,210	-
KCE01C1903A	0.02	-	29,484	-	MINT06C1903A	-	-	-	-	PTT13C1903A	0.12	-	173,528	-
KCE01C1903B	0.02	(0.01)	30	-	MINT07C1906A	-	-	-	-	PTT13P1902A	0.47	(0.02)	132,616	-
KCE01C1906A	0.30	0.03	57,638	-	MINT08C1903A	0.06	(0.02)	1,928	-	PTT16C1912A	0.49	(0.01)	22	-
KCE01C1906B	0.24	0.03	103,022	-	MINT11C1902A	-	-	-	-	PTT19C1901A	0.04	-	40,630	-
KCE06C1903A	0.01	-	500	-	MINT11P1902A	0.07	(0.03)	5,512	-	PTT19P1903A	0.38	(0.02)	31,667	-
KCE07C1902A	-	-	-	-	MINT13C1812A	-	-	-	-	PTT23C1901A	-	-	-	-
KCE08C1902A	-	-	-	-	MINT13C1903A	0.03	-	10	-	PTT23C1906A	0.18	(0.01)	20,000	-
KCE08C1905A	0.24	0.02	11,934	-	MINT13C1904A	0.13	(0.01)	11,753	-	PTT24C1904A	-	-	-	-
KCE11C1904A	0.04	-	65	-	MINT19C1901A	0.06	(0.01)	5	-	PTT24P1901A	-	-	-	-
KCE13C1812A	-	-	-	-	MINT24C1901A	-	-	-	-	PTT24P1904A	0.32	-	76	-
KCE13C1903A	-	-	-	-	MINT24C1902A	-	-	-	-	PTT27C1903A	0.09	-	11,200	-
KCE13C1904A	0.05	0.01	3,235	-	MINT27C1903A	-	-	-	-	PTT27P1903A	0.46	-	9,000	-
KCE13C1905A	0.17	0.02	36,104	-	MINT27P1905A	0.48	0.01	1,490	-	PTT28C1901A	-	-	-	-
KCE19C1901A	-	-	-	-	MINT28C1903A	-	-	-	-	PTT28C1904A	0.16	(0.01)	17,476	-
KCE19C1906A	0.32	0.01	19,686	-	MINT28C1904A	0.11	(0.01)	2,510	-	PTT28P1903A	0.48	(0.01)	67,334	-
KCE23C1901A	-	-	-	-	MINT42C1904A	-	-	-	-	PTTE01C1901A	0.09	-	55,362	-
KCE24C1901A	-	-	-	-	MINT42P1904A	0.42	0.01	6,009	-	PTTE01C1901B	0.01	-	15	-
KCE24C1904A	-	-	-	-	MONO08C1906A	0.01	-	4,400	-	PTTE01C1904A	0.12	-	90,130	-
KCE27C1902A	-	-	-	-	MONO13C1901A	-	-	-	-	PTTE01C1904B	0.05	-	57,328	-
KCE28C1902A	-	-	-	-	MONO23C1901A	-	-	-	-	PTTE01P1901A	1.68	(0.04)	50,571	1.00
KCE28C1904A	-	-	-	-	MONO28C1901A	-	-	-	-	PTTE01P1901B	0.68	(0.06)	114,931	-
KCE28C1905A	0.18	0.01	44,203	-	MTC06C1901A	0.96	-	8,997	-	PTTE01P1904A	2.14	(0.02)	49,366	2.00
KKP01C1902A	0.16	0.01	187	-	MTC06C1903A	0.33	(0.02)	10,782	-	PTTE01P1904B	1.91	(0.04)	39,257	1.00
KKP01C1902B	-	-	-	-	MTC08C1902A	0.55	(0.01)	14,326	-	PTTE06C1903A	0.06	0.01	16,930	-
KKP08C1904A	0.15	(0.03)	12,064	-	MTC08C1904A	0.18	-	6,354	-	PTTE07C1904A	0.05	-	400	-
KKP11C1903A	-	-	-	-	MTC11C1904A	0.51	-	10,231	-	PTTE08C1904A	0.07	0.01	150	-
KKP13C1903A	0.15	-	3,066	-	MTC13C1901A	-	-	-	-	PTTE08P1904A	1.85	(0.07)	18,532	1.00
KKP19C1901A	-	-	-	-	MTC13C1903A	0.27	-	155,777	-	PTTE11C1902A	0.03	-	10,366	-
KKP24C1906A	0.19	(0.02)	770	-	MTC19C1901A	0.57	(0.02)	22,710	-	PTTE13C1812A	-	-	-	-
KKP28C1902A	-	-	-	-	MTC19C1903A	0.28	(0.01)	35,382	-	PTTE13C1902A	0.02	0.01	9,455	-
KTB01C1903A	0.27	(0.02)	28,884	-	MTC23C1906A	0.28	-	28,000	-	PTTE13C1904A	0.14	0.01	474,819	-
KTB01C1903B	0.18	(0.01)	44,790	-	MTC24C1903A	0.22	(0.06)	6,200	-	PTTE13C1905A	0.29	0.01	406,907	-
KTB01P1903A	0.47	0.02	78,467	-	MTC24C1912A	0.68	(0.01)	1,639	-	PTTE13P1901A	0.62	(0.05)	18,377	-
KTB01P1903B	0.37	0.03	78,010	-	MTC27C1904A	0.44	(0.05)	14,400	-	PTTE13P1902A	1.49	(0.10)	5,869	1.00
KTB06C1902A	0.19	(0.02)	6,200	-	MTC28C1902A	-	-	-	-	PTTE13P1905A	0.78	(0.04)	277,886	-
KTB08C1903A	0.14	(0.02)	9,024	-	MTC28C1903A	0.17	0.01	29,533	-	PTTE19C1903A	0.05	-	11,925	-
KTB11C1909A	0.23	(0.02)	12,600	-	ORI08C1904A	0.03	-	1,611	-	PTTE19C1906A	0.47	0.03	58,620	-
KTB13C1901A	-	-	-	-	ORI11C1909A	0.44	-	13,630	-	PTTE19P1903A	0.97	(0.06)	27,592	-
KTB13C1903A	0.15	(0.01)	16,572	-	ORI13C1902A	0.01	-	1	-	PTTE23C1901A	-	-	-	-
KTB19C1901A	0.16	(0.01)	8,044	-	ORI13C1904A	0.05	-	105	-	PTTE23C1906A	0.14	(0.01)	47,110	-
KTB23C1906A	0.32	-	19,031	-	ORI13C1904B	0.26	0.01	84,627	-	PTTE24C1901A	0.01	-	8,000	-
KTB24C1904A	-	-	-	-	ORI19C1904A	0.01	-	1	-	PTTE24C1904A	-	-	-	-
KTB24P1901A	0.01	-	600	-	ORI19C1905A	0.32	0.01	11,487	-	PTTE24P1901A	0.29	(0.02)	353	-
KTB24P1907A	-	-	-	-	ORI24C1903A	-	-	-	-	PTTE24P1904A	1.08	0.14	110	1.00
KTB27C1905A	0.23	(0.03)	900	-	ORI24C1905A	-	-	-	-	PTTE27C1903A	-	-	-	-
KTB28C1903A	0.11	(0.01)	150	-	ORI27C1905A	-	-	-	-	PTTE27P1904A	-	-	-	-
KTB42C1903A	0.17	(0.02)	6,100	-	ORI28C1902A	-	-	-	-	PTTE28C1902A	0.02	(0.01)	2,940	-
KTB42P1903A	0.15	0.01	8,160	-	ORI28C1904A	0.31	-	5,270	-	PTTE28C1905A	0.23	0.02	304,229	-
KTC01C1901A	0.25	0.01	105,053	-	ORI28C1904B	0.18	(0.01)	9,444	-	PTTE28P1903A	1.35	(0.05)	8,835	1.00
KTC01C1901B	0.09	(0.01)	9,543	-	PRM08C1902A	-	-	-	-	PTTE41C1905A	0.18	0.02	1,000	-
KTC08C1903A	0.22	(0.01)	14,288	-	PRM13C1901A	-	-	-	-	PTTE42C1903A	-	-	-	-
KTC11C1902A	0.56	(0.01)	3,657	-	PRM13C1904A	-	-	-	-	PTTG01C1901A	0.40	(0.01)	60,986	-
KTC13C1812B	-	-	-	-	PRM19C1902A	-	-	-	-	PTTG01C1901B	0.05	(0.01)	934	-
KTC13C1903A	0.13	-	129,506	-	PRM19C1906A	0.11	-	3,984	-	PTTG01C1904A	0.37	(0.02)	149,190	-
KTC19C1901A	0.27	(0.01)	14,818	-	PSH08C1904A	0.08	(0.01)	2,670	-	PTTG01C1904B	0.18	(0.01)	152,927	-
KTC19C1903A	0.12	(0.01)	57,971	-	PSH11C1902A	-	-	-	-	PTTG01P1901A	0.83	0.04	85,051	-
KTC19P1903A	0.38	(0.02)	92,683	-	PSH13C1903A	-	-	-	-	PTTG01P1901B	0.27	-	169,780	-
KTC27C1903A	0.24	-	5,600	-	PSH19C1903A	0.07	(0.01)	1,368	-	PTTG01P1904A	1.54	0.04	63,964	1.00
KTC27P1903A	0.22	(0.01)	14,848	-	PSL01C1812A	0.01	-	5,901	-	PTTG01P1904B	1.29	0.01	70,228	1.00
KTC27P1905A	0.50	(0.02)	18,876	-	PSL01C1812B	-	-	-	-	PTTG06C1903A	0.27	-	123,672	-
KTC28C1901A	0.01	(0.02)	1,110	-	PSL11C1905A	0.06	(0.01)	1,320	-	PTTG06P1903A	0.34	-	46,550	-
KTC28C1905A	0.30	(0.01)	88,236	-	PSL13C1903A	0.03	(0.01)	23,500	-	PTTG07C1812A	-	-	-	-
LH01C1903A	0.11	0.01	42,510	-	PSL19C1903A	0.08	(0.01)	10,993	-	PTTG08C1902A	0.05	-	752	-
LH01C1903B	0.05	-	60	-	PTG01C1902A	0.04	0.01	18,042	-	PTTG08P1904A	0.72	-	30,367	-
LH01P1903A	0.53	(0.01)	12,453	-	PTG01C1902B	-	-	-	-	PTTG11C1902A	0.01	(0.04)	1,863	-
LH06C1903A	-	-	-											

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG42P1904A	0.85	0.01	22,246	-	SAWA01P1901A	0.18	(0.04)	212,569	-	SPRC13C1905A	-	-	-	-
QH01C1903A	-	-	-	-	SAWA06C1903A	1.00	0.02	14,900	-	SPRC19C1901A	-	-	-	-
QH01C1903B	-	-	-	-	SAWA07C1812A	-	-	-	-	SPRC19C1905A	0.07	-	541	-
QH01P1903A	1.27	(0.02)	3,900	1.00	SAWA08C1902A	0.59	0.02	16,526	-	SPRC24C1903A	-	-	-	-
QH11C1902A	-	-	-	-	SAWA08C1903A	0.29	0.02	10,614	-	STA01C1812A	0.47	0.04	25,452	-
QH13C1903A	-	-	-	-	SAWA11C1906A	0.44	0.03	17,801	-	STA01C1812B	0.05	0.01	43,034	-
QH13C1904A	0.05	-	25	-	SAWA13C1901A	-	-	-	-	STA01C1904A	0.26	0.02	26,599	-
QH19C1901A	-	-	-	-	SAWA13C1903A	0.18	0.03	61,300	-	STA01C1904B	0.18	0.01	40,804	-
QH19C1904A	0.08	-	1,659	-	SAWA13C1904A	0.38	0.05	84,800	-	STA08C1904A	0.11	0.01	12,407	-
QH24C1904A	-	-	-	-	SAWA19C1901A	0.64	0.07	29,106	-	STA11C1909A	0.24	0.01	25,018	-
QH27C1903A	-	-	-	-	SAWA19C1903A	0.29	0.03	46,787	-	STA13C1901A	0.18	0.03	158,053	-
QH27P1905A	0.56	-	3,300	-	SAWA24C1902A	0.38	0.01	13,800	-	STA13C1902A	0.06	(0.02)	6,897	-
RATC19C1901A	-	-	-	-	SAWA24C1910A	0.74	0.04	1,000	-	STA19C1903A	0.49	0.04	25,412	-
RATC24C1902A	-	-	-	-	SAWA27C1903A	0.44	(0.06)	21,450	-	STA19C1903B	0.09	0.01	10,202	-
RATC27C1812A	-	-	-	-	SAWA28C1902A	0.17	-	98,196	-	STA24C1902A	0.06	0.01	562	-
ROBI01C1903A	0.54	(0.04)	133,540	-	SCB01C1902A	0.64	-	78,792	-	STA27C1904A	0.16	0.02	11,300	-
ROBI01C1903B	0.28	(0.05)	43,680	-	SCB01C1902B	0.27	0.02	232,156	-	STA28C1902A	0.10	0.01	22,528	-
ROBI06C1903A	0.24	(0.05)	15,300	-	SCB01C1904A	0.26	-	73,541	-	STA28C1903A	0.05	0.01	15,748	-
ROBI08C1903A	0.21	(0.03)	18,105	-	SCB01C1904B	0.14	-	110,078	-	STEC01C1902A	0.26	0.05	123,497	-
ROBI11C1906A	0.28	(0.04)	11,582	-	SCB01P1902A	0.39	(0.01)	91,316	-	STEC01C1902B	0.11	-	48,156	-
ROBI13C1902A	0.16	(0.04)	51,362	-	SCB01P1902B	-	-	-	-	STEC01P1902A	0.81	(0.12)	116,895	-
ROBI19C1901A	0.25	(0.05)	91,500	-	SCB01P1904A	1.18	-	43,503	1.00	STEC06C1903A	-	-	-	-
ROBI24C1901A	-	-	-	-	SCB01P1904B	0.94	(0.03)	50,845	-	STEC07C1904A	0.10	(0.03)	3,000	-
ROBI24C1903A	0.24	(0.04)	11,600	-	SCB06C1903A	0.18	-	16,250	-	STEC08C1903A	0.09	-	21,110	-
ROBI27C1905A	0.35	(0.14)	17,100	-	SCB07C1904A	-	-	-	-	STEC11C1903A	0.16	0.04	25,010	-
RS08C1901A	0.03	(0.01)	6,322	-	SCB08C1901A	0.06	-	6,892	-	STEC13C1902A	0.10	0.03	83,992	-
RS13C1901A	0.04	0.01	16,000	-	SCB11C1901A	-	-	-	-	STEC13C1903A	0.04	-	8,050	-
RS13C1905A	0.28	0.02	81,385	-	SCB11P1901A	0.14	(0.02)	4,930	-	STEC19C1901A	0.08	0.02	37,236	-
RS19C1901A	0.03	-	200	-	SCB13C1902A	0.04	(0.06)	50	-	STEC24C1901A	0.03	(0.04)	100	-
RS19C1906A	0.43	0.02	6,846	-	SCB13C1905A	0.26	(0.01)	390,229	-	STEC27C1902A	0.28	(0.20)	18,150	-
RS24C1904A	-	-	-	-	SCB13P1905A	0.58	-	85,519	-	STEC28C1902A	0.07	0.02	23,196	-
RS27C1905A	0.30	-	4,500	-	SCB19C1905A	0.36	-	16,020	-	STEC28C1903A	0.02	(0.03)	16,000	-
S10001C1911A	0.67	(0.01)	2,538	-	SCB24C1901A	-	-	-	-	SUPE08C1902A	-	-	-	-
S5001C1812F	0.01	-	125,829	-	SCB24C1902A	-	-	-	-	SUPE13C1902A	-	-	-	-
S5001C1812G	0.01	-	77,988	-	SCB24P1906A	-	-	-	-	SUPE13C1903A	-	-	-	-
S5001C1812H	0.01	-	33,878	-	SCB27C1902A	0.09	(0.01)	4,500	-	SUPE19C1902A	-	-	-	-
S5001C1812I	0.02	0.01	28,913	-	SCB27P1903A	0.29	(0.01)	10,800	-	SUPE19C1903A	-	-	-	-
S5001C1901A	0.08	(0.01)	64,450	-	SCB28C1902A	-	-	-	-	SUPE19C1906A	-	-	-	-
S5001C1901B	0.02	-	27,667	-	SCB28C1904A	0.19	-	22,864	-	SUPE23C1901A	-	-	-	-
S5001C1902A	0.18	(0.01)	368,126	-	SCB28P1901A	0.33	(0.04)	6,048	-	SUPE28C1902A	-	-	-	-
S5001C1902B	0.10	(0.02)	207,930	-	SCB42C1903A	0.12	-	16,320	-	TASCO1C1903A	0.28	(0.02)	87,566	-
S5001C1903F	0.36	(0.02)	1,322,392	-	SCC01C1901A	0.49	0.01	100,408	-	TASCO1C1903B	0.14	(0.02)	221,661	-
S5001P1812F	2.30	-	48,053	2.00	SCC01P1901B	0.20	0.02	195,148	-	TASCO1P1903A	0.56	0.01	94,139	-
S5001P1812G	1.79	(0.05)	337,642	1.00	SCC01P1901A	0.18	(0.02)	50,531	-	TASCO8C1903A	0.16	(0.02)	7,316	-
S5001P1812H	2.30	0.04	130,444	2.00	SCC06C1902A	0.06	0.01	1,000	-	TASC11C1904A	-	-	-	-
S5001P1812I	1.33	(0.06)	500,289	1.00	SCC07C1812A	-	-	-	-	TASC13C1901A	0.04	(0.01)	10,500	-
S5001P1901A	1.72	(0.02)	119,761	1.00	SCC08C1902A	0.10	0.01	14,410	-	TASC13C1904A	0.25	(0.01)	261,620	-
S5001P1901B	1.69	(0.04)	204,679	1.00	SCC11C1906A	0.11	-	4,130	-	TASC19C1902A	0.13	(0.02)	41,385	-
S5001P1902A	1.42	(0.01)	163,867	1.00	SCC13C1901A	0.08	-	6,839	-	TASC23C1902A	0.10	(0.02)	11,000	-
S5001P1902B	1.40	(0.02)	184,278	1.00	SCC13C1903A	0.09	0.01	4,076	-	TASC24C1903A	-	-	-	-
S5001P1903F	1.46	0.02	2,517,155	1.00	SCC19C1901A	0.09	-	4,000	-	TASC27C1905A	0.30	(0.01)	12,600	-
S5006C1812A	0.01	(0.01)	91,134	-	SCC24C1901A	-	-	-	-	TASC28C1902A	0.05	(0.01)	500	-
S5006C1812B	0.01	(0.01)	23,004	-	SCC24C1902A	-	-	-	-	TASC28C1904A	0.11	-	20,805	-
S5006C1812C	0.01	-	145,331	-	SCC24C1910A	0.32	0.03	30	-	TCAP01C1901A	0.54	(0.01)	39,788	-
S5006C1812D	0.02	-	10,003	-	SCC24P1901A	-	-	-	-	TCAP01C1901B	0.24	(0.02)	66,184	-
S5006C1903A	0.28	(0.02)	136,719	-	SCC27C1904A	0.22	0.01	1,800	-	TCAP01P1901A	0.12	-	172,005	-
S5006C1903B	0.40	(0.03)	18,040	-	SCC27P1904A	0.49	(0.01)	5,770	-	TCAP11C1909A	0.26	(0.03)	23,010	-
S5006C1903C	0.60	(0.02)	78,135	-	SCC28C1902A	-	-	-	-	TCAP13C1901A	0.25	(0.03)	156,656	-
S5006C1903D	0.22	(0.02)	98,295	-	SCC28C1905A	0.20	-	46,292	-	TCAP19C1901A	0.13	(0.02)	11,520	-
S5006P1812A	1.59	(0.02)	10,080	1.00	SCC42C1904A	0.11	0.01	3,460	-	TCAP24C1903A	-	-	-	-
S5006P1812B	0.18	(0.04)	163,845	-	SCC42C1812A	0.03	0.02	1	-	THAI01C1901A	0.06	(0.01)	4,066	-
S5006P1812C	0.01	-	26,908	-	SGP06C1812A	-	-	-	-	THAI01C1901B	-	-	-	-
S5006P1812D	-	-	-	-	SGP06C1903A	0.14	(0.01)	6,500	-	THAI01P1901A	0.73	(0.02)	7,358	-
S5006P1903A	1.46	0.03	6,745	1.00	SGP08C1901A	-	-	-	-	THAI08C1903A	0.06	(0.01)	2,332	-
S5006P1903B	1.22	0.06	39,429	1.00	SGP11C1904A	-	-	-	-	THAI11C1906A	0.17	(0.01)	5,522	-
S5006P1903C	1.01	0.01	18,286	1.00	SGP13C1812A	-	-	-	-	THAI13C1902A	0.05	(0.01)	12,872	-
S5006P1903D	0.95	0.01	119,236	-	SGP13C1904A	-	-	-	-	THAI19C1901A	0.03	-	1,500	-
S5008C1812A	-	-	-	-	SGP13C1905A	0.23	(0.02)	53,838	-	THAI19C1905A	0.29	-	37,704	-
S5008C1812B	-	-	-	-	SGP19C1904A	-	-	-	-	THAI23C1901A	-	-	-	-
S5008C1812C	-	-	-	-	SGP19C1905A	0.30	(0.02)	9,921	-	THAI24C1901A	-	-	-	-
S5008C1903A	0.22	(0.01)	127,094	-	SGP24C1902A	-	-	-	-	THAI27C1905A	0.19	(0.01)	12,600	-
S5008P1812A	0.09	(0.10)	688,829	-	SGP27C1903A	-	-	-	-	THAI28C1901A	-	-	-	-
S5008P1812B	-	-	-	-	SGP28C1903A	-	-	-	-	THAI28C1904A	0.10	-	19,548	-
S5008P1903A	1.00	0.01	363,979	1.00	SGP28C1904A	0.15	(0.02)	22,528	-	THAN01C1812A	0.06	(0.01)	10,930	-
S5013C1812A	0.01	-	173	-	SIRI01C1901A	-	-	-	-	THAN08C1904A	0.10	(0.01)	766	-
S5013C1812B	0.01	-	502	-	SIRI01C1901B	-	-	-	-	THAN13C1902A	0.09	-	8,224	-
S5013C1812C	-	-	-	-	SIRI01P1901A	1.33	-	4,561	1.00	THAN13C1905A	0.30	(0.70)	12,324	-
S5013C1812D	-	-	-	-	SIRI06C1904A	0.01	(0.01)	200	-	THAN19C1903A	0.21	(0.02)	11,217	-
S5013C1812E	0.01	-	1,237	-	SIRI08C1903A	-	-	-	-	THAN24C1903A	-	-	-	-
S5013C1903A	0.27	(0.02)	4,511,610	-	SIRI11C1902A	-	-	-	-	THCO08C1906A	0.02	-	101	-
S5013C1903B	0.51	(0.02)	8,536,932	-	SIRI13C1902A	-	-	-	-	THCO11C1902A	-	-	-	-
S5013P1812A	0.66	(0.05)	1,116,119	-	SIRI19C1902A	-	-	-	-	THCO28C1901A	-	-	-	-
S5013P1812B	1.83	0.06	16	1.00	SIRI19C1906A	0.18	-	800	-	TISC01C1902A	0.46	-	22,001	-
S5013P1812C	-	-	-	-	SIRI24C1903A	-	-	-	-	TISC01C1902B	0.19	-	15,379	-
S5013P1812D	-	-	-	-	SIRI24C1906A	-	-	-	-	TISC07C1902A	-	-	-	-
S5013P1812E	0.01	-	5,004	-	SIRI28C1901A	-	-	-	-	TISC08C1903A	0.20	-	9,360	-
S5013P1903A	1.63	0.01	5,386,802	1.00	SIRI28C1903A	-	-	-	-	TISC11C1903A	-	-	-	-
S5013P1903B	0.99	0.01	3,906,067	1.00	SIRI28C1904A	0.05	-	2,148	-	TISC13C1904A	0.3			

Main Board Quotation

Issue Date :

Wednesday December 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN13C1905A	-	-	-	-	TRUE19P1903A	0.32	0.02	81,899	-	Warrant	-	-	-	-
TKN19C1903A	-	-	-	-	TRUE23C1902A	-	-	-	-	7UP-W2	0.01	-	5,020	-
TKN19C1905A	0.12	0.01	9,177	-	TRUE27C1904A	-	-	-	-	ACC-W1	0.01	(0.01)	8,394	-
TKN23C1902A	-	-	-	-	TRUE27P1904A	-	-	-	-	AJA-W1	-	-	-	-
TKN24C1903A	-	-	-	-	TRUE28C1903A	0.04	(0.02)	5,199	-	ALT-W1	0.62	0.04	1,131	-
TKN24C1904A	-	-	-	-	TRUE28C1905A	0.13	(0.01)	2,014	-	APEX-W1	0.03	(0.01)	4,919	-
TKN28C1903A	-	-	-	-	TTA08C1906A	0.02	(0.01)	30,345	-	APURE-W2	0.17	-	1,524	-
TKN28C1904A	-	-	-	-	TTA13C1901A	-	-	-	-	AS-W1	0.13	0.01	104	-
TMB01C1903A	0.18	-	3,162	-	TTA23C1901A	-	-	-	-	AYUD-W1	3.74	-	5,247	3.00
TMB01C1903B	0.11	(0.01)	260	-	TTA24C1902A	-	-	-	-	B-W3	0.01	-	882	-
TMB01P1903A	0.44	0.02	21,982	-	TU01C1901A	0.39	0.01	38,603	-	B-W4	0.10	-	4,111	-
TMB06C1902A	0.03	-	5,635	-	TU01C1901B	0.24	0.02	44,594	-	BTS-W4	0.42	(0.04)	1,315,152	-
TMB06C1903A	0.12	(0.02)	5,600	-	TU01P1901A	0.13	(0.01)	31,805	-	BWG-W4	0.02	-	50,672	-
TMB07C1903A	-	-	-	-	TU06C1902A	0.07	0.01	3,940	-	CGD-W4	0.24	(0.01)	2,409	-
TMB08C1901A	-	-	-	-	TU07C1902A	-	-	-	-	CGH-W3	0.04	(0.01)	6,377	-
TMB08C1903A	0.08	-	1,200	-	TU11C1902A	-	-	-	-	CI-W1	0.15	-	572	-
TMB11C1904A	0.03	(0.01)	4,570	-	TU11C1906A	0.08	(0.01)	2,000	-	CKP-W1	0.51	(0.02)	71,615	-
TMB13C1901A	0.04	-	630	-	TU13C1902A	0.06	-	5,000	-	CRANE-W1	-	-	-	-
TMB13C1904A	-	-	-	-	TU19C1901A	0.04	-	60	-	CWT-W4	0.01	-	2,300	-
TMB19C1901A	-	-	-	-	TU23C1902A	-	-	-	-	DCC-W1	0.68	(0.02)	67,038	-
TMB19C1906A	0.22	(0.01)	5,200	-	TU24C1901A	-	-	-	-	DCON-W1	2.84	0.54	227	2.00
TMB23C1906A	0.18	(0.01)	1,500	-	TU24C1904A	-	-	-	-	DIGI-W1	0.02	-	108	-
TMB24C1901A	-	-	-	-	TVO01C1903A	0.19	0.01	32,398	-	DIGI-W2	0.01	(0.01)	11	-
TMB24C1902A	-	-	-	-	TVO01C1903B	0.10	-	27,526	-	EARTH-W4	-	-	-	-
TMB27C1903A	0.16	(0.01)	900	-	TVO11C1903A	-	-	-	-	EIC-W2	-	-	-	-
TMB28C1901A	0.02	(0.04)	4,000	-	TVO13C1902A	-	-	-	-	EIC-W3	-	-	-	-
TMB28C1904A	0.11	(0.01)	14,240	-	TVO13C1904A	0.13	-	37,468	-	EMC-W4	0.15	-	70,782	-
TOA01C1901A	0.09	(0.01)	18,238	-	TVO19C1902A	-	-	-	-	EVER-W3	0.02	(0.01)	7,330	-
TOA01C1901B	-	-	-	-	TVO19C1906A	0.29	-	9,082	-	GJS-W3	-	-	-	-
TOA08C1902A	-	-	-	-	TVO24C1903A	-	-	-	-	GSTEL-W1	-	-	-	-
TOA13C1812A	-	-	-	-	UNI08C1906A	0.03	-	110	-	GSTEL-W2	-	-	-	-
TOA19C1901A	-	-	-	-	UNI13C1901A	-	-	-	-	IEC-W2	-	-	-	-
TOA19C1906A	0.27	(0.01)	40,976	-	UNI23C1901A	-	-	-	-	IHL-W1	-	-	-	-
TOA24C1904A	-	-	-	-	UV01C1902A	0.10	(0.05)	120,415	-	ITD-W1	0.05	-	38,831	-
TOA28C1904A	0.14	(0.01)	34,392	-	UV01C1902B	0.04	(0.02)	764	-	JAS-W3	1.60	(0.13)	3,860	1.00
TOP01C1901A	0.40	0.01	73,694	-	UV08C1902A	0.05	-	707	-	JCK-W5	-	-	-	-
TOP01C1901B	0.06	-	22,642	-	UV13C1904A	0.10	-	3,261	-	JMART-W2	0.24	(0.09)	48,193	-
TOP01C1904A	0.10	(0.01)	3,987	-	UV19C1902A	0.04	(0.02)	14,000	-	JMT-W2	1.93	(0.02)	1,749	1.00
TOP01C1904B	0.04	-	4,700	-	UV24C1903A	0.13	(0.08)	2	-	MACO-W2	0.20	0.01	49,132	-
TOP01P1901A	0.75	(0.03)	34,113	-	VGI01C1812A	0.57	0.05	8,432	-	MIDA-W2	-	-	-	-
TOP01P1904A	2.26	(0.04)	10,669	2.00	VGI06C1904A	-	-	-	-	MILL-W3	0.02	0.01	502	-
TOP06C1903A	0.13	0.01	9,750	-	VGI06C1904B	-	-	-	-	MILL-W4	0.13	(0.01)	352	-
TOP06C1903B	0.02	0.01	10	-	VGI06C1904C	-	-	-	-	MILL-W5	0.10	(0.01)	2,310	-
TOP07C1812A	-	-	-	-	VGI23C1905A	1.33	0.01	16,000	1.00	ML-W2	0.01	(0.01)	44,659	-
TOP08C1902A	-	-	-	-	VGI23C1911A	1.30	0.01	9,000	1.00	MONO-W1	0.24	(0.01)	31,911	-
TOP11C1905A	0.17	-	7,320	-	VGI27C1812A	-	-	-	-	NEP-W3	-	-	-	-
TOP13C1901A	-	-	-	-	WHA01C1812A	0.38	(0.03)	103,152	-	NOK-W1	0.30	(0.01)	75	-
TOP13C1902A	0.01	-	400	-	WHA01C1812B	0.01	(0.04)	49,366	-	NUSA-W3	0.30	(0.01)	1,365	-
TOP13C1904A	0.19	-	9,620	-	WHA01C1906A	0.47	(0.01)	160,009	-	NVD-W1	0.24	-	85	-
TOP13C1905A	0.49	(0.51)	31,539	-	WHA01C1906B	0.35	(0.03)	204,340	-	ORI-W1	0.55	0.01	35,827	-
TOP19C1901A	0.01	-	399	-	WHA01P1812A	0.11	0.01	201,188	-	PACE-W2	0.08	(0.02)	277,754	-
TOP19C1906A	0.37	0.01	26,033	-	WHA01P1906A	0.71	0.03	210,689	-	PDI-W1	0.99	0.03	56,248	1.00
TOP23C1906A	0.22	-	37,500	-	WHA06C1903A	0.21	(0.01)	9,140	-	PDJ-W2	0.98	(0.02)	73	-
TOP24C1901A	-	-	-	-	WHA07C1906A	0.41	(0.11)	4,100	-	PDJ-W3	0.95	(0.01)	7	-
TOP24C1902A	-	-	-	-	WHA08C1904A	0.17	(0.01)	31,428	-	PDJ-W4	0.94	(0.01)	18	-
TOP24C1903A	-	-	-	-	WHA11C1903A	0.08	(0.01)	6,000	-	RICHY-W1	0.12	-	187	-
TOP24C1905A	0.25	(0.02)	1,200	-	WHA13C1812A	-	-	-	-	RICHY-W2	0.10	(0.01)	100	-
TOP27C1903A	-	-	-	-	WHA13C1905A	0.31	(0.04)	220,150	-	RS-W3	4.94	0.06	3,179	4.00
TOP28C1903A	-	-	-	-	WHA19C1901A	0.17	(0.04)	88,190	-	S-W1	0.03	(0.01)	12,141	-
TOP28C1904A	0.13	(0.02)	48,462	-	WHA23C1906A	0.27	(0.02)	124,270	-	SAMART-W2	0.38	(0.01)	6,571	-
TP101C1812A	-	-	-	-	WHA24C1902A	0.12	(0.03)	31,090	-	SAWAD-W1	7.30	0.10	195	7.00
TP101C1812B	-	-	-	-	WHA27C1903A	0.32	(0.13)	12,800	-	SDC-W1	0.16	-	1,903	-
TP101C1906A	0.23	-	57,825	-	WHA27P1905A	0.49	0.02	4,500	-	SMT-W1	0.02	-	4,202	-
TP101C1906B	0.17	-	59,279	-	WHA28C1901A	-	-	-	-	SMT-W2	0.38	(0.02)	2,696	-
TP107C1812A	-	-	-	-	WHA28C1903A	0.10	(0.02)	85,312	-	SPORT-W5	-	-	-	-
TP113C1902A	0.05	(0.01)	40	-	WHAU13C1902A	0.05	(0.01)	6,700	-	SPORT-W7	0.02	-	1,405	-
TP119C1901A	-	-	-	-	WHAU13C1905A	0.20	(0.05)	10,573	-	SST-W2	1.56	0.08	42,078	1.00
TP124C1902A	-	-	-	-	WHAU19C1902A	0.07	(0.03)	2,200	-	SUPER-W4	0.04	-	125,128	-
TPIP11C1909A	0.41	(0.04)	73,162	-	WHAU24C1902A	-	-	-	-	SUSCO-W1	-	-	-	-
TPIP13C1902A	0.20	(0.04)	522	-	WHAU27C1905A	0.11	(0.01)	2,700	-	SVI-W3	1.88	0.01	116	1.00
TPIP13C1904A	0.40	(0.05)	298,126	-	WORK01C1904A	0.02	(0.01)	7,075	-	TCC-W3	0.17	-	2,451	-
TPIP13C1905A	0.15	(0.02)	113,181	-	WORK01C1904B	-	-	-	-	TCC-W4	0.15	-	193	-
TPIP19C1902A	0.22	(0.04)	33,977	-	WORK08C1901A	-	-	-	-	TCC-W5	0.30	(0.01)	506	-
TPIP19C1906A	0.50	(0.05)	29,766	-	WORK11C1903A	0.01	-	150	-	TCC-W2	0.61	0.02	102	-
TPIP24C1901A	-	-	-	-	WORK13C1902A	-	-	-	-	TCMC-W2	0.06	-	3,340	-
TPIP27C1812A	-	-	-	-	WORK13C1903A	-	-	-	-	TFG-W1	0.43	0.05	120	-
TRUE01C1902A	0.15	(0.01)	482,153	-	WORK13C1905A	0.57	(0.43)	31,132	-	TFG-W2	0.29	(0.08)	3,443	-
TRUE01C1902B	0.05	(0.01)	1,201	-	WORK19C1902A	-	-	-	-	TGPRO-W3	-	-	-	-
TRUE01C1905A	0.18	-	11,635	-	WORK19C1905A	0.11	-	1,536	-	TH-W2	0.16	-	6,511	-
TRUE01C1905B	0.12	(0.01)	1,896	-	WORK24C1903A	-	-	-	-	THE-W2	0.03	-	1,863,740	-
TRUE01P1902A	0.62	0.02	136,104	-	WORK24C1907A	-	-	-	-	TNITY-W1	0.67	(0.01)	1,922	-
TRUE01P1902B	0.38	0.01	225,569	-	WORK27C1903A	-	-	-	-	TNPC-W1	0.15	(0.02)	16,414	-
TRUE01P1905A	0.66	0.02	221,606	-	WORK28C1901A	-	-	-	-	TRITN-W3	0.22	(0.01)	29,960	-
TRUE06C1906A	0.07	(0.01)	1,000	-	WORK28C1904A	-	-	-	-	TTA-W5	0.01	(0.01)	21,024	-
TRUE07C1902A	-	-	-	-	WORK28C1905A	0.09	(0.01)	24,000	-	TTCL-W1	0.82	(0.02)	14,209	-
TRUE08C1902A	0.04	(0.01)	1,000	-	Preferred/Foreign	-	-	-	-	U-W1	0.01	-	50,010	-
TRUE08P1902A	0.23	-	47,470	-	BH-Q	-	-	-	-	U-W4	0.01	-	230	-
TRUE11C1905A	0.08	(0.02)	34,038	-	CSC-Q	-	-	-	-	VGI-W2	0.37	(0.01)	58,616	-
TRUE13C1901A	0.02	(0.01)	173,700	-	JUTHA-Q	-	-	-	-	VIBHA-W2	1.02	-	456	1.00
TRUE13C1905A	0.11	(0.02)	1,250,645	-	KTB-Q	-	-	-	-	VIBHA-W3	0.16	(0.01)	7,070	-
TRUE13P1901A	0.21	0.01	1,432,373	-	SCB-Q	-	-	-	-	WAVE-W1	0.36	0.04	7,481	-
TRUE16C1812A	-	-	-	-	TCAP-Q	-	-	-	-	WHA-W1	6.70	(0.20)	1,674	6.00
TRUE16C1912A	0.35	(0.02)	250	-	TIC-Q	-	-	-	-	WORK-W1	3.50	0.50	7	3.00
TRUE19C1901A	-	-	-	-	TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-
TRUE19C1903A	0.16	(0.03)	12,510	-	U-Q	-	-	-	-	BH-P	-	-	-	-

CSC-P

JUTHA-P

