

Main Board Quotation

Issue Date :

Thursday December 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	5.95	-	1,322	5.91	RS	14.80	-	50,743	15.09
POMPUI	-	-	-	-	HUMAN	9.20	0.25	6,313	9.20	SE-ED	3.08	0.02	242	3.10
SAFARI	-	-	-	-	ILINK	4.08	0.06	1,321	4.10	SMM	2.80	0.20	395,683	2.97
VI	-	-	-	-	INET	3.02	0.02	1,207	3.03	SPORT	0.15	-	3,694	0.14
WORLD	-	-	-	-	INTUCH	47.00	-	74,736	47.52	TBSP	15.50	0.70	186	15.27
WR	-	-	-	-	JAS	4.36	(0.08)	228,196	4.49	TH	0.70	-	6,843	0.70
Agribusiness					JASIF	9.90	-	102,836	9.94	TKS	8.55	0.05	3,304	8.61
CHOTI	133.00	3.00	6	132.58	JMART	4.76	(0.04)	8,567	4.80	TRITN	0.38	(0.02)	195,389	0.39
EE	0.61	-	15,291	0.61	JTS	1.34	-	1,543	1.36	VGI	7.50	(0.05)	128,791	7.60
GFPT	12.00	(0.10)	16,329	12.12	MFEF	2.80	-	2,117	2.81	WAVE	2.04	-	156	2.01
LEE	2.52	0.02	738	2.53	MSC	7.20	-	980	7.19	WORK	23.00	-	14,280	23.34
NER	1.71	(0.02)	118,497	1.74	PT	5.50	(0.15)	7,374	5.41	Finance & Securities				
PPPM	2.90	(0.04)	4,102	2.91	SAMART	6.15	-	9,053	6.18	AEC	0.45	0.01	5,776	0.46
STA	14.10	(0.20)	97,207	14.50	SAMTEL	7.05	(0.05)	226	7.11	AEONTS	175.00	2.50	1,971	174.21
TRUBB	1.52	-	456	1.52	SDC	0.31	0.01	15,437	0.30	AMANAH	1.36	(0.01)	13,398	1.38
TWPC	8.00	0.15	4,097	7.93	SIS	9.55	(0.25)	4,897	9.54	ASAP	3.10	0.02	5,916	3.08
UPOIC	4.30	0.20	213	4.43	SVOA	1.19	0.01	1,587	1.20	ASK	23.40	0.10	888	23.51
UVAN	5.30	0.10	1,124	5.30	SYMC	4.88	0.02	57	4.86	ASP	3.04	(0.02)	48,969	3.06
VPO	0.41	-	614	0.41	SYNEX	11.40	-	3,330	11.53	BFIT	17.00	(0.40)	1,163	17.36
Banking					THCOM	6.00	(0.05)	7,178	6.06	CGH	0.93	-	1,231	0.93
BAY	38.25	(0.75)	6,475	38.55	TRUE	5.15	-	950,394	5.24	CNS	2.10	(0.02)	55	2.11
BBL	199.00	(3.00)	32,824	201.45	TWZ	0.09	-	209,826	0.09	ECL	1.54	-	15,949	1.57
CIMBT	0.77	0.01	6,351	0.77	Electronic Componer					FNS	3.52	-	735	3.54
KBANK	182.50	(0.50)	75,596	185.11	CCET	1.74	(0.02)	2,198	1.76	FSS	1.84	-	761	1.85
KKP	65.50	0.25	30,347	65.98	DELTA	68.75	(0.25)	15,059	69.00	GBX	0.53	-	122	0.53
KTB	19.40	(0.20)	335,234	19.68	EIC	0.04	-	1,513	0.04	GL	5.40	0.10	4,465	5.48
LHFG	1.37	(0.01)	24,963	1.38	HANA	31.50	(0.50)	15,179	32.28	IFS	3.00	(0.02)	8,586	2.97
SCB	133.00	1.00	56,320	133.86	KCE	25.75	(0.75)	39,077	26.40	JMT	11.00	0.20	16,378	11.02
TCAP	51.25	(0.75)	46,700	51.94	METCO	202.00	-	12	202.67	KCAR	10.60	-	191	10.60
TISCO	77.75	0.50	39,152	78.61	SMT	1.80	(0.11)	3,159	1.86	KGI	4.20	0.02	20,254	4.22
TMB	2.18	(0.02)	1,446,827	2.20	SPPT	3.78	(0.02)	1,186	3.77	KTC	30.00	(0.25)	81,540	30.66
Construction Materia					SVI	4.98	-	32,985	5.01	MBKET	10.10	-	160	10.12
CCP	0.33	0.01	3,196	0.33	TEAM	0.87	0.01	1,450	0.88	MFC	16.70	-	69	16.65
COTTO	2.02	0.02	4,390	2.03	Energy & Utilities					ML	0.95	(0.01)	4,646	0.96
DCC	1.94	(0.02)	20,119	1.97	ABPIF	6.10	0.05	2,377	6.09	MTC	48.25	-	108,258	49.30
DCON	0.49	-	10,693	0.49	AI	-	-	-	-	PE	0.18	(0.02)	312	0.19
DRT	5.30	-	794	5.30	AKR	0.80	0.01	15,729	0.81	PL	3.18	-	281	3.18
EPG	6.90	-	20,130	6.99	BAFS	32.75	0.25	1,010	32.65	S11	6.85	-	3,636	6.87
GEL	0.28	-	29,133	0.28	BANPU	15.40	-	361,974	15.66	SAWAD	45.00	(0.75)	54,789	46.39
PPP	2.70	-	33	2.69	BCP	31.75	0.25	41,681	31.82	THANI	7.15	(0.05)	36,645	7.32
Q-CON	4.70	(0.18)	100	4.70	BCPG	15.00	(0.40)	88,093	15.46	TK	8.25	-	615	8.26
RCI	3.84	0.02	3,269	3.86	BGRIM	26.00	(0.25)	55,418	26.47	TNITY	5.50	0.05	1,110	5.51
SCC	432.00	2.00	35,350	433.60	BPP	21.80	(0.50)	33,489	22.18	UOBKH	3.70	-	33	3.70
SCCC	203.00	(1.00)	1,241	205.12	BRRGIF	9.90	-	348	9.90	ZMICO	1.02	0.01	2,772	1.02
SCP	8.50	0.05	1,075	8.48	CKP	4.94	(0.06)	315,669	4.99	Food & Beverage				
SKN	3.70	0.02	3,011	3.69	DEMCO	2.70	(0.02)	3,997	2.74	APURE	1.22	-	1,513	1.23
TASCO	14.50	(0.20)	45,675	14.69	EA	41.75	-	205,141	43.11	ASIAN	6.95	(0.05)	8,304	7.03
TCMC	1.66	0.01	6,693	1.68	EARTH	-	-	-	-	BR	3.82	-	7,079	3.86
TOA	33.00	0.75	32,528	33.53	EASTW	10.70	-	8,167	10.75	BRR	5.70	(0.30)	2,384	5.77
TPIPL	1.98	0.04	315,233	1.98	EGATIF	11.10	(0.10)	57,105	11.19	CBG	31.00	(1.75)	60,265	32.60
UMI	1.25	(0.07)	93,092	1.29	EGCO	244.00	(4.00)	9,730	246.39	CFRESH	4.10	(0.04)	92	4.04
VNG	4.94	-	2,517	4.94	ESSO	10.10	(0.20)	112,169	10.44	CM	3.90	-	1,151	3.93
WIHK	1.92	0.02	1,622	1.89	GLOW	88.50	0.50	60,379	88.75	CPF	24.10	-	187,461	24.22
Petrochemicals & Ch					GPSC	57.50	(5.00)	102,391	59.96	CPI	1.49	-	151	1.48
BCT	45.25	0.75	1,059	43.19	GULF	77.75	(0.75)	54,856	78.37	F&D	-	-	-	-
CMAN	2.50	(0.02)	4,085	2.54	GUNKUL	2.74	(0.06)	220,942	2.80	HTC	13.80	0.20	440	13.93
GC	5.05	0.07	389	5.00	IEC	-	-	-	-	ICHI	3.00	0.02	23,385	3.02
GGC	9.90	-	8,635	9.95	IFEC	-	-	-	-	KBS	3.80	0.02	1,521	3.80
GIFT	3.60	(0.04)	90	3.57	IRPC	5.75	0.05	943,496	5.82	KSL	2.98	0.02	3,004	3.00
IVL	53.25	0.25	203,668	54.00	LANNA	11.60	0.10	318	11.59	KTIS	5.30	-	58	5.27
NFC	-	-	-	-	MDX	3.70	(0.06)	1,054	3.74	LST	3.88	-	1,225	3.89
PATO	13.00	-	188	13.00	PTG	8.50	(0.10)	73,701	8.73	M	73.00	(0.50)	1,511	73.14
PMTA	10.90	0.10	52	10.80	PTT	45.50	-	925,776	46.50	MALEE	8.05	0.15	1,753	8.03
PTTGC	71.75	0.50	151,703	72.77	PTTEP	113.00	-	245,940	116.54	MINT	33.75	(0.25)	88,587	34.14
SUTHA	3.68	(0.06)	848	3.71	RATCH	49.00	0.50	21,700	49.02	OISHI	76.25	(4.25)	76	76.72
TCCC	28.25	-	150	28.27	RPC	0.40	-	4,682	0.40	OSP	23.90	(0.20)	26,807	24.14
TPA	6.45	-	3	6.47	SCG	4.26	-	512	4.28	PB	60.50	-	376	60.50
UP	-	-	-	-	SCI	2.44	-	1,071	2.46	PM	8.45	0.15	5,598	8.49
VNT	20.10	(0.50)	14,802	20.59	SCN	4.04	0.02	799	4.01	PRG	13.40	-	1	13.40
WG	179.00	-	87	179.01	SGP	8.35	(0.05)	62,754	8.60	SAPPE	14.00	0.20	3,622	13.94
YCI	-	-	-	-	SKE	1.00	-	4,704	1.00	SAUCE	22.00	-	4	22.00
Commerce					SOLAR	2.02	-	1,344	2.06	SFP	-	-	-	-
BEAUTY	6.60	-	804,460	6.78	SPCG	18.00	(0.20)	13,339	18.25	SNP	19.60	-	48	19.59
BIG	1.23	(0.01)	15,699	1.25	SPRC	9.60	(0.05)	194,865	9.75	SORKON	68.00	0.75	12	68.00
BJC	50.00	(1.00)	67,661	50.84	SUPER	0.52	-	571,728	0.53	SSC	33.50	0.25	5	33.25
COL	21.80	(0.20)	1,036	22.12	SUSCO	2.34	-	4,146	2.37	SSF	7.00	0.60	16	6.72
COM7	15.90	(0.40)	76,571	16.58	TAE	2.00	(0.02)	1,727	2.01	SST	4.08	0.06	214	4.13
CPALL	68.75	(0.25)	278,685	68.81	TCC	0.43	0.04	152,600	0.42	TC	3.04	(0.06)	2	3.07
CSS	1.87	-	6,304	1.88	TOP	65.00	(0.75)	92,810	66.50	TFG	3.04	-	3,917	3.08
FN	1.40	-	2,811	1.43	TPIPP	5.60	-	73,106	5.66	TFMAMA	160.00	1.50	28	160.00
FTE	1.93	0.01	1,566	1.95	TTW	12.50	0.10	54,399	12.49	TIPCO	7.35	-	2,241	7.43
GLOBAL	18.70	(0.20)	133,942	19.19	WHAUP	5.40	(0.15)	52,122	5.54	TKN	8.00	(0.05)	46,602	8.17
HMPRO	14.90	(0.10)	184,087	15.07	WP	4.96	(0.02)	2,280	5.00	TU	16.00	(0.20)	185,153	16.32
IT	3.26	0.02	369	3.26	Media & Publishing					TVO	26.50	(0.50)	5,084	26.80
KAMART	3.38	0.02	17,311	3.39	AMARIN	4.90	(0.04)	34	4.92	Health Care Services				
LOXLEY	1.63	(0.02)	16,930	1.64	AQUA	0.40	0.01	12,115	0.40	AHC	17.40	(0.40)	131	17.46
MAKRO	31.75	(0.25)	564	31.96	AS	0.78	(0.01)	87	0.78	BCH	17.00	(1.00)	111,893	17.52
MC	10.70	-	7,392	10.76	BEC	4.82	0.10	109,596	4.83	BDMS	24.50	(1.75)	772,383	25.19
MEGA	28.50	(0.50)	2,490	29.34	EPCO	2.60	0.02	22,712	2.67	BH	184.50	(7.00)	17,925	188.36
MIDA	0.58	-	1,076	0.58	FE	170.00	13.00	3	170.67	CHG	1.91	(0.03)	467,819	1.95
ROBINS	62.50	(1.50)	20,733	63.60	GPI	2.16	-	668	2.15	CMR	2.30	(0.02)	828	2.33
RSP	3.70	(0.12)	691	3.75	GRAMMY	6.15	0.20	135	6.01	EKH	5.45	-	6,041	5.46
SINGER	6.30	(0.30)	2,345	6.38	MACO	1.55	-	25,454	1.54	KDH	94.00	-	68	94.10

Main Board Quotation

Issue Date :

Thursday December 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	32.75	0.25	10,103	32.62	KWG	1.82	(0.01)	541	1.83	TRU	4.76	-	4	4.75
VIBHA	1.99	(0.03)	26,648	2.01	LALIN	4.84	(0.06)	9,047	4.80	TSC	13.40	0.40	107	13.52
VIH	6.10	-	6,700	6.18	LH	9.80	-	409,458	9.84	YNP	-	-	-	-
WPH	2.30	(0.04)	5,907	2.32	LPN	6.15	0.10	88,384	6.21	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	MBK	20.50	0.90	46,355	20.31	ALLA	1.36	(0.02)	3,048	1.37
ASIA	6.50	(0.20)	107	6.49	MJD	3.34	(0.12)	2,153	3.40	ASEFA	4.74	0.02	561	4.71
CENTEL	38.50	(1.25)	44,900	39.40	MK	3.74	0.04	5,478	3.75	CPT	0.66	0.01	86,899	0.66
CSR	-	-	-	-	NCH	0.86	(0.01)	31	0.86	CRANE	2.00	-	794	2.00
DTC	9.70	0.05	633	9.66	NNCL	1.60	(0.01)	2,756	1.62	CTW	7.80	0.05	157	7.88
ERW	6.30	0.05	43,934	6.37	NOBLE	14.10	0.10	9,511	14.03	FMT	24.70	-	5	24.70
GRAND	0.80	-	4,441	0.81	NUSA	0.46	(0.01)	125,109	0.47	HTECH	5.25	-	7,939	5.30
LRH	47.50	1.00	13	47.38	NVD	3.22	(0.08)	457	3.22	KKC	1.13	0.02	493	1.12
MANRIN	-	-	-	-	ORI	6.70	(0.05)	42,675	6.83	PK	2.10	0.04	2,310	2.14
OHTL	-	-	-	-	PACE	0.39	(0.01)	125,955	0.38	SNC	13.40	-	3,740	13.39
ROH	44.50	8.25	36	42.68	PF	0.72	0.01	181,240	0.72	TCJ	5.05	(0.05)	1,387	4.91
SHANG	76.50	(0.25)	8	74.56	PLAT	6.95	(0.05)	3,999	7.03	VARO	-	-	-	-
Home & Office Prod.	-	-	-	-	POLAR	-	-	-	-	Property Fund & REI	-	-	-	-
ACC	0.50	-	2,516	0.49	PRECHA	1.60	0.04	671	1.60	AIMIRT	10.20	-	473	10.20
AJA	0.36	-	33,766	0.37	PRIN	1.56	(0.03)	22,055	1.57	AMATAR	10.70	(0.10)	256	10.77
DTCI	25.25	(0.75)	16	26.56	PRINC	4.66	(0.02)	6,267	4.64	B-WORK	10.70	0.10	180	10.64
FANCY	0.64	0.01	1,923	0.65	PSH	17.30	(0.20)	14,990	17.43	BKKCP	12.40	-	164	12.41
KYE	391.00	(11.00)	88	388.53	QH	2.60	(0.02)	533,032	2.64	BOFFICE	12.40	(0.20)	398	12.37
L&E	2.58	-	282	2.60	RICHY	1.49	(0.01)	6,344	1.51	CPNCG	15.10	0.20	1,452	15.01
MODERN	3.74	(0.02)	249	3.74	RML	1.11	0.02	54,551	1.13	CPNREIT	25.00	-	10,589	25.00
OGC	33.50	-	21	33.56	ROJNA	4.80	-	10,005	4.84	CPTGF	12.70	(0.10)	51	12.79
ROCK	-	-	-	-	S	3.04	(0.04)	37,944	3.08	CRYSTAL	9.55	0.10	945	9.48
SIAM	2.08	-	764	2.08	SAMCO	1.68	(0.01)	3,364	1.71	CTARAF	4.74	-	180	4.72
TSR	1.80	(0.01)	2,651	1.80	SC	2.72	-	12,660	2.76	DREIT	5.00	-	310	5.00
Insurance	-	-	-	-	SENA	3.30	0.02	14,217	3.31	ERWPF	5.30	(0.05)	10	5.30
AYUD	40.50	-	225	40.64	SF	7.30	-	16,424	7.34	FUTUREPF	22.60	-	162	22.60
BKI	328.00	1.00	22	328.00	SIRI	1.20	(0.01)	525,223	1.21	GAHREIT	9.50	-	2	9.50
BLA	27.00	-	7,183	27.44	SPALI	18.10	0.50	67,719	18.09	GLANDRT	11.70	(0.40)	760	11.77
BUI	-	-	-	-	TICON	13.70	(0.30)	214	13.94	GOLDFP	7.20	-	595	7.17
CHARAN	-	-	-	-	U	2.50	(0.08)	52,243	2.57	GVREIT	14.30	(0.10)	1,228	14.39
INSURE	-	-	-	-	UV	5.90	(0.20)	36,890	6.12	HPF	5.05	(0.05)	39	5.08
MTI	97.00	-	9	97.17	WHA	4.14	0.14	1,715,727	4.14	HREIT	6.70	-	1,029	6.74
NKI	-	-	-	-	WIN	0.51	(0.02)	3,262	0.52	IMPACT	19.00	-	521	19.05
NSI	75.50	(0.25)	20	75.74	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
SMK	39.25	-	44	39.13	UTP	9.35	0.10	3,781	9.49	LHHOTEL	16.10	-	103	16.10
THRE	0.86	-	4,676	0.87	Fashion	-	-	-	-	LHPF	8.20	-	130	8.20
THREL	6.40	-	2,917	6.42	AFC	-	-	-	-	LHSC	16.30	-	87	16.30
TIC	32.50	(1.00)	7	32.29	BTNC	-	-	-	-	LUXF	8.40	-	66	8.40
TIP	22.50	(0.10)	1,852	22.66	CPH	6.25	0.40	2,396	6.21	M-II	9.15	(0.15)	6	9.16
TOM	22.80	(0.10)	32,089	22.96	CPL	3.00	-	90	3.00	M-PAT	9.80	-	220	9.55
TSI	0.42	0.01	26,900	0.42	DIGI	0.20	(0.01)	3,871	0.20	M-STOR	7.70	0.20	34	7.51
TVI	3.70	-	410	3.72	ICC	40.25	(0.25)	1	40.25	MIPF	22.00	-	5	22.00
Mining	-	-	-	-	LTX	109.00	(2.00)	143	108.59	MIT	4.90	0.18	5	4.90
PDI	12.00	(0.20)	4,095	12.20	NC	-	-	-	-	MJLF	12.20	(0.10)	771	12.23
THL	-	-	-	-	PAF	0.79	0.03	531	0.77	MINIT	-	-	-	-
Packaging	-	-	-	-	PDJ	2.20	-	3,453	2.22	MINIT2	-	-	-	-
AJ	8.35	-	565	8.16	PG	5.60	(0.10)	94	5.60	MNRF	3.02	-	40	3.02
ALUCON	-	-	-	-	SABINA	28.50	-	158	28.54	MONTRI	6.00	0.10	2	6.00
BGC	10.30	0.20	16,481	10.30	SAWANG	-	-	-	-	POPF	13.10	(0.10)	1,466	13.17
CSC	41.00	-	11	40.93	SUC	45.75	0.25	185	45.69	PPF	-	-	-	-
NEP	0.30	-	1,334	0.31	TNL	18.80	0.10	2	18.80	QHHR	8.40	(0.05)	116	8.41
NPPG	1.14	(0.02)	102,259	1.17	TPCORP	13.50	0.40	1	13.50	QHOP	3.24	(0.10)	96	3.24
PTL	12.90	(0.10)	2,352	13.07	TR	42.75	0.25	62	42.67	QHPF	13.10	0.10	1,695	13.07
SITHAI	1.09	0.01	7,162	1.09	TTI	-	-	-	-	SBPF	2.78	-	50	2.78
SLP	0.81	0.01	1,871	0.81	TTL	-	-	-	-	SHREIT	9.10	0.30	251	8.96
SMPC	12.50	-	1,688	12.46	TTTM	205.00	2.00	123	203.72	SIRIP	11.40	-	2	11.40
SPACK	1.64	-	2	1.64	UPF	-	-	-	-	SPF	23.00	-	528	22.99
TCOAT	28.50	0.25	20	28.50	UT	-	-	-	-	SRIPANWA	10.70	-	362	10.70
TFI	0.24	-	1,522	0.24	WACOAL	47.25	2.00	1,283	47.00	SSPF	-	-	-	-
THIP	23.70	0.20	70	23.67	Transportation & Log	-	-	-	-	SSTPF	6.30	0.05	5	6.30
TMD	21.00	-	32	21.00	AAV	4.14	(0.02)	79,114	4.18	SSTRT	6.00	(0.10)	54	6.01
TOPP	-	-	-	-	AOT	63.25	(0.75)	237,847	63.92	TIF1	8.70	0.05	41	8.73
TPBI	5.95	-	288	5.98	ASIMAR	1.87	(0.19)	15,404	1.89	TLGF	19.50	1.00	63,689	19.25
TPP	16.90	(0.30)	2	16.90	B	0.39	0.01	8,097	0.39	TLHPF	10.90	-	8	10.90
Personal Products &	-	-	-	-	BA	11.60	-	10,834	11.65	TNPF	-	-	-	-
APCO	3.96	(0.02)	963	4.02	BEM	9.65	0.15	1,066,409	9.78	TPRIME	12.70	0.20	6	12.72
DDD	18.50	(0.30)	13,535	18.77	BTS	9.40	(0.05)	235,489	9.49	TREIT	11.50	0.30	8,101	11.39
JCT	-	-	-	-	BTSXGIF	11.70	0.10	14,462	11.61	TTLPF	22.40	0.10	1	22.40
OCC	17.20	0.60	780	17.20	III	4.98	0.04	13,018	5.00	TU-PF	1.70	-	10	1.70
S & J	-	-	-	-	JUTHA	-	-	-	-	URBNPF	3.84	(0.26)	1	3.84
STHAI	-	-	-	-	JWD	6.75	0.20	9,274	6.72	WHABT	9.90	(0.05)	114	9.85
TNR	9.80	-	505	9.84	KWC	-	-	-	-	WHART	11.00	0.30	22,202	10.92
TOG	4.38	0.02	160	4.38	NOK	2.48	0.02	2,468	2.47	Steel	-	-	-	-
Professional Service	-	-	-	-	NYT	5.00	0.02	7,308	5.01	AMC	1.79	0.01	64	1.78
BWG	1.02	-	214,090	1.04	PRM	5.05	-	16,837	5.13	BSBM	0.93	-	71	0.93
GENCO	0.74	0.01	9,121	0.74	PSL	9.00	(0.70)	21,624	9.50	CEN	1.05	(0.01)	660	1.05
PRO	-	-	-	-	RCL	4.76	-	1,625	4.78	CITY	2.26	-	2,204	2.27
TEAMG	1.77	(0.02)	13,968	1.80	TFIF	10.20	0.10	122,302	10.11	CSP	1.11	(0.01)	7	1.11
Property Developme	-	-	-	-	THAI	12.10	(0.50)	29,531	12.48	GJS	0.12	-	36,195	0.12
A	6.60	(0.05)	300	6.62	TSTE	-	-	-	-	GSTEL	-	-	-	-
AMATA	20.10	(0.10)	154,269	20.54	TTA	5.05	(0.15)	15,055	5.21	INOX	0.99	-	816	0.99
AMATAV	4.60	(0.08)	3,906	4.66	WICE	3.58	(0.02)	17,520	3.63	LHK	3.76	(0.12)	13,831	3.78
ANAN	3.28	(0.02)	40,041	3.34	Automotive	-	-	-	-	MAX	0.02	-	90,046	0.02
AP	6.05	0.15	91,626	6.06	AH	18.60	(0.20)	8,110	18.86	MCS	6.60	(0.05)	1,823	6.65
APEX	0.20	-	3,201	0.20	APCS	4.78	-	22	4.79	MILL	1.54	0.03	16,734	1.49
AQ	0.02	-	54,094	0.02	BAT-3K	228.00	(2.00)	2	228.00	PAP	3.38	(0.02)	115	3.41
BLAND	1.53	(0.02)	233,427	1.55	CWT	2.66	(0.04)	2,695	2.69	PERM	1.90	0.01	631	1.90
BROCK	-	-	-	-	EASON	2.16	-	716	2.15	RICH	-	-	-	-
CGD	1.28	(0.01)	5,408	1.29	GYT	-	-	-	-	SAM	0.46	-	5,342	0.46
CI	1.25	-	107	1.25	HFT	2.90	(0.02)	294	2.92	SMIT	5.95	-	516	6.00
CPN	73.25	(0.25)	109,257	75.02	IHL	7.80	-	613	7.87	SSI	-	-	-	-
ESTAR	0.51	(0.01)	4,678	0.51	INGRS	0.59	-	5,206	0.59	SSSC	2.78	0.04	136	2.76
EVER	0.47	-	49,138	0.48	IRC	20.50	-	284	20.52	TGPRO	0.12	-	57,718	0.12
GLAND	3.16	0.06	3,138	3.14	PCSGH	6.95	-	1,193	6.95	THE				

Main Board Quotation

Issue Date :

Thursday December 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	SSP	7.50	(0.05)	1,463	7.00	ADVA01P1902A	1.00	0.03	65,487	-
ABICO	4.20	-	548	4.00	TAKUNI	0.74	-	1,612	-	ADVA01P1902B	0.71	-	96,084	-
AU	5.75	0.25	23,156	5.00	TPCH	9.00	-	8,674	9.00	ADVA01P1905A	1.31	0.01	63,779	1.00
FC	0.35	-	15,214	-	TRT	1.70	-	363	1.00	ADVA06C1903A	0.01	(0.02)	2	-
JCKH	0.53	0.03	634	-	TSE	2.12	-	2,437	2.00	ADVA08C1903A	0.04	-	40	-
KASET	1.79	0.01	16	1.00	UMS	0.69	0.07	1	-	ADVA11C1905A	0.04	(0.01)	3	-
MM	3.60	0.12	314	3.00	UWC	0.06	-	91,587	-	ADVA11P1905A	0.35	-	16,420	-
SUN	2.90	0.06	1,104	2.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.01	-	520	-
TACC	2.68	(0.02)	2,093	2.00	ADAM	-	-	-	-	ADVA13C1904A	0.14	(0.01)	100,423	-
TMILL	2.64	-	4,189	2.00	AKP	2.00	0.06	14,982	2.00	ADVA13C1905A	0.57	(0.01)	556,398	-
XO	11.00	0.10	4,157	11.00	AMA	4.72	-	1,292	4.00	ADVA13P1904A	0.87	0.01	280,178	-
Consumer Products														
BGT	1.00	-	823	1.00	ARIP	0.39	-	2,450	-	ADVA16C1812A	-	-	-	-
BIZ	2.20	-	2,146	2.00	ATP30	1.46	(0.07)	10,680	1.00	ADVA16C1912A	-	-	-	-
DOD	13.20	0.20	21,296	13.00	AUCT	4.94	(0.11)	7,408	5.00	ADVA19C1901A	0.02	-	1	-
ECF	2.24	0.02	42,318	2.00	BOL	2.02	-	528	2.00	ADVA19C1905A	0.42	(0.01)	53,639	-
HPT	0.79	0.03	3,028	-	CHUO	-	-	-	-	ADVA19P1904A	0.58	0.01	101,474	-
JUBILE	14.40	0.10	2,240	14.00	CMO	1.25	(0.01)	265	1.00	ADVA23C1902A	-	-	-	-
MOONG	6.40	-	2,013	6.00	D	9.05	0.05	603	9.00	ADVA24C1904A	0.04	-	1,001	-
NPK	24.50	0.10	10	24.00	DCORP	0.51	0.01	17,351	-	ADVA24C1905A	-	-	-	-
OCEAN	4.00	(0.12)	13,407	4.00	DNA	0.40	0.06	1,099,164	-	ADVA24C1907A	0.25	0.01	6,000	-
TM	2.02	0.02	1,126	2.00	EFORL	0.06	-	211,291	-	ADVA24P1908A	-	-	-	-
Financials (MAI)														
ACAP	2.78	(0.02)	14,377	2.00	ETE	0.87	-	7,385	-	ADVA27C1902A	-	-	-	-
AF	0.68	(0.02)	649	-	FSMART	5.55	-	22,187	5.00	ADVA28C1901A	-	-	-	-
AIRA	1.68	0.13	9	1.00	FVC	0.65	0.01	1,039	-	ADVA28C1904A	0.10	0.01	18,036	-
ASN	3.42	(0.10)	200	3.00	HARN	2.46	0.04	1,742	2.00	ADVA28C1904B	0.26	-	65,438	-
BROOK	0.42	0.01	11,836	-	JKN	7.85	(0.15)	11,909	8.00	ADVA28C1905A	0.44	0.01	89,276	-
CHAYO	3.40	(0.06)	16,788	3.00	KIAT	0.46	-	31,125	-	ADVA41C1905A	0.61	0.01	38,860	-
GCAP	2.22	-	1,492	2.00	KOOL	1.14	(0.05)	26,634	1.00	ADVA42C1903A	-	-	-	-
LIT	5.65	-	4,162	5.00	LDC	0.90	-	1,005	-	AMAT01C1903A	0.37	(0.02)	75,386	-
SGF	1.23	-	34,411	1.00	MPG	0.15	(0.01)	4,612	-	AMAT01C1903B	0.19	(0.01)	37,578	-
Industrials (MAI)														
2S	2.32	(0.04)	2,458	2.00	MVP	1.42	0.01	7,646	1.00	AMAT01P1903A	0.82	0.03	195,142	-
ADB	0.79	(0.02)	3,560	-	NBC	0.47	0.06	12	-	AMAT06C1903A	0.18	(0.01)	14,906	-
BM	2.90	(0.02)	377	2.00	NCL	1.41	0.01	71	1.00	AMAT08C1903A	0.18	(0.02)	23,630	-
CHO	1.32	(0.01)	9,269	1.00	NEWS	0.01	-	17,271	-	AMAT11C1903A	0.10	(0.01)	5,503	-
CHOW	4.04	(0.04)	247	4.00	NINE	2.06	(0.18)	87,895	2.00	AMAT13C1902A	0.04	-	18,283	-
CIG	0.31	-	654	-	OTO	1.99	-	11,986	2.00	AMAT13C1905A	0.25	(0.02)	383,319	-
COLOR	1.30	-	1,829	1.00	PHOL	1.72	0.05	47	1.00	AMAT19C1902A	0.21	(0.01)	33,893	-
CPR	5.25	(0.05)	458	5.00	PICO	3.60	(0.10)	15	3.00	AMAT23C1906A	0.21	(0.01)	21,600	-
FPI	1.81	(0.07)	1,425	1.00	PORT	5.30	-	1,756	5.00	AMAT24C1904A	0.13	0.01	500	-
GTB	0.59	0.01	1,418	-	QLT	3.80	(0.20)	1,751	3.00	AMAT27C1902A	-	-	-	-
KCM	0.82	0.02	1,251	-	RP	2.38	(0.04)	341	2.00	AMAT28C1902A	0.12	(0.01)	25,288	-
KWM	0.95	(0.02)	62,957	1.00	SE	1.88	0.08	134	1.00	AMAT28C1903A	0.03	-	10,028	-
LVT	-	-	-	-	SISB	4.20	(0.02)	43,938	4.00	ANAN08C1906A	0.03	-	600	-
MBAX	3.92	-	354	3.00	SONIC	1.31	0.04	15,072	1.00	ANAN13C1901A	0.01	-	950	-
MGT	1.74	(0.02)	472	1.00	SPA	11.10	-	2,924	11.00	ANAN23C1901A	-	-	-	-
NDR	1.98	(0.02)	393	2.00	THMUJ	1.20	0.01	172	1.00	AOT01C1902A	0.34	(0.02)	232,511	-
PDG	2.80	-	85	2.00	TNDT	4.08	-	132	4.00	AOT01C1902B	0.10	(0.02)	92,812	-
PIMO	4.90	(0.04)	13,121	4.00	TNH	37.75	-	605	37.00	AOT01C1904A	0.33	(0.03)	241,401	-
PJW	1.47	0.06	454	1.00	TNP	1.37	0.01	3,396	1.00	AOT01C1904B	0.18	(0.02)	160,455	-
PPM	1.08	(0.01)	860	1.00	TSF	0.02	-	120,117	-	AOT01P1902A	0.75	0.03	116,171	-
RWI	1.69	(0.01)	336	1.00	TVD	1.43	(0.01)	17,270	1.00	AOT01P1902B	0.23	0.02	266,571	-
SALEE	1.02	-	812	1.00	TVT	0.74	(0.01)	2,593	-	AOT01P1904A	0.77	0.02	146,899	-
SANKO	1.09	-	349	1.00	WINNER	2.74	-	376	2.00	AOT01P1904B	0.50	0.02	213,774	-
SELIC	2.54	0.04	3,276	2.00	Technology (MAI)									
SWC	20.00	0.80	1,135	19.00	COMAN	3.14	0.02	407	3.00	AOT06C1903A	0.19	(0.02)	27,850	-
TMC	0.77	0.01	2,641	-	ICN	1.66	-	6,630	1.00	AOT06P1903A	0.27	0.01	22,300	-
TMI	0.76	-	3,302	-	IRCP	0.56	0.01	579	-	AOT07C1902A	0.33	0.04	4,500	-
TMW	65.75	1.25	177	65.00	ITEL	2.98	(0.06)	10,657	3.00	AOT08C1901A	-	-	-	-
TPAC	10.30	0.30	403	10.00	NETBAY	23.20	(0.80)	505	24.00	AOT08C1904A	0.24	(0.01)	21,973	-
TPLAS	1.48	0.01	5,282	1.00	PLANET	-	-	-	-	AOT08P1903A	0.29	0.01	30,456	-
UAC	3.98	-	1,453	3.00	SIMAT	1.90	(0.08)	2,524	1.00	AOT11C1906A	0.18	(0.01)	19,630	-
UBIS	5.10	-	529	5.00	SKY	12.70	(0.10)	900	12.00	AOT11P1906A	0.22	-	15,690	-
UEC	1.23	(0.01)	1,125	1.00	SPVI	1.08	(0.01)	2,218	1.00	AOT13C1902A	0.16	(0.03)	57,799	-
UKEM	0.62	-	6,114	-	UPA	0.35	-	33,964	-	AOT13C1904A	0.39	(0.03)	77,404	-
UREKA	1.83	(0.27)	33,953	1.00	VCOM	2.96	0.04	655	2.00	AOT13P1902A	0.13	-	39,802	-
YUASA	9.60	(0.15)	32	9.00	Unit Trust	-	-	-	-	AOT13P1905A	0.44	0.02	80,235	-
ZIGA	1.78	-	1,886	1.00	MGE	-	-	-	-	AOT16C1912A	0.78	0.05	58	-
Property & Construc														
ARROW	7.70	0.05	222	7.00	SCBSET	-	-	-	-	AOT19C1901A	0.09	(0.03)	31,996	-
BKD	3.02	(0.04)	7,121	3.00	ETF	-	-	-	-	AOT19P1903A	0.16	-	28,482	-
BSM	0.53	0.03	1,702	-	1DIV	10.83	(0.01)	233	10.00	AOT23C1906A	0.34	(0.01)	64,530	-
BTW	1.29	(0.05)	2,560	1.00	ABFTH	1,222.00	12.00	4	1,222.00	AOT24C1901A	-	-	-	-
CHEWA	1.07	-	7,302	1.00	BMSCG	7.46	0.05	3,084	7.00	AOT24C1904A	-	-	-	-
CMC	1.55	(0.01)	25,141	1.00	BMSCITH	11.73	(0.04)	9,022	11.00	AOT24P1903A	-	-	-	-
CRD	0.97	(0.02)	1,742	-	BSE1100	10.00	0.08	13,184	10.00	AOT27C1902A	0.13	(0.01)	5,700	-
DIMET	0.85	-	948	-	CHINA	4.56	(0.03)	818	4.00	AOT27P1903A	0.37	(0.01)	8,100	-
FLOYD	1.74	-	739	1.00	EBANK	5.56	0.03	103	5.00	AOT28C1901A	-	-	-	-
FOCUS	1.46	(0.03)	691	1.00	ECOMM	-	-	-	-	AOT28C1902A	0.19	(0.04)	69,812	-
HYDRO	1.26	-	2,833	1.00	EFOOD	5.21	(0.05)	11	5.00	AOT41P1905A	-	-	-	-
JSP	0.46	-	1,025	-	EICT	4.26	(0.03)	1	4.00	AOT42C1903A	0.14	(0.01)	14,280	-
K	-	-	-	-	ENGY	5.90	0.12	9	5.00	AP01C1903A	0.02	0.01	6,480	-
META	2.06	0.04	32,534	2.00	ENY	7.00	0.22	8	7.00	AP01C1903B	-	-	-	-
PPS	0.68	0.01	3,807	-	ESET50	5.43	(0.04)	9	5.00	AP13C1903A	-	-		

Main Board Quotation

Issue Date :

Thursday December 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP06C1903A	-	-	-	-	BEAU01C1812A	0.01	-	42,881	-	BLAN01P1903A	0.77	0.01	15,618	-
BANP07C1904A	0.05	-	229	-	BEAU01C1812B	0.01	-	11,612	-	BLAN11C1902A	-	-	-	-
BANP08C1904A	0.09	0.01	21,258	-	BEAU01C1901A	0.02	-	1,403	-	BLAN19C1902A	-	-	-	-
BANP08P1901A	0.46	(0.03)	38,142	-	BEAU01C1901B	0.01	-	1,933	-	BLAN19C1906A	0.15	(0.02)	30,432	-
BANP11C1902A	0.01	-	10,331	-	BEAU01C1902A	0.13	0.01	199,647	-	BPP01C1903A	0.08	(0.02)	37,688	-
BANP11C1909A	0.17	-	38,036	-	BEAU01C1902B	0.05	-	32,450	-	BPP01C1903B	0.04	(0.03)	2,000	-
BANP13C1902A	-	-	-	-	BEAU01P1812A	2.30	(0.06)	40	2.00	BPP01P1903A	0.42	0.04	20,003	-
BANP13C1904A	0.12	-	367,824	-	BEAU01P1902A	1.41	(0.02)	161,863	1.00	BPP06C1903A	-	-	-	-
BANP16C1812A	-	-	-	-	BEAU06C1904A	0.30	0.01	33,982	-	BPP13C1901A	-	-	-	-
BANP16C1912A	0.44	0.03	400	-	BEAU08C1901A	-	-	-	-	BPP13C1902A	-	-	-	-
BANP19C1902A	0.03	-	6,000	-	BEAU08C1902A	0.04	-	9,532	-	BPP19C1903A	0.14	(0.04)	15,582	-
BANP19C1906A	0.28	(0.01)	52,900	-	BEAU11C1902A	0.02	-	3,458	-	BPP19C1903B	0.05	(0.02)	3,200	-
BANP23C1901A	-	-	-	-	BEAU13C1901A	0.01	-	39,466	-	BPP23C1901A	-	-	-	-
BANP23C1906A	0.18	(0.01)	31,000	-	BEAU13C1904A	0.03	-	93,016	-	BPP24C1902A	-	-	-	-
BANP24C1904A	-	-	-	-	BEAU13C1904B	0.13	(0.01)	320,750	-	BPP24C1904A	-	-	-	-
BANP24C1907A	0.13	-	60	-	BEAU19C1901A	0.03	-	21,456	-	BPP28C1902A	-	-	-	-
BANP24P1901A	-	-	-	-	BEAU19C1902A	0.01	-	2,840	-	BPP28C1904A	0.13	(0.05)	37,076	-
BANP27C1904A	0.09	(0.01)	4,800	-	BEAU23C1901A	-	-	-	-	BTS01C1903A	0.35	-	25,195	-
BANP27P1905A	0.57	-	11,250	-	BEAU23C1906A	0.08	0.01	10,137	-	BTS01C1903B	0.22	0.01	45,514	-
BANP28C1902A	-	-	-	-	BEAU24C1901A	-	-	-	-	BTS01P1903A	0.29	-	67,336	-
BANP28C1903A	0.03	-	14,048	-	BEAU24C1902A	-	-	-	-	BTS06C1903A	-	-	-	-
BANP28C1905A	0.12	(0.01)	213,893	-	BEAU24C1903A	0.06	0.01	650	-	BTS06C1903B	-	-	-	-
BANP42C1903A	-	-	-	-	BEAU24C1904A	0.03	-	44,234	-	BTS06C1903C	-	-	-	-
BANP42P1903A	0.88	(0.02)	16,280	-	BEAU27C1903A	-	-	-	-	BTS11C1904A	0.04	0.01	10	-
BBL06C1902A	0.35	(0.04)	10,338	-	BEAU28C1904A	0.08	-	24,912	-	BTS19C1901A	0.12	(0.01)	16,569	-
BBL08C1902A	0.15	(0.02)	69,392	-	BEAU41C1907A	0.27	-	2,032	-	BTS23C1905A	1.64	0.02	8,000	1.00
BBL08P1904A	0.38	0.02	36,643	-	BEC01C1812A	0.01	-	2,351	-	BTS24C1901A	-	-	-	-
BBL11C1903A	0.13	(0.01)	44,886	-	BEC01C1812B	0.01	-	6,301	-	BTS28C1902A	0.11	0.01	16,384	-
BBL11P1903A	-	-	-	-	BEC13C1901A	-	-	-	-	BTS28C1905A	0.23	-	45,616	-
BBL13C1901A	0.07	(0.01)	2,328	-	BEM01C1902A	0.58	0.03	203,953	-	BTS42C1901A	-	-	-	-
BBL13C1905A	0.22	(0.02)	37,806	-	BEM01C1902B	0.48	0.05	227,978	-	BTS42P1901A	-	-	-	-
BBL19C1901A	0.04	(0.01)	10,792	-	BEM01P1902A	0.11	(0.02)	402,141	-	CBG01C1902A	0.03	(0.01)	421,837	-
BBL19P1904A	0.35	0.02	61,442	-	BEM07C1903A	0.44	0.01	12,020	-	CBG01C1902B	0.02	0.01	1,700	-
BBL23C1906A	0.21	-	57,395	-	BEM08C1903A	0.37	0.03	70,535	-	CBG01P1905A	1.63	0.12	89,573	1.00
BBL24C1902A	-	-	-	-	BEM11C1903A	0.31	-	24,160	-	CBG06C1903A	0.03	-	27,380	-
BBL24C1907A	-	-	-	-	BEM13C1901A	0.50	0.10	2,505	-	CBG06P1903A	2.08	0.23	61,241	1.00
BBL24P1904A	0.32	(0.01)	50	-	BEM13C1905A	0.44	0.03	433,947	-	CBG08C1902A	0.01	(0.02)	2,150	-
BBL27C1904A	0.25	(0.01)	11,400	-	BEM13C1905B	0.15	-	259,546	-	CBG11C1902A	0.01	(0.02)	8,001	-
BBL27P1904A	0.54	0.01	13,520	-	BEM19C1901A	0.56	0.07	64,710	-	CBG13C1901A	-	-	-	-
BBL28C1901A	0.02	-	10,046	-	BEM23C1901A	0.26	0.02	13,895	-	CBG13C1905A	0.13	(0.03)	205,747	-
BBL28C1904A	0.15	(0.02)	62,874	-	BEM24C1902A	0.28	0.03	41,703	-	CBG16C1912A	0.32	(0.04)	11,490	-
BBL42C1903A	0.12	-	5,100	-	BEM27C1904A	-	-	-	-	CBG19C1901A	-	-	-	-
BCH01C1902A	0.17	(0.09)	86,827	-	BEM27P1905A	0.11	-	15,515	-	CBG19C1906A	0.19	(0.04)	186,424	-
BCH01C1902B	0.05	(0.04)	15,116	-	BEM28C1905A	0.27	0.02	169,934	-	CBG23C1901A	-	-	-	-
BCH01P1902A	0.60	0.14	107,581	-	BEM42C1904A	0.35	0.03	44,464	-	CBG24C1901A	-	-	-	-
BCH06C1903A	0.12	(0.07)	18,473	-	BEM42P1904A	0.06	(0.01)	800	-	CBG24C1903A	-	-	-	-
BCH08C1901A	0.10	(0.08)	30,170	-	BGR101C1901A	0.82	(0.04)	10,002	-	CBG24C1904A	0.03	(0.04)	1,100	-
BCH11C1905A	0.17	(0.07)	10,461	-	BGR101C1901B	0.35	(0.04)	17,812	-	CBG28C1904A	-	-	-	-
BCH13C1902A	0.03	(0.03)	25,318	-	BGR101C1903A	0.24	-	36,678	-	CBG42C1904A	-	-	-	-
BCH13C1905A	0.15	(0.07)	58,284	-	BGR101C1903B	0.12	-	48,726	-	CENT01C1903A	0.31	(0.05)	71,543	-
BCH19C1903A	0.17	(0.09)	73,791	-	BGR106C1903A	0.61	(0.04)	3,989	-	CENT01C1903B	0.17	(0.03)	82,387	-
BCH24C1904A	-	-	-	-	BGR107C1903A	-	-	-	-	CENT01P1903A	0.43	0.05	121,371	-
BCH27C1902A	0.39	(0.06)	2,900	-	BGR108C1902A	0.35	(0.01)	8,688	-	CENT06C1904A	0.06	(0.01)	18,882	-
BCH28C1902A	0.01	(0.02)	3,072	-	BGR108C1904A	0.13	-	14,004	-	CENT08C1902A	0.04	(0.02)	5,904	-
BCH28C1904A	0.12	(0.06)	44,246	-	BGR11C1909A	0.26	(0.01)	13,220	-	CENT11C1904A	-	-	-	-
BCP01C1903A	0.11	-	89,112	-	BGR113C1812B	-	-	-	-	CENT11C1909A	0.28	(0.05)	74,966	-
BCP01C1903B	0.05	0.01	9,238	-	BGR113C1904A	0.15	-	33,892	-	CENT13C1902A	0.14	-	4,950	-
BCP01P1903A	0.47	(0.02)	43,204	-	BGR119C1901A	0.21	(0.03)	17,621	-	CENT19C1901A	0.03	-	84,980	-
BCP08C1901A	-	-	-	-	BGR119C1903A	0.11	-	18,844	-	CENT19C1904A	0.25	(0.06)	54,440	-
BCP11C1909A	0.16	0.01	15,500	-	BGR124C1901A	0.19	0.02	500	-	CENT23C1902A	-	-	-	-
BCP13C1902A	0.04	-	20,240	-	BGR124C1902A	-	-	-	-	CENT24C1901A	-	-	-	-
BCP19C1902A	-	-	-	-	BGR127C1905A	0.15	-	10,850	-	CENT24C1902A	-	-	-	-
BCP24C1904A	-	-	-	-	BGR128C1901A	-	-	-	-	CENT27C1905A	0.25	(0.03)	42,300	-
BCP24C1907A	-	-	-	-	BGR128C1905A	0.15	-	86,406	-	CHG01C1903A	0.06	(0.01)	1,205	-
BCP28C1901A	-	-	-	-	BH01C1905A	0.26	(0.05)	45,866	-	CHG01C1903B	0.02	-	350	-
BCP28C1904A	0.13	-	31,436	-	BH01C1905B	0.19	(0.05)	28,387	-	CHG01P1903A	0.85	0.03	47,475	-
BCPG01C1904A	0.09	(0.01)	26,265	-	BH01P1905A	0.72	0.07	70,716	-	CHG07C1902A	-	-	-	-
BCPG01C1904B	0.04	(0.01)	4,971	-	BH08C1902A	0.22	(0.09)	20,618	-	CHG11C1904A	0.04	-	2	-
BCPG06C1903A	0.09	(0.02)	20,040	-	BH11C1902A	0.03	0.01	1	-	CHG13C1903A	-	-	-	-
BCPG08C1904A	0.04	-	3,680	-	BH11C1905A	0.41	(0.10)	14,043	-	CHG13C1904A	0.10	-	39,186	-
BCPG08C1904B	0.08	-	2,672	-	BH13C1901A	0.20	(0.09)	80,052	-	CHG19C1902A	0.02	-	100	-
BCPG11C1902A	0.01	-	1,107	-	BH19C1901A	0.17	(0.10)	112,845	-	CHG19C1906A	0.23	(0.02)	5,601	-
BCPG13C1812A	-	-	-	-	BH24C1902A	-	-	-	-	CHG24C1904A	-	-	-	-
BCPG13C1902A	-	-	-	-	BH27C1905A	0.15	(0.03)	15,000	-	CHG24C1911A	0.56	(0.07)	3,000	-
BCPG13C1904A	0.09	-	14,319	-	BIG08C1906A	0.02	-	1,550	-	CHG27C1905A	-	-	-	-
BCPG13C1905A	0.20	(0.02)	542,649	-	BIG13C1901A	-	-	-	-	CHG28C1902A	-	-	-	-
BCPG19C1901A	0.02	-	2,224	-	BJC01C1812A	0.14	(0.04)	61,942	-	CHG28C1904A	0.10	0.01	6,048	-
BCPG23C1902A	0.03	-	16,000	-	BJC01C1812B	0.01	-	500	-	CK01C1902A	0.16	-	3,634	-
BCPG24C1903A	-	-	-	-	BJC01C1906A	0.45	(0.04)	103,996	-	CK01C1902B	-	-	-	-
BCPG27C1903A	-	-	-	-	BJC01C1906B	0.35	(0.04)	140,436	-	CK01P1902A	0.32	(0.01)	25,730	-
BCPG28C1901A	-	-	-	-	BJC01P1812A	0.41	0.08	42,174	-	CK08C1901A	-	-	-	-
BCPG28C1904A	0.07	(0.01)	45,476	-	BJC01P1906A	0.69	0.04	108,626	-	CK11C1904A	-	-	-	-
BDMS01C1905A	0.19	(0.06)	74,347	-	BJC06C1901A	-	-	-	-	CK13C1902A	0.08	-	20	-
BDMS01C1905B	0.14	(0.06)	117,785	-	BJC06C1903A	0.17	(0.04)	15,784	-	CK16C1812A	-	-	-	-
BDMS01P1905A	0.31	0.07	154,738	-	BJC08C1903A	0.07	(0.01)	4,200	-	CK16C1912A	0.30	0.02	500	-
BDMS06C1903A	0.05	(0.05)	22,375	-	BJC11C1905A	0.14	(0.02)	19,670	-	CK19C1903A	0.13	(0.01)	2,872	-
BDMS07C1904A	-	-	-	-	BJC13C1902A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS08C1901A	0.02	(0.02)	6,002	-	BJC13C1903A	0.12	(0.02)	35,714	-	CK24C1904A	0.15	-	100	-
BDMS08C1905A	0.14	(0.05)	35,075	-	BJC19C1902A	0.06	(0.02)	55,268	-	CK28C1902A	-	-	-	-

Main Board Quotation

Issue Date :

Thursday December 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP28C1903A	0.10	-	17	-	DTAC24C1901A	-	-	-	-	GUNK27C1905A	0.16	(0.01)	23,200	-
COM706C1903A	0.06	(0.01)	60	-	DTAC27C1903A	0.15	0.02	10,950	-	GUNK28C1903A	0.08	(0.01)	18,820	-
COM708C1903A	0.06	(0.01)	8,873	-	DTAC27P1903A	0.32	-	18,000	-	HANA01C1905A	0.19	(0.01)	9,200	-
COM711C1909A	0.28	(0.02)	29,220	-	DTAC28C1902A	0.09	-	19,216	-	HANA01C1905B	0.14	(0.02)	11,284	-
COM713C1903A	0.05	-	2,530	-	DTAC28C1905A	0.29	(0.01)	80,116	-	HANA08C1903A	0.07	-	300	-
COM713C1904A	0.14	(0.01)	91,194	-	DTAC42C1903A	0.19	-	16,320	-	HANA11C1904A	0.06	(0.01)	400	-
COM719C1904A	0.15	(0.01)	49,212	-	EA07C1903A	0.35	-	7,964	-	HANA13C1901A	-	-	-	-
COM723C1901A	-	-	-	-	EA08C1903A	0.32	0.02	37,021	-	HANA13C1905A	0.14	-	38,296	-
COM724C1904A	-	-	-	-	EA08C1903B	0.10	-	25,971	-	HANA19C1902A	-	-	-	-
COM727C1902A	0.08	-	10,200	-	EA11C1902A	0.05	0.02	661	-	HANA19C1905A	0.29	0.01	6,064	-
COM728C1903A	0.07	(0.01)	29,418	-	EA13C1901A	0.02	-	18,560	-	HANA24C1903A	-	-	-	-
CPAL01C1901A	0.05	(0.02)	43,509	-	EA13C1903A	0.08	(0.01)	73,763	-	HANA28C1902A	-	-	-	-
CPAL01C1901B	0.01	-	5,000	-	EA13C1905A	0.27	0.01	139,473	-	HANA28C1904A	0.11	-	79,774	-
CPAL01C1904A	0.61	(0.01)	32,323	-	EA19C1902A	0.20	0.01	71,638	-	HMPR01C1902A	0.32	(0.01)	37,611	-
CPAL01C1904B	0.34	-	73,450	-	EA23C1901A	0.16	-	35,990	-	HMPR01C1902B	0.22	0.01	31,458	-
CPAL01P1901A	1.37	-	43,073	1.00	EA24C1901A	-	-	-	-	HMPR01P1902A	0.27	0.02	24,103	-
CPAL01P1901B	0.38	0.01	56,383	-	EA27C1902A	0.43	0.02	26,230	-	HMPR11C1906A	0.16	-	6,065	-
CPAL01P1904A	0.61	-	32,758	-	EA28C1901A	0.06	0.01	400	-	HMPR13C1905A	0.21	-	51,814	-
CPAL01P1904B	0.31	(0.01)	37,574	-	EA28C1902A	0.03	-	11,628	-	HMPR19C1901A	0.25	(0.02)	16,506	-
CPAL06C1903A	0.20	(0.01)	13,300	-	EGC001C1903A	0.62	(0.06)	17,161	-	HMPR23C1901A	-	-	-	-
CPAL07C1902A	0.14	(0.01)	11	-	EGC001C1903B	0.40	(0.03)	47,090	-	HMPR24C1901A	-	-	-	-
CPAL08C1902A	-	-	-	-	EGC019C1901A	0.24	(0.05)	14,280	-	HMPR27C1905A	0.28	-	6,900	-
CPAL08C1902B	0.17	(0.01)	180	-	EGC024C1901A	-	-	-	-	HMPR27P1905A	0.28	0.01	6,800	-
CPAL08P1904A	0.35	(0.01)	5,602	-	EPG01C1903A	0.13	0.02	6,374	-	HMPR28C1903A	0.12	-	27,700	-
CPAL11C1903A	0.01	-	46,002	-	EPG01C1903B	0.06	0.01	2,817	-	INTU01C1903A	0.13	0.01	105,884	-
CPAL11C1909A	0.38	(0.01)	4,400	-	EPG01P1903A	1.26	(0.02)	9,372	1.00	INTU01C1903B	0.04	0.01	2,790	-
CPAL11P1903A	0.52	-	16,060	-	EPG07C1906A	0.23	0.01	40	-	INTU01P1903A	1.00	(0.03)	45,908	-
CPAL13C1901A	0.08	(0.01)	56,601	-	EPG08C1903A	-	-	-	-	INTU01P1903B	0.75	(0.04)	35,347	-
CPAL13C1903A	0.49	(0.02)	101,884	-	EPG11C1903A	0.15	0.02	651	-	INTU11C1905A	-	-	-	-
CPAL13P1902A	0.15	-	38,107	-	EPG13C1902A	-	-	-	-	INTU11P1905A	0.39	(0.06)	7,210	-
CPAL16C1912A	-	-	-	-	EPG13C1903A	0.08	0.02	5,948	-	INTU13C1904A	0.13	0.01	76,139	-
CPAL19C1902A	0.16	(0.01)	3,699	-	EPG13C1905A	0.24	0.02	28,422	-	INTU19C1901A	-	-	-	-
CPAL19P1903A	0.22	0.01	12,962	-	EPG19C1902A	-	-	-	-	INTU19C1906A	0.31	0.02	24,766	-
CPAL23C1906A	0.40	(0.01)	11,000	-	EPG19C1904A	0.17	0.02	6,250	-	INTU24C1901A	-	-	-	-
CPAL24C1901A	-	-	-	-	EPG24C1902A	-	-	-	-	INTU24C1909A	-	-	-	-
CPAL24C1903A	-	-	-	-	EPG28C1902A	-	-	-	-	INTU28C1901A	-	-	-	-
CPAL24C1904A	0.48	(0.04)	220	-	EPG28C1904A	0.14	0.02	18,346	-	INTU28C1904A	0.08	0.02	16,000	-
CPAL24P1901A	0.03	-	101	-	ERW13C1902A	0.02	(0.01)	3,000	-	INTU28C1905A	0.27	0.04	45,556	-
CPAL27C1903A	0.19	-	2,400	-	ERW19C1902A	0.07	-	430	-	INTU42C1904A	-	-	-	-
CPAL27P1905A	0.45	-	3,600	-	ERW24C1904A	0.11	0.01	58	-	INTU42P1904A	0.44	(0.03)	11,828	-
CPAL28C1901A	0.01	(0.01)	1	-	ESS001C1812A	0.01	-	10,126	-	IRPC01C1903A	0.09	-	73,663	-
CPAL28C1904A	0.30	(0.01)	25,247	-	ESS001C1812B	0.01	-	4,750	-	IRPC01C1903B	0.04	0.01	1,300	-
CPAL41C1901A	-	-	-	-	ESS001C1906A	0.19	(0.02)	10,810	-	IRPC01C1906A	0.28	0.01	142,940	-
CPAL42C1904A	0.27	(0.01)	3,036	-	ESS001C1906B	0.14	(0.01)	137,597	-	IRPC01C1906B	0.22	0.01	169,980	-
CPAL42P1904A	0.20	(0.01)	1	-	ESS001P1812A	1.25	0.03	5,612	1.00	IRPC01P1903A	0.70	(0.02)	97,580	-
CPF01C1902A	0.12	-	67,714	-	ESS001P1906A	0.87	-	22,287	-	IRPC01P1903B	0.53	(0.03)	83,308	-
CPF01C1902B	0.04	-	8,500	-	ESS008C1902A	-	-	-	-	IRPC06C1903A	0.07	0.01	16,300	-
CPF01P1902A	0.40	(0.01)	48,782	-	ESS011C1905A	0.13	-	13,905	-	IRPC08C1902A	0.06	0.02	7,700	-
CPF01P1902B	0.24	(0.01)	69,941	-	ESSO13C1903A	0.02	-	11,363	-	IRPC11C1902A	0.01	-	37,292	-
CPF06C1903A	-	-	-	-	ESSO13C1905A	0.12	-	35,122	-	IRPC11C1905A	0.10	0.01	10,815	-
CPF08C1901A	-	-	-	-	ESSO19C1901A	-	-	-	-	IRPC13C1903A	0.12	0.01	197,391	-
CPF08C1904A	0.10	-	16,978	-	ESSO19C1906A	0.20	0.01	10,000	-	IRPC19C1901A	0.04	0.02	7,420	-
CPF11C1902A	-	-	-	-	ESSO24C1902A	-	-	-	-	IRPC19C1905A	0.19	(0.01)	58,204	-
CPF11P1902A	0.14	(0.01)	7,714	-	ESSO28C1903A	-	-	-	-	IRPC24C1904A	0.13	0.02	10	-
CPF13C1902A	-	-	-	-	ESSO28C1904A	0.07	(0.01)	4,392	-	IRPC27C1903A	-	-	-	-
CPF13C1903A	0.24	-	24,416	-	GFPT08C1906A	0.18	(0.02)	5,152	-	IRPC27P1905A	0.38	-	28,031	-
CPF13C1905A	0.13	0.01	11,894	-	GFPT13C1902A	0.03	-	1,952	-	IRPC28C1902A	-	-	-	-
CPF19C1901A	0.04	0.01	10,002	-	GFPT19C1903A	0.07	(0.02)	6,600	-	IRPC28C1904A	0.11	0.01	81,656	-
CPF19C1904A	0.36	0.02	24,462	-	GGC07C1902A	-	-	-	-	ITD06C1904A	0.02	(0.01)	2,632	-
CPF24C1901A	-	-	-	-	GGC08C1906A	0.04	-	500	-	ITD08C1902A	-	-	-	-
CPF24C1902A	-	-	-	-	GGC13C1902A	-	-	-	-	ITD11C1903A	-	-	-	-
CPF24C1903A	0.07	-	2	-	GGC13C1905A	0.18	(0.01)	36,420	-	ITD13C1902A	0.01	(0.02)	538	-
CPF24C1904A	0.37	(0.02)	1,000	-	GGC19C1902A	-	-	-	-	ITD19C1903A	0.06	-	3,900	-
CPF27C1903A	-	-	-	-	GGC23C1901A	-	-	-	-	ITD24C1902A	-	-	-	-
CPF28C1902A	-	-	-	-	GGC24C1901A	-	-	-	-	IVL01C1812A	0.01	-	273,984	-
CPF28C1903A	-	-	-	-	GGC28C1905A	0.15	-	3,507	-	IVL01C1812B	0.01	-	2,160	-
CPN01C1902A	0.20	-	151,725	-	GLOB01C1903A	0.41	(0.02)	98,255	-	IVL01C1903A	0.27	-	147,956	-
CPN01C1902B	0.05	-	87,148	-	GLOB01C1903B	0.25	(0.02)	172,027	-	IVL01C1903B	0.16	0.02	65,320	-
CPN01P1902A	1.08	(0.01)	146,894	-	GLOB11C1906A	0.23	(0.01)	26,600	-	IVL01C1905A	0.48	0.02	154,607	-
CPN06C1903A	0.21	(0.02)	67,053	-	GLOB13C1901A	0.09	(0.02)	70,228	-	IVL01C1905B	0.37	-	149,112	-
CPN07C1902A	0.14	(0.01)	260	-	GLOB19C1901A	0.21	(0.02)	68,300	-	IVL01P1812A	0.72	(0.02)	77,069	-
CPN08C1903A	0.14	(0.01)	25,274	-	GLOB23C1906A	0.32	(0.02)	70,510	-	IVL01P1812B	0.01	(0.01)	2,360	-
CPN11C1903A	0.05	(0.02)	270	-	GLOB24C1903A	-	-	-	-	IVL01P1903A	1.02	(0.01)	95,257	-
CPN11P1903A	0.15	0.01	19,260	-	GLOB24C1906A	0.28	(0.05)	1,960	-	IVL01P1903B	0.72	-	61,606	-
CPN13C1903A	0.19	-	106,134	-	GLOW13C1905A	0.71	0.02	114,632	-	IVL01P1905A	0.72	(0.01)	170,330	-
CPN19C1901A	0.05	(0.01)	71,176	-	GLOW19C1901A	0.09	0.01	12,001	-	IVL06C1901A	0.02	-	876	-
CPN24C1901A	-	-	-	-	GLOW19C1906A	1.07	0.03	25,574	1.00	IVL06C1903A	0.24	0.03	36,717	-
CPN24C1904A	0.34	0.10	2	-	GLOW27C1812A	-	-	-	-	IVL07C1906A	0.46	0.03	214	-
CPN27C1903A	0.10	-	19,800	-	GPSC01C1902A	0.13	(0.11)	88,608	-	IVL08C1901A	0.08	0.01	28,826	-
CPN28C1902A	0.04	-	30,322	-	GPSC01C1902B	0.04	(0.04)	32,041	-	IVL08C1905A	0.34	-	21,664	-
CPN28C1904A	0.16	-	101,565	-	GPSC01C1905A	0.65	(0.22)	121,064	-	IVL08P1903A	0.46	(0.01)	33,818	-
DELTO6C1903A	0.67	(0.03)	7,900	-	GPSC01C1905B	0.55	(0.25)	129,967	-	IVL11C1906A	0.19	-	17,960	-
DELTA24C1901A	-	-	-	-	GPSC01P1902A	1.55	0.35	204,520	1.00	IVL13C1903A	0.12	0.01	56,323	-
DELTA27C1812A	-	-	-	-	GPSC06C1903A	0.40	(0.30)	40,166	-	IVL13C1904A	0.29	(0.01)	85,182	-
DTAC01C1902A	0.57	0.01	73,547	-	GPSC08C1902A	0.03	(0.03)	942	-	IVL13P1902A	0.23	(0.01)	68,952	-
DTAC01C1902B	0.29	-	111,300	-	GPSC11C1902A	0.01	-	1,600	-	IVL13P1903A	0.20	-	44,484	-
DTAC01C1905A	0.40	0.01	65,958	-	GPSC11C1909A	0.51	(0.18)	78,770	-	IVL19C1903A	0.22	-	31,880	-

Main Board Quotation

Issue Date :

Thursday December 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN01P1904B	0.67	(0.01)	78,524	-	MAJO11C1902A	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN06C1903A	0.21	0.02	43,200	-	MAJO13C1903A	-	-	-	-	PTG28C1901A	-	-	-	-
KBAN08C1903A	0.04	0.01	700	-	MAJO19C1902A	-	-	-	-	PTG28C1904A	0.27	(0.01)	212,244	-
KBAN13C1901A	0.01	-	2,500	-	MAJO19C1904A	0.16	(0.01)	9,604	-	PTT01C1901A	0.28	(0.01)	486,659	-
KBAN13C1904A	0.10	0.01	24,964	-	MAJO24C1902A	-	-	-	-	PTT01C1901B	0.07	(0.01)	821,054	-
KBAN13C1904B	0.29	(0.01)	126,974	-	MALE01C1812A	0.01	-	20,777	-	PTT01C1904A	0.19	-	414,540	-
KBAN13P1905A	0.87	(0.01)	193,177	-	MALE27C1812A	-	-	-	-	PTT01C1904B	0.09	-	261,110	-
KBAN19C1901A	-	-	-	-	MEGA01C1904A	0.19	0.01	22,768	-	PTT01P1901A	0.51	0.01	280,564	-
KBAN19C1906A	0.57	-	37,286	-	MEGA01C1904B	0.10	-	564	-	PTT01P1901B	0.14	(0.01)	458,925	-
KBAN19P1904A	0.78	(0.02)	78,776	-	MEGA08C1903A	0.05	0.01	1,338	-	PTT01P1904A	0.99	0.02	230,341	-
KBAN23C1902A	0.04	-	11,000	-	MEGA11C1902A	-	-	-	-	PTT01P1904B	0.75	0.01	298,888	-
KBAN24C1902A	-	-	-	-	MEGA13C1902A	0.05	0.01	1	-	PTT06C1901A	0.03	-	17,060	-
KBAN24C1903A	-	-	-	-	MEGA19C1902A	-	-	-	-	PTT06C1903A	0.07	-	50,560	-
KBAN24C1908A	0.40	0.01	45	-	MEGA19C1906A	0.27	0.01	5,130	-	PTT06P1901A	0.37	(0.01)	64,230	-
KBAN24P1907A	-	-	-	-	MEGA23C1902A	-	-	-	-	PTT06P1903A	0.39	-	61,780	-
KBAN27C1903A	0.08	(0.01)	4,200	-	MEGA24C1903A	-	-	-	-	PTT07C1906A	0.28	0.05	2,842	-
KBAN27P1904A	-	-	-	-	MINT01C1901A	0.16	(0.01)	136,662	-	PTT08C1902A	0.03	(0.01)	27,244	-
KBAN28C1904A	0.06	-	9,034	-	MINT01C1901B	0.01	-	6,001	-	PTT08P1904A	0.66	(0.02)	53,203	-
KBAN28C1905A	0.25	(0.01)	99,584	-	MINT01P1901A	0.23	0.01	147,335	-	PTT11C1902A	0.01	-	6,591	-
KBAN28P1904A	0.57	-	128,439	-	MINT06C1901A	0.01	(0.01)	500	-	PTT11C1909A	0.19	-	16,339	-
KCE01C1903A	0.02	-	220,551	-	MINT06C1903A	-	-	-	-	PTT13C1903A	0.12	-	316,566	-
KCE01C1903B	0.02	-	1,000	-	MINT07C1906A	-	-	-	-	PTT13P1902A	0.46	(0.01)	546,892	-
KCE01C1906A	0.28	(0.02)	32,780	-	MINT08C1903A	0.06	-	4,610	-	PTT16C1912A	0.50	0.01	2,104	-
KCE01C1906B	0.22	(0.02)	20,747	-	MINT11C1902A	-	-	-	-	PTT19C1901A	0.04	-	82,920	-
KCE06C1903A	0.01	-	1	-	MINT11P1902A	-	-	-	-	PTT19P1903A	0.38	-	101,295	-
KCE07C1902A	-	-	-	-	MINT13C1812A	-	-	-	-	PTT23C1901A	-	-	-	-
KCE08C1902A	-	-	-	-	MINT13C1903A	-	-	-	-	PTT23C1906A	0.18	-	205,611	-
KCE08C1905A	0.21	(0.03)	8,258	-	MINT13C1904A	0.13	-	53,490	-	PTT24C1904A	0.08	0.01	400	-
KCE11C1904A	0.03	(0.01)	391	-	MINT19C1901A	0.05	(0.01)	36,776	-	PTT24P1901A	-	-	-	-
KCE13C1812A	-	-	-	-	MINT24C1901A	-	-	-	-	PTT24P1904A	0.26	(0.06)	20,027	-
KCE13C1903A	0.03	0.02	369	-	MINT24C1902A	-	-	-	-	PTT27C1903A	0.09	-	7,720	-
KCE13C1904A	0.03	(0.02)	10,002	-	MINT27C1903A	-	-	-	-	PTT27P1903A	0.44	(0.02)	26,100	-
KCE13C1905A	0.15	(0.02)	56,249	-	MINT27P1905A	0.49	0.01	17,820	-	PTT28C1901A	-	-	-	-
KCE19C1901A	-	-	-	-	MINT28C1903A	-	-	-	-	PTT28C1904A	0.16	-	245,670	-
KCE19C1906A	0.31	(0.01)	6,000	-	MINT28C1904A	0.11	-	96,346	-	PTT28P1903A	0.47	(0.01)	173,395	-
KCE23C1901A	-	-	-	-	MINT42C1904A	0.09	(0.01)	300	-	PTTE01C1901A	0.07	(0.02)	538,791	-
KCE24C1901A	-	-	-	-	MINT42P1904A	0.43	0.01	19,962	-	PTTE01C1901B	0.01	-	144,580	-
KCE24C1904A	-	-	-	-	MONO08C1906A	0.01	-	10	-	PTTE01C1904A	0.12	-	742,174	-
KCE27C1902A	-	-	-	-	MONO13C1901A	-	-	-	-	PTTE01C1904B	0.06	0.01	140,331	-
KCE28C1902A	-	-	-	-	MONO23C1901A	-	-	-	-	PTTE01P1901A	1.68	-	120,403	1.00
KCE28C1904A	-	-	-	-	MONO28C1901A	-	-	-	-	PTTE01P1901B	0.64	(0.04)	270,049	-
KCE28C1905A	0.17	(0.01)	22,948	-	MTC06C1901A	0.98	0.02	17,142	1.00	PTTE01P1904A	2.12	(0.02)	103,062	2.00
KKP01C1902A	0.16	-	24,501	-	MTC06C1903A	0.32	(0.01)	18,170	-	PTTE01P1904B	1.88	(0.03)	102,207	1.00
KKP01C1902B	0.03	(0.02)	4,000	-	MTC08C1902A	0.58	0.03	18,868	-	PTTE06C1903A	0.06	-	10,309	-
KKP08C1904A	0.14	(0.01)	4,564	-	MTC08C1904A	0.18	-	21,956	-	PTTE07C1904A	0.06	0.01	2,910	-
KKP11C1903A	-	-	-	-	MTC11C1904A	0.53	0.02	14,766	-	PTTE08C1904A	0.07	-	10,172	-
KKP13C1903A	0.14	(0.01)	18,178	-	MTC13C1901A	0.48	(0.01)	350	-	PTTE08P1904A	1.82	(0.03)	30,937	1.00
KKP19C1901A	0.03	-	22,070	-	MTC13C1903A	0.27	-	193,565	-	PTTE11C1902A	0.03	-	72,555	-
KKP24C1906A	0.20	0.01	1,010	-	MTC19C1901A	0.60	0.03	29,518	-	PTTE13C1812A	-	-	-	-
KKP28C1902A	-	-	-	-	MTC19C1903A	0.28	-	59,992	-	PTTE13C1902A	0.02	-	65,941	-
KTB01C1903A	0.31	0.04	3,632	-	MTC23C1906A	0.29	0.01	60,000	-	PTTE13C1904A	0.14	-	536,591	-
KTB01C1903B	0.22	0.04	11,005	-	MTC24C1903A	0.26	0.04	6,000	-	PTTE13C1905A	0.30	0.01	317,704	-
KTB01P1903A	0.48	0.01	62,706	-	MTC24C1912A	0.69	0.01	2,576	-	PTTE13P1901A	0.58	(0.04)	40,328	-
KTB01P1903B	0.37	-	59,096	-	MTC27C1904A	0.49	0.05	3,600	-	PTTE13P1902A	1.19	(0.30)	5,000	1.00
KTB06C1902A	0.23	0.04	3,800	-	MTC28C1902A	-	-	-	-	PTTE13P1905A	0.79	0.01	228,964	-
KTB08C1903A	0.17	0.03	4,482	-	MTC28C1903A	0.17	-	118,949	-	PTTE19C1903A	0.06	0.01	64,173	-
KTB11C1909A	0.25	0.02	4,400	-	ORI08C1904A	-	-	-	-	PTTE19C1906A	0.46	(0.01)	158,588	-
KTB13C1901A	-	-	-	-	ORI11C1909A	0.46	0.02	3,200	-	PTTE19P1903A	0.95	(0.02)	99,379	-
KTB13C1903A	0.13	(0.02)	8,804	-	ORI13C1902A	0.01	-	1,001	-	PTTE23C1901A	-	-	-	-
KTB19C1901A	0.17	0.01	7,200	-	ORI13C1904A	0.04	(0.01)	661	-	PTTE23C1906A	0.15	0.01	63,410	-
KTB23C1906A	0.34	0.02	14,031	-	ORI13C1904B	0.25	(0.01)	17,368	-	PTTE24C1901A	-	-	-	-
KTB24C1904A	-	-	-	-	ORI19C1904A	0.01	-	7,151	-	PTTE24C1904A	0.16	0.06	1,042	-
KTB24P1901A	-	-	-	-	ORI19C1905A	0.32	-	6,380	-	PTTE24P1901A	0.25	(0.04)	37,701	-
KTB24P1907A	-	-	-	-	ORI24C1903A	-	-	-	-	PTTE24P1904A	0.94	(0.14)	1,680	-
KTB27C1905A	0.23	-	4,800	-	ORI24C1905A	0.12	-	401	-	PTTE27C1903A	0.03	(0.01)	9,300	-
KTB28C1903A	0.09	(0.02)	26,613	-	ORI27C1905A	-	-	-	-	PTTE27P1904A	-	-	-	-
KTB42C1903A	0.18	0.01	2,040	-	ORI28C1902A	-	-	-	-	PTTE28C1902A	0.04	0.02	501	-
KTB42P1903A	0.16	0.01	4,080	-	ORI28C1904A	0.29	(0.02)	33,290	-	PTTE28C1905A	0.22	(0.01)	263,646	-
KTC01C1901A	0.25	-	76,610	-	ORI28C1904B	0.18	-	6,388	-	PTTE28P1903A	1.33	(0.02)	86,989	1.00
KTC01C1901B	0.08	(0.01)	52,990	-	PRM08C1902A	-	-	-	-	PTTE41C1905A	0.19	0.01	12,300	-
KTC08C1903A	0.24	0.02	12,562	-	PRM13C1901A	-	-	-	-	PTTE42C1903A	0.11	0.01	2,041	-
KTC11C1902A	0.58	0.02	2,702	-	PRM13C1904A	0.03	-	8,000	-	PTTG01C1901A	0.42	0.02	300,598	-
KTC13C1812B	-	-	-	-	PRM19C1902A	-	-	-	-	PTTG01C1901B	0.05	-	58,070	-
KTC13C1903A	0.12	(0.01)	202,539	-	PRM19C1906A	0.12	0.01	2,505	-	PTTG01C1904A	0.39	0.02	240,166	-
KTC19C1901A	0.28	0.01	17,722	-	PSH08C1904A	0.07	(0.01)	6,268	-	PTTG01C1904B	0.18	-	114,154	-
KTC19C1903A	0.12	-	49,470	-	PSH11C1902A	-	-	-	-	PTTG01P1901A	0.76	(0.07)	161,600	-
KTC19P1903A	0.39	0.01	99,034	-	PSH13C1903A	-	-	-	-	PTTG01P1901B	0.24	(0.03)	201,644	-
KTC27C1903A	0.26	0.02	6,900	-	PSH19C1903A	-	-	-	-	PTTG01P1904A	1.50	(0.04)	81,336	1.00
KTC27P1903A	0.22	-	16,451	-	PSL01C1812A	0.01	-	13,505	-	PTTG01P1904B	1.24	(0.05)	108,242	1.00
KTC27P1905A	0.49	(0.01)	20,550	-	PSL01C1812B	0.01	-	610	-	PTTG06C1903A	0.29	0.02	120,381	-
KTC28C1901A	0.01	-	120	-	PSL11C1905A	-	-	-	-	PTTG06P1903A	0.32	(0.02)	28,180	-
KTC28C1905A	0.31	0.01	84,152	-	PSL13C1903A	0.03	-	8,000	-	PTTG08C1902A	0.05	-	7,546	-
LH01C1903A	-	-	-	-	PSL19C1903A	0.08	-	3,522	-	PTTG08P1904A	0.69	(0.03)	46,887	-
LH01C1903B	0.05	-	1,000	-	PTG01C1902A	0.04	-	22,325	-	PTTG11C1902A	0.01	-	33,350	-
LH01P1903A	0.52	(0.01)	8,314	-	PTG01C1902B	0.01	-	1,999	-	PTTG11C1909A	0.49	0.06	34,416	-
LH06C1903A	-	-	-	-	PTG01C1905A	0.70	(0.01)	22,741	-	PTTG13C1904A	0.31	0.01	196,484	-
LH11C1906A	-	-	-	-	PTG01C1905B	0.61	(0.01)	19,735	-	PTTG19C1902A	0.13	-	45,416	-
LH13C1902A	-	-	-	-	PTG01P1902A	0.98	0.03	59,240	-	PTTG23C1901A	-	-	-	-
LH19C1901A	-	-	-	-	PTG06C1904A									

Main Board Quotation

Issue Date :

Thursday December 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OH13C1904A	-	-	-	-	SAWA11C1906A	0.44	-	20,813	-	STA01C1904A	0.23	(0.03)	47,482	-
OH19C1901A	-	-	-	-	SAWA13C1901A	-	-	-	-	STA01C1904B	0.18	-	69,286	-
OH19C1904A	0.08	-	5,299	-	SAWA13C1903A	0.18	-	119,939	-	STA08C1904A	0.10	(0.01)	7,184	-
OH24C1904A	0.05	(0.02)	510	-	SAWA13C1904A	0.35	(0.03)	107,733	-	STA11C1909A	0.24	-	20,424	-
OH27C1903A	-	-	-	-	SAWA19C1901A	0.64	-	43,384	-	STA13C1901A	0.16	(0.02)	127,664	-
OH27P1905A	0.55	(0.01)	4,800	-	SAWA19C1903A	0.26	(0.03)	48,314	-	STA13C1902A	0.05	(0.01)	5,022	-
RATC19C1901A	-	-	-	-	SAWA24C1902A	0.41	0.03	5,201	-	STA19C1903A	0.46	(0.03)	37,703	-
RATC24C1902A	-	-	-	-	SAWA24C1910A	0.72	(0.02)	2,005	-	STA19C1903B	0.08	(0.01)	24,336	-
RATC27C1812A	-	-	-	-	SAWA27C1903A	-	-	-	-	STA24C1902A	-	-	-	-
ROBI01C1903A	0.45	(0.09)	66,036	-	SAWA28C1902A	0.17	-	147,354	-	STA27C1904A	0.16	-	8,700	-
ROBI01C1903B	0.22	(0.06)	42,528	-	SCB01C1902A	0.64	-	107,168	-	STA28C1902A	0.10	-	28,282	-
ROBI06C1903A	0.18	(0.06)	13,800	-	SCB01C1902B	0.26	(0.01)	291,015	-	STA28C1903A	0.05	-	22,048	-
ROBI08C1903A	0.17	(0.04)	23,861	-	SCB01C1904A	0.26	-	188,522	-	STEC01C1902A	0.21	(0.05)	123,523	-
ROBI11C1906A	0.23	(0.05)	12,299	-	SCB01C1904B	0.14	-	196,160	-	STEC01C1902B	0.10	(0.01)	84,750	-
ROBI13C1902A	0.11	(0.05)	84,106	-	SCB01P1902A	0.40	0.01	117,843	-	STEC01P1902A	0.92	0.11	201,618	-
ROBI19C1901A	0.18	(0.07)	153,447	-	SCB01P1902B	-	-	-	-	STEC06C1903A	-	-	-	-
ROBI24C1901A	-	-	-	-	SCB01P1904A	1.15	(0.03)	71,587	1.00	STEC07C1904A	-	-	-	-
ROBI24C1903A	0.17	(0.07)	2,900	-	SCB01P1904B	0.93	(0.01)	93,419	-	STEC08C1903A	0.09	-	6,909	-
ROBI27C1905A	0.29	(0.06)	24,300	-	SCB06C1903A	0.18	-	19,812	-	STEC11C1903A	0.13	(0.03)	37,700	-
RS08C1901A	0.03	-	2,788	-	SCB07C1904A	-	-	-	-	STEC13C1902A	0.08	(0.02)	28,941	-
RS13C1901A	0.04	-	17,216	-	SCB08C1901A	0.06	-	9,490	-	STEC13C1903A	0.03	(0.01)	2,000	-
RS13C1905A	0.28	-	114,245	-	SCB11C1901A	-	-	-	-	STEC19C1901A	0.07	(0.01)	24,378	-
RS19C1901A	0.04	0.01	6,039	-	SCB11P1901A	0.13	(0.01)	21,000	-	STEC24C1901A	0.02	(0.01)	6,260	-
RS19C1906A	0.45	0.02	21,793	-	SCB13C1902A	0.05	0.01	1,901	-	STEC27C1902A	0.28	-	13,550	-
RS24C1904A	0.30	0.01	180	-	SCB13C1905A	0.27	0.01	423,232	-	STEC28C1902A	0.06	(0.01)	16,284	-
RS27C1905A	0.34	0.04	3,600	-	SCB13P1905A	0.56	(0.02)	278,316	-	STEC28C1903A	0.03	0.01	11,072	-
S10001C1911A	0.65	(0.02)	1,295	-	SCB19C1905A	0.37	0.01	34,834	-	SUPE08C1902A	-	-	-	-
S5001C1812F	0.01	-	232,174	-	SCB24C1901A	-	-	-	-	SUPE13C1902A	-	-	-	-
S5001C1812G	0.01	-	224,656	-	SCB24C1902A	-	-	-	-	SUPE13C1903A	-	-	-	-
S5001C1812H	0.01	-	149,756	-	SCB24P1906A	-	-	-	-	SUPE19C1902A	0.01	-	10	-
S5001C1812I	0.01	(0.01)	37,034	-	SCB27C1902A	0.10	0.01	10,500	-	SUPE19C1903A	-	-	-	-
S5001C1901A	0.07	(0.01)	221,865	-	SCB27P1903A	0.28	(0.01)	23,200	-	SUPE19C1906A	0.18	0.01	8,654	-
S5001C1901B	0.03	0.01	102,031	-	SCB28C1902A	-	-	-	-	SUPE23C1901A	-	-	-	-
S5001C1902A	0.16	(0.02)	967,835	-	SCB28C1904A	0.18	(0.01)	80,994	-	SUPE28C1902A	-	-	-	-
S5001C1902B	0.11	0.01	273,598	-	SCB28P1901A	0.31	(0.02)	47,290	-	TASC01C1903A	0.26	(0.02)	40,304	-
S5001C1903F	0.34	(0.02)	1,839,163	-	SCB42C1903A	0.12	-	6,120	-	TASC01C1903B	0.12	(0.02)	29,691	-
S5001P1812F	2.34	0.04	8,908	1.00	SCCO1C1901A	0.52	0.03	227,162	-	TASC01P1903A	0.60	0.04	19,973	-
S5001P1812G	1.88	0.09	169,006	1.00	SCCO1C1901B	0.19	(0.01)	462,094	-	TASC08C1903A	0.14	(0.02)	8,544	-
S5001P1812H	2.26	(0.04)	47,036	1.00	SCCO1P1901A	0.17	(0.01)	181,303	-	TASC11C1904A	-	-	-	-
S5001P1812I	1.50	0.17	280,768	-	SCCO6C1902A	-	-	-	-	TASC13C1901A	0.03	(0.01)	1,000	-
S5001P1901A	1.80	0.08	99,122	1.00	SCCO8C1902A	0.09	(0.01)	25,402	-	TASC13C1904A	0.21	(0.04)	159,636	-
S5001P1901B	1.84	0.15	232,129	1.00	SCC11C1906A	0.11	-	16,190	-	TASC19C1902A	0.11	(0.02)	22,090	-
S5001P1902A	1.50	0.08	208,284	1.00	SCC13C1901A	0.07	(0.01)	21,056	-	TASC23C1902A	0.09	(0.01)	11,000	-
S5001P1902B	1.50	0.10	350,238	1.00	SCC13C1903A	0.09	-	18,376	-	TASC24C1903A	-	-	-	-
S5001P1903F	1.49	0.03	4,584,060	1.00	SCC19C1901A	0.10	0.01	106,462	-	TASC27C1905A	0.27	(0.03)	9,900	-
S5006C1812A	0.01	-	50,715	-	SCC24C1901A	-	-	-	-	TASC28C1902A	-	-	-	-
S5006C1812B	0.01	-	5,051	-	SCC24C1902A	-	-	-	-	TASC28C1904A	0.08	(0.03)	11,230	-
S5006C1812C	0.01	-	50,386	-	SCC24C1910A	0.34	0.02	20	-	TCAP01C1901A	0.55	0.01	4,148	-
S5006C1812D	0.01	(0.01)	82,175	-	SCC24P1901A	-	-	-	-	TCAP01C1901B	0.20	(0.04)	23,652	-
S5006C1903A	0.26	(0.02)	112,138	-	SCC27C1904A	0.23	0.01	23,400	-	TCAP01P1901A	0.13	0.01	16,400	-
S5006C1903B	0.39	(0.01)	13,828	-	SCC27P1904A	0.48	(0.01)	25,120	-	TCAP11C1909A	0.25	(0.01)	8,310	-
S5006C1903C	0.56	(0.04)	97,595	-	SCC28C1902A	0.07	0.01	60	-	TCAP13C1901A	0.23	(0.02)	40,804	-
S5006C1903D	0.20	(0.02)	85,838	-	SCC28C1905A	0.21	0.01	112,700	-	TCAP19C1901A	0.12	(0.01)	7,000	-
S5006P1812A	1.70	0.11	6,160	1.00	SCCA42C1904A	0.11	-	13,396	-	TCAP24C1903A	-	-	-	-
S5006P1812B	0.23	0.05	4,145	-	SCCC27C1812A	0.03	-	1	-	THAI01C1901A	0.05	(0.01)	5,949	-
S5006P1812C	0.01	-	44,587	-	SGP06C1812A	-	-	-	-	THAI01C1901B	-	-	-	-
S5006P1812D	-	-	-	-	SGP06C1903A	0.15	0.01	5,300	-	THAI01P1901A	0.84	0.11	6,827	-
S5006P1903A	1.49	0.03	25,146	1.00	SGP08C1901A	-	-	-	-	THAI08C1903A	0.07	0.01	1,942	-
S5006P1903B	1.24	0.02	44,396	-	SGP11C1904A	-	-	-	-	THAI11C1906A	0.17	-	1,005	-
S5006P1903C	1.05	0.04	50,412	-	SGP13C1812A	-	-	-	-	THAI13C1902A	0.06	0.01	2,407	-
S5006P1903D	0.98	0.03	178,332	-	SGP13C1904A	-	-	-	-	THAI19C1901A	0.02	(0.01)	12,442	-
S5008C1812A	-	-	-	-	SGP13C1905A	0.22	(0.01)	73,298	-	THAI19C1905A	0.25	(0.04)	13,925	-
S5008C1812B	-	-	-	-	SGP19C1904A	-	-	-	-	THAI23C1901A	-	-	-	-
S5008C1812C	-	-	-	-	SGP19C1905A	0.30	-	11,614	-	THAI24C1901A	-	-	-	-
S5008C1903A	0.20	(0.02)	438,397	-	SGP24C1902A	-	-	-	-	THAI27C1905A	0.19	-	2,100	-
S5008P1812A	0.01	(0.08)	7,249	-	SGP27C1903A	-	-	-	-	THAI28C1901A	-	-	-	-
S5008P1812B	0.01	(0.01)	100	-	SGP28C1903A	-	-	-	-	THAI28C1904A	0.10	-	4,344	-
S5008P1903A	1.04	0.04	474,643	-	SGP28C1904A	0.16	0.01	66,852	-	THAN01C1812A	0.06	-	3,002	-
S5013C1812A	0.01	-	9,602	-	SIRI01C1901A	0.01	(0.01)	7,000	-	THAN08C1904A	0.10	-	1,006	-
S5013C1812B	0.01	-	200	-	SIRI01C1901B	0.01	-	1,499	-	THAN13C1902A	0.08	(0.01)	27,356	-
S5013C1812C	0.01	-	200	-	SIRI01P1901A	1.31	(0.02)	1,623	1.00	THAN13C1905A	0.30	-	32,494	-
S5013C1812D	0.01	-	-	-	SIRI06C1904A	0.02	0.01	200	-	THAN19C1903A	0.20	(0.01)	45,128	-
S5013C1812E	0.01	-	331,212	-	SIRI08C1903A	-	-	-	-	THAN24C1903A	-	-	-	-
S5013C1903A	0.25	(0.02)	9,642,076	-	SIRI11C1902A	0.03	-	1	-	THC008C1906A	-	-	-	-
S5013C1903B	0.48	(0.03)	7,110,778	-	SIRI13C1901A	-	-	-	-	THC011C1902A	-	-	-	-
S5013C1903C	0.77	(0.23)	579,572	-	SIRI13C1902A	-	-	-	-	THC028C1901A	-	-	-	-
S5013P1812A	0.82	0.16	541,427	-	SIRI19C1906A	0.18	-	7,138	-	TISCO01C1902A	0.47	0.01	38,800	-
S5013P1812B	1.83	-	14	1.00	SIRI24C1903A	-	-	-	-	TISCO01C1902B	0.21	0.02	77,735	-
S5013P1812C	-	-	-	-	SIRI24C1906A	0.03	(0.01)	1,000	-	TISCO07C1902A	-	-	-	-
S5013P1812D	-	-	-	-	SIRI28C1901A	-	-	-	-	TISCO08C1903A	0.21	0.01	10,584	-
S5013P1812E	-	-	-	-	SIRI28C1903A	-	-	-	-	TISC11C1903A	-	-	-	-
S5013P1903A	1.68	0.05	7,549,802	1.00	SIRI28C1904A	0.04	(0.01)	4,000	-	TISC13C1904A	0.38	0.02	74,375	-
S5013P1903B	1.02	0.03	7,052,525	-	SPAL01C1902A	0.04	0.01	15,202	-	TISC19C1901A	0.05	0.01	14,493	-
S5013P1903C	0.86	(0.14)	827,585	-	SPAL01C1902B	-	-	-	-	TISC19C1906A	0.67	0.04	22,599	-
S5028C1812A	-	-	-	-	SPAL11C1905A	-	-	-	-	TISC24C1904A	-	-	-	-
S5028C1812B	-	-	-	-	SPAL13C1903A	-	-	-	-	TISC27C1905A	0.45	0.03	9,900	-
S5028C1812C	-	-	-	-	SPAL13C1904A	0.11	0.02	116,888	-	TISC28C1901A	0.09	0.02	19,100	-
S5028C1812D	0.01	-	3,007	-	SPAL19C1902A									

