

# Asia Plus Securities Company Limited Daily Quotation Report

Thursday January 03, 2019

## NOTE :

1. This is a preliminary quotation, not an official one
2. Volumes are presented in board lot (100 shares)
3. Trading values are in thousand (1,000) baht
4. Fundamental statistics are estimated values
5. Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
CPALL	70.50	4,274,511	0.4%
PTT	45.50	2,460,593	-1.6%
PTTGC	69.00	1,603,032	-2.5%
AOT	63.50	1,120,021	-1.2%
ADVANC	172.50	997,049	-0.6%
BJC	47.50	928,193	-4.0%
PTTEP	113.50	857,777	0.9%
KBANK	186.00	855,479	0.5%
KTB	19.60	855,476	1.6%
BEAUTY	7.10	831,638	3.6%

Sector Ranking	
Sector	%Value
AGRI	58.5388
AUTO	0.7382
BANK	0.5404
COMM	0.1077
CONMAT	11.0107
CONS	18.5408
ENERG	2.5190
ETRON	1.1745
FASHION	20.5662
FIN	0.6056
FOOD	0.0273
HEALTH	2.5916
HOME	3.1800
ICT	3.4951
IMM	0.0464
INSUR	5.0719
MEDIA	0.2754
MINE	0.1951
PAPER	0.9551
PERSON	0.0013
PETRO	0.0058
PFUND	0.0968
PKG	6.1203
PROF	0.2181
PROP	0.0650
STEEL	0.0223
TOURISM	4.3135
TRANS	0.0417

Top Ten Gainers			
Stock	Last	Value '000	%Change
PTG06C1904A	0.03	116	200.0%
TKN11C1902A	0.03	0	200.0%
KCE13C1903A	0.02	0	100.0%
LPN24C1908A	0.04	0	100.0%
PTG11C1903A	0.02	0	100.0%
PTTE28C1902A	0.02	3	100.0%
TOP06C1903B	0.02	0	100.0%
STA13C1901A	0.18	3,066	63.6%
BGRI24C1901A	0.26	601	52.9%
AJA-W1	0.09	293	50.0%

Top Ten Losers			
Stock	Last	Value '000	%Change
COM713C1903A	0.01	1	-80.0%
KCE11C1906A	0.22	26	-78.0%
ESSO08C1902A	0.01	0	-75.0%
COM706C1903A	0.02	62	-66.7%
BPP13C1902A	0.04	9	-60.0%
COM719C1904A	0.04	302	-60.0%
SPRC07C1903A	0.02	0	-60.0%
GLOB13C1901A	0.07	738	-56.3%
BANP01C1903B	0.01	0	-50.0%
BANP19C1902A	0.01	1	-50.0%

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
<b>SET Index</b>	1,571.48	1,578.17	1,556.77	1,560.03	(5.91)	(0.38)
<b>SET 50</b>	1,051.31	1,055.91	1,038.39	1,041.49	(5.22)	(0.50)
<b>SET 100</b>	2,307.10	2,317.49	2,280.29	2,286.56	(10.72)	(0.47)
<b>SETHD</b>	1,180.65	1,186.60	1,169.42	1,173.39	(3.64)	(0.31)
<b>sSET</b>	731.68	735.69	728.23	729.55	(1.28)	(0.18)
<b>MAI</b>	355.23	357.57	353.74	354.95	0.05	0.01
AGRI	180.90	184.50	180.90	183.73	3.83	2.13
AUTO	465.70	470.52	465.20	466.23	1.21	0.26
BANK	514.62	519.06	513.20	514.84	1.18	0.23
COMM	39,525.68	40,045.98	38,897.16	38,985.00	(422.19)	(1.07)
CONMAT	10,755.03	10,800.34	10,674.85	10,688.01	(10.55)	(0.10)
CONS	85.41	86.45	85.04	85.56	0.35	0.41
ENERG	23,184.20	23,371.16	22,836.70	22,944.79	(98.32)	(0.43)
ETRON	1,487.85	1,497.08	1,475.04	1,483.80	(6.63)	(0.44)
FASHION	719.03	731.62	719.03	730.81	10.01	1.39
FIN	3,504.02	3,550.08	3,486.56	3,495.65	(5.59)	(0.16)
FOOD	10,753.34	10,833.88	10,680.37	10,742.15	(1.04)	(0.01)
HEALTH	5,598.14	5,651.09	5,593.91	5,606.68	15.96	0.29
HOME	27.66	27.92	27.46	27.62	-	-
ICT	142.12	143.26	141.30	141.37	(0.44)	(0.31)
IMM	45.72	45.99	45.40	45.67	(0.08)	(0.17)
INSUR	11,217.93	11,263.97	11,185.91	11,203.28	(25.50)	(0.23)
MEDIA	47.86	47.97	47.48	47.73	(0.02)	(0.04)
MINE	10.05	10.14	10.05	10.05	-	-
PAPER	2,588.08	2,658.41	2,574.01	2,602.15	-	-
PERSON	229.37	232.81	227.92	229.07	0.07	0.03
PETRO	1,276.37	1,289.01	1,250.19	1,259.43	(18.65)	(1.46)
PFUND	155.91	157.00	154.83	203.79	0.92	0.45
PKG	3,170.84	3,181.42	3,140.73	3,179.13	(1.54)	(0.05)
PROF	141.46	143.98	140.65	141.46	(0.16)	(0.11)
PROP	280.79	281.50	276.67	277.21	(2.88)	(1.03)
STEEL	30.03	30.41	29.83	29.92	(0.01)	(0.03)
TOURISM	624.62	636.63	621.80	622.64	0.18	0.03
TRANS	367.23	367.38	359.48	361.34	(3.44)	(0.94)

Volume by Board (Lot)	
Main Board	11,329,467,509
Foreign Board	29
<b>Total</b>	<b>11,329,467,538</b>

Value by Board (Mn.Bt.)	
Main Board	39,757.71
Foreign Board	43.23
<b>Total</b>	<b>39,800.94</b>

Gainers and Losers	
Gainers	530
Losers	658
Unchanged	488

Fundamental Figures	
Price/Earnings	13.94
Price/Book Value	2.05
Dividend Yield	3.57

ASP's Daily Quotation Report

Thursday January 03, 2019













## Main Board Quotation

Issue Date

Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
QHOP	3.24	20162	-	3.20	3.14	3.14	3.06	3.22	(0.10)	51	16	3.14
QHPP	13.20	20162	13.20	13.30	13.10	13.30	13.20	13.30	0.10	473	624	13.19
SBPF	2.78	281261	-	2.78	2.76	2.76	2.60	2.78	(0.02)	26	7	2.76
SHREIT	9.00	20162	-	9.00	8.85	8.90	8.85	8.90	(0.10)	1,353	1,203	8.89
SIRIP	11.40	271261	-	11.50	11.50	11.50	11.20	11.60	0.10	2	2	11.5
SPF	23.00	20162	23.00	23.10	22.90	23.00	23.00	23.10	-	5,871	13,499	22.99
SRIPANWA	10.70	20162	-	10.80	10.80	10.80	10.60	10.80	0.10	144	156	10.8
SSPF	9.25	20162	-	9.30	9.20	9.20	9.20	9.40	(0.05)	832	766	9.21
SSTPF	6.30	271261	-	6.35	6.25	6.35	6.25	6.35	0.05	12	8	6.28
SSTRT	6.00	20162	-	6.00	6.00	6.00	5.95	6.00	-	2	1	6
TIF1	8.70	20162	8.65	8.70	8.65	8.70	8.65	8.70	-	265	230	8.7
TIGF	19.50	20162	19.50	19.50	19.20	19.30	19.20	19.30	(0.20)	2,844	5,478	19.26
TLGF	11.00	281261	-	11.00	11.00	11.00	10.80	11.00	-	4	4	11.0
TLHPF	3.48	281261	-	3.40	3.40	3.40	3.06	4.00	(0.08)	89	30	3.4
TNPF	12.60	20162	-	12.70	12.60	12.60	12.60	13.70	-	4,990	6,288	12.6
TPRIME	11.60	20162	11.70	11.80	11.70	11.70	11.70	11.80	0.10	7,454	8,721	11.7
TREIT	22.10	281261	-	22.30	22.00	22.30	22.00	22.40	0.20	52	115	22.03
TU-PF	1.69	281261	-	-	-	-	1.20	2.02	-	-	-	0
URBNPF	3.76	20162	-	3.96	3.94	3.96	3.78	3.96	0.20	4	2	3.96
WHABT	9.90	20162	-	9.95	9.90	9.95	9.85	9.95	0.05	400	398	9.94
WHART	11.10	20162	11.10	11.10	11.00	11.00	11.00	11.10	(0.10)	8,411	9,266	11.02
Steel												
AMC	1.78	20162	-	1.78	1.77	1.78	1.78	1.79	-	141	25	1.78
BSBM	0.93	20162	0.94	0.94	0.91	0.94	0.93	0.94	0.01	667	61	0.92
CEN	1.05	20162	1.06	1.06	1.05	1.05	1.05	1.06	-	6,725	710	1.06
CITY	2.32	20162	-	2.32	2.30	2.32	2.30	2.32	-	38	9	2.32
CSP	1.06	20162	-	1.10	1.07	1.10	1.07	1.10	0.04	145	16	1.08
GJS	0.12	20162	0.12	0.13	0.11	0.12	0.12	0.13	-	74,302	890	0.12
GSTEL	0.13	150561	-	-	-	-	-	-	-	-	-	0
INOX	0.97	20162	0.99	0.99	0.99	0.99	0.97	0.99	0.02	215	21	0.99
LHK	3.76	20162	3.76	3.84	3.76	3.82	3.80	3.82	0.06	1,805	690	3.82
MAX	0.02	20162	0.02	0.03	0.01	0.02	0.01	0.02	-	394,020	788	0.02
MCS	6.50	20162	6.50	6.80	6.50	6.60	6.60	6.70	0.10	10,798	7,227	6.7
MILL	1.48	20162	1.53	1.53	1.44	1.44	1.44	1.45	(0.04)	2,267	330	1.46
PAP	3.40	20162	-	3.44	3.40	3.42	3.40	3.42	0.02	436	149	3.41
PERM	1.91	20162	1.87	1.90	1.87	1.87	1.87	1.90	(0.04)	750	142	1.89
RICH	0.07	90560	-	-	-	-	-	-	-	-	-	0
SAM	0.46	20162	-	0.47	0.45	0.46	0.45	0.46	-	1,059	49	0.46
SMIT	5.90	20162	5.85	5.85	5.80	5.85	5.80	5.85	(0.05)	3,716	2,170	5.84
SSI	0.05	260459	-	-	-	-	-	-	-	-	-	0
SSSC	2.72	20162	2.72	2.74	2.72	2.74	2.72	2.74	0.02	82	22	2.73
TGPRO	0.12	20162	0.12	0.13	0.12	0.12	0.11	0.13	-	11,023	132	0.12
THE	1.60	20162	1.60	1.62	1.54	1.55	1.55	1.59	(0.05)	496	78	1.58
TIW	220.00	281261	-	-	-	-	201.00	230.00	-	-	-	0
TMT	13.00	20162	13.00	13.10	12.80	12.90	12.90	13.00	(0.10)	1,227	1,587	12.93
TSTH	0.67	20162	0.67	0.67	0.66	0.67	0.66	0.67	-	734	49	0.67
TWP	3.86	20162	-	3.94	3.86	3.92	3.88	3.92	0.06	431	168	3.9
TYCN	2.70	271261	-	-	-	-	2.64	2.68	-	4,739	1,280	0
Construction Service												
BJCHI	1.89	20162	1.88	1.94	1.88	1.91	1.91	1.93	0.02	2,673	511	1.91
CK	24.80	20162	24.90	25.25	24.90	25.00	25.00	25.25	0.20	24,095	60,243	25
CNT	1.92	20162	-	1.94	1.92	1.92	1.92	1.93	-	205	40	1.93
EMC	0.28	20162	-	0.27	0.26	0.27	0.26	0.27	(0.01)	31,191	842	0.27
ITD	2.18	20162	2.18	2.22	2.14	2.18	2.16	2.18	-	110,322	24,108	2.19
NWR	0.76	20162	-	0.78	0.76	0.76	0.76	0.77	-	14,114	1,077	0.76
PAE	0.07	90559	-	-	-	-	-	-	-	-	-	0
PLE	1.09	20162	1.10	1.11	1.09	1.09	1.09	1.10	-	13,013	1,424	1.09
PREB	9.50	20162	9.40	9.55	9.40	9.50	9.45	9.50	-	424	402	9.49
PYLON	7.10	20162	7.15	7.20	7.10	7.10	7.10	7.15	-	3,584	2,557	7.14
SEAFCCO	9.25	20162	9.20	9.25	8.55	8.75	8.70	8.75	(0.50)	73,923	65,223	8.82
SQ	2.14	20162	2.14	2.16	2.12	2.14	2.12	2.14	-	3,206	686	2.14
SRICHA	10.70	20162	-	11.10	10.60	10.60	10.60	10.90	(0.10)	282	301	10.67
STEC	20.50	20162	20.50	21.00	20.50	20.90	20.70	20.90	0.40	129,711	269,304	20.76
STPI	4.08	20162	4.14	4.24	4.14	4.18	4.16	4.18	0.10	28,318	11,850	4.18
SYNTEC	2.68	20162	-	2.72	2.68	2.68	2.68	2.70	-	2,288	616	2.69
TPOLY	2.60	20162	2.64	2.64	2.58	2.58	2.58	2.60	(0.02)	3,045	796	2.62
TRC	0.39	20162	0.39	0.41	0.39	0.39	0.39	0.40	-	30,078	1,194	0.4
TTCL	6.65	20162	6.65	6.70	6.60	6.60	6.60	6.65	(0.05)	3,104	2,058	6.63
UNIQ	9.25	20162	9.35	9.40	9.20	9.20	9.20	9.25	(0.05)	26,102	24,244	9.29





**Asia Plus Securities Company Limited**

**Daily Quotation**

**Foreign Board Quotation**

Issue Date : **Thursday January 03, 2019**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AUCT	5.10	20162	5.05	5.20	5.05	5.05	5.05	5.10	(0.05)	2,911.00	1,482.00	5.00
BOL	2.04	20162	2.04	2.04	2.00	2.00	2.00	2.02	(0.04)	708.00	142.00	2.00
CHUO	4.42	160559	-	-	-	-	-	-	-	-	-	-
CMO	1.22	20162	-	1.27	1.23	1.23	1.24	1.26	0.01	526.00	66.00	1.00
D	9.05	20162	9.00	9.05	9.00	9.05	9.00	9.05	-	405.00	366.00	9.00
DCORP	0.49	20162	0.50	0.56	0.50	0.56	0.55	0.56	0.07	26,608.00	1,416.00	-
DNA	0.40	20162	0.42	0.42	0.38	0.39	0.39	0.40	(0.01)	172,123.00	6,841.00	-
EFORL	0.06	20162	0.05	0.06	0.05	0.06	0.05	0.06	-	20,424.00	121.00	-
ETE	0.85	20162	0.89	0.98	0.85	0.89	0.88	0.89	0.04	11,707.00	1,059.00	-
FSMART	5.85	20162	5.90	6.00	5.75	5.85	5.80	5.85	-	18,172.00	10,646.00	5.00
FVC	0.69	20162	0.69	0.73	0.68	0.69	0.69	0.70	-	2,795.00	196.00	-
HARN	2.50	20162	2.52	2.52	2.44	2.52	2.44	2.50	0.02	384.00	95.00	2.00
JKN	7.75	20162	7.80	7.95	7.60	7.60	7.60	7.65	(0.15)	13,464.00	10,457.00	7.00
KIAT	0.46	20162	0.47	0.48	0.46	0.46	0.46	0.47	-	22,370.00	1,052.00	-
KOOL	1.16	20162	1.17	1.18	1.13	1.14	1.14	1.15	(0.02)	4,530.00	522.00	1.00
LDC	0.94	20162	0.93	0.94	0.92	0.94	0.93	0.94	-	872.00	81.00	-
MPG	0.17	20162	0.17	0.17	0.16	0.16	0.16	0.17	(0.01)	684.00	11.00	-
MVP	1.44	20162	1.46	1.48	1.41	1.41	1.41	1.47	(0.03)	2,835.00	407.00	1.00
NBC	0.46	20162	-	0.49	0.49	0.49	0.41	0.49	0.03	1.00	-	-
NCL	1.41	20162	-	1.41	1.39	1.40	1.35	1.40	(0.01)	221.00	31.00	1.00
NEWS	0.01	20162	0.01	0.01	0.01	0.01	-	0.01	-	5,326.00	5.00	-
NINE	2.04	20162	2.06	2.08	1.95	1.97	1.96	1.97	(0.07)	31,422.00	6,311.00	2.00
OTO	2.04	20162	-	2.30	1.98	1.98	1.98	2.00	(0.06)	36,063.00	7,683.00	2.00
PHOL	1.61	20162	-	1.62	1.56	1.62	1.56	1.62	0.01	246.00	39.00	1.00
PICO	3.76	20162	-	-	-	-	3.80	3.98	-	-	-	-
PORT	5.00	20162	5.15	5.45	4.96	5.00	4.98	5.00	-	1,639.00	841.00	5.00
QLT	4.00	20162	3.84	4.00	3.84	4.00	3.98	4.00	-	315.00	125.00	3.00
RP	2.38	20162	2.36	2.38	2.34	2.34	2.34	2.38	(0.04)	625.00	147.00	2.00
SE	1.88	20162	1.87	2.00	1.87	1.93	1.87	1.93	0.05	20.00	4.00	1.00
SISB	4.26	20162	4.30	4.36	4.26	4.30	4.28	4.30	0.04	25,525.00	11,032.00	4.00
SONIC	1.29	20162	1.30	1.34	1.28	1.31	1.30	1.31	0.02	18,860.00	2,472.00	1.00
SPA	11.50	20162	11.60	11.90	11.50	11.80	11.70	11.80	0.30	11,117.00	13,098.00	11.00
THMUI	1.21	20162	1.20	1.21	1.18	1.20	1.18	1.20	(0.01)	227.00	27.00	1.00
TNDT	4.10	20162	4.18	4.18	4.04	4.10	4.04	4.10	-	39.00	16.00	4.00
TNH	38.00	20162	-	38.25	37.75	37.75	37.75	38.00	(0.25)	1,275.00	4,819.00	37.00
TNP	1.38	20162	1.37	1.38	1.36	1.36	1.36	1.38	(0.02)	1,397.00	190.00	1.00
TSF	0.02	20162	0.03	0.03	0.02	0.03	0.02	0.03	0.01	464,073.00	1,389.00	-
TVD	1.49	20162	1.51	1.52	1.49	1.51	1.50	1.51	0.02	7,179.00	1,081.00	1.00
TVT	0.72	20162	0.73	0.73	0.71	0.71	0.70	0.71	(0.01)	1,701.00	123.00	-
WINNER	2.78	20162	2.82	2.84	2.76	2.80	2.78	2.80	0.02	929.00	259.00	2.00
Technology (MAI	-	0	-	-	-	-	-	-	-	-	-	-
COMAN	3.16	20162	-	3.36	3.14	3.16	3.16	3.18	-	7,693.00	2,507.00	3.00
ICN	1.68	20162	1.69	1.71	1.67	1.68	1.68	1.69	-	5,041.00	852.00	1.00
IRCP	0.57	20162	0.58	0.58	0.58	0.58	0.57	0.58	0.01	453.00	26.00	-
ITEL	3.04	20162	3.06	3.14	3.04	3.12	3.08	3.12	0.08	10,983.00	3,385.00	3.00
NETBAY	23.30	20162	-	23.60	22.80	23.20	23.10	23.20	(0.10)	888.00	2,051.00	23.00
PLANET	1.53	20162	-	1.52	1.45	1.51	1.46	1.50	(0.02)	257.00	37.00	1.00
SIMAT	1.93	20162	1.93	1.93	1.93	1.93	1.91	1.93	-	603.00	116.00	1.00
SKY	12.50	20162	-	12.50	12.30	12.40	12.40	12.50	(0.10)	2,362.00	2,928.00	12.00
SPVI	1.08	20162	1.09	1.11	1.09	1.10	1.10	1.11	0.02	1,705.00	187.00	1.00
UPA	0.36	20162	-	0.37	0.36	0.36	0.36	0.37	-	10,073.00	364.00	-
VCOM	2.88	20162	2.90	2.98	2.88	2.88	2.88	2.96	-	383.00	111.00	2.00
Unit Trust	-	-	-	-	-	-	-	-	-	-	-	-
MGE	10.00	160861	-	-	-	-	8.50	-	-	-	-	-
SCBSET	5.80	20248	-	-	-	-	5.80	-	-	-	-	-
ETF	-	-	-	-	-	-	-	-	-	-	-	-
1DIV	10.93	20162	-	10.93	10.88	10.88	10.85	10.88	(0.05)	330.00	359.00	10.00
ABFTH	1,222.00	271261	-	-	-	-	1,230.00	1,240.00	-	-	-	-
BMSCG	7.53	20162	7.56	7.57	7.53	7.54	7.51	7.54	0.01	97.00	73.00	7.00
BMSCITH	11.86	20162	11.92	11.96	11.78	11.81	11.80	11.81	(0.05)	3,820.00	4,535.00	11.00
BSET100	9.98	20162	10.02	10.04	9.91	10.00	9.92	10.00	0.02	7,353.00	7,322.00	9.00
CHINA	4.54	20162	4.51	4.54	4.50	4.52	4.51	4.53	(0.02)	1,236.00	558.00	4.00
EBANK	5.59	20162	-	-	-	-	5.54	5.57	-	-	-	-
ECOMM	7.93	20162	-	-	-	-	7.87	7.90	-	-	-	-
EFOOD	5.21	271261	-	5.23	5.20	5.20	5.17	5.20	(0.01)	4.00	2.00	5.00
EICT	4.24	20162	-	4.24	4.24	4.24	4.23	4.26	-	1.00	-	4.00
ENGY	5.77	281261	-	-	-	-	5.75	5.79	-	-	-	-
ENY	6.90	20162	-	6.91	6.91	6.91	6.90	6.92	0.01	1.00	1.00	6.00
ESET50	5.60	281261	-	5.49	5.46	5.46	5.42	5.45	(0.14)	2.00	1.00	5.00
GLD	1.77	20162	-	1.78	1.76	1.78	1.77	1.78	0.01	2,268.00	401.00	1.00
TDEX	10.46	20162	10.50	10.50	10.35	10.36	10.35	10.36	(0.10)	4,557.00	4,750.00	10.00
TGOLDETF	3.81	20162	3.85	3.86	3.84	3.84	3.84	3.85	0.03	263.00	101.00	3.00
TH100	5.04	201261	-	5.40	4.60	4.60	4.54	5.20	(0.44)	12.00	6.00	5.00
Warrant Foreign	-	-	-	-	-	-	-	-	-	-	-	-
AAV01C1902A	0.33	20162	0.33	0.34	0.26	0.26	0.25	0.26	(0.07)	36,310.00	1,090.00	-
AAV01C1902B	0.19	20162	-	0.20	0.14	0.14	0.13	0.14	(0.05)	136,974.00	2,070.00	-
AAV01P1902A	0.62	20162	-	0.72	0.61	0.72	0.72	0.73	0.10	91,350.00	6,177.00	-
AAV06C1904A	0.17	20162	-	0.17	0.13	0.13	0.12	0.13	(0.04)	10,160.00	152.00	-
AAV08C1903A	0.12	20162	-	0.13	0.09	0.09	0.09	0.10	(0.03)	6,493.00	75.00	-
AAV11C1904A	0.01	271261	-	-	-	-	0.01	0.02	-	-	-	-
AAV11C1910A	0.39	20162	-	0.40	0.35	0.35	0.33	0.34	(0.04)	37,984.00	1,427.00	-
AAV13C1901A	0.07	20162	-	0.07	0.04	0.04	0.03	0.04	(0.03)	37,709.00	203.00	-
AAV19C1902A	0.07	20162	-	0.05	0.04	0.04	0.04	0.05	(0.03)	2,054.00	8.00	-
AAV24C1903A	0.05	20162	-	0.04	0.04	0.04	0.03	0.04	(0.01)	30.00	-	-
AAV24C1904A	0.13	261261	-	-	-	-	0.07	0.08	-	-	-	-
AAV28C1902A	0.07	20162	-	0.07	0.05	0.05	0.04	0.05	(0.02)	17,163.00	97.00	-
ADVA01C1902A	0.07	20162	-	0.08	0.07	0.07	0.06	0.07	-	27,848.00	210.00	-
ADVA01C1902B	0.02	20162	0.02	0.03	0.02	0.02	0.01	0.02	-	910.00	2.00	-
ADVA01C1905A	0.43	20162	-	0.46	0.42	0.42	0.41	0.42	(0.01)	139,608.00	6,157.00	-
ADVA01C1905B	0.32	20162	0.33	0.35	0.31	0.31	0.30	0.31	(0.01)	89,431.00	3,029.00	-
ADVA01P1902A	0.92	20162	-	0.93	0.88	0.93	0.93	0.94	0.01	77,413.00	7,050.00	-
ADVA01P1902B	0.62	20162	0.61	0.63	0.58	0.63	0.63	0.64	0.01	96,162.00	5,886.00	-
ADVA01P1905A	1.20	20162	-	1.21	1.15	1.21	1.21	1.22	0.01	68,487.00	8,142.00	1.00
ADVA06C1903A	0.03	20162	-	-	-	-	0.02	0.03	-	-	-	-
ADVA07C1908A	1.00	0	-	-	-	-	0.53	0.54	-	-	-	-
ADVA08C1903A	0.04	281261	-	-	-	-	0.03	0.04	-	-	-	-
ADVA11C1905A	0.04	20162	-	0.03	0.03	0.03	0.04	0.05	(0.01)	70.00	-	-
ADVA11C1910A	0.59	20162	-	0.63	0.59	0.59	0.58	0.59	-	24,800.00	1,513.00	-
ADVA11P1905A	0.31	20162	-	0.31	0.29	0.31	-	-	-	11,380.00	340.00	-
ADVA11P1910A	0.69	20162	-	0.70	0.66	0.70	0.70	0.71	0.01	24,000.00	1,640.00	-
ADVA13C1901A	0.01	20162	-	0.01	0.01	0.01	-	0.01	-	38,221.00	38.00	-
ADVA13C1904A</												

## Asia Plus Securities Company Limited

## Daily Quotation

## Foreign Board Quotation

Issue Date :

Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
ADVA28C1904B	0.28	20162	-	0.31	0.27	0.27	0.26	0.27	(0.01)	64,144.00	1,873.00	-
ADVA28C1905A	0.47	20162	-	0.51	0.47	0.47	0.46	0.47	-	57,462.00	2,847.00	-
ADVA41C1905A	0.62	20162	-	-	-	-	0.60	0.61	-	-	-	-
ADVA42C1903A	0.08	201161	-	-	-	-	0.02	0.03	-	-	-	-
AMAT01C1903A	0.41	20162	0.41	0.43	0.38	0.38	0.38	0.39	(0.03)	47,232.00	1,918.00	-
AMAT01C1903B	0.21	20162	-	0.22	0.19	0.20	0.19	0.20	(0.01)	25,416.00	545.00	-
AMAT01P1903A	0.74	20162	-	0.77	0.71	0.76	0.76	0.77	0.02	83,937.00	6,277.00	-
AMAT06C1903A	0.20	20162	-	0.22	0.20	0.20	0.18	0.19	-	3,010.00	60.00	-
AMAT08C1903A	0.21	20162	-	0.22	0.19	0.19	0.19	0.20	(0.02)	12,132.00	255.00	-
AMAT11C1903A	0.12	281261	-	0.12	0.10	0.10	0.10	0.11	(0.02)	5,530.00	64.00	-
AMAT13C1902A	0.04	20162	-	0.05	0.04	0.05	0.03	0.05	0.01	32.00	-	-
AMAT13C1905A	0.27	20162	0.28	0.29	0.26	0.26	0.26	0.27	(0.01)	214,558.00	6,014.00	-
AMAT19C1902A	0.22	20162	-	0.24	0.21	0.21	0.21	0.22	(0.01)	15,156.00	341.00	-
AMAT23C1906A	0.22	20162	-	0.23	0.21	0.21	0.21	0.22	(0.01)	21,010.00	468.00	-
AMAT24C1904A	0.13	271261	-	-	-	-	0.10	0.11	-	-	-	-
AMAT27C1902A	0.41	281261	-	-	-	-	0.39	0.41	-	-	-	-
AMAT28C1902A	0.12	20162	-	0.13	0.11	0.11	0.11	0.12	(0.01)	20,480.00	248.00	-
AMAT28C1903A	0.03	271261	-	0.03	0.03	0.03	0.02	0.03	-	8,000.00	24.00	-
ANAN08C1906A	0.02	20162	-	0.02	0.02	0.02	0.01	0.02	-	10,501.00	21.00	-
ANAN13C1901A	0.01	271261	-	-	-	-	-	0.01	-	-	-	-
ANAN23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
AOT01C1902A	0.37	20162	0.38	0.39	0.32	0.34	0.33	0.34	(0.03)	221,599.00	7,571.00	-
AOT01C1902B	0.11	20162	0.12	0.12	0.09	0.09	0.09	0.10	(0.02)	72,282.00	732.00	-
AOT01C1904A	0.37	20162	0.34	0.38	0.33	0.34	0.33	0.34	(0.03)	110,064.00	3,790.00	-
AOT01C1904B	0.21	20162	0.19	0.21	0.18	0.18	0.18	0.19	(0.03)	121,544.00	2,281.00	-
AOT01P1902A	0.68	20162	0.73	0.75	0.67	0.73	0.72	0.73	0.05	109,877.00	7,932.00	-
AOT01P1902B	0.18	20162	0.17	0.23	0.17	0.21	0.20	0.21	0.03	302,956.00	6,262.00	-
AOT01P1904A	0.70	20162	0.74	0.76	0.71	0.75	0.74	0.75	0.05	93,800.00	6,974.00	-
AOT01P1904B	0.45	20162	-	0.49	0.44	0.49	0.47	0.48	0.04	208,537.00	9,954.00	-
AOT06C1903A	0.22	20162	-	0.21	0.18	0.18	0.18	0.19	(0.04)	27,954.00	526.00	-
AOT06P1903A	0.22	20162	-	0.26	0.21	0.25	0.24	0.25	0.03	17,310.00	418.00	-
AOT07C1902A	0.33	271261	-	-	-	-	0.24	0.27	-	-	-	-
AOT08C1901A	0.08	241261	-	-	-	-	0.03	0.04	-	-	-	-
AOT08C1904A	0.27	20162	-	0.26	0.22	0.22	0.23	0.24	(0.05)	22,900.00	533.00	-
AOT08P1903A	0.24	20162	-	0.27	0.24	0.27	0.26	0.27	0.03	14,262.00	369.00	-
AOT11C1906A	0.20	20162	-	0.20	0.18	0.18	0.18	0.19	(0.02)	25,865.00	474.00	-
AOT11P1906A	0.20	281261	-	0.21	0.19	0.21	0.21	0.22	0.01	10,090.00	207.00	-
AOT13C1902A	0.17	20162	-	0.18	0.13	0.15	0.15	0.16	(0.02)	38,433.00	576.00	-
AOT13C1904A	0.41	20162	0.37	0.42	0.36	0.37	0.37	0.38	(0.04)	45,789.00	1,737.00	-
AOT13P1902A	0.10	20162	-	0.11	0.10	0.11	0.10	0.11	0.01	15,348.00	168.00	-
AOT13P1905A	0.39	20162	-	0.44	0.39	0.43	0.42	0.43	0.04	65,819.00	2,754.00	-
AOT16C1912A	0.78	20162	-	0.76	0.74	0.74	0.72	0.75	(0.04)	9.00	1.00	-
AOT19C1901A	0.11	20162	0.08	0.09	0.08	0.08	0.08	0.09	(0.03)	5,401.00	46.00	-
AOT19P1903A	0.14	281261	-	0.14	0.13	0.14	0.14	0.15	-	26,027.00	360.00	-
AOT23C1906A	0.36	20162	-	0.36	0.33	0.33	0.33	0.35	(0.03)	32,310.00	1,091.00	-
AOT24C1901A	0.02	211261	-	-	-	-	-	0.01	-	-	-	-
AOT24C1904A	0.20	241261	-	-	-	-	0.13	0.14	-	-	-	-
AOT24P1903A	0.09	20162	-	0.10	0.09	0.10	0.09	0.10	0.01	10,600.00	105.00	-
AOT27C1902A	0.13	20162	-	0.11	0.11	0.11	0.11	0.12	(0.02)	3,600.00	40.00	-
AOT27P1903A	0.31	20162	-	0.34	0.31	0.34	0.34	0.35	0.03	5,850.00	196.00	-
AOT28C1901A	0.01	241261	-	-	-	-	-	0.01	-	-	-	-
AOT28C1902A	0.23	281261	-	0.23	0.18	0.18	0.18	0.19	(0.05)	4,739.00	86.00	-
AOT28C1905A	0.25	20162	-	0.25	0.22	0.22	0.22	0.23	(0.03)	31,460.00	714.00	-
AOT41P1905A	1.00	0	-	-	-	-	0.40	0.41	-	-	-	-
AOT42C1903A	0.14	20162	-	0.15	0.13	0.13	0.13	0.14	(0.01)	6,570.00	86.00	-
AP01C1903A	0.02	20162	0.02	0.03	0.02	0.03	0.02	0.03	0.01	1,212.00	3.00	-
AP01C1903B	0.01	211261	-	-	-	-	0.01	0.02	-	-	-	-
AP13C1903A	0.02	301161	-	-	-	-	-	0.03	-	-	-	-
AP13C1904A	0.07	271261	-	0.07	0.07	0.07	0.07	0.08	-	8,208.00	57.00	-
AP19C1902A	0.02	191261	-	-	-	-	-	0.02	-	-	-	-
AP19C1906A	0.19	20162	-	0.21	0.19	0.20	0.20	0.21	0.01	6,512.00	132.00	-
AP23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
AP24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
AP24C1907A	0.04	281261	-	0.06	0.04	0.04	0.04	0.05	-	85.00	-	-
AP42C1901A	0.10	21161	-	-	-	-	-	0.01	-	-	-	-
AP42P1901A	1.11	20162	-	1.14	1.06	1.06	1.06	1.07	(0.05)	5,624.00	603.00	1.00
BA11C1902A	0.01	20162	-	-	-	-	0.01	0.02	-	-	-	-
BA24C1901A	0.01	251261	-	-	-	-	-	0.01	-	-	-	-
BANP01C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
BANP01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
BANP01C1903A	0.06	20162	0.06	0.06	0.05	0.05	0.04	0.05	(0.01)	14,710.00	79.00	-
BANP01C1903B	0.02	20162	-	0.01	0.01	0.01	0.01	0.02	(0.01)	300.00	-	-
BANP01C1905A	0.24	20162	0.26	0.27	0.23	0.24	0.23	0.24	-	118,989.00	3,066.00	-
BANP01C1905B	0.19	20162	-	0.20	0.16	0.17	0.16	0.17	(0.02)	175,225.00	3,241.00	-
BANP01P1812A	1.58	271261	-	-	-	-	-	-	-	-	-	-
BANP01P1812B	1.20	271261	-	-	-	-	-	-	-	-	-	-
BANP01P1903A	1.27	20162	-	1.33	1.23	1.33	1.29	1.31	0.06	77,311.00	9,985.00	1.00
BANP01P1903B	0.96	20162	-	1.01	0.93	1.01	0.98	1.01	0.05	41,410.00	4,017.00	-
BANP01P1905A	0.69	20162	-	0.75	0.68	0.75	0.72	0.73	0.06	95,347.00	6,733.00	-
BANP06C1903A	0.06	191261	-	-	-	-	0.01	0.02	-	-	-	-
BANP07C1904A	0.04	20162	-	0.04	0.03	0.03	-	0.03	(0.01)	374.00	1.00	-
BANP08C1904A	0.06	20162	-	0.06	0.06	0.06	0.05	0.06	-	1,200.00	7.00	-
BANP08P1901A	0.60	20162	-	0.65	0.56	0.65	0.65	0.68	0.05	13,638.00	811.00	-
BANP11C1902A	0.02	20162	-	-	-	-	0.01	0.02	-	-	-	-
BANP11C1909A	0.14	20162	-	0.14	0.13	0.13	0.13	0.14	(0.01)	6,056.00	81.00	-
BANP13C1902A	0.01	20162	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
BANP13C1904A	0.09	20162	-	0.09	0.08	0.08	0.07	0.08	(0.01)	16,603.00	134.00	-
BANP16C1912A	0.36	20162	-	0.36	0.35	0.35	0.34	0.36	(0.01)	1,016.00	36.00	-
BANP19C1902A	0.02	281261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,250.00	1.00	-
BANP19C1906A	0.24	20162	-	0.25	0.22	0.22	0.22	0.23	(0.02)	26,842.00	629.00	-
BANP23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
BANP23C1906A	0.14	20162	-	0.14	0.13	0.13	0.13	0.14	(0.01)	29,716.00	396.00	-
BANP24C1904A	0.03	251261	-	-	-	-	0.01	0.02	-	-	-	-
BANP24C1907A	0.09	20162	-	-	-	-	0.07	0.08	-	-	-	-
BANP24P1901A	0.32	281261	-	0.34	0.34	0.34	0.32	0.34	0.02	150.00	5.00	-
BANP27C1904A	0.07	20162	-	-	-	-	0.05	0.06	-	-	-	-
BANP27P1905A	0.62	281261	-	-	-	-	0.63	0.66	-	-	-	-
BANP28C1902A	0.02	141261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	35,010.00	35.00	-
BANP28C1903A	0.03	281261	-	0.02	0.02	0.02	0.02	0.03	(0.01)	20,007.00	40.00	-
BANP28C1905A	0.09	20162	-	0.09	0.09	0.09	0.07	0.08	-	26,146.00	235.00	-
BANP42C1903A	0.07	261161	-	-	-	-	0.01	0.02	-	-	-	-
BANP42P1903A	0.98	20162	-	1.02	0.96	1.02	1.00	1.04	0.04	16,320.00	1,601.00	-
BBL06C1902A	0.43	20162	-	0.47	0.43	0.4						

## Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
BBL27P1904A	0.48	20162	-	0.47	0.46	0.47	0.47	0.48	(0.01)	8,550.00	401.00	-
BBL28C1901A	0.02	281261	-	-	-	-	-	0.02	-	-	-	-
BBL28C1904A	0.17	20162	-	0.19	0.17	0.18	0.18	0.19	0.01	34,484.00	617.00	-
BBL42C1903A	0.13	281261	-	0.13	0.13	0.13	0.13	0.14	-	12,240.00	159.00	-
BCH01C1902A	0.11	20162	-	0.12	0.09	0.09	0.09	0.10	(0.02)	189,695.00	2,071.00	-
BCH01C1902B	0.02	20162	0.03	0.03	0.02	0.03	0.01	0.02	0.01	512.00	1.00	-
BCH01P1902A	0.74	20162	0.72	0.79	0.70	0.77	0.76	0.77	0.03	38,038.00	2,843.00	-
BCH06C1903A	0.07	20162	-	0.09	0.06	0.06	0.05	0.06	(0.01)	1,718.00	12.00	-
BCH08C1901A	0.04	20162	-	0.05	0.04	0.04	0.03	0.04	-	2,000.00	9.00	-
BCH11C1905A	0.12	20162	-	0.12	0.11	0.11	0.11	0.12	(0.01)	6,890.00	80.00	-
BCH13C1902A	0.04	281261	-	-	-	-	-	0.04	-	-	-	-
BCH13C1905A	0.10	20162	-	0.11	0.09	0.10	0.09	0.10	-	35,750.00	379.00	-
BCH19C1903A	0.11	20162	0.12	0.12	0.10	0.10	0.10	0.11	(0.01)	40,185.00	459.00	-
BCH24C1904A	0.03	20162	-	-	-	-	0.02	0.03	-	-	-	-
BCH27C1902A	0.23	20162	0.24	0.25	0.20	0.21	0.21	0.22	(0.02)	81,426.00	1,885.00	-
BCH28C1902A	0.01	271261	-	0.01	0.01	0.01	0.01	0.02	-	10.00	-	-
BCH28C1904A	0.07	20162	-	0.08	0.07	0.07	0.06	0.07	-	9,144.00	72.00	-
BCH28C1905A	0.07	20162	-	0.08	0.08	0.08	0.06	0.07	0.01	10,046.00	80.00	-
BCH28C1906A	0.11	20162	0.11	0.11	0.11	0.11	0.10	0.11	-	34,475.00	379.00	-
BCH28C1907A	0.05	20162	-	-	-	-	0.03	0.04	-	-	-	-
BCH28C1908A	0.48	20162	-	0.48	0.47	0.48	0.47	0.48	-	16,248.00	773.00	-
BCH28C1909A	0.06	121261	-	-	-	-	0.01	0.02	-	-	-	-
BCH28C1910A	0.15	20162	-	0.16	0.14	0.14	0.15	0.16	(0.01)	3,600.00	54.00	-
BCH28C1911A	0.04	20162	-	0.04	0.04	0.04	0.03	0.04	-	1.00	-	-
BCH28C1912A	0.04	251261	-	-	-	-	0.02	0.03	-	-	-	-
BCH28C1913A	0.27	20162	-	0.26	0.24	0.24	0.25	0.26	(0.03)	7,776.00	199.00	-
BCH28C1914A	0.07	31261	-	-	-	-	0.01	0.02	-	-	-	-
BCH28C1915A	0.13	261261	-	0.12	0.12	0.12	0.12	0.13	(0.01)	960.00	12.00	-
BCH28C1916A	0.09	31261	-	-	-	-	-	0.02	-	-	-	-
BCH28C1917A	0.11	20162	-	0.12	0.12	0.12	0.11	0.12	0.01	11,236.00	135.00	-
BCH28C1918A	0.09	20162	-	0.11	0.10	0.10	0.09	0.10	0.01	63,997.00	686.00	-
BCH28C1919A	0.03	20162	-	0.05	0.04	0.04	0.03	0.04	0.01	37,250.00	174.00	-
BCH28C1920A	0.10	20162	-	0.12	0.10	0.10	0.09	0.10	-	9,530.00	109.00	-
BCH28C1921A	0.03	281261	-	-	-	-	0.03	0.04	-	-	-	-
BCH28C1922A	0.07	20162	-	0.08	0.07	0.07	0.07	0.08	-	6,507.00	48.00	-
BCH28C1923A	0.01	20162	-	-	-	-	0.01	0.02	-	-	-	-
BCH28C1924A	0.29	20162	-	0.32	0.29	0.29	0.29	0.30	-	33,200.00	999.00	-
BCH28C1925A	0.01	261261	-	0.01	0.01	0.01	0.01	0.02	-	100.00	-	-
BCH28C1926A	0.09	271261	-	0.09	0.07	0.07	0.07	0.09	(0.02)	1,581.00	13.00	-
BCH28C1927A	0.20	20162	0.20	0.24	0.20	0.20	0.20	0.21	-	454,009.00	9,683.00	-
BCH28C1928A	0.01	281261	-	0.02	0.01	0.01	0.01	0.02	-	4,200.00	5.00	-
BCH28C1929A	0.30	20162	-	0.34	0.30	0.30	0.30	0.31	-	25,464.00	797.00	-
BCH28C1930A	0.02	281261	-	0.03	0.03	0.03	0.02	0.03	0.01	2,000.00	6.00	-
BCH28C1931A	0.03	171261	-	-	-	-	0.01	0.02	-	-	-	-
BCH28C1932A	0.06	251261	-	-	-	-	0.03	0.05	-	-	-	-
BCH28C1933A	0.01	261261	-	-	-	-	-	0.01	-	-	-	-
BCH28C1934A	0.07	20162	-	0.09	0.07	0.07	0.07	0.08	-	37,468.00	304.00	-
BCH28C1935A	0.18	20162	0.19	0.20	0.19	0.19	0.18	0.19	0.01	17,061.00	325.00	-
BCH28C1936A	0.13	20162	-	0.14	0.13	0.13	0.13	0.14	0.01	3,839.00	53.00	-
BCH28C1937A	0.30	20162	0.30	0.30	0.29	0.29	0.29	0.30	(0.01)	16,149.00	471.00	-
BCH28C1938A	0.04	20162	-	-	-	-	0.03	0.04	-	-	-	-
BCH28C1939A	0.15	171261	-	-	-	-	0.07	0.08	-	-	-	-
BCH28C1940A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
BCH28C1941A	0.14	20162	-	0.14	0.13	0.13	0.13	0.14	(0.01)	3,000.00	41.00	-
BCH28C1942A	0.05	271261	-	-	-	-	0.03	0.05	-	-	-	-
BCH28C1943A	0.09	20162	-	0.09	0.08	0.08	0.08	0.09	(0.01)	14,150.00	125.00	-
BCH28C1944A	0.30	20162	-	-	-	-	0.30	0.31	-	-	-	-
BCH28C1945A	0.04	20162	-	0.05	0.04	0.04	0.04	0.05	-	10,956.00	52.00	-
BCH28C1946A	0.43	20162	-	0.46	0.43	0.44	0.44	0.45	0.01	10,373.00	462.00	-
BCH28C1947A	0.34	20162	0.37	0.37	0.36	0.36	0.36	0.37	0.02	20,000.00	731.00	-
BCH28C1948A	0.10	271261	-	-	-	-	0.08	0.09	-	-	-	-
BCH28C1949A	0.49	281261	-	0.46	0.46	0.46	0.46	0.47	(0.03)	4.00	-	-
BCH28C1950A	0.10	241261	-	-	-	-	-	-	-	-	-	-
BCH28C1951A	0.05	271261	-	-	-	-	0.02	0.03	-	-	-	-
BCH28C1952A	0.35	281261	-	-	-	-	0.32	0.37	-	-	-	-
BCH28C1953A	0.10	271261	-	-	-	-	0.07	0.08	-	-	-	-
BCH28C1954A	0.17	20162	-	0.16	0.16	0.16	0.16	0.17	(0.01)	3,722.00	60.00	-
BEAU01C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
BEAU01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
BEAU01C1901A	0.02	20162	-	0.03	0.02	0.02	0.02	0.03	-	2,081.00	4.00	-
BEAU01C1901B	0.01	20162	-	0.01	0.01	0.01	0.01	0.02	-	915.00	1.00	-
BEAU01C1902A	0.13	20162	0.14	0.19	0.14	0.17	0.16	0.17	0.04	297,093.00	5,005.00	-
BEAU01C1902B	0.06	20162	-	0.08	0.06	0.06	0.06	0.07	-	46,507.00	320.00	-
BEAU01P1812A	2.30	271261	-	-	-	-	-	-	-	-	-	-
BEAU01P1902A	1.31	20162	1.30	1.31	1.18	1.22	1.22	1.23	(0.09)	284,654.00	34,969.00	1.00
BEAU06C1904A	0.33	20162	-	0.42	0.34	0.37	0.37	0.38	0.04	55,703.00	2,160.00	-
BEAU08C1901A	0.01	41261	-	0.01	0.01	0.01	-	0.01	-	16.00	-	-
BEAU08C1902A	0.04	20162	-	0.05	0.04	0.05	0.04	0.05	0.01	6,706.00	30.00	-
BEAU11C1902A	0.02	20162	-	0.02	0.01	0.01	-	0.02	(0.01)	4.00	-	-
BEAU13C1901A	0.01	20162	-	0.01	0.01	0.01	-	0.01	-	9,006.00	9.00	-
BEAU13C1904A	0.04	20162	-	0.05	0.03	0.04	0.03	0.04	-	76,147.00	305.00	-
BEAU13C1904B	0.14	20162	0.15	0.20	0.15	0.17	0.17	0.18	0.03	446,958.00	7,886.00	-
BEAU19C1901A	0.02	20162	-	0.04	0.03	0.03	0.02	0.03	0.01	6,575.00	20.00	-
BEAU19C1902A	0.02	20162	-	0.02	0.02	0.02	0.01	0.02	-	25.00	-	-
BEAU19C1906A	0.53	20162	-	0.61	0.53	0.57	0.57	0.58	0.04	75,437.00	4,394.00	-
BEAU23C1901A	0.01	251261	-	-	-	-	-	0.01	-	-	-	-
BEAU23C1906A	0.08	20162	-	0.10	0.08	0.09	0.08	0.09	0.01	10,540.00	94.00	-
BEAU24C1901A	0.01	121261	-	-	-	-	-	0.01	-	-	-	-
BEAU24C1902A	0.01	251261	-	0.01	0.01	0.01	-	0.01	-	10.00	-	-
BEAU24C1903A	0.05	20162	-	0.06	0.06	0.06	0.05	0.06	0.01	550.00	3.00	-
BEAU24C1904A	0.04	20162	-	0.04	0.04	0.04	0.04	0.05	-	24,801.00	99.00	-
BEAU27C1903A	0.03	251261	-	-	-	-	0.01	0.03	-	-	-	-
BEAU28C1904A	0.09	20162	-	0.12	0.10	0.11	0.11	0.12	0.02	47,217.00	540.00	-
BEAU41C1907A	0.30	20162	-	0.35	0.31	0.31	0.32	0.33	0.01	201.00	7.00	-
BEC01C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
BEC01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
BEC13C1901A	0.01	281261	-	-	-	-	-	0.01	-	-	-	-
BEM01C1902A	0.65	20162	0.69	0.69	0.63	0.63	0.63	0.65	(0.02)	93,967.00	6,255.00	-
BEM01C1902B	0.52	20162	-	0.57	0.50	0.53	0.51	0.53	0.01	229,366.00	12,029.00	-
BEM01P1902A	0.09	20162	0.07	0.09	0.07	0.08	0.08	0.09	(0.01)	146,741.00	1,205.00	-
BEM07C1903A	0.44	271261	-	-	-	-	0.46	0.47	-	-	-	-
BEM08C1903A	0.43	20162	-	0.48	0.41	0.44	0.43	0.44	0.01	22,863.00	993.00	-
BEM11C1903A	0.40	20162	0.43	0.43	0.37	0.38	0.38	0.39	(0.02)	15,755.00	602.00	-
BEM13C1901A	0.50	20162	-	-	-	-	0.50	0.51	-	-	-	-
BEM13C1905A	0.50	20162	0.52	0.52	0.47	0.4						

## Asia Plus Securities Company Limited

## Daily Quotation

## Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BGR101C1903A	0.26	20162	0.30	0.30	0.26	0.30	0.29	0.30	0.04	229,665.00	6,769.00	-
BGR101C1903B	0.13	20162	0.16	0.16	0.13	0.15	0.15	0.16	0.02	279,422.00	4,433.00	-
BGR106C1903A	0.71	20162	-	0.81	0.67	0.77	0.80	0.81	0.06	22,800.00	1,797.00	-
BGR107C1903A	0.18	31261	-	-	-	-	0.17	0.18	-	-	-	-
BGR108C1902A	0.39	20162	-	0.49	0.38	0.46	0.49	0.52	0.07	23,054.00	1,093.00	-
BGR108C1904A	0.14	20162	-	0.17	0.14	0.17	0.16	0.17	0.03	19,896.00	306.00	-
BGR111C1909A	0.26	20162	-	0.31	0.28	0.31	0.31	0.32	0.05	32,402.00	995.00	-
BGR113C1904A	0.16	20162	0.16	0.20	0.16	0.19	0.20	0.21	0.03	114,852.00	2,219.00	-
BGR119C1901A	0.22	20162	-	0.31	0.24	0.31	0.31	0.33	0.09	16,526.00	461.00	-
BGR119C1903A	0.12	20162	-	0.14	0.11	0.13	0.14	0.15	0.01	48,709.00	674.00	-
BGR124C1901A	0.17	20162	-	0.26	0.16	0.26	0.26	0.27	0.09	27,820.00	601.00	-
BGR124C1902A	0.08	261261	-	0.10	0.09	0.09	0.09	0.10	0.01	7,890.00	73.00	-
BGR127C1905A	0.16	20162	-	0.18	0.15	0.18	0.18	0.19	0.02	15,300.00	271.00	-
BGR128C1901A	0.04	141261	-	-	-	-	-	0.01	-	-	-	-
BGR128C1905A	0.15	20162	-	0.20	0.16	0.18	0.19	0.20	0.03	102,930.00	1,931.00	-
BH01C1905A	0.27	20162	-	0.32	0.28	0.29	0.29	0.30	0.02	35,543.00	1,075.00	-
BH01C1905B	0.20	20162	-	0.24	0.21	0.21	0.22	0.23	0.01	32,800.00	766.00	-
BH01P1905A	0.69	20162	0.64	0.68	0.62	0.65	0.65	0.66	(0.04)	64,905.00	4,225.00	-
BH08C1902A	0.24	20162	0.29	0.31	0.24	0.26	0.27	0.28	0.02	12,179.00	338.00	-
BH11C1902A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
BH11C1905A	0.45	20162	-	0.52	0.45	0.47	0.48	0.49	0.02	10,930.00	538.00	-
BH13C1901A	0.17	20162	-	0.26	0.18	0.20	0.21	0.22	0.03	40,325.00	892.00	-
BH13C1906A	0.69	20162	0.77	0.79	0.70	0.74	0.74	0.75	0.05	44,703.00	3,364.00	-
BH19C1901A	0.16	20162	-	0.23	0.17	0.19	0.19	0.20	0.03	26,207.00	514.00	-
BH24C1902A	0.12	281261	-	-	-	-	0.13	0.14	-	-	-	-
BH27C1905A	0.16	20162	-	0.18	0.16	0.17	0.16	0.17	0.01	6,300.00	108.00	-
BIG08C1906A	0.01	20162	-	0.01	0.01	0.01	0.01	0.02	-	1,670.00	2.00	-
BIG13C1901A	0.01	211261	-	-	-	-	-	0.01	-	-	-	-
BJC01C1812A	0.14	271261	-	-	-	-	-	-	-	-	-	-
BJC01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
BJC01C1906A	0.43	20162	0.39	0.46	0.36	0.36	0.35	0.36	(0.07)	100,350.00	3,979.00	-
BJC01C1906B	0.32	20162	0.29	0.35	0.26	0.26	0.25	0.26	(0.06)	179,916.00	5,256.00	-
BJC01P1812A	0.41	271261	-	-	-	-	-	-	-	-	-	-
BJC01P1906A	0.71	20162	-	0.81	0.68	0.80	0.79	0.80	0.09	279,700.00	21,200.00	-
BJC06C1901A	0.01	281261	-	-	-	-	0.01	0.02	-	-	-	-
BJC06C1903A	0.14	20162	-	0.16	0.09	0.09	0.08	0.09	(0.05)	24,178.00	274.00	-
BJC08C1903A	0.06	20162	-	-	-	-	0.04	0.05	-	-	-	-
BJC11C1905A	0.13	20162	-	0.13	0.09	0.09	0.09	0.10	(0.04)	9,180.00	99.00	-
BJC13C1902A	0.03	20162	-	0.03	0.02	0.02	0.02	0.03	(0.01)	1,501.00	3.00	-
BJC13C1903A	0.10	20162	-	0.11	0.09	0.09	0.07	0.09	(0.01)	4,814.00	52.00	-
BJC13C1906A	0.26	20162	-	0.28	0.21	0.21	0.21	0.22	(0.05)	96,103.00	2,265.00	-
BJC19C1902A	0.04	20162	-	0.05	0.03	0.03	0.02	0.03	(0.01)	43,218.00	148.00	-
BJC23C1901A	0.10	131161	-	-	-	-	-	0.01	-	-	-	-
BJC24C1901A	0.05	301161	-	-	-	-	-	0.01	-	-	-	-
BJC27C1905A	0.16	20162	-	0.17	0.13	0.13	0.12	0.13	(0.03)	9,900.00	140.00	-
BJC28C1904A	0.09	20162	-	0.09	0.07	0.07	0.06	0.07	(0.02)	2,268.00	19.00	-
BLA01C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
BLA08C1904A	0.05	281261	-	0.06	0.06	0.06	0.05	0.06	0.01	700.00	4.00	-
BLA11C1909A	0.07	281261	-	0.08	0.08	0.08	0.07	0.08	0.01	1,112.00	9.00	-
BLA13C1902A	0.02	20162	-	-	-	-	-	0.02	-	-	-	-
BLA13C1908A	0.22	20162	0.21	0.22	0.21	0.21	0.21	0.22	(0.01)	65,584.00	1,388.00	-
BLA19C1903A	0.03	20162	-	0.04	0.04	0.04	0.03	0.04	0.01	20.00	-	-
BLA19C1906A	0.09	20162	-	0.09	0.09	0.09	0.09	0.10	-	2,800.00	25.00	-
BLA24C1903A	0.09	71261	-	-	-	-	0.01	0.02	-	-	-	-
BLA27C1905A	0.10	281261	-	0.09	0.09	0.09	0.09	0.10	(0.01)	5,400.00	49.00	-
BLA28C1906A	0.16	20162	-	0.16	0.15	0.15	0.15	0.16	(0.01)	46,989.00	725.00	-
BLAN01C1903A	0.09	20162	0.10	0.10	0.09	0.09	0.08	0.09	-	6,777.00	67.00	-
BLAN01C1903B	0.04	241261	-	-	-	-	0.01	0.02	-	-	-	-
BLAN01P1903A	0.77	20162	-	0.77	0.75	0.77	0.77	0.79	-	5,080.00	386.00	-
BLAN11C1902A	0.01	20162	-	-	-	-	0.01	0.03	-	-	-	-
BLAN19C1902A	0.02	211261	-	-	-	-	-	0.02	-	-	-	-
BLAN19C1906A	0.16	20162	-	0.16	0.15	0.16	0.15	0.16	-	7,799.00	125.00	-
BPP01C1903A	0.09	20162	-	0.08	0.07	0.07	0.07	0.08	(0.02)	856.00	7.00	-
BPP01C1903B	0.05	281261	0.05	0.05	0.05	0.05	0.03	0.04	-	1.00	-	-
BPP01P1903A	0.38	20162	-	0.43	0.39	0.42	0.41	0.42	0.04	22,838.00	923.00	-
BPP06C1903A	0.09	211261	-	-	-	-	0.03	0.04	-	-	-	-
BPP11C1910A	0.44	20162	-	0.43	0.39	0.39	0.40	0.41	(0.05)	21,500.00	887.00	-
BPP13C1901A	0.01	20162	-	0.01	0.01	0.01	0.01	0.07	-	45.00	-	-
BPP13C1902A	0.10	241261	-	0.04	0.04	0.04	0.04	0.10	(0.06)	2,200.00	9.00	-
BPP19C1903A	0.16	20162	-	0.14	0.13	0.13	0.13	0.14	(0.03)	6,196.00	83.00	-
BPP19C1903B	0.06	20162	-	-	-	-	0.04	0.05	-	-	-	-
BPP23C1901A	0.04	261161	-	-	-	-	-	0.01	-	-	-	-
BPP24C1902A	0.02	211261	-	-	-	-	-	0.01	-	-	-	-
BPP24C1904A	0.21	61261	-	-	-	-	0.06	0.07	-	-	-	-
BPP28C1902A	0.06	131261	-	-	-	-	0.01	0.02	-	-	-	-
BPP28C1904A	0.16	20162	-	0.14	0.13	0.13	0.13	0.14	(0.03)	9,220.00	124.00	-
BTS01C1903A	0.35	20162	0.36	0.37	0.34	0.34	0.34	0.35	(0.01)	17,696.00	628.00	-
BTS01C1903B	0.21	20162	0.21	0.21	0.20	0.20	0.19	0.20	(0.01)	11,473.00	238.00	-
BTS01P1903A	0.27	20162	-	0.28	0.27	0.27	0.27	0.28	-	24,556.00	671.00	-
BTS06C1903A	9.25	281261	-	-	-	-	9.15	9.25	-	-	-	-
BTS06C1903B	9.25	281261	-	-	-	-	9.15	9.25	-	-	-	-
BTS06C1903C	9.25	281261	-	-	-	-	9.15	9.25	-	-	-	-
BTS11C1904A	0.04	271261	-	0.03	0.03	0.03	0.03	0.05	(0.01)	394.00	1.00	-
BTS11C1910A	0.30	20162	-	0.30	0.30	0.30	0.29	0.30	-	4,200.00	126.00	-
BTS19C1901A	0.13	20162	0.12	0.12	0.12	0.12	0.11	0.12	(0.01)	3,166.00	38.00	-
BTS23C1905A	1.65	20162	-	1.64	1.64	1.64	1.62	1.64	(0.01)	4,000.00	656.00	1.00
BTS24C1901A	0.11	21061	-	-	-	-	-	0.01	-	-	-	-
BTS28C1902A	0.10	20162	-	-	-	-	-	0.09	0.10	-	-	-
BTS28C1905A	0.23	20162	-	0.24	0.22	0.22	0.22	0.23	(0.01)	6,591.00	151.00	-
BTS42C1901A	0.09	211261	-	-	-	-	0.05	0.06	-	-	-	-
BTS42P1901A	0.03	20162	0.03	0.03	0.03	0.03	0.03	0.04	-	2.00	-	-
CBG01C1902A	0.03	20162	-	0.04	0.02	0.04	0.02	0.04	0.01	7,890.00	16.00	-
CBG01C1902B	0.01	20162	-	0.01	0.01	0.01	0.01	0.02	-	300.00	-	-
CBG01P1905A	1.61	20162	-	1.69	1.61	1.65	1.65	1.67	0.04	25,569.00	4,210.00	1.00
CBG06C1903A	0.02	20162	-	0.02	0.02	0.02	0.01	0.02	-	35,645.00	71.00	-
CBG06P1903A	2.06	20162	-	2.14	2.06	2.14	2.12	2.14	0.08	8,417.00	1,757.00	2.00
CBG08C1902A	0.01	271261	-	-	-	-	-	0.01	-	-	-	-
CBG11C1902A	0.02	20162	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,391.00	1.00	-
CBG13C1901A	0.02	251261	-	-	-	-	-	0.01	-	-	-	-
CBG13C1905A	0.12	20162	0.13	0.13	0.11	0.11	0.11	0.12	(0.01)	36,129.00	421.00	-
CBG16C1912A	0.32	20162	-	0.33	0.31	0.31	0.29	0.31	(0.01)	2,500.00	79.00	-
CBG19C1901A	0.02	211261	-	-	-	-	-	0.01	-	-	-	-
CBG19C1906A	0.20	20162	-	0.19	0.17	0.17	0.17	0.18	(0.03)	33,951.00	628.00	-
CBG23C1901A	0.02	41261	-	-	-	-	-	0.01	-	-	-	-
CBG24C1901A	0.02	191261	-	-								

## Foreign Board Quotation

Issue Date :

Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CENT11C1909A	0.32	20162	-	0.37	0.32	0.32	0.32	0.33	-	25,689.00	873.00	-
CENT13C1902A	0.11	20162	-	0.15	0.14	0.14	0.10	0.15	0.03	2,802.00	41.00	-
CENT19C1901A	0.03	20162	-	0.04	0.04	0.04	0.02	0.03	0.01	100.00	-	-
CENT19C1904A	0.31	20162	-	0.38	0.31	0.31	0.31	0.32	-	25,202.00	836.00	-
CENT23C1902A	0.03	241261	-	-	-	-	0.01	0.02	-	-	-	-
CENT24C1901A	0.01	191261	-	-	-	-	-	0.01	-	-	-	-
CENT24C1902A	0.12	181261	-	-	-	-	0.05	0.06	-	-	-	-
CENT27C1905A	0.29	20162	-	0.35	0.28	0.28	0.28	0.29	(0.01)	27,850.00	862.00	-
CHG01C1903A	0.05	20162	-	0.05	0.04	0.04	0.04	0.05	(0.01)	10,010.00	49.00	-
CHG01C1903B	0.02	20162	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	800.00	1.00	-
CHG01P1903A	0.92	20162	0.90	0.92	0.89	0.92	0.91	0.92	-	45,935.00	4,184.00	-
CHG07C1902A	0.05	261161	-	-	-	-	0.01	0.02	-	-	-	-
CHG11C1904A	0.04	271261	-	-	-	-	0.02	0.04	-	-	-	-
CHG13C1903A	0.01	111261	-	-	-	-	-	0.05	-	-	-	-
CHG13C1904A	0.06	20162	-	0.06	0.06	0.06	0.06	0.10	-	2.00	-	-
CHG19C1902A	0.01	281261	-	-	-	-	0.01	0.02	-	-	-	-
CHG19C1906A	0.20	20162	-	0.21	0.19	0.19	0.19	0.20	(0.01)	26,748.00	538.00	-
CHG24C1904A	0.02	261261	-	-	-	-	0.01	0.02	-	-	-	-
CHG24C1911A	0.49	20162	-	0.50	0.48	0.48	0.48	0.49	(0.01)	5,912.00	293.00	-
CHG27C1905A	0.07	20162	-	0.06	0.06	0.06	0.05	0.06	(0.01)	900.00	5.00	-
CHG28C1902A	0.02	251261	-	-	-	-	0.01	0.02	-	-	-	-
CHG28C1904A	0.06	20162	-	0.06	0.06	0.06	0.06	0.07	-	6,000.00	36.00	-
CK01C1902A	0.16	20162	-	0.16	0.16	0.16	0.16	0.17	-	19,804.00	317.00	-
CK01C1902B	0.07	20162	-	-	-	-	0.07	0.08	-	-	-	-
CK01P1902A	0.32	20162	-	0.32	0.31	0.31	0.31	0.32	(0.01)	12,434.00	397.00	-
CK08C1901A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
CK11C1904A	0.07	261261	-	-	-	-	0.06	0.07	-	-	-	-
CK13C1902A	0.08	281261	-	-	-	-	0.07	0.08	-	-	-	-
CK16C1912A	0.30	271261	-	-	-	-	0.28	0.30	-	-	-	-
CK19C1903A	0.11	20162	-	0.12	0.12	0.12	0.12	0.13	0.01	100.00	1.00	-
CK24C1901A	0.01	141261	-	-	-	-	-	0.01	-	-	-	-
CK24C1904A	0.13	20162	-	-	-	-	0.12	0.13	-	-	-	-
CK28C1902A	0.04	171261	-	-	-	-	0.03	0.04	-	-	-	-
CKP01C1812A	0.81	271261	-	-	-	-	-	-	-	-	-	-
CKP01C1812B	0.27	271261	-	-	-	-	-	-	-	-	-	-
CKP01C1906A	0.27	20162	0.28	0.29	0.26	0.27	0.26	0.27	-	67,963.00	1,860.00	-
CKP01C1906B	0.19	20162	0.20	0.20	0.19	0.19	0.18	0.19	-	48,204.00	945.00	-
CKP08C1903A	0.69	20162	-	0.72	0.68	0.68	0.68	0.69	(0.01)	6,501.00	449.00	-
CKP08C1903B	0.11	20162	-	0.12	0.11	0.11	0.10	0.11	-	4,086.00	46.00	-
CKP11C1910A	0.23	20162	-	0.24	0.23	0.23	0.23	0.24	-	5,800.00	137.00	-
CKP13C1902A	0.82	281161	-	-	-	-	0.64	0.67	-	-	-	-
CKP13C1903A	0.40	20162	0.42	0.42	0.39	0.39	0.39	0.40	(0.01)	51,338.00	2,081.00	-
CKP13C1903B	0.10	20162	-	0.10	0.09	0.09	0.09	0.10	(0.01)	4,700.00	47.00	-
CKP19C1902A	0.48	20162	-	0.51	0.47	0.47	0.47	0.48	(0.01)	5,806.00	278.00	-
CKP19C1903A	0.14	20162	0.14	0.14	0.14	0.14	0.13	0.14	-	8,000.00	112.00	-
CKP24C1906A	0.14	20162	-	0.13	0.13	0.13	0.13	0.14	(0.01)	200.00	3.00	-
CKP27C1905A	0.17	20162	-	0.17	0.17	0.17	0.16	0.17	-	900.00	15.00	-
CKP28C1902A	0.55	271261	-	-	-	-	0.49	0.53	-	-	-	-
CKP28C1903A	0.09	20162	-	0.10	0.09	0.09	0.08	0.09	-	8,076.00	74.00	-
COM706C1903A	0.06	271261	-	0.02	0.01	0.02	0.01	0.02	(0.04)	60,941.00	62.00	-
COM708C1903A	0.04	20162	-	0.04	0.03	0.03	0.02	0.03	(0.01)	22,315.00	68.00	-
COM711C1909A	0.22	20162	0.23	0.23	0.13	0.14	0.14	0.15	(0.08)	65,396.00	1,097.00	-
COM713C1903A	0.05	271261	-	0.01	0.01	0.01	-	0.05	(0.04)	700.00	1.00	-
COM713C1904A	0.09	20162	-	0.08	0.04	0.05	0.04	0.05	(0.04)	107,992.00	550.00	-
COM719C1904A	0.10	20162	0.06	0.08	0.04	0.04	0.03	0.04	(0.06)	63,468.00	302.00	-
COM723C1901A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
COM724C1904A	0.14	191261	-	-	-	-	0.01	0.02	-	-	-	-
COM727C1902A	0.03	20162	-	0.02	0.02	0.02	0.01	0.02	(0.01)	1,900.00	4.00	-
COM728C1903A	0.03	20162	-	0.03	0.02	0.03	0.02	0.03	-	19,711.00	39.00	-
CPAL01C1901A	0.07	20162	0.09	0.10	0.07	0.07	0.07	0.08	-	215,117.00	1,872.00	-
CPAL01C1901B	0.01	20162	0.01	0.01	0.01	0.01	0.01	0.02	-	65,890.00	66.00	-
CPAL01C1904A	0.68	20162	0.68	0.75	0.67	0.67	0.67	0.68	(0.01)	295,446.00	21,406.00	-
CPAL01C1904B	0.39	20162	0.39	0.46	0.39	0.39	0.38	0.39	-	461,661.00	19,650.00	-
CPAL01P1901A	1.26	20162	1.26	1.26	1.16	1.25	1.25	1.26	(0.01)	164,810.00	19,887.00	1.00
CPAL01P1901B	0.25	20162	0.23	0.23	0.17	0.22	0.22	0.23	(0.03)	317,715.00	6,161.00	-
CPAL01P1904A	0.55	20162	0.54	0.54	0.49	0.53	0.53	0.54	(0.02)	130,095.00	6,675.00	-
CPAL01P1904B	0.27	20162	0.26	0.26	0.22	0.26	0.25	0.26	(0.01)	108,028.00	2,596.00	-
CPAL06C1903A	0.26	20162	-	0.34	0.28	0.28	0.26	0.27	0.02	73,750.00	2,325.00	-
CPAL07C1902A	0.18	20162	-	0.22	0.21	0.21	0.17	0.18	0.03	5,100.00	112.00	-
CPAL08C1902A	0.03	20162	0.03	0.04	0.03	0.04	0.03	0.04	0.01	2,999.00	12.00	-
CPAL08C1902B	0.20	20162	-	0.24	0.20	0.20	0.20	0.21	-	49,992.00	1,142.00	-
CPAL08P1904A	0.30	20162	-	0.28	0.25	0.28	0.28	0.29	(0.02)	20,850.00	540.00	-
CPAL11C1903A	0.01	281261	-	0.01	0.01	0.01	0.01	0.02	-	5,000.00	5.00	-
CPAL11C1909A	0.42	20162	-	0.47	0.43	0.44	0.42	0.43	0.02	31,226.00	1,412.00	-
CPAL11P1903A	0.41	20162	0.35	0.39	0.33	0.39	0.40	0.41	(0.02)	72,167.00	2,617.00	-
CPAL13C1901A	0.10	20162	0.11	0.13	0.10	0.10	0.09	0.10	-	170,905.00	2,013.00	-
CPAL13C1903A	0.55	20162	0.60	0.63	0.55	0.55	0.55	0.56	-	537,777.00	32,123.00	-
CPAL13P1902A	0.11	20162	-	0.10	0.07	0.10	0.10	0.11	(0.01)	35,930.00	303.00	-
CPAL16C1912A	0.86	20162	-	0.94	0.92	0.92	0.87	0.89	0.06	367.00	34.00	-
CPAL19C1902A	0.17	20162	-	0.22	0.17	0.17	0.17	0.18	-	43,119.00	872.00	-
CPAL19P1903A	0.16	20162	-	0.15	0.13	0.14	0.15	0.16	(0.02)	43,435.00	578.00	-
CPAL23C1906A	0.46	20162	-	0.53	0.45	0.45	0.45	0.48	(0.01)	108,024.00	5,432.00	-
CPAL24C1901A	0.03	111261	-	-	-	-	-	0.01	-	-	-	-
CPAL24C1903A	0.13	20162	-	0.16	0.14	0.14	0.13	0.14	0.01	200.00	3.00	-
CPAL24C1904A	0.53	20162	-	0.61	0.55	0.55	0.52	0.54	0.02	5,606.00	331.00	-
CPAL24P1901A	0.03	271261	-	-	-	-	0.01	0.02	-	-	-	-
CPAL27C1903A	0.22	20162	-	0.27	0.22	0.24	0.22	0.23	0.02	17,050.00	424.00	-
CPAL27P1905A	0.40	20162	-	0.38	0.35	0.38	0.38	0.40	(0.02)	8,310.00	306.00	-
CPAL28C1901A	0.01	271261	-	0.01	0.01	0.01	-	0.02	-	50.00	-	-
CPAL28C1904A	0.34	20162	0.37	0.41	0.36	0.36	0.35	0.36	0.02	216,082.00	8,383.00	-
CPAL41C1901A	0.13	251261	-	-	-	-	0.10	0.13	-	-	-	-
CPAL42C1904A	0.31	20162	-	0.35	0.31	0.32	0.31	0.32	0.01	18,362.00	621.00	-
CPAL42P1904A	0.17	20162	-	0.16	0.15	0.16	0.16	0.17	(0.01)	6,073.00	92.00	-
CPF01C1902A	0.14	20162	0.15	0.15	0.14	0.14	0.14	0.15	-	145,225.00	2,153.00	-
CPF01C1902B	0.04	281261	-	0.04	0.04	0.04	0.04	0.05	-	600.00	2.00	-
CPF01P1902A	0.36	20162	-	0.36	0.35	0.35	0.34	0.35	(0.01)	120,022.00	4,236.00	-
CPF01P1902B	0.19	20162	-	0.20	0.19	0.19	0.18	0.19	-	29,196.00	555.00	-
CPF06C1903A	0.04	211261	-	0.04	0.04	0.04	0.03	0.04	-	7,800.00	31.00	-
CPF08C1901A	0.06	181261	-	0.04	0.04	0.04	0.04	0.05	(0.02)	7,000.00	28.00	-
CPF08C1904A	0.12	20162	-	0.12	0.11	0.11	0.12	0.13	(0.01)	4,117.00	49.00	-
CPF11C1902A	0.02	211261	-	-	-	-	0.01	0.03	-	-	-	-
CPF11C1910A												

# Asia Plus Securities Company Limited

# Daily Quotation

## Foreign Board Quotation

Issue Date : **Thursday January 03, 2019**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
CPN01C1902B	0.07	20162	0.07	0.07	0.04	0.05	0.04	0.05	(0.02)	15,802.00	78.00	-
CPN01P1902A	0.96	20162	0.98	1.13	0.98	1.11	1.10	1.11	0.15	57,500.00	6,011.00	1.00
CPN06C1903A	0.28	20162	-	0.27	0.19	0.20	0.19	0.20	(0.08)	54,011.00	1,211.00	-
CPN07C1902A	0.14	271261	-	-	-	-	-	0.10	-	-	-	-
CPN08C1903A	0.18	20162	-	0.17	0.14	0.14	0.13	0.14	(0.04)	24,238.00	373.00	-
CPN11C1903A	0.05	20162	-	-	-	-	-	0.03	0.04	-	-	-
CPN11C1910A	0.51	20162	-	0.49	0.43	0.44	0.43	0.44	(0.07)	48,200.00	2,214.00	-
CPN11P1903A	0.11	20162	-	0.14	0.11	0.14	0.14	0.15	0.03	17,354.00	214.00	-
CPN13C1903A	0.22	20162	-	0.21	0.16	0.16	0.16	0.17	(0.06)	109,909.00	2,008.00	-
CPN19C1901A	0.06	20162	-	-	-	-	-	0.03	0.04	-	-	-
CPN24C1901A	0.04	301161	-	-	-	-	-	-	0.01	-	-	-
CPN24C1904A	0.34	271261	-	0.23	0.23	0.23	0.21	0.22	(0.11)	1,000.00	23.00	-
CPN27C1903A	0.12	20162	-	0.11	0.09	0.09	0.08	0.09	(0.03)	13,950.00	136.00	-
CPN28C1902A	0.05	20162	-	0.04	0.03	0.03	0.03	0.04	(0.02)	4,000.00	14.00	-
CPN28C1904A	0.19	20162	-	0.18	0.14	0.14	0.14	0.15	(0.05)	42,087.00	686.00	-
DELT06C1903A	0.69	281261	-	0.68	0.67	0.67	0.67	0.68	(0.02)	900.00	61.00	-
DELT24C1901A	0.25	251261	-	-	-	-	-	0.19	0.20	-	-	-
DELT27C1812A	0.01	251261	-	-	-	-	-	-	-	-	-	-
DTAC01C1902A	0.57	20162	0.59	0.61	0.58	0.58	0.57	0.58	0.01	49,192.00	2,941.00	-
DTAC01C1902B	0.29	20162	-	0.31	0.29	0.29	0.28	0.29	-	51,625.00	1,565.00	-
DTAC01C1905A	0.40	20162	-	0.42	0.41	0.41	0.40	0.41	0.01	39,752.00	1,657.00	-
DTAC01C1905B	0.30	20162	-	0.32	0.30	0.30	0.29	0.30	-	64,038.00	2,034.00	-
DTAC01P1902A	0.46	20162	-	0.45	0.44	0.45	0.45	0.46	(0.01)	8,336.00	375.00	-
DTAC01P1902B	0.19	20162	-	-	-	-	-	0.17	0.18	-	-	-
DTAC01P1905A	0.93	20162	-	0.92	0.92	0.92	0.92	0.93	(0.01)	4,846.00	446.00	-
DTAC06C1901A	0.03	251261	-	-	-	-	-	0.01	0.02	-	-	-
DTAC06C1903A	0.20	20162	-	0.21	0.20	0.20	0.19	0.20	-	2,905.00	60.00	-
DTAC06P1903A	0.38	20162	-	0.37	0.35	0.37	0.37	0.38	(0.01)	3,935.00	142.00	-
DTAC07C1902A	0.24	131261	-	-	-	-	-	0.12	0.13	-	-	-
DTAC08C1903A	0.17	20162	-	0.18	0.18	0.18	0.17	0.18	0.01	3,416.00	61.00	-
DTAC08P1902A	0.04	281261	-	0.03	0.03	0.03	0.03	0.04	(0.01)	3,000.00	9.00	-
DTAC11C1904A	0.14	20162	-	0.14	0.13	0.13	0.13	0.14	(0.01)	3,320.00	46.00	-
DTAC13C1902A	0.07	20162	-	0.07	0.07	0.07	0.06	0.07	-	7,514.00	53.00	-
DTAC13C1904A	0.28	20162	-	0.30	0.29	0.30	0.29	0.30	0.02	20,307.00	606.00	-
DTAC13P1903A	0.32	20162	-	0.31	0.29	0.31	0.31	0.32	(0.01)	13,708.00	411.00	-
DTAC19C1904A	0.31	20162	-	0.33	0.31	0.31	0.31	0.32	-	14,321.00	469.00	-
DTAC23C1906A	0.26	20162	-	0.27	0.26	0.26	0.25	0.26	-	26,150.00	690.00	-
DTAC24C1901A	0.10	181261	-	-	-	-	-	0.03	0.04	-	-	-
DTAC27C1903A	0.14	20162	-	0.15	0.15	0.15	0.14	0.15	0.01	3,600.00	54.00	-
DTAC27P1903A	0.29	20162	-	0.28	0.28	0.28	0.29	0.30	(0.01)	2,700.00	76.00	-
DTAC28C1902A	0.08	20162	-	0.09	0.08	0.08	0.08	0.09	-	14,096.00	122.00	-
DTAC28C1905A	0.30	20162	-	0.31	0.30	0.30	0.30	0.31	-	23,550.00	723.00	-
DTAC42C1903A	0.18	20162	-	0.19	0.19	0.19	0.18	0.19	0.01	2,040.00	39.00	-
EA07C1903A	0.36	20162	-	0.44	0.40	0.40	0.39	0.41	0.04	8,048.00	341.00	-
EA08C1903A	0.32	20162	-	0.37	0.34	0.34	0.34	0.35	0.02	14,896.00	531.00	-
EA08C1903B	0.10	20162	-	0.12	0.11	0.11	0.11	0.12	0.01	6,589.00	79.00	-
EA11C1902A	0.05	20162	-	0.06	0.05	0.06	0.04	0.05	0.01	103.00	1.00	-
EA13C1901A	0.02	20162	0.02	0.03	0.02	0.02	0.02	0.03	-	13,438.00	27.00	-
EA13C1903A	0.09	20162	-	0.11	0.09	0.10	0.10	0.11	0.01	83,203.00	856.00	-
EA13C1905A	0.29	20162	0.31	0.34	0.30	0.30	0.30	0.31	0.01	101,995.00	3,181.00	-
EA19C1902A	0.20	20162	-	0.24	0.21	0.21	0.21	0.22	0.01	34,275.00	776.00	-
EA23C1901A	0.17	20162	-	0.21	0.18	0.18	0.17	0.18	0.01	58,000.00	1,130.00	-
EA24C1901A	0.07	181261	-	-	-	-	-	0.01	0.02	-	-	-
EA27C1902A	0.44	20162	-	-	-	-	-	0.45	0.48	-	-	-
EA28C1901A	0.06	271261	-	-	-	-	-	-	0.03	-	-	-
EA28C1902A	0.03	281261	-	0.03	0.03	0.03	0.02	0.03	-	9,764.00	29.00	-
EA28C1905A	0.27	20162	-	0.31	0.28	0.28	0.29	0.30	0.01	113,340.00	3,348.00	-
EGCO01C1903A	0.66	20162	-	0.69	0.66	0.66	0.66	0.67	-	14,721.00	987.00	-
EGCO01C1903B	0.42	20162	-	0.44	0.42	0.42	0.42	0.43	-	27,746.00	1,187.00	-
EGCO19C1901A	0.25	20162	-	0.26	0.24	0.24	0.25	0.26	(0.01)	8,851.00	221.00	-
EGCO24C1901A	0.05	251261	0.03	0.03	0.03	0.03	0.02	0.03	(0.02)	74.00	-	-
EPG01C1903A	0.10	20162	-	0.12	0.11	0.11	0.10	0.11	0.01	13,364.00	148.00	-
EPG01C1903B	0.05	20162	-	0.05	0.04	0.04	0.04	0.05	(0.01)	2,700.00	12.00	-
EPG01P1903A	1.27	20162	1.28	1.31	1.27	1.31	1.27	1.29	0.04	7,898.00	1,021.00	1.00
EPG07C1906A	0.23	271261	-	-	-	-	-	0.20	0.21	-	-	-
EPG08C1903A	0.07	71261	-	-	-	-	-	0.02	0.03	-	-	-
EPG11C1903A	0.13	20162	-	0.14	0.12	0.12	0.13	0.14	(0.01)	5,106.00	67.00	-
EPG13C1902A	0.02	211261	-	-	-	-	-	0.01	-	-	-	-
EPG13C1903A	0.06	20162	-	0.06	0.06	0.06	0.05	0.06	-	2,026.00	12.00	-
EPG13C1905A	0.21	20162	-	0.22	0.20	0.21	0.21	0.22	-	29,334.00	611.00	-
EPG19C1902A	0.02	251261	-	-	-	-	-	0.01	0.02	-	-	-
EPG19C1904A	0.15	20162	-	0.16	0.14	0.14	0.14	0.15	(0.01)	5,170.00	75.00	-
EPG24C1902A	0.12	121161	-	-	-	-	-	0.01	0.02	-	-	-
EPG28C1902A	0.06	41261	-	-	-	-	-	0.01	0.02	-	-	-
EPG28C1904A	0.12	20162	-	0.13	0.11	0.11	0.12	0.13	(0.01)	14,336.00	172.00	-
ERW13C1902A	0.02	271261	-	0.02	0.02	0.02	0.02	0.03	-	1,039.00	2.00	-
ERW19C1902A	0.07	20162	-	-	-	-	-	0.07	0.08	-	-	-
ERW19C1906A	0.44	20162	0.45	0.45	0.43	0.43	0.43	0.44	(0.01)	25,880.00	1,139.00	-
ERW24C1904A	0.12	20162	0.11	0.11	0.10	0.11	0.10	0.11	(0.01)	57.00	1.00	-
ESS001C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
ESS001C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
ESS001C1906A	0.20	20162	0.20	0.20	0.18	0.18	0.17	0.18	(0.02)	38,520.00	751.00	-
ESS001C1906B	0.15	20162	-	0.14	0.13	0.13	0.12	0.13	(0.02)	7,000.00	93.00	-
ESS001P1812A	1.25	271261	-	-	-	-	-	-	-	-	-	-
ESS001P1906A	0.88	20162	0.88	0.90	0.86	0.89	0.89	0.90	0.01	5,617.00	498.00	-
ESS008C1902A	0.04	171261	0.01	0.01	0.01	0.01	0.01	0.02	(0.03)	451.00	-	-
ESS011C1905A	0.13	20162	-	0.13	0.12	0.12	0.11	0.12	(0.01)	149.00	2.00	-
ESS013C1903A	0.02	20162	-	-	-	-	-	0.01	0.05	-	-	-
ESS013C1905A	0.11	20162	-	0.10	0.09	0.09	0.09	0.10	(0.02)	2,203.00	20.00	-
ESS019C1901A	0.01	251261	-	-	-	-	-	0.02	-	-	-	-
ESS019C1906A	0.18	20162	-	-	-	-	-	0.16	0.17	-	-	-
ESS024C1902A	0.02	211261	-	-	-	-	-	0.01	-	-	-	-
ESS028C1903A	0.01	251261	-	-	-	-	-	0.01	0.03	-	-	-
ESS028C1904A	0.07	271261	-	0.06	0.06	0.06	0.05	0.06	(0.01)	100.00	1.00	-
GFPT08C1906A	0.22	20162	-	0.24	0.23	0.23	0.23	0.24	0.01	2,519.00	58.00	-
GFPT13C1902A	0.03	20162	-	0.03	0.02	0.02	0.03	0.04	(0.01)	11,528.00	34.00	-
GFPT19C1903A	0.10	20162	0.10	0.10	0.09	0.10	0.09	0.10	-	5,301.00	52.00	-
GGC07C1902A	0.13	41061	-	-	-	-	-	0.01	0.02	-	-	-
GGC08C1906A	0.04	271261	-	-	-	-	-	0.04	0.05	-	-	-
GGC13C1902A	0.03	20162	-	-	-	-	-	0.02	0.05	-	-	-
GGC13C1905A	0.19	20162	-	0.21	0.19	0.20	0.20	0.21	0.01	42,554.00	869.00	-
GGC13C1908A	0.25	20162	-	0.27	0.25	0.25	0.26	0.27	-	37,346.00	984.00	-
GGC19C190												

## Asia Plus Securities Company Limited

## Daily Quotation

## Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
GLOW13C1905F	0.70	20162	-	0.69	0.67	<b>0.69</b>	0.70	0.71	(0.01)	14,491.00	996.00	-
GLOW19C1901F	0.07	20162	-	-	-	-	0.06	0.07	-	-	-	-
GLOW19C1906F	1.07	20162	-	1.05	1.04	<b>1.05</b>	1.06	1.07	(0.02)	2,837.00	297.00	1.00
GLOW27C1812F	0.02	211261	-	-	-	-	-	-	-	-	-	-
GPSC01C1902A	0.14	20162	-	0.15	0.12	<b>0.12</b>	0.12	0.13	(0.02)	13,625.00	185.00	-
GPSC01C1902B	0.03	281261	-	0.03	0.02	<b>0.02</b>	0.02	0.03	(0.01)	2.00	-	-
GPSC01C1905A	0.69	20162	-	0.71	0.64	<b>0.65</b>	0.64	0.65	(0.04)	54,027.00	3,691.00	-
GPSC01C1905B	0.59	20162	-	0.61	0.54	<b>0.54</b>	0.54	0.55	(0.05)	31,214.00	1,796.00	-
GPSC01P1902A	1.46	20162	-	1.55	1.42	<b>1.53</b>	1.53	1.54	0.07	78,162.00	11,643.00	1.00
GPSC06C1903A	0.44	20162	-	0.46	0.38	<b>0.38</b>	0.38	0.39	(0.06)	11,780.00	483.00	-
GPSC08C1902A	0.03	271261	-	-	-	-	0.01	0.02	-	-	-	-
GPSC11C1902A	0.01	271261	-	-	-	-	0.01	0.03	-	-	-	-
GPSC11C1909A	0.54	20162	-	0.55	0.50	<b>0.51</b>	0.50	0.51	(0.03)	23,603.00	1,231.00	-
GPSC13C1903A	0.11	20162	0.12	0.12	0.09	<b>0.09</b>	0.09	0.10	(0.02)	11,546.00	121.00	-
GPSC13C1904A	0.44	20162	-	0.44	0.38	<b>0.40</b>	0.39	0.40	(0.04)	141,817.00	5,806.00	-
GPSC19C1901A	0.05	241261	-	-	-	-	-	0.02	-	-	-	-
GPSC19C1905A	0.61	20162	-	0.63	0.57	<b>0.58</b>	0.57	0.58	(0.03)	12,942.00	771.00	-
GPSC24C1904A	0.19	271261	-	-	-	-	0.15	0.16	-	-	-	-
GPSC24C1904B	0.40	20162	-	0.37	0.37	<b>0.37</b>	0.36	0.37	(0.03)	830.00	31.00	-
GPSC27C1902A	0.09	91161	-	-	-	-	0.02	0.03	-	-	-	-
GPSC28C1903A	0.07	20162	-	0.06	0.06	<b>0.06</b>	0.05	0.06	(0.01)	1,000.00	6.00	-
GPSC28C1904A	0.33	20162	-	0.35	0.29	<b>0.30</b>	0.29	0.30	(0.03)	52,102.00	1,643.00	-
GUNK08C1902A	0.04	20162	-	0.04	0.04	<b>0.04</b>	0.04	0.05	-	11,687.00	47.00	-
GUNK11C1903A	0.02	271261	-	-	-	-	0.02	0.04	-	-	-	-
GUNK13C1903A	0.08	20162	-	0.09	0.08	<b>0.08</b>	0.08	0.09	-	7,603.00	67.00	-
GUNK13C1905A	0.20	20162	-	0.23	0.21	<b>0.21</b>	0.21	0.22	0.01	9,834.00	215.00	-
GUNK19C1903A	0.19	20162	0.21	0.21	0.21	<b>0.21</b>	0.21	0.22	0.02	3,045.00	64.00	-
GUNK19C1906A	0.20	20162	-	0.22	0.20	<b>0.20</b>	0.20	0.21	-	6,650.00	138.00	-
GUNK24C1903A	0.07	271261	-	-	-	-	0.09	0.10	-	-	-	-
GUNK27C1905A	0.18	20162	-	0.18	0.18	<b>0.18</b>	0.18	0.19	-	1,800.00	32.00	-
GUNK28C1903A	0.08	20162	-	0.10	0.09	<b>0.09</b>	0.09	0.10	0.01	8,560.00	86.00	-
HANA01C1905A	0.21	20162	0.19	0.19	0.16	<b>0.16</b>	0.16	0.17	(0.05)	58,520.00	1,065.00	-
HANA01C1905B	0.16	20162	-	0.15	0.12	<b>0.12</b>	0.12	0.13	(0.04)	127,045.00	1,728.00	-
HANA08C1903A	0.06	20162	-	-	-	-	0.05	0.06	-	-	-	-
HANA11C1904A	0.06	20162	-	0.05	0.05	<b>0.05</b>	0.04	0.05	(0.01)	100.00	1.00	-
HANA13C1901A	0.02	20162	-	-	-	-	0.01	0.08	-	-	-	-
HANA13C1905A	0.15	281261	-	0.13	0.11	<b>0.11</b>	0.11	0.12	(0.04)	20,183.00	255.00	-
HANA19C1902A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
HANA19C1906A	0.29	20162	0.28	0.28	0.24	<b>0.24</b>	0.24	0.25	(0.05)	56,547.00	1,462.00	-
HANA24C1903A	0.06	131261	-	-	-	-	0.01	0.02	-	-	-	-
HANA28C1902A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
HANA28C1904A	0.11	20162	-	0.10	0.09	<b>0.09</b>	0.09	0.10	(0.02)	20,998.00	206.00	-
HMPR01C1902A	0.34	20162	-	0.35	0.29	<b>0.31</b>	0.31	0.32	(0.03)	103,908.00	3,220.00	-
HMPR01C1902B	0.22	20162	0.20	0.22	0.16	<b>0.18</b>	0.18	0.19	(0.04)	37,900.00	747.00	-
HMPR01P1902A	0.22	20162	0.22	0.29	0.22	<b>0.26</b>	0.25	0.26	0.04	85,174.00	2,270.00	-
HMPR11C1906A	0.18	20162	-	0.17	0.14	<b>0.15</b>	0.15	0.16	(0.03)	8,653.00	137.00	-
HMPR13C1905A	0.23	20162	-	0.22	0.18	<b>0.19</b>	0.20	0.21	(0.04)	49,597.00	1,007.00	-
HMPR19C1901A	0.26	20162	-	0.26	0.18	<b>0.22</b>	0.22	0.23	(0.04)	64,671.00	1,390.00	-
HMPR23C1901A	0.02	71261	-	-	-	-	-	0.01	-	-	-	-
HMPR24C1901A	0.07	171261	-	-	-	-	0.02	0.03	-	-	-	-
HMPR27C1905A	0.29	20162	-	0.28	0.23	<b>0.25</b>	0.25	0.26	(0.04)	11,700.00	297.00	-
HMPR27P1905A	0.25	20162	-	0.30	0.26	<b>0.29</b>	0.28	0.29	0.04	7,650.00	214.00	-
HMPR28C1903A	0.13	20162	-	0.12	0.09	<b>0.10</b>	0.10	0.11	(0.03)	46,996.00	516.00	-
INTU01C1903A	0.14	20162	0.14	0.15	0.14	<b>0.15</b>	0.13	0.14	0.01	88,406.00	1,268.00	-
INTU01C1903B	0.03	20162	-	0.04	0.04	<b>0.04</b>	0.03	0.04	0.01	2,000.00	8.00	-
INTU01P1903A	0.94	20162	-	0.95	0.94	<b>0.95</b>	0.95	0.97	0.01	17,662.00	1,672.00	-
INTU01P1903B	0.68	20162	-	0.68	0.66	<b>0.68</b>	0.68	0.70	-	21,010.00	1,420.00	-
INTU11C1905A	0.05	20162	-	-	-	-	0.04	0.05	-	-	-	-
INTU11P1905A	0.36	20162	-	0.35	0.34	<b>0.35</b>	0.36	0.38	(0.01)	7,774.00	271.00	-
INTU13C1904A	0.15	20162	-	0.15	0.14	<b>0.14</b>	0.14	0.15	(0.01)	59,154.00	880.00	-
INTU19C1901A	0.01	141261	-	-	-	-	-	0.01	-	-	-	-
INTU19C1906A	0.31	20162	-	0.32	0.30	<b>0.30</b>	0.30	0.31	(0.01)	17,468.00	542.00	-
INTU24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
INTU24C1909A	0.15	20162	-	0.16	0.16	<b>0.16</b>	0.15	0.16	0.01	5.00	-	-
INTU28C1901A	0.02	301161	-	-	-	-	-	0.02	-	-	-	-
INTU28C1904A	0.08	20162	-	0.08	0.08	<b>0.08</b>	0.07	0.08	-	8,000.00	64.00	-
INTU28C1905A	0.27	20162	-	0.28	0.26	<b>0.26</b>	0.26	0.27	(0.01)	30,672.00	832.00	-
INTU42C1904A	0.04	261261	-	-	-	-	0.03	0.04	-	-	-	-
INTU42P1904A	0.40	20162	-	0.39	0.38	<b>0.39</b>	0.41	0.43	(0.01)	7,956.00	308.00	-
IRPC01C1903A	0.09	20162	0.10	0.10	0.09	<b>0.10</b>	0.10	0.11	0.01	421,669.00	4,217.00	-
IRPC01C1903B	0.03	20162	-	0.04	0.03	<b>0.03</b>	0.03	0.04	-	220.00	1.00	-
IRPC01C1906A	0.27	20162	0.29	0.29	0.28	<b>0.28</b>	0.29	0.30	0.01	194,845.00	5,649.00	-
IRPC01C1906B	0.23	20162	0.24	0.25	0.24	<b>0.25</b>	0.24	0.25	0.02	309,678.00	7,432.00	-
IRPC01P1903A	0.69	20162	-	0.69	0.67	<b>0.67</b>	0.65	0.67	(0.02)	73,168.00	5,047.00	-
IRPC01P1903B	0.53	20162	-	0.53	0.49	<b>0.49</b>	0.48	0.49	(0.04)	103,863.00	5,296.00	-
IRPC06C1903A	0.07	20162	-	0.07	0.06	<b>0.07</b>	0.07	0.08	-	37,450.00	261.00	-
IRPC08C1902A	0.04	20162	-	-	-	-	0.05	0.06	-	-	-	-
IRPC11C1902A	0.01	281261	-	-	-	-	0.01	0.03	-	-	-	-
IRPC11C1905A	0.10	20162	-	-	-	-	0.11	0.12	-	-	-	-
IRPC13C1903A	0.11	20162	0.11	0.12	0.11	<b>0.12</b>	0.12	0.13	0.01	176,898.00	2,120.00	-
IRPC19C1901A	0.02	20162	-	0.02	0.02	<b>0.02</b>	0.03	0.04	-	50.00	-	-
IRPC19C1905A	0.20	20162	-	0.21	0.20	<b>0.20</b>	0.22	0.23	-	39,833.00	836.00	-
IRPC24C1904A	0.11	20162	-	-	-	-	0.11	0.12	-	-	-	-
IRPC27C1903A	0.06	20162	-	-	-	-	0.06	0.07	-	-	-	-
IRPC27P1905A	0.35	20162	-	0.35	0.35	<b>0.35</b>	0.34	0.35	-	22,700.00	795.00	-
IRPC28C1902A	0.02	261261	-	-	-	-	0.02	0.03	-	-	-	-
IRPC28C1904A	0.11	20162	-	0.11	0.11	<b>0.11</b>	0.11	0.12	-	108,254.00	1,191.00	-
ITD06C1904A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
ITD08C1902A	0.06	71261	-	-	-	-	0.01	0.02	-	-	-	-
ITD11C1903A	0.01	211261	-	-	-	-	0.01	0.03	-	-	-	-
ITD13C1902A	0.01	271261	-	-	-	-	-	0.05	-	-	-	-
ITD13C1908A	0.20	20162	0.20	0.21	0.20	<b>0.20</b>	0.20	0.21	-	107,562.00	2,214.00	-
ITD19C1903A	0.04	20162	-	-	-	-	0.04	0.05	-	-	-	-
ITD19C1906A	0.19	20162	-	0.21	0.20	<b>0.20</b>	0.20	0.21	0.01	11,558.00	238.00	-
ITD24C1902A	0.08	191161	-	-	-	-	-	0.01	-	-	-	-
ITD28C1907A	0.18	20162	-	0.18	0.17	<b>0.17</b>	0.17	0.18	(0.01)	50,696.00	883.00	-
IVL01C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
IVL01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
IVL01C1903A	0.28	20162	0.29	0.30	0.27	<b>0.27</b>	0.27	0.28	(0.01)	161,640.00	4,747.00	-
IVL01C1903B	0.15	20162	-	0.15	0.14	<b>0.14</b>	0.13	0.14	(0.01)	113,572.00	1,658.00	-
IVL01C1905A	0.49	20162	0.49	0.51	0.46	<b>0.47</b>	0.46	0.47	(0.02)			

## Foreign Board Quotation

Issue Date :

Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
IVL13P1902A	0.17	20162	0.17	0.19	0.16	0.18	0.18	0.19	0.01	49,449.00	833.00	-
IVL13P1903A	0.16	20162	-	0.17	0.15	0.17	0.17	0.18	0.01	21,102.00	345.00	-
IVL19C1903A	0.23	20162	-	0.24	0.21	0.22	0.22	0.23	(0.01)	35,691.00	826.00	-
IVL19P1903A	0.22	20162	-	0.24	0.22	0.24	0.23	0.24	0.02	40,618.00	896.00	-
IVL23C1906A	0.34	20162	-	0.34	0.31	0.31	0.31	0.32	(0.03)	87,702.00	2,921.00	-
IVL24C1901A	0.04	271261	-	-	-	-	0.02	0.03	-	-	-	-
IVL24C1906A	0.37	281261	-	-	-	-	0.33	0.34	-	-	-	-
IVL27C1902A	0.09	20162	-	0.09	0.08	0.08	0.08	0.09	(0.01)	11,700.00	104.00	-
IVL28C1902A	0.06	20162	-	0.05	0.05	0.05	0.04	0.05	(0.01)	6,028.00	30.00	-
IVL28C1903A	0.22	20162	-	0.23	0.20	0.20	0.21	0.22	(0.02)	137,825.00	3,092.00	-
IVL28P1904A	0.28	20162	-	0.29	0.26	0.28	0.28	0.29	-	79,120.00	2,122.00	-
IVL42C1903A	0.11	20162	-	0.11	0.10	0.10	0.10	0.11	(0.01)	12,240.00	131.00	-
KBAN01C1901A	0.43	20162	0.45	0.47	0.43	0.43	0.43	0.44	-	51,973.00	2,352.00	-
KBAN01C1901B	0.01	20162	-	0.01	0.01	0.01	0.01	0.02	-	3,650.00	4.00	-
KBAN01C1904A	0.18	20162	0.19	0.21	0.19	0.20	0.19	0.20	0.02	17,124.00	342.00	-
KBAN01C1904B	0.07	20162	-	0.08	0.07	0.07	0.07	0.08	-	1,450.00	11.00	-
KBAN01P1901A	1.07	20162	1.03	1.06	1.03	1.06	1.05	1.06	(0.01)	10,642.00	1,119.00	1.00
KBAN01P1901B	0.07	20162	-	0.06	0.05	0.06	0.05	0.06	(0.01)	317.00	2.00	-
KBAN01P1904A	0.92	20162	0.91	0.92	0.90	0.92	0.91	0.92	-	15,912.00	1,450.00	-
KBAN01P1904B	0.64	20162	0.63	0.64	0.62	0.63	0.63	0.64	(0.01)	14,181.00	890.00	-
KBAN06C1903A	0.20	20162	-	0.22	0.21	0.21	0.20	0.21	0.01	17,190.00	367.00	-
KBAN07C1908A	0.42	20162	-	-	-	-	0.42	0.43	-	-	-	-
KBAN08C1903A	0.02	20162	-	0.03	0.02	0.03	0.02	0.03	0.01	1,610.00	3.00	-
KBAN13C1901A	0.01	20162	-	0.01	0.01	0.01	-	0.05	-	306.00	-	-
KBAN13C1904A	0.10	20162	-	0.11	0.10	0.10	0.10	0.11	-	3,607.00	36.00	-
KBAN13C1904B	0.32	20162	0.33	0.33	0.30	0.32	0.32	0.33	-	38,159.00	1,231.00	-
KBAN13P1905A	0.80	20162	-	0.79	0.77	0.79	0.78	0.79	(0.01)	64,440.00	5,036.00	-
KBAN19C1901A	0.02	261261	-	-	-	-	-	0.02	-	-	-	-
KBAN19C1906A	0.59	20162	-	0.61	0.58	0.58	0.60	0.61	(0.01)	13,900.00	834.00	-
KBAN19P1904A	0.70	20162	0.68	0.71	0.68	0.71	0.69	0.70	0.01	6,431.00	444.00	-
KBAN23C1902A	0.04	271261	-	-	-	-	0.03	0.04	-	-	-	-
KBAN24C1902A	0.05	211261	-	-	-	-	0.03	0.04	-	-	-	-
KBAN24C1903A	0.02	211261	-	-	-	-	0.01	0.02	-	-	-	-
KBAN24C1908A	0.40	20162	0.41	0.41	0.41	0.41	0.40	0.41	0.01	15,019.00	616.00	-
KBAN24P1907A	0.55	20162	-	0.52	0.52	0.52	0.53	0.54	(0.03)	32.00	2.00	-
KBAN27C1903A	0.08	271261	-	-	-	-	0.07	0.08	-	-	-	-
KBAN27P1904A	0.79	261261	-	-	-	-	0.72	0.74	-	-	-	-
KBAN28C1904A	0.06	20162	-	0.06	0.06	0.06	0.05	0.08	-	1,000.00	6.00	-
KBAN28C1905A	0.27	20162	-	0.28	0.28	0.28	0.27	0.28	0.01	20,295.00	568.00	-
KBAN28P1904A	0.52	20162	-	0.52	0.50	0.52	0.52	0.53	-	32,644.00	1,669.00	-
KCE01C1903A	0.03	20162	0.02	0.02	0.01	0.02	0.01	0.02	(0.01)	39,924.00	80.00	-
KCE01C1903B	0.02	20162	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	100.00	-	-
KCE01C1906A	0.28	20162	0.28	0.30	0.26	0.26	0.26	0.27	(0.02)	10,692.00	306.00	-
KCE01C1906B	0.22	20162	0.22	0.22	0.21	0.21	0.20	0.21	(0.01)	220.00	5.00	-
KCE06C1903A	0.01	271261	-	-	-	-	0.01	0.02	-	-	-	-
KCE07C1902A	0.01	241261	-	-	-	-	0.01	0.02	-	-	-	-
KCE08C1902A	0.01	131261	-	-	-	-	-	0.01	-	-	-	-
KCE08C1905A	0.21	20162	-	0.22	0.20	0.20	0.20	0.21	(0.01)	4,168.00	89.00	-
KCE11C1904A	0.02	20162	-	0.01	0.01	0.01	0.01	0.03	(0.01)	1.00	-	-
KCE11C1906A	1.00	0	-	0.22	0.22	0.22	0.21	0.22	(0.78)	1,204.00	26.00	-
KCE13C1903A	0.01	20162	-	0.02	0.02	0.02	-	0.02	0.01	1.00	-	-
KCE13C1904A	0.03	20162	-	0.03	0.03	0.03	0.02	0.03	-	6,327.00	19.00	-
KCE13C1905A	0.14	20162	-	0.15	0.13	0.13	0.13	0.14	(0.01)	18,500.00	253.00	-
KCE19C1901A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
KCE19C1906A	0.29	20162	-	0.30	0.30	0.30	0.28	0.29	0.01	4,204.00	126.00	-
KCE23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
KCE24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
KCE24C1904A	0.03	281261	-	-	-	-	0.02	0.03	-	-	-	-
KCE27C1902A	0.06	131161	-	-	-	-	0.01	0.03	-	-	-	-
KCE28C1902A	0.01	201161	-	-	-	-	0.01	0.03	-	-	-	-
KCE28C1904A	0.06	121261	-	-	-	-	0.01	0.04	-	-	-	-
KCE28C1905A	0.16	20162	-	0.16	0.15	0.15	0.15	0.16	(0.01)	22,864.00	361.00	-
KKP01C1902A	0.18	20162	0.19	0.20	0.17	0.17	0.16	0.17	(0.01)	198,054.00	3,849.00	-
KKP01C1902B	0.04	20162	-	-	-	-	0.02	0.03	-	-	-	-
KKP08C1904A	0.17	20162	-	0.17	0.17	0.17	0.15	0.16	-	9,069.00	154.00	-
KKP11C1903A	0.05	211261	-	-	-	-	0.03	0.06	-	-	-	-
KKP13C1903A	0.16	20162	-	0.17	0.15	0.15	0.14	0.15	(0.01)	56,385.00	919.00	-
KKP19C1901A	0.03	20162	-	-	-	-	0.02	0.03	-	-	-	-
KKP19C1906A	0.53	20162	-	0.55	0.50	0.50	0.50	0.51	(0.03)	7,133.00	381.00	-
KKP24C1906A	0.22	20162	-	0.22	0.21	0.21	0.20	0.21	(0.01)	149.00	3.00	-
KKP28C1902A	0.03	191261	-	-	-	-	0.01	0.03	-	-	-	-
KKP28C1905A	0.25	20162	-	0.27	0.25	0.25	0.24	0.25	-	170,685.00	4,518.00	-
KTB01C1903A	0.25	20162	0.26	0.29	0.26	0.27	0.27	0.28	0.02	128,770.00	3,580.00	-
KTB01C1903B	0.17	20162	0.17	0.19	0.17	0.18	0.17	0.18	0.01	132,715.00	2,446.00	-
KTB01P1903A	0.47	20162	-	0.47	0.45	0.47	0.45	0.46	-	48,492.00	2,249.00	-
KTB01P1903B	0.38	20162	0.37	0.37	0.34	0.36	0.34	0.35	(0.02)	73,790.00	2,615.00	-
KTB06C1902A	0.15	20162	-	0.19	0.16	0.17	0.17	0.18	0.02	25,500.00	459.00	-
KTB08C1903A	0.13	20162	-	0.15	0.13	0.14	0.14	0.15	0.01	16,956.00	245.00	-
KTB11C1909A	0.21	20162	-	0.23	0.21	0.22	0.22	0.23	0.01	16,800.00	375.00	-
KTB13C1901A	0.41	181261	-	0.30	0.30	0.30	0.30	0.31	(0.11)	1,320.00	40.00	-
KTB13C1903A	0.12	20162	-	0.14	0.12	0.13	0.13	0.14	0.01	28,008.00	378.00	-
KTB19C1901A	0.11	20162	0.13	0.14	0.12	0.13	0.13	0.14	0.02	13,930.00	183.00	-
KTB23C1906A	0.28	20162	-	0.31	0.28	0.29	0.29	0.31	0.01	41,000.00	1,227.00	-
KTB24C1904A	0.23	281161	-	-	-	-	0.11	0.12	-	-	-	-
KTB24P1901A	0.01	261261	-	-	-	-	-	0.01	-	-	-	-
KTB24P1907A	0.38	281261	-	0.33	0.31	0.32	0.31	0.32	(0.06)	2,100.00	66.00	-
KTB27C1905A	0.21	20162	-	0.24	0.22	0.22	0.23	0.24	0.01	6,300.00	143.00	-
KTB28C1903A	0.08	20162	-	0.10	0.09	0.09	0.09	0.10	0.01	26,092.00	244.00	-
KTB42C1903A	0.14	20162	-	0.16	0.14	0.15	0.15	0.16	0.01	10,160.00	154.00	-
KTB42P1903A	0.15	20162	-	0.14	0.13	0.14	0.13	0.15	(0.01)	8,160.00	110.00	-
KTC01C1901A	0.27	20162	0.27	0.29	0.25	0.25	0.24	0.25	(0.02)	79,688.00	2,217.00	-
KTC01C1901B	0.10	20162	-	0.11	0.09	0.09	0.08	0.09	(0.01)	106,544.00	1,064.00	-
KTC08C1903A	0.24	20162	0.24	0.25	0.24	0.24	0.23	0.24	-	16,176.00	401.00	-
KTC11C1902A	0.64	20162	-	0.69	0.58	0.58	0.58	0.61	(0.06)	1,958.00	125.00	-
KTC13C1903A	0.13	20162	-	0.15	0.13	0.13	0.13	0.14	-	23,378.00	323.00	-
KTC13C1906A	0.30	20162	-	0.30	0.28	0.29	0.28	0.29	(0.01)	262,168.00	7,835.00	-
KTC19C1901A	0.31	20162	0.29	0.32	0.27	0.27	0.27	0.29	(0.04)	1,186.00	35.00	-
KTC19C1903A	0.13	20162	-	0.13	0.12	0.12	0.12	0.13	(0.01)	13,100.00	162.00	-
KTC19P1903A	0.32	20162	0.30	0.32	0.29	0.32	0.32	0.33	-	21,284.00	650.00	-
KTC27C1903A	0.25	20162	-	0.27	0.25	0.25	0.24	0.25	-	4,800.00	124.00	-
KTC27P1903A	0.18	20162	0.18	0.18	0							



Asia Plus Securities Company Limited

Daily Quotation

Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
LH27P1905A	0.33	20162	-	0.33	0.33	<b>0.33</b>	0.31	0.33	-	900.00	30.00	-
LPN01C1905A	0.06	20162	-	0.08	0.06	<b>0.06</b>	0.06	0.07	-	12,853.00	89.00	-
LPN01C1905B	0.03	20162	-	0.04	0.04	<b>0.04</b>	0.03	0.04	0.01	8,896.00	36.00	-
LPN08C1906A	0.01	20162	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	10,820.00	11.00	-
LPN08C1908A	0.26	20162	-	0.29	0.27	<b>0.28</b>	0.27	0.28	0.02	23,146.00	648.00	-
LPN13C1903A	0.01	20162	-	0.01	0.01	<b>0.01</b>	-	0.02	-	500.00	1.00	-
LPN13C1904A	0.05	271261	-	-	-	-	0.06	0.08	-	-	-	-
LPN13C1908A	0.34	20162	-	0.38	0.35	<b>0.35</b>	0.36	0.37	0.01	40,739.00	1,465.00	-
LPN19C1904A	0.02	20162	-	0.02	0.02	<b>0.02</b>	0.02	0.03	-	501.00	1.00	-
LPN19C1906A	0.24	20162	-	0.28	0.25	<b>0.25</b>	0.26	0.27	0.01	7,654.00	197.00	-
LPN24C1908A	0.02	251261	-	0.05	0.04	<b>0.04</b>	0.04	0.05	0.02	14.00	-	-
LPN28C1907A	0.28	20162	-	0.32	0.28	<b>0.28</b>	0.30	0.31	-	60,714.00	1,824.00	-
MAJO11C1902A	0.01	211261	-	-	-	-	0.01	0.03	-	-	-	-
MAJO13C1903A	0.05	181261	-	-	-	-	0.01	0.04	-	-	-	-
MAJO19C1902A	0.02	181261	-	-	-	-	-	0.02	-	-	-	-
MAJO19C1904A	0.15	20162	-	-	-	-	0.14	0.15	-	-	-	-
MAJO24C1902A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
MALE01C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
MALE27C1812A	0.01	211261	-	-	-	-	-	-	-	-	-	-
MEGA01C1904A	0.16	20162	-	0.18	0.18	<b>0.18</b>	0.17	0.18	0.02	12,719.00	229.00	-
MEGA01C1904B	0.10	20162	-	-	-	-	0.10	0.11	-	-	-	-
MEGA08C1903A	0.04	20162	-	-	-	-	0.04	0.05	-	-	-	-
MEGA11C1902A	0.01	211261	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	1,000.00	1.00	-
MEGA11C1910A	0.30	20162	-	0.31	0.31	<b>0.31</b>	0.31	0.32	0.01	11,550.00	358.00	-
MEGA13C1902A	0.05	271261	-	-	-	-	0.02	0.05	-	-	-	-
MEGA19C1902A	0.02	201261	-	-	-	-	0.01	0.02	-	-	-	-
MEGA19C1906A	0.25	20162	-	-	-	-	0.25	0.26	-	-	-	-
MEGA23C1902A	0.01	131261	-	-	-	-	-	0.01	-	-	-	-
MEGA24C1903A	0.02	261261	-	-	-	-	0.02	0.03	-	-	-	-
MINT01C1901A	0.16	20162	0.17	0.18	0.15	<b>0.16</b>	0.15	0.16	-	173,058.00	2,934.00	-
MINT01C1901B	0.01	20162	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	10.00	-	-
MINT01P1901A	0.21	20162	-	0.23	0.19	<b>0.22</b>	0.20	0.22	0.01	112,316.00	2,314.00	-
MINT06C1901A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
MINT06C1903A	0.02	251261	-	-	-	-	0.01	0.02	-	-	-	-
MINT07C1906A	0.25	141261	-	-	-	-	0.18	0.19	-	-	-	-
MINT08C1903A	0.05	281261	-	0.05	0.05	<b>0.05</b>	0.05	0.06	-	9,200.00	46.00	-
MINT11C1902A	0.03	20162	-	-	-	-	0.01	0.03	-	-	-	-
MINT11C1910A	0.28	20162	-	0.29	0.27	<b>0.27</b>	0.27	0.28	(0.01)	21,000.00	590.00	-
MINT11P1902A	0.09	281261	-	0.06	0.06	<b>0.06</b>	0.06	0.07	(0.03)	40.00	-	-
MINT13C1903A	0.03	261261	-	-	-	-	0.02	0.05	-	-	-	-
MINT13C1904A	0.13	20162	0.13	0.13	0.11	<b>0.12</b>	0.12	0.13	(0.01)	62,954.00	795.00	-
MINT19C1901A	0.05	20162	-	0.05	0.05	<b>0.05</b>	0.04	0.05	-	27,236.00	136.00	-
MINT24C1901A	0.10	31261	-	-	-	-	-	0.01	-	-	-	-
MINT24C1902A	0.04	61261	-	-	-	-	-	0.01	-	-	-	-
MINT27C1903A	0.07	241261	-	-	-	-	0.04	0.05	-	-	-	-
MINT27P1905A	0.47	20162	-	0.48	0.45	<b>0.48</b>	0.48	0.49	0.01	6,320.00	297.00	-
MINT28C1903A	0.04	181261	-	0.02	0.02	<b>0.02</b>	0.02	0.04	(0.02)	400.00	1.00	-
MINT28C1904A	0.11	20162	-	0.11	0.10	<b>0.10</b>	0.10	0.11	(0.01)	20,600.00	222.00	-
MINT42C1904A	0.09	20162	-	-	-	-	0.07	0.08	-	-	-	-
MINT42P1904A	0.41	20162	-	0.42	0.40	<b>0.42</b>	0.42	0.45	0.01	9,182.00	377.00	-
MONO08C1906A	0.01	20162	-	0.02	0.01	<b>0.01</b>	0.01	0.02	-	17,054.00	17.00	-
MONO13C1901A	0.01	211261	-	-	-	-	-	0.01	-	-	-	-
MONO23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
MONO28C1901A	0.01	141261	-	-	-	-	0.01	0.02	-	-	-	-
MTC06C1901A	1.01	20162	-	1.11	1.01	<b>1.01</b>	1.01	1.03	-	22,744.00	2,393.00	1.00
MTC06C1903A	0.35	20162	-	0.39	0.35	<b>0.35</b>	0.35	0.36	-	15,431.00	581.00	-
MTC08C1902A	0.59	20162	-	0.64	0.58	<b>0.58</b>	0.60	0.61	(0.01)	16,238.00	1,007.00	-
MTC08C1904A	0.18	20162	-	0.20	0.18	<b>0.18</b>	0.18	0.19	-	11,384.00	215.00	-
MTC11C1904A	0.54	20162	-	0.57	0.53	<b>0.53</b>	0.54	0.55	(0.01)	11,928.00	659.00	-
MTC13C1901A	0.43	281261	-	0.46	0.46	<b>0.46</b>	0.43	0.44	0.03	300.00	14.00	-
MTC13C1903A	0.29	20162	0.30	0.32	0.27	<b>0.28</b>	0.28	0.29	(0.01)	264,804.00	7,860.00	-
MTC19C1901A	0.60	20162	-	0.66	0.60	<b>0.61</b>	0.61	0.63	0.01	16,846.00	1,067.00	-
MTC19C1903A	0.30	20162	-	0.32	0.29	<b>0.29</b>	0.29	0.30	(0.01)	44,659.00	1,371.00	-
MTC23C1906A	0.29	20162	-	0.31	0.29	<b>0.29</b>	0.29	0.30	-	52,000.00	1,594.00	-
MTC24C1903A	0.26	271261	-	0.26	0.23	<b>0.23</b>	0.23	0.24	(0.03)	4,000.00	98.00	-
MTC24C1912A	0.73	20162	-	0.75	0.72	<b>0.72</b>	0.72	0.73	(0.01)	1,828.00	135.00	-
MTC27C1904A	0.48	281261	-	0.47	0.45	<b>0.46</b>	0.46	0.48	(0.02)	160.00	7.00	-
MTC28C1902A	0.42	20162	-	-	-	-	0.42	0.46	-	-	-	-
MTC28C1903A	0.17	20162	-	0.19	0.16	<b>0.16</b>	0.17	0.18	(0.01)	75,083.00	1,346.00	-
ORI08C1904A	0.02	20162	-	0.03	0.03	<b>0.03</b>	0.02	0.03	0.01	1.00	-	-
ORI11C1909A	0.41	20162	-	0.44	0.41	<b>0.41</b>	0.41	0.43	-	11,200.00	477.00	-
ORI13C1902A	0.01	281261	-	-	-	-	-	0.01	-	-	-	-
ORI13C1904A	0.04	20162	0.04	0.05	0.04	<b>0.04</b>	0.03	0.05	-	6,381.00	28.00	-
ORI13C1904B	0.22	20162	-	0.24	0.22	<b>0.23</b>	0.23	0.24	0.01	45,594.00	1,031.00	-
ORI19C1904A	0.02	20162	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	2,001.00	2.00	-
ORI19C1905A	0.29	20162	-	0.32	0.29	<b>0.30</b>	0.30	0.31	0.01	9,482.00	282.00	-
ORI24C1903A	0.01	211261	-	-	-	-	-	0.01	-	-	-	-
ORI24C1905A	0.11	281261	-	-	-	-	0.10	0.11	-	-	-	-
ORI27C1905A	0.03	141261	-	-	-	-	0.01	0.03	-	-	-	-
ORI28C1902A	0.02	241261	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	2,000.00	2.00	-
ORI28C1904A	0.26	20162	-	0.30	0.27	<b>0.28</b>	0.28	0.29	0.02	51,833.00	1,451.00	-
ORI28C1904B	0.16	20162	-	0.17	0.16	<b>0.16</b>	0.16	0.17	-	13,256.00	219.00	-
PRM08C1902A	0.02	201261	-	-	-	-	0.01	0.02	-	-	-	-
PRM13C1901A	0.02	211261	-	-	-	-	-	0.02	-	-	-	-
PRM13C1904A	0.03	20162	-	0.03	0.03	<b>0.03</b>	0.03	0.04	-	7,378.00	22.00	-
PRM19C1902A	0.07	71261	-	-	-	-	-	0.02	-	-	-	-
PRM19C1906A	0.12	20162	-	0.13	0.13	<b>0.13</b>	0.12	0.13	0.01	5,774.00	75.00	-
PSH08C1904A	0.07	20162	-	-	-	-	0.06	0.07	-	-	-	-
PSH11C1902A	0.03	141261	-	-	-	-	0.01	0.02	-	-	-	-
PSH13C1903A	0.05	201261	-	-	-	-	0.02	0.10	-	-	-	-
PSH19C1903A	0.06	20162	-	-	-	-	0.05	0.06	-	-	-	-
PSL01C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
PSL01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
PSL11C1905A	0.04	20162	-	-	-	-	0.03	0.05	-	-	-	-
PSL13C1903A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
PSL19C1903A	0.05	20162	-	-	-	-	0.03	0.04	-	-	-	-
PTG01C1902A	0.04	20162	0.04	0.05	0.04	<b>0.05</b>	0.05	0.06	0.01	42,618.00	211.00	-
PTG01C1902B	0.01	271261	0.01	0.01	0.01	<b>0.01</b>	0.01	0.02	-	1,650.00	2.00	-
PTG01C1905A	0.70	20162	0.73	0.82	0.73	<b>0.81</b>	0.81	0.82	0.11	73,803.00	5,853.00	-
PTG01C1905B	0.61	20162	-	0.72	0.64	<b>0.71</b>	0.71	0.72	0.10	73,540.00	5,132.00	-
PTG01P1902A	0.93	20162	0.92	0.93	0.85	<b>0.85</b>	0.84	0.85	(0.08)	102,082.00	8,907.00	-
PTG06C1904A	0.01	271261	-	0.03	0.02	<b>0.03</b>	0.02	0.03	0.02	57,602.00	116.00	-
PTG08C1902A	0.01	61261	0.01	0.01	0.01	<b>0.01</b>	-	0.01	-	3,000.00	3.00	-
PTG08C1903A	0.03	191261	-	-	-	-	0.02	0.03	-	-	-	-
PTG08C1906A	1.00	0	-	0.57	0.49</							

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTG24C1904A	0.09	281261	-	0.11	0.11	<b>0.11</b>	0.11	0.12	0.02	13,840.00	152.00	-
PTG24C1905A	0.58	20162	-	0.70	0.60	<b>0.70</b>	0.68	0.70	0.12	135.00	9.00	-
PTG27C1902A	0.01	241261	-	-	-	-	0.01	0.03	-	-	-	-
PTG28C1901A	0.01	20162	-	-	-	-	0.01	0.02	-	-	-	-
PTG28C1904A	0.26	20162	-	0.34	0.27	<b>0.34</b>	0.34	0.36	0.08	266,814.00	8,745.00	-
PTT01C1901A	0.31	20162	0.33	0.34	0.28	<b>0.28</b>	0.27	0.28	(0.03)	379,410.00	12,017.00	-
PTT01C1901B	0.07	20162	0.08	0.09	0.06	<b>0.06</b>	0.05	0.06	(0.01)	8,238.00	60.00	-
PTT01C1904A	0.20	20162	0.21	0.22	0.19	<b>0.19</b>	0.18	0.19	(0.01)	116,492.00	2,483.00	-
PTT01C1904B	0.10	20162	0.10	0.11	0.08	<b>0.09</b>	0.08	0.09	(0.01)	46,282.00	415.00	-
PTT01P1901A	0.45	20162	0.45	0.50	0.42	<b>0.50</b>	0.48	0.50	0.05	110,240.00	5,074.00	-
PTT01P1901B	0.10	20162	0.09	0.12	0.08	<b>0.12</b>	0.11	0.12	0.02	122,944.00	1,208.00	-
PTT01P1904A	0.91	20162	0.91	0.97	0.90	<b>0.97</b>	0.95	0.97	0.06	95,881.00	8,962.00	-
PTT01P1904B	0.68	20162	0.68	0.74	0.65	<b>0.74</b>	0.73	0.74	0.06	95,097.00	6,664.00	-
PTT06C1901A	0.04	20162	-	0.04	0.03	<b>0.03</b>	0.02	0.03	(0.01)	14,660.00	53.00	-
PTT06C1903A	0.08	20162	-	0.09	0.06	<b>0.06</b>	0.05	0.06	(0.02)	8,210.00	69.00	-
PTT06P1901A	0.32	20162	-	0.37	0.30	<b>0.37</b>	0.37	0.38	0.05	30,130.00	974.00	-
PTT06P1903A	0.34	20162	-	0.38	0.31	<b>0.37</b>	0.37	0.38	0.03	31,716.00	1,089.00	-
PTT07C1906A	0.28	271261	-	-	-	-	-	-	-	-	-	-
PTT08C1902A	0.04	281261	-	0.04	0.03	<b>0.03</b>	0.02	0.03	(0.01)	3,720.00	11.00	-
PTT08P1904A	0.61	20162	0.60	0.64	0.57	<b>0.64</b>	0.65	0.67	0.03	16,669.00	998.00	-
PTT11C1902A	0.02	20162	-	0.03	0.03	<b>0.03</b>	0.01	0.03	0.01	11.00	-	-
PTT11C1909A	0.21	20162	-	0.22	0.19	<b>0.19</b>	0.18	0.19	(0.02)	3,683.00	71.00	-
PTT13C1903A	0.12	20162	0.13	0.14	0.10	<b>0.10</b>	0.10	0.11	(0.02)	66,138.00	780.00	-
PTT13C1906A	0.32	20162	0.32	0.33	0.28	<b>0.28</b>	0.28	0.29	(0.04)	102,832.00	3,358.00	-
PTT13P1902A	0.39	20162	-	0.43	0.36	<b>0.43</b>	0.43	0.45	0.04	191,958.00	7,714.00	-
PTT16C1912A	0.53	20162	-	0.55	0.50	<b>0.50</b>	0.50	0.51	(0.03)	2,117.00	114.00	-
PTT19C1901A	0.04	20162	-	0.05	0.02	<b>0.02</b>	0.02	0.03	(0.02)	4,646.00	10.00	-
PTT19C1906A	0.37	20162	0.37	0.39	0.35	<b>0.35</b>	0.34	0.35	(0.02)	1,550.00	57.00	-
PTT19P1903A	0.33	20162	-	0.34	0.30	<b>0.34</b>	0.35	0.36	0.01	22,116.00	694.00	-
PTT23C1901A	0.01	141261	-	-	-	-	-	0.01	-	-	-	-
PTT23C1906A	0.20	20162	-	0.21	0.18	<b>0.18</b>	0.17	0.18	(0.02)	21,300.00	446.00	-
PTT24C1904A	0.08	20162	-	0.06	0.05	<b>0.05</b>	0.05	0.06	(0.03)	401.00	2.00	-
PTT24P1901A	0.03	191161	-	-	-	-	-	0.01	-	-	-	-
PTT24P1904A	0.24	20162	-	-	-	-	-	0.27	0.28	-	-	-
PTT27C1903A	0.09	20162	-	-	-	-	0.07	0.08	-	-	-	-
PTT27P1903A	0.39	20162	-	0.42	0.37	<b>0.42</b>	0.43	0.44	0.03	6,313.00	248.00	-
PTT28C1901A	0.01	201261	-	-	-	-	-	0.01	-	-	-	-
PTT28C1904A	0.17	20162	0.19	0.19	0.16	<b>0.16</b>	0.15	0.16	(0.01)	4,578.00	84.00	-
PTT28P1903A	0.41	20162	-	0.47	0.41	<b>0.46</b>	0.46	0.48	0.05	18,741.00	824.00	-
PTTE01C1901A	0.07	20162	0.08	0.08	0.06	<b>0.08</b>	0.07	0.08	0.01	78,588.00	576.00	-
PTTE01C1901B	0.01	20162	-	0.02	0.01	<b>0.01</b>	0.01	0.02	-	37,089.00	37.00	-
PTTE01C1904A	0.11	20162	0.12	0.13	0.11	<b>0.11</b>	0.11	0.12	-	48,942.00	551.00	-
PTTE01C1904B	0.07	20162	-	0.07	0.05	<b>0.06</b>	0.05	0.06	(0.01)	2,331.00	15.00	-
PTTE01P1901A	1.66	20162	1.64	1.70	1.62	<b>1.68</b>	1.64	1.66	0.02	57,374.00	9,531.00	1.00
PTTE01P1901B	0.63	20162	0.59	0.64	0.56	<b>0.59</b>	0.58	0.59	(0.04)	171,596.00	10,249.00	-
PTTE01P1904A	2.10	20162	-	2.14	2.06	<b>2.12</b>	2.08	2.10	0.02	67,966.00	14,268.00	2.00
PTTE01P1904B	1.89	20162	-	1.88	1.79	<b>1.83</b>	1.81	1.83	(0.06)	62,644.00	11,489.00	1.00
PTTE06C1903A	0.06	20162	-	0.06	0.05	<b>0.05</b>	0.05	0.06	(0.01)	11,290.00	67.00	-
PTTE07C1904A	0.05	20162	-	-	-	-	-	0.04	0.05	-	-	-
PTTE08C1904A	0.07	20162	-	0.06	0.05	<b>0.06</b>	0.06	0.07	(0.01)	3,770.00	22.00	-
PTTE08C1906A	0.46	20162	-	0.47	0.43	<b>0.46</b>	0.45	0.46	-	73,074.00	3,300.00	-
PTTE08P1904A	1.81	20162	-	1.85	1.77	<b>1.83</b>	1.81	1.83	0.02	20,747.00	3,758.00	1.00
PTTE11C1902A	0.03	20162	-	0.03	0.02	<b>0.02</b>	0.02	0.03	(0.01)	94,719.00	193.00	-
PTTE11C1910A	0.48	20162	-	0.50	0.47	<b>0.47</b>	0.48	0.49	(0.01)	23,700.00	1,154.00	-
PTTE13C1902A	0.01	20162	-	0.01	0.01	<b>0.01</b>	-	0.01	-	12,100.00	12.00	-
PTTE13C1904A	0.13	20162	-	0.15	0.12	<b>0.13</b>	0.12	0.13	-	100,507.00	1,370.00	-
PTTE13C1905A	0.28	20162	0.28	0.30	0.27	<b>0.29</b>	0.29	0.30	0.01	126,774.00	3,659.00	-
PTTE13P1901A	0.56	20162	-	0.55	0.49	<b>0.52</b>	0.50	0.55	(0.04)	6,775.00	358.00	-
PTTE13P1902A	1.39	281261	-	-	-	-	1.42	1.45	-	-	-	-
PTTE13P1905A	0.78	20162	-	0.77	0.72	<b>0.76</b>	0.75	0.76	(0.02)	105,405.00	7,888.00	-
PTTE19C1903A	0.05	20162	-	0.05	0.05	<b>0.05</b>	0.04	0.05	-	2,500.00	13.00	-
PTTE19C1906A	0.44	20162	0.47	0.49	0.44	<b>0.46</b>	0.46	0.47	0.02	45,722.00	2,102.00	-
PTTE19P1903A	0.91	20162	-	0.94	0.87	<b>0.94</b>	0.91	0.92	0.03	8,559.00	779.00	-
PTTE23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
PTTE23C1906A	0.14	20162	-	0.15	0.14	<b>0.14</b>	0.14	0.15	-	43,500.00	644.00	-
PTTE24C1901A	0.01	261261	-	-	-	-	-	0.01	-	-	-	-
PTTE24C1904A	0.12	20162	-	0.10	0.10	<b>0.10</b>	0.10	0.11	(0.02)	46.00	-	-
PTTE24P1901A	0.20	20162	-	0.20	0.17	<b>0.19</b>	0.17	0.18	(0.01)	9,790.00	178.00	-
PTTE24P1904A	1.03	20162	-	1.00	0.98	<b>1.00</b>	0.98	1.00	(0.03)	104.00	10.00	-
PTTE27C1903A	0.03	281261	-	0.03	0.03	<b>0.03</b>	0.02	0.03	-	40.00	-	-
PTTE27P1904A	1.55	251261	-	-	-	-	1.44	1.47	-	-	-	-
PTTE28C1902A	0.01	20162	-	0.02	0.01	<b>0.02</b>	0.01	0.03	0.01	1,423.00	3.00	-
PTTE28C1905A	0.21	20162	-	0.23	0.20	<b>0.20</b>	0.22	0.23	(0.01)	110,113.00	2,428.00	-
PTTE28P1903A	1.31	20162	-	1.33	1.27	<b>1.31</b>	1.29	1.31	-	63,967.00	8,259.00	1.00
PTTE41C1905A	0.17	20162	-	0.18	0.17	<b>0.17</b>	0.17	0.18	-	2,000.00	35.00	-
PTTE42C1903A	0.11	271261	-	-	-	-	0.07	0.08	-	-	-	-
PTTG01C1901A	0.37	20162	0.36	0.38	0.28	<b>0.29</b>	0.29	0.30	(0.08)	286,320.00	9,419.00	-
PTTG01C1901B	0.04	20162	-	0.03	0.02	<b>0.02</b>	0.02	0.03	(0.02)	1,025.00	2.00	-
PTTG01C1904A	0.35	20162	0.35	0.36	0.30	<b>0.30</b>	0.30	0.31	(0.05)	181,256.00	5,929.00	-
PTTG01C1904B	0.16	20162	0.15	0.17	0.13	<b>0.13</b>	0.13	0.14	(0.03)	112,425.00	1,696.00	-
PTTG01P1901A	0.80	20162	0.86	0.97	0.80	<b>0.92</b>	0.91	0.92	0.12	108,981.00	9,699.00	-
PTTG01P1901B	0.25	20162	-	0.35	0.24	<b>0.32</b>	0.31	0.32	0.07	187,592.00	5,520.00	-
PTTG01P1904A	1.53	20162	-	1.68	1.53	<b>1.65</b>	1.64	1.65	0.12	139,518.00	22,561.00	1.00
PTTG01P1904B	1.29	20162	-	1.46	1.28	<b>1.41</b>	1.40	1.41	0.12	73,464.00	10,056.00	1.00
PTTG06C1903A	0.25	20162	-	0.26	0.19	<b>0.19</b>	0.19	0.20	(0.06)	57,743.00	1,279.00	-
PTTG06P1903A	0.34	20162	-	0.44	0.33	<b>0.41</b>	0.40	0.41	0.07	62,940.00	2,414.00	-
PTTG07C1908A	0.43	20162	-	0.41	0.36	<b>0.37</b>	0.36	0.37	(0.06)	7,256.00	277.00	-
PTTG08C1902A	0.04	20162	-	-	-	-	-	0.02	0.03	-	-	-
PTTG08P1904A	0.72	20162	0.75	0.83	0.70	<b>0.80</b>	0.80	0.81	0.08	34,978.00	2,688.00	-
PTTG11C1902A	0.01	20162	-	0.01	0.01	<b>0.01</b>	0.01	0.04	-	3,000.00	3.00	-
PTTG11C1909A	0.42	20162	-	0.42	0.36	<b>0.37</b>	0.37	0.38	(0.05)	31,622.00	1,223.00	-
PTTG13C1904A	0.27	20162	-	0.28	0.22	<b>0.23</b>	0.22	0.23	(0.04)	96,593.00	2,312.00	-
PTTG19C1902A	0.10	20162	-	0.10	0.08	<b>0.08</b>	0.07	0.08	(0.02)	11,720.00	111.00	-
PTTG23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
PTTG23C1906A	0.20	20162	-	0.19	0.15							

## Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
RATC19C1901A	0.07	20162	-	0.07	0.07	0.07	0.07	0.08	-	1,000.00	7.00	-
RATC24C1902A	0.06	191261	-	-	-	-	0.06	0.07	-	-	-	-
RATC27C1812A	0.01	71261	-	-	-	-	-	-	-	-	-	-
ROBI01C1903A	0.56	20162	-	0.59	0.47	0.48	0.48	0.49	(0.08)	125,530.00	6,363.00	-
ROBI01C1903B	0.30	20162	-	0.31	0.24	0.25	0.24	0.25	(0.05)	30,022.00	774.00	-
ROBI06C1903A	0.26	20162	-	0.27	0.19	0.19	0.19	0.20	(0.07)	11,900.00	254.00	-
ROBI08C1903A	0.21	20162	-	0.23	0.17	0.18	0.18	0.19	(0.03)	10,260.00	195.00	-
ROBI11C1906A	0.30	20162	-	0.31	0.25	0.25	0.26	0.27	(0.05)	5,773.00	156.00	-
ROBI13C1902A	0.16	20162	-	0.17	0.12	0.12	0.12	0.13	(0.04)	43,218.00	580.00	-
ROBI19C1901A	0.25	20162	0.26	0.27	0.17	0.19	0.19	0.20	(0.06)	81,497.00	1,753.00	-
ROBI24C1901A	0.05	171261	-	-	-	-	-	0.01	-	-	-	-
ROBI24C1903A	0.17	271261	-	-	-	-	0.18	0.19	-	-	-	-
ROBI27C1905A	0.31	281261	-	-	-	-	0.31	0.33	-	-	-	-
RS08C1901A	0.02	20162	-	0.02	0.02	0.02	0.02	0.03	-	27,755.00	56.00	-
RS13C1901A	0.03	20162	-	0.03	0.02	0.03	0.03	0.04	-	3,400.00	10.00	-
RS13C1905A	0.28	20162	-	0.30	0.26	0.29	0.28	0.29	0.01	60,715.00	1,698.00	-
RS19C1901A	0.02	281261	-	-	-	-	0.02	0.03	-	-	-	-
RS19C1906A	0.44	20162	-	0.48	0.43	0.45	0.45	0.46	0.01	9,860.00	449.00	-
RS24C1904A	0.30	271261	-	-	-	-	0.26	0.27	-	-	-	-
RS27C1905A	0.28	20162	-	0.32	0.28	0.29	0.29	0.30	0.01	8,550.00	260.00	-
S10001C1911A	0.69	20162	0.71	0.72	0.69	0.69	0.66	0.67	-	391.00	28.00	-
S5001C1812F	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5001C1812G	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5001C1812H	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5001C1812I	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5001C1901A	0.05	20162	0.06	0.07	0.04	0.05	0.05	0.06	-	130,735.00	721.00	-
S5001C1901B	0.02	20162	0.02	0.03	0.02	0.03	0.02	0.03	0.01	67,455.00	135.00	-
S5001C1902A	0.19	20162	0.20	0.22	0.16	0.17	0.17	0.18	(0.02)	272,177.00	5,162.00	-
S5001C1902B	0.09	20162	0.10	0.11	0.07	0.08	0.08	0.09	(0.01)	256,548.00	2,301.00	-
S5001C1903F	0.38	20162	0.40	0.42	0.32	0.33	0.33	0.34	(0.05)	1,581,968.00	59,138.00	-
S5001P1812F	2.34	271261	-	-	-	-	-	-	-	-	-	-
S5001P1812G	1.88	271261	-	-	-	-	-	-	-	-	-	-
S5001P1812H	2.26	271261	-	-	-	-	-	-	-	-	-	-
S5001P1812I	1.50	271261	-	-	-	-	-	-	-	-	-	-
S5001P1901A	1.66	20162	1.63	1.74	1.58	1.72	1.72	1.73	0.06	63,911.00	10,483.00	1.00
S5001P1901B	1.58	20162	1.49	1.72	1.45	1.68	1.67	1.68	0.10	299,977.00	47,567.00	1.00
S5001P1902A	1.34	20162	1.28	1.43	1.25	1.41	1.40	1.41	0.07	246,957.00	32,689.00	1.00
S5001P1902B	1.30	20162	1.23	1.40	1.19	1.38	1.37	1.38	0.08	390,130.00	49,359.00	1.00
S5001P1903F	1.31	20162	1.25	1.46	1.24	1.42	1.42	1.43	0.11	3,364,888.00	453,027.00	1.00
S5006C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5006C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5006C1812C	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5006C1812D	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5006C1903A	0.31	20162	0.32	0.33	0.24	0.26	0.25	0.26	(0.05)	84,893.00	2,390.00	-
S5006C1903B	0.45	20162	0.43	0.48	0.37	0.38	0.37	0.38	(0.07)	52,616.00	2,290.00	-
S5006C1903C	0.64	20162	0.64	0.69	0.55	0.55	0.55	0.58	(0.09)	98,978.00	6,105.00	-
S5006C1903D	0.24	20162	0.23	0.26	0.18	0.19	0.18	0.19	(0.05)	83,769.00	1,823.00	-
S5006P1812A	1.70	271261	-	-	-	-	-	-	-	-	-	-
S5006P1812B	0.23	271261	-	-	-	-	-	-	-	-	-	-
S5006P1812C	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5006P1812D	1.94	251261	-	-	-	-	-	-	-	-	-	-
S5006P1903A	1.34	20162	1.27	1.47	1.26	1.44	1.44	1.45	0.10	30,436.00	4,104.00	1.00
S5006P1903B	1.08	20162	1.09	1.23	1.00	1.19	1.18	1.19	0.11	19,588.00	2,008.00	1.00
S5006P1903C	0.86	20162	-	1.01	0.77	0.96	0.96	0.97	0.10	50,661.00	4,404.00	-
S5006P1903D	0.75	20162	0.67	0.92	0.65	0.88	0.87	0.88	0.13	372,652.00	28,952.00	-
S5008C1812A	0.01	211261	-	-	-	-	-	-	-	-	-	-
S5008C1812B	0.01	251261	-	-	-	-	-	-	-	-	-	-
S5008C1812C	0.03	141261	-	-	-	-	-	-	-	-	-	-
S5008C1903A	0.24	20162	0.26	0.26	0.20	0.20	0.20	0.21	(0.04)	228,451.00	5,320.00	-
S5008P1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5008P1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5008P1903A	0.86	20162	0.80	0.99	0.79	0.95	0.95	0.96	0.09	386,590.00	33,467.00	-
S5013C1812A	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5013C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5013C1812C	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5013C1812D	0.01	211261	-	-	-	-	-	-	-	-	-	-
S5013C1812E	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5013C1903A	0.28	20162	0.31	0.32	0.23	0.24	0.24	0.25	(0.04)	4,939,416.00	136,384.00	-
S5013C1903B	0.54	20162	0.57	0.59	0.45	0.47	0.47	0.48	(0.07)	6,407,689.00	341,668.00	-
S5013C1903C	0.85	20162	0.90	0.91	0.74	0.75	0.75	0.76	(0.10)	2,881,628.00	239,073.00	-
S5013P1812A	0.82	271261	-	-	-	-	-	-	-	-	-	-
S5013P1812B	1.83	271261	-	-	-	-	-	-	-	-	-	-
S5013P1812C	2.26	251261	-	-	-	-	-	-	-	-	-	-
S5013P1812D	1.33	251261	-	-	-	-	-	-	-	-	-	-
S5013P1812E	0.01	261261	-	-	-	-	-	-	-	-	-	-
S5013P1903A	1.47	20162	1.40	1.65	1.37	1.60	1.60	1.61	0.13	3,034,646.00	450,472.00	1.00
S5013P1903B	0.85	20162	0.81	0.99	0.79	0.94	0.94	0.95	0.09	5,037,538.00	435,937.00	-
S5013P1903C	0.69	20162	0.65	0.81	0.63	0.78	0.77	0.78	0.09	11,090,032.00	783,434.00	-
S5028C1812A	0.01	261261	-	-	-	-	-	-	-	-	-	-
S5028C1812B	0.01	191261	-	-	-	-	-	-	-	-	-	-
S5028C1812C	0.01	251261	-	-	-	-	-	-	-	-	-	-
S5028C1812D	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5028C1901A	0.10	20162	0.11	0.12	0.07	0.07	0.07	0.08	(0.03)	73,308.00	729.00	-
S5028C1903A	0.24	20162	0.26	0.26	0.20	0.21	0.20	0.21	(0.03)	434,408.00	10,304.00	-
S5028C1903B	0.39	20162	0.42	0.43	0.32	0.34	0.34	0.35	(0.05)	936,638.00	36,439.00	-
S5028P1812A	0.72	261261	-	-	-	-	-	-	-	-	-	-
S5028P1812B	1.37	251261	-	-	-	-	-	-	-	-	-	-
S5028P1812C	0.01	271261	-	-	-	-	-	-	-	-	-	-
S5028P1901A	0.71	20162	0.74	0.84	0.64	0.80	0.80	0.84	0.09	15,851.00	1,202.00	-
S5028P1903A	1.19	20162	1.13	1.32	1.11	1.29	1.29	1.30	0.10	1,411,910.00	168,323.00	1.00
S5028P1903B	0.72	20162	0.68	0.82	0.67	0.80	0.79	0.80	0.08	1,862,661.00	136,209.00	-
SAWA01C1901A	0.62	20162	0.64	0.67	0.64	0.66	0.64	0.66	0.04	41,171.00	2,740.00	-
SAWA01C1901E	0.26	20162	0.26	0.28	0.26	0.27	0.26	0.27	0.01	83,717.00	2,328.00	-
SAWA01P1901A	0.19	20162	-	0.19	0.17	0.18	0.17	0.18	(0.01)	77,091.00	1,333.00	-
SAWA06C1903A	0.95	20162	-	0.99	0.95	0.97	0.96	0.97	0.02	6,920.00	682.00	-
SAWA08C1902A	0.53	20162	-	0.55	0.52	0.52	0.54	0.55	(0.01)	11,402.00	625.00	-
SAWA08C1903A	0.25	20162	-	0.27	0.26	0.26	0.26	0.27	0.01	14,303.00	383.00	-
SAWA11C1906A	0.41	20162	-	0.43	0.42	0.42	0.42	0.43	0.01	10,701.00	457.00	-
SAWA13C1901A	0.37	20162	-	-	-	-	0.35	0.40	-	-	-	-
SAWA13C1903A	0.14	20162	0.15	0.16	0.14	0.15	0.15	0.16	0.01	37,148.00	566.00	-
SAWA13C1904A	0.32	20162	-	0.35	0.33	0.34	0.34	0.35	0.02	65,953.00	2,279.00	-
SAWA19C1901A	0.57	20162	-	0.59	0.58	0.58	0.58	0.59	0.01	9,956.00	587.00	-
SAWA19C1903A	0.24	20162	-	0.26	0.25	0.25	0.25	0.26	0.01	25,015.00	642.00	-
SAWA24C1902A	0.30	20162	0.30	0.32	0.30	0.31	0.30	0.31	0.01	7,200.00	221.00	-
SAWA24C1910A	0.72	20162	-	0.72	0.72	0.72	0.72	0.73	-	1,000.00	72.00	-
SAWA27C												

## Foreign Board Quotation

Issue Date :

Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
SCB01P1904A	1.11	20162	-	1.13	1.08	1.10	1.08	1.10	(0.01)	48,795.00	5,431.00	1.00
SCB01P1904B	0.86	20162	-	0.87	0.84	0.84	0.83	0.84	(0.02)	50,470.00	4,322.00	-
SCB06C1903A	0.20	20162	-	0.21	0.19	0.20	0.20	0.21	-	17,950.00	367.00	-
SCB07C1904A	0.44	81061	-	-	-	-	0.15	0.16	-	-	-	-
SCB08C1901A	0.07	20162	-	0.06	0.06	0.06	0.06	0.07	(0.01)	6,358.00	38.00	-
SCB11C1901A	0.01	20162	-	-	-	-	0.01	0.02	-	-	-	-
SCB11C1910A	0.45	20162	-	0.46	0.44	0.45	0.46	0.47	-	23,900.00	1,078.00	-
SCB11P1901A	0.10	20162	-	0.10	0.09	0.09	0.09	0.10	(0.01)	6,740.00	64.00	-
SCB11P1910A	0.70	20162	-	0.70	0.68	0.69	0.68	0.69	(0.01)	25,900.00	1,788.00	-
SCB13C1902A	0.04	281261	-	0.04	0.04	0.04	0.04	0.06	-	400.00	2.00	-
SCB13C1905A	0.29	20162	0.29	0.29	0.28	0.28	0.29	0.30	(0.01)	166,654.00	4,768.00	-
SCB13P1905A	0.50	20162	-	0.51	0.49	0.50	0.49	0.50	-	96,285.00	4,817.00	-
SCB19C1905A	0.38	20162	-	0.39	0.37	0.38	0.39	0.40	-	23,835.00	914.00	-
SCB24C1901A	0.20	191161	-	-	-	-	0.02	0.03	-	-	-	-
SCB24C1902A	0.16	301161	-	-	-	-	0.05	0.06	-	-	-	-
SCB24P1906A	0.43	201261	-	-	-	-	0.40	0.41	-	-	-	-
SCB27C1902A	0.10	20162	-	0.09	0.09	0.09	0.09	0.10	(0.01)	9,600.00	86.00	-
SCB27P1903A	0.23	20162	-	0.23	0.22	0.23	0.22	0.23	-	12,932.00	294.00	-
SCB28C1902A	0.05	241261	-	-	-	-	0.03	0.05	-	-	-	-
SCB28C1904A	0.22	20162	-	0.22	0.20	0.20	0.21	0.22	(0.02)	61,258.00	1,240.00	-
SCB28P1901A	0.31	271261	-	-	-	-	0.20	0.25	-	-	-	-
SCB42C1903A	0.12	20162	-	0.12	0.12	0.12	0.12	0.13	-	8,160.00	98.00	-
SCC01C1901A	0.55	20162	0.56	0.56	0.53	0.53	0.51	0.53	(0.02)	13,830.00	765.00	-
SCC01C1901B	0.22	20162	-	0.23	0.20	0.20	0.19	0.20	(0.02)	87,139.00	1,975.00	-
SCC01P1901A	0.14	20162	-	0.14	0.13	0.14	0.14	0.15	-	106,864.00	1,467.00	-
SCC06C1902A	0.06	281261	-	-	-	-	0.06	0.07	-	-	-	-
SCC08C1902A	0.10	20162	-	0.11	0.10	0.11	0.09	0.10	0.01	7,596.00	83.00	-
SCC11C1906A	0.12	20162	-	0.12	0.11	0.11	0.11	0.12	(0.01)	6,608.00	77.00	-
SCC13C1901A	0.09	20162	-	0.08	0.07	0.07	0.06	0.07	(0.02)	13,298.00	103.00	-
SCC13C1903A	0.10	20162	-	0.09	0.09	0.09	0.08	0.09	(0.01)	500.00	5.00	-
SCC13C1906A	0.34	20162	-	0.34	0.34	0.34	0.32	0.33	-	1,000.00	34.00	-
SCC19C1901A	0.09	20162	-	0.10	0.10	0.10	0.08	0.09	0.01	3,341.00	33.00	-
SCC24C1901A	0.19	41261	-	-	-	-	0.05	0.06	-	-	-	-
SCC24C1902A	0.10	191161	-	-	-	-	0.02	0.03	-	-	-	-
SCC24C1910A	0.34	271261	-	0.35	0.35	0.35	0.31	0.32	0.01	3.00	-	-
SCC24P1901A	0.02	181261	-	-	-	-	-	0.01	-	-	-	-
SCC27C1904A	0.24	20162	-	0.24	0.23	0.23	0.22	0.23	(0.01)	4,500.00	108.00	-
SCC27P1904A	0.43	20162	-	0.45	0.43	0.44	0.45	0.46	0.01	2,000.00	87.00	-
SCC28C1902A	0.07	271261	-	-	-	-	0.05	0.06	-	-	-	-
SCC28C1905A	0.22	20162	-	0.23	0.21	0.21	0.21	0.22	(0.01)	33,288.00	750.00	-
SCC42C1904A	0.11	281261	-	-	-	-	0.11	0.12	-	-	-	-
SCCC27C1812A	0.03	271261	-	-	-	-	-	-	-	-	-	-
SGP06C1903A	0.14	20162	-	0.15	0.13	0.15	0.15	0.16	0.01	8,440.00	125.00	-
SGP08C1901A	0.01	281261	0.01	0.01	0.01	0.01	0.01	0.02	-	462.00	-	-
SGP11C1904A	0.02	141261	-	-	-	-	0.02	0.04	-	-	-	-
SGP13C1904A	0.07	191261	-	-	-	-	0.05	0.08	-	-	-	-
SGP13C1905A	0.24	20162	-	0.26	0.23	0.26	0.26	0.27	0.02	77,439.00	1,851.00	-
SGP19C1904A	0.04	251261	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1.00	-	-
SGP19C1905A	0.32	20162	-	0.32	0.30	0.31	0.33	0.34	(0.01)	10,517.00	333.00	-
SGP24C1902A	0.07	251261	-	-	-	-	0.05	0.06	-	-	-	-
SGP27C1903A	0.07	71261	-	-	-	-	0.03	0.04	-	-	-	-
SGP28C1903A	0.04	41261	-	-	-	-	0.01	0.03	-	-	-	-
SGP28C1904A	0.15	20162	-	0.16	0.14	0.16	0.16	0.17	0.01	95,402.00	1,420.00	-
SIRI01C1901A	0.01	281261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI01C1901B	0.01	20162	-	0.01	0.01	0.01	0.01	0.02	-	4,100.00	4.00	-
SIRI01P1901A	1.33	20162	-	1.31	1.31	1.31	1.28	1.31	(0.02)	1,496.00	196.00	1.00
SIRI06C1904A	0.02	271261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI08C1903A	0.03	31261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI11C1902A	0.03	271261	-	-	-	-	0.01	0.03	-	-	-	-
SIRI13C1902A	0.03	171261	-	-	-	-	-	0.03	-	-	-	-
SIRI19C1902A	0.01	211261	-	-	-	-	-	0.01	-	-	-	-
SIRI19C1906A	0.16	20162	-	0.17	0.17	0.17	0.17	0.18	0.01	142.00	2.00	-
SIRI24C1903A	0.08	141161	-	-	-	-	-	0.01	-	-	-	-
SIRI24C1906A	0.03	271261	-	-	-	-	0.02	0.03	-	-	-	-
SIRI28C1901A	0.01	171261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI28C1903A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
SIRI28C1904A	0.04	20162	-	0.04	0.04	0.04	0.04	0.05	-	100.00	-	-
SPAL01C1902A	0.05	20162	-	0.06	0.05	0.05	0.05	0.06	-	5,284.00	31.00	-
SPAL01C1902B	0.04	71261	-	-	-	-	0.01	0.02	-	-	-	-
SPAL11C1905A	0.01	211261	-	-	-	-	0.01	0.03	-	-	-	-
SPAL11C1910A	0.36	20162	0.41	0.41	0.37	0.37	0.37	0.38	0.01	25,980.00	985.00	-
SPAL13C1903A	0.03	191261	-	-	-	-	0.02	0.07	-	-	-	-
SPAL13C1904A	0.11	20162	-	0.14	0.12	0.12	0.12	0.13	0.01	30,164.00	381.00	-
SPAL19C1902A	0.01	241261	-	-	-	-	-	0.02	-	-	-	-
SPAL19C1906A	0.28	20162	-	0.31	0.29	0.29	0.29	0.30	0.01	13,845.00	412.00	-
SPAL24C1905A	0.12	181261	-	-	-	-	0.09	0.10	-	-	-	-
SPRC01C1902A	0.02	271261	-	-	-	-	0.01	0.02	-	-	-	-
SPRC01C1902B	0.01	251261	-	0.01	0.01	0.01	0.01	0.02	-	2,500.00	3.00	-
SPRC06C1902A	0.02	241261	-	0.02	0.01	0.02	0.01	0.02	-	4,813.00	5.00	-
SPRC07C1903A	0.05	161161	-	0.02	0.02	0.02	0.01	0.02	(0.03)	11.00	-	-
SPRC08C1903A	0.05	31261	-	-	-	-	0.01	0.02	-	-	-	-
SPRC11C1902A	0.01	211261	-	-	-	-	0.01	0.02	-	-	-	-
SPRC11C1909A	0.06	281261	-	0.07	0.07	0.07	0.05	0.06	0.01	10.00	-	-
SPRC13C1905A	0.10	271261	-	-	-	-	0.04	0.09	-	-	-	-
SPRC19C1901A	0.01	251261	-	-	-	-	-	0.01	-	-	-	-
SPRC19C1905A	0.06	20162	-	0.06	0.06	0.06	0.05	0.06	-	320.00	2.00	-
SPRC24C1903A	0.01	141261	-	-	-	-	-	0.01	-	-	-	-
STA01C1812A	0.44	271261	-	-	-	-	-	-	-	-	-	-
STA01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
STA01C1904A	0.21	20162	0.25	0.26	0.23	0.26	0.25	0.26	0.05	141,704.00	3,633.00	-
STA01C1904B	0.15	20162	-	0.18	0.16	0.18	0.18	0.19	0.03	91,910.00	1,640.00	-
STA08C1904A	0.08	20162	-	0.11	0.09	0.11	0.10	0.11	0.03	11,669.00	115.00	-
STA11C1909A	0.21	20162	-	0.24	0.23	0.24	0.24	0.25	0.03	23,842.00	568.00	-
STA13C1901A	0.11	20162	-	0.18	0.12	0.18	0.18	0.19	0.07	179,621.00	3,066.00	-
STA13C1902A	0.04	20162	-	0.05	0.05	0.05	0.05	0.06	0.01	6,019.00	30.00	-
STA19C1903A	0.41	20162	-	0.51	0.45	0.51	0.51	0.52	0.10	29,442.00	1,454.00	-
STA19C1903B	0.06	20162	-	0.09	0.08	0.09	0.09	0.10	0.03	132.00	1.00	-
STA24C1902A	0.04	20162	-	0.05	0.04	0.05	0.04	0.05	0.01	9,910.00	49.00	-
STA27C1904A	0.13	20162	-	0.15	0.13	0.15	0.15	0.16	0.02	14,400.00	212.00	-
STA28C1902A	0.06	20162	-	0.09	0.08	0.09	0.09	0.10	0.03	35,702.00	314.00	-
STA28C1903A	0.03	20162	-	0.05	0.04	0.04	0.04	0.05	0.01	3,020.00	12.00	-
STEC01C1902A	0.25	20162	0.27	0.29	0.26	0.28	0.28	0.29	0.03	125,780.00	3,494.00	-
STEC01C1902B	0.11	20162	-	0.12	0.11	0.12	0.12	0.13	0.01	70,224.00	834.00	-
STEC01P1902A	0.80	20162	0.74	0.79	0.73	0.73	0.73	0.74	(0.07)	159,921.00	12,173.00	-
STEC06C1903A	0.19	241261	-	-	-	-	0.12	0.13	-	-	-	-
STEC07C1904A	0.10											

## Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
STEC28C1903A	0.02	20162	-	-	-	-	0.02	0.03	-	-	-	-
SUPE08C1902A	0.01	211261	-	-	-	-	0.01	0.02	-	-	-	-
SUPE13C1902A	0.01	20162	-	0.01	0.01	0.01	-	0.01	-	130.00	-	-
SUPE13C1903A	0.02	20162	-	-	-	-	0.01	0.02	-	-	-	-
SUPE19C1902A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
SUPE19C1903A	0.01	281261	-	-	-	-	-	0.01	-	-	-	-
SUPE19C1906A	0.18	20162	-	0.18	0.18	0.18	0.18	0.19	-	4,800.00	86.00	-
SUPE23C1901A	0.05	241261	-	-	-	-	-	0.05	-	-	-	-
SUPE28C1902A	0.01	211261	-	-	-	-	0.01	0.02	-	-	-	-
TASC01C1903A	0.24	20162	0.27	0.28	0.26	0.26	0.26	0.27	0.02	56,076.00	1,524.00	-
TASC01C1903B	0.12	20162	-	0.13	0.12	0.12	0.12	0.13	-	35,212.00	449.00	-
TASC01P1903A	0.61	20162	-	0.60	0.57	0.60	0.57	0.58	(0.01)	92,017.00	5,413.00	-
TASC08C1903A	0.13	20162	-	0.15	0.14	0.14	0.14	0.15	0.01	9,211.00	134.00	-
TASC11C1904A	0.04	131261	-	-	-	-	0.02	0.05	-	-	-	-
TASC13C1901A	0.02	20162	-	0.02	0.01	0.01	0.01	0.02	(0.01)	7,598.00	15.00	-
TASC13C1904A	0.21	20162	-	0.23	0.21	0.21	0.22	0.23	-	93,768.00	2,081.00	-
TASC19C1902A	0.10	20162	-	0.11	0.10	0.10	0.11	0.12	-	7,790.00	85.00	-
TASC23C1902A	0.08	281261	-	0.08	0.08	0.08	0.07	0.08	-	6,000.00	48.00	-
TASC24C1903A	0.11	211261	-	-	-	-	0.07	0.08	-	-	-	-
TASC27C1905A	0.26	20162	-	0.28	0.26	0.26	0.27	0.28	-	13,500.00	369.00	-
TASC28C1902A	0.03	20162	-	0.03	0.03	0.03	0.03	0.03	-	16,000.00	48.00	-
TASC28C1904A	0.08	20162	-	0.09	0.08	0.08	0.08	0.09	-	24,184.00	210.00	-
TCAP01C1901A	0.45	20162	0.45	0.45	0.43	0.43	0.43	0.44	(0.02)	68,047.00	3,042.00	-
TCAP01C1901B	0.16	20162	0.15	0.16	0.14	0.14	0.13	0.14	(0.02)	10,081.00	149.00	-
TCAP01P1901A	0.15	20162	-	0.16	0.15	0.16	0.15	0.16	0.01	21,649.00	345.00	-
TCAP11C1909A	0.22	20162	-	0.22	0.21	0.21	0.21	0.22	(0.01)	3,280.00	71.00	-
TCAP13C1901A	0.17	20162	-	0.16	0.14	0.15	0.15	0.16	(0.02)	48,684.00	756.00	-
TCAP19C1901A	0.07	20162	-	-	-	-	0.06	0.07	-	-	-	-
TCAP24C1903A	0.15	211261	-	-	-	-	0.05	0.06	-	-	-	-
THAI01C1901A	0.04	20162	-	0.04	0.04	0.04	0.03	0.04	-	720.00	3.00	-
THAI01C1901B	0.01	251261	-	-	-	-	0.01	0.02	-	-	-	-
THAI01P1901A	0.81	20162	0.78	0.83	0.78	0.83	0.85	0.86	0.02	6,216.00	499.00	-
THAI08C1903A	0.06	20162	-	0.05	0.05	0.05	0.04	0.05	(0.01)	2,884.00	14.00	-
THAI11C1906A	0.15	20162	0.15	0.15	0.15	0.15	0.13	0.14	-	3,000.00	45.00	-
THAI13C1902A	0.03	20162	-	0.03	0.02	0.02	0.02	0.05	(0.01)	4,200.00	12.00	-
THAI19C1901A	0.02	281261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	462.00	-	-
THAI19C1905A	0.26	20162	-	0.26	0.25	0.25	0.23	0.24	(0.01)	3,000.00	77.00	-
THAI23C1901A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
THAI24C1901A	0.01	201261	-	-	-	-	-	0.01	-	-	-	-
THAI27C1905A	0.16	20162	-	0.16	0.16	0.16	0.14	0.15	-	823.00	13.00	-
THAI28C1901A	0.01	281261	-	-	-	-	0.01	0.02	-	-	-	-
THAI28C1904A	0.07	281261	-	-	-	-	0.06	0.07	-	-	-	-
THAN01C1812A	0.06	271261	-	-	-	-	-	-	-	-	-	-
THAN08C1904A	0.13	20162	-	0.13	0.12	0.12	0.12	0.13	(0.01)	3,956.00	50.00	-
THAN13C1902A	0.10	20162	-	0.11	0.10	0.10	0.10	0.11	-	17,182.00	184.00	-
THAN13C1905A	0.37	20162	0.35	0.37	0.35	0.35	0.35	0.36	(0.02)	58,266.00	2,100.00	-
THAN19C1903A	0.27	20162	-	0.27	0.25	0.25	0.25	0.26	(0.02)	10,701.00	275.00	-
THAN24C1903A	0.15	241261	-	-	-	-	0.13	0.14	-	-	-	-
THCO08C1906A	0.02	261261	-	-	-	-	0.01	0.02	-	-	-	-
THCO11C1902A	0.02	281261	-	-	-	-	0.01	0.03	-	-	-	-
THCO28C1901A	0.01	251261	-	-	-	-	0.01	0.02	-	-	-	-
TISCO1C1902A	0.53	20162	-	0.57	0.54	0.54	0.54	0.55	0.01	30,944.00	1,717.00	-
TISCO1C1902B	0.23	20162	-	0.24	0.23	0.23	0.22	0.23	-	47,690.00	1,123.00	-
TISCO7C1902A	0.43	171261	-	-	-	-	0.32	0.34	-	-	-	-
TISCO8C1903A	0.24	20162	-	0.25	0.24	0.24	0.24	0.25	-	27,996.00	682.00	-
TISC11C1903A	0.06	121261	-	0.03	0.03	0.03	0.03	0.04	(0.03)	280.00	1.00	-
TISC11C1910A	0.71	20162	-	0.73	0.70	0.70	0.71	0.72	(0.01)	25,340.00	1,801.00	-
TISC13C1904A	0.42	20162	0.41	0.44	0.41	0.42	0.42	0.43	-	76,971.00	3,262.00	-
TISC19C1901A	0.04	20162	-	0.04	0.04	0.04	0.04	0.05	-	400.00	2.00	-
TISC19C1906A	0.71	20162	-	0.74	0.71	0.72	0.72	0.73	0.01	33,120.00	2,387.00	-
TISC24C1904A	0.23	20162	-	-	-	-	0.21	0.22	-	-	-	-
TISC27C1905A	0.48	20162	-	0.51	0.48	0.49	0.49	0.50	0.01	17,100.00	842.00	-
TISC28C1901A	0.03	20162	-	0.02	0.02	0.02	0.01	0.02	(0.01)	8,500.00	17.00	-
TISC28C1905A	0.43	20162	-	0.45	0.43	0.43	0.42	0.43	-	169,420.00	7,356.00	-
TISC42C1904A	0.26	20162	-	0.27	0.26	0.26	0.26	0.27	-	18,192.00	476.00	-
TKN01C1901A	0.02	271261	-	-	-	-	0.01	0.02	-	-	-	-
TKN01C1901B	0.01	271261	0.01	0.01	0.01	0.01	0.01	0.02	-	5,000.00	5.00	-
TKN08C1903A	0.01	261261	-	-	-	-	0.01	0.02	-	-	-	-
TKN11C1902A	0.01	20162	-	0.03	0.03	0.03	0.01	0.03	0.02	1.00	-	-
TKN13C1903A	0.02	20162	-	-	-	-	0.01	0.02	-	-	-	-
TKN13C1904A	0.02	20162	-	0.02	0.02	0.02	0.01	0.02	-	1,379.00	3.00	-
TKN13C1904B	0.16	20162	-	0.19	0.17	0.17	0.17	0.18	0.01	13,537.00	248.00	-
TKN13C1905A	0.06	281261	-	-	-	-	0.06	0.08	-	-	-	-
TKN19C1903A	0.01	271261	-	-	-	-	-	0.01	-	-	-	-
TKN19C1905A	0.11	20162	-	0.13	0.12	0.12	0.12	0.13	0.01	8,032.00	102.00	-
TKN23C1902A	0.01	111261	-	-	-	-	-	0.01	-	-	-	-
TKN24C1903A	0.03	301161	-	-	-	-	-	0.01	-	-	-	-
TKN24C1904A	0.02	241261	-	-	-	-	0.01	0.02	-	-	-	-
TKN28C1903A	0.01	251261	-	-	-	-	0.01	0.03	-	-	-	-
TKN28C1904A	0.05	211261	-	-	-	-	0.01	0.04	-	-	-	-
TKN28C1906A	0.27	20162	-	0.31	0.28	0.28	0.29	0.30	0.01	55,100.00	1,641.00	-
TMB01C1903A	0.16	20162	0.16	0.16	0.15	0.15	0.14	0.15	(0.01)	159,640.00	2,541.00	-
TMB01C1903B	0.11	20162	-	0.10	0.09	0.09	0.09	0.10	(0.02)	150,193.00	1,497.00	-
TMB01P1903A	0.42	20162	0.42	0.43	0.42	0.43	0.43	0.44	0.01	50,654.00	2,178.00	-
TMB06C1902A	0.03	261261	-	0.02	0.01	0.02	0.01	0.02	(0.01)	3,864.00	4.00	-
TMB06C1903A	0.13	20162	-	0.12	0.11	0.11	0.10	0.11	(0.02)	10,851.00	126.00	-
TMB07C1903A	0.12	241261	-	-	-	-	0.08	0.09	-	-	-	-
TMB08C1901A	0.02	211161	-	-	-	-	-	0.01	-	-	-	-
TMB08C1903A	0.07	20162	-	0.07	0.06	0.06	0.06	0.07	(0.01)	11,744.00	82.00	-
TMB11C1904A	0.04	20162	-	-	-	-	0.02	0.04	-	-	-	-
TMB13C1901A	0.03	281261	0.03	0.03	0.02	0.02	0.02	0.03	(0.01)	42,866.00	124.00	-
TMB13C1904A	0.14	20162	-	0.13	0.12	0.12	0.12	0.13	(0.02)	168,342.00	2,169.00	-
TMB19C1901A	0.02	251261	-	-	-	-	0.01	0.02	-	-	-	-
TMB19C1906A	0.23	20162	-	0.22	0.22	0.22	0.21	0.22	(0.01)	28,044.00	617.00	-
TMB23C1906A	0.18	20162	-	0.17	0.16	0.16	0.15	0.17	(0.02)	80,853.00	1,363.00	-
TMB24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TMB24C1902A	0.05	211261	-	0.03	0.03	0.03	0.02	0.03	(0.02)	8,300.00	25.00	-
TMB27C1903A	0.17	20162	-	0.16	0.15	0.16	0.15	0.16	(0.01)	15,329.00	245.00	-
TMB28C1901A	0.03	271261	-	-	-	-	0.01	0.02	-	-	-	-
TMB28C1904A	0.11	20162	-	0.11	0.10	0.10	0.10	0.11	(0.01)	2,048.00	22.00	-
TOA01C1901A	0.09	20162	-	0.09	0.09	0.09	0.06	0.07	-	2,414.00	22.00	-
TOA01C1901B	0.03	241261	-	-	-	-	0.01	0.02	-	-	-	-
TOA08C1902A	0.02	271261	-	-	-	-	0.01	0.02	-	-	-	-
TOA19C1901A	0.02	281261	-	-	-	-	0.01	0.02	-	-	-	-
TOA19C1906A	0.28	20162	-	0.28	0.28	0.28	0.24	0.25	-	2,000.00	56.00	-
TOA24C1904A	0.15	20162	0.15	0.15								

Foreign Board Quotation

Issue Date :

Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TOP06C1903B	0.01	20162	-	0.02	0.02	0.02	0.01	0.02	0.01	1.00	-	-
TOP07C1908A	1.00	0	-	-	-	-	-	-	-	-	-	-
TOP08C1902A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
TOP11C1905A	0.13	20162	-	0.14	0.13	0.13	0.12	0.13	-	7,050.00	93.00	-
TOP13C1901A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
TOP13C1902A	0.01	281261	-	-	-	-	-	0.02	-	-	-	-
TOP13C1904A	0.14	20162	-	0.15	0.14	0.14	0.14	0.15	-	37,339.00	548.00	-
TOP13C1905A	0.41	20162	0.45	0.45	0.40	0.41	0.41	0.42	-	82,212.00	3,446.00	-
TOP19C1901A	0.02	271261	-	-	-	-	-	0.02	-	-	-	-
TOP19C1906A	0.31	20162	0.33	0.33	0.31	0.31	0.30	0.31	-	25,441.00	810.00	-
TOP23C1906A	0.18	20162	-	0.19	0.18	0.18	0.17	0.18	-	33,100.00	616.00	-
TOP24C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TOP24C1902A	0.01	271261	-	-	-	-	-	0.01	-	-	-	-
TOP24C1903A	0.01	241261	-	-	-	-	-	0.01	-	-	-	-
TOP24C1905A	0.20	20162	-	-	-	-	0.19	0.20	-	-	-	-
TOP27C1903A	0.03	20162	-	-	-	-	0.01	0.03	-	-	-	-
TOP28C1903A	0.05	271261	-	-	-	-	0.01	0.04	-	-	-	-
TOP28C1904A	0.08	20162	-	0.09	0.08	0.08	0.08	0.09	-	33,002.00	295.00	-
TP101C1812A	0.02	251261	-	-	-	-	-	-	-	-	-	-
TP101C1812B	0.07	81161	-	-	-	-	-	-	-	-	-	-
TP101C1906A	0.23	20162	-	0.25	0.24	0.24	0.23	0.24	0.01	16,870.00	417.00	-
TP101C1906B	0.18	20162	0.18	0.19	0.18	0.19	0.18	0.19	0.01	11,590.00	220.00	-
TP113C1902A	0.05	261261	-	-	-	-	0.03	0.04	-	-	-	-
TP119C1901A	0.06	201261	-	-	-	-	0.01	0.02	-	-	-	-
TP124C1902A	0.01	211261	-	-	-	-	-	0.01	-	-	-	-
TPIP11C1909A	0.44	20162	-	0.45	0.43	0.43	0.42	0.43	(0.01)	20,800.00	922.00	-
TPIP13C1902A	0.21	271261	-	-	-	-	0.18	0.19	-	-	-	-
TPIP13C1904A	0.44	20162	-	0.46	0.42	0.42	0.41	0.42	(0.02)	78,399.00	3,492.00	-
TPIP13C1905A	0.16	20162	-	0.17	0.15	0.15	0.15	0.16	(0.01)	60,594.00	1,019.00	-
TPIP13C1908A	0.21	20162	-	0.22	0.20	0.20	0.20	0.21	(0.01)	7,929.00	167.00	-
TPIP19C1902A	0.24	20162	0.25	0.25	0.22	0.22	0.22	0.23	(0.02)	13,104.00	322.00	-
TPIP19C1906A	0.53	20162	-	0.54	0.52	0.52	0.51	0.52	(0.01)	11,112.00	595.00	-
TPIP24C1901A	0.13	211261	-	-	-	-	0.06	0.07	-	-	-	-
TPIP27C1812A	0.05	100861	-	-	-	-	-	-	-	-	-	-
TPIP28C1906A	0.45	20162	-	0.46	0.43	0.43	0.42	0.43	(0.02)	88,376.00	3,928.00	-
TRUE01C1902A	0.13	20162	0.14	0.15	0.13	0.13	0.12	0.13	-	167,567.00	2,334.00	-
TRUE01C1902B	0.04	20162	0.04	0.04	0.04	0.04	0.03	0.04	-	6,826.00	27.00	-
TRUE01C1905A	0.16	20162	0.17	0.18	0.16	0.16	0.15	0.16	-	158,030.00	2,661.00	-
TRUE01C1905B	0.11	20162	0.11	0.11	0.11	0.11	0.10	0.11	-	54,880.00	604.00	-
TRUE01P1902A	0.63	20162	-	0.63	0.63	0.63	0.63	0.65	-	15,730.00	991.00	-
TRUE01P1902B	0.39	20162	-	0.38	0.37	0.38	0.38	0.40	(0.01)	17,850.00	675.00	-
TRUE01P1905A	0.66	20162	-	0.66	0.65	0.66	0.66	0.68	-	14,838.00	979.00	-
TRUE06C1906A	0.06	20162	-	0.06	0.06	0.06	0.05	0.06	-	9,370.00	56.00	-
TRUE07C1902A	0.05	171261	-	-	-	-	0.01	0.02	-	-	-	-
TRUE08C1902A	0.02	20162	0.03	0.03	0.03	0.03	0.02	0.03	0.01	9,488.00	28.00	-
TRUE08P1902A	0.23	20162	-	0.23	0.23	0.23	0.24	0.25	-	15,388.00	354.00	-
TRUE11C1905A	0.08	281261	-	0.07	0.07	0.07	0.06	0.07	(0.01)	9,820.00	69.00	-
TRUE13C1901A	0.01	281261	-	0.01	0.01	0.01	0.01	0.02	-	12,040.00	12.00	-
TRUE13C1905A	0.10	20162	-	0.11	0.10	0.10	0.10	0.11	-	23,304.00	245.00	-
TRUE13P1901A	0.19	20162	-	0.18	0.16	0.18	0.18	0.20	(0.01)	160,032.00	2,721.00	-
TRUE16C1912A	0.35	20162	-	-	-	-	0.34	0.35	-	-	-	-
TRUE19C1901A	0.01	251261	-	-	-	-	-	0.01	-	-	-	-
TRUE19C1903A	0.15	20162	-	0.16	0.15	0.15	0.14	0.15	-	19,732.00	297.00	-
TRUE19P1903A	0.31	20162	-	0.30	0.29	0.30	0.31	0.32	(0.01)	24,426.00	732.00	-
TRUE23C1902A	0.02	20162	-	-	-	-	0.01	0.02	-	-	-	-
TRUE27C1904A	0.08	20162	-	-	-	-	0.07	0.08	-	-	-	-
TRUE27P1904A	0.55	281261	-	-	-	-	0.55	0.57	-	-	-	-
TRUE28C1903A	0.04	20162	-	-	-	-	0.03	0.07	-	-	-	-
TRUE28C1905A	0.12	20162	-	0.12	0.12	0.12	0.11	0.12	-	4,000.00	48.00	-
TTA08C1906A	0.03	281261	-	0.03	0.02	0.02	0.02	0.03	(0.01)	14,894.00	35.00	-
TTA13C1901A	0.03	161161	-	-	-	-	-	0.05	-	-	-	-
TTA23C1901A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TTA24C1902A	0.01	41261	-	-	-	-	-	0.01	-	-	-	-
TU01C1901A	0.39	20162	-	0.39	0.35	0.35	0.35	0.36	(0.04)	42,412.00	1,592.00	-
TU01C1901B	0.22	20162	0.20	0.21	0.18	0.18	0.18	0.19	(0.04)	47,299.00	960.00	-
TU01P1901A	0.12	20162	-	0.14	0.11	0.13	0.12	0.13	0.01	68,441.00	814.00	-
TU06C1902A	0.07	20162	-	0.06	0.05	0.05	0.04	0.05	(0.02)	3,000.00	18.00	-
TU07C1902A	0.07	201261	-	-	-	-	0.03	0.04	-	-	-	-
TU11C1902A	0.03	271261	-	-	-	-	0.01	0.03	-	-	-	-
TU11C1906A	0.08	20162	-	-	-	-	0.07	0.08	-	-	-	-
TU13C1902A	0.06	20162	-	0.05	0.05	0.05	0.04	0.05	(0.01)	15,616.00	78.00	-
TU19C1901A	0.02	20162	-	-	-	-	0.01	0.02	-	-	-	-
TU19C1906A	0.31	20162	-	0.31	0.29	0.29	0.29	0.30	(0.02)	12,142.00	365.00	-
TU23C1902A	0.08	201261	-	-	-	-	0.03	0.04	-	-	-	-
TU24C1901A	0.05	41261	-	-	-	-	-	0.01	-	-	-	-
TU24C1904A	0.18	251261	-	-	-	-	0.14	0.15	-	-	-	-
TVO01C1903A	0.18	20162	-	-	-	-	0.17	0.18	-	-	-	-
TVO01C1903B	0.09	20162	-	0.09	0.09	0.09	0.08	0.09	-	6,638.00	60.00	-
TVO11C1903A	0.02	281261	-	-	-	-	0.01	0.03	-	-	-	-
TVO13C1902A	0.05	201261	-	-	-	-	0.03	0.05	-	-	-	-
TVO13C1904A	0.13	20162	-	0.13	0.12	0.13	0.12	0.13	-	29,060.00	349.00	-
TVO19C1902A	0.07	131261	-	-	-	-	0.03	0.04	-	-	-	-
TVO19C1906A	0.28	20162	-	0.29	0.28	0.28	0.28	0.29	-	4,950.00	140.00	-
TVO24C1903A	0.14	151161	-	-	-	-	0.04	0.05	-	-	-	-
UNI08C1906A	0.03	20162	-	0.03	0.02	0.03	0.02	0.03	-	341.00	1.00	-
UNI013C1901A	0.01	201261	-	-	-	-	-	0.01	-	-	-	-
UNI023C1901A	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
UV01C1902A	0.10	20162	0.10	0.13	0.10	0.11	0.09	0.10	0.01	233,671.00	2,503.00	-
UV01C1902B	0.03	20162	-	0.04	0.04	0.04	0.03	0.04	0.01	4,010.00	16.00	-
UV08C1902A	0.04	281261	-	0.04	0.03	0.04	0.03	0.04	-	1,469.00	6.00	-
UV13C1904A	0.10	271261	-	0.10	0.09	0.09	0.07	0.10	(0.01)	13,916.00	138.00	-
UV13C1908A	0.29	20162	-	0.31	0.28	0.28	0.27	0.28	(0.01)	135,675.00	3,935.00	-
UV19C1902A	0.04	281261	-	-	-	-	0.02	0.03	-	-	-	-
UV19C1906A	0.28	20162	-	0.31	0.27	0.28	0.26	0.27	-	31,903.00	898.00	-
UV24C1903A	0.15	20162	-	0.14	0.14	0.14	0.12	0.13	(0.01)	6,000.00	84.00	-
UV28C1906A	0.20	20162	-	0.23	0.20	0.21	0.19	0.20	0.01	233,556.00	4,864.00	-
VGI01C1812A	0.58	271261	-	-	-	-	-	-	-	-	-	-
VGI06C1904A	6.00	181261	-	-	-	-	6.50	6.60	-	-	-	-
VGI06C1904B	6.00	181261	-	-	-	-	6.50	6.60	-	-	-	-
VGI06C1904C	6.05	181261	-	-	-	-	6.50	6.60	-	-	-	-
VGI23C1905A	1.39	20162	-	1.41	1.40	1.40	1.40	1.41	0.01	10,000.00	1,403.00	1.00
VGI23C1911A	1.36	20162	-	1.38	1.37	1.37	1.37	1.38	0.01	9,011.00	1,237.00	1.00
VGI27C1812A	0.02	241261	-	-	-	-	-	-	-	-	-	-
WHA01C1812A	0.47	271261	-	-	-	-	-	-	-	-	-	-
WHA01C1812B	0.01	271261	-	-	-	-	-	-	-	-	-	-
WHA01C1906A	0.58	20162	-	0.60	0.55	0.55	0.55	0.56	(0.03)	30,060.00	1,718.00	-
WHA01C1906B	0.47	20162	0.47	0.47	0.43	0.43	0.42	0.43	(0.04)	24,278.00	1,060.00	-
WHA01P1812A	0.03	271261	-	-	-	-	-					

## Asia Plus Securities Company Limited

## Daily Quotation

## Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
WHA19C1901A	0.26	20162	-	0.28	0.23	0.23	0.23	0.24	(0.03)	27,946.00	666.00	-
WHA23C1906A	0.35	20162	-	0.35	0.32	0.32	0.31	0.33	(0.03)	35,000.00	1,156.00	-
WHA24C1902A	0.20	20162	-	0.17	0.17	0.17	0.16	0.17	(0.03)	1,000.00	17.00	-
WHA27C1903A	0.41	281261	-	-	-	-	0.38	0.40	-	-	-	-
WHA27P1905A	0.42	20162	-	0.44	0.42	0.44	0.44	0.45	0.02	5,990.00	259.00	-
WHA28C1901A	0.26	281261	-	-	-	-	0.18	0.22	-	-	-	-
WHA28C1903A	0.14	20162	-	0.14	0.13	0.13	0.13	0.14	(0.01)	20,482.00	277.00	-
WHAU13C1902F	0.05	261261	-	0.03	0.03	0.03	0.03	0.05	(0.02)	14,776.00	44.00	-
WHAU13C1905F	0.21	20162	-	0.21	0.20	0.20	0.20	0.21	(0.01)	7,976.00	166.00	-
WHAU19C1902F	0.07	20162	-	-	-	-	0.06	0.07	-	-	-	-
WHAU24C1902F	0.13	41261	-	-	-	-	0.03	0.04	-	-	-	-
WHAU27C1905F	0.11	20162	-	0.11	0.11	0.11	0.10	0.11	-	1,650.00	18.00	-
WORK01C1904F	0.03	20162	-	0.04	0.04	0.04	0.02	0.03	0.01	200.00	1.00	-
WORK01C1904E	0.02	271261	-	0.01	0.01	0.01	0.01	0.02	(0.01)	10.00	-	-
WORK08C1901F	0.01	271161	-	-	-	-	-	0.01	-	-	-	-
WORK11C1903F	0.01	261261	-	-	-	-	0.01	0.02	-	-	-	-
WORK13C1902F	0.01	20162	-	0.01	0.01	0.01	0.01	0.02	-	600.00	1.00	-
WORK13C1903F	0.03	20162	-	-	-	-	0.02	0.03	-	-	-	-
WORK13C1905F	0.65	20162	-	0.67	0.58	0.58	0.58	0.59	(0.07)	168,625.00	10,536.00	-
WORK19C1902F	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
WORK19C1905F	0.12	20162	-	0.12	0.11	0.11	0.10	0.11	(0.01)	8,784.00	98.00	-
WORK24C1903F	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
WORK24C1907F	0.12	20162	-	-	-	-	0.11	0.12	-	-	-	-
WORK27C1903F	0.04	41261	-	-	-	-	0.01	0.03	-	-	-	-
WORK28C1901F	0.01	171261	-	-	-	-	-	0.01	-	-	-	-
WORK28C1904F	0.04	211261	-	-	-	-	0.02	0.05	-	-	-	-
WORK28C1905F	0.10	20162	-	0.10	0.10	0.10	0.09	0.10	-	4,000.00	40.00	-
Preferred/Foreign												
BH-Q	23.40	210936	-	-	-	-	52.00	-	-	-	-	-
CSC-Q	76.00	0	-	-	-	-	-	-	-	-	-	-
JUTHA-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
KTB-Q	-	0	-	-	-	-	-	-	-	-	-	-
SCB-Q	170.00	211057	-	-	-	-	56.00	-	-	-	-	-
TCAP-Q	-	0	-	-	-	-	-	-	-	-	-	-
TIC-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
TISCO-Q	8.00	0	-	-	-	-	-	-	-	-	-	-
U-Q	4.00	21161	-	-	-	-	2.56	-	-	-	-	-
Warrant												
7UP-W2	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
ACC-W1	0.02	20162	-	0.02	0.01	0.02	0.01	0.02	-	1,571.00	2.00	-
AJA-W1	0.06	20162	0.06	0.10	0.06	0.09	0.08	0.09	0.03	34,233.00	293.00	-
ALT-W1	0.60	20162	-	0.64	0.59	0.62	0.58	0.62	0.02	1,372.00	83.00	-
APEX-W1	0.04	20162	-	-	-	-	0.03	0.04	-	-	-	-
APURE-W2	0.18	20162	0.17	0.18	0.16	0.18	0.17	0.18	-	5,683.00	96.00	-
AS-W1	0.12	20162	-	0.15	0.09	0.12	0.11	0.12	-	81.00	1.00	-
AYUD-W1	3.56	20162	3.58	3.62	3.42	3.42	3.42	3.48	(0.14)	3,629.00	1,272.00	3.00
B-W3	0.01	261261	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
B-W4	0.09	20162	0.08	0.09	0.08	0.09	0.08	0.09	-	8,550.00	70.00	-
BTS-W4	0.42	20162	0.43	0.44	0.39	0.40	0.40	0.41	(0.02)	654,769.00	26,903.00	-
BWG-W4	0.01	20162	0.02	0.02	0.01	0.01	0.01	0.02	-	34,408.00	39.00	-
CGD-W4	0.25	20162	-	0.28	0.24	0.25	0.24	0.25	-	902.00	22.00	-
CGH-W3	0.04	20162	-	0.05	0.04	0.04	0.04	0.05	-	3,001.00	12.00	-
CI-W1	0.12	20162	-	0.13	0.13	0.13	0.12	0.13	0.01	40.00	1.00	-
CKP-W1	0.52	20162	0.53	0.57	0.52	0.52	0.52	0.53	-	259,919.00	14,036.00	-
CRANE-W1	1.20	211261	-	1.20	1.20	1.20	0.90	1.19	-	1.00	-	1.00
CWT-W4	0.01	261261	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.70	20162	0.71	0.72	0.70	0.70	0.70	0.71	-	27,165.00	1,924.00	-
DCON-W1	2.90	281261	-	-	-	-	2.40	3.10	-	-	-	-
DIGI-W1	0.02	20162	0.01	0.02	0.01	0.02	0.01	0.02	-	3,936.00	4.00	-
DIGI-W2	0.01	20162	-	-	-	-	-	0.01	-	-	-	-
EARTH-W4	0.09	140660	-	-	-	-	-	-	-	-	-	-
EIC-W2	0.01	241061	-	0.01	0.01	0.01	-	0.01	-	80.00	-	-
EIC-W3	0.04	61261	-	-	-	-	-	0.04	-	-	-	-
EMC-W6	0.20	20162	0.18	0.19	0.17	0.18	0.17	0.18	(0.02)	93,973.00	1,661.00	-
EVER-W3	0.03	20162	0.02	0.03	0.02	0.02	0.01	0.02	(0.01)	3,591.00	7.00	-
GJS-W3	0.01	201261	-	0.01	0.01	0.01	-	0.01	-	10.00	-	-
GSTEL-W1	0.01	20561	-	-	-	-	-	-	-	-	-	-
GSTEL-W2	0.01	40561	-	-	-	-	-	-	-	-	-	-
IEC-W2	0.01	150859	-	-	-	-	-	-	-	-	-	-
IHL-W1	4.08	20162	-	4.26	4.08	4.14	4.02	4.14	0.06	181.00	75.00	4.00
ITD-W1	0.05	20162	0.05	0.06	0.04	0.05	0.04	0.05	-	36,779.00	184.00	-
JAS-W3	1.73	20162	1.73	1.77	1.73	1.77	1.74	1.77	0.04	1,513.00	265.00	1.00
JCK-W5	0.48	281261	-	-	-	-	0.45	0.48	-	-	-	-
JMART-W2	0.21	20162	0.20	0.23	0.19	0.20	0.20	0.21	(0.01)	6,383.00	135.00	-
JMT-W2	1.98	20162	-	2.00	1.90	1.99	1.94	2.00	0.01	123.00	24.00	1.00
MACO-W2	0.20	20162	0.20	0.21	0.19	0.20	0.19	0.20	-	35,380.00	707.00	-
MIDA-W2	0.01	281261	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
MILL-W3	0.02	20162	-	0.02	0.02	0.02	0.01	0.02	-	1.00	-	-
MILL-W4	0.14	20162	-	0.14	0.13	0.13	0.13	0.15	(0.01)	391.00	5.00	-
MILL-W5	0.10	20162	-	0.11	0.09	0.10	0.09	0.10	-	3,516.00	35.00	-
ML-W2	0.01	20162	-	0.01	0.01	0.01	0.01	0.02	-	46,790.00	47.00	-
MONO-W1	0.26	20162	0.26	0.28	0.26	0.26	0.26	0.27	-	19,408.00	515.00	-
NEP-W3	0.03	181261	-	-	-	-	0.03	0.06	-	-	-	-
NOK-W1	0.30	20162	-	0.30	0.29	0.29	0.29	0.40	(0.01)	105.00	3.00	-
NUSA-W3	0.30	20162	0.30	0.32	0.24	0.29	0.28	0.29	(0.01)	6,027.00	181.00	-
NVD-W1	0.52	20162	0.56	0.57	0.34	0.36	0.36	0.37	(0.16)	633,728.00	29,448.00	-
ORI-W1	0.50	20162	0.50	0.52	0.48	0.49	0.49	0.50	(0.01)	29,474.00	1,460.00	-
PACE-W2	0.08	20162	0.08	0.09	0.07	0.08	0.08	0.09	-	4,596.00	36.00	-
PDI-W1	0.86	20162	0.87	0.91	0.84	0.86	0.86	0.87	-	36,273.00	3,189.00	-
PDJ-W2	0.98	20162	-	0.99	0.98	0.99	0.98	1.00	0.01	118.00	12.00	-
PDJ-W3	0.92	20162	-	0.92	0.91	0.92	0.92	0.95	-	15.00	1.00	-
PDJ-W4	0.92	20162	-	0.91	0.90	0.91	0.91	0.92	(0.01)	852.00	77.00	-
RICHY-W1	0.12	20162	-	0.11	0.11	0.11	0.10	0.11	(0.01)	19,756.00	217.00	-
RICHY-W2	0.12	20162	-	0.13	0.11	0.12	0.10	0.12	-	921.00	10.00	-
RS-W3	4.84	20162	4.90	5.15	4.90	4.92	4.92	4.94	0.08	2,328.00	1,162.00	4.00
S-W1	0.03	20162	0.04	0.04	0.03	0.03	0.03	0.04	-	154,003.00	463.00	-
SAMART-W2	0.39	20162	-	0.39	0.38	0.38	0.38	0.39	(0.01)	581.00	22.00	-
SAWAD-W1	6.95	20162	-	7.15	7.00	7.00	6.95	7.10	0.05	410.00	288.00	7.00
SDC-W1	0.14	20162	-	0.15	0.14	0.15	0.14	0.15	0.01	2,592.00	38.00	-
SMT-W1	0.01	20162	0.01	0.02	0.01	0.01	-	0.02	-	2,851.00	3.00	-
SMT-W2	0.34	20162	-	0.36	0.33	0.36	0.34	0.36	0.02	332.00	11.00	-
SPORT-W5	0.01	131261	-	-	-	-	-	0.01	-	-	-	-
SPORT-W7	0.03	20162	-	0.04	0.04	0.04	0.01	0.04	0.01	2.00	-	-
SST-W2	1.70	20162	1.72	1.81	1.67	1.70	1.69	1.70	-	26,720.00	4,648.00	1.00
SUPER-W4	0.05	20162	0.04	0.05	0.04	0.04	0.04	0.05	(0.01)	34,160.00	140.00	-
SUSCO-W1	0.01	271261	-	0.01	0.01	0.01	-	0.01	-	4.00	-	-
SVI-W3	1.90	20162	1.82	1.90	1.80	1.85	1.78	1.85	(0.05)	653.00	119.00	1.00
TCC-W3	0.16	20162	-	0.16	0.15	0.16	0.15	0.16	-	2,093.00	33.00	-
TCC-W4	0.15	20162	0.15	0.17	0.15	0.17	0.16	0.17	0.02	2,335.00	37.00	-
TCC-W5	0.30	20162	-	0.30	0.28	0.30	0.28	0.30	-	607.00	18.00	-
TCJ-W2	0.53	20162	-	0.52	0.48	0.52						

## Foreign Board Quotation

Issue Date : Thursday January 03, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
TGPRO-W3	0.02	271261	-	0.02	0.02	0.02	0.01	0.02	-	17.00	-	-
TH-W2	0.16	20162	-	0.17	0.16	0.16	0.16	0.17	-	212.00	3.00	-
THE-W2	0.03	20162	-	0.03	0.03	0.03	0.02	0.03	-	530.00	2.00	-
TNITY-W1	0.68	271261	-	0.70	0.67	0.67	0.67	0.68	(0.01)	634.00	43.00	-
TNPC-W1	0.14	20162	-	0.15	0.14	0.14	0.13	0.14	-	4,831.00	68.00	-
TRITN-W3	0.22	20162	-	0.23	0.22	0.22	0.21	0.22	-	7,856.00	173.00	-
TTA-W5	0.02	20162	0.01	0.02	0.01	0.01	-	0.01	(0.01)	145,745.00	146.00	-
TTCL-W1	0.82	20162	0.82	0.88	0.81	0.81	0.81	0.82	(0.01)	14,510.00	1,215.00	-
U-W1	0.01	20162	0.01	0.01	0.01	0.01	-	0.01	-	71,001.00	71.00	-
U-W4	0.01	20162	-	0.01	0.01	0.01	-	0.01	-	56.00	-	-
VGI-W2	0.38	20162	0.38	0.39	0.37	0.39	0.38	0.39	0.01	100,907.00	3,854.00	-
VIBHA-W2	1.02	20162	-	1.03	1.02	1.03	1.03	1.13	0.01	804.00	82.00	1.00
VIBHA-W3	0.16	20162	0.16	0.17	0.14	0.15	0.15	0.16	(0.01)	6,179.00	95.00	-
WAVE-W1	0.31	20162	-	0.33	0.32	0.32	0.32	0.33	0.01	356.00	12.00	-
WHA-W1	7.20	20162	-	7.15	7.00	7.15	7.00	7.15	(0.05)	677.00	478.00	7.00
WORK-W1	3.00	20162	-	3.50	3.00	3.00	2.90	3.00	-	54.00	17.00	3.00
Preferred Shares												
BH-P	40.25	120159	-	-	-	-	42.25	-	-	-	-	-
CSC-P	150.00	140760	-	-	-	-	-	-	-	-	-	-
JUTHA-P	10.00	0	-	-	-	-	-	-	-	-	-	-
KTB-P	153.00	80356	-	-	-	-	-	-	-	-	-	-
SCB-P	139.00	141261	-	-	-	-	132.00	173.00	-	-	-	-
TCAP-P	560.00	170654	-	-	-	-	-	-	-	-	-	-
TIC-P	21.50	271156	-	-	-	-	-	-	-	-	-	-
TISCO-P	1,346.00	140556	-	-	-	-	-	-	-	-	-	-
U-P	3.26	20162	3.28	3.28	3.20	3.26	3.20	3.26	-	12,923.00	4,187.00	3.00
Warrant (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
2S-W1	0.02	20162	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	1,362.00	2.00	-
ACAP-W2	0.28	20162	0.29	0.32	0.25	0.26	0.26	0.27	(0.02)	51,097.00	1,466.00	-
AIRA-W2	0.01	20162	-	0.01	0.01	0.01	-	0.01	-	302.00	-	-
ATP30-W1	0.65	20162	0.65	0.65	0.62	0.63	0.62	0.63	(0.02)	954.00	61.00	-
BKD-W2	0.18	20162	-	0.19	0.18	0.18	0.17	0.18	-	16,278.00	298.00	-
BM-W1	0.31	20162	-	0.39	0.29	0.39	0.30	0.34	0.08	115.00	4.00	-
CHEWA-W1	0.12	20162	-	0.12	0.11	0.12	0.11	0.12	-	2,301.00	25.00	-
CIG-W7	0.01	271261	-	0.01	0.01	0.01	-	0.01	-	96.00	-	-
DIMET-W2	0.06	20162	-	0.06	0.05	0.06	0.05	0.06	-	2,019.00	10.00	-
ECF-W2	0.07	20162	0.06	0.07	0.04	0.05	0.05	0.06	(0.02)	8,271.00	42.00	-
ECF-W3	0.72	20162	0.71	0.72	0.70	0.71	0.70	0.72	(0.01)	2,107.00	148.00	-
EFORL-W3	0.01	20162	0.01	0.01	0.01	0.01	0.01	0.02	-	50,934.00	51.00	-
EFORL-W4	0.01	281261	-	-	-	-	0.01	0.02	-	-	-	-
FC-W1	0.05	20162	-	-	-	-	0.03	0.05	-	-	-	-
FC-W2	0.03	271261	-	-	-	-	0.02	0.03	-	-	-	-
FOCUS-W2	0.42	20162	-	0.63	0.43	0.50	0.50	0.51	0.08	65,732.00	3,643.00	-
FVC-W2	0.29	20162	-	0.34	0.27	0.27	0.27	0.29	(0.02)	20,747.00	634.00	-
ITEL-W1	0.41	20162	0.41	0.42	0.39	0.39	0.39	0.40	(0.02)	15,697.00	630.00	-
JKN-W1	1.30	20162	1.48	1.60	1.32	1.45	1.45	1.46	0.15	39,422.00	5,873.00	1.00
LIT-W1	1.37	20162	-	1.38	1.36	1.36	1.36	1.37	(0.01)	216.00	30.00	1.00
META-W2	0.01	281261	-	0.02	0.02	0.02	0.01	0.02	0.01	1.00	-	-
META-W3	0.09	20162	0.08	0.09	0.07	0.08	0.07	0.08	(0.01)	22,465.00	183.00	-
NCL-W3	0.24	20162	-	0.25	0.24	0.25	0.24	0.25	0.01	820.00	20.00	-
NEWS-W4	0.01	281261	-	-	-	-	-	0.01	-	-	-	-
NEWS-W6	0.01	81161	-	-	-	-	-	0.01	-	-	-	-
PIMO-W1	2.70	20162	2.72	2.74	2.68	2.70	2.68	2.72	-	4,130.00	1,120.00	2.00
PSTC-W1	0.07	20162	-	-	-	-	-	-	-	-	-	-
SANKO-W1	0.26	20162	0.27	0.28	0.26	0.26	0.25	0.26	-	20,297.00	535.00	-
SIMAT-W2	0.12	20162	-	0.13	0.12	0.12	0.11	0.13	-	125.00	2.00	-
SIMAT-W3	0.18	20162	-	0.20	0.19	0.19	0.19	0.20	0.01	226.00	4.00	-
SIMAT-W4	0.77	20162	-	0.78	0.76	0.77	0.76	0.77	-	941.00	73.00	-
SKY-W1	11.30	20162	-	11.30	11.30	11.30	11.10	14.60	-	60.00	68.00	11.00
STAR-W3	0.92	20162	-	1.22	0.92	1.02	1.02	1.03	0.10	27,407.00	2,994.00	1.00
TAKUNI-W3	0.16	20162	-	0.15	0.15	0.15	0.14	0.15	(0.01)	500.00	8.00	-
TAPAC-W3	0.47	20162	0.44	0.46	0.35	0.38	0.38	0.39	(0.09)	34,196.00	1,385.00	-
TSF-W4	0.01	11061	-	-	-	-	-	0.01	-	-	-	-
TSF-W5	0.01	251261	-	-	-	-	-	0.01	-	-	-	-
TVD-W2	0.61	20162	0.62	0.67	0.60	0.61	0.61	0.62	-	11,884.00	760.00	-
UAC-W2	0.41	20162	-	0.46	0.40	0.40	0.40	0.41	(0.01)	5,587.00	242.00	-
UKEM-W2	0.39	20162	-	0.41	0.39	0.41	0.39	0.41	0.02	78.00	3.00	-
UWC-W2	0.01	20162	-	0.01	0.01	0.01	-	0.01	-	101.00	-	-
XO-W1	6.45	20162	-	6.70	6.50	6.60	6.55	6.75	0.15	72.00	47.00	6.00
Preferred Shares												