

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.45	-	663	6.51	RS	16.00	-	66,848	16.12
POMPUJ	-	-	-	-	HUMAN	9.80	-	6,443	9.81	SE-ED	2.76	(0.06)	7,717	2.84
SAFARI	-	-	-	-	ILINK	4.74	-	2,664	4.76	SMM	3.04	-	39,248	3.08
VI	-	-	-	-	INET	3.28	0.10	2,174	3.23	SPORT	0.20	0.03	41,760	0.19
WORLD	-	-	-	-	INTUCH	54.25	-	40,919	54.27	TBSP	13.40	(0.60)	11	13.70
WR	-	-	-	-	JAS	5.05	-	45,982	5.07	TH	0.74	-	224	0.74
Agribusiness					JASIF	10.20	0.10	93,811	10.11	TKS	9.50	-	7,106	9.52
CHOTTI	136.00	4.00	1	136.00	JMART	6.10	(0.25)	30,086	6.11	TRITN	0.40	-	153,752	0.40
EE	0.62	0.01	18,227	0.61	JTS	1.40	-	55	1.40	VGI	7.75	(0.10)	31,071	7.78
GFPT	14.60	-	3,494	14.51	MFEC	2.98	-	1,144	2.97	WAVE	2.14	-	28	2.14
LFE	2.68	0.04	195	2.66	MSC	7.80	0.10	445	7.79	WORK	25.50	0.60	19,386	25.20
NER	2.18	0.16	921,066	2.13	PT	5.85	0.10	380	5.80	Finance & Securities				
PPPM	3.26	-	68	3.26	SAMART	7.35	0.05	38,697	7.22	AEC	0.45	(0.02)	505	0.46
STA	16.50	1.10	222,958	15.99	SAMTEL	7.00	(0.15)	5,444	7.01	AEONTS	182.00	3.00	3,407	182.20
TRUBB	1.74	0.12	21,666	1.72	SDC	0.38	(0.02)	110,770	0.39	AMANAH	1.70	(0.01)	30,597	1.72
TWPC	7.90	(0.05)	55	7.90	SIS	9.65	0.05	2,638	9.60	ASAP	3.50	(0.06)	39,930	3.54
UPOIC	4.60	0.02	45	4.53	SVOA	1.29	0.02	4,622	1.29	ASK	24.50	-	1,432	24.50
UVAN	5.40	0.05	1,596	5.41	SYMC	5.00	0.02	68	5.04	ASP	3.38	-	19,653	3.35
VPO	0.52	-	2,699	0.52	SYNEX	13.00	(0.10)	7,315	13.06	BFIT	20.60	0.30	2,754	20.71
Banking					THCOM	8.05	(0.05)	15,825	8.07	CGH	0.96	0.01	1,382	0.96
BAY	38.50	0.25	834	38.34	TRUE	5.25	0.05	619,870	5.23	CNS	2.24	0.02	265	2.22
BBL	213.00	(2.00)	33,943	213.89	TWZ	0.10	0.01	124,030	0.09	ECL	1.83	(0.03)	53,451	1.85
CIMBT	0.80	-	14,485	0.81	Electronic Componer					FNS	3.70	0.02	2,694	3.71
KBANK	202.00	1.00	45,387	201.74	CCET	1.78	-	18,996	1.78	FSS	1.93	0.06	1,377	1.91
KKP	69.25	-	21,439	69.38	DELTA	69.75	-	4,713	69.67	GBX	0.57	0.01	1,417	0.57
KTB	19.70	(0.10)	129,313	19.68	EIC	0.05	-	1,594	0.05	GL	8.20	-	80,701	8.28
LHFG	1.48	0.03	31,266	1.47	HANA	35.25	0.50	12,948	34.98	IFS	3.16	(0.02)	3,963	3.17
SCB	132.50	(0.50)	57,602	132.61	KCE	30.75	0.75	108,908	30.74	JMT	12.10	(0.10)	12,814	12.13
TCAP	54.25	-	21,937	54.41	METCO	215.00	1.00	49	215.00	KCAR	11.50	0.10	466	11.45
TISCO	84.25	-	26,758	84.35	SMT	2.04	0.05	13,057	2.03	KGI	4.74	0.04	61,768	4.74
TMB	2.22	0.02	419,657	2.21	SPPT	4.80	0.46	142,214	4.68	KTC	30.25	0.25	60,060	30.20
Construction Materia					SVI	5.55	0.05	46,200	5.54	MBKET	10.40	(0.10)	835	10.45
CCP	0.41	0.02	5,722	0.40	TEAM	1.25	0.20	425,067	1.28	MFC	17.30	0.10	224	17.25
COTTO	2.22	0.06	3,463	2.20	Energy & Utilities					ML	1.02	-	3,863	1.03
DCC	2.18	0.02	14,322	2.17	ABPIF	6.50	-	1,739	6.45	MTC	48.25	0.50	82,559	48.13
DCON	0.53	-	2,852	0.52	AI	-	-	-	-	PE	-	-	-	-
DRT	5.55	0.05	882	5.54	AKR	0.88	0.01	9,133	0.89	PL	3.46	0.06	1,699	3.44
EPG	7.60	0.10	30,688	7.57	BAFS	34.25	0.75	2,300	34.00	S11	7.10	0.05	845	7.11
GEL	0.29	0.01	62,668	0.29	BANPU	16.80	0.20	168,584	16.83	SAWAD	51.50	0.75	95,963	51.41
PPP	2.84	(0.04)	111	2.84	BCP	33.00	0.25	15,225	33.21	THANI	7.55	0.10	189,881	7.53
Q-CON	4.60	-	31	4.60	BPCG	16.80	-	40,276	16.92	TK	9.60	-	394	9.61
RCI	3.94	0.02	58	3.94	BGRIM	29.50	(0.25)	35,411	29.57	TNITY	5.55	(0.10)	1,625	5.55
SCC	462.00	(2.00)	12,457	463.40	BPP	23.10	-	9,175	23.08	UOBKH	-	-	-	-
SCCC	231.00	(7.00)	2,178	232.63	BRRGIF	10.10	-	664	10.00	ZMICO	1.01	-	8,662	1.00
SCP	8.65	-	3,036	8.65	CKP	4.92	(0.02)	210,066	4.92	Food & Beverage				
SKN	3.38	0.04	24,178	3.38	DEMCO	3.04	(0.02)	4,881	3.05	APURE	1.32	(0.03)	6,833	1.32
TASCO	14.40	-	10,287	14.40	EA	47.25	0.25	57,337	47.44	ASIAN	8.80	-	23,662	8.77
TCMC	1.84	0.01	75,201	1.84	EARTH	-	-	-	-	BR	4.14	-	7,323	4.16
TOA	37.50	1.00	28,234	37.30	EASTW	10.80	(0.10)	2,261	10.81	BRR	6.35	-	1,093	6.35
TPIPL	2.14	(0.04)	88,663	2.15	EGATIF	11.40	0.10	55,988	11.32	CBG	39.75	-	14,185	39.90
UMI	1.21	-	7,781	1.22	EGCO	263.00	-	7,386	263.03	CFRESH	4.02	(0.02)	202	4.01
VNG	5.25	0.05	1,552	5.24	ESSO	11.40	0.30	395,310	11.45	CM	4.14	0.02	215	4.15
WIK	2.10	(0.02)	6,526	2.11	GLOW	92.00	0.25	7,379	91.63	CPF	27.25	-	124,153	27.42
Petrochemicals & Ch					GPSC	62.50	0.50	17,421	62.56	CPI	1.51	0.02	2,087	1.51
BCT	48.75	1.00	194	48.40	GULF	88.25	(0.25)	45,638	88.66	F&D	-	-	-	-
CMAN	2.80	0.02	4,295	2.80	GUNKUL	3.08	(0.02)	53,710	3.09	HTC	15.30	(0.20)	5,241	15.51
GC	5.10	-	391	5.14	IEC	-	-	-	-	ICHI	3.32	(0.10)	22,421	3.36
GGC	10.70	-	6,910	10.76	IFEC	-	-	-	-	KBS	4.20	(0.02)	410	4.22
GIFT	3.66	-	448	3.65	IRPC	5.90	0.10	660,606	5.86	KSL	3.20	(0.02)	5,107	3.19
IVL	49.00	0.25	133,230	49.00	LANNA	12.40	-	980	12.30	KTIS	5.55	-	592	5.51
NFC	6.00	-	2	6.00	MDX	4.36	-	5,090	4.39	LST	4.26	0.02	218	4.23
PATO	13.20	0.20	559	13.04	PTG	10.30	(0.10)	107,397	10.40	M	76.00	0.75	1,535	75.43
PMTA	11.20	-	2	11.00	PTT	49.25	(0.25)	425,249	49.49	MALEE	9.55	(0.15)	6,025	9.56
PTTGC	69.25	(0.25)	154,033	69.75	PTTEP	125.50	1.50	80,204	125.74	MINT	38.50	-	49,459	38.55
SUTHA	-	-	-	-	RATCH	55.25	(0.50)	22,303	55.40	OISHI	78.25	0.50	94	78.09
TCCC	30.50	-	36	30.70	RPC	0.45	0.02	4,392	0.44	OSP	26.50	(0.25)	39,077	26.40
TPA	6.80	0.05	11	6.74	SCG	4.50	0.10	118	4.50	PB	60.50	-	11	60.27
UP	24.00	-	3	24.00	SCI	2.50	0.02	4,204	2.49	PM	8.95	(0.05)	2,982	9.01
VNT	24.10	(0.20)	8,077	24.16	SCN	4.16	-	23,231	4.16	PRG	13.50	0.50	9	13.40
WG	165.00	4.00	20	165.00	SGP	10.60	-	17,261	10.62	SAPPE	17.80	0.10	4,641	17.96
YCI	-	-	-	-	SKE	0.98	0.04	47,449	0.97	SAUCE	22.20	-	50	22.20
Commerce					SOLAR	2.24	-	3,640	2.26	SFP	-	-	-	-
BEAUTY	7.75	(0.05)	474,216	7.81	SPCG	19.00	-	3,320	18.95	SNP	19.10	-	300	19.10
BIG	1.40	-	49,716	1.40	SPRC	11.30	0.50	208,642	11.18	SORKON	69.00	-	9	69.00
BJC	49.25	0.25	87,253	49.38	SUPER	0.59	-	534,687	0.60	SSC	34.25	0.75	2	34.13
COL	24.10	(0.10)	1,023	24.15	SUSCO	2.76	0.02	3,644	2.75	SSF	7.90	(0.60)	55	8.00
COM7	15.20	0.20	92,031	15.21	TAE	2.18	-	3,317	2.18	SST	4.22	(0.02)	316	4.24
CPALL	77.75	0.50	106,161	77.70	TCC	0.42	-	303,981	0.42	TC	3.28	-	57	3.24
CSS	2.02	-	5,788	2.02	TOP	74.75	1.00	95,616	74.42	TFG	3.34	(0.06)	6,149	3.36
FN	1.44	0.03	124,858	1.44	TPIPP	6.35	-	24,966	6.37	TFMAMA	158.00	1.00	23	158.15
FTE	2.18	-	1,720	2.19	TTW	12.70	-	19,105	12.71	TIPCO	7.85	-	5,046	7.85
GLOBAL	19.10	0.70	108,564	18.91	WHAUP	6.05	(0.05)	10,245	6.05	TKN	9.85	0.25	184,090	9.73
HMPRO	15.30	0.10	121,666	15.35	WP	5.75	-	21,712	5.89	TU	18.80	0.10	86,490	18.83
IT	3.64	0.04	165	3.64	Media & Publishing					TVO	28.25	(0.25)	7,199	28.47
KAMART	3.90	0.04	3,304	3.89	AMARIN	4.98	(0.02)	12	4.98	Health Care Services				
LOXLEY	1.96	0.03	63,640	1.98	AQUA	0.44	-	12,546	0.44	AHC	18.10	0.20	106	18.03
MAKRO	36.50	(0.75)	5,073	36.58	AS	0.72	-	580	0.68	BCH	16.10	(0.10)	49,629	16.13
MC	10.30	0.35	47,942	10.21	BEC	6.25	0.55	359,991	6.10	BDMS	23.80	0.10	174,066	23.83
MEGA	34.50	0.50	13,923	34.27	EPCO	3.02	0.02	4,182	3.01	BH	187.50	0.50	4,573	187.13
MIDA	0.59	-	7,409	0.59	FE	-	-	-	-	CHG				

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THG	33.25	0.50	4,700	33.22	KC	-	-	-	-	TRU	4.74	-	284	4.69
VIBHA	2.02	-	33,239	2.02	KWG	1.89	-	123	1.89	TSC	12.50	(0.10)	3	12.50
VIH	6.90	-	2,075	6.91	LALIN	4.84	-	7,539	4.87	YNP	-	-	-	-
WPH	2.40	(0.02)	795	2.40	LH	10.60	(0.10)	240,376	10.67	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	LPN	7.45	0.25	150,286	7.42	ALLA	1.40	0.01	8,125	1.40
ASIA	7.60	0.05	1,591	7.70	MBK	20.70	-	28,137	20.80	ASEFA	4.92	(0.06)	4,877	4.94
CENDEL	45.00	1.75	110,863	44.67	MJD	3.34	0.04	467	3.31	CPT	0.96	0.12	1,212,340	0.92
CSR	-	-	-	-	MK	3.70	(0.06)	11,602	3.72	CRANE	1.90	0.02	646	1.87
DTC	10.10	-	10,946	10.27	NCH	0.91	-	1,950	0.91	CTW	8.05	-	307	8.08
ERW	7.60	0.15	145,617	7.56	NNCL	1.74	-	729	1.74	FMT	24.70	0.20	20	24.70
GRAND	1.01	(0.01)	30,031	1.00	NOBLE	19.90	0.10	1,051	19.81	HTECH	6.00	-	1,851	6.02
LRH	52.00	-	148	52.24	NUSA	0.53	0.02	221,800	0.53	KKC	1.43	(0.01)	6,440	1.43
MANRIN	-	-	-	-	NVD	3.24	0.02	884	3.26	PK	2.84	-	2,491	2.84
OHTL	480.00	(2.00)	1	480.00	ORI	7.55	0.20	113,205	7.52	SNC	14.10	(0.10)	3,547	14.19
ROH	48.25	0.25	4	48.19	PACE	0.39	-	53,381	0.38	TCJ	5.20	(0.15)	93	5.26
SHANG	81.75	-	34	81.49	PF	0.83	0.04	473,539	0.81	VARO	6.65	-	13	6.65
Home & Office Produ	-	-	-	-	PLAT	7.50	-	2,284	7.46	Property Fund & REI	-	-	-	-
ACC	0.50	-	1,535	0.50	POLAR	-	-	-	-	AIMIRT	10.40	-	630	10.38
AJA	0.27	-	24,402	0.27	PRECHA	1.63	(0.01)	152	1.63	AMATAR	11.00	0.10	14	10.93
DTCI	-	-	-	-	PRIN	1.60	0.01	2,459	1.63	B-WORK	10.80	-	4,616	10.70
FANCY	0.85	0.02	1,204	0.85	PRINC	4.46	0.06	11,471	4.44	BKKCP	12.30	-	1,433	12.31
KYE	392.00	(2.00)	50	388.54	PSH	18.20	0.10	7,959	18.24	BOFFICE	13.40	0.20	11,948	13.36
L&E	2.70	-	1,695	2.69	QH	3.02	0.02	413,739	3.01	CPNCG	15.40	0.10	1,989	15.35
MODERN	3.80	0.04	643	3.78	RICHY	1.65	0.01	14,318	1.65	CPNREIT	27.00	0.25	5,186	26.85
OGC	37.00	1.75	1	37.00	RML	1.30	(0.01)	13,230	1.31	CPTGF	13.10	0.10	311	13.01
ROCK	-	-	-	-	ROJNA	5.20	(0.05)	6,862	5.21	CRYSTAL	9.80	-	45	9.80
SIAM	2.20	0.04	6,082	2.22	S	3.36	-	20,780	3.37	CTARAF	4.70	0.02	245	4.70
TSR	2.08	0.06	8,527	2.08	SAMCO	1.73	0.01	678	1.72	DREIT	5.00	-	17	5.03
Insurance	-	-	-	-	SC	2.94	-	41,641	2.94	ERWPF	5.20	0.05	361	5.15
AYUD	40.75	0.50	138	40.52	SENA	3.54	-	4,973	3.52	FTREIT	11.80	-	10,474	11.82
BKI	332.00	1.00	73	331.07	SF	7.75	-	7,347	7.71	FUTUREPF	23.20	0.20	919	23.09
BLA	28.25	-	8,447	28.54	SIRI	1.37	0.01	539,930	1.38	GAHREIT	9.55	0.05	30	9.55
BUI	-	-	-	-	SPALI	20.00	0.40	35,104	19.96	GLANDRT	12.00	0.10	1,208	12.00
CHARAN	32.75	(0.25)	1	32.75	U	2.48	-	11,115	2.48	GOLDPF	-	-	-	-
INSURE	-	-	-	-	UV	7.10	(0.05)	26,924	7.18	GVREIT	15.00	-	4,325	15.00
MTI	102.00	2.25	8	102.25	WHA	4.38	-	466,668	4.41	HPF	5.15	-	512	5.15
NKI	-	-	-	-	WIN	0.55	0.01	1,435	0.55	HREIT	7.10	0.05	21,403	7.05
NSI	77.00	-	140	77.00	Paper & Printing Mat	-	-	-	-	IMPACT	20.50	0.50	6,559	20.28
SMK	39.50	-	9	39.50	UTP	10.60	(0.10)	2,975	10.69	KPNPF	9.00	-	10	9.00
THRE	0.85	-	7,418	0.85	Fashion	-	-	-	-	LHHOTEL	16.40	0.10	1,299	16.39
THREL	7.00	-	6,852	6.96	AFC	9.10	0.05	21	9.10	LHPF	8.15	-	1,036	8.15
TIC	35.25	(0.25)	1	35.25	BTNC	-	-	-	-	LHSC	16.70	0.30	346	16.48
TIP	23.10	-	809	23.08	CPH	6.60	(0.50)	102	6.70	LUXF	8.60	0.05	45	8.60
TQM	24.70	0.40	66,011	24.42	CPL	2.90	(0.10)	110	2.96	M-II	-	-	-	-
TSI	0.71	-	16,465	0.69	DIGI	0.34	-	29,587	0.36	M-PAT	9.80	-	11	9.80
TVI	4.06	(0.02)	150	4.04	ICC	40.75	0.50	4	40.81	M-STOR	7.80	(0.05)	106	7.72
Mining	-	-	-	-	LTX	95.50	(0.25)	20	95.55	MIPF	-	-	-	-
PDI	12.60	(0.60)	16,694	12.90	NC	-	-	-	-	MIT	4.64	(0.12)	8,409	5.53
THL	-	-	-	-	PAF	0.96	(0.02)	49,625	0.98	MJLF	12.60	-	241	12.60
Packaging	-	-	-	-	PDJ	2.16	0.06	3,929	2.17	MNIT	-	-	-	-
AJ	8.10	0.05	809	8.02	PG	5.85	-	1	5.85	MNIT2	5.00	-	71	5.00
ALUCON	-	-	-	-	SABINA	27.75	0.25	49	27.64	MNRF	-	-	-	-
BGC	12.10	0.50	75,782	11.96	SAWANG	-	-	-	-	MONTRI	5.60	0.10	1	5.60
CSC	42.00	0.50	1	42.00	SUC	46.75	0.25	358	46.96	POPF	13.50	0.10	2,520	13.47
NEP	0.33	0.01	1,840	0.33	TNL	-	-	-	-	PPF	11.40	-	67	11.50
NPPG	1.25	0.01	31,723	1.25	TPCORP	-	-	-	-	QHHR	8.35	0.05	17,308	8.30
PTL	13.90	0.10	1,031	13.89	TR	40.50	0.50	698	39.80	QHOP	3.26	0.06	17	3.22
SITHAI	1.21	(0.02)	2,103	1.22	TTI	-	-	-	-	QHFP	13.00	0.10	7,962	12.90
SLP	0.86	0.02	3,608	0.87	TTL	-	-	-	-	SBPF	-	-	-	-
SMPC	11.90	(0.10)	550	11.99	TTTTM	171.00	(19.00)	214	176.32	SHREIT	7.80	(0.25)	518	7.88
SPACK	1.74	0.01	101	1.74	UPF	-	-	-	-	SIRIP	11.70	(0.20)	1	11.70
TCOAT	-	-	-	-	UT	14.20	-	10	14.20	SPF	23.50	0.30	1,659	23.42
TFI	0.32	0.02	1,264	0.31	WACOAL	46.75	1.00	1	46.75	SPRIME	11.10	-	8,734	11.10
THIP	22.90	-	609	22.78	Transportation & Log	-	-	-	-	SRIPANWA	11.00	0.10	100	11.00
TMD	21.30	-	250	20.95	AAV	4.36	0.08	204,622	4.35	SSPF	9.60	0.10	50	9.53
TOPP	-	-	-	-	AOT	69.25	(0.50)	126,225	69.43	SSTPF	-	-	-	-
TPBI	5.15	(0.05)	161	5.18	ASIMAR	2.14	0.02	872	2.17	SSTRT	6.05	0.15	1	6.05
TPP	-	-	-	-	B	0.43	(0.01)	842	0.44	TIF1	8.80	0.05	30	8.80
Personal Products &	-	-	-	-	BA	12.20	-	6,944	12.21	TLGF	19.50	0.50	11,211	19.34
APCO	4.26	(0.04)	2,961	4.27	BEM	10.30	-	441,585	10.34	TLHPF	-	-	-	-
DDD	25.00	(0.25)	25,959	25.20	BTS	9.95	(0.15)	238,474	9.99	TNPF	3.40	-	50	3.40
JCT	88.00	-	1	88.00	BTSIGIF	12.00	0.10	10,932	11.98	TPRIME	13.00	0.20	4,305	12.93
OCC	-	-	-	-	III	5.75	0.20	30,118	5.80	TTLFF	22.10	0.20	5	22.10
S & J	23.50	-	4	23.50	JUTHA	0.86	0.05	278	0.84	TU-PF	-	-	-	-
STHAI	-	-	-	-	JWD	7.45	(0.10)	4,889	7.45	URBNPF	3.90	(0.10)	110	3.96
TNR	11.00	(0.20)	1,544	11.03	KWC	-	-	-	-	WHABT	10.00	-	427	10.00
TOG	4.82	(0.02)	118	4.82	NOK	2.30	(0.02)	4,080	2.30	WHART	11.60	0.20	16,854	11.47
Professional Service	-	-	-	-	NVT	5.25	0.10	1,891	5.19	Steel	-	-	-	-
BWG	1.31	0.02	850,937	1.30	PRM	6.20	0.20	39,722	6.12	AMC	2.10	0.17	48,476	2.08
GENCO	0.78	-	28,483	0.79	PSL	8.65	0.45	74,454	8.43	BSBM	1.16	0.22	96,051	1.11
PRO	-	-	-	-	RCL	4.86	0.12	3,069	4.79	CEN	1.06	0.01	2,347	1.06
TEAMG	1.99	-	11,787	1.99	TFFIF	10.30	-	5,420	10.30	CITY	2.30	(0.02)	700	2.31
Property Developer	-	-	-	-	THAI	13.40	0.20	13,100	13.38	CSP	1.20	0.02	390	1.20
A	6.35	(0.05)	152	6.37	TSTE	-	-	-	-	GJS	0.12	(0.01)	9,420	0.13
AMATA	22.50	(0.20)	124,711	22.49	TTA	5.25	(0.05)	6,444	5.29	GSTEL	-	-	-	-
AMATAV	4.88	0.02	6,510	4.89	WICE	4.20	-	10,715	4.24	INOX	1.02	0.03	19,103	1.05
ANAN	3.64	0.04	51,521	3.64	Automotive	-	-	-	-	LHK	3.96	0.06	4,363	3.96
AP	7.20	0.10	40,553	7.15	AH	24.20	1.30	22,666	23.86	MAX	0.02	-	128,846	0.02
APEX	0.20	-	6,882	0.20	APCS	4.92	0.08	261	4.81	MCS	7.15	0.05	23,919	7.20
AQ	0.03	(0.01)	190,895	0.04	BAT-3K	-	-	-	-	MILL	1.46	0.10	73,338	1.41
BLAND	1.69	-	60,182	1.69	CWT	2.98	(0.02)	2,859	3.03	PAP	3.54	0.14	4,158	3.50
BROCK	1.86	(0.02)	292	1.87	EASON	2.14	-	2,940	2.09	PERM	2.30	0.41	229,056	2.24
CGD	1.28	(0.01)	11,708	1.29	GYT	364.00	(14.00)	14	369.43	RICH	-	-	-	-
CI	1.28	0.02	285											

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	SEAOIL	3.96	0.06	26,954	4.00	AAV28C1902A	-	-	-	-
ABICO	4.86	(0.06)	1,044	4.00	SR	2.00	0.02	10	1.00	ADVA01C1902A	0.05	-	21,829	-
AU	8.10	-	2,626	8.00	SSP	7.75	(0.10)	4,883	7.00	ADVA01C1902B	0.01	-	29,830	-
FC	0.40	-	574	-	TAKUNI	0.78	-	1,065	-	ADVA01C1905A	0.45	-	88,967	-
JCKH	0.62	0.02	1,967	-	TPCH	10.20	-	2,529	10.00	ADVA01C1905B	0.32	(0.01)	42,084	-
KASET	1.93	(0.01)	61	1.00	TRT	2.06	0.16	1,697	2.00	ADVA01C1908A	0.89	(0.11)	5,490	-
MM	3.58	(0.06)	82	3.00	TSE	3.02	0.22	312,160	2.00	ADVA01C1908B	0.72	(0.28)	8,588	-
SUN	2.88	-	1,801	2.00	UMS	0.60	(0.05)	1	-	ADVA01P1902A	0.81	0.01	50,021	-
TACC	3.08	0.04	4,624	3.00	UWC	0.06	-	227,763	-	ADVA01P1902B	0.40	0.01	81,327	-
TMILL	3.00	-	616	2.00	Services (MAI)	-	-	-	-	ADVA01P1905A	0.95	0.01	54,422	-
XO	11.20	(0.10)	2,260	11.00	ADAM	-	-	-	-	ADVA01P1905B	0.41	(0.01)	60,366	-
Consumer Products														
BGT	1.01	0.02	349	1.00	AKP	1.90	-	1,943	1.00	ADVA06C1903A	-	-	-	-
BIZ	2.48	-	1,225	2.00	AMA	4.42	-	2,600	4.00	ADVA07C1908A	0.57	(0.04)	500	-
DOD	12.40	0.50	69,093	12.00	ARIP	0.45	-	2,428	-	ADVA08C1903A	-	-	-	-
ECF	2.74	(0.06)	139,359	2.00	ATP30	1.56	(0.01)	1,545	1.00	ADVA08C1906A	0.59	0.01	20,555	-
HPT	0.91	0.01	915	-	AUCT	5.70	0.10	3,999	5.00	ADVA11C1905A	-	-	-	-
JUBILE	16.40	-	851	16.00	BOL	2.04	-	3,220	2.00	ADVA11C1910A	0.65	0.01	9,600	-
MOONG	6.20	-	1,582	6.00	CHUO	-	-	-	-	ADVA11P1905A	0.17	0.01	5,800	-
NPK	28.00	1.00	16	27.00	CMO	1.35	0.02	5,148	1.00	ADVA11P1910A	0.53	0.01	9,210	-
OCEAN	4.10	0.20	51,755	4.00	D	9.20	(0.05)	685	9.00	ADVA13C1901A	-	-	-	-
TM	2.18	(0.06)	5,192	2.00	DCORP	0.91	(0.01)	34,174	-	ADVA13C1904A	0.14	-	190,573	-
Financials (MAI)														
ACAP	4.38	-	22,046	4.00	DNA	0.34	(0.01)	115,660	-	ADVA13C1905A	0.65	(0.01)	230,676	-
AF	0.69	-	91	-	EFORL	0.05	-	76,835	-	ADVA13P1904A	0.46	(0.02)	103,784	-
AIRA	1.56	0.03	741	1.00	ETE	1.30	0.03	90,332	1.00	ADVA16C1912A	0.44	0.03	35	-
ASN	-	-	-	-	FSMART	7.25	(0.05)	12,523	7.00	ADVA19C1901A	-	-	-	-
BROOK	0.47	-	7,082	-	FVC	0.80	-	24,751	-	ADVA19C1905A	0.48	(0.01)	12,287	-
CHAYO	4.08	-	4,621	4.00	HARN	2.54	0.02	1,383	2.00	ADVA19P1904A	0.25	0.01	5,700	-
GCAP	3.52	(0.10)	47,241	3.00	JKN	8.65	(0.05)	5,279	8.00	ADVA23C1902A	-	-	-	-
LIT	6.90	-	1,790	6.00	KIAT	0.48	-	24,507	-	ADVA23C1905A	0.49	(0.01)	16,510	-
SGF	1.43	(0.02)	59,688	1.00	KOOL	1.52	0.01	106,598	1.00	ADVA24C1904A	-	-	-	-
Industrials (MAI)														
2S	2.58	0.20	8,382	2.00	LDC	0.97	0.01	2,954	-	ADVA24C1905A	-	-	-	-
ADB	0.94	0.01	4,967	-	MPG	0.36	0.02	20,967	-	ADVA24C1906A	0.67	(0.03)	2,220	-
BM	3.06	0.04	315	3.00	MVP	1.58	0.04	14,070	1.00	ADVA24C1907A	-	-	-	-
CHO	1.38	0.02	66,521	1.00	NBC	0.52	0.01	1,470	-	ADVA24P1908A	0.67	-	300	-
CHOW	3.40	0.28	221,296	3.00	NCL	1.60	0.09	62,036	1.00	ADVA27C1902A	-	-	-	-
CIG	0.36	(0.03)	237,311	-	NEWS	0.01	-	485,153	-	ADVA28C1904A	-	-	-	-
COLOR	1.27	0.04	252	1.00	NINE	2.14	0.02	11,552	2.00	ADVA28C1904B	0.29	(0.01)	27,446	-
CPR	5.55	(0.05)	2,479	5.00	OTO	2.38	-	1,698	2.00	ADVA28C1905A	0.53	-	29,615	-
FPI	2.06	0.17	155,364	2.00	PHOL	1.88	(0.02)	4,759	1.00	ADVA41C1905A	-	-	-	-
GTB	0.64	0.03	110,499	-	PICO	4.40	-	314	4.00	ADVA42C1903A	-	-	-	-
KCM	1.18	0.16	467,569	1.00	PORT	4.98	(0.02)	4,606	4.00	AEON01C1906A	0.78	0.05	79,931	-
KWM	1.03	0.11	131,634	-	QLT	3.98	(0.02)	192	3.00	AEON01C1906B	0.62	0.05	20,317	-
LVT	-	-	-	-	RP	2.54	0.02	1,303	2.00	AEON19C1906A	0.78	0.03	5,500	-
MBAX	3.96	-	1,494	3.00	SE	1.91	-	143	1.00	AMAT01C1903A	0.52	(0.02)	71,872	-
MGT	1.86	(0.01)	257	1.00	SISB	4.98	(0.07)	57,422	5.00	AMAT01C1903B	0.23	(0.02)	77,655	-
NDR	2.00	0.05	2,895	1.00	SOMIC	1.48	0.06	212,586	1.00	AMAT01P1903A	0.43	0.02	99,866	-
PDG	3.06	0.02	1,774	3.00	SPA	14.50	0.10	1,192	14.00	AMAT06C1903A	0.25	(0.02)	9,770	-
PIMO	3.02	0.02	10,703	3.00	THMUI	1.37	0.06	54,218	1.00	AMAT08C1903A	0.25	(0.02)	27,232	-
PJW	1.56	0.01	679	1.00	TNDT	4.44	0.02	161	4.00	AMAT11C1903A	0.12	(0.01)	6,169	-
PPM	1.42	0.02	3,799	1.00	TNH	37.50	-	169	37.00	AMAT13C1902A	0.02	-	11	-
RWI	1.54	-	776	1.00	TNP	1.53	-	2,203	1.00	AMAT13C1905A	0.34	(0.03)	344,030	-
SALEE	1.02	-	850	1.00	TSF	0.02	-	2,504	-	AMAT19C1902A	0.24	(0.02)	8,790	-
SANKO	1.12	(0.01)	2,041	1.00	TVD	1.65	(0.01)	2,968	1.00	AMAT23C1906A	0.26	(0.01)	2,890	-
SELIC	2.66	0.06	16,999	2.00	TVT	0.83	-	3,779	-	AMAT24C1904A	-	-	-	-
SWC	20.80	(0.20)	46	20.00	WINNER	2.94	0.06	2,021	2.00	AMAT27C1902A	0.52	(0.02)	11,700	-
TMC	0.81	-	719	-	Technology (MAI)	-	-	-	-	AMAT28C1902A	-	-	-	-
TMI	0.76	-	9,738	-	COMAN	3.62	-	1,101	3.00	AMAT28C1903A	0.02	-	520	-
TMW	67.75	1.00	180	67.00	ICN	2.02	0.03	5,429	2.00	AMAT28C1906A	0.51	(0.03)	27,667	-
TPAC	11.10	(0.10)	25	11.00	IRCP	0.86	-	8,279	-	ANAN01C1906A	0.69	0.02	12,247	-
TPLAS	1.53	-	2,916	1.00	ITEL	3.56	0.10	30,559	3.00	ANAN01C1906B	0.66	0.03	13,559	-
UAC	3.90	0.02	4,503	3.00	NETBAY	26.50	(0.50)	521	26.00	ANAN08C1906A	0.03	0.01	2,100	-
UBIS	5.45	-	966	5.00	PLANET	1.60	0.05	529	1.00	ANAN13C1901A	-	-	-	-
UEC	1.47	0.04	4,111	1.00	SIMAT	1.85	0.02	10,262	1.00	ANAN13C1906A	0.58	0.01	20,689	-
UKEM	0.76	(0.01)	25,192	-	SKY	13.70	0.30	10,770	13.00	ANAN19C1906A	0.56	0.02	3,098	-
UREKA	1.78	0.02	2,456	1.00	SPVI	1.20	-	4,941	1.00	ANAN23C1901A	-	-	-	-
YUASA	15.20	(0.60)	5,940	15.00	UPA	0.39	-	31,447	-	ANAN24C1907A	-	-	-	-
ZIGA	2.20	0.04	32,176	2.00	VCOM	3.58	0.06	4,671	3.00	AOT01C1902A	0.55	(0.03)	42,710	-
Property & Construc														
ARROW	8.05	-	521	8.00	Unit Trust	-	-	-	-	AOT01C1902B	0.13	(0.02)	77,706	-
BKD	3.08	-	2,433	3.00	MGE	-	-	-	-	AOT01C1904A	0.51	(0.02)	70,387	-
BSM	0.55	-	2,156	-	SCBSET	-	-	-	-	AOT01C1904B	0.28	(0.02)	105,131	-
BTW	1.42	0.04	1,124	1.00	ETF	-	-	-	-	AOT01P1902A	0.34	-	88,354	-
CAZ	3.90	0.08	19,069	3.00	IDIV	11.41	0.01	349	11.00	AOT01P1902B	0.01	-	4	-
CHEWA	1.13	(0.01)	10,650	1.00	ABFTH	-	-	-	-	AOT01P1904A	0.43	0.02	120,383	-
CMC	1.67	0.01	225,348	1.00	BMSCG	8.24	0.02	67	8.00	AOT01P1904B	0.20	-	55,900	-
CRD	0.96	(0.01)	2,775	-	BMSCITH	12.51	0.01	2,393	12.00	AOT06C1903A	0.30	(0.03)	13,260	-
DIMET	0.98	0.01	33,457	1.00	BSET100	10.54	0.02	1,124	10.00	AOT06P1903A	0.04	(0.01)	6,100	-
FLOYD	1.81	0.02	1,715	1.00	CHINA	4.83	(0.03)	139	4.00	AOT07C1902A	-	-	-	-
FOCUS	1.65	(0.01)	5,213	1.00	EBANK	5.73	0.02	1	5.00	AOT08C1901A	-	-	-	-
HYDRO	1.08	-	1,623	1.00	ECOMM	-	-	-	-	AOT08C1904A	0.35	(0.03)	18,524	-
JSP	0.49	-	10,607	-	EFOOD	5.75	0.18	46	5.00	AOT08P1903A	0.06	-	1,700	-
K	2.34	-	79	2.00	EICT	4.46	0.08	4	4.00	AOT11C1906A	0			

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT41C1906A	-	-	-	-	BCPG08C1904A	-	-	-	-	BGR101C1901B	-	-	-	-
AOT41P1905A	-	-	-	-	BCPG08C1904B	0.07	(0.01)	2,708	-	BGR101C1903A	0.34	(0.02)	19,887	-
AOT42C1903A	0.20	(0.02)	3,020	-	BCPG11C1902A	0.01	-	393	-	BGR101C1903B	0.17	-	25,044	-
AP01C1903A	0.04	-	325	-	BCPG11C1910A	0.38	0.01	6,100	-	BGR106C1903A	1.00	(0.01)	1,600	1.00
AP01C1903B	-	-	-	-	BCPG13C1902A	-	-	-	-	BGR107C1903A	-	-	-	-
AP13C1903A	-	-	-	-	BCPG13C1904A	-	-	-	-	BGR108C1902A	0.51	(0.03)	4,084	-
AP13C1904A	-	-	-	-	BCPG13C1905A	0.26	-	173,067	-	BGR108C1904A	0.17	(0.01)	8,566	-
AP19C1902A	-	-	-	-	BCPG19C1901A	-	-	-	-	BGR111C1909A	0.34	(0.01)	9,010	-
AP19C1906A	0.36	0.01	9,817	-	BCPG19C1906A	0.40	-	2,158	-	BGR13C1904A	0.22	(0.01)	21,385	-
AP23C1901A	-	-	-	-	BCPG23C1902A	-	-	-	-	BGR19C1901A	-	-	-	-
AP24C1901A	-	-	-	-	BCPG23C1905A	0.36	0.01	31,821	-	BGR19C1903A	0.14	(0.01)	2,499	-
AP24C1906A	-	-	-	-	BCPG24C1903A	-	-	-	-	BGR124C1901A	-	-	-	-
AP24C1907A	-	-	-	-	BCPG24C1906A	-	-	-	-	BGR124C1902A	0.06	(0.01)	900	-
BA11C1902A	-	-	-	-	BCPG27C1903A	-	-	-	-	BGR127C1905A	0.20	(0.01)	6,000	-
BA24C1901A	-	-	-	-	BCPG28C1904A	0.10	0.01	8,372	-	BGR128C1905A	0.22	-	4,496	-
BANP01C1903A	0.09	0.01	5,110	-	BCPG28C1906A	0.40	(0.01)	36,501	-	BH01C1905A	0.23	-	16,989	-
BANP01C1903B	-	-	-	-	BDM501C1905A	0.14	-	94,287	-	BH01C1905B	0.15	(0.01)	6,329	-
BANP01C1905A	0.39	0.02	147,578	-	BDM501C1905B	0.08	-	10,906	-	BH01C1908A	0.98	(0.02)	2,295	-
BANP01C1905B	0.30	0.01	136,911	-	BDM501C1908A	0.66	(0.34)	12,568	-	BH01C1908B	0.85	(0.15)	3,770	-
BANP01P1903A	0.87	(0.04)	17,336	-	BDM501C1908B	0.55	(0.45)	29,863	-	BH01P1905A	0.64	-	1,795	-
BANP01P1903B	0.38	(0.04)	29,520	-	BDM501P1905A	0.31	-	56,431	-	BH01P1908A	1.10	0.10	4,588	1.00
BANP01P1905A	0.42	(0.01)	37,620	-	BDM501P1908A	0.83	(0.17)	17,552	-	BH08C1902A	0.07	(0.01)	2	-
BANP06C1903A	-	-	-	-	BDM506C1903A	-	-	-	-	BH11C1902A	-	-	-	-
BANP07C1904A	0.06	-	743	-	BDM507C1904A	-	-	-	-	BH11C1905A	0.34	-	915	-
BANP08C1904A	0.08	(0.01)	2,286	-	BDM508C1901A	-	-	-	-	BH13C1906A	0.59	0.01	12,610	-
BANP08C1906A	0.33	-	19,893	-	BDM508C1905A	0.08	(0.01)	1,700	-	BH19C1901A	-	-	-	-
BANP08P1901A	-	-	-	-	BDM508C1906A	0.38	-	17,846	-	BH19C1907A	0.84	-	10,000	-
BANP11C1902A	0.02	0.01	1	-	BDM511C1904A	-	-	-	-	BH24C1902A	-	-	-	-
BANP11C1909A	0.21	0.01	5,001	-	BDM513C1903A	0.04	-	4,000	-	BH24C1907A	0.80	0.01	3,000	-
BANP13C1902A	-	-	-	-	BDM513C1906A	0.46	0.01	172,274	-	BH27C1905A	-	-	-	-
BANP13C1904A	0.14	0.02	202,983	-	BDM513P1907A	0.72	(0.01)	118,204	-	BH41C1907A	-	-	-	-
BANP13C1906A	0.44	0.02	270,782	-	BDM516C1912A	-	-	-	-	BIG08C1906A	0.01	(0.01)	150	-
BANP16C1912A	0.50	0.02	7	-	BDM519C1901A	-	-	-	-	BIG13C1901A	-	-	-	-
BANP19C1902A	-	-	-	-	BDM519C1905A	0.30	(0.01)	8,740	-	BJC01C1906A	0.38	0.01	82,626	-
BANP19C1906A	0.37	0.02	16,432	-	BDM519P1906A	0.33	(0.01)	2,000	-	BJC01C1906B	0.25	-	105,820	-
BANP23C1901A	-	-	-	-	BDM523C1906A	0.23	-	7,592	-	BJC01P1906A	0.65	(0.02)	48,190	-
BANP23C1906A	0.22	0.01	40,000	-	BDM524C1905A	-	-	-	-	BJC06C1901A	-	-	-	-
BANP24C1904A	0.02	(0.01)	10	-	BDM524C1907A	0.70	0.01	140	-	BJC06C1903A	-	-	-	-
BANP24C1907A	-	-	-	-	BDM524C1909A	0.34	0.01	131	-	BJC08C1903A	-	-	-	-
BANP24P1901A	-	-	-	-	BDM527C1903A	-	-	-	-	BJC11C1905A	-	-	-	-
BANP24P1906A	-	-	-	-	BDM528C1902A	-	-	-	-	BJC13C1902A	-	-	-	-
BANP27C1904A	0.09	-	8,400	-	BDM528C1904A	0.18	(0.01)	21,650	-	BJC13C1903A	-	-	-	-
BANP27P1905A	0.39	(0.03)	5,400	-	BDM541C1906A	-	-	-	-	BJC13C1906A	0.20	-	71,585	-
BANP28C1902A	-	-	-	-	BDM542C1904A	-	-	-	-	BJC19C1902A	-	-	-	-
BANP28C1903A	-	-	-	-	BDM542P1904A	0.17	-	6,511	-	BJC19C1906A	0.35	0.01	10,800	-
BANP28C1905A	0.14	0.01	18,263	-	BEAU01C1901A	-	-	-	-	BJC23C1901A	-	-	-	-
BANP41C1906A	0.28	0.01	400	-	BEAU01C1901B	-	-	-	-	BJC23C1905A	0.25	0.01	29,000	-
BANP42C1903A	-	-	-	-	BEAU01C1902A	0.13	(0.01)	62,424	-	BJC24C1901A	-	-	-	-
BANP42P1903A	0.57	(0.04)	6,124	-	BEAU01C1902B	0.03	-	24	-	BJC24C1906A	0.32	0.01	92,345	-
BBL06C1902A	0.48	(0.06)	8,213	-	BEAU01C1906A	0.65	-	156,677	-	BJC27C1905A	0.11	-	8,400	-
BBL08C1902A	0.12	(0.04)	13,049	-	BEAU01C1906B	0.54	(0.03)	158,356	-	BJC28C1904A	-	-	-	-
BBL08P1904A	0.17	0.01	15,426	-	BEAU01P1902A	0.90	0.01	168,355	-	BJC41C1907A	0.45	(0.55)	200	-
BBL11C1903A	0.13	(0.01)	20,310	-	BEAU06C1904A	0.42	(0.02)	21,923	-	BLA08C1904A	0.06	0.01	40	-
BBL11P1903A	-	-	-	-	BEAU08C1901A	-	-	-	-	BLA11C1909A	0.09	-	10	-
BBL13C1901A	-	-	-	-	BEAU08C1902A	-	-	-	-	BLA13C1902A	-	-	-	-
BBL13C1905A	0.28	(0.02)	3,721	-	BEAU08C1906A	0.55	-	28,900	-	BLA13C1908A	0.24	-	92,989	-
BBL13P1906A	0.40	0.03	16,954	-	BEAU11C1902A	0.02	-	1	-	BLA19C1903A	0.03	0.01	25,000	-
BBL19C1901A	-	-	-	-	BEAU11C1911A	0.71	(0.01)	20,402	-	BLA19C1906A	0.11	0.01	17,101	-
BBL19C1906A	0.85	(0.03)	9,140	-	BEAU13C1904A	0.03	-	4,400	-	BLA24C1903A	0.01	-	1,000	-
BBL19P1904A	0.12	-	1,199	-	BEAU13C1904B	0.17	(0.01)	416,847	-	BLA27C1905A	0.11	0.01	13,598	-
BBL23C1906A	-	-	-	-	BEAU13C1906A	0.54	(0.02)	509,650	-	BLA28C1906A	0.17	0.03	23,927	-
BBL24C1902A	-	-	-	-	BEAU19C1901A	-	-	-	-	BLAN01C1903A	0.16	-	1,479	-
BBL24C1907A	0.20	(0.01)	2,000	-	BEAU19C1902A	-	-	-	-	BLAN01C1903B	-	-	-	-
BBL24P1904A	-	-	-	-	BEAU19C1906A	0.65	-	12,188	-	BLAN01P1903A	0.49	(0.02)	2,956	-
BBL27C1904A	0.29	(0.02)	4,500	-	BEAU23C1901A	-	-	-	-	BLAN11C1902A	-	-	-	-
BBL27P1904A	0.31	0.01	1,350	-	BEAU23C1906A	-	-	-	-	BLAN19C1902A	-	-	-	-
BBL28C1904A	0.18	(0.02)	31,962	-	BEAU24C1901A	-	-	-	-	BLAN19C1906A	0.25	0.01	290	-
BBL42C1903A	0.13	(0.01)	1,020	-	BEAU24C1902A	-	-	-	-	BLAN24C1907A	-	-	-	-
BCH01C1902A	0.05	-	12,319	-	BEAU24C1903A	-	-	-	-	BPP01C1903A	-	-	-	-
BCH01C1902B	-	-	-	-	BEAU24C1904A	-	-	-	-	BPP01C1903B	-	-	-	-
BCH01C1907A	0.40	(0.01)	12,674	-	BEAU24C1907A	-	-	-	-	BPP01P1903A	0.31	-	14,776	-
BCH01C1907B	0.38	(0.01)	2,146	-	BEAU27C1903A	-	-	-	-	BPP06C1903A	-	-	-	-
BCH01P1902A	0.72	(0.02)	7,226	-	BEAU28C1904A	0.08	(0.02)	8,028	-	BPP11C1910A	0.44	(0.02)	800	-
BCH01P1907A	0.49	(0.01)	14,261	-	BEAU41C1907A	0.36	-	530	-	BPP13C1901A	-	-	-	-
BCH06C1903A	0.02	(0.01)	20,400	-	BEAU41C1907B	-	-	-	-	BPP13C1902A	-	-	-	-
BCH08C1901A	-	-	-	-	BEC13C1901A	-	-	-	-	BPP13C1906A	0.36	(0.02)	22,930	-
BCH08C1906A	0.32	0.01	1,549	-	BEM01C1902A	0.76	-	11,840	-	BPP19C1903A	-	-	-	-
BCH11C1905A	-	-	-	-	BEM01C1902B	0.60	0.03	12,592	-	BPP19C1903B	-	-	-	-
BCH13C1902A	-	-	-	-	BEM01C1907A	0.54	(0.46)	8,639	-	BPP23C1901A	-	-	-	-
BCH13C1905A	0.07	(0.01)	220	-	BEM01C1907B	0.20	(0.80)	43,632	-	BPP24C1902A	-	-	-	-
BCH13C1907A	0.41	(0.02)	21,045	-	BEM01P1902A	0.01	(0.01)	903	-	BPP24C1904A	-	-	-	-
BCH19C1903A	0.06	(0.01)	4,301	-	BEM01P1907A	0.31	(0.69)	23,512	-	BPP28C1902A	-	-	-	-
BCH19C1907A	0.36	-	2,738	-	BEM07C1903A	-	-	-	-	BPP28C1904A	0.12	(0.02)	1,024	-
BCH24C1904A	-	-	-	-	BEM08C1903A	0.46	(0.04)	5,522	-	BTS01C1903A	0.47	(0.03)	32,152	-
BCH27C1902A	0.15	(0.01)	7,340	-	BEM11C1903A	0.41	(0.03)	4,983	-	BTS01C1903B	0.27	(0.03)	54,812	-
BCH28C1902A	-	-	-	-	BEM13C1901A	-	-	-	-	BTS01P1903A	0.11	-	24,731	-
BCH28C1904A	-	-	-	-	BEM13C1905A	0.51	(0.02)	15,381	-	BTS06C1903A	-	-	-	-
BCH28C1905A	-	-	-	-	BEM13C1905B	0.16	-	79,598	-	BTS06C1903B	-	-	-	-
BCP01C1903A	0.11	0.01	28,541	-	BEM19C1901A	-	-	-	-	BTS06C1903C	-	-	-	-
BCP01C1903B	0.03	(0.01)	2,001	-	BEM19C1907A	0.17	(0.01)	10,485	-	BTS11C1904A	-	-	-	-
BCP01P1903A	0.35	(0.01)	39,299	-	BEM23C1901A	-	-	-	-	BTS11C1910A	0.38	-	7,076	-
BCP08C1901A	-	-	-	-	BEM23C1905A	0.20	(0.02)	4,280	-	BTS19C1901A	-	-	-	-
BCP11C1909A	0.17	0.01	10,800	-	BEM24C1902A	0.30	(0.12)	1,011	-	BTS19C1907A	0.31	(0.03)	25,967	-

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG06C1903A	0.08	-	5,363	-	CPAL01C1901A	-	-	-	-	DTAC13C1902A	-	-	-	-
CBG06P1903A	0.85	(0.02)	17,701	-	CPAL01C1901B	-	-	-	-	DTAC13C1904A	0.37	(0.01)	53,989	-
CBG08C1902A	-	-	-	-	CPAL01C1904A	0.99	0.03	40,635	-	DTAC13P1903A	0.09	-	21,387	-
CBG08C1906A	0.57	-	21,057	-	CPAL01C1904B	0.61	0.02	114,905	-	DTAC19C1904A	0.43	0.01	14,896	-
CBG11C1902A	0.01	(0.01)	1,000	-	CPAL01C1907A	0.78	(0.22)	5,979	-	DTAC19P1906A	0.23	-	7,408	-
CBG11C1911A	0.57	-	18,205	-	CPAL01C1907B	0.59	(0.41)	8,000	-	DTAC23C1906A	0.33	-	5,000	-
CBG13C1905A	0.28	-	32,372	-	CPAL01P1901A	-	-	-	-	DTAC24C1901A	-	-	-	-
CBG13C1906A	0.59	(0.01)	73,332	-	CPAL01P1901B	-	-	-	-	DTAC24C1906A	-	-	-	-
CBG16C1912A	-	-	-	-	CPAL01P1904A	0.25	(0.01)	20,878	-	DTAC27C1903A	0.16	(0.02)	14,400	-
CBG19C1901A	-	-	-	-	CPAL01P1904B	0.07	-	1,304	-	DTAC27P1903A	0.09	-	1,800	-
CBG19C1906A	0.38	-	9,761	-	CPAL01P1907A	0.86	(0.14)	4,822	-	DTAC28C1902A	-	-	-	-
CBG23C1901A	-	-	-	-	CPAL01P1907B	0.74	(0.26)	5,460	-	DTAC28C1905A	0.38	(0.02)	41,655	-
CBG23C1905A	0.55	-	33,710	-	CPAL06C1903A	0.59	0.01	12,500	-	DTAC41C1906A	-	-	-	-
CBG24C1901A	-	-	-	-	CPAL07C1902A	0.38	-	1,768	-	DTAC42C1903A	0.22	(0.01)	12,220	-
CBG24C1903A	-	-	-	-	CPAL08C1902A	0.04	0.01	301	-	EA07C1903A	0.48	0.03	3,608	-
CBG24C1904A	-	-	-	-	CPAL08C1902B	0.29	-	18,130	-	EA08C1903A	0.37	0.02	13,269	-
CBG24C1906A	0.63	0.02	6,100	-	CPAL08P1904A	0.08	-	1,400	-	EA08C1903B	0.10	0.01	3,426	-
CBG28C1904A	0.09	0.01	1,500	-	CPAL11C1903A	0.02	-	984	-	EA11C1902A	0.03	-	5,800	-
CBG28C1906A	0.36	(0.01)	35,767	-	CPAL11C1909A	0.60	-	6,790	-	EA11C1911A	0.79	-	6,258	-
CBG42C1904A	-	-	-	-	CPAL11P1903A	-	-	-	-	EA13C1903A	0.08	(0.01)	19,824	-
CENT01C1903A	0.56	0.08	84,658	-	CPAL13C1901A	-	-	-	-	EA13C1905A	0.35	-	43,113	-
CENT01C1903B	0.32	0.07	515,708	-	CPAL13C1903A	0.87	0.03	50	-	EA19C1902A	0.20	0.01	10,711	-
CENT01P1903A	0.14	(0.05)	313,058	-	CPAL13C1906A	0.65	0.02	130,897	-	EA19P1906A	0.45	(0.02)	13,290	-
CENT06C1904A	0.13	0.03	17,604	-	CPAL13P1902A	-	-	-	-	EA23C1901A	-	-	-	-
CENT08C1902A	0.05	0.01	7,390	-	CPAL13P1906A	0.49	(0.02)	40,975	-	EA24C1901A	-	-	-	-
CENT11C1904A	0.06	0.01	1,409	-	CPAL16C1912A	1.14	0.03	10,569	1.00	EA24C1905A	0.55	-	1,701	-
CENT11C1909A	0.43	0.05	37,399	-	CPAL19C1902A	0.25	0.01	8,251	-	EA27C1902A	0.53	-	4,500	-
CENT13C1902A	0.16	0.05	53,138	-	CPAL19P1903A	-	-	-	-	EA28C1902A	-	-	-	-
CENT13C1907A	0.50	0.08	272,373	-	CPAL19P1906A	0.33	(0.02)	1,200	-	EA28C1905A	0.32	-	53,775	-
CENT19C1901A	-	-	-	-	CPAL23C1906A	-	-	-	-	EA41C1907A	-	-	-	-
CENT19C1904A	0.47	0.08	44,275	-	CPAL24C1901A	-	-	-	-	EGCO01C1903A	0.84	(0.01)	19,937	-
CENT23C1902A	-	-	-	-	CPAL24C1903A	-	-	-	-	EGCO01C1903B	0.51	(0.02)	35,854	-
CENT24C1901A	-	-	-	-	CPAL24C1904A	-	-	-	-	EGCO13C1907A	0.52	-	86,940	-
CENT24C1902A	-	-	-	-	CPAL24P1901A	-	-	-	-	EGCO19C1901A	-	-	-	-
CENT27C1905A	0.40	0.03	23,250	-	CPAL24P1907A	0.69	(0.31)	10	-	EGCO19C1907A	0.53	(0.01)	12,036	-
CHG01C1903A	0.06	-	5,700	-	CPAL24P1909A	-	-	-	-	EGCO24C1901A	-	-	-	-
CHG01C1903B	-	-	-	-	CPAL27C1903A	0.36	(0.01)	3,700	-	EGCO24C1908A	-	-	-	-
CHG01C1907A	0.70	(0.30)	1,023	-	CPAL27P1905A	0.19	(0.01)	3,600	-	EPG01C1903A	0.14	0.02	37,998	-
CHG01C1907B	0.24	(0.76)	2,432	-	CPAL28C1904A	0.63	0.01	24,038	-	EPG01C1903B	-	-	-	-
CHG01P1903A	0.71	0.01	21,309	-	CPAL28C1906A	0.47	-	22,524	-	EPG01P1903A	0.95	(0.06)	1,342	-
CHG07C1902A	-	-	-	-	CPAL41C1906A	-	-	-	-	EPG07C1906A	-	-	-	-
CHG11C1904A	-	-	-	-	CPAL42C1904A	0.50	0.01	8,096	-	EPG08C1903A	-	-	-	-
CHG11C1911A	0.27	(0.01)	21,746	-	CPAL42P1904A	-	-	-	-	EPG11C1903A	0.20	0.02	3,255	-
CHG13C1903A	-	-	-	-	CPF01C1902A	0.22	(0.01)	98,423	-	EPG13C1902A	-	-	-	-
CHG13C1904A	0.07	(0.01)	46,200	-	CPF01C1902B	0.05	(0.01)	117,382	-	EPG13C1903A	-	-	-	-
CHG13C1906A	0.59	(0.08)	73,192	-	CPF01P1902A	0.18	(0.01)	3,906	-	EPG13C1905A	0.28	0.01	14,172	-
CHG19C1902A	-	-	-	-	CPF01P1902B	0.03	-	6,000	-	EPG19C1902A	-	-	-	-
CHG19C1906A	0.25	(0.04)	28,550	-	CPF06C1903A	0.07	-	16,660	-	EPG19C1904A	0.20	0.02	1,860	-
CHG24C1904A	0.01	-	10,000	-	CPF08C1901A	-	-	-	-	EPG24C1902A	-	-	-	-
CHG24C1907A	0.48	-	400	-	CPF08C1904A	0.18	-	2,220	-	EPG28C1902A	-	-	-	-
CHG24C1911A	0.62	(0.04)	560	-	CPF11C1902A	0.02	-	1	-	EPG28C1904A	0.16	0.01	13,824	-
CHG27C1905A	-	-	-	-	CPF11C1910A	-	-	-	-	ERW13C1902A	0.01	-	700	-
CHG28C1902A	-	-	-	-	CPF11P1902A	-	-	-	-	ERW13C1906A	0.50	0.02	41,896	-
CHG28C1904A	0.08	0.04	500	-	CPF13C1902A	-	-	-	-	ERW19C1902A	0.09	-	13,660	-
CK01C1902A	0.17	0.01	22,060	-	CPF13C1903A	0.45	0.02	6,000	-	ERW19C1906A	0.64	0.01	20,742	-
CK01C1902B	0.05	-	4,000	-	CPF13C1905A	0.20	-	36,703	-	ERW24C1904A	0.18	0.02	5	-
CK01C1907A	0.35	(0.65)	386	-	CPF19C1901A	-	-	-	-	ESSO01C1906A	0.26	0.03	253,521	-
CK01C1907B	0.28	(0.72)	740	-	CPF19C1904A	-	-	-	-	ESSO01C1906B	0.18	0.03	267,147	-
CK01P1902A	0.19	(0.02)	2,960	-	CPF24C1901A	-	-	-	-	ESSO01P1906A	0.65	(0.06)	38,817	-
CK01P1907A	-	-	-	-	CPF24C1902A	-	-	-	-	ESSO08C1902A	-	-	-	-
CK08C1901A	-	-	-	-	CPF24C1903A	-	-	-	-	ESSO11C1905A	0.16	0.03	5,336	-
CK11C1904A	0.06	(0.01)	1,020	-	CPF24C1904A	-	-	-	-	ESSO13C1903A	0.01	(0.01)	648	-
CK11C1911A	0.28	-	1,200	-	CPF24P1909A	0.31	(0.03)	531	-	ESSO13C1905A	0.14	0.03	45,486	-
CK13C1902A	0.03	-	7,215	-	CPF27C1903A	-	-	-	-	ESSO13C1906A	0.26	0.02	295,040	-
CK13C1906A	0.23	-	29,556	-	CPF28C1902A	-	-	-	-	ESSO19C1901A	-	-	-	-
CK16C1912A	0.33	0.02	8,295	-	CPF28C1903A	-	-	-	-	ESSO19C1906A	0.24	0.03	34,840	-
CK19C1903A	0.11	-	10,000	-	CPN01C1902A	0.24	(0.08)	93,511	-	ESSO24C1902A	-	-	-	-
CK24C1901A	-	-	-	-	CPN01C1902B	0.03	(0.01)	10,000	-	ESSO24C1907A	0.39	0.05	222,199	-
CK24C1904A	0.13	0.01	4,000	-	CPN01P1902A	0.67	0.09	45,149	-	ESSO28C1903A	-	-	-	-
CK28C1902A	-	-	-	-	CPN06C1903A	0.26	(0.06)	21,771	-	ESSO28C1904A	0.07	0.01	4,205	-
CK41C1907A	-	-	-	-	CPN07C1902A	-	-	-	-	ESSO28C1906A	0.27	0.04	82,555	-
CKP01C1906A	0.24	-	20,189	-	CPN08C1903A	0.17	(0.05)	11,386	-	GFPT08C1906A	0.39	(0.01)	2,210	-
CKP01C1906B	0.14	-	82,415	-	CPN11C1903A	0.03	(0.01)	37	-	GFPT13C1902A	-	-	-	-
CKP08C1903A	0.54	(0.03)	8,618	-	CPN11C1910A	0.55	(0.06)	33,700	-	GFPT19C1903A	0.15	(0.02)	300	-
CKP08C1903B	0.05	-	922	-	CPN11P1903A	0.04	0.02	10	-	GFPT19C1906A	0.54	(0.01)	1,270	-
CKP11C1910A	0.20	-	17,739	-	CPN13C1903A	0.18	(0.05)	60,706	-	GFPT24C1907A	-	-	-	-
CKP13C1902A	0.48	(0.04)	54,272	-	CPN13C1906A	0.51	(0.07)	130,365	-	GGC07C1902A	-	-	-	-
CKP13C1903A	0.23	(0.02)	17,596	-	CPN19C1901A	-	-	-	-	GGC08C1906A	0.04	-	1,472	-
CKP13C1903B	-	-	-	-	CPN19C1906A	0.62	(0.07)	26,759	-	GGC13C1902A	-	-	-	-
CKP13C1906A	0.18	-	45,408	-	CPN24C1901A	-	-	-	-	GGC13C1905A	0.20	(0.01)	16,983	-
CKP19C1902A	0.28	(0.04)	27,173	-	CPN24C1904A	0.28	(0.06)	7,810	-	GGC13C1908A	0.28	-	25,338	-
CKP19C1903A	-	-	-	-	CPN24P1907A	0.38	0.03	1,605	-	GGC19C1902A	0.07	-	6,699	-
CKP24C1906A	-	-	-	-	CPN27C1903A	0.09	(0.03)	3,660	-	GGC19C1906A	0.75	-	350	-
CKP24C1907A	0.64	(0.03)	10,000	-	CPN28C1902A	-	-	-	-	GGC23C1901A	-	-	-	-
CKP27C1905A	0.13	-	11,400	-	CPN28C1904A	0.17	(0.05)	13,792	-	GGC24C1901A	-	-	-	-
CKP28C1902A	-	-	-	-	CPN41C1907A	-	-	-	-	GGC28C1905A	0.17	(0.01)	2,028	-
CKP28C1903A	0.04	-	20,056	-	DELTO6C1903A	0.58	(0.01)	630	-	GGC28C1907A	-	-	-	-
COM706C1903A	-	-	-	-	DELT24C1901A	-	-	-	-	GLOB01C1903A	0.37	0.04	86,478	-
COM708C1903A	0.03	0.01	3,601	-	DTAC01C1902A	0.76	-	37,395	-	GLOB01C1903B	0.18	0.03	133,640	-
COM708C1906A	0.49	0.02	27,498	-	DTAC01C1902B	0.31	(0.01)	80,190	-	GLOB11C1906A	0.20	0.03	10,492	-
COM711C1909A	0.19	-	17,589	-	DTAC01C1905A	0.53	0.01	52,977	-	GLOB1				

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC01C1905A	0.81	0.02	47,912	-	IRPC41C1907A	0.20	0.01	4,100	-	KCE24C1904A	0.05	0.01	15,830	-
GPSC01C1905B	0.68	0.03	68,429	-	ITD06C1904A	0.06	0.01	310	-	KCE24C1906A	0.46	0.01	21,676	-
GPSC01P1902A	1.10	(0.05)	24,955	1.00	ITD08C1902A	-	-	-	-	KCE27C1902A	-	-	-	-
GPSC06C1903A	0.52	0.04	13,012	-	ITD11C1903A	-	-	-	-	KCE28C1902A	-	-	-	-
GPSC08C1902A	-	-	-	-	ITD13C1902A	-	-	-	-	KCE28C1904A	0.02	(0.02)	1	-
GPSC08C1906A	0.69	0.02	12,604	-	ITD13C1908A	0.36	-	245,679	-	KCE28C1905A	0.25	0.02	149,339	-
GPSC11C1902A	-	-	-	-	ITD19C1903A	0.11	(0.01)	11,124	-	KKP01C1902A	0.17	-	17,044	-
GPSC11C1909A	0.63	0.02	15,626	-	ITD19C1906A	0.40	-	5,678	-	KKP01C1902B	0.01	-	402	-
GPSC13C1903A	0.08	-	12,053	-	ITD24C1902A	-	-	-	-	KKP01C1907A	0.65	(0.35)	6,500	-
GPSC13C1904A	0.44	0.01	67,414	-	ITD28C1907A	0.33	(0.02)	133,328	-	KKP01C1907B	0.56	(0.44)	6,009	-
GPSC19C1901A	-	-	-	-	IVL01C1903A	0.10	-	34,495	-	KKP01P1907A	0.59	(0.41)	13,720	-
GPSC19C1905A	0.71	-	14,474	-	IVL01C1903B	0.03	-	50,451	-	KKP08C1904A	0.15	-	17,609	-
GPSC24C1904A	-	-	-	-	IVL01C1905A	0.26	0.01	401,347	-	KKP11C1903A	-	-	-	-
GPSC24C1904B	0.50	0.03	3,100	-	IVL01C1905B	0.16	-	72,306	-	KKP11C1911A	0.52	-	1,250	-
GPSC27C1902A	-	-	-	-	IVL01C1908A	0.65	(0.35)	20,003	-	KKP13C1903A	0.12	(0.01)	82,388	-
GPSC28C1903A	-	-	-	-	IVL01C1908B	0.54	(0.46)	41,656	-	KKP13C1906A	0.51	-	105,565	-
GPSC28C1904A	0.38	0.01	31,966	-	IVL01P1903A	1.24	-	57,771	1.00	KKP19C1901A	-	-	-	-
GULF01C1906A	0.99	(0.01)	155,169	1.00	IVL01P1903B	0.86	(0.02)	52,667	-	KKP19C1906A	0.58	0.01	7,157	-
GULF01C1906B	0.93	(0.04)	479,342	-	IVL01P1905A	0.84	(0.02)	101,307	-	KKP24C1906A	0.21	0.01	50	-
GULF01P1906A	0.77	-	201,290	-	IVL06C1901A	-	-	-	-	KKP28C1902A	-	-	-	-
GULF08C1906A	0.78	(0.04)	41,752	-	IVL06C1903A	0.03	-	5,000	-	KKP28C1905A	0.24	(0.01)	38,044	-
GULF11C1908A	0.77	(0.01)	38,020	-	IVL07C1906A	-	-	-	-	KTB01C1903A	0.24	(0.01)	10,000	-
GULF13C1906A	0.91	(0.02)	559,619	-	IVL08C1901A	-	-	-	-	KTB01C1903B	0.14	-	20	-
GULF13P1905A	0.54	-	77,701	-	IVL08C1905A	0.14	-	18,654	-	KTB01P1903A	0.39	0.02	27,150	-
GULF19C1906A	1.03	(0.02)	9,640	1.00	IVL08P1903A	0.53	(0.02)	29,416	-	KTB01P1903B	0.25	0.01	37,796	-
GULF23C1905A	0.56	-	21,968	-	IVL11C1906A	0.09	0.01	10	-	KTB06C1902A	-	-	-	-
GULF24C1908A	0.88	(0.04)	10,370	-	IVL11C1911A	0.54	0.01	48,400	-	KTB08C1903A	0.09	-	100	-
GULF28C1906A	0.88	(0.02)	80,894	-	IVL13C1903A	-	-	-	-	KTB11C1909A	0.19	(0.02)	2,200	-
GULF41C1906A	-	-	-	-	IVL13C1904A	0.09	-	137,310	-	KTB13C1901A	-	-	-	-
GUNK08C1902A	0.03	-	195	-	IVL13C1906A	0.35	0.01	534,586	-	KTB13C1903A	-	-	-	-
GUNK11C1903A	-	-	-	-	IVL13P1902A	-	-	-	-	KTB13C1907A	0.28	(0.01)	1,500	-
GUNK11C1911A	0.35	(0.01)	2,400	-	IVL13P1903A	0.17	(0.02)	168,591	-	KTB19C1901A	-	-	-	-
GUNK13C1903A	0.10	-	2,938	-	IVL13P1906A	0.70	-	580	-	KTB19C1907A	0.35	(0.02)	400	-
GUNK13C1905A	0.27	(0.02)	4,157	-	IVL19C1903A	0.06	-	25,280	-	KTB23C1906A	-	-	-	-
GUNK19C1903A	0.27	-	6,293	-	IVL19C1907A	0.51	0.01	61,965	-	KTB24C1904A	-	-	-	-
GUNK19C1906A	0.27	0.01	20	-	IVL19P1903A	0.26	-	19,181	-	KTB24P1901A	-	-	-	-
GUNK24C1903A	-	-	-	-	IVL23C1906A	0.16	-	87,080	-	KTB24P1907A	0.23	(0.01)	875	-
GUNK24C1909A	-	-	-	-	IVL24C1901A	-	-	-	-	KTB27C1905A	-	-	-	-
GUNK27C1905A	0.23	-	600	-	IVL24C1906A	0.14	-	2,010	-	KTB28C1903A	-	-	-	-
GUNK28C1903A	-	-	-	-	IVL24C1907A	0.38	-	10,175	-	KTB41C1906A	-	-	-	-
GUNK28C1906A	0.30	(0.02)	4,096	-	IVL24P1906A	0.73	(0.03)	1,002	-	KTB42C1903A	-	-	-	-
HANA01C1905A	0.27	0.02	31,958	-	IVL27C1902A	-	-	-	-	KTB42P1903A	-	-	-	-
HANA01C1905B	0.19	-	13,408	-	IVL27P1907A	0.31	-	4,030	-	KTC01C1901A	-	-	-	-
HANA08C1903A	-	-	-	-	IVL28C1902A	-	-	-	-	KTC01C1901B	-	-	-	-
HANA11C1904A	0.06	-	300	-	IVL28C1903A	0.04	-	4,378	-	KTC01C1906A	0.39	-	94,005	-
HANA11C1911A	0.40	0.01	7,200	-	IVL28C1906A	0.36	-	304,614	-	KTC01C1906B	0.33	(0.01)	90,985	-
HANA13C1901A	-	-	-	-	IVL28P1904A	-	-	-	-	KTC08C1903A	0.14	-	14,974	-
HANA13C1905A	0.15	(0.01)	34,210	-	IVL41C1906A	-	-	-	-	KTC11C1902A	0.37	0.02	1,696	-
HANA13C1906A	0.39	-	42,996	-	IVL42C1903A	0.03	0.02	196	-	KTC11C1911A	0.54	-	16,650	-
HANA19C1902A	-	-	-	-	KBAN01C1901A	-	-	-	-	KTC13C1903A	0.05	(0.02)	50	-
HANA19C1906A	0.35	-	1,648	-	KBAN01C1901B	-	-	-	-	KTC13C1906A	0.21	-	399,621	-
HANA24C1903A	-	-	-	-	KBAN01C1904A	0.27	-	254,365	-	KTC19C1901A	-	-	-	-
HANA28C1902A	-	-	-	-	KBAN01C1904B	0.10	-	94,366	-	KTC19C1903A	0.05	-	40	-
HANA28C1904A	0.14	0.01	6,034	-	KBAN01C1907A	1.17	0.02	26,228	1.00	KTC19C1907A	0.42	0.01	22,457	-
HMPR01C1902A	0.33	0.01	50,604	-	KBAN01C1907B	1.02	0.02	56,300	1.00	KTC19P1903A	0.18	(0.01)	16,666	-
HMPR01C1902B	0.16	0.01	52,114	-	KBAN01P1901A	-	-	-	-	KTC24C1907A	0.37	0.02	1,200	-
HMPR01P1902A	0.14	(0.01)	8,902	-	KBAN01P1901B	-	-	-	-	KTC27C1903A	0.16	-	23,478	-
HMPR11C1906A	0.14	-	4,515	-	KBAN01P1904A	0.67	(0.01)	47,749	-	KTC27P1903A	0.10	-	4,100	-
HMPR13C1905A	0.18	-	82,456	-	KBAN01P1904B	0.33	(0.03)	472,199	-	KTC27P1905A	0.38	(0.01)	21,810	-
HMPR19C1901A	-	-	-	-	KBAN01P1907A	0.58	(0.02)	49,282	-	KTC28C1905A	0.23	0.01	25,109	-
HMPR19C1907A	0.31	0.01	7,228	-	KBAN06C1903A	0.31	0.02	49,140	-	KT41C1906A	-	-	-	-
HMPR23C1901A	-	-	-	-	KBAN07C1908A	-	-	-	-	LH01C1903A	0.13	(0.01)	115,460	-
HMPR24C1901A	-	-	-	-	KBAN08C1903A	0.04	0.01	96	-	LH01C1903B	-	-	-	-
HMPR27C1905A	0.26	0.01	4,500	-	KBAN08C1906A	0.93	0.04	12,524	-	LH01P1903A	0.37	0.02	10,965	-
HMPR27P1905A	0.21	(0.01)	1,800	-	KBAN13C1901A	-	-	-	-	LH06C1903A	-	-	-	-
HMPR28C1903A	0.07	-	10,239	-	KBAN13C1904A	0.13	-	29,798	-	LH07C1908A	0.32	-	1,010	-
HMPR41C1907A	-	-	-	-	KBAN13C1904B	0.44	0.01	33,120	-	LH11C1906A	-	-	-	-
INTU01C1903A	0.30	0.01	155,208	-	KBAN13C1906A	0.93	0.02	29,144	-	LH11C1911A	0.24	(0.01)	2,450	-
INTU01C1903B	0.08	-	1,950	-	KBAN13P1905A	0.38	(0.02)	77,031	-	LH13C1902A	-	-	-	-
INTU01C1907A	0.61	(0.39)	13,760	-	KBAN19C1901A	-	-	-	-	LH13C1906A	0.23	(0.01)	38,683	-
INTU01C1907B	0.48	(0.52)	31,186	-	KBAN19C1906A	0.84	0.02	11,790	-	LH19C1901A	-	-	-	-
INTU01P1903A	0.55	-	93,625	-	KBAN19P1904A	0.28	(0.01)	25,175	-	LH19C1906A	0.47	(0.01)	22,000	-
INTU01P1903B	0.21	(0.01)	159,765	-	KBAN23C1902A	-	-	-	-	LH23C1901A	-	-	-	-
INTU11C1905A	-	-	-	-	KBAN24C1902A	-	-	-	-	LH24C1903A	-	-	-	-
INTU11P1905A	0.08	-	8,790	-	KBAN24C1903A	-	-	-	-	LH24C1906A	-	-	-	-
INTU13C1904A	0.29	-	312,364	-	KBAN24C1907A	-	-	-	-	LH27C1905A	0.16	-	4,800	-
INTU19C1901A	-	-	-	-	KBAN24C1908A	0.59	0.04	500	-	LH27P1905A	0.21	0.02	5,400	-
INTU19C1906A	0.54	-	7,533	-	KBAN24P1907A	0.27	-	3,000	-	LH41C1907A	-	-	-	-
INTU24C1901A	-	-	-	-	KBAN27C1903A	0.08	0.01	1,800	-	LPN01C1905A	0.10	0.03	85,785	-
INTU24C1909A	-	-	-	-	KBAN27P1904A	-	-	-	-	LPN01C1905B	-	-	-	-
INTU28C1904A	0.18	(0.01)	23,752	-	KBAN28C1904A	-	-	-	-	LPN08C1906A	-	-	-	-
INTU28C1905A	-	-	-	-	KBAN28C1905A	0.41	0.01	34,819	-	LPN08C1908A	0.39	0.06	45,858	-
INTU42C1904A	-	-	-	-	KBAN28C1906A	0.79	-	1	-	LPN13C1903A	-	-	-	-
INTU42P1904A	0.14	-	4,884	-	KBAN28P1904A	0.24	-	17,507	-	LPN13C1904A	0.08	0.03	1	-
IRPC01C1903A	0.07	-	252,421	-	KBAN41C1906A	-	-	-	-	LPN13C1908A	0.48	0.05	56,311	-
IRPC01C1903B	-	-	-	-	KCE01C1903A	0.03	-	23,838	-	LPN19C1904A	-	-	-	-
IRPC01C1906A	0.28	0.02	280,863	-	KCE01C1903B	0.01	-	1	-	LPN19C1906A	0.38	0.06	11,509	-
IRPC01C1906B	0.23	0.02	510,688	-	KCE01C1906A	0.41	0.02	174,468	-	LPN24C1908A	-	-	-	-
IRPC01P1903A	0.66	-	128,937	-	KCE01C1906B	0.34	0.03	221,701	-	LPN28C1907A	0.42	0.06	50,312	-
IRPC01P1903B	0.41	(0.02)	180,096	-	KCE06C1903A	-	-	-	-	MAJ011C1902A	-	-	-	-
IRPC06C1903A	0.04	-	20,600	-										

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MEGA19C1906A	0.41	0.02	8,624	-	PTG23C1905A	0.57	0.02	2,600	-	PTTG06C1903A	0.11	(0.01)	16,914	-
MEGA23C1902A	-	-	-	-	PTG24C1901A	-	-	-	-	PTTG06P1903A	0.24	-	19,598	-
MEGA24C1903A	-	-	-	-	PTG24C1902A	-	-	-	-	PTTG07C1908A	0.34	-	750	-
MINT01C1901A	-	-	-	-	PTG24C1904A	0.17	(0.01)	38,831	-	PTTG08C1902A	0.01	(0.01)	17	-
MINT01C1901B	-	-	-	-	PTG24C1905A	-	-	-	-	PTTG08C1906A	0.41	(0.01)	21,570	-
MINT01C1906A	0.46	(0.02)	20,835	-	PTG27C1902A	-	-	-	-	PTTG08P1904A	0.61	(0.01)	20,849	-
MINT01C1906B	0.43	(0.02)	16,732	-	PTG28C1904A	-	-	-	-	PTTG11C1902A	0.03	0.01	1	-
MINT01P1901A	-	-	-	-	PTG41C1907A	-	-	-	-	PTTG11C1909A	0.33	-	15,912	-
MINT01P1906A	0.27	0.01	48,154	-	PTT01C1901A	-	-	-	-	PTTG13C1904A	0.13	(0.01)	122,828	-
MINT06C1901A	-	-	-	-	PTT01C1901B	-	-	-	-	PTTG13C1906A	0.47	-	448,968	-
MINT06C1903A	-	-	-	-	PTT01C1904A	0.24	(0.01)	106,258	-	PTTG19C1902A	-	-	-	-
MINT07C1906A	-	-	-	-	PTT01C1904B	0.10	-	237,926	-	PTTG19C1906A	0.48	(0.01)	36,763	-
MINT08C1903A	-	-	-	-	PTT01C1907A	0.53	-	105,515	-	PTTG19P1906A	0.33	(0.01)	35,162	-
MINT11C1902A	-	-	-	-	PTT01C1907B	0.43	0.01	172,861	-	PTTG23C1901A	-	-	-	-
MINT11C1910A	0.42	(0.01)	12,600	-	PTT01P1901A	-	-	-	-	PTTG23C1906A	-	-	-	-
MINT11P1902A	-	-	-	-	PTT01P1901B	-	-	-	-	PTTG24C1901A	-	-	-	-
MINT13C1903A	0.05	0.01	100	-	PTT01P1904A	0.69	(0.01)	68,816	-	PTTG24C1904A	-	-	-	-
MINT13C1904A	0.22	-	31,013	-	PTT01P1904B	0.42	(0.01)	101,217	-	PTTG24C1907A	0.36	(0.01)	20,340	-
MINT19C1901A	-	-	-	-	PTT01P1907A	0.52	(0.01)	82,033	-	PTTG24P1901A	-	-	-	-
MINT19C1906A	0.46	(0.01)	1,964	-	PTT01P1907B	0.37	-	79,506	-	PTTG24P1905A	0.66	(0.09)	2	-
MINT23C1905A	0.23	(0.02)	14,000	-	PTT06C1901A	-	-	-	-	PTTG27C1902A	-	-	-	-
MINT24C1901A	-	-	-	-	PTT06C1903A	0.09	-	31,211	-	PTTG27P1903A	0.09	(0.01)	4,501	-
MINT24C1902A	-	-	-	-	PTT06P1901A	-	-	-	-	PTTG28C1904A	0.09	-	16,192	-
MINT24C1908A	-	-	-	-	PTT06P1903A	0.09	(0.02)	21,660	-	PTTG41C1906A	0.44	0.06	6,660	-
MINT27C1903A	0.09	(0.01)	2,500	-	PTT07C1906A	0.32	0.07	1	-	PTTG42C1904A	-	-	-	-
MINT27P1905A	0.25	-	1,146	-	PTT08C1902A	0.01	(0.01)	2	-	PTTG42P1904A	0.83	-	15,912	-
MINT28C1903A	-	-	-	-	PTT08C1906A	0.35	-	41,092	-	QH01C1903A	0.05	0.01	50	-
MINT28C1904A	0.18	(0.02)	21,910	-	PTT08P1904A	0.30	(0.02)	10,236	-	QH01C1903B	0.02	0.01	1	-
MINT41C1907A	-	-	-	-	PTT11C1902A	0.01	(0.01)	22,678	-	QH01P1903A	0.83	(0.02)	6,932	-
MINT42C1904A	-	-	-	-	PTT11C1909A	0.25	0.01	7	-	QH11C1902A	-	-	-	-
MINT42P1904A	0.20	0.01	612	-	PTT13C1903A	0.11	(0.01)	44,269	-	QH11C1910A	0.34	0.01	6,400	-
MONO08C1906A	0.02	-	621	-	PTT13C1906A	0.37	(0.01)	211,728	-	QH13C1903A	-	-	-	-
MONO13C1901A	-	-	-	-	PTT13P1902A	0.07	(0.02)	25,000	-	QH13C1904A	-	-	-	-
MONO23C1901A	-	-	-	-	PTT13P1906A	0.29	(0.01)	193,826	-	QH19C1901A	-	-	-	-
MTC06C1901A	-	-	-	-	PTT16C1912A	0.63	0.02	7	-	QH19C1904A	0.15	0.01	7,424	-
MTC06C1903A	0.20	0.03	36,882	-	PTT19C1901A	-	-	-	-	QH24C1904A	-	-	-	-
MTC08C1902A	0.42	0.03	41,553	-	PTT19C1906A	0.45	-	25,695	-	QH27C1903A	-	-	-	-
MTC08C1904A	0.10	-	3,762	-	PTT19P1903A	-	-	-	-	QH27P1905A	0.30	(0.02)	4,500	-
MTC08C1906A	0.40	-	20,358	-	PTT23C1901A	-	-	-	-	RAT23C1901A	-	-	-	-
MTC11C1904A	0.42	0.01	17,061	-	PTT23C1906A	0.23	0.04	12,492	-	RAT24C1902A	-	-	-	-
MTC13C1903A	0.16	-	121,524	-	PTT24C1904A	-	-	-	-	ROB101C1903A	0.59	(0.01)	43,537	-
MTC13C1906A	0.49	-	308,374	-	PTT24C1906A	0.36	(0.01)	1,582	-	ROB101C1903B	0.27	-	43,250	-
MTC19C1901A	-	-	-	-	PTT24P1901A	-	-	-	-	ROB106C1903A	0.20	(0.01)	13,200	-
MTC19C1903A	0.17	0.01	1,549	-	PTT24P1904A	-	-	-	-	ROB108C1903A	0.17	(0.01)	4,390	-
MTC19P1906A	0.40	(0.02)	29,204	-	PTT27C1903A	-	-	-	-	ROB111C1906A	0.29	(0.02)	4,790	-
MTC23C1906A	0.21	-	6,000	-	PTT27P1903A	0.15	(0.02)	1,800	-	ROB113C1902A	0.07	(0.01)	8,118	-
MTC24C1903A	-	-	-	-	PTT28C1904A	0.21	-	23,484	-	ROB113C1906A	-	-	-	-
MTC24C1912A	0.66	-	6,560	-	PTT28P1903A	0.15	(0.02)	49,138	-	ROB119C1901A	-	-	-	-
MTC27C1904A	0.34	(0.01)	18,450	-	PTT41C1906A	0.34	-	6,660	-	ROB119C1907A	0.63	(0.02)	14,884	-
MTC28C1902A	-	-	-	-	PTTE01C1901A	-	-	-	-	ROB124C1901A	-	-	-	-
MTC28C1903A	0.08	0.01	6,788	-	PTTE01C1901B	-	-	-	-	ROB124C1903A	0.17	(0.03)	200	-
MTC28C1906A	0.42	0.02	95,255	-	PTTE01C1904A	0.16	0.01	262,774	-	ROB127C1905A	0.35	(0.01)	12,600	-
MTC41C1907A	-	-	-	-	PTTE01C1904B	0.05	-	137,733	-	RS08C1901A	-	-	-	-
ORI08C1904A	0.03	0.01	53	-	PTTE01C1907A	0.88	0.03	126,746	-	RS08C1906A	0.45	-	25,956	-
ORI11C1909A	0.54	0.03	12,574	-	PTTE01C1907B	0.71	0.03	157,849	-	RS11C1911A	0.58	(0.01)	7,210	-
ORI13C1902A	-	-	-	-	PTTE01P1901A	-	-	-	-	RS13C1901A	-	-	-	-
ORI13C1904A	0.05	0.01	2,300	-	PTTE01P1901B	-	-	-	-	RS13C1905A	0.30	-	77,574	-
ORI13C1904B	0.28	0.03	63,990	-	PTTE01P1904A	1.60	(0.07)	65,266	1.00	RS19C1901A	-	-	-	-
ORI19C1904A	0.02	0.01	1	-	PTTE01P1904B	1.12	(0.09)	42,339	1.00	RS19C1906A	0.51	0.01	7,569	-
ORI19C1905A	0.42	0.04	9,757	-	PTTE01P1907A	0.76	(0.03)	47,989	-	RS24C1904A	-	-	-	-
ORI23C1905A	0.36	0.04	27,624	-	PTTE01P1907B	0.54	(0.04)	77,622	-	RS27C1905A	0.29	-	5,400	-
ORI24C1903A	-	-	-	-	PTTE06C1903A	0.08	0.02	10	-	S10001C1911A	0.89	-	2,641	-
ORI24C1905A	-	-	-	-	PTTE07C1904A	-	-	-	-	S5001C1901A	-	-	-	-
ORI27C1905A	-	-	-	-	PTTE08C1904A	0.08	0.01	1,101	-	S5001C1901B	-	-	-	-
ORI28C1902A	-	-	-	-	PTTE08C1906A	0.62	0.04	19,781	-	S5001C1902A	0.30	(0.01)	43,164	-
ORI28C1904A	0.36	0.03	70,691	-	PTTE08P1904A	1.16	(0.10)	6,606	1.00	S5001C1902B	0.10	-	16,307	-
ORI28C1904B	0.19	0.01	4,192	-	PTTE11C1902A	0.02	-	1,554	-	S5001C1903F	0.51	(0.02)	988,187	-
ORI41C1907A	0.11	(0.89)	100	-	PTTE11C1910A	0.64	0.02	16,892	-	S5001C1903G	1.00	(0.02)	1,194,459	1.00
PLAN19C1906A	0.26	-	14,646	-	PTTE13C1902A	-	-	-	-	S5001C1903H	1.34	(0.01)	827,580	1.00
PRM08C1902A	-	-	-	-	PTTE13C1904A	0.18	0.01	112,050	-	S5001C1904A	1.16	-	20,830	1.00
PRM13C1904A	-	-	-	-	PTTE13C1905A	0.41	0.02	270,203	-	S5001C1904B	1.08	-	79,176	1.00
PRM19C1902A	-	-	-	-	PTTE13P1902A	0.55	(0.18)	100	-	S5001C1905A	1.01	0.01	18,836	1.00
PRM19C1906A	0.19	0.03	6,563	-	PTTE13P1905A	0.40	(0.03)	84,494	-	S5001P1901A	-	-	-	-
PSH08C1904A	0.06	-	475	-	PTTE19C1903A	0.06	0.01	25,576	-	S5001P1901B	-	-	-	-
PSH11C1902A	-	-	-	-	PTTE19C1906A	0.63	0.03	49,410	-	S5001P1902A	0.74	(0.01)	83,502	-
PSH13C1903A	-	-	-	-	PTTE19P1903A	0.37	(0.05)	11,402	-	S5001P1902B	0.42	(0.02)	552,837	-
PSH19C1903A	-	-	-	-	PTTE23C1901A	-	-	-	-	S5001P1903F	0.50	(0.01)	1,117,478	-
PSH19C1906A	0.42	0.01	4,496	-	PTTE23C1906A	0.20	0.02	12,010	-	S5001P1903G	0.33	(0.01)	409,607	-
PSL11C1905A	0.04	-	590	-	PTTE24C1901A	-	-	-	-	S5001P1903H	0.18	-	210,647	-
PSL13C1903A	-	-	-	-	PTTE24C1904A	-	-	-	-	S5001P1904A	0.59	(0.01)	63,999	-
PSL19C1903A	-	-	-	-	PTTE24C1906A	0.52	0.03	32,169	-	S5001P1904B	0.48	(0.01)	109,520	-
PSL19C1907A	0.60	0.09	89,945	-	PTTE24P1901A	-	-	-	-	S5001P1905A	0.75	(0.25)	6,864	-
PTG01C1902A	-	-	-	-	PTTE24P1904A	-	-	-	-	S5006C1903A	0.47	(0.02)	22,606	-
PTG01C1902B	0.01	-	2,250	-	PTTE27C1903A	-	-	-	-	S5006C1903B	0.72	(0.02)	368	-
PTG01C1905A	1.05	(0.03)	12,279	1.00	PTTE27P1904A	-	-	-	-	S5006C1903C	1.05	(0.02)	27,961	1.00
PTG01C1905B	0.93	(0.03)	8,212	-	PTTE28C1902A	0.02	-	6	-	S5006C1903D	0.33	(0.03)	18,104	-
PTG01C1908A	0.39	(0.61)	12,821	-	PTTE28C1905A	0.31	0.02	169,424	-	S5006P1903A	0.60	-	6,295	-
PTG01C1908B	0.33	(0.67)	18,013	-	PTTE28P1903A	-	-	-	-	S5006P1903B	0.32	(0.01)	6,755	-
PTG01P1902A	0.58	0.02	14,233	-	PTTE41C1905A	0.23	0.02	19	-	S5006P1903C	0.15	(0.01)	111,692	-
PTG01P1908A	0.41	(0.59)	11,690	-	PTTE41P1906A	-	-	-	-	S5006P1903D	0.07	0.01	36,315	-
PTG06C1904A	-	-	-	-	PTTE42C1903A</									

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013P1903E	0.62	-	202,442	-	SGP13C1904A	0.11	-	2,100	-	SUPE23C1901A	-	-	-	-
S5028C1901A	-	-	-	-	SGP13C1905A	0.55	-	501	-	SUPE28C1902A	-	-	-	-
S5028C1903A	0.34	(0.03)	350,442	-	SGP19C1904A	-	-	-	-	TASC01C1903A	0.20	0.01	12,968	-
S5028C1903B	0.59	(0.03)	813,856	-	SGP19C1905A	0.62	(0.01)	245	-	TASC01C1903B	-	-	-	-
S5028C1903C	-	-	-	-	SGP24C1902A	0.08	(0.02)	2,000	-	TASC01P1903A	0.58	(0.01)	17,140	-
S5028P1901A	-	-	-	-	SGP24C1906A	-	-	-	-	TASC08C1903A	-	-	-	-
S5028P1903A	0.40	(0.02)	584,873	-	SGP27C1903A	-	-	-	-	TASC11C1904A	-	-	-	-
S5028P1903B	0.17	(0.02)	125,201	-	SGP28C1903A	-	-	-	-	TASC13C1904A	0.13	(0.01)	350	-
SAWA01C1901A	-	-	-	-	SGP28C1904A	-	-	-	-	TASC19C1902A	0.03	-	1,050	-
SAWA01C1901B	-	-	-	-	SGP28C1906A	-	-	-	-	TASC19C1907A	-	-	-	-
SAWA01C1907A	0.71	0.04	99,059	-	SIRI01C1901A	-	-	-	-	TASC23C1902A	-	-	-	-
SAWA01C1907B	0.63	0.03	126,841	-	SIRI01C1901B	-	-	-	-	TASC24C1903A	0.02	-	1,600	-
SAWA01P1901A	-	-	-	-	SIRI01C1907A	0.43	0.01	36,162	-	TASC27C1905A	0.21	(0.01)	1,351	-
SAWA01P1907A	0.64	(0.03)	116,886	-	SIRI01C1907B	0.39	0.01	44,186	-	TASC28C1902A	-	-	-	-
SAWA06C1903A	1.39	0.08	7,720	1.00	SIRI01P1901A	-	-	-	-	TASC28C1904A	-	-	-	-
SAWA08C1902A	0.81	0.06	11,736	-	SIRI01P1907A	0.25	-	15,860	-	TCAP01C1901A	-	-	-	-
SAWA08C1903A	0.35	0.02	44,013	-	SIRI06C1904A	-	-	-	-	TCAP01C1901B	-	-	-	-
SAWA11C1906A	0.58	0.03	6,815	-	SIRI08C1903A	-	-	-	-	TCAP01C1907A	0.56	0.01	32,006	-
SAWA13C1903A	0.21	0.02	113,526	-	SIRI11C1902A	-	-	-	-	TCAP01C1907B	0.49	-	34,432	-
SAWA13C1904A	0.50	0.03	189,316	-	SIRI11C1911A	0.32	0.01	9,000	-	TCAP01P1901A	-	-	-	-
SAWA19C1901A	-	-	-	-	SIRI13C1902A	-	-	-	-	TCAP01P1907A	0.42	-	11,689	-
SAWA19C1903A	0.34	0.03	52,120	-	SIRI19C1902A	-	-	-	-	TCAP11C1909A	0.28	0.01	3,088	-
SAWA23C1905A	0.47	0.03	56,826	-	SIRI19C1906A	0.29	0.01	7,360	-	TCAP13C1901A	-	-	-	-
SAWA24C1902A	0.41	0.06	10,013	-	SIRI24C1903A	-	-	-	-	TCAP13C1906A	0.35	(0.01)	56,652	-
SAWA24C1910A	0.95	0.03	1,100	-	SIRI24C1906A	-	-	-	-	TCAP19C1901A	-	-	-	-
SAWA27C1903A	0.62	0.05	11,700	-	SIRI24C1907A	0.39	0.02	75,341	-	TCAP19C1907A	0.48	(0.01)	3,730	-
SAWA28C1902A	0.13	0.05	1	-	SIRI28C1903A	-	-	-	-	TCAP24C1903A	-	-	-	-
SAWA28C1905A	0.44	0.01	82,178	-	SIRI28C1904A	0.07	0.01	12,368	-	THAI01C1901A	-	-	-	-
SCB01C1902A	0.59	(0.03)	136,743	-	SPAL01C1902A	-	-	-	-	THAI01C1901B	-	-	-	-
SCB01C1902B	0.10	(0.01)	191,829	-	SPAL01C1902B	-	-	-	-	THAI01C1907A	0.48	0.02	26,699	-
SCB01C1904A	0.19	(0.01)	123,592	-	SPAL01C1907A	0.58	0.03	40,116	-	THAI01C1907B	0.43	0.01	23,927	-
SCB01C1904B	0.07	(0.01)	7,597	-	SPAL01C1907B	0.51	0.02	46,904	-	THAI01P1901A	-	-	-	-
SCB01C1907A	0.62	(0.38)	5,808	-	SPAL11C1905A	-	-	-	-	THAI01P1907A	0.36	(0.01)	27,180	-
SCB01C1907B	0.52	(0.48)	13,178	-	SPAL11C1910A	0.44	0.03	30,120	-	THAI08C1903A	-	-	-	-
SCB01P1902A	0.28	0.02	93,733	-	SPAL13C1903A	-	-	-	-	THAI11C1906A	0.17	0.01	771	-
SCB01P1902B	-	-	-	-	SPAL13C1904A	0.12	0.01	75,181	-	THAI13C1902A	-	-	-	-
SCB01P1904A	1.12	0.03	43,682	1.00	SPAL19C1902A	-	-	-	-	THAI13C1906A	0.36	0.02	53,496	-
SCB01P1904B	0.81	0.01	46,920	-	SPAL19C1906A	0.35	0.03	8,732	-	THAI19C1901A	-	-	-	-
SCB01P1907A	0.75	(0.25)	5,994	-	SPAL24C1905A	0.12	0.02	680	-	THAI19C1905A	0.31	0.02	320	-
SCB01P1907B	0.57	(0.43)	7,486	-	SPRC01C1902A	0.01	-	202	-	THAI23C1901A	-	-	-	-
SCB06C1903A	0.07	(0.02)	12,700	-	SPRC01C1902B	0.01	-	2	-	THAI24C1901A	-	-	-	-
SCB07C1904A	-	-	-	-	SPRC01C1907A	0.37	0.04	63,287	-	THAI24C1906A	-	-	-	-
SCB08C1901A	-	-	-	-	SPRC01C1907B	0.32	0.06	88,955	-	THAI27C1905A	0.20	0.01	16,800	-
SCB11C1901A	-	-	-	-	SPRC06C1902A	0.02	-	3	-	THAI28C1904A	-	-	-	-
SCB11C1910A	0.38	(0.01)	3,470	-	SPRC07C1903A	-	-	-	-	THAI28C1906A	0.32	0.01	14,336	-
SCB11P1901A	-	-	-	-	SPRC08C1903A	-	-	-	-	THAN01C1907A	0.61	(0.39)	27,721	-
SCB11P1910A	0.67	0.02	27,510	-	SPRC11C1902A	-	-	-	-	THAN01C1907B	0.55	(0.45)	18,300	-
SCB13C1902A	-	-	-	-	SPRC11C1909A	0.11	0.02	10,356	-	THAN08C1904A	0.07	-	256	-
SCB13C1905A	0.19	(0.01)	86,131	-	SPRC13C1905A	-	-	-	-	THAN13C1902A	0.02	-	8,260	-
SCB13C1907A	0.48	(0.03)	250,475	-	SPRC13C1906A	0.26	0.04	293,301	-	THAN13C1905A	0.29	0.01	73,291	-
SCB13P1905A	0.43	-	159,906	-	SPRC19C1901A	-	-	-	-	THAN19C1903A	0.17	0.01	58,713	-
SCB19C1905A	0.29	(0.01)	37,002	-	SPRC19C1905A	0.12	0.03	15,904	-	THAN24C1903A	-	-	-	-
SCB19P1906A	0.40	0.01	14,228	-	SPRC19C1906A	0.81	0.13	16,804	-	THC08C1906A	0.06	-	250	-
SCB24C1901A	-	-	-	-	SPRC24C1903A	-	-	-	-	THC011C1902A	-	-	-	-
SCB24C1902A	-	-	-	-	SPRC24C1909A	-	-	-	-	TISC01C1902A	0.64	-	31,706	-
SCB24C1905A	0.33	(0.03)	14,700	-	STA01C1904A	0.35	0.09	148,178	-	TISC01C1902B	0.18	(0.01)	42,198	-
SCB24P1906A	0.34	0.02	2,000	-	STA01C1904B	0.23	0.07	147,494	-	TISC07C1902A	-	-	-	-
SCB27C1902A	-	-	-	-	STA08C1904A	0.12	0.03	7,197	-	TISC08C1903A	0.23	-	3,542	-
SCB27P1903A	0.11	-	12,000	-	STA11C1909A	0.32	0.07	35,209	-	TISC11C1903A	-	-	-	-
SCB28C1902A	-	-	-	-	STA13C1902A	0.04	0.02	8,830	-	TISC11C1910A	0.79	(0.01)	22,784	-
SCB28C1904A	0.11	(0.02)	19,326	-	STA13C1906A	0.53	0.13	750,835	-	TISC13C1904A	0.44	(0.01)	63,239	-
SCB28C1906A	0.33	(0.02)	76,058	-	STA19C1903A	0.78	0.19	14,299	-	TISC19C1901A	-	-	-	-
SCB41C1906A	-	-	-	-	STA19C1903B	0.12	0.05	17,480	-	TISC19C1906A	0.81	-	7,130	-
SCB42C1903A	-	-	-	-	STA24C1902A	0.04	0.03	460	-	TISC24C1904A	-	-	-	-
SCC01C1901A	-	-	-	-	STA27C1904A	0.20	0.06	25,200	-	TISC27C1905A	0.52	(0.02)	7,200	-
SCC01C1901B	-	-	-	-	STA28C1902A	-	-	-	-	TISC28C1905A	0.45	(0.01)	30,507	-
SCC01C1907A	0.59	(0.01)	21,929	-	STA28C1903A	0.05	0.01	2,490	-	TISC41C1907A	-	-	-	-
SCC01C1907B	0.53	(0.02)	17,986	-	STA41C1907A	-	-	-	-	TISC42C1904A	0.28	-	9,108	-
SCC01P1901A	-	-	-	-	STEC01C1902A	0.46	(0.03)	44,960	-	TKN01C1901A	-	-	-	-
SCC01P1907A	0.45	-	55,169	-	STEC01C1902B	0.16	(0.03)	46,850	-	TKN01C1901B	-	-	-	-
SCC06C1902A	-	-	-	-	STEC01C1907A	0.71	(0.29)	16,291	-	TKN01C1906A	0.91	0.05	137,610	-
SCC08C1902A	0.10	(0.01)	14,168	-	STEC01C1907B	0.67	(0.33)	9,478	-	TKN01C1906B	0.80	0.03	150,601	-
SCC11C1906A	0.13	(0.02)	75	-	STEC01P1902A	0.27	-	32,466	-	TKN08C1903A	0.02	0.01	1	-
SCC13C1903A	0.10	(0.01)	6,250	-	STEC01P1907A	0.56	(0.44)	38,326	-	TKN11C1902A	-	-	-	-
SCC13C1906A	0.41	(0.03)	15,490	-	STEC06C1903A	-	-	-	-	TKN13C1903A	-	-	-	-
SCC13P1907A	0.40	(0.01)	11,150	-	STEC07C1904A	-	-	-	-	TKN13C1904A	0.02	-	5,433	-
SCC19C1901A	-	-	-	-	STEC08C1903A	0.13	(0.01)	4,256	-	TKN13C1904B	0.32	0.04	74,199	-
SCC19C1907A	0.52	(0.01)	211	-	STEC11C1903A	0.27	(0.02)	14,300	-	TKN13C1905A	0.12	0.01	13,308	-
SCC19P1906A	0.23	-	1,117	-	STEC13C1902A	0.11	(0.02)	35,510	-	TKN13C1906A	1.00	0.06	508	-
SCC24C1901A	-	-	-	-	STEC13C1903A	-	-	-	-	TKN19C1903A	-	-	-	-
SCC24C1902A	-	-	-	-	STEC13C1907A	0.57	-	66,857	-	TKN19C1905A	0.20	0.01	4,913	-
SCC24C1910A	0.42	(0.05)	4	-	STEC19C1901A	-	-	-	-	TKN19C1907A	1.05	0.03	19,312	1.00
SCC24P1901A	-	-	-	-	STEC19C1906A	0.78	(0.03)	5,320	-	TKN23C1902A	-	-	-	-
SCC24P1909A	0.26	0.01	5,770	-	STEC24C1901A	-	-	-	-	TKN24C1903A	-	-	-	-
SCC27C1904A	0.29	(0.01)	950	-	STEC24C1906A	0.78	(0.03)	2,310	-	TKN24C1904A	-	-	-	-
SCC27P1904A	0.27	0.01	4,848	-	STEC27C1902A	0.45	(0.03)	5,400	-	TKN24C1906A	-	-	-	-
SCC28C1902A	-	-	-	-	STEC28C1902A	-	-	-	-	TKN28C1903A	-	-	-	-
SCC28C1905A	0.29	(0.01)	16,987	-	STEC28C1903A	-	-	-	-	TKN28C1904A	-	-	-	-
SCC41C1907A	0.51	(0.49)	8,880	-	STEC41C1907A	-	-	-	-	TKN28C1906A	0.50	0.03	47,766	-
SCC42C1904A	0.15	(0.01)	1,384	-	SUPE08C1902A	-	-	-	-	TMB01C1903A	0.12	-	13,622	-
SGP06C1903A	0.39	0.01	2,505	-	SUPE13C1902A	-	-	-	-	TMB01C1903B	-	-	-	-

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SGP08C1901A	-	-	-	-	SUPE13C1903A	-	-	-	-	TMB01P1903A	-	-	-	-
SGP08C1906A	0.63	(0.01)	750	-	SUPE19C1902A	0.01	-	114	-	TMB06C1902A	-	-	-	-
SGP11C1904A	-	-	-	-	SUPE19C1903A	-	-	-	-	TMB06C1903A	0.09	-	159	-
SGP11C1911A	0.38	0.01	10,001	-	SUPE19C1906A	0.20	0.01	10,400	-	TMB07C1903A	-	-	-	-
TMB08C1901A	-	-	-	-	TRUE19C1907A	-	-	-	-	WORK27C1903A	-	-	-	-
TMB08C1903A	-	-	-	-	TRUE19P1903A	-	-	-	-	WORK28C1904A	-	-	-	-
TMB11C1904A	-	-	-	-	TRUE23C1902A	-	-	-	-	WORK28C1905A	-	-	-	-
TMB13C1901A	-	-	-	-	TRUE27C1904A	-	-	-	-	WORK28C1907A	0.22	(0.78)	2,503	-
TMB13C1904A	0.09	(0.01)	8,234	-	TRUE27P1904A	0.46	(0.04)	8,100	-	Preferred/Foreign	-	-	-	-
TMB19C1901A	-	-	-	-	TRUE28C1903A	-	-	-	-	BH-Q	-	-	-	-
TMB19C1906A	0.20	0.01	1,000	-	TRUE28C1905A	-	-	-	-	CSC-Q	-	-	-	-
TMB23C1906A	-	-	-	-	TRUE28C1906A	0.67	0.12	6	-	JUTHA-Q	-	-	-	-
TMB24C1901A	-	-	-	-	TRUE28C1907A	0.22	(0.78)	350	-	KTB-Q	-	-	-	-
TMB24C1902A	-	-	-	-	TRU24C1906A	-	-	-	-	SCB-Q	-	-	-	-
TMB24C1911A	0.35	0.01	460	-	TTA08C1906A	0.02	-	751	-	TCAP-Q	-	-	-	-
TMB27C1903A	-	-	-	-	TTA13C1901A	-	-	-	-	TIC-Q	-	-	-	-
TMB28C1904A	-	-	-	-	TTA23C1901A	-	-	-	-	TISCO-Q	-	-	-	-
TMB41C1906A	-	-	-	-	TTA24C1902A	-	-	-	-	U-Q	-	-	-	-
TOA01C1901A	-	-	-	-	TU01C1901A	-	-	-	-	Warrant	-	-	-	-
TOA01C1901B	-	-	-	-	TU01C1901B	-	-	-	-	7UP-W2	-	-	-	-
TOA01C1907A	0.52	0.03	39,265	-	TU01C1907A	0.68	0.01	50,058	-	ACC-W1	0.02	-	6	-
TOA01C1907B	0.46	0.03	37,267	-	TU01C1907B	0.65	(0.01)	66,886	-	AJA-W1	0.12	0.01	3,132	-
TOA08C1902A	-	-	-	-	TU01P1901A	-	-	-	-	ALT-W1	0.73	(0.01)	7,014	-
TOA11C1911A	0.42	0.03	14,400	-	TU01P1907A	0.24	(0.01)	63,138	-	APEX-W1	0.03	(0.02)	15,122	-
TOA13C1906A	0.42	0.04	61,377	-	TU06C1902A	0.24	0.03	3,850	-	APURE-W2	0.18	-	22,992	-
TOA19C1901A	-	-	-	-	TU07C1902A	-	-	-	-	AS-W1	0.10	(0.02)	124	-
TOA19C1906A	0.42	0.03	1,740	-	TU11C1902A	-	-	-	-	AYUD-W1	4.40	-	32,367	4.00
TOA24C1904A	0.28	0.03	2,200	-	TU11C1906A	0.16	-	14,676	-	B-W3	-	-	-	-
TOA28C1904A	0.22	0.03	36,708	-	TU13C1902A	0.16	0.01	37,626	-	B-W4	0.12	0.01	1,581	-
TOP01C1901A	-	-	-	-	TU13C1906A	0.42	-	96,143	-	BTS-W4	0.61	-	560,736	-
TOP01C1901B	-	-	-	-	TU19C1901A	-	-	-	-	BWG-W4	0.03	-	157,958	-
TOP01C1904A	0.19	0.02	135,550	-	TU19C1906A	0.56	0.02	51,827	-	CGD-W4	0.26	0.01	1,500	-
TOP01C1904B	0.06	-	33,698	-	TU23C1902A	-	-	-	-	CGH-W3	0.04	-	26,687	-
TOP01C1907A	0.92	(0.08)	35,915	-	TU24C1901A	-	-	-	-	CI-W1	0.17	(0.01)	1,001	-
TOP01C1907B	0.73	(0.27)	69,263	-	TU24C1904A	-	-	-	-	CKP-W1	0.51	(0.01)	38,558	-
TOP01P1901A	-	-	-	-	TU41C1907A	0.38	(0.62)	140	-	CRANE-W1	1.18	0.20	9	1.00
TOP01P1904A	1.41	(0.06)	29,902	1.00	TVO01C1903A	0.19	(0.02)	6,926	-	DCC-W1	0.81	0.01	31,343	-
TOP01P1907A	1.11	0.11	9,808	1.00	TVO01C1903B	0.09	(0.02)	538	-	DCON-W1	-	-	-	-
TOP06C1903A	0.24	0.01	34,499	-	TVO11C1903A	-	-	-	-	DIGI-W1	0.02	-	9	-
TOP06C1903B	0.02	-	1	-	TVO13C1902A	-	-	-	-	DIGI-W2	0.02	0.01	205	-
TOP07C1908A	0.40	0.01	602	-	TVO13C1904A	0.13	(0.01)	15,574	-	EARTH-W4	-	-	-	-
TOP08C1902A	0.01	-	2	-	TVO19C1902A	-	-	-	-	EIC-W2	0.01	-	1,000	-
TOP08C1906A	0.66	0.03	67,720	-	TVO19C1906A	0.32	(0.01)	3,007	-	EIC-W3	-	-	-	-
TOP11C1905A	0.30	0.02	33,898	-	TVO24C1903A	-	-	-	-	EMC-W6	0.20	0.01	63,136	-
TOP13C1901A	-	-	-	-	UNI08C1906A	0.04	-	100	-	EPCO-W3	0.38	(0.01)	61,370	-
TOP13C1902A	-	-	-	-	UNI13C1901A	-	-	-	-	EVER-W3	-	-	-	-
TOP13C1904A	0.27	0.01	88,825	-	UNI23C1901A	-	-	-	-	GJS-W3	0.01	-	900	-
TOP13C1905A	0.73	0.04	157,532	-	UV01C1902A	0.17	(0.01)	65,981	-	GSTEL-W1	-	-	-	-
TOP19C1901A	-	-	-	-	UV01C1902B	0.05	-	200	-	GSTEL-W2	-	-	-	-
TOP19C1906A	0.58	0.02	32,238	-	UV08C1902A	-	-	-	-	IEC-W2	-	-	-	-
TOP23C1906A	0.33	0.01	1,995	-	UV13C1904A	0.15	(0.02)	42,680	-	IHL-W1	4.82	0.08	3	4.00
TOP24C1901A	-	-	-	-	UV13C1908A	0.42	(0.01)	68,702	-	ITD-W1	0.02	(0.01)	43,832	-
TOP24C1902A	-	-	-	-	UV19C1902A	-	-	-	-	JAS-W3	1.79	-	2,670	1.00
TOP24C1903A	0.01	-	1	-	UV19C1906A	0.45	(0.02)	7,713	-	JCK-W5	0.47	0.02	115	-
TOP24C1905A	0.38	-	1,006	-	UV24C1903A	0.22	(0.03)	1,000	-	JMART-W2	0.46	0.02	57,805	-
TOP24C1907A	0.82	0.01	280	-	UV28C1906A	0.33	(0.03)	18,242	-	JMT-W2	2.06	(0.02)	844	2.00
TOP27C1903A	0.03	-	1	-	VGI06C1904A	-	-	-	-	MACO-W2	0.19	-	62,203	-
TOP28C1903A	0.01	(0.02)	1	-	VGI06C1904B	-	-	-	-	MIDA-W2	-	-	-	-
TOP28C1904A	0.20	-	18,704	-	VGI06C1904C	-	-	-	-	MILL-W3	0.01	(0.01)	110,111	-
TOP28C1906A	0.73	0.03	21,600	-	VGI23C1905A	-	-	-	-	MILL-W4	0.16	0.01	25,338	-
TOP41C1906A	-	-	-	-	VGI23C1911A	-	-	-	-	MILL-W5	0.15	0.04	194,249	-
TP101C1906A	0.37	-	510	-	WHA01C1906A	0.61	(0.01)	47,270	-	ML-W2	0.02	0.01	10,463	-
TP101C1906B	0.30	-	422	-	WHA01C1906B	0.46	-	67,776	-	MONO-W1	0.30	0.02	122,609	-
TP113C1902A	-	-	-	-	WHA01P1906A	0.46	-	39,520	-	NEP-W3	-	-	-	-
TP119C1901A	-	-	-	-	WHA06C1903A	0.28	-	7,270	-	NFC-W1	2.72	0.02	1,750	2.00
TP119C1907A	-	-	-	-	WHA07C1906A	-	-	-	-	NOK-W1	0.30	0.01	447	-
TP124C1902A	-	-	-	-	WHA08C1904A	0.21	0.01	5,808	-	NUSA-W3	0.29	0.01	20,272	-
TP1P11C1909A	0.54	-	9,002	-	WHA11C1903A	0.09	0.01	1	-	NVD-W1	0.36	-	49,792	-
TP1P13C1902A	-	-	-	-	WHA13C1905A	0.40	(0.01)	119,032	-	ORI-W1	0.78	0.03	159,770	-
TP1P13C1904A	-	-	-	-	WHA19C1901A	-	-	-	-	PACE-W2	0.09	(0.01)	24,691	-
TP1P13C1905A	0.19	(0.03)	32,837	-	WHA19C1907A	0.54	-	6,951	-	PDI-W1	0.93	(0.02)	60,733	-
TP1P13C1908A	-	-	-	-	WHA23C1906A	0.32	-	2,000	-	PDJ-W2	-	-	-	-
TP1P19C1902A	-	-	-	-	WHA24C1902A	0.14	(0.01)	5,100	-	PDJ-W3	0.85	0.03	13	-
TP1P19C1906A	0.69	(0.03)	110	-	WHA24C1907A	0.53	(0.01)	20,200	-	PDJ-W4	0.82	0.02	406	-
TP1P24C1901A	-	-	-	-	WHA24P1908A	0.41	(0.02)	845	-	RICHY-W1	0.12	0.02	44,129	-
TP1P28C1906A	-	-	-	-	WHA27C1903A	0.42	0.01	3,000	-	RICHY-W2	0.13	(0.01)	24,431	-
TRUE01C1902A	0.09	-	117,156	-	WHA27P1905A	0.31	(0.01)	4,500	-	RS-W3	6.10	(0.05)	16,895	6.00
TRUE01C1902B	0.01	-	2,141	-	WHA28C1903A	0.12	0.01	4,097	-	S-W1	0.03	0.01	4,338	-
TRUE01C1905A	0.14	-	69,613	-	WHA28C1906A	0.37	(0.01)	41,029	-	SAMART-W2	0.62	(0.01)	55,441	-
TRUE01C1905B	0.08	-	55,058	-	WHA41C1907A	-	-	-	-	SAWAD-W1	8.15	0.50	10,910	8.00
TRUE01C1907A	0.90	0.02	49,264	-	WHAU13C1902A	-	-	-	-					
TRUE01C1907B	0.79	0.03	80,831	-	WHAU13C1905A	0.26	-	7,932	-					
TRUE01P1902A	0.55	(0.04)	36,358	-	WHAU19C1902A	0.07	-	644	-					
TRUE01P1902B	0.24	(0.04)	100,061	-	WHAU19C1907A	0.33	(0.67)	1,900	-					
TRUE01P1905A	0.59	(0.03)	56,076	-	WHAU24C1902A	-	-	-	-					
TRUE01P1907A	0.72	(0.04)	30,850	-	WHAU27C1905A	-	-	-	-					
TRUE01P1907B	0.49	(0.04)	52,881	-	WORK01C1904A	-	-	-	-					

Main Board Quotation

Issue Date :

Monday February 04, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE06C1906A	0.05	0.01	4,000	-	WORK01C1904B	0.03	-	2	-
TRUE07C1902A	-	-	-	-	WORK08C1901A	-	-	-	-
TRUE08C1902A	0.01	-	2,000	-	WORK08C1906A	0.70	0.06	22,963	-
TRUE08P1902A	0.09	(0.02)	22,993	-	WORK11C1903A	0.02	0.01	193	-
TRUE11C1905A	0.07	-	1	-	WORK13C1902A	-	-	-	-
TRUE11C1911A	0.82	(0.18)	10,700	-	WORK13C1903A	0.02	-	200	-
TRUE13C1905A	0.09	0.01	14,224	-	WORK13C1905A	0.67	0.06	32,597	-
TRUE13C1906A	0.78	0.07	162	-	WORK19C1902A	-	-	-	-
TRUE13C1907A	0.21	(0.79)	146,385	-	WORK19C1905A	0.12	0.01	2,073	-
TRUE16C1912A	0.34	0.02	1	-	WORK19C1906A	0.76	0.05	5,042	-
TRUE19C1901A	-	-	-	-	WORK24C1903A	-	-	-	-
TRUE19C1903A	0.12	0.01	36,456	-	WORK24C1907A	0.12	-	1	-

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------