

# Asia Plus Securities Company Limited Daily Quotation Report

Thursday March 07, 2019

## NOTE :

1. This is a preliminary quotation, not an official one
2. Volumes are presented in board lot (100 shares)
3. Trading values are in thousand (1,000) baht
4. Fundamental statistics are estimated values
5. Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
PTT	47.75	2,187,163	0.5%
CPALL	77.50	1,386,388	1.3%
PTTGC	69.25	1,252,408	1.1%
KBANK	192.00	1,188,585	1.3%
SCB	131.00	1,014,018	-0.4%
INTUCH	55.25	994,749	-0.5%
BJC	50.75	961,944	4.1%
BEM	9.95	960,320	-0.5%
CPF	25.75	891,917	0.0%
PTTEP	122.50	858,866	0.8%

Sector Ranking	
Sector	%Value
AGRI	54.7413
AUTO	1.5374
BANK	0.4840
COMM	0.1006
CONMAT	11.6390
CONS	12.2346
ENERG	2.7557
ETRON	1.3667
FASHION	18.9243
FIN	0.9381
FOOD	0.0089
HEALTH	2.6135
HOME	5.2042
ICT	3.3246
IMM	0.0256
INSUR	6.9109
MEDIA	0.0779
MINE	0.2044
PAPER	2.1713
PERSON	0.0016
PETRO	0.0123
PFUND	0.0995
PKG	5.4223
PROF	0.5589
PROP	0.0819
STEEL	0.0500
TOURISM	5.1784
TRANS	0.0599

Top Ten Gainers			
Stock	Last	Value '000	%Change
BJC06C1903A	0.02	2	100.0%
BWG-W4	0.02	62	100.0%
COM706C1903A	0.02	17	100.0%
CPF06C1903A	0.02	0	100.0%
DIGI-W2	0.02	0	100.0%
ORI08C1904A	0.02	0	100.0%
S5006P1903D	0.02	1	100.0%
SMT-W1	0.02	0	100.0%
TKN13C1904A	0.02	75	100.0%
BJC23C1905A	0.22	1,145	46.7%

Top Ten Losers			
Stock	Last	Value '000	%Change
KBAN28C1904A	0.01	1	-90.0%
CK41C1907A	0.18	36	-82.0%
TASC41C1909A	0.19	38	-81.0%
GPSC13C1903A	0.01	11	-80.0%
INTU41C1908A	0.25	413	-75.0%
BEM41P1907A	0.26	213	-74.0%
PTT41P1908A	0.29	0	-71.0%
TKN41C1908A	0.29	1,331	-71.0%
COM741C1908A	0.32	128	-68.0%
PTT28P1903A	0.01	0	-66.7%

## Movements in SET and Sectorial Indices

	Open	High	Low	Close	Change	%Change
<b>SET Index</b>	1,624.76	1,635.77	1,623.32	1,633.21	7.70	0.47
<b>SET 50</b>	1,078.38	1,087.60	1,077.19	1,084.58	5.93	0.55
<b>SET 100</b>	2,378.83	2,397.82	2,375.83	2,392.53	13.36	0.56
<b>SETHD</b>	1,222.89	1,231.29	1,219.72	1,227.82	4.36	0.36
<b>sSET</b>	778.77	781.17	777.65	781.13	2.18	0.28
<b>MAI</b>	369.86	372.31	369.81	371.25	0.12	0.03
AGRI	186.39	187.67	185.68	186.99	0.73	0.39
AUTO	493.90	495.14	491.94	495.00	2.46	0.50
BANK	516.91	522.97	516.51	520.16	2.79	0.54
COMM	41,545.75	42,065.82	41,516.10	42,059.54	625.60	1.51
CONMAT	11,406.64	11,468.65	11,359.75	11,423.51	54.99	0.48
CONS	88.00	89.04	87.91	88.89	1.01	1.15
ENERG	24,251.76	24,433.13	24,196.09	24,337.37	80.86	0.33
ETRON	1,539.01	1,548.99	1,534.44	1,542.95	4.77	0.31
FASHION	708.69	710.32	705.91	706.36	(4.43)	(0.62)
FIN	3,444.41	3,492.96	3,442.44	3,484.91	35.48	1.03
FOOD	11,765.25	11,839.52	11,649.63	11,839.15	73.31	0.62
HEALTH	5,434.40	5,472.39	5,413.23	5,461.86	16.82	0.31
HOME	28.75	28.89	28.75	28.77	0.02	0.07
ICT	150.21	151.56	149.72	150.95	0.38	0.25
IMM	48.22	48.39	48.06	48.25	0.15	0.31
INSUR	11,603.83	11,687.22	11,603.68	11,679.71	(32.19)	(0.27)
MEDIA	50.73	51.67	50.73	51.64	0.82	1.61
MINE	10.14	10.22	10.14	10.22	0.08	0.79
PAPER	2,925.66	2,981.92	2,925.66	2,953.79	28.13	0.96
PERSON	276.30	278.19	272.71	275.51	-	-
PETRO	1,218.30	1,233.61	1,217.00	1,228.49	4.41	0.36
PFUND	155.91	157.00	154.83	208.96	(0.24)	(0.11)
PKG	3,416.10	3,446.58	3,411.08	3,446.58	21.42	0.63
PROF	157.20	158.43	155.96	157.78	0.85	0.54
PROP	288.02	289.94	287.00	289.40	0.38	0.13
STEEL	30.24	30.33	29.97	30.05	(0.11)	(0.36)
TOURISM	694.13	704.92	694.04	699.47	5.82	0.84
TRANS	381.60	384.63	380.26	383.06	0.12	0.03

Volume by Board (Lot)	
Main Board	12,829,369,638
Foreign Board	29
<b>Total</b>	<b>12,829,369,667</b>

Value by Board (Mn.Bt.)	
Main Board	38,580.19
Foreign Board	42.87
<b>Total</b>	<b>38,623.06</b>

Gainers and Losers	
Gainers	690
Losers	591
Unchanged	505

Fundamental Figures	
Price/Earnings	14.06
Price/Book Value	2.07
Dividend Yield	3.60

ASP's Daily Quotation Report

Thursday March 07, 2019



## Main Board Quotation

Issue Date

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
KTECH	1.16	141150	-	-	-	-	-	-	-	-	-	0
POMPUI	2.16	130948	-	-	-	-	-	-	-	-	-	0
SAFARI	2.40	160550	-	-	-	-	-	-	-	-	-	0
VI	1.84	60548	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	60548	-	-	-	-	-	-	-	-	-	0
WR	4.00	170647	-	-	-	-	-	-	-	-	-	0
Agribusiness												
CHOTI	130.00	40362	-	-	-	-	127.00	130.00	-	-	-	0
EE	0.59	60362	-	0.60	0.59	0.60	0.59	0.60	0.01	267	16	0.6
GFPT	13.80	60362	13.90	14.20	13.80	14.20	14.10	14.20	0.40	11,811	16,649	14.1
LEE	2.54	60362	2.56	2.58	2.54	2.56	2.54	2.56	0.02	1,648	421	2.55
NER	2.46	60362	2.48	2.48	2.44	2.48	2.46	2.48	0.02	87,720	21,642	2.47
PPPM	2.52	60362	2.52	2.52	2.48	2.50	2.48	2.50	(0.02)	5,452	1,360	2.5
STA	12.90	60362	13.00	13.20	12.70	12.80	12.80	12.90	(0.10)	112,738	145,154	12.88
TRUBB	1.55	60362	1.53	1.55	1.52	1.55	1.53	1.55	-	2,246	345	1.54
TWPC	8.20	60362	8.20	8.25	8.15	8.25	8.20	8.25	0.05	243	199	8.2
UPOIC	4.64	60362	-	4.64	4.52	4.54	4.52	4.58	(0.10)	225	103	4.58
UVAN	5.75	60362	5.60	5.60	5.55	5.55	5.55	5.60	(0.20)	1,437	801	5.58
VPO	0.56	60362	0.57	0.57	0.56	0.57	0.56	0.57	0.01	4,495	252	0.56
Banking												
BAY	37.75	60362	38.00	38.25	37.75	37.75	37.75	38.25	-	536	2,031	37.88
BBL	206.00	60362	205.00	209.00	205.00	207.00	207.00	208.00	1.00	28,781	596,131	207.13
CIMBT	0.77	60362	0.77	0.77	0.76	0.77	0.76	0.77	-	1,053	81	0.77
KBANK	189.50	60362	189.50	192.00	189.00	192.00	191.50	192.00	2.50	62,362	1,188,585	190.59
KKP	69.75	60362	69.75	70.50	69.50	70.25	70.00	70.25	0.50	20,830	145,891	70.04
KTB	18.90	60362	18.90	19.20	18.90	19.10	19.10	19.20	0.20	260,804	496,757	19.05
LHFG	1.46	60362	1.47	1.47	1.45	1.46	1.46	1.47	-	14,557	2,126	1.46
SCB	131.50	60362	131.50	132.50	130.50	131.00	131.00	131.50	(0.50)	77,116	1,014,018	131.49
TCAP	55.50	60362	55.50	55.75	55.25	55.75	55.50	55.75	0.25	16,202	90,011	55.56
TISCO	87.00	60362	87.00	88.50	87.00	88.50	88.25	88.50	1.50	36,623	322,392	88.03
TMB	2.22	60362	2.22	2.26	2.22	2.24	2.22	2.24	0.02	1,008,893	225,880	2.24
Construction Materials												
CCP	0.37	60362	0.37	0.38	0.36	0.38	0.36	0.38	0.01	19,310	716	0.37
COTTO	2.10	60362	2.08	2.12	2.08	2.12	2.10	2.12	0.02	1,100	231	2.1
DCC	2.08	60362	2.08	2.10	2.04	2.06	2.04	2.06	(0.02)	64,714	13,331	2.06
DCON	0.51	60362	0.51	0.51	0.50	0.51	0.50	0.51	-	926	47	0.5
DRT	5.70	60362	5.70	5.70	5.60	5.70	5.65	5.70	-	2,790	1,577	5.65
EPG	6.85	60362	6.85	6.95	6.80	6.90	6.90	6.95	0.05	34,373	23,565	6.86
GEL	0.28	60362	0.28	0.28	0.27	0.28	0.27	0.28	-	12,606	352	0.28
PPP	2.82	60362	2.80	2.80	2.80	2.80	2.78	2.80	(0.02)	10	3	2.8
Q-CON	5.00	60362	-	5.05	4.98	5.05	5.05	5.10	0.05	76	38	5.04
RCI	3.96	60362	-	3.98	3.94	3.94	3.94	3.96	(0.02)	8,420	3,342	3.97
SCC	466.00	60362	466.00	470.00	466.00	468.00	468.00	470.00	2.00	15,173	710,252	468.1
SCCC	221.00	60362	221.00	224.00	221.00	224.00	223.00	224.00	3.00	663	14,771	222.78
SCP	8.35	60362	7.65	7.85	7.65	7.80	7.80	7.85	(0.55)	7,094	5,502	7.76
SKN	3.20	60362	3.20	3.26	3.20	3.20	3.20	3.22	-	8,844	2,842	3.21
TASCO	16.40	60362	16.50	16.70	16.30	16.70	16.50	16.70	0.30	92,585	153,114	16.54
TCMC	2.94	60362	2.98	3.00	2.88	2.90	2.90	2.92	(0.04)	80,437	23,585	2.93
TOA	34.00	60362	34.00	35.00	33.75	34.00	34.00	34.25	-	23,952	82,131	34.29
TIPL	2.04	60362	2.04	2.06	2.00	2.06	2.04	2.06	0.02	118,855	24,175	2.03
UMI	1.19	60362	-	1.21	1.19	1.20	1.20	1.21	0.01	1,081	129	1.19
VNG	5.55	60362	5.50	5.55	5.50	5.50	5.50	5.55	(0.05)	409	226	5.52
WIIK	1.96	60362	-	1.96	1.94	1.96	1.94	1.96	-	1,875	365	1.95
Petrochemicals & Chemicals												
BCT	44.00	60362	44.25	44.25	43.75	44.25	44.00	44.25	0.25	634	2,790	44
CMAN	2.76	60362	2.78	2.90	2.76	2.90	2.88	2.90	0.14	12,120	3,455	2.85
GC	5.25	60362	5.30	5.30	5.25	5.30	5.25	5.30	0.05	177	93	5.27
GGC	10.20	60362	10.30	10.40	10.30	10.30	10.30	10.40	0.10	6,411	6,624	10.33
GIFT	3.80	60362	-	3.80	3.80	3.80	3.80	3.82	-	120	46	3.8
IVL	49.25	60362	49.00	49.50	48.75	49.25	49.25	49.50	-	162,949	800,660	49.14
NFC	6.05	60362	-	5.90	5.90	5.90	5.95	6.20	(0.15)	25	15	5.9
PATO	13.90	60362	13.80	13.90	13.80	13.80	13.70	13.80	(0.10)	538	743	13.81
PMTA	10.30	60362	10.20	10.60	10.20	10.40	10.40	10.60	0.10	56	59	10.45
PTTGC	68.50	60362	68.25	69.50	68.25	69.25	69.00	69.25	0.75	181,633	1,252,408	68.95
SUTHA	3.90	60362	3.88	3.90	3.88	3.90	3.90	3.92	-	1,831	713	3.9
TCCC	31.25	60362	29.75	30.00	29.25	29.75	29.50	30.00	(1.50)	459	1,356	29.54
TPA	6.75	60362	-	6.85	6.60	6.85	6.50	6.80	0.10	33	22	6.68
UP	20.80	60362	-	20.80	20.80	20.80	20.70	22.90	-	94	196	20.8
VNT	24.00	60362	24.00	24.20	23.80	23.80	23.80	23.90	(0.20)	10,368	24,778	23.9
WG	167.00	70262	-	-	-	-	154.00	169.50	-	-	-	0
YCI	13.20	70557	-	-	-	-	-	-	-	-	-	0
Commerce												
BEAUTY	6.65	60362	6.70	6.90	6.65	6.90	6.90	6.95	0.25	736,943	500,759	6.8
BIG	1.26	60362	1.26	1.27	1.26	1.26	1.26	1.27	-	15,500	1,953	1.26
BJC	48.75	60362	49.75	51.00	49.50	50.75	50.75	51.00	2.00	191,686	961,944	50.18
COL	23.50	60362	23.30	23.70	23.30	23.70	23.60	23.70	0.20	197	462	23.47
COM7	18.20	60362	18.20	19.00	18.20	18.60	18.50	18.60	0.40	97,994	182,610	18.63
CPALL	76.50	60362	76.50	77.50	76.50	77.50	77.25	77.50	1.00	180,033	1,386,388	77.01
CSS	1.98	60362	1.99	2.00	1.98	2.00	1.99	2.00	0.02	6,030	1,201	1.99
FN	1.89	60362	1.89	1.93	1.85	1.91	1.90	1.91	0.02	327,839	62,163	1.9
FTE	2.24	60362	2.28	2.28	2.26	2.28	2.26	2.28	0.04	829	189	2.28
GLOBAL	18.30	60362	17.40	17.70	17.30	17.60	17.50	17.60	(0.70)	138,567	242,680	17.51
HMPRO	15.20	60362	15.20	15.30	15.10	15.20	15.20	15.30	-	116,415	177,070	15.21
IT	2.66	60362	2.68	2.68	2.66	2.66	2.66	2.68	-	250	67	2.66
KAMART	3.74	60362	3.78	3.78	3.74	3.76	3.76	3.78	0.02	4,652	1,744	3.75
LOXLEY	2.06	60362	2.08	2.14	2.06	2.10	2.10	2.12	0.04	32,757	6,885	2.1
MAKRO	37.25	60362	37.25	38.00	37.25	38.00	37.75	38.00	0.75	3,316	12,488	37.66
MC	9.85	60362	9.85	9.85	9.75	9.80	9.80	9.85	(0.05)	1,928	1,888	9.79
MEGA	31.75	60362	31.75	32.00	31.25	32.00	31.75	32.00	0.25	9,066	28,733	31.69
MIDA	0.59	60362	0.59	0.59	0.58	0.59	0.58	0.59	-	2,937	171	0.58
ROBINS	63.75	60362	63.75	64.75	63.75	64.50	64.25	64.50	0.75	18,651	120,160	64.43
RSP	3.30	60362	-	3.34	3.30	3.30	3.30	3.34	-	51	17	3.31
SINGER	5.55	60362	-	5.55	5.45	5.55	5.50	5.55	-	2,618	1,440	5.5
SPC	53.50	60362	-	53.75	52.75	53.50	52.75	53.50	-	88	469	53.33
SPI	71.00	60362	-	71.00	71.00	71.00	71.00	72.00	-	96	682	71
Information & Communication												
7UP	0.34	60362	0.34	0.34	0.32	0.34	0.33	0.34	-	46,183	1,539	0.33
ADVANC	179.00	60362	178.50	181.00	178.50	180.00	180.00	180.50	1.00	40,589	729,315	179.68
AIT	22.30	60362	22.20	22.20	21.60	21.80	21.80	21.90	(0.50)	7,023	15,348	21.85
ALT	3.20	60362	3.20	3.28	3.18	3.28	3.18	3.28	0.08	724	231	3.19
BLISS	0.04	180554	-	-	-	-	-	-	-	-	-	0
DIF	14.90	60362	14.90	15.00	14.80	14.90	14.80	14.90	-	124,474	185,495	14.9
DTAC	51.25	60362	51.25	51.75	50.75	51.50	51.50	51.75	0.25	23,484	120,517	51.32
FORTH	6.80	60362	6.65	6.80	6.65	6.75	6.70	6.75	(0.05)	421	284	6.73
HUMAN	9.80	60362	9.80	9.85	9.75	9.85	9.75	9.85	0.05	6,307		

## Main Board Quotation

Issue Date

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MSC	7.60	60362	7.60	7.60	7.50	7.60	7.55	7.60	-	3,611	2,721	7.53
PT	5.85	60362	5.85	5.85	5.80	5.80	5.80	5.85	(0.05)	1,590	928	5.84
SAMART	7.35	60362	7.45	7.70	7.40	7.70	7.65	7.70	0.35	61,554	46,619	7.57
SAMTEL	7.25	60362	7.30	7.55	7.30	7.55	7.50	7.55	0.30	9,601	7,156	7.45
SDC	0.37	60362	0.38	0.38	0.36	0.37	0.37	0.38	-	6,206	230	0.37
SIS	11.70	60362	11.60	11.70	11.60	11.60	11.50	11.60	(0.10)	1,527	1,773	11.61
SVOA	1.19	60362	1.20	1.20	1.18	1.20	1.19	1.20	0.01	6,536	773	1.18
SYMC	4.96	60362	-	5.00	4.90	5.00	4.96	5.05	0.04	34	17	4.98
SYNEX	13.80	60362	13.70	13.90	13.40	13.60	13.60	13.70	(0.20)	22,322	30,269	13.56
THCOM	7.35	60362	7.30	7.40	7.25	7.40	7.35	7.40	0.05	6,240	4,574	7.33
TRUE	4.90	60362	4.90	4.92	4.86	4.90	4.88	4.90	-	875,761	428,406	4.89
TWZ	0.09	60362	0.09	0.09	0.08	0.08	0.08	0.09	(0.01)	44,711	366	0.08
Electronic Component												
CCET	1.85	60362	1.85	1.86	1.82	1.85	1.85	1.86	-	12,863	2,361	1.84
DELTA	70.25	60362	70.25	71.00	70.25	70.50	70.50	70.75	0.25	28,105	198,278	70.55
EIC	0.05	60362	0.05	0.05	0.04	0.04	0.04	0.05	(0.01)	1,232	6	0.05
HANA	35.75	60362	35.50	35.75	35.25	35.50	35.50	35.75	(0.25)	11,780	41,816	35.5
KCE	26.00	60362	26.25	26.50	25.75	26.50	26.25	26.50	0.50	32,728	85,892	26.24
METCO	185.00	60362	-	185.00	183.00	183.00	183.00	185.00	(2.00)	14	257	183.89
SMT	2.16	60362	-	2.20	2.16	2.18	2.18	2.20	0.02	845	184	2.17
SPPT	4.46	60362	4.44	4.46	4.34	4.44	4.44	4.46	(0.02)	8,995	3,961	4.4
SVI	4.96	60362	4.96	4.98	4.90	4.94	4.94	4.96	(0.02)	53,923	26,591	4.93
TEAM	1.20	60362	1.21	1.24	1.20	1.22	1.22	1.23	0.02	24,465	2,989	1.22
Energy & Utilities												
ABPIF	6.50	60362	6.55	6.70	6.55	6.65	6.60	6.65	0.15	6,174	4,093	6.63
AI	1.52	150558	-	-	-	-	-	-	-	-	-	0
AKR	0.80	60362	0.80	0.80	0.80	0.80	0.80	0.81	-	17,467	1,397	0.8
BAFS	34.25	60362	34.25	34.50	34.25	34.50	34.25	34.50	0.25	2,451	8,453	34.49
BANPU	16.30	60362	16.30	16.30	16.10	16.20	16.20	16.30	(0.10)	114,912	186,225	16.21
BCP	32.25	60362	32.25	32.50	32.00	32.25	32.25	32.50	-	15,417	49,721	32.25
BCPG	15.80	60362	15.80	16.30	15.60	16.20	16.10	16.20	0.40	60,386	96,168	15.93
BGRIM	29.00	60362	28.75	29.00	28.50	28.75	28.75	29.00	(0.25)	32,419	93,266	28.77
BPP	22.10	60362	22.10	22.40	22.10	22.40	22.30	22.40	0.30	9,438	20,984	22.23
BRRGIF	9.95	60362	-	10.00	10.00	10.00	9.95	10.00	0.05	7	7	10
CKP	4.78	60362	4.76	4.86	4.74	4.82	4.82	4.84	0.04	178,842	85,731	4.79
DEMCO	3.02	60362	3.00	3.04	3.00	3.00	3.00	3.02	(0.02)	649	196	3.01
EA	47.00	60362	47.50	48.25	47.00	47.50	47.50	47.75	0.50	143,060	680,641	47.58
EARTH	1.46	140660	-	-	-	-	-	-	-	-	-	0
EASTW	10.90	60362	11.00	11.00	10.90	11.00	10.90	11.00	0.10	1,464	1,602	10.94
EGATIF	11.80	60362	11.80	11.90	11.60	11.80	11.70	11.80	-	56,073	65,878	11.75
EGCO	268.00	60362	267.00	270.00	267.00	267.00	267.00	268.00	(1.00)	9,372	25,109	267.92
ESSO	11.50	60362	11.50	11.50	11.10	11.40	11.30	11.40	(0.10)	159,647	180,045	11.28
GLOW	91.25	60362	91.25	91.75	90.50	91.25	91.25	91.50	-	14,015	127,811	91.2
GPSC	62.00	60362	62.00	62.00	60.25	61.25	61.25	61.50	(0.75)	21,996	134,589	61.19
GULF	88.25	60362	88.25	89.25	88.25	88.50	88.50	88.75	0.25	38,315	339,859	88.7
GUNKUL	3.04	60362	3.04	3.08	3.02	3.06	3.06	3.08	0.02	134,137	40,859	3.05
IEC	0.02	150859	-	-	-	-	-	-	-	-	-	0
IFEC	3.10	110160	-	-	-	-	-	-	-	-	-	0
IRPC	5.80	60362	5.75	5.80	5.75	5.80	5.75	5.80	-	159,969	92,375	5.77
LANNA	11.80	60362	11.70	11.90	11.70	11.80	11.80	11.90	-	1,202	1,417	11.79
MDX	4.12	60362	4.12	4.18	4.10	4.16	4.16	4.18	0.04	1,603	663	4.14
PTG	10.20	60362	10.20	10.70	10.10	10.60	10.60	10.70	0.40	504,362	529,921	10.51
PTT	47.50	60362	47.50	48.00	47.25	47.75	47.75	48.00	0.25	458,686	2,187,163	47.68
PTTEP	121.50	60362	121.50	123.00	121.50	122.50	122.50	123.00	1.00	70,264	858,866	122.23
RATCH	54.00	60362	54.00	54.75	53.75	54.25	54.00	54.25	0.25	56,944	308,901	54.25
RPC	0.50	60362	0.50	0.52	0.49	0.50	0.50	0.51	-	18,643	935	0.5
SCG	4.46	60362	4.36	4.44	4.36	4.40	4.38	4.40	(0.06)	32	14	4.39
SCI	2.28	60362	2.28	2.34	2.26	2.30	2.30	2.32	0.02	3,965	906	2.29
SCN	3.96	60362	3.96	3.96	3.90	3.94	3.92	3.94	(0.02)	23,292	9,191	3.95
SGP	9.50	60362	9.20	9.50	9.20	9.35	9.35	9.40	(0.15)	57,443	53,443	9.3
SKE	1.11	60362	1.11	1.14	1.10	1.12	1.12	1.13	0.01	28,657	3,210	1.12
SOLAR	1.99	60362	1.99	2.02	1.99	1.99	1.99	2.00	-	1,177	235	2
SPCG	19.10	60362	19.10	19.20	19.00	19.10	19.00	19.10	-	6,371	12,169	19.1
SPRC	11.00	60362	11.00	11.10	10.80	11.10	11.10	11.20	0.10	171,856	188,796	10.99
SUPER	0.59	60362	0.59	0.61	0.58	0.59	0.59	0.60	-	1,227,700	73,301	0.6
SUSCO	2.84	60362	2.86	2.88	2.86	2.86	2.86	2.88	0.02	1,957	562	2.87
TAE	2.42	60362	2.42	2.44	2.40	2.42	2.42	2.44	-	3,457	834	2.41
TCC	0.35	60362	0.36	0.37	0.35	0.36	0.35	0.36	0.01	37,238	1,337	0.36
TOP	72.25	60362	72.00	72.25	71.00	71.75	71.75	72.00	(0.50)	76,190	546,184	71.69
TPIPP	6.20	60362	6.10	6.15	6.05	6.05	6.05	6.10	(0.15)	32,386	19,669	6.07
TTW	12.60	60362	12.50	12.60	12.50	12.60	12.50	12.60	-	29,608	37,216	12.57
WHAUP	5.75	60362	5.80	5.90	5.80	5.85	5.80	5.85	0.10	13,542	7,910	5.84
WP	5.75	60362	5.80	5.85	5.75	5.75	5.70	5.75	-	6,160	3,556	5.77
Media & Publishing												
AMARIN	5.10	60362	-	5.25	5.15	5.20	5.10	5.20	0.10	180	93	5.19
AQUA	0.45	60362	0.46	0.46	0.45	0.46	0.45	0.46	0.01	11,688	529	0.45
AS	0.84	60362	0.79	0.86	0.79	0.81	0.81	0.86	(0.03)	391	31	0.8
BEC	6.60	60362	6.65	7.05	6.60	6.95	6.90	6.95	0.35	330,355	225,677	6.83
EPCO	3.20	60362	3.20	3.22	3.16	3.22	3.20	3.22	0.02	12,787	4,065	3.18
FE	210.00	50362	-	-	-	-	204.00	210.00	-	-	-	0
GPI	2.14	60362	-	2.14	2.10	2.14	2.12	2.14	-	7,517	1,585	2.11
GRAMMY	7.00	60362	7.10	7.10	7.00	7.05	7.00	7.10	0.05	189	134	7.08
MACO	1.49	60362	1.50	1.50	1.46	1.47	1.47	1.48	(0.02)	119,553	17,585	1.47
MAJOR	27.75	60362	27.75	28.50	27.75	28.25	28.00	28.25	0.50	39,231	110,158	28.08
MATCH	2.12	60362	2.10	2.10	2.10	2.10	2.10	2.12	(0.02)	10,856	2,280	2.1
MATI	5.00	50362	-	-	-	-	4.86	5.05	-	-	-	0
MCOT	10.00	60362	10.00	11.00	10.00	10.50	10.50	10.60	0.50	41,549	43,895	10.56
MONO	1.75	60362	1.75	1.80	1.75	1.78	1.77	1.78	0.03	15,944	2,831	1.78
MPIC	1.41	60362	-	1.41	1.41	1.41	1.41	1.44	-	92	13	1.41
NMG	0.20	280262	-	-	-	-	-	-	-	-	-	0
PLANB	6.05	60362	6.05	6.15	6.05	6.15	6.10	6.15	0.10	39,959	24,364	6.1
POST	2.16	60362	2.10	2.10	2.08	2.10	2.06	2.10	(0.06)	77	16	2.09
PRAKIT	12.10	60362	12.30	12.30	12.10	12.10	12.00	12.20	-	62	75	12.12
RS	18.70	60362	18.50	18.70	18.10	18.50	18.40	18.50	(0.20)	112,009	206,051	18.4
SE-ED	2.62	60362	2.60	2.62	2.58	2.62	2.60	2.62	-	104	27	2.61
SMM	2.86	60362	-	2.90	2.80	2.90	2.84	2.90	0.04	4,651	1,328	2.85
SPORT	0.18	60362	-	0.19	0.18	0.18	0.18	0.19	-	886	16	0.18
TBSP	13.80	60362	-	14.00	13.90	14.00	13.80	14.10	0.20	130	182	13.99
TH	0.71	60362	-	0.71	0.70	0.71	0.70	0.71	-	268	19	0.7
TKS	9.40	60362	9.45									

## Main Board Quotation

Issue Date

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ECL	1.70	60362	1.73	1.74	1.71	1.73	1.72	1.73	0.03	20,003	3,455	1.73
FNS	3.68	60362	-	3.68	3.68	3.68	3.66	3.70	-	17	6	3.68
FSS	1.86	60362	-	1.84	1.82	1.82	1.82	1.84	(0.04)	607	111	1.83
GBX	0.61	60362	0.61	0.62	0.59	0.59	0.58	0.59	(0.02)	40,330	2,409	0.6
GL	6.60	60362	6.60	6.70	6.55	6.65	6.65	6.70	0.05	6,363	4,223	6.64
IFS	2.98	60362	2.98	3.00	2.96	2.98	2.96	3.00	-	958	286	2.99
JMT	13.80	60362	13.70	13.90	13.60	13.70	13.70	13.80	(0.10)	20,526	28,135	13.71
KCAR	11.70	60362	-	11.80	11.60	11.80	11.70	11.80	0.10	262	306	11.69
KGI	4.80	60362	4.80	4.80	4.74	4.78	4.76	4.78	(0.02)	67,785	32,326	4.77
KTC	29.50	60362	29.50	30.25	29.50	30.25	30.00	30.25	0.75	54,078	161,923	29.94
MBKET	10.30	60362	-	10.40	10.10	10.30	10.20	10.30	-	1,980	2,012	10.16
MFC	18.40	60362	18.30	18.40	18.30	18.30	18.30	18.40	(0.10)	241	441	18.3
ML	1.06	60362	-	-	-	-	1.04	1.06	-	-	-	0
MTC	44.00	60362	44.50	45.00	44.00	44.75	44.75	45.00	0.75	57,148	254,991	44.62
PE	0.22	60362	0.24	0.24	0.22	0.22	0.22	0.23	-	1,788	39	0.22
PL	3.50	60362	3.50	3.52	3.50	3.52	3.50	3.52	0.02	466	163	3.5
S11	7.35	60362	-	7.35	7.25	7.35	7.30	7.35	-	630	460	7.3
SAWAD	47.75	60362	47.75	48.75	47.75	48.75	48.50	48.75	1.00	31,859	154,029	48.35
THANI	7.40	60362	5.75	5.95	5.65	5.75	5.75	5.80	(1.65)	385,117	222,624	5.78
TK	9.60	60362	9.60	9.70	9.60	9.70	9.60	9.70	0.10	952	915	9.61
TNITY	5.70	60362	-	5.70	5.70	5.70	5.65	5.75	-	534	304	5.7
UOBKH	3.66	60362	-	3.68	3.68	3.68	3.62	3.68	0.02	1	-	3.68
ZMICO	1.03	60362	1.04	1.06	1.04	1.05	1.04	1.05	0.02	7,804	820	1.05
Food & Beverage												
APURE	1.29	60362	1.28	1.29	1.25	1.28	1.27	1.28	(0.01)	1,245	157	1.26
ASIAN	7.75	60362	7.75	7.85	7.70	7.75	7.70	7.75	-	16,828	13,045	7.75
BR	3.98	60362	4.00	4.02	3.98	4.00	3.98	4.00	0.02	3,908	1,562	4
BRR	6.20	60362	-	6.30	6.20	6.30	6.25	6.30	0.10	422	265	6.29
CBG	57.00	60362	57.50	58.50	56.25	58.50	58.25	58.50	1.50	48,083	275,721	57.34
CFRESH	3.98	60362	4.00	4.00	3.98	4.00	3.96	4.00	0.02	923	369	4
CM	4.12	60362	-	4.16	4.12	4.12	4.12	4.14	-	5	2	4.14
CPF	25.75	60362	25.75	25.75	25.00	25.75	25.50	25.75	-	350,436	891,917	25.45
CPI	1.41	60362	1.39	1.41	1.39	1.41	1.40	1.41	-	29	4	1.41
F&D	18.60	60362	-	-	-	-	17.80	18.40	-	-	-	0
HTC	14.10	60362	14.00	14.00	13.80	14.00	13.90	14.00	(0.10)	908	1,258	13.85
ICHI	3.26	60362	3.30	3.30	3.24	3.28	3.28	3.30	0.02	3,416	1,122	3.29
KBS	4.24	60362	4.24	4.24	4.20	4.22	4.20	4.22	(0.02)	607	255	4.21
KSL	3.08	60362	3.10	3.10	3.08	3.10	3.08	3.10	0.02	1,747	541	3.1
KTIS	5.90	60362	-	5.95	5.90	5.95	5.90	5.95	0.05	12	7	5.94
LST	4.54	60362	-	4.54	4.50	4.54	4.54	4.56	-	1,024	465	4.54
M	74.50	60362	74.50	74.75	74.50	74.50	74.50	74.75	-	364	2,719	74.68
MALEE	8.95	60362	8.95	9.15	8.95	9.10	9.05	9.10	0.15	3,056	2,769	9.06
MINT	38.00	60362	38.00	38.50	37.50	38.50	38.25	38.50	0.50	60,128	229,339	38.14
OISHI	82.50	60362	-	83.00	82.50	83.00	82.50	83.25	0.50	14	116	82.68
OSP	27.25	60362	27.25	27.75	27.00	27.75	27.50	27.75	0.50	32,288	88,517	27.41
PB	60.25	60362	-	60.25	60.00	60.00	60.00	60.75	(0.25)	51	307	60.15
PM	8.60	60362	8.65	8.70	8.65	8.70	8.65	8.70	0.10	1,730	1,500	8.67
PRG	13.50	60362	-	-	-	-	13.10	13.60	-	-	-	0
SAPPE	16.60	60362	16.50	16.80	16.30	16.80	16.40	16.80	0.20	1,408	2,326	16.52
SAUCE	22.30	60362	-	22.30	22.20	22.30	22.20	22.30	-	29	64	22.24
SFP	175.00	60362	-	-	-	-	171.00	183.00	-	-	-	0
SNP	19.20	60362	-	19.30	19.20	19.20	19.20	19.30	-	9	17	19.21
SORKON	69.50	60362	-	72.00	70.75	72.00	68.75	71.75	2.50	5	36	71.5
SSC	36.00	60362	-	36.00	36.00	36.00	36.00	36.25	-	3	11	36
SSF	6.80	60362	-	-	-	-	6.60	7.80	-	-	-	0
SST	4.58	60362	4.58	4.68	4.58	4.58	4.58	4.62	-	83	38	4.58
TC	3.56	60362	3.58	3.58	3.54	3.58	3.54	3.58	0.02	231	82	3.55
TFG	3.04	60362	3.04	3.04	3.02	3.04	3.02	3.04	-	5,293	1,599	3.02
TFMAMA	157.50	60362	-	158.50	157.50	158.00	157.50	158.50	0.50	5	79	157.9
TIPCO	7.85	60362	7.85	7.85	7.70	7.80	7.75	7.80	(0.05)	745	580	7.79
TKN	10.20	60362	10.20	10.90	10.10	10.80	10.80	10.90	0.60	272,953	288,155	10.56
TU	18.70	60362	18.60	18.70	18.40	18.50	18.50	18.60	(0.20)	64,419	119,348	18.53
TVO	27.75	60362	27.75	28.00	27.75	27.75	27.75	28.00	-	8,389	23,299	27.77
ZEN	14.20	60362	14.40	14.70	14.30	14.70	14.60	14.70	0.50	39,013	56,650	14.52
Health Care Service												
AHC	17.70	60362	-	17.80	17.60	17.80	17.60	17.80	0.10	85	151	17.75
BCH	15.70	60362	15.70	15.90	15.30	15.70	15.60	15.70	-	148,204	230,916	15.58
BDMS	23.30	60362	23.30	23.50	23.10	23.40	23.40	23.50	0.10	351,977	820,979	23.32
BH	180.00	60362	179.50	182.00	179.50	181.50	181.00	181.50	1.50	6,956	125,911	181.01
CHG	1.87	60362	1.87	1.88	1.85	1.87	1.86	1.87	-	315,093	58,737	1.86
CMR	2.32	60362	-	2.34	2.30	2.34	2.30	2.34	0.02	950	219	2.31
EKH	5.40	60362	5.40	5.45	5.40	5.40	5.40	5.45	-	1,477	798	5.4
KDH	96.00	60362	-	-	-	-	96.00	100.00	-	-	-	0
LPH	5.40	60362	5.40	5.45	5.40	5.45	5.40	5.45	0.05	1,394	753	5.41
M-CHAI	183.50	60362	-	-	-	-	181.50	190.00	-	-	-	0
NEW	53.25	220162	-	-	-	-	53.50	60.00	-	-	-	0
NTV	55.75	60362	56.00	56.00	55.25	55.25	55.00	55.75	(0.50)	250	1,390	55.59
PR9	10.90	60362	10.90	11.00	10.80	11.00	11.00	11.10	0.10	2,403	2,631	10.95
PRINC	4.86	60362	4.84	4.86	4.80	4.82	4.82	4.84	(0.04)	3,095	1,498	4.84
RAM	3,150.00	40362	-	-	-	-	2,932.00	3,480.00	-	-	-	0
RJH	21.60	60362	21.60	21.60	21.50	21.60	21.50	21.60	-	584	1,260	21.58
RPH	4.80	60362	4.80	4.82	4.78	4.80	4.78	4.80	-	2,163	1,034	4.78
SKR	4.08	60362	4.10	4.10	4.06	4.08	4.06	4.08	-	789	321	4.07
SVH	440.00	60362	432.00	432.00	430.00	432.00	430.00	432.00	(8.00)	16	691	431.63
THG	31.75	60362	31.50	31.75	31.25	31.75	31.50	31.75	-	6,774	21,365	31.54
VIBHA	1.88	60362	1.88	1.93	1.87	1.92	1.92	1.93	0.04	37,057	7,014	1.89
VIH	6.35	60362	6.35	6.40	6.30	6.35	6.30	6.35	-	2,357	1,499	6.36
WPH	2.58	60362	2.56	2.58	2.54	2.56	2.56	2.58	(0.02)	1,102	281	2.55
Tourism & Leisure												
ASIA	7.55	60362	-	7.65	7.50	7.60	7.60	7.70	0.05	907	685	7.55
CENTEL	44.50	60362	44.50	45.75	44.50	45.00	45.00	45.25	0.50	17,048	76,889	45.1
CSR	85.00	180162	-	-	-	-	64.25	90.00	-	-	-	0
DTC	10.30	60362	-	10.40	10.20	10.30	10.30	10.40	-	414	427	10.31
ERW	7.25	60362	7.30	7.40	7.25	7.35	7.35	7.40	0.10	19,371	14,170	7.31
GRAND	0.95	60362	0.94	0.96	0.94	0.95	0.95	0.96	-	12,049	1,144	0.95
LRH	60.75	60362	-	61.50	60.50	61.00	61.00	61.50	0.25	78	475	60.95
MANRIN	32.50	60362	-	-	-	-	29.00	33.00	-	-	-	0
OHTL	470.00	60362	-	470.00	470.00	470.00	464.00	480.00	-	1	47	470
ROH	48.00	60362	-	49.00	49.00	49.00	48.75	49.00	1.00	1	5	49
SHANG	85.00	60362	-	-	-	-	83.25	85.00	-	-	-	0
Home & Office Prod												
ACC	0.54	60362	0.54	0.56	0.54	0.55	0.55	0.56	0.01	54,230	2,994	0.55
AJA	0.21	60362	0.21	0.22	0.21	0.21	0.21	0.22	-	13,836	291	0.21
DTCI	29.50	40362										

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BKI	331.00	60362	326.00	328.00	325.00	<b>327.00</b>	326.00	328.00	(4.00)	72	2,350	326.38
BLA	28.25	60362	28.00	28.50	28.00	<b>28.25</b>	28.00	28.25	-	3,251	9,178	28.23
BUI	20.20	150558	-	-	-	-	-	-	-	-	-	0
CHARAN	32.00	60362	-	-	-	-	32.25	33.00	-	-	-	0
INSURE	46.75	10362	-	-	-	-	35.25	54.00	-	-	-	0
MTI	92.00	60362	91.75	94.75	91.75	<b>94.75</b>	92.25	95.00	2.75	76	707	93.09
NKI	64.00	50362	-	-	-	-	57.00	62.25	-	-	-	0
NSI	78.00	60362	-	-	-	-	77.25	78.25	-	-	-	0
SMK	40.00	60362	38.00	38.25	37.75	<b>38.00</b>	37.75	38.00	(2.00)	226	860	38.05
THRE	0.82	60362	0.81	0.82	0.81	<b>0.82</b>	0.81	0.82	-	16,317	1,322	0.81
THREL	6.00	60362	5.95	6.00	5.90	<b>5.95</b>	5.90	5.95	(0.05)	10,536	6,275	5.96
TIC	48.50	60362	48.50	48.50	47.25	<b>48.50</b>	48.00	48.50	-	55	265	48.24
TIP	23.60	60362	23.60	23.70	23.60	<b>23.60</b>	23.60	23.70	-	2,529	5,978	23.64
TQM	27.25	60362	27.50	28.75	27.00	<b>28.75</b>	28.50	28.75	1.50	18,104	50,380	27.83
TSI	0.71	60362	0.70	0.71	0.70	<b>0.70</b>	0.69	0.70	(0.01)	5,520	386	0.7
TVI	3.78	60362	3.76	3.78	3.76	<b>3.78</b>	3.76	3.78	-	1,895	714	3.77
Mining												
PDI	12.20	60362	12.20	12.30	12.20	<b>12.30</b>	12.20	12.30	0.10	513	627	12.23
THL	0.46	70255	-	-	-	-	-	-	-	-	-	0
Packaging												
AJ	7.70	60362	7.70	7.95	7.50	<b>7.95</b>	7.95	8.00	0.25	2,152	1,688	7.84
ALUCON	178.50	60362	178.50	178.50	178.50	<b>178.50</b>	178.50	179.00	-	31	553	178.5
BGC	12.10	60362	12.10	12.30	12.00	<b>12.30</b>	12.30	12.40	0.20	13,718	16,698	12.17
CSC	45.25	60362	43.00	44.50	43.00	<b>43.75</b>	43.75	44.50	(1.50)	39	171	43.79
NEP	0.30	60362	-	0.31	0.29	<b>0.31</b>	0.30	0.31	0.01	27,305	831	0.3
NPPG	1.14	60362	1.14	1.17	1.13	<b>1.15</b>	1.14	1.15	0.01	62,581	7,144	1.14
PTL	15.80	60362	15.70	15.80	15.60	<b>15.70</b>	15.70	15.80	(0.10)	1,020	1,599	15.68
SITHAI	1.19	60362	1.19	1.21	1.19	<b>1.21</b>	1.19	1.21	0.02	3,963	472	1.19
SLP	0.87	60362	0.86	0.88	0.86	<b>0.88</b>	0.86	0.88	0.01	1,422	122	0.86
SMPC	11.20	60362	11.30	11.30	11.20	<b>11.30</b>	11.20	11.30	0.10	217	245	11.28
SPACK	1.85	60362	-	1.91	1.86	<b>1.90</b>	1.85	1.90	0.05	161	31	1.9
TCOAT	30.25	280262	-	-	-	-	28.75	32.50	-	-	-	0
TFI	0.27	60362	-	0.31	0.25	<b>0.31</b>	0.26	0.30	0.04	808	22	0.27
THIP	21.90	60362	22.00	22.20	21.90	<b>22.10</b>	22.10	22.20	0.20	382	841	22.01
TMD	23.00	60362	23.00	23.00	22.80	<b>22.90</b>	22.70	22.90	(0.10)	516	1,181	22.9
TOPP	189.00	270262	-	-	-	-	189.00	208.00	-	-	-	0
TPBI	5.35	60362	-	5.45	5.30	<b>5.45</b>	5.35	5.45	0.10	71	38	5.37
TPP	17.00	110262	-	-	-	-	15.10	19.70	-	-	-	0
Personal Products &												
APCO	4.08	60362	4.14	4.18	4.08	<b>4.14</b>	4.12	4.14	0.06	489	202	4.13
DDD	29.00	60362	29.00	29.50	28.00	<b>29.00</b>	28.75	29.00	-	12,771	36,586	28.65
JCT	90.00	60362	-	90.50	90.00	<b>90.00</b>	88.25	90.00	-	2	18	90.25
OCC	17.00	60362	-	16.90	16.90	<b>16.90</b>	16.80	17.10	(0.10)	6	10	16.9
S & J	24.50	60362	-	-	-	-	24.10	24.40	-	-	-	0
STHAI	0.91	10356	-	-	-	-	-	-	-	-	-	0
TNR	10.80	60362	10.90	11.10	10.70	<b>10.70</b>	10.70	10.80	(0.10)	1,467	1,597	10.88
TOG	4.90	60362	-	4.92	4.90	<b>4.90</b>	4.90	4.92	-	59	29	4.92
Professional Service												
BWG	1.12	60362	1.12	1.13	1.11	<b>1.13</b>	1.12	1.13	0.01	130,753	14,623	1.12
GENCO	0.78	60362	0.79	0.81	0.78	<b>0.79</b>	0.79	0.80	0.01	48,747	3,843	0.79
PRO	0.20	150555	-	-	-	-	-	-	-	-	-	0
TEAMG	2.10	60362	2.10	2.12	2.08	<b>2.08</b>	2.08	2.10	(0.02)	4,033	846	2.1
Property Developme												
A	6.40	60362	-	6.40	6.35	<b>6.40</b>	6.40	6.45	-	116	74	6.38
AMATA	20.90	60362	20.80	21.30	20.80	<b>21.30</b>	21.20	21.30	0.40	85,207	179,271	21.04
AMATAV	4.84	60362	4.84	5.00	4.84	<b>4.94</b>	4.94	4.96	0.10	885	438	4.95
ANAN	3.48	60362	3.46	3.50	3.42	<b>3.48</b>	3.48	3.50	-	46,306	16,032	3.46
AP	7.05	60362	7.00	7.05	6.95	<b>7.00</b>	7.00	7.05	(0.05)	41,397	28,956	6.99
APEX	0.20	60362	-	0.20	0.19	<b>0.20</b>	0.19	0.20	-	4,629	93	0.2
AQ	0.03	60362	0.03	0.03	0.02	<b>0.03</b>	0.02	0.03	-	59,680	179	0.03
BLAND	1.58	60362	1.58	1.60	1.57	<b>1.60</b>	1.59	1.60	0.02	112,180	17,735	1.58
BROCK	2.00	60362	2.00	2.00	1.99	<b>2.00</b>	1.99	2.00	-	303	60	1.99
CGD	1.20	60362	-	1.23	1.19	<b>1.20</b>	1.19	1.20	-	8,137	974	1.2
CI	1.28	60362	-	1.28	1.28	<b>1.28</b>	1.28	1.29	-	11	1	1.28
CPN	73.25	60362	73.00	74.25	73.00	<b>74.00</b>	73.75	74.00	0.75	105,499	776,737	73.63
ESTAR	0.57	60362	0.57	0.57	0.56	<b>0.56</b>	0.56	0.57	(0.01)	27,158	1,523	0.56
EVER	0.49	60362	0.51	0.51	0.49	<b>0.51</b>	0.50	0.51	0.02	48,827	2,447	0.5
FPT	17.90	60362	18.00	18.00	17.40	<b>17.60</b>	17.60	17.70	(0.30)	1,581	2,780	17.58
GLAND	2.62	60362	-	2.62	2.62	<b>2.62</b>	2.62	2.64	-	569	149	2.62
GOLD	8.30	60362	8.35	8.35	8.30	<b>8.30</b>	8.30	8.35	-	38,496	31,961	8.3
GREEN	1.09	60362	1.09	1.12	1.09	<b>1.11</b>	1.09	1.11	0.02	1,044	114	1.09
J	1.32	60362	-	1.32	1.31	<b>1.32</b>	1.29	1.32	-	365	48	1.31
JCK	1.66	60362	-	1.71	1.65	<b>1.68</b>	1.67	1.68	0.02	27,917	4,686	1.68
KC	1.00	301259	-	-	-	-	-	-	-	-	-	0
KWG	1.80	60362	-	-	-	-	1.76	1.82	-	-	-	0
LALIN	4.74	60362	4.74	4.74	4.72	<b>4.74</b>	4.72	4.74	-	1,509	714	4.73
LH	10.60	60362	10.50	10.60	10.40	<b>10.60</b>	10.50	10.60	-	232,646	244,749	10.52
LPN	6.90	60362	6.90	7.00	6.90	<b>6.95</b>	6.95	7.00	0.05	36,677	25,494	6.95
MBK	20.40	60362	20.50	20.70	20.10	<b>20.40</b>	20.40	20.50	-	37,954	77,257	20.36
MJD	3.30	60362	-	3.46	3.26	<b>3.26</b>	3.26	3.30	(0.04)	751	247	3.29
MK	3.74	60362	-	3.76	3.74	<b>3.76</b>	3.76	3.78	0.02	2,728	1,021	3.74
NCH	0.94	60362	0.95	0.95	0.94	<b>0.95</b>	0.94	0.95	0.01	2,038	192	0.94
NNCL	1.78	60362	-	1.80	1.78	<b>1.79</b>	1.79	1.80	0.01	5,662	1,014	1.79
NOBLE	22.60	60362	15.30	15.40	14.60	<b>14.70</b>	14.70	14.80	(7.90)	22,452	33,524	14.93
NUSA	0.43	60362	0.43	0.43	0.40	<b>0.41</b>	0.40	0.41	(0.02)	192,233	7,921	0.41
NVD	3.64	60362	3.62	3.62	3.58	<b>3.62</b>	3.60	3.62	(0.02)	3,914	1,412	3.61
ORI	7.25	60362	7.30	7.30	7.10	<b>7.25</b>	7.25	7.30	-	39,334	28,357	7.21
PACE	0.31	60362	0.31	0.31	0.30	<b>0.31</b>	0.30	0.31	-	10,385	314	0.3
PF	0.80	60362	0.80	0.80	0.78	<b>0.79</b>	0.79	0.80	(0.01)	138,093	10,919	0.79
PLAT	6.75	60362	6.75	6.75	6.70	<b>6.70</b>	6.70	6.75	(0.05)	7,413	4,985	6.72
POLAR	0.15	280260	-	-	-	-	-	-	-	-	-	0
PRECHA	1.61	60362	-	1.65	1.60	<b>1.60</b>	1.60	1.64	(0.01)	491	79	1.61
PRIN	1.60	60362	-	1.61	1.60	<b>1.61</b>	1.60	1.61	0.01	1,200	193	1.61
PSH	19.00	60362	19.10	19.20	19.00	<b>19.10</b>	19.10	19.20	0.10	16,527	31,570	19.1
QH	3.02	60362	3.02	3.06	3.02	<b>3.04</b>	3.04	3.06	0.02	386,482	117,492	3.04
RICHY	1.61	60362	1.63	1.64	1.62	<b>1.64</b>	1.62	1.64	0.03	9,343	1,524	1.63
RML	1.25	60362	1.26	1.28	1.26	<b>1.27</b>	1.27	1.28	0.02	12,470	1,589	1.27
ROJNA	5.00	60362	5.05	5.10	5.00	<b>5.05</b>	5.05	5.10	0.05	4,267	2,155	5.05
S	3.32	60362	3.32	3.32	3.28	<b>3.28</b>	3.28	3.30	(0.04)	37,747	12,438	3.3
SAMCO	1.70	60362	-	1.70	1.69	<b>1.70</b>	1.69	1.70	-	1,291	219	1.7
SC	3.02	60362	3.02	3.10	3.00	<b>3.02</b>	3.00	3.02	-	45,236	13,735	3.04
SENA	3.54	60362	3.56	3.56	3.54	<b>3.54</b>	3.52	3.54	-	13,912	4,944	3.55
SF	7.85	60362	7.80	7.85	7.80	<						

## Main Board Quotation

Issue Date **Thursday March 07, 2019**

Sector/ Securities	Previous Price	Date	Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
CPH	6.50	60362	6.05	6.20	6.05	6.20	6.20	6.50	(0.30)	23	14	6.08
CPL	2.36	60362	2.16	2.36	2.10	2.34	2.16	2.28	(0.02)	3,017	655	2.17
DIGI	0.38	60362	-	0.37	0.37	0.37	0.37	0.38	(0.01)	3,606	133	0.37
ICC	41.00	60362	-	40.25	40.00	40.00	39.75	41.00	(1.00)	140	560	40.02
LTX	95.00	60362	-	95.00	95.00	95.00	93.50	95.50	-	21	200	95
NC	15.60	50362	-	-	-	-	15.20	15.60	-	-	-	0
PAF	1.02	60362	1.03	1.03	1.01	1.02	1.01	1.02	-	6,713	682	1.02
PDJ	2.16	60362	2.14	2.18	2.14	2.16	2.14	2.16	-	1,836	398	2.17
PG	5.85	60362	-	-	-	-	5.80	6.20	-	-	-	0
SABINA	26.75	60362	26.00	27.00	26.00	26.50	26.50	26.75	(0.25)	127	332	26.18
SAWANG	13.10	50362	-	-	-	-	11.30	12.90	-	-	-	0
SUC	47.25	60362	-	47.25	47.00	47.25	47.25	47.75	-	33	156	47.23
TNL	19.00	10362	-	-	-	-	18.30	19.50	-	-	-	0
TPCORP	14.10	60362	-	14.20	14.20	14.20	13.90	14.30	0.10	1	1	14.2
TR	39.50	60362	39.50	39.75	39.50	39.50	39.50	39.75	-	73	289	39.61
TTI	26.50	60362	-	-	-	-	27.00	28.25	-	-	-	0
TTL	106.00	220359	-	-	-	-	-	-	-	-	-	0
TTTM	187.00	60362	-	-	-	-	167.50	187.50	-	-	-	0
UPF	56.25	40362	-	-	-	-	58.00	67.25	-	-	-	0
UT	14.70	260262	-	14.40	14.40	14.40	14.00	14.40	(0.30)	1	1	14.4
WACOAL	45.00	50362	-	-	-	-	45.25	46.25	-	-	-	0
Transportation & Log												
AAV	4.24	60362	4.24	4.26	4.22	4.26	4.24	4.26	0.02	85,264	36,162	4.24
AOT	67.75	60362	67.50	68.00	67.25	67.75	67.50	67.75	-	120,724	816,506	67.63
ASIMAR	2.14	60362	2.14	2.20	2.14	2.18	2.16	2.18	0.04	140	30	2.17
B	0.47	60362	-	0.48	0.45	0.45	0.45	0.47	(0.02)	4,968	229	0.46
BA	12.00	60362	12.00	12.20	11.90	12.20	12.10	12.20	0.20	2,852	3,429	12.02
BEM	10.00	60362	10.00	10.10	9.85	9.95	9.95	10.00	(0.05)	964,879	960,320	9.95
BTS	10.20	60362	10.10	10.50	10.10	10.30	10.30	10.40	0.10	443,691	457,015	10.3
BTSIGIF	12.00	60362	11.90	12.00	11.90	12.00	11.90	12.00	-	20,758	24,839	11.97
III	6.35	60362	6.35	6.70	6.20	6.35	6.30	6.35	-	128,809	83,907	6.51
JUTHA	0.70	60362	-	0.70	0.69	0.70	0.70	0.74	-	219	15	0.7
JWD	8.45	60362	8.40	8.60	8.40	8.50	8.50	8.55	0.05	17,926	15,241	8.5
KWC	294.00	60362	-	296.00	294.00	296.00	280.00	296.00	2.00	2	59	295
NOK	2.36	60362	2.32	2.38	2.32	2.36	2.34	2.36	-	12,383	2,892	2.34
NYT	5.10	60362	5.05	5.10	5.00	5.05	5.05	5.10	(0.05)	30,197	15,252	5.05
PRM	6.50	60362	6.60	6.75	5.90	6.00	6.00	6.05	(0.50)	333,285	207,192	6.22
PSL	9.35	60362	9.40	9.50	9.20	9.40	9.40	9.45	0.05	60,008	56,154	9.36
RCL	4.66	60362	4.62	4.70	4.62	4.70	4.64	4.70	0.04	1,597	741	4.64
TFFIF	10.40	60362	10.40	10.50	10.40	10.50	10.40	10.50	0.10	36,062	37,605	10.43
THAI	13.00	60362	13.00	13.20	12.90	13.10	13.00	13.10	0.10	14,991	19,519	13.02
TSTE	7.05	50362	-	-	-	-	7.00	7.60	-	-	-	0
TTA	5.30	60362	5.25	5.35	5.25	5.30	5.30	5.35	-	4,975	2,635	5.3
WICE	4.28	60362	4.34	4.34	4.28	4.32	4.30	4.32	0.04	3,131	1,348	4.31
Automotive												
AH	22.30	60362	22.50	22.80	22.00	22.20	22.20	22.30	(0.10)	11,750	26,138	22.24
APCS	4.70	60362	4.68	4.76	4.66	4.76	4.68	4.76	0.06	1,150	543	4.72
BAT-3K	243.00	250262	-	-	-	-	220.00	268.00	-	-	-	0
CWT	3.10	60362	3.12	3.18	3.12	3.12	3.10	3.12	0.02	8,853	2,778	3.14
EASON	2.32	60362	2.30	2.32	2.22	2.32	2.28	2.32	-	1,234	284	2.3
GYT	362.00	50362	-	362.00	360.00	362.00	360.00	362.00	-	16	578	361.44
HFT	3.02	60362	3.02	3.02	3.00	3.00	2.98	3.00	(0.02)	1,891	567	3
IHL	7.75	60362	7.85	7.90	7.70	7.90	7.85	7.90	0.15	2,178	1,689	7.76
INGRS	0.71	60362	0.72	0.72	0.70	0.71	0.71	0.72	-	24,430	1,740	0.71
IRC	18.90	60362	18.90	19.20	18.90	19.00	18.90	19.00	0.10	58	110	18.98
PCSGH	6.70	60362	-	6.80	6.70	6.80	6.75	6.80	0.10	563	379	6.73
SAT	18.40	60362	18.50	18.70	18.40	18.40	18.40	18.60	-	1,910	3,532	18.49
SPG	14.50	10362	-	14.40	14.00	14.40	14.00	14.50	(0.10)	31	44	14.08
STANLY	227.00	60362	-	230.00	228.00	229.00	229.00	231.00	2.00	8	183	228.75
TKT	1.59	50362	-	1.61	1.59	1.61	1.58	1.61	0.02	36	6	1.6
TNPC	1.22	60362	-	-	-	-	1.22	1.26	-	-	-	0
TRU	4.88	60362	4.88	4.90	4.88	4.90	4.88	4.90	0.02	549	269	4.89
TSC	12.80	60362	-	-	-	-	12.70	12.80	-	-	-	0
YNP	0.29	10354	-	-	-	-	-	-	-	-	-	0
Industrial Materials												
ALLA	1.50	60362	1.51	1.51	1.47	1.49	1.49	1.50	(0.01)	15,422	2,291	1.49
ASEFA	5.50	60362	5.50	5.55	5.45	5.55	5.45	5.55	0.05	794	437	5.51
CPT	1.14	60362	1.16	1.17	1.14	1.17	1.16	1.17	0.03	196,177	22,766	1.16
CRANE	1.77	60362	-	1.77	1.75	1.75	1.75	1.77	(0.02)	239	42	1.77
CTW	8.15	60362	-	8.20	8.15	8.20	8.15	8.20	0.05	368	302	8.2
FMT	26.00	60362	-	26.00	25.50	26.00	26.00	26.25	-	28	72	25.73
HTECH	5.30	60362	-	5.35	5.30	5.30	5.30	5.35	-	3,909	2,073	5.3
KKC	1.17	60362	1.19	1.21	1.19	1.20	1.19	1.20	0.03	1,052	126	1.2
PK	2.34	60362	2.34	2.38	2.34	2.34	2.32	2.34	-	1,470	345	2.35
SNC	13.70	60362	13.70	13.70	13.60	13.60	13.60	13.70	(0.10)	883	1,203	13.62
TCJ	4.94	60362	4.92	4.96	4.92	4.96	4.96	4.98	0.02	897	443	4.93
VARO	6.65	40262	-	-	-	-	6.50	7.35	-	-	-	0
Property Fund & RE												
AIMIRT	10.70	60362	10.70	10.70	10.60	10.70	10.60	10.70	-	1,389	1,486	10.7
AMATAR	10.80	60362	-	10.80	10.80	10.80	10.80	10.90	-	29	31	10.8
B-WORK	10.90	60362	-	10.80	10.70	10.70	10.70	10.80	(0.20)	416	446	10.71
BKCP	12.30	60362	-	12.40	12.30	12.40	12.20	12.40	0.10	534	657	12.3
BOFFICE	13.70	60362	-	13.70	13.70	13.70	13.50	13.60	-	255	349	13.7
CPNCG	14.90	60362	14.90	14.90	14.80	14.90	14.80	14.90	-	630	939	14.9
CPNREIT	26.75	60362	27.00	27.00	26.75	27.00	26.75	27.00	0.25	8,458	22,836	27
CPTGF	12.90	60362	-	12.90	12.90	12.90	12.80	13.00	-	43	55	12.9
CRYSTAL	9.20	60362	9.20	9.20	9.15	9.20	9.15	9.20	-	632	579	9.16
CTARAF	4.68	60362	-	4.70	4.64	4.68	4.64	4.68	-	483	225	4.66
DREIT	5.00	60362	5.00	5.05	5.00	5.00	5.00	5.05	-	3,160	1,580	5
ERWPF	5.05	60362	-	5.10	5.05	5.05	5.05	5.10	-	131	66	5.06
FTREIT	12.00	60362	12.00	12.00	11.80	11.90	11.90	12.00	(0.10)	5,698	6,775	11.89
FUTUREPF	23.50	60362	-	23.50	22.80	23.00	22.90	23.00	(0.50)	3,733	8,579	22.98
GAHREIT	9.35	60362	-	-	-	-	9.35	9.40	-	-	-	0
GLANDRT	12.20	60362	-	12.30	12.20	12.30	12.20	12.30	0.10	37,510	45,787	12.21
GOLDFP	7.30	50362	-	-	-	-	7.15	7.45	-	-	-	0
GVREIT	14.70	60362	14.80	14.80	14.60	14.70	14.60	14.70	-	9,172	13,485	14.7
HPF	5.20	60362	5.20	5.25	5.20	5.20	5.15	5.20	-	318	166	5.22
HREIT	7.50	60362	7.55	7.65	7.45	7.65	7.60	7.65	0.15	9,903	7,487	7.56
IMPACT	20.80	60362	20.80	21.00	20.60	20.80	20.70	20.80	-	5,069	10,579	20.87
KPNPF	8.95	50362	-	8.90	8.90	8.90	8.75	8.90	(0.05)	105	93	8.9
LHHOTEL	16.60	60362	-	16.60	16.50	16.60	16.50	16.70	-	2,050	3,403	16.6
LHPF	8.10	60362	8.05	8.10	8.05	8.10	8.05	8.10	-	95	77	8.06
LHSC	16.40	60362	-	16.40	16.20	16.30	16.20	16.30	(0.10)	2,395	3,901	16.29
LUXF	8.75	60362	-	8.65	8.65	8.65	8.65	8.75	(0.10)	62	54	8.65
M-II	8.10	50362	-	-	-	-	8.05	8.10	-	-	-	0
M-PAT	9.75	60362	-	9.80	9.75	9.80	9.75	9.80	0.05	816	800	9.8
M-STOR	7.30											

## Main Board Quotation

Issue Date

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PPF	11.30	60362	-	-	-	-	11.20	11.80	-	-	-	0
QHHR	8.45	60362	-	8.45	8.40	8.40	8.40	8.45	(0.05)	7,390	6,208	8.4
QHOP	3.30	60362	-	3.38	3.38	3.38	3.26	3.38	0.08	1	-	3.38
QHPP	12.70	60362	12.70	12.70	12.60	12.70	12.60	12.70	-	4,475	5,642	12.61
SBPF	2.80	10362	-	-	-	-	2.56	2.80	-	-	-	0
SHREIT	6.95	60362	6.95	6.95	6.20	6.65	6.40	6.65	(0.30)	9,710	6,461	6.65
SIRP	11.20	60362	-	-	-	-	11.20	12.30	-	-	-	0
SIPF	23.10	60362	23.10	23.20	23.10	23.20	23.10	23.20	0.10	373	863	23.14
SPRIME	12.00	60362	12.00	12.00	12.00	12.00	11.90	12.00	-	1,082	1,298	12
SRIPANWA	11.20	60362	-	11.20	11.10	11.20	11.20	11.30	-	198	221	11.14
SSPF	9.45	50362	-	9.50	9.50	9.50	9.50	9.60	0.05	50	48	9.5
SSTPF	6.55	60362	-	6.50	6.50	6.50	6.45	6.60	(0.05)	200	138	6.5
SSTRT	6.05	60362	-	6.05	6.05	6.05	6.00	6.05	-	185	112	6.05
TIF1	8.85	50362	8.85	8.85	8.75	8.85	8.75	8.85	-	93	81	8.76
TLGF	19.50	60362	19.30	19.50	19.30	19.40	19.40	19.50	(0.10)	6,052	11,738	19.4
TLHPF	11.20	10362	-	-	-	-	11.00	11.20	-	-	-	0
TNPF	3.28	40362	-	-	-	-	3.18	3.40	-	-	-	0
TPRIME	13.70	50362	-	13.60	13.50	13.60	13.60	13.70	(0.10)	614	835	13.6
TTLPF	21.40	50362	-	21.40	20.80	20.80	20.50	21.40	(0.60)	12	26	21.25
TU-PF	1.73	270262	-	-	-	-	1.23	1.98	-	-	-	0
URBNPF	3.88	60362	3.88	3.88	3.88	3.88	3.86	3.88	-	311	121	3.88
WHABT	9.85	60362	-	9.85	9.85	9.85	9.80	9.85	-	41	40	9.85
WHART	13.20	60362	13.20	13.20	12.90	13.20	13.10	13.20	-	27,384	35,630	13.01
Steel												
AMC	1.80	60362	1.80	1.80	1.80	1.80	1.78	1.80	-	158	28	1.8
BSBM	0.97	60362	0.96	0.97	0.94	0.94	0.94	0.95	(0.03)	4,748	451	0.95
CEN	1.06	60362	-	1.07	1.06	1.06	1.06	1.08	-	565	60	1.07
CITY	2.28	60362	-	2.26	2.26	2.26	2.26	2.28	(0.02)	2	-	2.26
CSP	1.19	60362	-	1.19	1.19	1.19	1.16	1.18	-	1	-	1.19
GJS	0.13	60362	0.13	0.13	0.12	0.12	0.12	0.13	(0.01)	1,981	24	0.12
GSTEL	0.13	150561	-	-	-	-	-	-	-	-	-	0
INOX	0.90	60362	0.91	0.92	0.88	0.89	0.89	0.90	(0.01)	6,424	568	0.88
LHK	3.68	60362	3.72	3.72	3.66	3.70	3.68	3.70	0.02	3,042	1,124	3.7
MAX	0.02	60362	0.02	0.03	0.02	0.02	0.02	0.03	-	41,071	87	0.02
MCS	7.20	60362	-	7.30	7.20	7.25	7.20	7.25	0.05	4,427	3,210	7.25
MILL	1.38	280262	-	-	-	-	-	-	-	-	-	0
PAP	3.04	60362	3.02	3.10	3.00	3.06	3.06	3.08	0.02	2,049	622	3.04
PERM	1.70	60362	1.72	1.77	1.72	1.74	1.74	1.75	0.04	8,041	1,400	1.74
RICH	0.07	90560	-	-	-	-	-	-	-	-	-	0
SAM	0.55	60362	0.56	0.57	0.55	0.55	0.54	0.55	-	5,702	315	0.55
SMIT	5.80	60362	-	5.85	5.75	5.80	5.75	5.80	-	962	555	5.77
SSI	0.05	260459	-	-	-	-	-	-	-	-	-	0
SSSC	2.84	60362	-	2.84	2.82	2.84	2.84	2.86	-	498	141	2.84
TGPRO	0.13	60362	-	0.14	0.13	0.13	0.13	0.14	-	18,529	241	0.13
THE	1.96	60362	-	1.98	1.94	1.94	1.94	1.96	(0.02)	63,198	12,420	1.97
TIW	213.00	60362	-	206.00	205.00	205.00	205.00	215.00	(8.00)	6	123	205.33
TMT	6.60	60362	6.70	6.70	6.60	6.65	6.60	6.65	0.05	2,198	1,459	6.64
TSTH	0.74	60362	0.74	0.74	0.73	0.74	0.73	0.74	-	1,022	76	0.74
TWP	3.80	60362	-	-	-	-	3.80	3.84	-	-	-	0
TYCN	2.64	60362	2.62	2.70	2.62	2.70	2.64	2.70	0.06	839	220	2.63
Construction Service												
BJCHI	2.00	60362	2.00	2.04	2.00	2.00	2.00	2.02	-	3,661	734	2.01
CK	24.90	60362	24.90	25.25	24.90	25.25	25.00	25.25	0.35	29,253	73,085	24.98
CNT	1.93	60362	1.93	1.95	1.93	1.94	1.94	1.95	0.01	685	133	1.94
EMC	0.37	60362	0.36	0.37	0.36	0.37	0.36	0.37	-	44,528	1,628	0.37
ITD	2.24	60362	2.24	2.30	2.20	2.26	2.24	2.26	0.02	172,438	38,570	2.24
NWR	0.81	60362	0.80	0.82	0.80	0.81	0.81	0.82	-	46,386	3,756	0.81
PAE	0.07	90559	-	-	-	-	-	-	-	-	-	0
PLE	1.15	60362	-	1.16	1.15	1.16	1.15	1.16	0.01	6,448	745	1.16
PREB	10.40	60362	10.40	10.40	10.30	10.40	10.30	10.40	-	5,252	5,417	10.31
PYLON	6.45	60362	6.40	6.50	6.40	6.50	6.45	6.50	0.05	6,096	3,913	6.42
SEAFCCO	7.80	60362	7.80	7.90	7.80	7.80	7.80	7.85	-	27,115	21,274	7.85
SQ	2.24	60362	2.26	2.26	2.22	2.26	2.24	2.26	0.02	32,628	7,312	2.24
SRICHA	10.20	60362	10.20	10.20	10.00	10.10	10.00	10.10	(0.10)	2,105	2,127	10.1
STEC	21.90	60362	22.10	22.60	22.00	22.40	22.40	22.50	0.50	151,702	338,921	22.34
STPI	4.58	60362	4.60	4.60	4.56	4.60	4.58	4.60	0.02	2,756	1,261	4.58
SYNTEC	2.82	60362	2.82	2.82	2.78	2.80	2.80	2.82	(0.02)	9,810	2,756	2.81
TPOLY	2.82	60362	-	2.82	2.74	2.82	2.78	2.82	-	2,619	728	2.81
TRC	0.35	60362	0.35	0.36	0.35	0.36	0.35	0.36	0.01	44,733	1,587	0.35
TTCL	6.70	60362	6.70	6.75	6.65	6.75	6.70	6.75	0.05	7,283	4,870	6.69
UNIQ	10.20	60362	10.20	10.40	10.10	10.30	10.20	10.30	0.10	18,586	19,023	10.24

## Asia Plus Securities Company Limited

## Daily Quotation

## Foreign Board Quotation

Issue Date : Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
Agro & Food Ind	-	0	-	-	-	-	-	-	-	-	-	-
ABICO	4.40	60362	4.36	4.40	4.34	<b>4.40</b>	4.36	4.40	-	756.00	329.00	4.00
AU	8.05	60362	8.05	8.10	8.05	<b>8.10</b>	8.05	8.10	0.05	855.00	690.00	8.00
FC	0.36	60362	0.38	0.38	0.36	<b>0.38</b>	0.36	0.38	0.02	1,119.00	41.00	-
JCKH	0.86	60362	1.01	1.09	0.87	<b>1.03</b>	1.03	1.04	0.17	181,914.00	18,746.00	1.00
KASET	1.94	60362	1.94	1.95	1.94	<b>1.94</b>	1.94	1.96	-	15.00	3.00	1.00
MM	3.60	60362	-	3.66	3.66	<b>3.66</b>	3.60	3.66	0.06	211.00	77.00	3.00
SUN	2.88	60362	2.90	2.92	2.88	<b>2.88</b>	2.88	2.90	-	1,162.00	337.00	2.00
TACC	2.78	60362	2.80	2.82	2.78	<b>2.80</b>	2.76	2.80	0.02	823.00	230.00	2.00
TMILL	3.00	60362	-	3.04	3.00	<b>3.04</b>	3.00	3.04	0.04	740.00	223.00	3.00
XO	11.60	60362	11.60	11.60	11.50	<b>11.60</b>	11.50	11.60	-	6,067.00	7,038.00	11.00
Consumer Produ	-	0	-	-	-	-	-	-	-	-	-	-
BGT	0.97	60362	-	0.98	0.95	<b>0.95</b>	0.95	0.97	(0.02)	2,510.00	241.00	-
BIZ	2.72	60362	-	2.78	2.74	<b>2.74</b>	2.74	2.76	0.02	367.00	101.00	2.00
DOD	11.30	60362	11.30	11.50	11.30	<b>11.50</b>	11.40	11.50	0.20	3,525.00	4,026.00	11.00
ECF	2.46	60362	2.46	2.50	2.46	<b>2.46</b>	2.46	2.48	-	22,861.00	5,672.00	2.00
HPT	0.94	60362	-	0.96	0.93	<b>0.96</b>	0.95	0.96	0.02	2,342.00	221.00	-
JUBILE	14.70	60362	-	14.70	14.60	<b>14.70</b>	14.60	14.70	-	657.00	961.00	14.00
MOONG	5.95	60362	5.95	6.00	5.95	<b>6.00</b>	5.95	6.00	0.05	1,905.00	1,141.00	5.00
NPK	29.75	10362	-	29.25	29.00	<b>29.00</b>	28.50	29.75	(0.75)	2.00	6.00	29.00
OCEAN	1.57	60362	1.56	1.66	1.52	<b>1.53</b>	1.53	1.54	(0.04)	775,404.00	122,852.00	1.00
TM	2.14	60362	-	2.16	2.14	<b>2.14</b>	2.14	2.16	-	3,213.00	688.00	2.00
Financials (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
ACAP	3.86	60362	3.94	4.14	3.94	<b>4.08</b>	4.08	4.10	0.22	68,985.00	28,035.00	4.00
AF	0.69	60362	0.66	0.67	0.66	<b>0.66</b>	0.66	0.68	(0.03)	262.00	17.00	-
AIRA	1.46	60362	1.45	1.45	1.44	<b>1.44</b>	1.43	1.45	(0.02)	328.00	47.00	1.00
ASN	3.58	60362	-	3.60	3.60	<b>3.60</b>	3.50	3.78	0.02	1.00	-	3.00
BROOK	0.52	60362	0.52	0.52	0.51	<b>0.52</b>	0.51	0.52	-	4,905.00	251.00	-
CHAYO	3.82	60362	3.82	3.86	3.82	<b>3.84</b>	3.82	3.84	0.02	2,083.00	797.00	3.00
GCAP	2.32	60362	2.34	2.44	2.32	<b>2.44</b>	2.42	2.44	0.12	22,970.00	5,462.00	2.00
LIT	6.10	60362	6.10	6.15	6.10	<b>6.15</b>	6.10	6.15	0.05	750.00	461.00	6.00
SGF	1.27	60362	1.27	1.29	1.27	<b>1.28</b>	1.27	1.28	0.01	21,147.00	2,707.00	1.00
Industrials (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
ZS	2.20	60362	-	2.22	2.18	<b>2.20</b>	2.18	2.22	-	625.00	137.00	2.00
ADB	0.89	60362	-	0.90	0.88	<b>0.89</b>	0.89	0.90	-	1,215.00	108.00	-
BM	2.98	60362	3.00	3.00	2.96	<b>2.96</b>	2.96	2.98	(0.02)	1,881.00	558.00	2.00
CHO	1.19	60362	1.19	1.24	1.18	<b>1.21</b>	1.21	1.22	0.02	176,917.00	21,464.00	1.00
CHOW	2.76	60362	2.74	2.80	2.72	<b>2.72</b>	2.72	2.74	(0.04)	5,080.00	1,395.00	2.00
CIG	0.31	60362	0.31	0.32	0.31	<b>0.31</b>	0.31	0.32	-	2,849.00	88.00	-
COLOR	1.26	60362	-	1.28	1.26	<b>1.28</b>	1.26	1.28	0.02	275.00	35.00	1.00
CPR	4.92	60362	-	5.00	4.86	<b>4.92</b>	4.92	4.96	-	2,675.00	1,318.00	4.00
FPI	2.34	60362	2.36	2.36	2.34	<b>2.34</b>	2.32	2.34	-	295.00	69.00	2.00
GTB	0.60	60362	-	0.61	0.59	<b>0.61</b>	0.60	0.61	0.01	394.00	24.00	-
KCM	0.98	60362	0.98	1.00	0.98	<b>0.98</b>	0.98	1.00	-	4,942.00	487.00	-
KWM	1.17	60362	1.17	1.22	1.16	<b>1.21</b>	1.20	1.21	0.04	110,156.00	13,160.00	1.00
LVT	0.66	280257	-	-	-	-	-	-	-	-	-	-
MBAX	4.20	60362	4.18	4.20	4.18	<b>4.20</b>	4.18	4.20	-	587.00	245.00	4.00
MGT	1.79	60362	-	1.82	1.79	<b>1.81</b>	1.80	1.81	0.02	133.00	24.00	1.00
NDR	2.06	60362	-	2.04	1.98	<b>2.04</b>	2.02	2.04	(0.02)	567.00	114.00	2.00
PDG	2.94	60362	2.94	2.96	2.94	<b>2.96</b>	2.92	2.96	0.02	690.00	203.00	2.00
PIMO	2.82	60362	-	2.88	2.82	<b>2.82</b>	2.82	2.86	-	3,415.00	970.00	2.00
PJW	1.45	60362	-	1.46	1.44	<b>1.46</b>	1.44	1.46	0.01	1,277.00	185.00	1.00
PPM	1.38	60362	-	1.41	1.37	<b>1.37</b>	1.37	1.39	(0.01)	587.00	81.00	1.00
RWI	1.50	60362	-	1.50	1.49	<b>1.50</b>	1.49	1.50	-	26.00	4.00	1.00
SALEE	1.02	60362	-	-	-	-	1.00	1.02	-	-	-	-
SANKO	1.09	60362	-	1.10	1.09	<b>1.10</b>	1.09	1.10	0.01	2,088.00	228.00	1.00
SELIC	2.92	60362	2.92	2.92	2.78	<b>2.86</b>	2.84	2.86	(0.06)	17,689.00	5,041.00	2.00
SWC	10.90	60362	8.70	8.90	8.60	<b>8.65</b>	8.65	8.70	(2.25)	6,691.00	5,815.00	8.00
TMC	0.75	60362	0.75	0.76	0.73	<b>0.74</b>	0.74	0.75	(0.01)	3,064.00	227.00	-
TMI	0.81	60362	0.82	0.84	0.81	<b>0.82</b>	0.81	0.82	0.01	15,150.00	1,251.00	-
TMW	67.00	60362	-	67.50	66.25	<b>66.25</b>	66.25	67.50	(0.75)	24.00	160.00	66.00
TPAC	9.70	60362	-	9.65	9.60	<b>9.60</b>	9.60	9.80	(0.10)	313.00	301.00	9.00
TPLAS	1.56	60362	-	1.57	1.56	<b>1.57</b>	1.56	1.57	0.01	2,094.00	327.00	1.00
UAC	3.38	60362	3.38	3.38	3.32	<b>3.34</b>	3.34	3.36	(0.04)	2,184.00	731.00	3.00
UBIS	6.35	60362	6.35	6.35	6.35	<b>6.35</b>	6.35	6.40	-	2,344.00	1,488.00	6.00
UEC	1.27	60362	1.30	1.31	1.28	<b>1.31</b>	1.28	1.31	0.04	3,724.00	484.00	1.00
UKEM	0.73	60362	-	0.74	0.73	<b>0.73</b>	0.73	0.74	-	2,940.00	215.00	-
UREKA	1.38	60362	1.32	1.39	1.31	<b>1.36</b>	1.35	1.36	(0.02)	6,385.00	853.00	1.00
YUASA	15.00	60362	-	15.10	14.90	<b>14.90</b>	14.90	15.10	(0.10)	314.00	471.00	14.00
ZIGA	2.04	60362	-	2.08	2.02	<b>2.04</b>	2.04	2.06	-	780.00	160.00	2.00
Property & Const	-	0	-	-	-	-	-	-	-	-	-	-
ARROW	8.50	60362	8.40	8.55	8.30	<b>8.50</b>	8.50	8.55	-	405.00	342.00	8.00
BKD	3.00	60362	3.00	3.02	3.00	<b>3.02</b>	3.00	3.02	0.02	799.00	240.00	3.00
BSM	0.62	60362	-	0.62	0.60	<b>0.60</b>	0.60	0.62	(0.02)	6,276.00	383.00	-
BTW	1.53	60362	-	1.54	1.50	<b>1.54</b>	1.50	1.54	0.01	220.00	34.00	1.00
CAZ	4.80	60362	4.80	4.90	4.74	<b>4.88</b>	4.86	4.88	0.08	30,282.00	14,622.00	4.00
CHEWA	1.10	60362	1.11	1.11	1.09	<b>1.10</b>	1.09	1.10	-	23,377.00	2,574.00	1.00
CMC	1.74	60362	1.74	1.81	1.73	<b>1.81</b>	1.80	1.81	0.07	129,563.00	23,110.00	1.00
CRD	1.04	60362	-	1.05	1.03	<b>1.04</b>	1.03	1.04	-	693.00	72.00	1.00
DIMET	0.88	60362	-	0.90	0.88	<b>0.89</b>	0.89	0.90	0.01	979.00	87.00	-
FLOYD	2.02	60362	2.04	2.04	2.00	<b>2.00</b>	2.00	2.02	(0.02)	1,689.00	340.00	2.00
FOCUS	1.75	60362	1.76	1.90	1.76	<b>1.80</b>	1.80	1.81	0.05	145,437.00	26,776.00	1.00
HYDRO	1.01	60362	0.99	1.01	0.98	<b>1.00</b>	0.99	1.00	(0.01)	2,738.00	271.00	-
JSP	0.47	60362	0.48	0.48	0.47	<b>0.47</b>	0.47	0.48	-	2,623.00	123.00	-
K	2.56	60362	-	2.60	2.54	<b>2.56</b>	2.54	2.56	-	51.00	13.00	2.00
META	1.81	60362	1.82	1.82	1.78	<b>1.81</b>	1.80	1.81	-	16,986.00	3,059.00	1.00
PPS	0.77	60362	0.78	0.78	0.76	<b>0.76</b>	0.76	0.77	(0.01)	8,420.00	647.00	-
SMART												



# Asia Plus Securities Company Limited

# Daily Quotation

## Foreign Board Quotation

Issue Date : **Thursday March 07, 2019**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
ARIP	0.50	60362	0.51	0.51	0.49	0.51	0.49	0.51	0.01	1,681.00	84.00	-
ATP30	1.54	60362	-	1.54	1.53	1.54	1.52	1.54	-	1,356.00	207.00	1.00
AUCT	6.25	60362	6.20	6.30	6.20	6.30	6.25	6.30	0.05	3,968.00	2,480.00	6.00
BOL	2.02	60362	-	2.04	2.04	2.04	2.02	2.04	0.02	36.00	7.00	2.00
CHUO	4.42	160559	-	-	-	-	-	-	-	-	-	-
CMO	1.33	60362	-	1.34	1.34	1.34	1.33	1.34	0.01	402.00	54.00	1.00
D	7.10	60362	7.25	7.25	7.10	7.20	7.15	7.20	0.10	1,060.00	762.00	7.00
DCORP	0.87	60362	0.87	0.88	0.85	0.86	0.86	0.87	(0.01)	26,081.00	2,248.00	-
EFORL	0.05	280262	-	-	-	-	-	-	-	-	-	-
ETE	1.35	60362	1.35	1.37	1.34	1.35	1.34	1.35	-	6,517.00	878.00	1.00
FSMART	7.30	60362	7.25	7.35	7.20	7.30	7.25	7.30	-	3,177.00	2,310.00	7.00
FVC	0.80	60362	0.80	0.81	0.80	0.80	0.80	0.81	-	7,043.00	563.00	-
HARN	2.56	60362	2.58	2.60	2.56	2.58	2.56	2.58	0.02	1,212.00	312.00	2.00
JKN	8.15	60362	8.15	8.25	8.05	8.15	8.15	8.20	-	24,959.00	20,319.00	8.00
KIAT	0.45	60362	0.45	0.46	0.44	0.45	0.44	0.45	-	9,334.00	424.00	-
KOOL	1.47	60362	1.46	1.52	1.46	1.48	1.48	1.50	0.01	21,994.00	3,280.00	1.00
LDC	1.08	60362	1.07	1.08	1.07	1.08	1.07	1.08	-	566.00	61.00	1.00
MORE	0.32	60362	0.33	0.33	0.32	0.32	0.32	0.33	-	1,443.00	47.00	-
MPG	0.63	60362	0.63	0.63	0.52	0.59	0.58	0.59	(0.04)	47,999.00	2,695.00	-
MVP	1.62	60362	1.61	1.62	1.60	1.60	1.60	1.63	(0.02)	7,269.00	1,171.00	1.00
NBC	0.54	280262	-	-	-	-	-	-	-	-	-	-
NCL	1.43	60362	-	1.45	1.42	1.43	1.42	1.43	-	192.00	28.00	1.00
NEWS	0.01	60362	0.01	0.02	0.01	0.01	0.01	0.02	-	153,221.00	153.00	-
NINE	1.93	60362	1.92	2.12	1.92	1.95	1.95	1.98	0.02	43,433.00	8,860.00	2.00
OTO	2.20	60362	-	2.22	2.20	2.20	2.20	2.24	-	150.00	33.00	2.00
PHOL	1.78	60362	1.78	1.82	1.77	1.78	1.78	1.79	-	2,739.00	490.00	1.00
PICO	4.50	60362	4.50	4.62	4.50	4.62	4.50	4.62	0.12	126.00	57.00	4.00
PORT	4.78	60362	4.78	4.80	4.76	4.76	4.76	4.82	(0.02)	897.00	428.00	4.00
QLT	3.94	60362	-	3.92	3.86	3.92	3.90	3.94	(0.02)	304.00	119.00	3.00
RP	2.44	60362	2.44	2.44	2.40	2.40	2.40	2.42	(0.04)	675.00	163.00	2.00
SE	1.93	60362	-	1.94	1.85	1.93	1.88	1.93	-	82.00	15.00	1.00
SISB	6.80	60362	6.80	6.90	6.50	6.90	6.75	6.90	0.10	47,852.00	32,126.00	6.00
SONIC	1.35	60362	1.36	1.36	1.34	1.35	1.34	1.35	-	4,038.00	545.00	1.00
SPA	14.00	60362	14.00	14.10	13.60	13.70	13.70	13.90	(0.30)	4,714.00	6,515.00	13.00
THMUI	1.27	60362	-	1.36	1.28	1.29	1.29	1.31	0.02	1,991.00	262.00	1.00
TNDT	4.20	60362	-	4.30	4.28	4.30	4.28	4.30	0.10	308.00	132.00	4.00
TNH	37.25	60362	-	37.50	37.00	37.50	37.00	37.50	0.25	282.00	1,049.00	37.00
TNP	1.61	60362	1.59	1.59	1.56	1.57	1.57	1.58	(0.04)	6,324.00	999.00	1.00
TSF	0.02	280262	-	-	-	-	-	-	-	-	-	-
TVD	1.55	60362	1.57	1.59	1.55	1.57	1.56	1.57	0.02	1,140.00	178.00	1.00
TVT	1.00	60362	1.01	1.01	1.00	1.00	1.00	1.01	-	1,576.00	158.00	1.00
WINNER	2.98	60362	2.98	3.00	2.96	3.00	2.96	3.00	0.02	310.00	92.00	2.00
Technology (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
COMAN	3.84	60362	-	3.86	3.82	3.86	3.84	3.86	0.02	666.00	255.00	3.00
ICN	1.93	60362	1.93	1.94	1.91	1.92	1.92	1.93	(0.01)	2,598.00	499.00	1.00
IRCP	0.77	60362	0.77	0.78	0.76	0.78	0.77	0.78	0.01	4,395.00	337.00	-
ITEL	3.34	60362	3.34	3.44	3.34	3.38	3.38	3.40	0.04	13,593.00	4,611.00	3.00
NETBAY	30.50	60362	30.50	31.00	30.50	31.00	30.75	31.00	0.50	3,563.00	11,005.00	30.00
PLANET	1.51	60362	-	-	-	-	1.47	1.51	-	-	-	-
SIMAT	1.76	60362	-	1.82	1.72	1.82	1.81	1.82	0.06	11,944.00	2,137.00	1.00
SKY	12.40	60362	12.40	12.90	12.40	12.50	12.50	12.60	0.10	3,736.00	4,710.00	12.00
SPVI	1.42	60362	1.42	1.43	1.38	1.39	1.39	1.40	(0.03)	9,625.00	1,342.00	1.00
UPA	0.35	60362	0.34	0.35	0.34	0.34	0.34	0.35	(0.01)	21,266.00	723.00	-
VCOM	3.32	60362	3.38	3.46	3.08	3.34	3.32	3.34	0.02	33,449.00	11,002.00	3.00
Unit Trust	-	-	-	-	-	-	-	-	-	-	-	-
MGE	8.40	60362	-	-	-	-	8.30	9.30	-	-	-	-
SCBSET	5.80	20248	-	-	-	-	-	-	-	-	-	-
ETF	-	-	-	-	-	-	-	-	-	-	-	-
1DIV	11.13	60362	-	11.17	11.07	11.16	11.13	11.17	0.03	10,027.00	11,108.00	11.00
ABFTH	1,222.00	271261	-	-	-	-	1,232.00	1,242.00	-	-	-	-
BMSCG	8.12	60362	8.14	8.15	8.08	8.08	8.10	8.12	(0.04)	114.00	92.00	8.00
BMSCITH	12.30	60362	12.29	12.38	12.29	12.36	12.36	12.37	0.06	4,201.00	5,179.00	12.00
BSET100	10.40	60362	10.39	10.46	10.38	10.45	10.44	10.45	0.05	3,521.00	3,667.00	10.00
CHINA	5.78	60362	5.72	5.77	5.72	5.73	5.73	5.75	(0.05)	871.00	502.00	5.00
EBANK	5.60	60362	-	5.61	5.60	5.61	5.58	5.61	0.01	4.00	2.00	5.00
ECOMM	8.32	50362	-	8.30	8.30	8.30	8.30	8.31	(0.02)	540.00	448.00	8.00
EFOOD	5.76	60362	-	-	-	-	5.70	5.73	-	-	-	-
EICT	4.55	10362	-	-	-	-	4.49	4.52	-	-	-	-
ENGY	6.21	50362	-	6.21	6.21	6.21	6.20	6.21	-	2.00	1.00	6.00
ENY	7.31	50362	-	-	-	-	7.35	7.36	-	-	-	-
ESET50	5.69	60362	-	-	-	-	5.30	-	-	-	-	-
GLD	1.74	60362	1.75	1.75	1.74	1.74	1.74	1.75	-	761.00	133.00	1.00
TDEX	10.60	60362	10.67	10.67	10.58	10.67	10.66	10.67	0.07	3,786.00	4,027.00	10.00
TGOLDEF	3.80	60362	3.80	3.81	3.80	3.80	3.79	3.80	-	782.00	297.00	3.00
TH100	4.71	50362	-	-	-	-	4.73	5.00	-	-	-	-
Warrant Foreign	-	-	-	-	-	-	-	-	-	-	-	-
AAV01C1908A	0.51	60362	0.52	0.52	0.51	0.52	0.51	0.52	0.01	10,233.00	526.00	-
AAV01C1908B	0.39	60362	-	0.39	0.39	0.39	0.39	0.40	-	10,002.00	390.00	-
AAV01P1908A	0.63	60362	0.64	0.64	0.63	0.63	0.62	0.63	-	11,128.00	709.00	-
AAV06C1904A	0.06	60362	-	0.06	0.06	0.06	0.06	0.07	-	6,600.00	40.00	-
AAV08C1903A	0.03	50362	-	-	-	-	0.02	0.03	-	-	-	-
AAV11C1904A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
AAV11C1910A	0.35	60362	-	0.36	0.36	0.36	0.36	0.37	0.01	1,090.00	39.00	-
AAV13C1906A	0.39	60362	-	0.40	0.39	0.40	0.40	0.41	0.01	61,912.00	2,416.00	-
AAV19C1906A	0.36	60362	-	0.37	0.36	0.37	0.37	0.38	0.01	4,624.00	167.00	-
AAV23C1906A	0.35	60362	-	0.34	0.34	0.34	0.34	0.36	(0.01)	1,100.00	37.00	-
AAV24C1903A	0.02	70262	-	-	-	-	-	0.01	-	-	-	-
AAV24C1904A	0.03	60362	-	0.03	0.03	0.03	0.03	0.04	-	1,000.00	3.00	-
AAV24C1907A	0.35	60362	-	0.35	0.35	0.35	0.35	0.36	-	1,288.00	45.00	-
ADVA01C1905A	0.41	60362	0.40	0.44	0.40	0.43	0.42	0.43	0.02	110,913.00	4,679.00	-
ADVA01C1905B	0.26	60362	-	0.27	0.25	0.27	0.26	0.27	0.01	118,536.00	3,081.00	-
ADVA01C1908A	0.90	60362	0.87	0.92	0.87	0.91	0.90	0.91	0.01	86,485.00	7,810.00	-
ADVA01C1908B	0.69	60362	0.68	0.72	0.68	0.71	0.70	0.71	0.02	115,480.00	8,130.00	-
ADVA01P1905A	0.75	60362	0.76	0.77	0.72	0.73	0.72	0.73	(0.02)	89,396.00	6,600.00	-
ADVA01P1905B	0.23	60362	0.23	0.23	0.21	0.21	0.21	0.22	(0.02)	163,510.00	3,568.00	-
ADVA01P1908A	0.91	60362	0.91	0.91	0.88	0.88	0.88	0.89	(0.03)	46,163.00	4,145.00	-
ADVA01P1908B	0.69	60362	0.69	0.69	0.65	0.66	0.66	0.67	(0.03)	89,645.00	6,031.00	-
ADVA06C1903A	0.01	60362	-	0.01	0.01	0.01	0.01	0.02	-	1,550.00	2.00	-
ADVA06C1906A	0.54	60362	-	0.56	0.53	0.55	0.54	0.55	0.01	32,400.00	1,771.00	-
ADVA07C1908A	0.65	10362	-	-	-	-	0.58	0.60	-	-	-	-
ADVA08C1903A	0.02	270262	-	-	-	-	0.01	0.02	-	-	-	-
ADVA08C1906A	0.52	60362	-	0.54	0.51	0.53	0.53	0.54	0.01	107,870.00	5,670.00	-
ADVA												

## Foreign Board Quotation

Issue Date :

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
ADVA24C1906A	0.67	60362	-	0.69	0.65	<b>0.69</b>	0.68	0.69	0.02	1,820.00	119.00	-
ADVA24C1907A	0.21	60362	-	0.21	0.20	<b>0.21</b>	0.21	0.22	-	401.00	8.00	-
ADVA24P1908A	0.47	60362	-	0.48	0.44	<b>0.45</b>	0.46	0.47	(0.02)	21,000.00	977.00	-
ADVA28C1904A	0.05	60362	-	0.05	0.05	<b>0.05</b>	0.04	0.05	-	1.00	-	-
ADVA28C1904B	0.25	60362	0.22	0.23	0.20	<b>0.23</b>	0.22	0.23	(0.02)	9,991.00	203.00	-
ADVA28C1905A	0.52	50362	-	-	-	-	0.50	0.54	-	-	-	-
ADVA28C1908A	0.38	60362	-	0.40	0.37	<b>0.39</b>	0.39	0.40	0.01	45,117.00	1,726.00	-
ADVA28P1907A	0.46	60362	-	0.45	0.42	<b>0.42</b>	0.43	0.44	(0.04)	40,862.00	1,762.00	-
ADVA41C1905A	0.58	50362	-	0.55	0.52	<b>0.55</b>	0.53	0.54	(0.03)	36,208.00	1,952.00	-
ADVA41C1908A	1.00	0	-	-	-	-	0.37	0.38	-	-	-	-
ADVA41P1908A	0.63	280262	-	0.65	0.63	<b>0.63</b>	0.63	0.64	-	16.00	1.00	-
ADVA42C1903A	0.02	290162	-	-	-	-	-	0.01	-	-	-	-
AEON01C1906A	0.68	60362	-	0.72	0.71	<b>0.71</b>	0.70	0.71	0.03	1,528.00	110.00	-
AEON01C1906B	0.47	60362	-	0.48	0.46	<b>0.46</b>	0.46	0.47	(0.01)	5,372.00	256.00	-
AEON19C1906A	0.63	60362	-	0.64	0.63	<b>0.63</b>	0.63	0.64	-	6,936.00	438.00	-
AMAT01C1903A	0.24	60362	-	0.28	0.25	<b>0.28</b>	0.28	0.29	0.04	82,030.00	2,114.00	-
AMAT01C1903B	0.04	60362	-	0.04	0.04	<b>0.04</b>	0.03	0.04	-	200.00	1.00	-
AMAT01C1909A	0.59	60362	-	0.62	0.59	<b>0.62</b>	0.62	0.63	0.03	58,439.00	3,500.00	-
AMAT01C1909B	0.44	60362	-	0.47	0.44	<b>0.47</b>	0.46	0.47	0.03	53,559.00	2,390.00	-
AMAT01P1903A	0.45	60362	-	0.45	0.42	<b>0.42</b>	0.38	0.39	(0.03)	48,484.00	2,099.00	-
AMAT01P1909A	0.88	60362	-	0.88	0.84	<b>0.84</b>	0.83	0.84	(0.04)	29,587.00	2,583.00	-
AMAT06C1903A	0.10	270262	-	-	-	-	0.04	0.05	-	-	-	-
AMAT08C1903A	0.05	60362	-	-	-	-	0.04	0.05	-	-	-	-
AMAT08C1908A	0.35	60362	-	0.38	0.34	<b>0.38</b>	0.38	0.39	0.03	23,634.00	833.00	-
AMAT11C1903A	0.03	50362	-	0.03	0.03	<b>0.03</b>	0.02	0.03	-	600.00	2.00	-
AMAT11C2001A	0.53	60362	-	0.54	0.52	<b>0.54</b>	0.55	0.56	0.01	15,258.00	803.00	-
AMAT13C1905A	0.15	60362	0.15	0.17	0.15	<b>0.17</b>	0.16	0.17	0.02	317,583.00	4,830.00	-
AMAT19C1907A	0.29	60362	-	0.32	0.29	<b>0.32</b>	0.32	0.33	0.03	92,426.00	2,757.00	-
AMAT23C1906A	0.11	60362	-	0.12	0.11	<b>0.12</b>	0.12	0.13	0.01	13,200.00	147.00	-
AMAT24C1904A	0.08	80262	-	-	-	-	0.03	0.04	-	-	-	-
AMAT24C1907A	0.32	60362	-	0.35	0.32	<b>0.35</b>	0.35	0.36	0.03	10,500.00	344.00	-
AMAT27C1908A	0.40	60362	-	0.43	0.41	<b>0.43</b>	0.43	0.45	0.03	23,580.00	974.00	-
AMAT28C1903A	0.01	140262	-	-	-	-	-	0.02	-	-	-	-
AMAT28C1906A	0.31	60362	-	0.32	0.31	<b>0.32</b>	0.34	0.35	0.01	22,990.00	721.00	-
AMAT41C1908A	0.28	50362	-	0.29	0.29	<b>0.29</b>	0.30	0.31	0.01	8,000.00	232.00	-
ANAN01C1906A	0.56	60362	0.55	0.57	0.53	<b>0.56</b>	0.55	0.56	-	31,364.00	1,727.00	-
ANAN01C1906B	0.48	60362	-	0.49	0.44	<b>0.49</b>	0.47	0.48	0.01	33,961.00	1,572.00	-
ANAN08C1906A	0.02	10362	-	-	-	-	0.01	0.02	-	-	-	-
ANAN13C1906A	0.47	60362	-	0.43	0.43	<b>0.43</b>	0.44	0.45	(0.04)	4,612.00	198.00	-
ANAN19C1906A	0.43	60362	-	0.41	0.37	<b>0.40</b>	0.40	0.41	(0.03)	5,678.00	220.00	-
ANAN24C1907A	0.42	60362	-	0.40	0.40	<b>0.40</b>	0.41	0.42	(0.02)	4,600.00	184.00	-
AOT01C1904A	0.38	60362	0.37	0.39	0.36	<b>0.38</b>	0.37	0.38	-	98,894.00	3,713.00	-
AOT01C1904B	0.13	60362	0.13	0.13	0.12	<b>0.13</b>	0.12	0.13	-	49,970.00	645.00	-
AOT01C1908A	0.60	60362	-	0.60	0.58	<b>0.60</b>	0.59	0.60	-	50,078.00	2,986.00	-
AOT01C1908B	0.44	60362	-	0.44	0.43	<b>0.44</b>	0.43	0.44	-	84,556.00	3,685.00	-
AOT01P1904A	0.40	60362	-	0.40	0.38	<b>0.38</b>	0.38	0.39	(0.02)	83,178.00	3,277.00	-
AOT01P1904B	0.14	60362	-	0.14	0.13	<b>0.13</b>	0.13	0.14	(0.01)	66,000.00	920.00	-
AOT01P1908A	0.74	60362	-	0.75	0.73	<b>0.74</b>	0.73	0.74	-	40,956.00	3,045.00	-
AOT01P1908B	0.53	60362	-	0.54	0.53	<b>0.53</b>	0.52	0.53	-	51,736.00	2,766.00	-
AOT06C1903A	0.10	60362	-	0.10	0.09	<b>0.10</b>	0.09	0.10	-	32,148.00	301.00	-
AOT06P1903A	0.02	40362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	2.00	-	-
AOT07C1910A	1.00	0	-	-	-	-	0.54	0.55	-	-	-	-
AOT08C1904A	0.18	60362	0.18	0.18	0.17	<b>0.18</b>	0.18	0.19	-	32,066.00	562.00	-
AOT08P1903A	0.03	280262	-	-	-	-	0.01	0.02	-	-	-	-
AOT11C1906A	0.16	60362	0.16	0.16	0.16	<b>0.16</b>	0.16	0.17	-	20,920.00	335.00	-
AOT11P1906A	0.06	60362	-	0.06	0.06	<b>0.06</b>	0.05	0.06	-	20.00	-	-
AOT13C1904A	0.39	280262	-	-	-	-	0.36	0.38	-	-	-	-
AOT13C1906A	0.29	60362	-	0.29	0.28	<b>0.29</b>	0.29	0.30	-	75,884.00	2,170.00	-
AOT13P1905A	0.16	60362	-	0.16	0.15	<b>0.15</b>	0.15	0.16	(0.01)	11,881.00	189.00	-
AOT13P1907A	0.47	60362	-	0.48	0.46	<b>0.47</b>	0.47	0.48	-	34,022.00	1,613.00	-
AOT16C1912A	0.81	40362	0.85	0.85	0.84	<b>0.85</b>	0.85	0.86	0.04	11.00	1.00	-
AOT19C1906A	0.46	60362	-	0.46	0.45	<b>0.46</b>	0.46	0.47	-	11,959.00	545.00	-
AOT19P1903A	0.01	180262	-	-	-	-	-	0.02	-	-	-	-
AOT19P1906A	0.23	60362	-	0.24	0.23	<b>0.23</b>	0.23	0.24	-	51,890.00	1,219.00	-
AOT23C1906A	0.35	60362	-	0.34	0.34	<b>0.34</b>	0.33	0.35	(0.01)	10,000.00	340.00	-
AOT24C1904A	0.07	60362	-	0.07	0.07	<b>0.07</b>	0.07	0.08	-	40.00	-	-
AOT24C1906A	0.39	60362	-	0.39	0.38	<b>0.39</b>	0.39	0.40	-	151.00	6.00	-
AOT24P1903A	0.02	170162	-	-	-	-	-	0.01	-	-	-	-
AOT24P1907A	0.56	50362	-	-	-	-	0.53	0.54	-	-	-	-
AOT27P1903A	0.08	150262	-	-	-	-	0.02	0.03	-	-	-	-
AOT28C1905A	0.21	60362	-	0.20	0.19	<b>0.20</b>	0.20	0.21	(0.01)	49,260.00	977.00	-
AOT41C1906A	0.39	40362	-	0.39	0.38	<b>0.38</b>	0.38	0.39	(0.01)	6,004.00	232.00	-
AOT41P1905A	0.21	140162	-	0.13	0.12	<b>0.12</b>	0.12	0.13	(0.09)	2,000.00	25.00	-
AOT42C1903A	0.06	50362	-	0.06	0.06	<b>0.06</b>	0.07	0.08	-	20.00	-	-
AP01C1903A	0.04	260262	-	-	-	-	0.01	0.02	-	-	-	-
AP01C1903B	0.01	10362	-	-	-	-	0.01	0.02	-	-	-	-
AP01C1908A	0.37	60362	-	0.37	0.37	<b>0.37</b>	0.36	0.37	-	6,959.00	257.00	-
AP01C1908B	0.30	60362	-	0.29	0.29	<b>0.29</b>	0.28	0.29	(0.01)	8,143.00	236.00	-
AP11C2001A	0.31	60362	-	0.31	0.30	<b>0.31</b>	0.30	0.32	-	2,973.00	89.00	-
AP13C1903A	0.02	301161	-	-	-	-	-	0.03	-	-	-	-
AP13C1904A	0.05	60362	-	-	-	-	0.05	0.06	-	-	-	-
AP19C1906A	0.29	60362	-	0.29	0.29	<b>0.29</b>	0.29	0.30	-	7,357.00	213.00	-
AP24C1906A	0.56	250262	-	-	-	-	0.39	0.41	-	-	-	-
AP24C1907A	0.10	250262	-	-	-	-	0.06	0.07	-	-	-	-
BANP01C1903A	0.02	60362	0.02	0.02	0.02	<b>0.02</b>	0.01	0.02	-	10,007.00	20.00	-
BANP01C1903B	0.01	60362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	7.00	-	-
BANP01C1905A	0.29	60362	-	0.30	0.28	<b>0.28</b>	0.28	0.29	(0.01)	46,304.00	1,340.00	-
BANP01C1905B	0.19	60362	0.18	0.18	0.17	<b>0.17</b>	0.17	0.18	(0.02)	8,230.00	145.00	-
BANP01P1903A	0.97	60362	-	1.00	0.97	<b>0.99</b>	0.97	0.99	0.02	13,805.00	1,362.00	-
BANP01P1903B	0.31	60362	0.30	0.32	0.30	<b>0.30</b>	0.30	0.32	(0.01)	29,936.00	957.00	-
BANP01P1905A	0.42	60362	-	0.43	0.42	<b>0.42</b>	0.42	0.43	-	51,244.00	2,196.00	-
BANP06C1903A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
BANP07C1904A	0.02	40362	-	-	-	-	0.01	-	-	-	-	-
BANP07C1909A	0.23	280262	-	-	-	-	0.20	-	-	-	-	-
BANP08C1904A	0.04	280262	-	-	-	-	-	0.04	-	-	-	-
BANP08C1906A	0.24	50362	-	0.23	0.22	<b>0.22</b>	0.22	0.23	(0.02)	1,738.00	39.00	-
BANP11C1909A	0.15	60362	-	-	-	-	0.14	0.15	-	-	-	-
BANP13C1904A	0.05	50362	-	-	-	-	0.04	0.05	-	-	-	-
BANP13C1906A	0.33	60362	-	0.33	0.31	<b>0.31</b>	0.32	0.33	(0.02)	116,806.00	3,766.00	-
BANP16C1912A	0.43	60362	-	-	-	-	0.42	0.43	-	-	-	

## Foreign Board Quotation

Issue Date :

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
BANP42P1903A	0.61	60362	-	-	-	-	0.63	0.68	-	-	-	-
BBL07C1909A	0.28	60362	-	0.26	0.26	<b>0.26</b>	0.27	0.28	(0.02)	2,000.00	52.00	-
BBL08C1908A	0.26	60362	-	0.27	0.25	<b>0.26</b>	0.25	0.26	-	7,886.00	202.00	-
BBL08P1904A	0.13	60362	-	0.13	0.11	<b>0.13</b>	0.12	0.13	-	17,940.00	221.00	-
BBL11C1903A	0.03	10362	-	-	-	-	0.01	0.03	-	-	-	-
BBL11C2001A	0.35	50362	0.35	0.36	0.34	<b>0.36</b>	0.35	0.36	0.01	45,916.00	1,607.00	-
BBL11P1903A	0.01	40362	-	-	-	-	0.01	0.04	-	-	-	-
BBL11P2001A	0.55	60362	-	0.55	0.53	<b>0.53</b>	0.54	0.55	(0.02)	14,714.00	796.00	-
BBL13C1905A	0.17	60362	0.17	0.18	0.17	<b>0.18</b>	0.17	0.18	0.01	50,132.00	877.00	-
BBL13P1906A	0.39	60362	-	0.39	0.35	<b>0.38</b>	0.38	0.39	(0.01)	11,732.00	438.00	-
BBL19C1906A	0.59	60362	-	0.60	0.56	<b>0.60</b>	0.58	0.60	0.01	10,360.00	604.00	-
BBL19C1907A	0.24	60362	-	0.23	0.22	<b>0.23</b>	0.22	0.23	(0.01)	10,247.00	230.00	-
BBL19P1904A	0.08	50362	-	0.07	0.07	<b>0.07</b>	0.07	0.08	(0.01)	7,000.00	49.00	-
BBL23C1906A	0.14	60362	-	0.14	0.13	<b>0.14</b>	0.13	0.14	-	8,500.00	114.00	-
BBL24C1907A	0.14	150262	-	-	-	-	0.11	0.12	-	-	-	-
BBL24P1904A	0.12	270262	-	-	-	-	0.12	0.13	-	-	-	-
BBL27C1904A	0.18	50362	-	0.18	0.17	<b>0.18</b>	0.17	0.18	-	3,600.00	63.00	-
BBL27P1904A	0.27	60362	-	0.28	0.26	<b>0.26</b>	0.27	0.28	(0.01)	8,100.00	217.00	-
BBL28C1904A	0.09	50362	-	-	-	-	0.07	0.09	-	-	-	-
BBL42C1903A	0.10	80262	-	-	-	-	0.02	0.03	-	-	-	-
BCH01C1907A	0.33	60362	0.34	0.34	0.30	<b>0.32</b>	0.32	0.33	(0.01)	37,470.00	1,202.00	-
BCH01C1907B	0.28	60362	0.25	0.29	0.25	<b>0.28</b>	0.27	0.28	-	47,610.00	1,297.00	-
BCH01P1907A	0.49	60362	0.48	0.53	0.48	<b>0.48</b>	0.48	0.49	(0.01)	125,240.00	6,428.00	-
BCH06C1903A	0.03	150262	-	-	-	-	0.01	0.02	-	-	-	-
BCH08C1906A	0.23	60362	-	0.24	0.20	<b>0.22</b>	0.22	0.23	(0.01)	15,870.00	350.00	-
BCH11C1905A	0.05	60362	-	0.04	0.04	<b>0.04</b>	0.04	0.05	(0.01)	1.00	-	-
BCH11C2001A	0.36	60362	-	0.36	0.33	<b>0.35</b>	0.35	0.36	(0.01)	6,723.00	236.00	-
BCH13C1905A	0.04	60362	-	0.03	0.03	<b>0.03</b>	0.03	0.04	(0.01)	10.00	-	-
BCH13C1907A	0.33	60362	-	0.33	0.28	<b>0.32</b>	0.32	0.33	(0.01)	73,788.00	2,291.00	-
BCH19C1903A	0.02	50362	-	-	-	-	-	0.02	-	-	-	-
BCH19C1907A	0.27	60362	0.27	0.27	0.23	<b>0.26</b>	0.25	0.26	(0.01)	30,649.00	776.00	-
BCH23C1907A	0.16	60362	-	0.15	0.13	<b>0.14</b>	0.14	0.15	(0.02)	8,000.00	115.00	-
BCH24C1904A	0.02	240162	-	-	-	-	-	0.01	-	-	-	-
BCH24C1908A	0.24	60362	-	0.23	0.21	<b>0.23</b>	0.23	0.24	(0.01)	1,066.00	22.00	-
BCH27C1908A	0.24	60362	-	0.24	0.22	<b>0.23</b>	0.23	0.24	(0.01)	11,000.00	256.00	-
BCH27P1908A	0.41	60362	-	0.43	0.40	<b>0.42</b>	0.41	0.42	0.01	15,000.00	629.00	-
BCH28C1904A	0.02	50362	-	-	-	-	0.01	0.02	-	-	-	-
BCH28C1905A	0.05	60262	-	-	-	-	0.01	0.04	-	-	-	-
BCH41C1908A	1.00	0	-	-	-	-	0.16	0.17	-	-	-	-
BCP01C1903A	0.06	60362	-	0.06	0.06	<b>0.06</b>	0.05	0.07	-	3,192.00	19.00	-
BCP01C1903B	0.01	40362	-	-	-	-	0.01	0.02	-	-	-	-
BCP01C1908A	0.28	60362	0.28	0.28	0.28	<b>0.28</b>	0.27	0.28	-	15,696.00	439.00	-
BCP01C1908B	0.20	50362	0.21	0.21	0.21	<b>0.21</b>	0.20	0.21	0.01	19,078.00	401.00	-
BCP01P1903A	0.35	50362	-	-	-	-	0.32	0.34	-	-	-	-
BCP01P1908A	0.34	60362	-	0.35	0.34	<b>0.34</b>	0.34	0.35	-	8,112.00	280.00	-
BCP11C1909A	0.14	280262	-	0.13	0.13	<b>0.13</b>	0.13	0.14	(0.01)	4,200.00	55.00	-
BCP13C1906A	0.14	50362	-	0.14	0.14	<b>0.14</b>	0.14	0.15	-	18,500.00	259.00	-
BCP19C1906A	0.23	40362	-	0.23	0.23	<b>0.23</b>	0.23	0.24	-	4,468.00	103.00	-
BCP23C1907A	0.15	40362	-	0.15	0.15	<b>0.15</b>	0.15	0.16	-	3,000.00	45.00	-
BCP24C1904A	0.03	70162	-	-	-	-	-	0.01	-	-	-	-
BCP24C1907A	0.11	280262	-	-	-	-	0.10	0.11	-	-	-	-
BCP28C1904A	0.06	40362	-	-	-	-	0.05	0.07	-	-	-	-
BCPG01C1904A	0.05	60362	-	0.05	0.04	<b>0.05</b>	0.05	0.06	-	22,009.00	109.00	-
BCPG01C1904B	0.02	250262	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	200.00	-	-
BCPG01C1908A	0.40	60362	-	0.41	0.38	<b>0.41</b>	0.41	0.42	0.01	38,417.00	1,515.00	-
BCPG01C1908B	0.29	60362	-	0.31	0.28	<b>0.31</b>	0.31	0.32	0.02	56,789.00	1,666.00	-
BCPG06C1903A	0.01	50362	-	-	-	-	0.01	0.02	-	-	-	-
BCPG08C1904A	0.02	180262	-	-	-	-	0.01	0.02	-	-	-	-
BCPG08C1904B	0.06	140262	-	-	-	-	0.02	0.03	-	-	-	-
BCPG11C1910A	0.28	60362	-	0.30	0.26	<b>0.28</b>	0.29	0.30	-	30,600.00	845.00	-
BCPG13C1904A	0.02	50362	-	-	-	-	0.02	0.04	-	-	-	-
BCPG13C1905A	0.14	60362	-	0.16	0.13	<b>0.15</b>	0.16	0.17	0.01	145,470.00	2,038.00	-
BCPG19C1906A	0.28	60362	-	0.30	0.26	<b>0.30</b>	0.30	0.31	0.02	14,917.00	430.00	-
BCPG23C1905A	0.21	60362	-	0.23	0.19	<b>0.23</b>	0.23	0.24	0.02	34,840.00	715.00	-
BCPG24C1903A	0.03	171261	-	-	-	-	-	0.01	-	-	-	-
BCPG24C1906A	0.38	10362	-	0.32	0.31	<b>0.32</b>	0.35	0.36	(0.06)	3,150.00	101.00	-
BCPG27C1903A	0.06	251261	-	-	-	-	0.01	0.03	-	-	-	-
BCPG28C1904A	0.05	220262	-	-	-	-	0.02	0.03	-	-	-	-
BCPG28C1906A	0.26	60362	-	0.29	0.24	<b>0.29</b>	0.29	0.30	0.03	39,024.00	1,028.00	-
BDMS01C1905A	0.10	60362	0.10	0.10	0.10	<b>0.10</b>	0.10	0.11	-	68,696.00	687.00	-
BDMS01C1905B	0.05	60362	-	0.05	0.05	<b>0.05</b>	0.04	0.05	-	5,040.00	25.00	-
BDMS01C1908A	0.56	60362	0.56	0.58	0.56	<b>0.57</b>	0.56	0.57	0.01	32,695.00	1,847.00	-
BDMS01C1908B	0.42	60362	0.41	0.42	0.40	<b>0.42</b>	0.41	0.42	-	102,082.00	4,222.00	-
BDMS01P1905A	0.31	60362	0.30	0.32	0.30	<b>0.30</b>	0.30	0.31	(0.01)	87,667.00	2,700.00	-
BDMS01P1908A	0.81	60362	-	0.82	0.79	<b>0.80</b>	0.79	0.80	(0.01)	119,391.00	9,648.00	-
BDMS06C1903A	0.02	60362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	10,795.00	11.00	-
BDMS07C1904A	0.02	50362	-	-	-	-	0.01	0.02	-	-	-	-
BDMS08C1905A	0.06	50362	-	-	-	-	0.05	0.06	-	-	-	-
BDMS08C1906A	0.27	60362	0.27	0.28	0.26	<b>0.28</b>	0.28	0.29	0.01	55,052.00	1,492.00	-
BDMS11C1904A	0.04	10362	-	-	-	-	0.02	0.04	-	-	-	-
BDMS11C2001A	0.60	60362	-	0.61	0.59	<b>0.60</b>	0.60	0.61	-	28,825.00	1,734.00	-
BDMS13C1903A	0.01	60362	-	-	-	-	0.01	0.01	-	-	-	-
BDMS13C1906A	0.35	60362	0.34	0.36	0.33	<b>0.36</b>	0.35	0.36	0.01	389,419.00	13,280.00	-
BDMS13P1907A	0.68	60362	-	0.69	0.67	<b>0.67</b>	0.67	0.68	(0.01)	134,400.00	9,150.00	-
BDMS16C1912A	0.24	60362	0.23	0.23	0.23	<b>0.23</b>	0.23	0.24	(0.01)	15.00	-	-
BDMS19C1905A	0.20	60362	0.20	0.21	0.20	<b>0.21</b>	0.21	0.22	0.01	97,198.00	1,990.00	-
BDMS19P1906A	0.28	60362	-	0.29	0.26	<b>0.26</b>	0.27	0.28	(0.02)	39,791.00	1,113.00	-
BDMS23C1906A	0.16	50362	-	0.15	0.14	<b>0.15</b>	0.14	0.15	(0.01)	8,800.00	130.00	-
BDMS24C1905A	0.03	40362	-	-	-	-	0.02	0.03	-	-	-	-
BDMS24C1907A	0.56	60362	-	-	-	-	0.58	0.59	-	-	-	-
BDMS24C1909A	0.25	60362	-	0.25	0.25	<b>0.25</b>	0.25	0.26	-	1,500.00	38.00	-
BDMS24P1908A	0.69	280262	-	-	-	-	0.71	0.72	-	-	-	-
BDMS27C1903A	0.01	50362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	3.00	-	-
BDMS28C1904A	0.07	60362	-	0.07	0.07	<b>0.07</b>	0.07	0.08	-	7,710.00	54.00	-
BDMS41C1906A	0.27	40362	-	0.23	0.22	<b>0.23</b>	0.23	0.24	(0.04)	13,102.00	299.00	-
BDMS41P1907A	0.52	220262	-	0.63	0.61	<b>0.62</b>	0.61	0.62	0.10	2,012.00	125.00	-
BDMS42C1904A	0.04	290162	-	-	-	-	0.01	0.02	-	-	-	-
BDMS42P1904A	0.14	60362	-	0.14	0.13	<b>0.13</b>	0.13	0.14	(0.01)	9,040.00	126.00	-
BEAU01C1906A	0.38	60362	0.38	0.42	0.37	<b>0.41</b>	0.41	0.42	0.03	229,536.00	9,002.00	-
BEAU01C1906B	0.24	60362	0.25	0.28	0.24	<b>0.28</b>	0.27	0.28	0.04	397,762.00	10,159.00	-
BEAU01P1909A	1.04	60362	1									

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
BEAU41C1907B	0.33	50362	-	0.35	0.32	0.35	0.35	0.36	0.02	22,010.00	740.00	-
BEAU41P1909A	1.00	0	0.59	0.59	0.58	0.58	0.56	0.57	(0.42)	2,103.00	122.00	-
BEM01C1907A	0.44	60362	0.43	0.44	0.40	0.40	0.40	0.41	(0.04)	51,533.00	2,141.00	-
BEM01C1907B	0.15	60362	0.14	0.14	0.13	0.13	0.12	0.13	(0.02)	67,312.00	878.00	-
BEM01P1907A	0.30	60362	0.31	0.32	0.30	0.31	0.31	0.32	0.01	51,466.00	1,620.00	-
BEM06P1906A	0.25	60362	-	0.29	0.27	0.28	0.27	0.28	0.03	37,456.00	1,069.00	-
BEM07C1903A	0.42	60362	-	-	-	-	0.35	0.36	-	-	-	-
BEM08C1903A	0.30	60362	-	0.24	0.23	0.24	0.24	0.26	(0.06)	5,864.00	138.00	-
BEM08C1907A	0.13	60362	-	-	-	-	0.11	0.12	-	-	-	-
BEM11C1903A	0.24	60362	-	0.19	0.18	0.19	0.19	0.21	(0.05)	5,200.00	96.00	-
BEM11C2001A	0.19	60362	-	0.18	0.18	0.18	0.18	0.19	(0.01)	6,400.00	115.00	-
BEM13C1905A	0.37	60362	-	0.38	0.33	0.34	0.34	0.36	(0.03)	56,832.00	1,904.00	-
BEM13C1905B	0.10	60362	-	0.10	0.10	0.10	0.09	0.10	-	394.00	4.00	-
BEM19C1907A	0.14	60362	-	0.13	0.12	0.13	0.12	0.13	(0.01)	31,443.00	378.00	-
BEM23C1905A	0.14	60362	-	0.12	0.12	0.12	0.11	0.12	(0.02)	8,200.00	98.00	-
BEM24C1906A	0.12	60362	-	0.10	0.10	0.10	0.11	0.12	(0.02)	770.00	8.00	-
BEM24P1909A	0.39	60362	-	0.40	0.40	0.40	0.40	0.41	0.01	260.00	10.00	-
BEM27C1904A	0.32	50362	-	-	-	-	0.26	0.28	-	-	-	-
BEM27C1908A	0.19	50362	-	0.18	0.17	0.17	0.17	0.18	(0.02)	84,702.00	1,480.00	-
BEM27P1905A	0.04	60362	-	-	-	-	0.04	0.05	-	-	-	-
BEM27P1907A	0.22	60362	-	0.24	0.23	0.24	0.23	0.24	0.02	9,301.00	223.00	-
BEM28C1905A	0.22	60362	-	0.19	0.18	0.19	0.19	0.23	(0.03)	12,312.00	226.00	-
BEM28C1906A	0.08	50362	-	0.07	0.07	0.07	0.06	0.07	(0.01)	3,100.00	22.00	-
BEM41C1907A	0.20	50362	-	-	-	-	0.17	0.18	-	-	-	-
BEM41P1907A	1.00	0	-	0.27	0.26	0.26	0.26	0.27	(0.74)	8,000.00	213.00	-
BEM42C1904A	0.32	60362	-	0.32	0.27	0.29	0.28	0.29	(0.03)	21,350.00	593.00	-
BEM42P1904A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
BGR101C1903A	0.30	60362	0.29	0.30	0.29	0.29	0.27	0.29	(0.01)	67,080.00	1,970.00	-
BGR101C1903B	0.08	60362	-	0.07	0.07	0.07	0.06	0.07	(0.01)	10,000.00	70.00	-
BGR106C1903A	0.78	60362	-	0.82	0.77	0.77	0.76	0.77	(0.01)	6,760.00	533.00	-
BGR107C1903A	0.10	60362	-	0.10	0.09	0.09	0.08	0.09	(0.01)	1,996.00	19.00	-
BGR108C1904A	0.10	60362	-	0.10	0.09	0.10	0.09	0.10	-	12,955.00	117.00	-
BGR111C1909A	0.28	60362	-	0.29	0.28	0.28	0.28	0.29	-	22,800.00	646.00	-
BGR113C1904A	0.13	60362	0.13	0.13	0.12	0.12	0.12	0.13	(0.01)	52,580.00	646.00	-
BGR113C1908A	0.24	60362	-	0.24	0.22	0.23	0.23	0.24	(0.01)	380,904.00	8,881.00	-
BGR119C1903A	0.07	60362	-	-	-	-	0.05	0.06	-	-	-	-
BGR123C1906A	0.12	60362	-	0.12	0.12	0.12	0.11	0.13	-	7,000.00	84.00	-
BGR124C1907A	0.29	50362	-	0.26	0.25	0.25	0.25	0.26	(0.04)	6,400.00	160.00	-
BGR127C1905A	0.15	60362	-	0.15	0.14	0.14	0.14	0.15	(0.01)	25,300.00	361.00	-
BGR128C1905A	0.15	60362	-	0.15	0.14	0.14	0.14	0.15	(0.01)	22,386.00	322.00	-
BH01C1905A	0.14	60362	-	0.15	0.15	0.15	0.15	0.16	0.01	28,538.00	428.00	-
BH01C1905B	0.08	60362	-	0.08	0.08	0.08	0.08	0.09	-	4,762.00	38.00	-
BH01C1908A	0.80	60362	-	0.84	0.81	0.82	0.83	0.84	0.02	18,134.00	1,510.00	-
BH01C1908B	0.64	60362	-	0.67	0.64	0.65	0.66	0.67	0.01	30,134.00	1,997.00	-
BH01P1905A	0.69	60362	-	0.69	0.66	0.66	0.65	0.66	(0.03)	5,407.00	357.00	-
BH01P1908A	1.09	60362	-	1.10	1.06	1.07	1.05	1.06	(0.02)	8,106.00	870.00	1.00
BH07C1910A	1.00	0	-	-	-	-	-	-	-	-	-	-
BH08C1907A	0.37	60362	-	0.40	0.38	0.39	0.40	0.41	0.02	11,179.00	438.00	-
BH11C1905A	0.19	60362	-	0.20	0.19	0.20	0.19	0.21	0.01	18,080.00	360.00	-
BH13C1906A	0.37	60362	-	0.40	0.37	0.39	0.40	0.41	0.02	28,741.00	1,138.00	-
BH19C1907A	0.63	60362	-	0.66	0.64	0.64	0.66	0.67	0.01	15,621.00	1,014.00	-
BH23C1906A	0.30	60362	-	0.32	0.30	0.31	0.31	0.32	0.01	6,800.00	213.00	-
BH24C1907A	0.58	60362	0.62	0.62	0.62	0.62	0.62	0.63	0.04	52.00	3.00	-
BH27C1905A	0.08	200262	-	-	-	-	0.06	0.07	-	-	-	-
BH41C1907A	0.52	50362	-	0.53	0.52	0.52	0.53	0.54	-	4,002.00	209.00	-
BIG08C1906A	0.01	60362	-	-	-	-	-	0.01	-	-	-	-
BJC01C1906A	0.30	60362	0.33	0.39	0.33	0.38	0.38	0.39	0.08	122,529.00	4,461.00	-
BJC01C1906B	0.16	60362	0.18	0.23	0.18	0.23	0.22	0.23	0.07	137,852.00	2,821.00	-
BJC01P1906A	0.62	60362	0.58	0.59	0.52	0.53	0.52	0.53	(0.09)	59,879.00	3,316.00	-
BJC06C1903A	0.01	60362	0.01	0.02	0.01	0.02	0.01	0.02	0.01	2,075.00	2.00	-
BJC06C1907A	0.37	60362	-	0.49	0.40	0.47	0.47	0.48	0.10	62,202.00	2,766.00	-
BJC08C1903A	0.01	280262	-	-	-	-	0.01	0.02	-	-	-	-
BJC08C1907A	0.25	60362	0.27	0.32	0.27	0.32	0.32	0.33	0.07	126,838.00	3,758.00	-
BJC11C1905A	0.05	50362	-	-	-	-	0.06	0.07	-	-	-	-
BJC11C2001A	0.42	60362	-	0.49	0.46	0.49	0.49	0.50	0.07	46,960.00	2,234.00	-
BJC13C1903A	0.02	50362	-	-	-	-	-	0.02	-	-	-	-
BJC13C1906A	0.14	60362	0.15	0.20	0.15	0.19	0.19	0.20	0.05	130,885.00	2,279.00	-
BJC13C1908A	0.31	60362	0.34	0.39	0.34	0.39	0.39	0.40	0.08	205,708.00	7,568.00	-
BJC19C1906A	0.27	60362	0.29	0.33	0.29	0.33	0.33	0.34	0.06	77,070.00	2,404.00	-
BJC23C1905A	0.15	60362	-	0.22	0.18	0.22	0.22	0.23	0.07	58,666.00	1,145.00	-
BJC24C1906A	0.24	60362	-	0.32	0.26	0.32	0.31	0.32	0.08	47,276.00	1,345.00	-
BJC27C1905A	0.07	60362	-	0.08	0.07	0.08	0.08	0.09	0.01	5,000.00	39.00	-
BJC27P1908A	0.37	60362	-	0.35	0.31	0.31	0.31	0.32	(0.06)	5,000.00	163.00	-
BJC28C1904A	0.01	60362	-	-	-	-	0.01	0.03	-	-	-	-
BJC41C1907A	0.35	60362	0.42	0.45	0.41	0.45	0.45	0.46	0.10	12,612.00	542.00	-
BLA08C1904A	0.04	220262	-	-	-	-	0.03	0.04	-	-	-	-
BLA11C1909A	0.07	150262	-	-	-	-	0.06	0.07	-	-	-	-
BLA13C1908A	0.21	60362	0.21	0.21	0.21	0.21	0.21	0.22	-	56,100.00	1,178.00	-
BLA19C1903A	0.01	50362	-	-	-	-	-	0.02	-	-	-	-
BLA19C1906A	0.09	40362	-	-	-	-	-	0.07	0.08	-	-	-
BLA24C1903A	0.01	40262	-	-	-	-	-	0.01	-	-	-	-
BLA27C1905A	0.09	40362	-	-	-	-	-	0.07	0.08	-	-	-
BLA28C1906A	0.14	60362	-	0.13	0.12	0.12	0.13	0.14	(0.02)	9,916.00	128.00	-
BLAN01C1903A	0.05	60362	0.04	0.06	0.04	0.06	0.05	0.06	0.01	805.00	3.00	-
BLAN01C1903B	0.02	60262	-	-	-	-	0.01	0.02	-	-	-	-
BLAN01P1903A	0.65	60362	-	0.69	0.67	0.67	0.63	0.65	0.02	3,712.00	254.00	-
BLAN19C1906A	0.18	10362	-	0.14	0.13	0.14	0.14	0.15	(0.04)	4,000.00	53.00	-
BLAN24C1907A	0.30	40362	-	-	-	-	0.26	0.28	-	-	-	-
BPP01C1903A	0.06	150262	-	-	-	-	0.02	0.03	-	-	-	-
BPP01C1903B	0.05	90162	-	-	-	-	0.01	0.02	-	-	-	-
BPP01P1903A	0.35	60362	-	0.35	0.34	0.34	0.32	0.33	(0.01)	21,606.00	738.00	-
BPP06C1903A	0.01	270262	-	-	-	-	0.01	0.02	-	-	-	-
BPP11C1910A	0.35	60362	-	0.35	0.35	0.35	0.36	0.37	-	8,000.00	280.00	-
BPP13C1906A	0.21	60362	0.21	0.23	0.21	0.23	0.23	0.24	0.02	46,394.00	1,032.00	-
BPP19C1903A	0.03	40362	-	-	-	-	0.02	0.03	-	-	-	-
BPP19C1903B	0.06	20162	-	-	-	-	-	0.02	-	-	-	-
BPP24C1904A	0.21	61261	-	-	-	-	-	0.01	0.02	-	-	-
BPP24C1908A	0.35	60362	-	0.36	0.36	0.36	0.36	0.37	0.01	200.00	7.00	-
BPP28C1904A	0.05	10362	-	-	-	-	-	0.03	0.04	-	-	-
BTS01C1903A	0.53	60362	0.51	0.59	0.51	0.59	0.57	0.59	0.06	20,342.00	1,122.00	-
BTS01C1903B	0.25	60362	-	0.31	0.24	0.31	0.28	0.31	0.06	36,204.00	987.00	-
BTS01C1908A</												

## Foreign Board Quotation

Issue Date :

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
CBG01C1907A	1.58	60362	1.61	1.65	1.53	1.65	1.65	1.67	0.07	55,220.00	8,755.00	1.00
CBG01C1907B	1.53	60362	-	1.65	1.51	1.65	1.63	1.65	0.12	61,902.00	9,701.00	1.00
CBG01P1905A	0.30	60362	0.30	0.32	0.21	0.26	0.26	0.27	(0.04)	54,866.00	1,590.00	-
CBG01P1907A	0.24	60362	0.24	0.25	0.21	0.21	0.21	0.22	(0.03)	80,100.00	1,845.00	-
CBG06C1903A	0.72	60362	-	0.80	0.66	0.80	0.81	0.82	0.08	15,514.00	1,099.00	-
CBG06P1903A	0.11	60362	-	0.11	0.08	0.08	0.07	0.09	(0.03)	592.00	5.00	-
CBG08C1906A	1.52	60362	-	1.60	1.46	1.58	1.61	1.63	0.06	56,939.00	8,606.00	1.00
CBG11C1911A	1.36	60362	1.35	1.40	1.27	1.40	1.38	1.40	0.04	57,420.00	7,544.00	1.00
CBG13C1905A	1.08	60362	-	1.10	0.98	1.10	1.10	1.14	0.02	6,108.00	658.00	1.00
CBG13C1906A	1.58	60362	1.60	1.63	1.53	1.63	1.65	1.67	0.05	6,500.00	1,041.00	1.00
CBG13C1907A	0.80	60362	-	0.86	0.76	0.86	0.86	0.87	0.06	357,590.00	28,256.00	-
CBG16C1912A	1.30	60362	-	1.31	1.23	1.31	1.29	1.31	0.01	791.00	101.00	1.00
CBG19C1906A	1.12	60362	1.13	1.20	1.08	1.20	1.20	1.21	0.08	38,798.00	4,372.00	1.00
CBG23C1905A	1.43	40362	-	1.57	1.54	1.55	1.67	1.72	0.12	2,400.00	372.00	1.00
CBG24C1903A	0.05	60362	-	0.04	0.04	0.04	0.05	0.06	(0.01)	7,480.00	30.00	-
CBG24C1904A	0.49	60362	0.49	0.52	0.44	0.52	0.55	0.56	0.03	22,109.00	1,050.00	-
CBG24C1906A	1.80	50362	-	1.81	1.79	1.81	1.89	1.91	0.01	20.00	4.00	1.00
CBG28C1904A	0.70	60362	-	0.62	0.53	0.62	0.67	0.72	(0.08)	189.00	11.00	-
CBG28C1906A	1.32	60362	-	-	-	-	1.31	1.35	-	-	-	-
CBG28C1908A	0.70	60362	-	0.75	0.67	0.75	0.76	0.77	0.05	119,200.00	8,368.00	-
CBG41C1908A	1.19	60362	-	1.17	1.12	1.17	1.19	1.20	(0.02)	8,008.00	916.00	1.00
CBG41P1908A	0.47	60362	0.45	0.48	0.44	0.44	0.43	0.44	(0.03)	121,460.00	5,629.00	-
CBG42C1904A	0.22	60362	-	0.24	0.20	0.23	0.23	0.24	0.01	12,792.00	264.00	-
CENT01C1903A	0.52	60362	-	0.57	0.53	0.54	0.53	0.54	0.02	13,842.00	759.00	-
CENT01C1903B	0.19	60362	-	0.24	0.20	0.20	0.20	0.21	0.01	19,581.00	435.00	-
CENT01P1903A	0.07	60362	-	0.06	0.05	0.05	0.05	0.06	(0.02)	6,216.00	35.00	-
CENT06C1904A	0.06	60362	-	0.07	0.06	0.07	0.06	0.07	0.01	12,503.00	87.00	-
CENT11C1904A	0.04	250262	-	-	-	-	0.03	0.04	-	-	-	-
CENT11C1909A	0.38	60362	-	0.41	0.39	0.40	0.39	0.40	0.02	10,462.00	419.00	-
CENT13C1907A	0.42	60362	0.41	0.46	0.41	0.44	0.44	0.45	0.02	53,343.00	2,375.00	-
CENT19C1904A	0.38	60362	0.38	0.43	0.38	0.40	0.40	0.42	0.02	6,802.00	276.00	-
CENT24C1908A	0.38	50362	-	-	-	-	0.34	0.35	-	-	-	-
CENT27C1905A	0.36	60362	-	0.39	0.35	0.39	0.36	0.37	0.03	7,200.00	266.00	-
CENT41C1908A	0.31	40362	-	0.32	0.31	0.32	0.30	0.31	0.01	4,002.00	127.00	-
CHG01C1903A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
CHG01C1903B	0.01	40362	-	-	-	-	0.01	0.02	-	-	-	-
CHG01C1907A	0.46	60362	-	0.46	0.45	0.46	0.45	0.46	-	36,742.00	1,653.00	-
CHG01C1907B	0.13	60362	-	0.12	0.12	0.12	0.12	0.13	(0.01)	97,456.00	1,169.00	-
CHG01P1903A	0.88	60362	-	0.89	0.88	0.89	0.87	0.88	0.01	23,311.00	2,074.00	-
CHG01P1907A	0.37	60362	-	0.38	0.38	0.38	0.37	0.38	0.01	58,850.00	2,236.00	-
CHG11C1904A	0.03	80162	-	-	-	-	0.01	0.04	-	-	-	-
CHG11C1911A	0.18	60362	-	0.18	0.17	0.17	0.18	0.19	(0.01)	3,600.00	64.00	-
CHG13C1903A	0.01	111261	-	-	-	-	0.02	0.02	-	-	-	-
CHG13C1904A	0.03	220262	-	-	-	-	0.01	0.05	-	-	-	-
CHG13C1906A	0.35	60362	-	0.35	0.34	0.35	0.35	0.36	-	139,087.00	4,740.00	-
CHG19C1906A	0.15	60362	-	0.15	0.15	0.15	0.15	0.16	-	1,082.00	16.00	-
CHG23C1907A	0.16	60362	-	0.15	0.15	0.15	0.15	0.16	(0.01)	51,000.00	765.00	-
CHG24C1904A	0.01	40262	-	-	-	-	-	0.01	-	-	-	-
CHG24C1907A	0.28	60362	-	0.28	0.27	0.27	0.26	0.28	(0.01)	150.00	4.00	-
CHG24C1911A	0.48	60362	-	0.47	0.47	0.47	0.47	0.48	(0.01)	200.00	9.00	-
CHG27C1905A	0.05	250162	-	-	-	-	0.02	0.03	-	-	-	-
CHG28C1904A	0.06	50262	-	-	-	-	0.01	0.02	-	-	-	-
CK01C1907A	0.25	60362	-	0.26	0.26	0.26	0.25	0.26	0.01	24,451.00	636.00	-
CK01C1907B	0.18	60362	-	0.19	0.18	0.19	0.18	0.19	0.01	117,070.00	2,189.00	-
CK01P1907A	0.27	60362	-	-	-	-	0.26	0.27	-	-	-	-
CK11C1904A	0.02	40362	-	-	-	-	0.02	0.03	-	-	-	-
CK11C1911A	0.23	60362	-	0.22	0.22	0.22	0.23	0.24	(0.01)	5,400.00	119.00	-
CK13C1906A	0.15	60362	-	-	-	-	0.15	0.16	-	-	-	-
CK16C1912A	0.27	50362	-	0.26	0.26	0.26	0.26	0.27	(0.01)	99.00	3.00	-
CK19C1903A	0.05	270262	-	-	-	-	0.03	0.04	-	-	-	-
CK19C1907A	0.15	50362	-	0.14	0.14	0.14	0.14	0.15	(0.01)	2,810.00	39.00	-
CK23C1907A	0.14	40362	-	0.14	0.14	0.14	0.14	0.16	-	1,500.00	21.00	-
CK24C1904A	0.05	60362	-	-	-	-	0.05	0.06	-	-	-	-
CK41C1907A	1.00	0	-	0.18	0.18	0.18	0.17	0.18	(0.82)	2,002.00	36.00	-
CKP01C1906A	0.18	60362	-	0.19	0.17	0.19	0.18	0.19	0.01	27,823.00	511.00	-
CKP01C1906B	0.09	60362	-	0.10	0.09	0.09	0.08	0.09	-	24,484.00	220.00	-
CKP08C1903A	0.33	60362	-	0.36	0.31	0.35	0.35	0.36	0.02	21,325.00	693.00	-
CKP08C1903B	0.02	40362	-	-	-	-	0.01	0.02	-	-	-	-
CKP11C1910A	0.16	50362	-	0.17	0.16	0.17	0.16	0.17	0.01	16,004.00	258.00	-
CKP13C1903A	0.05	50362	-	-	-	-	0.03	0.05	-	-	-	-
CKP13C1903B	0.01	40362	-	-	-	-	-	0.04	-	-	-	-
CKP13C1906A	0.13	60362	0.13	0.13	0.13	0.13	0.13	0.14	-	4,260.00	55.00	-
CKP19C1903A	0.06	250262	-	-	-	-	0.02	0.03	-	-	-	-
CKP19C1907A	0.42	60362	-	0.43	0.40	0.42	0.43	0.44	-	19,278.00	785.00	-
CKP23C1907A	0.17	50362	-	0.18	0.18	0.18	0.17	0.18	0.01	1,000.00	18.00	-
CKP24C1906A	0.06	50362	-	-	-	-	0.06	0.07	-	-	-	-
CKP24C1907A	0.51	60362	-	0.50	0.48	0.50	0.51	0.53	(0.01)	2,250.00	109.00	-
CKP27C1905A	0.09	60362	-	0.09	0.09	0.09	0.08	0.09	-	1,000.00	9.00	-
CKP28C1903A	0.02	50362	-	-	-	-	-	0.01	-	-	-	-
CKP28C1908A	0.13	50362	-	0.13	0.13	0.13	0.13	0.14	-	8,124.00	106.00	-
COM706C1903A	0.01	50362	-	0.02	0.02	0.02	0.01	0.02	0.01	8,360.00	17.00	-
COM706C1908A	0.66	60362	0.72	0.77	0.67	0.72	0.71	0.72	0.06	26,800.00	1,917.00	-
COM708C1903A	0.03	50362	-	-	-	-	0.03	0.04	-	-	-	-
COM708C1906A	0.86	60362	-	0.97	0.87	0.92	0.92	0.93	0.06	45,656.00	4,199.00	-
COM711C1909A	0.33	60362	-	0.38	0.34	0.36	0.36	0.37	0.03	39,950.00	1,436.00	-
COM713C1903A	0.03	250262	-	-	-	-	-	0.01	-	-	-	-
COM713C1904A	0.11	10362	-	0.14	0.11	0.11	0.11	0.13	-	841.00	11.00	-
COM713C1906A	0.79	60362	-	0.90	0.81	0.85	0.85	0.86	0.06	40,378.00	3,528.00	-
COM713C1907A	0.40	60362	-	0.47	0.40	0.43	0.43	0.44	0.03	327,342.00	14,054.00	-
COM719C1904A	0.16	60362	-	0.21	0.18	0.19	0.19	0.20	0.03	32,212.00	613.00	-
COM719C1906A	0.59	60362	-	0.69	0.59	0.63	0.63	0.65	0.04	94,199.00	5,972.00	-
COM723C1905A	0.75	60362	-	0.86	0.78	0.81	0.80	0.83	0.06	12,020.00	978.00	-
COM724C1904A	0.05	10362	-	-	-	-	0.05	0.06	-	-	-	-
COM724C1906A	0.82	60362	0.90	0.94	0.88	0.90	0.90	0.92	0.08	53.00	5.00	-
COM727C1907A	0.65	60362	-	0.73	0.66	0.67	0.69	0.70	0.02	24,302.00	1,675.00	-
COM728C1903A	0.01	280262	-	-	-	-	-	0.01	-	-	-	-
COM741C1908A	1.00	0	-	0.32	0.32	0.32	0.32	0.33	(0.68)	4,002.00	128.00	-
CPAL01C1904A	0.89	60362	-	0.94	0.90	0.94	0.93	0.94	0.05	70,900.00	6,524.00	-
CPAL01C1904B	0.41	60362	-	0.46	0.42	0.43	0.44	0.46	0.02	187,024.00	8,068.00	-
CPAL01C1907A	0.66	60362	0.66	0.70	0.66	0.69	0.69	0.70	0.03	53,552.00	3,657.00	-

Foreign Board Quotation

Issue Date : Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
CPAL19C1907A	0.41	60362	0.41	0.45	0.41	0.45	0.45	0.46	0.04	94,115.00	4,052.00	-
CPAL19P1903A	0.02	10262	-	-	-	-	-	0.02	-	-	-	-
CPAL19P1906A	0.26	60362	-	0.25	0.24	0.24	0.23	0.24	(0.02)	12,482.00	304.00	-
CPAL23C1906A	0.54	50362	-	-	-	-	0.52	0.58	-	-	-	-
CPAL24C1903A	0.12	270262	-	0.05	0.05	0.05	0.05	0.06	(0.07)	1.00	-	-
CPAL24C1904A	0.73	10362	-	-	-	-	0.71	0.72	-	-	-	-
CPAL24P1907A	0.61	60362	-	0.62	0.62	0.62	0.60	0.61	0.01	33.00	2.00	-
CPAL24P1909A	0.21	60362	-	0.21	0.21	0.21	0.19	0.20	-	500.00	11.00	-
CPAL27C1903A	0.17	60362	-	0.19	0.17	0.18	0.19	0.20	0.01	6,300.00	110.00	-
CPAL27P1905A	0.14	60362	-	0.14	0.14	0.14	0.13	0.14	-	9,600.00	134.00	-
CPAL28C1904A	0.48	60362	-	0.53	0.48	0.53	0.53	0.54	0.05	58.00	3.00	-
CPAL28C1906A	0.35	60362	-	0.38	0.35	0.38	0.38	0.39	0.03	59,297.00	2,149.00	-
CPAL41C1906A	0.46	50362	-	0.47	0.45	0.46	0.46	0.47	-	2,002.00	93.00	-
CPAL41P1908A	1.00	0	-	0.59	0.57	0.57	0.56	0.57	(0.43)	4,002.00	229.00	-
CPAL42C1904A	0.36	60362	-	0.40	0.37	0.38	0.40	0.41	0.02	27,520.00	1,038.00	-
CPAL42P1904A	0.03	60362	-	0.02	0.02	0.02	0.01	0.02	(0.01)	50.00	-	-
CPF01C1908A	0.19	60362	0.19	0.19	0.19	0.19	0.19	0.20	-	20,050.00	381.00	-
CPF01C1908B	0.15	60362	-	0.14	0.13	0.14	0.14	0.15	(0.01)	74,156.00	997.00	-
CPF01P1908A	0.38	60362	-	0.41	0.37	0.38	0.37	0.38	-	28,717.00	1,144.00	-
CPF01P1908B	0.31	60362	0.31	0.33	0.31	0.31	0.29	0.31	-	60,258.00	1,956.00	-
CPF06C1903A	0.01	280262	-	0.02	0.02	0.02	0.01	0.02	0.01	1.00	-	-
CPF08C1904A	0.08	50362	-	0.06	0.06	0.06	0.07	0.08	(0.02)	16,388.00	98.00	-
CPF11C1910A	0.56	40362	-	0.48	0.46	0.48	0.50	0.53	(0.08)	13,360.00	622.00	-
CPF13C1903A	0.11	60362	-	0.10	0.07	0.10	0.10	0.12	(0.01)	39,424.00	326.00	-
CPF13C1905A	0.12	60362	-	0.11	0.09	0.11	0.11	0.12	(0.01)	40,600.00	387.00	-
CPF19C1904A	0.32	60362	-	0.29	0.26	0.29	0.31	0.34	(0.03)	2,800.00	75.00	-
CPF19C1907A	0.11	60362	-	0.10	0.10	0.10	0.11	0.12	(0.01)	11,544.00	115.00	-
CPF24C1903A	0.06	210262	-	-	-	-	0.02	0.03	-	-	-	-
CPF24C1904A	0.36	50362	-	-	-	-	0.32	0.35	-	-	-	-
CPF24P1909A	0.38	280262	-	0.42	0.42	0.42	0.38	0.40	0.04	100.00	4.00	-
CPF27C1903A	0.06	161161	-	-	-	-	0.01	0.02	-	-	-	-
CPF28C1903A	0.41	160162	-	-	-	-	0.13	0.20	-	-	-	-
CPN01C1908A	0.46	60362	-	0.49	0.46	0.48	0.48	0.49	0.02	98,322.00	4,637.00	-
CPN01C1908B	0.32	60362	-	0.35	0.32	0.34	0.33	0.34	0.02	108,007.00	3,565.00	-
CPN01P1908A	1.14	60362	-	1.15	1.10	1.11	1.10	1.11	(0.03)	23,860.00	2,695.00	1.00
CPN06C1903A	0.01	60362	-	0.02	0.01	0.01	0.01	0.02	-	3,600.00	5.00	-
CPN08C1903A	0.02	50362	-	0.02	0.02	0.02	0.02	0.03	-	5,544.00	11.00	-
CPN11C1903A	0.02	80262	-	0.02	0.02	0.02	0.01	0.02	-	500.00	1.00	-
CPN11C1910A	0.34	60362	-	0.36	0.34	0.36	0.35	0.36	0.02	25,201.00	870.00	-
CPN11P1903A	0.04	210262	-	-	-	-	0.01	0.04	-	-	-	-
CPN13C1903A	0.02	50362	-	-	-	-	0.01	0.02	-	-	-	-
CPN13C1906A	0.26	60362	0.25	0.29	0.25	0.28	0.28	0.29	0.02	235,095.00	6,286.00	-
CPN19C1906A	0.34	60362	-	0.37	0.33	0.36	0.36	0.37	0.02	91,513.00	3,248.00	-
CPN23C1906A	0.13	60362	-	0.14	0.13	0.13	0.13	0.14	-	2,400.00	32.00	-
CPN24C1904A	0.14	280262	-	-	-	-	0.08	0.09	-	-	-	-
CPN24P1907A	0.43	60362	-	0.43	0.41	0.42	0.42	0.43	(0.01)	1,991.00	85.00	-
CPN27C1903A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
CPN28C1904A	0.02	60362	-	0.02	0.02	0.02	0.02	0.03	-	1,250.00	3.00	-
CPN41C1907A	0.32	50362	-	0.31	0.29	0.31	0.31	0.32	(0.01)	2,002.00	60.00	-
DEL106C1903A	0.62	60362	-	0.64	0.62	0.62	0.61	0.62	-	1,610.00	103.00	-
DTAC01C1905A	0.56	60362	-	0.60	0.57	0.59	0.58	0.59	0.03	20,298.00	1,177.00	-
DTAC01C1905B	0.39	60362	-	0.41	0.39	0.40	0.40	0.41	0.01	26,854.00	1,065.00	-
DTAC01P1905A	0.45	60362	-	0.46	0.44	0.44	0.43	0.44	(0.01)	13,318.00	591.00	-
DTAC06C1903A	0.26	60362	-	0.25	0.23	0.24	0.24	0.25	(0.02)	5,812.00	140.00	-
DTAC06P1903A	0.01	60362	0.01	0.01	0.01	0.01	0.01	0.02	-	2,187.00	2.00	-
DTAC07C1909A	0.46	110262	-	-	-	-	0.54	0.55	-	-	-	-
DTAC08C1903A	0.18	60362	-	0.18	0.15	0.17	0.18	0.19	(0.01)	9,598.00	164.00	-
DTAC08P1906A	0.19	60362	-	0.19	0.18	0.18	0.18	0.19	(0.01)	6,898.00	127.00	-
DTAC11C1904A	0.15	60362	-	0.16	0.15	0.15	0.16	0.17	-	12,010.00	188.00	-
DTAC13C1904A	0.37	60362	-	0.37	0.35	0.37	0.37	0.38	-	44,239.00	1,598.00	-
DTAC13P1903A	0.01	60362	-	-	-	-	-	0.01	-	-	-	-
DTAC13P1907A	0.39	60362	-	0.38	0.37	0.37	0.37	0.38	(0.02)	14,693.00	548.00	-
DTAC19C1904A	0.42	60362	-	0.45	0.43	0.44	0.45	0.47	0.02	9,716.00	427.00	-
DTAC19P1906A	0.11	60362	-	-	-	-	0.10	0.11	-	-	-	-
DTAC23C1906A	0.32	60362	-	0.34	0.32	0.33	0.33	0.35	0.01	9,000.00	301.00	-
DTAC24C1906A	0.67	60362	-	0.65	0.64	0.65	0.66	0.67	(0.02)	1,000.00	65.00	-
DTAC27C1903A	0.10	60362	-	0.11	0.10	0.10	0.11	0.12	-	12,200.00	130.00	-
DTAC27P1903A	0.06	140262	-	-	-	-	0.01	0.02	-	-	-	-
DTAC28C1905A	0.39	50362	-	-	-	-	0.41	0.44	-	-	-	-
DTAC28C1908A	0.45	60362	-	0.47	0.45	0.46	0.46	0.47	0.01	12,144.00	557.00	-
DTAC41C1906A	0.72	50362	-	0.71	0.69	0.69	0.70	0.71	(0.03)	15,326.00	1,066.00	-
DTAC42C1903A	0.19	60362	-	0.20	0.19	0.20	0.20	0.21	0.01	5,000.00	99.00	-
EA06C1907A	0.41	60362	-	0.44	0.41	0.42	0.41	0.42	0.01	109,293.00	4,608.00	-
EA07C1903A	0.36	60362	-	0.38	0.36	0.38	0.36	0.37	0.02	434.00	16.00	-
EA07C1910A	0.61	60362	-	0.61	0.60	0.61	0.59	0.60	-	3.00	-	-
EA08C1903A	0.18	60362	0.19	0.20	0.18	0.18	0.18	0.19	-	29,478.00	552.00	-
EA08C1903B	0.03	60362	-	0.03	0.03	0.03	0.02	0.03	-	200.00	1.00	-
EA08C1908A	0.44	60362	-	0.48	0.45	0.46	0.46	0.47	0.02	44,431.00	2,058.00	-
EA11C1911A	0.74	60362	-	0.76	0.73	0.75	0.74	0.75	0.01	41,160.00	3,074.00	-
EA13C1903A	0.02	60362	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	1,421.00	1.00	-
EA13C1905A	0.26	60362	0.27	0.29	0.27	0.27	0.27	0.28	0.01	298,021.00	8,264.00	-
EA13P1906A	0.48	60362	-	0.47	0.44	0.46	0.46	0.47	(0.02)	68,073.00	3,148.00	-
EA19C1907A	0.43	60362	0.44	0.47	0.44	0.45	0.45	0.46	0.02	51,855.00	2,335.00	-
EA19P1906A	0.30	60362	-	0.29	0.28	0.28	0.28	0.29	(0.02)	6,518.00	186.00	-
EA24C1905A	0.50	60362	-	0.53	0.50	0.51	0.51	0.52	0.01	2,501.00	125.00	-
EA27C1908A	0.42	60362	-	0.44	0.42	0.44	0.43	0.44	0.02	9,800.00	420.00	-
EA27P1908A	0.57	60362	-	0.57	0.55	0.56	0.56	0.57	(0.01)	9,350.00	525.00	-
EA28C1905A	0.23	60362	-	0.25	0.22	0.23	0.23	0.24	-	96,409.00	2,222.00	-
EA41C1907A	0.43	60362	-	0.45	0.42	0.43	0.42	0.43	-	12,004.00	519.00	-
EA41P1907A	0.81	60362	-	0.81	0.78	0.78	0.79	0.80	(0.03)	4,104.00	325.00	-
EGCO01C1903A	0.89	60362	0.87	0.92	0.86	0.86	0.86	0.87	(0.03)	6,362.00	568.00	-
EGCO01C1903B	0.49	60362	0.46	0.50	0.46	0.46	0.44	0.46	(0.03)	9,769.00	473.00	-
EGCO13C1907A	0.52	60362	-	0.54	0.51	0.51	0.50	0.51	(0.01)	44,297.00	2,319.00	-
EGCO19C1907A	0.51	60362	-	0.53	0.50	0.51	0.50	0.51	-	11,598.00	596.00	-
EGCO24C1908A	0.62	280262	0.60	0.60	0.60	0.60	0.59	0.60	(0.02)	16.00	1.00	-
EPG01C1903A	0.02	60362	-	-	-	-	0.01	0.02	-	-	-	-
EPG01C1903B	0.01	260262	-	-	-	-	0.01	0.02	-	-	-	-
EPG01P1903A	1.30	60362	-	1.26	1.26	1.26	1.21	1.23	(0.04)	2,498.00	315.00	1.00
EPG07C1906A	0.24	130262	-	-	-	-	-	-	-	-	-	-
EPG08C1903A	0.07	71261	-	-	-	-	0.01	0.02				

## Foreign Board Quotation

Issue Date : Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
ESSO13C1903A	0.01	270262	-	-	-	-	-	0.01	-	-	-	-
ESSO13C1905A	0.09	60362	-	0.08	0.07	0.08	0.08	0.09	(0.01)	3,520.00	27.00	-
ESSO13C1906A	0.23	60362	-	0.23	0.19	0.22	0.22	0.23	(0.01)	143,375.00	2,969.00	-
ESSO19C1906A	0.21	60362	-	0.20	0.18	0.19	0.20	0.21	(0.02)	52,981.00	995.00	-
ESSO24C1907A	0.35	60362	-	0.33	0.31	0.33	0.33	0.34	(0.02)	10,842.00	347.00	-
ESSO28C1903A	0.01	250262	-	-	-	-	-	0.02	-	-	-	-
ESSO28C1904A	0.02	40362	-	-	-	-	0.02	0.03	-	-	-	-
ESSO28C1906A	0.22	60362	-	0.21	0.19	0.20	0.21	0.22	(0.02)	40,540.00	798.00	-
GFPT08C1906A	0.30	60362	-	0.33	0.30	0.33	0.33	0.34	0.03	8,738.00	284.00	-
GFPT19C1903A	0.06	50362	-	0.06	0.06	0.06	0.07	0.08	-	24,828.00	149.00	-
GFPT19C1906A	0.42	60362	-	0.46	0.43	0.46	0.47	0.49	0.04	11,500.00	527.00	-
GFPT24C1907A	0.40	220262	-	-	-	-	0.41	0.42	-	-	-	-
GGC08C1906A	0.03	280262	-	-	-	-	0.01	0.02	-	-	-	-
GGC13C1905A	0.12	60362	-	0.12	0.12	0.12	0.12	0.13	-	19,602.00	235.00	-
GGC13C1908A	0.21	60362	-	0.22	0.21	0.21	0.21	0.22	-	39,947.00	844.00	-
GGC19C1906A	0.55	60362	-	0.59	0.56	0.56	0.56	0.59	0.01	1,380.00	78.00	-
GGC28C1905A	0.11	60362	-	0.11	0.11	0.11	0.11	0.12	-	21,724.00	239.00	-
GGC28C1907A	0.45	60362	-	0.46	0.44	0.44	0.44	0.46	(0.01)	10,773.00	476.00	-
GLOB01C1903A	0.25	60362	-	0.29	0.25	0.27	0.27	0.28	0.02	469,526.00	12,523.00	-
GLOB01C1903B	0.06	60362	-	0.07	0.06	0.06	0.05	0.06	-	11,001.00	66.00	-
GLOB11C1906A	0.12	60362	-	0.14	0.13	0.13	0.13	0.14	0.01	28,326.00	372.00	-
GLOB13C1906A	0.29	60362	-	0.33	0.30	0.32	0.32	0.33	0.03	192,151.00	5,967.00	-
GLOB19C1907A	0.35	60362	0.36	0.39	0.34	0.38	0.38	0.39	0.03	545,718.00	19,710.00	-
GLOB23C1906A	0.18	60362	-	0.19	0.18	0.18	0.18	0.20	-	4,000.00	74.00	-
GLOB24C1903A	0.02	300162	-	-	-	-	-	0.01	-	-	-	-
GLOB24C1906A	0.19	210262	-	-	-	-	0.13	0.14	-	-	-	-
GLOB24C1908A	0.37	10362	-	0.36	0.33	0.34	0.35	0.36	(0.03)	201,083.00	6,994.00	-
GLOB41C1908A	0.16	50362	-	0.19	0.17	0.17	0.18	0.19	0.01	6,010.00	108.00	-
GLOW13C1905A	0.54	60362	-	0.54	0.51	0.54	0.53	0.54	-	19,939.00	1,060.00	-
GLOW19C1906A	0.97	60362	-	0.96	0.93	0.95	0.95	0.96	(0.02)	6,874.00	654.00	-
GOLD19C1906A	0.61	10362	-	-	-	-	0.60	0.61	-	-	-	-
GPSCO1C1905A	0.76	60362	0.76	0.77	0.69	0.72	0.71	0.72	(0.04)	34,108.00	2,473.00	-
GPSCO1C1905B	0.58	60362	-	0.58	0.50	0.54	0.53	0.54	(0.04)	52,125.00	2,847.00	-
GPSCO6C1903A	0.30	60362	-	0.30	0.22	0.23	0.23	0.25	(0.07)	22,285.00	566.00	-
GPSCO8C1906A	0.61	60362	-	0.59	0.53	0.56	0.56	0.57	(0.05)	20,042.00	1,134.00	-
GPSC11C1909A	0.56	60362	-	0.56	0.50	0.53	0.53	0.54	(0.03)	29,081.00	1,562.00	-
GPSC13C1903A	0.05	280262	-	0.01	0.01	0.01	0.01	0.04	(0.04)	11,490.00	11.00	-
GPSC13C1904A	0.30	60362	-	0.28	0.23	0.26	0.26	0.27	(0.04)	126,474.00	3,321.00	-
GPSC19C1905A	0.64	60362	-	0.63	0.56	0.60	0.60	0.61	(0.04)	21,238.00	1,275.00	-
GPSC23C1906A	0.33	60362	-	0.32	0.29	0.29	0.29	0.32	(0.04)	3,446.00	105.00	-
GPSC24C1904A	0.14	150262	-	-	-	-	0.09	0.10	-	-	-	-
GPSC24C1904B	0.37	60362	-	0.36	0.30	0.31	0.33	0.34	(0.06)	740.00	24.00	-
GPSC28C1903A	0.01	10362	-	-	-	-	-	0.02	-	-	-	-
GPSC28C1904A	0.27	60362	-	0.24	0.18	0.23	0.21	0.24	(0.04)	16,050.00	362.00	-
GPSC41C1908A	0.37	50362	-	0.33	0.32	0.33	0.32	0.33	(0.04)	4,002.00	131.00	-
GULF01C1906A	0.91	60362	0.90	0.95	0.90	0.91	0.91	0.92	-	115,673.00	10,775.00	-
GULF01C1906B	0.76	60362	-	0.81	0.77	0.77	0.77	0.78	0.01	116,029.00	9,205.00	-
GULF01P1906A	0.67	60362	-	0.67	0.65	0.66	0.66	0.67	(0.01)	22,342.00	1,474.00	-
GULF07C1910A	1.11	270262	-	-	-	-	0.96	0.97	-	-	-	-
GULF08C1906A	0.66	60362	-	0.70	0.67	0.67	0.67	0.68	0.01	39,889.00	2,713.00	-
GULF11C1908A	0.67	60362	-	0.70	0.68	0.68	0.68	0.69	0.01	38,216.00	2,627.00	-
GULF13C1906A	0.76	60362	0.75	0.80	0.75	0.77	0.77	0.78	0.01	393,015.00	30,656.00	-
GULF13P1905A	0.34	60362	-	0.33	0.32	0.33	0.33	0.34	(0.01)	74,372.00	2,410.00	-
GULF19C1906A	0.91	60362	-	0.94	0.91	0.91	0.90	0.91	-	50,882.00	4,683.00	-
GULF23C1905A	0.42	60362	-	0.43	0.42	0.42	0.41	0.42	-	11,301.00	481.00	-
GULF24C1908A	0.76	60362	-	0.80	0.78	0.79	0.78	0.79	0.03	690.00	54.00	-
GULF28C1906A	0.74	60362	-	0.77	0.75	0.75	0.75	0.76	0.01	57,354.00	4,349.00	-
GULF28C1908A	0.47	60362	-	0.49	0.47	0.47	0.47	0.48	-	42,405.00	2,049.00	-
GULF41C1906A	0.83	40362	-	0.76	0.74	0.74	0.73	0.74	(0.09)	12,030.00	896.00	-
GULF41P1908A	1.00	0	0.71	0.71	0.69	0.69	0.70	0.71	(0.31)	4,208.00	295.00	-
GUNK11C1903A	0.01	60362	-	-	-	-	0.01	0.04	-	-	-	-
GUNK11C1911A	0.33	60362	-	0.32	0.31	0.32	0.32	0.33	(0.01)	34,800.00	1,086.00	-
GUNK13C1903A	0.03	60362	-	0.02	0.02	0.02	0.02	0.03	(0.01)	5,200.00	10.00	-
GUNK13C1905A	0.20	60362	0.20	0.22	0.20	0.21	0.21	0.22	0.01	57,175.00	1,154.00	-
GUNK19C1903A	0.17	60362	0.16	0.17	0.15	0.17	0.16	0.17	-	7,378.00	111.00	-
GUNK19C1906A	0.18	60362	-	0.19	0.18	0.19	0.19	0.20	0.01	3,135.00	59.00	-
GUNK23C1907A	0.14	60362	-	0.14	0.14	0.14	0.14	0.15	-	1,500.00	21.00	-
GUNK24C1903A	0.10	270262	-	-	-	-	0.04	0.05	-	-	-	-
GUNK24C1909A	0.69	260262	-	0.45	0.44	0.45	0.45	0.47	(0.24)	600.00	26.00	-
GUNK27C1905A	0.18	60362	-	0.16	0.16	0.16	0.16	0.17	(0.02)	3,400.00	54.00	-
GUNK28C1903A	0.01	50362	-	-	-	-	0.01	0.02	-	-	-	-
GUNK28C1906A	0.24	60362	-	0.23	0.22	0.23	0.23	0.24	(0.01)	35,317.00	781.00	-
HANA01C1905A	0.23	60362	-	0.23	0.22	0.23	0.22	0.23	-	36,250.00	834.00	-
HANA01C1905B	0.15	60362	-	0.15	0.14	0.15	0.14	0.15	-	45,392.00	675.00	-
HANA08C1903A	0.04	220262	-	-	-	-	0.02	0.03	-	-	-	-
HANA11C1904A	0.06	130262	-	-	-	-	0.03	0.04	-	-	-	-
HANA11C1911A	0.39	60362	-	0.39	0.38	0.39	0.39	0.40	-	13,200.00	514.00	-
HANA13C1905A	0.12	60362	-	0.11	0.11	0.11	0.11	0.12	(0.01)	23.00	-	-
HANA13C1906A	0.37	60362	-	0.38	0.35	0.37	0.37	0.38	-	57,080.00	2,115.00	-
HANA19C1906A	0.33	60362	-	0.33	0.32	0.33	0.33	0.34	-	11,070.00	365.00	-
HANA24C1903A	0.06	131261	-	-	-	-	-	0.01	-	-	-	-
HANA24C1907A	0.31	60362	-	0.30	0.30	0.30	0.31	0.32	(0.01)	4.00	-	-
HANA28C1904A	0.08	50362	-	0.07	0.07	0.07	0.07	0.08	(0.01)	14,264.00	100.00	-
HMPR01C1908A	0.38	60362	0.38	0.38	0.38	0.38	0.37	0.38	-	15,678.00	596.00	-
HMPR01C1908B	0.30	50362	0.28	0.28	0.28	0.28	0.27	0.28	(0.02)	21,502.00	602.00	-
HMPR01P1908A	0.48	60362	-	0.48	0.47	0.47	0.47	0.48	(0.01)	36,136.00	1,727.00	-
HMPR11C1906A	0.11	50362	-	-	-	-	0.10	0.11	-	-	-	-
HMPR13C1905A	0.12	60362	-	-	-	-	0.12	0.13	-	-	-	-
HMPR19C1907A	0.24	60362	0.25	0.25	0.24	0.24	0.24	0.25	-	14,170.00	341.00	-
HMPR24C1907A	0.24	40362	-	-	-	-	0.22	0.23	-	-	-	-
HMPR27C1905A	0.21	60362	-	-	-	-	0.20	0.21	-	-	-	-
HMPR27P1905A	0.17	60362	-	0.19	0.17	0.18	0.18	0.19	0.01	5,850.00	105.00	-
HMPR28C1903A	0.02	200262	-	-	-	-	-	0.02	-	-	-	-
HMPR41C1907A	0.24	40362	-	0.24	0.24	0.24	0.23	0.24	-	2,004.00	48.00	-
INTU01C1903A	0.36	60362	-	0.36	0.31	0.35	0.35	0.36	(0.01)	92,194.00	3,152.00	-
INTU01C1903B	0.05	40362	-	-	-	-	0.04	0.05	-	-	-	-
INTU01C1907A	0.69	60362	-	0.68	0.62	0.67	0.67	0.68	(0.02)	82,414.00	5,443.00	-
INTU01C1907B	0.53	60362	-	0.52	0.48	0.52	0.51	0.52	(0.01)	147,239.00	7,430.00	-
INTU01P1903A	0.39	60362	-	0.46	0.38	0.38	0.37	0.38	(0.01)	145,455.00	6,031.00	-
INTU01P1903B	0.05	60362	-	0.07	0.05	0.05	0.04	0.05	-	32,805.00	184.00	-
INTU01P1907A	0.49	60362										

## Foreign Board Quotation

Issue Date : Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
IRPC01C1906B	0.18	60362	0.17	0.18	0.17	0.17	0.17	0.18	(0.01)	10,580.00	184.00	-
IRPC01P1903A	0.64	60362	-	0.64	0.64	0.64	0.62	0.64	-	5,959.00	381.00	-
IRPC01P1903B	0.34	60362	-	0.34	0.34	0.34	0.31	0.34	-	1,107.00	38.00	-
IRPC06C1903A	0.01	50362	-	-	-	-	0.01	0.02	-	-	-	-
IRPC06C1907A	0.19	60362	0.19	0.19	0.19	0.19	0.19	0.20	-	1,700.00	32.00	-
IRPC06P1907A	0.18	60362	-	-	-	-	0.17	0.18	-	-	-	-
IRPC11C1905A	0.06	60362	-	-	-	-	0.06	0.07	-	-	-	-
IRPC11C2001A	0.29	60362	-	-	-	-	0.28	0.29	-	-	-	-
IRPC13C1903A	0.05	10362	-	-	-	-	0.03	0.04	-	-	-	-
IRPC13C1906A	0.16	60362	0.15	0.16	0.15	0.16	0.16	0.17	-	13,110.00	208.00	-
IRPC19C1905A	0.16	60362	-	0.15	0.15	0.15	0.15	0.16	(0.01)	1,431.00	21.00	-
IRPC24C1904A	0.05	50362	-	-	-	-	0.05	0.06	-	-	-	-
IRPC27C1903A	0.04	140262	-	-	-	-	0.01	0.02	-	-	-	-
IRPC27P1905A	0.26	50362	-	-	-	-	0.25	0.26	-	-	-	-
IRPC28C1904A	0.05	10362	-	-	-	-	0.04	0.05	-	-	-	-
IRPC41C1907A	0.19	50362	-	-	-	-	0.18	0.19	-	-	-	-
ITD06C1904A	0.01	10362	-	0.01	0.01	0.01	0.01	0.02	-	1,000.00	1.00	-
ITD11C1903A	0.01	40362	-	-	-	-	0.01	0.04	-	-	-	-
ITD13C1908A	0.18	60362	-	0.18	0.16	0.17	0.17	0.18	(0.01)	123,680.00	2,099.00	-
ITD19C1903A	0.04	200262	-	-	-	-	-	0.02	-	-	-	-
ITD19C1906A	0.17	60362	-	0.18	0.15	0.17	0.17	0.18	-	16,032.00	272.00	-
ITD28C1907A	0.15	60362	-	0.15	0.13	0.14	0.14	0.15	(0.01)	20,480.00	293.00	-
IVL01C1903A	0.04	60362	-	0.06	0.04	0.05	0.04	0.05	0.01	5,857.00	28.00	-
IVL01C1903B	0.02	50362	-	0.02	0.02	0.02	0.01	0.02	-	1.00	-	-
IVL01C1905A	0.21	60362	0.21	0.22	0.20	0.22	0.21	0.22	0.01	240,009.00	5,137.00	-
IVL01C1905B	0.10	60362	0.10	0.11	0.10	0.10	0.10	0.11	-	126,133.00	1,266.00	-
IVL01C1908A	0.61	60362	0.61	0.64	0.60	0.62	0.61	0.62	0.01	112,403.00	6,889.00	-
IVL01C1908B	0.48	60362	-	0.49	0.46	0.48	0.47	0.48	-	133,218.00	6,339.00	-
IVL01P1903A	1.22	60362	-	1.22	1.20	1.20	1.18	1.20	(0.02)	24,826.00	3,007.00	1.00
IVL01P1903B	0.68	60362	-	0.70	0.66	0.67	0.64	0.67	(0.01)	33,783.00	2,310.00	-
IVL01P1905A	0.76	60362	-	0.76	0.73	0.74	0.72	0.74	(0.02)	37,995.00	2,831.00	-
IVL01P1908A	0.68	60362	0.68	0.69	0.64	0.66	0.66	0.67	(0.02)	64,899.00	4,363.00	-
IVL01P1908B	0.50	60362	-	0.49	0.47	0.48	0.47	0.48	(0.02)	74,696.00	3,613.00	-
IVL06C1903A	0.02	50362	-	-	-	-	0.01	0.02	-	-	-	-
IVL06C1906A	0.34	60362	-	0.35	0.33	0.34	0.34	0.35	-	63,243.00	2,138.00	-
IVL07C1906A	0.18	60362	-	0.19	0.19	0.19	0.17	0.18	0.01	1,000.00	19.00	-
IVL08C1905A	0.09	60362	-	0.10	0.09	0.09	0.09	0.10	-	16,717.00	153.00	-
IVL08C1907A	0.36	60362	-	0.37	0.35	0.36	0.36	0.37	-	52,067.00	1,859.00	-
IVL08P1903A	0.34	60362	-	0.35	0.32	0.33	0.33	0.35	(0.01)	21,522.00	727.00	-
IVL11C1906A	0.05	60362	-	0.06	0.06	0.06	0.05	0.06	0.01	1.00	-	-
IVL11C1911A	0.51	60362	-	0.51	0.50	0.50	0.50	0.51	(0.01)	18,900.00	952.00	-
IVL13C1903A	0.02	60362	-	-	-	-	-	0.01	-	-	-	-
IVL13C1904A	0.03	60362	-	0.03	0.03	0.03	0.03	0.04	-	28,250.00	85.00	-
IVL13C1906A	0.28	60362	0.27	0.29	0.27	0.28	0.28	0.29	-	317,828.00	8,824.00	-
IVL13P1903A	0.02	60362	-	0.02	0.02	0.02	0.02	0.03	-	6,266.00	13.00	-
IVL13P1906A	0.58	60362	-	0.60	0.57	0.58	0.58	0.59	-	59,251.00	3,470.00	-
IVL19C1903A	0.03	50362	-	-	-	-	0.01	0.02	-	-	-	-
IVL19C1907A	0.46	60362	0.46	0.47	0.45	0.47	0.46	0.47	0.01	44,869.00	2,059.00	-
IVL19P1903A	0.08	60362	-	0.08	0.08	0.08	0.07	0.08	-	32,400.00	259.00	-
IVL23C1906A	0.12	60362	-	0.12	0.12	0.12	0.11	0.12	-	26,000.00	312.00	-
IVL24C1906A	0.11	50362	-	-	-	-	0.09	0.10	-	-	-	-
IVL24C1907A	0.34	60362	-	0.33	0.32	0.33	0.33	0.34	(0.01)	4,000.00	131.00	-
IVL24P1906A	0.62	60362	-	0.64	0.64	0.64	0.63	0.64	0.02	50.00	3.00	-
IVL27P1907A	0.27	60362	-	0.26	0.26	0.26	0.26	0.27	(0.01)	10,800.00	281.00	-
IVL28C1903A	0.02	270262	-	-	-	-	-	0.01	-	-	-	-
IVL28C1906A	0.31	60362	-	0.32	0.29	0.30	0.30	0.31	(0.01)	21,755.00	669.00	-
IVL28C1908A	0.24	60362	-	0.25	0.24	0.25	0.25	0.26	0.01	66,674.00	1,637.00	-
IVL28P1904A	0.14	60362	-	0.14	0.12	0.12	0.12	0.13	(0.02)	21,480.00	279.00	-
IVL41C1906A	0.15	80262	-	0.13	0.12	0.13	0.12	0.13	(0.02)	6,001.00	78.00	-
IVL41P1907A	0.26	50362	-	0.32	0.32	0.32	0.31	0.32	0.06	6.00	-	-
IVL42C1903A	0.02	250262	-	-	-	-	-	0.01	-	-	-	-
KBAN01C1904A	0.14	60362	0.14	0.15	0.14	0.15	0.15	0.16	0.01	25,569.00	380.00	-
KBAN01C1904B	0.02	60362	-	0.02	0.02	0.02	0.02	0.03	-	10,050.00	20.00	-
KBAN01C1907A	0.84	60362	-	0.88	0.84	0.88	0.87	0.88	0.04	81,232.00	6,953.00	-
KBAN01C1907B	0.59	60362	0.59	0.63	0.59	0.63	0.63	0.64	0.04	127,785.00	7,839.00	-
KBAN01P1904A	0.80	60362	-	0.80	0.77	0.77	0.76	0.77	(0.03)	14,525.00	1,161.00	-
KBAN01P1904B	0.39	60362	-	0.39	0.38	0.39	0.35	0.36	-	29,272.00	1,142.00	-
KBAN01P1907A	0.63	60362	0.64	0.64	0.59	0.59	0.59	0.60	(0.04)	60,845.00	3,773.00	-
KBAN06C1903A	0.05	40362	-	-	-	-	0.02	0.03	-	-	-	-
KBAN07C1908A	0.49	10362	-	-	-	-	0.41	0.42	-	-	-	-
KBAN08C1903A	0.01	210262	-	-	-	-	-	0.01	-	-	-	-
KBAN08C1906A	0.53	60362	-	0.57	0.53	0.57	0.58	0.59	0.04	53,424.00	2,945.00	-
KBAN08C1908A	0.24	50362	-	0.22	0.21	0.22	0.22	0.23	(0.02)	20,738.00	441.00	-
KBAN13C1904A	0.05	50362	-	-	-	-	0.02	0.05	-	-	-	-
KBAN13C1904B	0.13	60362	-	0.13	0.11	0.13	0.13	0.14	-	36,564.00	463.00	-
KBAN13C1906A	0.56	60362	-	0.61	0.56	0.61	0.61	0.62	0.05	76,213.00	4,450.00	-
KBAN13P1905A	0.38	60362	-	0.38	0.35	0.35	0.35	0.36	(0.03)	13,110.00	471.00	-
KBAN19C1906A	0.50	60362	0.51	0.54	0.50	0.54	0.54	0.55	0.04	49,313.00	2,551.00	-
KBAN19P1904A	0.24	60362	-	0.22	0.22	0.22	0.21	0.22	(0.02)	27,956.00	615.00	-
KBAN23C1906A	0.28	60362	-	0.29	0.27	0.29	0.29	0.30	0.01	29,700.00	845.00	-
KBAN24C1903A	0.01	60262	-	-	-	-	-	0.01	-	-	-	-
KBAN24C1907A	0.61	60362	-	-	-	-	0.65	0.67	-	-	-	-
KBAN24C1908A	0.30	60362	-	0.33	0.29	0.33	0.32	0.33	0.03	603.00	18.00	-
KBAN24P1907A	0.30	60362	-	-	-	-	0.27	0.28	-	-	-	-
KBAN27C1903A	0.02	270262	-	-	-	-	0.01	0.02	-	-	-	-
KBAN27P1904A	0.38	60362	-	0.38	0.36	0.36	0.35	0.36	(0.02)	10,800.00	401.00	-
KBAN28C1904A	0.10	10262	0.01	0.01	0.01	0.01	0.01	0.03	(0.09)	1,000.00	1.00	-
KBAN28C1905A	0.14	60362	-	-	-	-	0.15	0.16	-	-	-	-
KBAN28C1906A	0.47	60362	-	0.49	0.46	0.49	0.50	0.51	0.02	55,740.00	2,609.00	-
KBAN28C1907A	0.13	60362	0.13	0.14	0.13	0.14	0.13	0.14	0.01	41.00	1.00	-
KBAN28P1904A	0.22	60362	-	-	-	-	0.22	0.24	-	-	-	-
KBAN41C1906A	0.58	50362	-	0.52	0.52	0.52	0.53	0.54	(0.06)	2,002.00	104.00	-
KBAN41P1908A	0.65	50362	-	0.70	0.69	0.69	0.68	0.69	0.04	2,000.00	139.00	-
KCE01C1903A	0.01	60362	-	0.01	0.01	0.01	0.01	0.02	-	4,999.00	5.00	-
KCE01C1903B	0.01	50362	-	-	-	-	0.01	0.02	-	-	-	-
KCE01C1906A	0.21	60362	0.21	0.22	0.21	0.22	0.21	0.22	0.01	32,333.00	702.00	-
KCE01C1906B	0.14	60362	-	0.15	0.14	0.15	0.14	0.15	0.01	30,054.00	422.00	-
KCE06C1903A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
KCE06C1908A	0.29	60362	0.29	0.31	0.28	0.30	0.30	0.31	0.01	15,034.00	443.00	-
KCE08C1905A	0.12	60362	-	0.13	0.12	0.13	0.13	0.14	0.01	7,880.00	99.00	-
KCE11C1904A	0.01	40362	-	-	-	-	0.01	0.04	-	-	-	-
KCE11C1906A	0.14	60362	-	0.15	0.14	0.15	0.15	0.16	0.01	1,905.00	28.00	-



Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
KKP01P1907A	0.51	60362	-	0.52	0.50	0.51	0.49	0.50	-	14,414.00	730.00	-
KKP08C1904A	0.07	60362	-	0.08	0.07	0.07	0.08	0.09	-	12,312.00	98.00	-
KKP11C1903A	0.01	150262	-	-	-	-	0.01	0.05	-	-	-	-
KKP11C1911A	0.50	50362	-	0.50	0.48	0.49	0.49	0.52	(0.01)	13,200.00	655.00	-
KKP13C1903A	0.06	10362	-	-	-	-	0.03	0.05	-	-	-	-
KKP13C1906A	0.46	60362	0.46	0.48	0.46	0.48	0.48	0.49	0.02	58,412.00	2,772.00	-
KKP19C1906A	0.52	60362	-	0.54	0.52	0.53	0.54	0.55	0.01	19,048.00	1,014.00	-
KKP24C1906A	0.21	260262	-	-	-	-	0.16	0.17	-	-	-	-
KKP27P1908A	0.39	50362	-	0.38	0.37	0.37	0.36	0.37	(0.02)	6,000.00	224.00	-
KKP28C1905A	0.17	60362	-	0.17	0.17	0.17	0.17	0.18	-	6,111.00	104.00	-
KTB01C1903A	0.11	60362	0.10	0.12	0.10	0.12	0.11	0.12	0.01	101,357.00	1,122.00	-
KTB01C1903B	0.04	50362	-	-	-	-	0.02	0.03	-	-	-	-
KTB01P1903A	0.43	60362	-	0.42	0.39	0.39	0.39	0.41	(0.04)	94,474.00	3,929.00	-
KTB01P1903B	0.22	60362	0.22	0.22	0.18	0.18	0.18	0.20	(0.04)	92,862.00	1,903.00	-
KTB08C1903A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
KTB11C1909A	0.14	40362	-	0.12	0.12	0.12	0.12	0.13	(0.02)	24,270.00	291.00	-
KTB13C1903A	0.03	210262	-	-	-	-	-	0.05	-	-	-	-
KTB13C1907A	0.17	60362	-	0.18	0.17	0.18	0.18	0.19	0.01	68,835.00	1,194.00	-
KTB19C1907A	0.23	60362	-	0.23	0.23	0.23	0.23	0.24	-	4,559.00	105.00	-
KTB23C1906A	0.15	60362	-	0.15	0.15	0.15	0.14	0.16	-	8,000.00	120.00	-
KTB24C1904A	0.23	281161	-	-	-	-	0.01	0.02	-	-	-	-
KTB24C1908A	0.23	10362	-	0.21	0.21	0.21	0.21	0.22	(0.02)	300.00	6.00	-
KTB24P1907A	0.21	60362	-	0.23	0.21	0.21	0.21	0.22	-	5,024.00	112.00	-
KTB27C1905A	0.11	60362	-	0.11	0.11	0.11	0.11	0.12	-	10,800.00	119.00	-
KTB28C1903A	0.01	270262	-	-	-	-	0.01	0.02	-	-	-	-
KTB41C1906A	0.22	10262	-	-	-	-	0.12	0.13	-	-	-	-
KTB42C1903A	0.03	60362	-	-	-	-	0.02	0.03	-	-	-	-
KTB42P1903A	0.09	300162	-	-	-	-	0.03	0.04	-	-	-	-
KTC01C1906A	0.33	60362	0.33	0.35	0.33	0.34	0.34	0.35	0.01	62,440.00	2,073.00	-
KTC01C1906B	0.25	60362	-	0.27	0.26	0.27	0.27	0.28	0.02	128,745.00	3,399.00	-
KTC08C1903A	0.06	50362	-	0.06	0.06	0.06	0.05	0.06	-	2.00	-	-
KTC08C1907A	0.26	60362	-	0.26	0.25	0.26	0.27	0.28	-	64,683.00	1,648.00	-
KTC11C1911A	0.51	60362	-	0.50	0.50	0.50	0.51	0.52	(0.01)	22,621.00	1,131.00	-
KTC13C1903A	0.02	40362	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,379.00	2.00	-
KTC13C1906A	0.15	60362	0.14	0.16	0.14	0.16	0.15	0.16	0.01	67,853.00	1,027.00	-
KTC19C1903A	0.02	250262	-	-	-	-	-	0.01	-	-	-	-
KTC19C1907A	0.33	60362	-	0.36	0.34	0.36	0.36	0.37	0.03	31,392.00	1,084.00	-
KTC19P1903A	0.04	60362	-	0.04	0.04	0.04	0.03	0.04	-	1.00	-	-
KTC24C1907A	0.35	270262	-	0.30	0.28	0.28	0.31	0.32	(0.07)	2,090.00	61.00	-
KTC27C1903A	0.07	50362	-	0.06	0.06	0.06	0.06	0.08	(0.01)	5,002.00	30.00	-
KTC27P1903A	0.02	60362	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1.00	-	-
KTC27P1905A	0.31	60362	-	0.30	0.29	0.29	0.28	0.29	(0.02)	12,070.00	358.00	-
KTC28C1905A	0.14	60362	-	0.15	0.14	0.15	0.15	0.16	0.01	10,182.00	144.00	-
KTC28C1907A	0.23	50362	-	0.22	0.22	0.22	0.23	0.24	(0.01)	7,098.00	156.00	-
KTC41C1906A	0.23	50362	-	0.21	0.20	0.21	0.21	0.22	(0.02)	4,406.00	92.00	-
LH01C1903A	0.08	60362	0.08	0.09	0.08	0.08	0.08	0.09	-	34,938.00	280.00	-
LH01C1903B	0.02	210262	-	-	-	-	0.01	0.02	-	-	-	-
LH01P1903A	0.35	60362	-	0.37	0.35	0.35	0.33	0.35	-	15,399.00	567.00	-
LH06C1903A	0.01	150262	-	-	-	-	0.01	0.02	-	-	-	-
LH07C1908A	0.29	280262	-	-	-	-	0.29	0.30	-	-	-	-
LH11C1906A	0.03	210262	-	-	-	-	0.02	0.05	-	-	-	-
LH11C1911A	0.20	60362	-	0.20	0.20	0.20	0.21	0.22	-	7,600.00	152.00	-
LH13C1906A	0.19	60362	-	0.19	0.18	0.19	0.19	0.20	-	23,945.00	432.00	-
LH19C1906A	0.42	60362	-	0.40	0.40	0.40	0.42	0.44	(0.02)	5,322.00	213.00	-
LH19C1907A	0.16	60362	-	0.15	0.15	0.15	0.16	0.17	(0.01)	11,741.00	176.00	-
LH23C1906A	0.10	60362	-	-	-	-	0.09	0.11	-	-	-	-
LH24C1903A	0.01	211261	-	-	-	-	-	0.01	-	-	-	-
LH24C1906A	0.43	60362	-	0.42	0.40	0.42	0.42	0.43	(0.01)	70.00	3.00	-
LH27C1905A	0.13	60362	-	-	-	-	0.13	0.14	-	-	-	-
LH27P1905A	0.17	60362	-	0.18	0.17	0.17	0.16	0.17	-	3,170.00	54.00	-
LH41C1907A	1.00	0	-	-	-	-	0.11	0.12	-	-	-	-
LPN01C1905A	0.06	50362	-	-	-	-	0.05	0.06	-	-	-	-
LPN01C1905B	0.03	120262	-	-	-	-	0.02	0.03	-	-	-	-
LPN08C1906A	0.01	280262	-	-	-	-	0.01	0.02	-	-	-	-
LPN08C1908A	0.32	60362	-	0.34	0.33	0.34	0.33	0.34	0.02	15,130.00	499.00	-
LPN13C1903A	0.02	50262	-	-	-	-	-	0.01	-	-	-	-
LPN13C1904A	0.06	130262	-	-	-	-	0.02	0.03	-	-	-	-
LPN13C1908A	0.41	60362	-	0.42	0.42	0.42	0.42	0.43	0.01	39,824.00	1,673.00	-
LPN19C1904A	0.02	260262	-	-	-	-	-	0.02	-	-	-	-
LPN19C1906A	0.30	60362	-	0.32	0.31	0.31	0.31	0.32	0.01	11,769.00	365.00	-
LPN24C1908A	0.06	220262	-	-	-	-	0.04	0.05	-	-	-	-
LPN28C1907A	0.33	60362	-	0.34	0.34	0.34	0.34	0.35	0.01	32,808.00	1,115.00	-
MAJO13C1903A	0.06	60362	-	0.08	0.06	0.08	0.08	0.09	0.02	17,704.00	125.00	-
MAJO19C1904A	0.63	60362	0.69	0.69	0.65	0.69	0.69	0.73	0.06	6,068.00	401.00	-
MBK13C1907A	0.34	60362	0.35	0.36	0.31	0.34	0.34	0.35	-	133,928.00	4,570.00	-
MBK19C1906A	0.39	60362	-	0.39	0.35	0.37	0.38	0.39	(0.02)	32,402.00	1,211.00	-
MBK24C1906A	0.39	60362	-	0.40	0.35	0.38	0.38	0.39	(0.01)	11,102.00	416.00	-
MEGA01C1904A	0.17	60362	-	0.17	0.16	0.17	0.17	0.18	-	25,894.00	436.00	-
MEGA01C1904E	0.08	60362	0.07	0.07	0.06	0.06	0.06	0.07	(0.02)	24,681.00	151.00	-
MEGA08C1903A	0.02	270262	-	-	-	-	0.01	0.02	-	-	-	-
MEGA11C1910A	0.34	60362	-	0.34	0.33	0.33	0.33	0.34	(0.01)	16,550.00	552.00	-
MEGA13C1907A	0.22	60362	-	0.21	0.20	0.21	0.22	0.23	(0.01)	81,310.00	1,694.00	-
MEGA19C1906A	0.26	60362	-	0.28	0.25	0.28	0.27	0.28	0.02	20,121.00	524.00	-
MEGA24C1903A	0.03	70262	-	-	-	-	-	0.01	-	-	-	-
MINT01C1906A	0.42	60362	-	0.44	0.41	0.44	0.43	0.44	0.02	27,699.00	1,170.00	-
MINT01C1906B	0.35	60362	-	0.36	0.33	0.36	0.36	0.37	0.01	67,960.00	2,367.00	-
MINT01P1906A	0.24	60362	-	0.25	0.23	0.23	0.22	0.23	(0.01)	15,297.00	366.00	-
MINT06C1903A	0.01	140262	-	-	-	-	0.01	0.02	-	-	-	-
MINT07C1906A	0.27	60362	-	-	-	-	0.29	0.30	-	-	-	-
MINT08C1903A	0.06	10362	-	-	-	-	0.04	0.05	-	-	-	-
MINT08C1906A	0.26	60362	-	0.27	0.25	0.27	0.27	0.28	0.01	24,912.00	650.00	-
MINT11C1910A	0.39	60362	-	0.40	0.36	0.40	0.40	0.41	0.01	14,890.00	554.00	-
MINT13C1903A	0.05	40262	-	-	-	-	-	0.05	-	-	-	-
MINT13C1904A	0.12	60362	-	0.13	0.11	0.13	0.13	0.14	0.01	64,864.00	754.00	-
MINT19C1906A	0.38	60362	-	0.40	0.36	0.40	0.40	0.42	0.02	4,620.00	177.00	-
MINT23C1905A	0.15	60362	-	0.17	0.15	0.17	0.17	0.18	0.02	10,200.00	165.00	-
MINT24C1908A	0.46	270262	-	-	-	-	0.47	0.48	-	-	-	-
MINT27C1903A	0.04	50362	-	-	-	-	0.04	0.05	-	-	-	-
MINT27P1905A	0.21	60362	-	0.22	0.21	0.21	0.19	0.20	-	3,920.00	84.00	-
MINT28C1903A	0.01	220262	-	-	-	-	-	0.02	-	-	-	-
MINT28C1904A	0.11	50362	-	-	-	-	0.11	0.13	-	-	-	-
MINT41C1907A	0.40	40362	-	0.37	0.37	0.37	0.38	0.39	(0.03)	15,322.00	567.00	-
MINT42C1904A	0.07	40362	-	-	-	-	0.06	0.07	-	-	-	-
MINT42P1904A	0.14	60362	-	0.15	0.15	0.15	0.13	0.15	0.01	400.00	6.00	-

## Foreign Board Quotation

Issue Date :

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
MTC19P1906A	0.36	60362	-	0.34	0.33	0.33	0.33	0.34	(0.03)	36,311.00	1,217.00	-
MTC23C1906A	0.09	60362	-	0.10	0.09	0.10	0.09	0.10	0.01	11,798.00	118.00	-
MTC24C1903A	0.02	10362	-	-	-	-	0.01	0.02	-	-	-	-
MTC24C1912A	0.50	60362	-	0.52	0.51	0.52	0.52	0.53	0.02	2,893.00	149.00	-
MTC27C1904A	0.15	60362	-	0.16	0.15	0.16	0.16	0.17	0.01	15,470.00	239.00	-
MTC28C1903A	0.04	50362	-	-	-	-	-	0.01	-	-	-	-
MTC28C1906A	0.22	60362	0.24	0.24	0.22	0.23	0.23	0.24	0.01	36,945.00	832.00	-
MTC41C1907A	0.35	40362	-	0.33	0.32	0.32	0.32	0.33	(0.03)	10,884.00	349.00	-
MTC41P1907A	0.68	50362	-	0.69	0.67	0.67	0.67	0.68	(0.01)	2,002.00	136.00	-
ORI08C1904A	0.01	40362	-	0.02	0.02	0.02	0.01	0.02	0.01	125.00	-	-
ORI08C1907A	0.34	60362	0.35	0.35	0.32	0.34	0.33	0.34	-	4,605.00	151.00	-
ORI11C1909A	0.44	60362	-	0.44	0.42	0.44	0.44	0.45	-	11,203.00	484.00	-
ORI13C1904A	0.01	60362	-	-	-	-	-	0.01	-	-	-	-
ORI13C1904B	0.12	60362	-	0.12	0.11	0.12	0.12	0.13	-	19,749.00	229.00	-
ORI13C1907A	0.36	60362	-	0.35	0.34	0.35	0.35	0.36	(0.01)	27,913.00	962.00	-
ORI19C1904A	0.01	270262	-	-	-	-	0.01	0.02	-	-	-	-
ORI19C1905A	0.29	60362	0.30	0.30	0.27	0.29	0.29	0.30	-	5,272.00	148.00	-
ORI23C1905A	0.22	60362	-	0.22	0.21	0.22	0.22	0.23	-	4,900.00	105.00	-
ORI24C1903A	0.01	70262	-	-	-	-	-	0.01	-	-	-	-
ORI24C1905A	0.10	280262	-	-	-	-	0.07	0.08	-	-	-	-
ORI24C1908A	0.46	60362	-	0.43	0.43	0.43	0.43	0.44	(0.03)	510.00	22.00	-
ORI27C1905A	0.02	40362	-	-	-	-	0.01	0.03	-	-	-	-
ORI28C1904A	0.19	60362	-	0.18	0.16	0.17	0.17	0.19	(0.02)	16,349.00	281.00	-
ORI28C1904B	0.07	40362	-	-	-	-	0.07	0.10	-	-	-	-
ORI41C1907A	0.07	40362	-	-	-	-	0.06	0.07	-	-	-	-
ORI41C1907B	0.40	60362	-	0.38	0.37	0.38	0.38	0.39	(0.02)	3,004.00	113.00	-
PLAN19C1906A	0.19	60362	-	0.20	0.18	0.20	0.19	0.20	0.01	1,296.00	23.00	-
PLAN27C1908A	0.26	60362	-	0.26	0.25	0.26	0.27	0.28	-	11,550.00	294.00	-
PRM13C1904A	0.03	60362	-	0.02	0.02	0.02	0.01	0.03	(0.01)	1,000.00	2.00	-
PRM19C1906A	0.17	60362	0.18	0.19	0.11	0.12	0.12	0.13	(0.05)	220,498.00	3,213.00	-
PSH08C1904A	0.04	60362	-	-	-	-	0.04	0.05	-	-	-	-
PSH13C1903A	0.05	170162	-	-	-	-	-	0.02	-	-	-	-
PSH19C1903A	0.02	170162	-	-	-	-	0.02	0.03	-	-	-	-
PSH19C1906A	0.46	50362	0.46	0.46	0.46	0.46	0.46	0.48	-	2,934.00	135.00	-
PSL06C1908A	0.63	60362	-	0.66	0.62	0.64	0.63	0.64	0.01	8,340.00	528.00	-
PSL11C1905A	0.04	50362	-	-	-	-	0.02	0.04	-	-	-	-
PSL13C1903A	0.01	300162	-	-	-	-	-	0.01	-	-	-	-
PSL13C1907A	0.46	60362	0.47	0.49	0.43	0.48	0.47	0.48	0.02	114,448.00	5,259.00	-
PSL19C1903A	0.01	290162	-	-	-	-	-	0.01	-	-	-	-
PSL19C1907A	0.69	60362	-	0.72	0.66	0.70	0.70	0.71	0.01	25,560.00	1,738.00	-
PSL23C1907A	0.40	60362	-	0.42	0.38	0.40	0.40	0.42	-	9,260.00	369.00	-
PTG01C1905A	0.97	60362	-	1.07	0.96	1.04	1.04	1.07	0.07	47,672.00	4,938.00	1.00
PTG01C1905B	0.79	60362	-	0.90	0.79	0.87	0.87	0.89	0.08	53,079.00	4,614.00	-
PTG01C1908A	0.36	60362	0.36	0.39	0.35	0.39	0.38	0.39	0.03	180,304.00	6,821.00	-
PTG01C1908B	0.28	60362	-	0.32	0.27	0.32	0.31	0.32	0.04	169,431.00	5,217.00	-
PTG01P1908A	0.39	60362	-	0.38	0.34	0.34	0.34	0.35	(0.05)	76,207.00	2,723.00	-
PTG06C1904A	0.04	60362	0.02	0.03	0.02	0.03	0.03	0.04	(0.01)	9,794.00	28.00	-
PTG08C1903A	0.01	180262	-	-	-	-	0.01	0.02	-	-	-	-
PTG08C1906A	0.61	60362	-	-	-	-	0.70	0.74	-	-	-	-
PTG08C1907A	0.22	60362	-	0.25	0.21	0.25	0.25	0.26	0.03	61,608.00	1,481.00	-
PTG11C1903A	0.01	40362	0.01	0.01	0.01	0.01	0.01	0.02	-	4,146.00	4.00	-
PTG11C1906A	0.52	60362	-	0.59	0.50	0.59	0.60	0.62	0.07	18,200.00	1,037.00	-
PTG13C1903A	0.03	280262	0.01	0.02	0.01	0.02	0.02	0.03	(0.01)	104.00	-	-
PTG13C1904A	0.23	60362	-	0.32	0.22	0.32	0.32	0.34	0.09	169,589.00	4,448.00	-
PTG13C1906A	0.18	60362	0.17	0.21	0.17	0.21	0.21	0.22	0.03	522,348.00	10,112.00	-
PTG19C1905A	0.82	60362	-	0.90	0.81	0.90	0.96	0.98	0.08	6,184.00	545.00	-
PTG19C1907A	0.24	60362	-	0.29	0.26	0.29	0.29	0.30	0.05	123,951.00	3,395.00	-
PTG19P1903A	0.03	40362	-	-	-	-	0.01	0.02	-	-	-	-
PTG23C1905A	0.45	60362	-	0.50	0.48	0.50	0.48	0.53	0.05	35.00	2.00	-
PTG24C1904A	0.10	50362	-	-	-	-	0.14	0.15	-	-	-	-
PTG24C1905A	0.86	60362	-	1.00	0.93	1.00	1.00	1.03	0.14	1,629.00	159.00	-
PTG28C1904A	0.15	60362	-	-	-	-	0.20	0.26	-	-	-	-
PTG28C1907A	0.18	60362	-	0.21	0.18	0.21	0.21	0.22	0.03	285,604.00	5,695.00	-
PTG28C1908A	0.54	40362	-	0.64	0.64	0.64	0.66	0.73	0.10	4.00	-	-
PTG41C1907A	0.26	50362	-	0.30	0.27	0.30	0.29	0.30	0.04	6,016.00	175.00	-
PTT01C1904A	0.17	60362	0.17	0.19	0.17	0.18	0.17	0.18	0.01	180,084.00	3,206.00	-
PTT01C1904B	0.04	60362	0.04	0.05	0.04	0.05	0.04	0.05	0.01	61,093.00	244.00	-
PTT01C1907A	0.48	60362	0.48	0.50	0.48	0.49	0.48	0.49	0.01	94,026.00	4,587.00	-
PTT01C1907B	0.35	60362	0.34	0.36	0.34	0.35	0.34	0.35	-	142,163.00	4,950.00	-
PTT01P1904A	0.65	60362	-	0.66	0.63	0.63	0.63	0.65	(0.02)	33,248.00	2,157.00	-
PTT01P1904B	0.32	60362	0.33	0.33	0.30	0.30	0.30	0.32	(0.02)	58,385.00	1,860.00	-
PTT01P1907A	0.50	60362	0.51	0.52	0.49	0.49	0.48	0.49	(0.01)	45,393.00	2,228.00	-
PTT01P1907B	0.31	60362	-	0.32	0.30	0.30	0.30	0.31	(0.01)	81,237.00	2,518.00	-
PTT06C1903A	0.02	50362	0.02	0.02	0.02	0.02	0.01	0.02	-	5,230.00	10.00	-
PTT06C1908A	0.35	60362	-	0.34	0.33	0.34	0.33	0.34	(0.01)	14,202.00	478.00	-
PTT06P1903A	0.02	60362	-	-	-	-	0.01	0.02	-	-	-	-
PTT07C1906A	0.23	40362	-	-	-	-	0.24	0.25	-	-	-	-
PTT08C1906A	0.28	60362	-	0.28	0.27	0.28	0.28	0.29	-	58,726.00	1,629.00	-
PTT08P1904A	0.20	60362	-	0.20	0.18	0.18	0.19	0.20	(0.02)	14,231.00	273.00	-
PTT11C1909A	0.20	60362	0.19	0.19	0.19	0.19	0.19	0.20	(0.01)	17,207.00	327.00	-
PTT13C1903A	0.02	60362	0.01	0.02	0.01	0.02	0.02	0.03	-	3,866.00	8.00	-
PTT13C1906A	0.29	60362	0.28	0.30	0.28	0.30	0.30	0.31	0.01	152,552.00	4,536.00	-
PTT13P1906A	0.25	60362	-	0.25	0.23	0.23	0.24	0.25	(0.02)	148,447.00	3,593.00	-
PTT16C1912A	0.57	60362	-	0.56	0.56	0.56	0.57	0.58	(0.01)	6.00	-	-
PTT19C1906A	0.38	60362	-	0.38	0.37	0.38	0.38	0.39	-	43,080.00	1,625.00	-
PTT19P1903A	0.04	40362	-	-	-	-	0.02	0.03	-	-	-	-
PTT23C1906A	0.14	40362	-	0.14	0.14	0.14	0.14	0.15	-	2,000.00	28.00	-
PTT24C1904A	0.04	140262	-	-	-	-	0.01	0.02	-	-	-	-
PTT24C1906A	0.29	60362	-	0.29	0.28	0.29	0.28	0.29	-	504.00	14.00	-
PTT24P1904A	0.07	140262	-	-	-	-	0.03	0.04	-	-	-	-
PTT24P1907A	0.32	50362	-	0.30	0.30	0.30	0.30	0.31	(0.02)	30.00	1.00	-
PTT27C1903A	0.05	140262	-	-	-	-	0.01	0.02	-	-	-	-
PTT27P1903A	0.06	40362	-	-	-	-	0.04	0.05	-	-	-	-
PTT28C1904A	0.13	60362	0.13	0.16	0.13	0.16	0.13	0.14	0.03	201.00	3.00	-
PTT28C1907A	0.25	60362	-	0.25	0.24	0.24	0.24	0.25	(0.01)	56,357.00	1,353.00	-
PTT28P1903A	0.03	50362	-	0.01	0.01	0.01	0.01	0.02	(0.02)	1.00	-	-
PTT28P1907A	0.31	60362	-	0.31	0.29	0.30	0.30	0.31	(0.01)	53,742.00	1,625.00	-
PTT41C1906A	0.28	60362	-	0.27	0.27	0.27	0.27	0.28	(0.01)	1.00	-	-
PTT41P1908A	1.00	0	-	0.30	0.29	0.29	0.29	0.30	(0.71)	2.00	-	-
PTTE01C1904A	0.08	60362	0.08	0.10	0.08	0.09	0.08	0.09	0.01	73,197.00	638.00	-
PTTE01C1904B	0.02	60362	-	0.02	0.02	0.02	0.01	0.02	-	2,404.00	5.00	

## Foreign Board Quotation

Issue Date :

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
PTTE19C1903A	0.02	60362	-	-	-	-	-	0.02	-	-	-	-
PTTE19C1906A	0.55	60362	0.57	0.57	0.54	0.57	0.57	0.58	0.02	23,292.00	1,298.00	-
PTTE19P1903A	0.16	60362	-	0.14	0.13	0.13	0.13	0.14	(0.03)	51,590.00	718.00	-
PTTE23C1906A	0.13	60362	-	0.13	0.13	0.13	0.13	0.14	-	15,010.00	195.00	-
PTTE24C1904A	0.13	200262	-	-	-	-	-	0.08	-	-	-	-
PTTE24C1906A	0.40	60362	0.42	0.42	0.41	0.42	0.42	0.43	0.02	13,340.00	555.00	-
PTTE24P1904A	0.21	60362	-	-	-	-	-	0.21	-	-	-	-
PTTE27C1903A	0.04	100162	-	-	-	-	-	0.02	-	-	-	-
PTTE27P1904A	0.87	10262	-	-	-	-	-	0.59	-	-	-	-
PTTE28C1905A	0.19	60362	-	0.21	0.19	0.20	0.20	0.21	0.01	70,495.00	1,407.00	-
PTTE28P1903A	0.46	50362	-	0.48	0.48	0.48	0.48	0.53	0.02	291.00	14.00	-
PTTE28P1907A	0.46	60362	-	0.45	0.44	0.44	0.44	0.45	(0.02)	52,768.00	2,356.00	-
PTTE41C1905A	0.20	280262	-	-	-	-	-	0.17	-	-	-	-
PTTE41P1906A	0.55	220162	-	0.44	0.43	0.43	0.43	0.44	(0.12)	4,000.00	175.00	-
PTTE42C1903A	0.01	40362	-	-	-	-	-	0.02	-	-	-	-
PTTG01C1904A	0.19	60362	0.19	0.20	0.19	0.20	0.20	0.21	0.01	121,854.00	2,398.00	-
PTTG01C1904B	0.03	60362	-	0.04	0.03	0.04	0.03	0.04	0.01	17,039.00	67.00	-
PTTG01C1907A	0.81	60362	0.79	0.84	0.79	0.84	0.83	0.84	0.03	97,527.00	8,004.00	-
PTTG01C1907B	0.63	60362	0.61	0.66	0.61	0.66	0.65	0.66	0.03	116,995.00	7,452.00	-
PTTG01P1904A	1.33	60362	-	1.33	1.31	1.31	1.27	1.29	(0.02)	6,584.00	863.00	1.00
PTTG01P1904B	0.93	60362	-	0.90	0.90	0.90	0.86	0.88	(0.03)	8,978.00	808.00	-
PTTG01P1907A	0.63	60362	-	0.62	0.61	0.61	0.60	0.61	(0.02)	7,413.00	459.00	-
PTTG01P1907B	0.41	60362	-	0.41	0.39	0.39	0.38	0.39	(0.02)	31,800.00	1,271.00	-
PTTG06C1903A	0.05	60362	-	-	-	-	-	0.05	-	-	-	-
PTTG06C1908A	0.55	60362	-	0.58	0.55	0.57	0.57	0.58	0.02	31,410.00	1,786.00	-
PTTG06P1903A	0.06	40362	-	0.05	0.05	0.05	0.04	0.05	(0.01)	8,700.00	44.00	-
PTTG07C1908A	0.35	40362	-	-	-	-	-	0.35	-	-	-	-
PTTG08C1906A	0.38	60362	-	0.39	0.37	0.38	0.39	0.40	-	38,539.00	1,476.00	-
PTTG08P1904A	0.35	60362	-	0.35	0.32	0.32	0.32	0.33	(0.03)	28,373.00	947.00	-
PTTG11C1909A	0.33	60362	-	0.32	0.30	0.32	0.32	0.33	(0.01)	33,703.00	1,062.00	-
PTTG13C1904A	0.07	60362	-	0.07	0.06	0.06	0.06	0.07	(0.01)	27,036.00	165.00	-
PTTG13C1906A	0.43	60362	0.42	0.46	0.42	0.46	0.45	0.46	0.03	422,588.00	18,886.00	-
PTTG19C1906A	0.46	60362	0.45	0.48	0.45	0.48	0.48	0.49	0.02	97,173.00	4,586.00	-
PTTG19P1906A	0.18	60362	-	0.18	0.16	0.16	0.16	0.17	(0.02)	56,222.00	968.00	-
PTTG23C1906A	0.07	40362	-	-	-	-	-	0.07	-	-	-	-
PTTG24C1904A	0.02	10362	-	-	-	-	-	0.02	-	-	-	-
PTTG24C1907A	0.34	60362	0.35	0.38	0.34	0.37	0.37	0.38	0.03	8,190.00	291.00	-
PTTG24P1905A	0.40	10362	-	-	-	-	-	0.37	-	-	-	-
PTTG27C1903A	0.01	140262	-	-	-	-	-	0.02	-	-	-	-
PTTG27P1903A	0.04	180262	-	-	-	-	-	0.02	-	-	-	-
PTTG28C1904A	0.11	250262	-	-	-	-	-	0.07	-	-	-	-
PTTG28C1907A	0.45	60362	-	0.47	0.44	0.47	0.47	0.48	0.02	87,337.00	3,969.00	-
PTTG41C1906A	0.44	40262	-	0.40	0.38	0.39	0.39	0.40	(0.05)	4,004.00	157.00	-
PTTG41P1908A	1.00	0	-	0.77	0.75	0.75	0.74	0.75	(0.25)	2,014.00	153.00	-
PTTG42C1904A	0.08	250262	-	-	-	-	-	0.05	-	-	-	-
PTTG42P1904A	0.63	60362	-	0.65	0.61	0.62	0.61	0.63	(0.01)	19,154.00	1,196.00	-
QH01C1903A	0.02	280262	-	0.01	0.01	0.01	0.01	0.02	(0.01)	20.00	-	-
QH01C1903B	0.01	40362	-	-	-	-	-	0.02	-	-	-	-
QH01C1908A	0.40	60362	-	0.41	0.39	0.40	0.39	0.40	-	49,025.00	1,961.00	-
QH01C1908B	0.32	60362	-	0.31	0.31	0.31	0.30	0.31	(0.01)	54,606.00	1,693.00	-
QH01P1903A	0.79	60362	-	0.79	0.79	0.79	0.77	0.79	-	5,525.00	436.00	-
QH01P1908A	0.43	60362	-	0.43	0.43	0.43	0.42	0.43	-	25,635.00	1,102.00	-
QH11C1910A	0.31	60362	-	0.33	0.31	0.33	0.32	0.33	0.02	56,790.00	1,815.00	-
QH13C1903A	0.01	110262	-	-	-	-	-	0.05	-	-	-	-
QH13C1904A	0.07	140262	-	-	-	-	-	0.05	-	-	-	-
QH19C1904A	0.10	60362	-	0.10	0.10	0.10	0.10	0.11	-	20,753.00	208.00	-
QH24C1904A	0.05	280262	-	-	-	-	-	0.05	-	-	-	-
QH24C1908A	0.30	60362	-	0.30	0.30	0.30	0.30	0.31	-	80.00	2.00	-
QH27C1903A	0.06	201161	-	-	-	-	-	0.03	-	-	-	-
QH27P1905A	0.25	60362	-	0.25	0.25	0.25	0.25	0.26	-	18,450.00	461.00	-
ROB10C1903A	0.36	60362	-	0.41	0.37	0.38	0.38	0.39	0.02	69,508.00	2,699.00	-
ROB10C1903B	0.06	60362	-	0.07	0.06	0.07	0.06	0.07	0.01	3,774.00	26.00	-
ROB10C1903A	0.02	60362	-	0.02	0.02	0.02	0.02	0.03	-	6,000.00	12.00	-
ROB10C1903A	0.04	40362	-	-	-	-	-	0.04	-	-	-	-
ROB11C1906A	0.15	60362	-	0.17	0.16	0.16	0.16	0.17	0.01	2,510.00	41.00	-
ROB11C1906A	0.26	60362	-	0.29	0.26	0.28	0.28	0.29	0.02	166,114.00	4,651.00	-
ROB11C1907A	0.41	60362	-	0.44	0.42	0.43	0.43	0.44	0.02	26,847.00	1,156.00	-
ROB12C1903A	0.04	280262	-	-	-	-	-	0.03	-	-	-	-
ROB12C1907A	0.32	60362	0.33	0.33	0.33	0.33	0.34	0.35	0.01	2.00	-	-
ROB12C1905A	0.19	60362	-	0.21	0.19	0.20	0.20	0.21	0.01	21,600.00	432.00	-
RS08C1906A	0.71	60362	0.69	0.70	0.63	0.68	0.68	0.70	(0.03)	72,585.00	4,809.00	-
RS11C1911A	0.80	60362	-	0.79	0.74	0.77	0.78	0.79	(0.03)	44,445.00	3,408.00	-
RS13C1905A	0.51	60362	-	0.49	0.43	0.48	0.48	0.49	(0.03)	244,615.00	11,260.00	-
RS19C1906A	0.78	60362	0.73	0.77	0.70	0.75	0.75	0.76	(0.03)	34,990.00	2,557.00	-
RS24C1904A	0.39	60362	-	0.36	0.36	0.36	0.35	0.36	(0.03)	140.00	5.00	-
RS27C1905A	0.44	60362	-	0.42	0.38	0.41	0.41	0.42	(0.03)	81,139.00	3,334.00	-
S10001C1911A	0.75	60362	0.74	0.76	0.74	0.76	0.76	0.77	0.01	827.00	61.00	-
S5001C1903F	0.12	60362	0.12	0.16	0.11	0.14	0.14	0.15	0.02	899,645.00	12,312.00	-
S5001C1903G	0.40	60362	0.39	0.48	0.39	0.45	0.45	0.46	0.05	3,424,108.00	151,395.00	-
S5001C1903H	0.78	60362	0.77	0.91	0.76	0.87	0.87	0.88	0.09	1,241,480.00	105,440.00	-
S5001C1904A	0.82	60362	0.82	0.88	0.80	0.86	0.86	0.87	0.04	144,237.00	12,270.00	-
S5001C1904B	0.69	60362	0.68	0.76	0.68	0.73	0.73	0.74	0.04	246,637.00	17,718.00	-
S5001C1905A	0.70	60362	0.70	0.76	0.69	0.74	0.74	0.75	0.04	129,041.00	9,308.00	-
S5001C1906F	0.59	60362	0.59	0.67	0.58	0.65	0.64	0.65	0.06	1,709,604.00	109,489.00	-
S5001C1906G	0.85	60362	0.85	0.93	0.84	0.91	0.91	0.92	0.06	677,007.00	61,119.00	-
S5001P1903F	0.38	60362	0.37	0.37	0.28	0.30	0.30	0.31	(0.08)	1,932,362.00	62,270.00	-
S5001P1903G	0.16	60362	-	0.15	0.11	0.12	0.11	0.12	(0.04)	587,879.00	7,546.00	-
S5001P1903H	0.06	60362	0.05	0.05	0.04	0.05	0.04	0.05	(0.01)	96,687.00	424.00	-
S5001P1904A	0.63	60362	0.63	0.65	0.58	0.58	0.58	0.59	(0.05)	83,569.00	5,089.00	-
S5001P1904B	0.50	60362	0.49	0.50	0.26	0.45	0.45	0.46	(0.05)	45,602.00	2,128.00	-
S5001P1905A	0.85	60362	0.85	0.86	0.78	0.79	0.79	0.80	(0.06)	336,489.00	27,929.00	-
S5001P1906F	0.89	60362	0.89	0.89	0.77	0.80	0.80	0.81	(0.09)	1,472,324.00	122,989.00	-
S5001P1906G	1.12	60362	1.11	1.11	1.01	1.03	1.03	1.04	(0.09)	678,544.00	72,673.00	1.00
S5006C1903A	0.08	60362	0.08	0.11	0.07	0.10	0.09	0.10	0.02	57,072.00	517.00	-
S5006C1903B	0.26	60362	-	0.33	0.26	0.32	0.31	0.32	0.06	59,255.00	1,834.00	-
S5006C1903C	0.63	60362	-	0.73	0.61	0.70	0.70	0.71	0.07	53,302.00	3,551.00	-
S5006C1903D	0.02	60362	0.02	0.03	0.02	0.02	0.02	0.03	-	34,248.00	69.00	-
S5006C1906A	0.60	60362	0.59	0.66	0.59	0.65	0.64	0.65	0.05	47,058.00	2,933.00	-
S5006C1906B	0.45	60362	-	0.51	0.45	0.49	0.49	0.50	0.04	18,500.00		

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
S5013C1903B	0.31	60362	0.31	0.40	0.30	0.37	0.37	0.38	0.06	8,136,516.00	282,248.00	-
S5013C1903C	0.78	60362	0.79	0.93	0.77	0.88	0.88	0.89	0.10	295,890.00	24,731.00	-
S5013C1903D	0.48	60362	-	0.60	0.47	0.55	0.55	0.56	0.07	1,019,650.00	51,959.00	-
S5013C1903E	0.12	60362	0.11	0.17	0.11	0.16	0.15	0.16	0.04	682,479.00	9,384.00	-
S5013C1906A	0.66	60362	0.66	0.76	0.65	0.72	0.72	0.73	0.06	3,316,043.00	232,311.00	-
S5013C1906B	0.43	60362	0.42	0.50	0.42	0.47	0.47	0.48	0.04	715,024.00	32,817.00	-
S5013P1903A	0.39	60362	0.39	0.39	0.29	0.31	0.31	0.32	(0.08)	11,583,736.00	397,094.00	-
S5013P1903B	0.09	60362	0.08	0.09	0.06	0.06	0.06	0.07	(0.03)	684,716.00	4,870.00	-
S5013P1903C	0.03	60362	0.03	0.03	0.03	0.03	0.02	0.03	-	901,006.00	2,703.00	-
S5013P1903D	0.19	60362	0.19	0.19	0.13	0.14	0.14	0.15	(0.05)	443,840.00	7,035.00	-
S5013P1903E	0.68	60362	0.69	0.69	0.58	0.60	0.60	0.61	(0.08)	2,277,226.00	145,661.00	-
S5013P1906A	1.03	60362	1.03	1.04	0.91	0.94	0.94	0.95	(0.09)	4,613,726.00	452,145.00	-
S5013P1906B	1.38	60362	1.39	1.39	1.26	1.28	1.28	1.29	(0.10)	519,858.00	69,034.00	1.00
S5028C1903A	0.06	60362	0.05	0.07	0.05	0.06	0.06	0.07	-	77,416.00	431.00	-
S5028C1903B	0.16	60362	0.17	0.21	0.16	0.20	0.19	0.20	0.04	368,774.00	6,696.00	-
S5028C1903C	0.71	40362	-	-	-	-	0.62	0.65	-	-	-	-
S5028C1904A	0.39	60362	0.39	0.46	0.39	0.44	0.44	0.45	0.05	943,209.00	40,136.00	-
S5028P1903A	0.24	60362	0.24	0.24	0.18	0.18	0.18	0.19	(0.06)	301,917.00	6,307.00	-
S5028P1903B	0.07	60362	-	0.06	0.05	0.05	0.05	0.06	(0.02)	2,006.00	11.00	-
S5028P1904A	0.69	60362	0.69	0.69	0.59	0.61	0.61	0.62	(0.08)	1,022,135.00	65,732.00	-
S5041C1906F	0.63	50362	-	0.60	0.53	0.59	0.58	0.59	(0.04)	138,000.00	7,915.00	-
S5041C1906G	0.39	60362	-	0.44	0.39	0.44	0.43	0.44	0.05	46,250.00	1,923.00	-
S5041P1906F	0.79	280262	-	0.97	0.88	0.89	0.89	0.90	0.10	30,000.00	2,745.00	-
S5041P1906G	0.48	60362	-	0.53	0.48	0.48	0.48	0.49	-	6,510.00	317.00	-
SAWA01C1907A	0.49	60362	0.50	0.54	0.50	0.54	0.53	0.54	0.05	60,852.00	3,204.00	-
SAWA01C1907E	0.39	60362	-	0.43	0.41	0.43	0.43	0.44	0.04	66,883.00	2,796.00	-
SAWA01P1907A	0.70	60362	-	0.69	0.66	0.66	0.64	0.65	(0.04)	29,432.00	1,975.00	-
SAWA06C1903A	1.04	60362	-	1.10	1.06	1.08	1.11	1.12	0.04	6,960.00	749.00	1.00
SAWA08C1903A	0.11	60362	-	0.12	0.11	0.11	0.13	0.14	-	13,084.00	149.00	-
SAWA08C1908A	0.33	60362	-	0.35	0.34	0.34	0.35	0.36	0.01	14,447.00	495.00	-
SAWA11C1906A	0.38	60362	-	0.40	0.39	0.39	0.41	0.42	0.01	6,660.00	263.00	-
SAWA13C1903A	0.03	60362	-	0.02	0.02	0.02	0.02	0.03	(0.01)	100.00	-	-
SAWA13C1904A	0.20	60362	0.20	0.23	0.20	0.23	0.22	0.23	0.03	101,828.00	2,131.00	-
SAWA19C1903A	0.09	60362	-	0.09	0.08	0.09	0.09	0.10	-	16,600.00	146.00	-
SAWA23C1905A	0.26	60362	-	0.28	0.26	0.27	0.28	0.29	0.01	12,600.00	335.00	-
SAWA24C1910A	0.79	60362	-	0.80	0.80	0.80	0.83	0.84	0.01	20.00	2.00	-
SAWA27C1903A	0.32	60362	-	0.35	0.32	0.35	0.35	0.37	0.03	19,800.00	648.00	-
SAWA28C1905A	0.22	60362	0.24	0.25	0.23	0.25	0.25	0.26	0.03	25,619.00	601.00	-
SAWA41C1908A	0.39	40362	-	-	-	-	0.36	0.37	-	-	-	-
SCB01C1904A	0.12	60362	-	0.11	0.11	0.11	0.10	0.11	(0.01)	45,100.00	496.00	-
SCB01C1904B	0.02	60362	-	0.02	0.02	0.02	0.02	0.03	-	19.00	-	-
SCB01C1907A	0.55	60362	0.55	0.58	0.55	0.55	0.55	0.56	-	44,350.00	2,507.00	-
SCB01C1907B	0.42	60362	-	0.45	0.42	0.42	0.41	0.42	-	78,941.00	3,449.00	-
SCB01P1904A	1.10	60362	-	1.12	1.06	1.08	1.10	1.12	(0.02)	30,600.00	3,331.00	1.00
SCB01P1904B	0.72	60362	-	0.74	0.69	0.72	0.72	0.74	-	36,814.00	2,617.00	-
SCB01P1907A	0.71	60362	-	0.72	0.68	0.69	0.71	0.72	(0.02)	39,014.00	2,737.00	-
SCB01P1907B	0.51	60362	-	0.51	0.49	0.51	0.51	0.52	-	55,074.00	2,781.00	-
SCB06C1903A	0.04	140262	-	-	-	-	0.01	0.02	-	-	-	-
SCB07C1904A	0.05	50362	-	0.04	0.04	0.04	0.03	0.04	(0.01)	5.00	-	-
SCB08C1908A	0.36	60362	-	0.36	0.33	0.35	0.33	0.34	(0.01)	84,594.00	2,913.00	-
SCB11C1910A	0.31	60362	-	0.33	0.31	0.31	0.31	0.32	-	26,400.00	846.00	-
SCB11P1910A	0.62	60362	-	0.62	0.59	0.61	0.61	0.62	(0.01)	31,450.00	1,909.00	-
SCB13C1905A	0.12	60362	-	0.12	0.11	0.11	0.10	0.11	(0.01)	52,672.00	585.00	-
SCB13C1907A	0.39	60362	-	0.40	0.37	0.38	0.37	0.38	(0.01)	115,897.00	4,441.00	-
SCB13P1905A	0.33	60362	-	0.33	0.30	0.31	0.33	0.35	(0.02)	203,895.00	6,515.00	-
SCB19C1905A	0.20	60362	-	0.21	0.20	0.20	0.19	0.20	-	27,252.00	554.00	-
SCB19P1906A	0.31	60362	-	0.32	0.30	0.30	0.32	0.33	(0.01)	107,363.00	3,298.00	-
SCB24C1905A	0.25	60362	-	0.25	0.23	0.25	0.23	0.24	-	4,400.00	106.00	-
SCB24P1906A	0.28	180262	-	-	-	-	0.24	0.25	-	-	-	-
SCB27P1903A	0.08	110262	-	-	-	-	0.01	0.02	-	-	-	-
SCB28C1904A	0.06	10362	-	-	-	-	0.03	0.04	-	-	-	-
SCB28C1906A	0.24	60362	-	0.25	0.23	0.24	0.23	0.24	-	49,592.00	1,210.00	-
SCB41C1906A	0.27	40362	-	0.25	0.23	0.24	0.22	0.23	(0.03)	6,004.00	145.00	-
SCB41P1907A	1.00	0	0.42	0.42	0.40	0.41	0.42	0.43	(0.59)	6,062.00	250.00	-
SCB42C1903A	0.06	10262	-	-	-	-	-	0.01	-	-	-	-
SCC01C1907A	0.58	60362	0.58	0.60	0.58	0.59	0.58	0.59	0.01	84,738.00	4,995.00	-
SCC01C1907B	0.49	60362	0.49	0.52	0.49	0.50	0.49	0.50	0.01	127,583.00	6,377.00	-
SCC01P1907A	0.39	60362	-	0.39	0.38	0.38	0.38	0.39	(0.01)	77,526.00	3,018.00	-
SCC06C1907A	0.35	60362	-	0.32	0.32	0.32	0.31	0.32	(0.03)	37,540.00	1,201.00	-
SCC07C1909A	0.35	40362	-	-	-	-	0.35	0.36	-	-	-	-
SCC08C1908A	0.36	60362	-	0.35	0.34	0.34	0.34	0.35	(0.02)	1,882.00	65.00	-
SCC11C1906A	0.11	40362	-	-	-	-	0.10	0.11	-	-	-	-
SCC13C1903A	0.03	60362	-	0.02	0.02	0.02	0.02	0.03	(0.01)	500.00	1.00	-
SCC13C1906A	0.39	60362	-	0.40	0.39	0.39	0.39	0.40	-	50,675.00	1,976.00	-
SCC13P1907A	0.32	60362	-	0.32	0.30	0.30	0.31	0.32	(0.02)	20,076.00	623.00	-
SCC19C1907A	0.51	60362	0.50	0.50	0.50	0.50	0.50	0.51	(0.01)	2,593.00	130.00	-
SCC19P1906A	0.15	60362	-	0.15	0.14	0.14	0.15	0.16	(0.01)	80,208.00	1,199.00	-
SCC23C1906A	0.20	60362	-	0.19	0.19	0.19	0.18	0.20	(0.01)	18,500.00	352.00	-
SCC24C1910A	0.39	60362	-	0.40	0.39	0.39	0.39	0.40	-	250.00	10.00	-
SCC24P1909A	0.19	60362	-	-	-	-	0.19	0.20	-	-	-	-
SCC27C1904A	0.26	60362	-	0.24	0.24	0.24	0.24	0.25	(0.02)	10,800.00	259.00	-
SCC27P1904A	0.17	60362	-	0.17	0.16	0.16	0.17	0.18	(0.01)	8,580.00	145.00	-
SCC28C1905A	0.26	10362	-	-	-	-	0.24	0.27	-	-	-	-
SCC28C1907A	0.22	60362	-	0.22	0.22	0.22	0.21	0.22	-	2,120.00	47.00	-
SCC41C1907A	0.49	40362	-	0.47	0.47	0.47	0.46	0.47	(0.02)	2,002.00	94.00	-
SCC42C1904A	0.11	40362	-	-	-	-	0.10	0.11	-	-	-	-
SGP06C1903A	0.03	60362	-	0.03	0.03	0.03	0.03	0.04	-	2,000.00	6.00	-
SGP08C1906A	0.32	60362	-	0.35	0.31	0.33	0.33	0.34	0.01	43,731.00	1,437.00	-
SGP08C1907A	0.16	60362	-	0.17	0.16	0.16	0.16	0.17	-	10,325.00	169.00	-
SGP11C1904A	0.01	50362	-	-	-	-	0.01	0.02	-	-	-	-
SGP11C1911A	0.25	60362	-	0.26	0.26	0.26	0.26	0.27	0.01	7,200.00	187.00	-
SGP13C1904A	0.10	80262	-	-	-	-	0.02	0.05	-	-	-	-
SGP13C1905A	0.22	60362	0.21	0.24	0.21	0.22	0.22	0.23	-	58,109.00	1,281.00	-
SGP13C1907A	0.14	60362	-	0.15	0.14	0.14	0.14	0.15	-	120,041.00	1,703.00	-
SGP19C1904A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
SGP19C1905A	0.33	60362	-	0.35	0.32	0.33	0.33	0.34	-	28,422.00	946.00	-
SGP19C1907A	0.14	60362	-	0.15	0.14	0.14	0					

## Foreign Board Quotation

Issue Date :

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
SPAL01C1907A	0.51	60362	0.51	0.51	0.50	0.51	0.50	0.51	-	3,941.00	201.00	-
SPAL01C1907B	0.41	60362	-	0.41	0.39	0.40	0.39	0.40	(0.01)	11,877.00	477.00	-
SPAL11C1905A	0.01	310162	-	-	-	-	0.01	0.04	-	-	-	-
SPAL11C1910A	0.37	60362	-	0.36	0.35	0.36	0.36	0.37	(0.01)	11,610.00	417.00	-
SPAL13C1903A	0.03	191261	-	-	-	-	-	0.02	-	-	-	-
SPAL13C1904A	0.04	60362	-	-	-	-	0.03	0.05	-	-	-	-
SPAL19C1906A	0.26	60362	0.26	0.26	0.25	0.26	0.26	0.27	-	6,760.00	173.00	-
SPAL24C1905A	0.08	280262	-	-	-	-	0.05	0.06	-	-	-	-
SPAL24C1907A	0.28	60362	-	-	-	-	0.30	0.31	-	-	-	-
SPRC01C1907A	0.31	60362	0.33	0.33	0.29	0.33	0.32	0.33	0.02	42,171.00	1,344.00	-
SPRC01C1907B	0.23	60362	-	0.26	0.23	0.24	0.24	0.25	0.01	20,991.00	494.00	-
SPRC06C1907A	0.21	60362	-	0.22	0.20	0.21	0.21	0.22	-	14,552.00	301.00	-
SPRC07C1903A	0.01	80162	-	-	-	-	0.01	0.02	-	-	-	-
SPRC08C1903A	0.01	50362	-	-	-	-	0.01	0.02	-	-	-	-
SPRC11C1909A	0.08	60362	-	0.08	0.07	0.08	0.08	0.09	-	5,170.00	41.00	-
SPRC13C1905A	0.05	60362	-	0.03	0.03	0.03	0.04	0.05	(0.02)	2,300.00	7.00	-
SPRC13C1906A	0.19	60362	0.19	0.20	0.18	0.20	0.20	0.21	0.01	162,728.00	3,025.00	-
SPRC19C1905A	0.07	60362	-	-	-	-	0.07	0.08	-	-	-	-
SPRC19C1906A	0.63	60362	-	0.65	0.60	0.65	0.65	0.68	0.02	6,815.00	422.00	-
SPRC23C1907A	0.14	60362	-	0.15	0.13	0.14	0.15	0.16	-	4,282.00	58.00	-
SPRC24C1903A	0.01	10262	-	-	-	-	-	0.01	-	-	-	-
SPRC24C1909A	0.80	60362	0.77	0.80	0.75	0.80	0.80	0.83	-	120.00	9.00	-
STA01C1904A	0.07	60362	-	0.07	0.05	0.06	0.05	0.06	(0.01)	27,669.00	166.00	-
STA01C1904B	0.02	60362	0.02	0.02	0.02	0.02	0.01	0.02	-	38,814.00	78.00	-
STA01C1908A	0.24	60362	-	0.26	0.23	0.24	0.23	0.24	-	66,247.00	1,630.00	-
STA01C1908B	0.13	60362	-	0.13	0.12	0.12	0.11	0.12	(0.01)	34,039.00	419.00	-
STA08C1904A	0.02	60362	-	-	-	-	0.01	0.02	-	-	-	-
STA08C1908A	0.16	60362	0.15	0.16	0.15	0.15	0.14	0.15	(0.01)	9,851.00	154.00	-
STA11C1909A	0.11	60362	-	0.11	0.11	0.11	0.10	0.11	-	16,167.00	178.00	-
STA13C1906A	0.15	60362	0.14	0.15	0.13	0.13	0.13	0.14	(0.02)	326,107.00	4,481.00	-
STA19C1903A	0.17	60362	0.18	0.19	0.14	0.15	0.15	0.16	(0.02)	152,914.00	2,430.00	-
STA19C1903B	0.02	40362	-	-	-	-	-	0.02	-	-	-	-
STA19C1907A	0.10	60362	0.11	0.11	0.10	0.10	0.10	0.11	-	93,027.00	952.00	-
STA23C1906A	0.11	60362	0.10	0.11	0.10	0.10	0.09	0.10	(0.01)	26,260.00	265.00	-
STA24C1909A	0.24	60362	-	0.24	0.23	0.23	0.23	0.24	(0.01)	9,440.00	219.00	-
STA27C1904A	0.02	60362	-	0.02	0.02	0.02	0.01	0.02	-	1,800.00	4.00	-
STA28C1903A	0.01	10362	-	-	-	-	-	0.01	-	-	-	-
STA41C1907A	0.20	60362	-	0.21	0.19	0.19	0.19	0.20	(0.01)	5,132.00	100.00	-
STEC01C1907A	0.51	60362	0.53	0.58	0.53	0.58	0.57	0.58	0.07	57,952.00	3,268.00	-
STEC01C1907B	0.43	60362	-	0.49	0.45	0.49	0.48	0.49	0.06	75,543.00	3,569.00	-
STEC01P1907A	0.62	60362	0.60	0.60	0.55	0.55	0.55	0.56	(0.07)	61,821.00	3,576.00	-
STEC06C1903A	0.03	60362	-	-	-	-	0.03	0.04	-	-	-	-
STEC07C1904A	0.06	60362	-	-	-	-	0.08	0.09	-	-	-	-
STEC08C1903A	0.05	270262	-	-	-	-	0.02	0.03	-	-	-	-
STEC08C1908A	0.35	60362	-	0.40	0.36	0.40	0.40	0.41	0.05	52,031.00	1,977.00	-
STEC11C1903A	0.08	60362	-	0.09	0.07	0.09	0.08	0.09	0.01	6,680.00	56.00	-
STEC11C2001A	0.50	60362	-	0.55	0.52	0.55	0.54	0.55	0.05	27,400.00	1,466.00	-
STEC13C1903A	0.03	80262	-	-	-	-	-	0.01	-	-	-	-
STEC13C1907A	0.37	60362	-	0.42	0.37	0.41	0.40	0.41	0.04	271,653.00	10,729.00	-
STEC19C1906A	0.53	60362	0.55	0.60	0.55	0.60	0.60	0.61	0.07	33,005.00	1,883.00	-
STEC19P1906A	0.48	60362	-	0.46	0.40	0.42	0.42	0.43	(0.06)	107,492.00	4,585.00	-
STEC23C1907A	0.25	60362	-	0.29	0.26	0.29	0.28	0.29	0.04	8,901.00	243.00	-
STEC24C1906A	0.52	60362	0.57	0.60	0.53	0.60	0.60	0.61	0.08	21,056.00	1,179.00	-
STEC28C1903A	0.01	220262	-	-	-	-	0.01	0.02	-	-	-	-
STEC41C1907A	0.43	60362	-	0.44	0.42	0.43	0.43	0.44	-	6,010.00	258.00	-
SUPE13C1903A	0.02	210262	-	-	-	-	-	0.01	-	-	-	-
SUPE19C1903A	0.02	210262	-	-	-	-	-	0.02	-	-	-	-
SUPE19C1906A	0.14	60362	0.15	0.16	0.13	0.15	0.14	0.15	0.01	88,344.00	1,276.00	-
SUPE23C1906A	0.12	60362	-	0.12	0.11	0.12	0.11	0.12	-	11,400.00	132.00	-
TASC01C1903A	0.41	60362	0.42	0.43	0.42	0.43	0.44	0.46	0.02	45,357.00	1,949.00	-
TASC01C1903B	0.14	60362	-	0.15	0.13	0.15	0.15	0.16	0.01	92,294.00	1,282.00	-
TASC01P1903A	0.21	60362	-	0.20	0.17	0.17	0.16	0.17	(0.04)	96,124.00	1,837.00	-
TASC08C1903A	0.13	60362	0.14	0.16	0.13	0.16	0.16	0.17	0.03	55,673.00	771.00	-
TASC11C1904A	0.01	280262	-	-	-	-	0.02	0.04	-	-	-	-
TASC13C1904A	0.25	60362	-	0.27	0.24	0.27	0.27	0.29	0.02	137,734.00	3,427.00	-
TASC13C1907A	0.45	60362	0.46	0.47	0.44	0.47	0.46	0.47	0.02	356,419.00	16,318.00	-
TASC19C1907A	0.57	60362	-	0.61	0.56	0.61	0.61	0.62	0.04	15,096.00	877.00	-
TASC23C1907A	0.47	60362	-	0.48	0.47	0.48	0.50	0.52	0.01	23,000.00	1,100.00	-
TASC24C1903A	0.04	60362	-	-	-	-	0.04	0.05	-	-	-	-
TASC24C1908A	0.52	60362	-	0.53	0.53	0.53	0.56	0.58	0.01	470.00	25.00	-
TASC27C1905A	0.36	60362	-	0.40	0.36	0.40	0.40	0.41	0.04	23,105.00	852.00	-
TASC28C1904A	0.03	40362	-	-	-	-	0.07	0.08	-	-	-	-
TASC28C1907A	0.48	60362	-	0.51	0.49	0.49	0.51	0.54	0.01	513.00	25.00	-
TASC28C1908A	0.37	60362	-	0.38	0.36	0.37	0.39	0.40	-	42,082.00	1,552.00	-
TASC41C1909A	1.00	0	-	0.19	0.19	0.19	0.20	0.21	(0.81)	2,000.00	38.00	-
TCAP01C1907A	0.58	60362	0.60	0.60	0.57	0.57	0.57	0.59	(0.01)	21,972.00	1,278.00	-
TCAP01C1907B	0.49	60362	-	0.49	0.48	0.48	0.48	0.49	(0.01)	16,235.00	779.00	-
TCAP01P1907A	0.32	60362	-	0.33	0.32	0.32	0.31	0.32	-	15,353.00	506.00	-
TCAP11C1909A	0.27	60362	-	0.27	0.27	0.27	0.27	0.28	-	2,800.00	76.00	-
TCAP13C1906A	0.35	60362	0.34	0.35	0.34	0.34	0.35	0.36	(0.01)	114,176.00	3,882.00	-
TCAP19C1907A	0.47	60362	0.48	0.48	0.46	0.46	0.48	0.50	(0.01)	11,521.00	542.00	-
TCAP24C1903A	0.03	280262	-	-	-	-	0.01	0.02	-	-	-	-
TCAP24C1907A	0.34	60362	0.35	0.35	0.34	0.35	0.35	0.36	0.01	40.00	1.00	-
THAI01C1907A	0.41	60362	0.40	0.42	0.39	0.40	0.40	0.42	(0.01)	5,262.00	215.00	-
THAI01C1907B	0.35	60362	0.33	0.35	0.33	0.33	0.33	0.35	(0.02)	15,501.00	524.00	-
THAI01P1907A	0.34	60362	-	0.35	0.34	0.34	0.33	0.34	-	12,456.00	424.00	-
THAI08C1903A	0.01	60362	-	0.01	0.01	0.01	-	0.01	-	130.00	-	-
THAI11C1906A	0.12	60362	0.12	0.12	0.12	0.12	0.12	0.13	-	1,003.00	12.00	-
THAI13C1906A	0.27	60362	-	0.27	0.26	0.26	0.27	0.28	(0.01)	26,716.00	703.00	-
THAI19C1905A	0.22	60362	-	0.23	0.22	0.22	0.22	0.23	-	2,372.00	54.00	-
THAI24C1906A	0.37	220262	-	-	-	-	0.32	0.33	-	-	-	-
THAI27C1905A	0.14	60362	-	0.13	0.13	0.13	0.13	0.14	(0.01)	3,400.00	44.00	-
THAI28C1904A	0.04	40362	-	-	-	-	0.02	0.05	-	-	-	-
THAI28C1906A	0.24	60362	-	0.24	0.23	0.23	0.24	0.25	(0.01)	10,225.00	238.00	-
THAN01C1907A	0.55	60362	0.55	0.62	0.55	0.56	0.55	0.56	0.01	463,104.00	26,704.00	-
THAN01C1907B	0.43	60362	0.44	0.50	0.44	0.46	0.44	0.46	0.03	298,075.00	14,061.00	-
THAN08C1904A	0.04	60362	-	0.04	0.04	0.04	0.03	0.04	-	1.00	-	-
THAN13C1905A	0.21	60362	-	0.26	0.21	0.22	0.22	0.23	0.01	112,106.00	2,541.00	-
THAN19C1903A	0.07	60362	-	0.10	0.07	0.07	0.07	0.08	-	8,782.00	71.00	-
THAN23C1906A	0.34	60362	0.35	0.41	0.35	0.36	0.35	0.37	0.02	128,950.00	4,785.00	-
THAN24												

# Asia Plus Securities Company Limited

# Daily Quotation

## Foreign Board Quotation

Issue Date : **Thursday March 07, 2019**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
TISC28C1905A	0.42	60362	-	0.44	0.40	0.44	0.44	0.45	0.02	59,344.00	2,527.00	-
TISC41C1907A	0.70	40362	-	0.74	0.72	0.74	0.73	0.74	0.04	2,020.00	147.00	-
TISC42C1904A	0.24	60362	-	0.27	0.25	0.27	0.27	0.28	0.03	5,580.00	148.00	-
TKN01C1906A	0.93	60362	-	1.13	0.96	1.12	1.09	1.12	0.19	55,451.00	5,702.00	1.00
TKN01C1906B	0.78	60362	0.90	0.96	0.79	0.96	0.93	0.96	0.18	39,423.00	3,365.00	-
TKN08C1903A	0.01	10362	-	-	-	-	0.01	0.02	-	-	-	-
TKN08C1908A	0.28	60362	-	0.36	0.29	0.35	0.35	0.36	0.07	168,650.00	5,243.00	-
TKN13C1903A	0.02	210262	-	-	-	-	-	0.01	-	-	-	-
TKN13C1904A	0.01	60362	-	0.02	0.01	0.02	0.01	0.02	0.01	75,315.00	75.00	-
TKN13C1904B	0.27	50362	-	0.36	0.32	0.36	0.36	0.42	0.09	520.00	18.00	-
TKN13C1905A	0.10	60362	-	0.14	0.11	0.14	0.14	0.15	0.04	18,172.00	230.00	-
TKN13C1906A	1.00	60362	-	1.25	1.25	1.25	1.24	1.32	0.25	708.00	89.00	1.00
TKN13C1908A	0.18	60362	-	0.24	0.18	0.23	0.23	0.24	0.05	790,322.00	14,792.00	-
TKN19C1903A	0.02	180262	-	-	-	-	-	0.01	-	-	-	-
TKN19C1905A	0.20	60362	-	0.25	0.18	0.24	0.24	0.25	0.04	389,775.00	7,699.00	-
TKN19C1907A	1.08	60362	-	1.29	1.11	1.26	1.29	1.30	0.18	12,251.00	1,433.00	1.00
TKN24C1903A	0.03	301161	-	-	-	-	-	0.01	-	-	-	-
TKN24C1904A	0.02	220262	-	-	-	-	0.01	0.02	-	-	-	-
TKN24C1906A	0.84	60362	-	0.99	0.84	0.99	1.02	1.05	0.15	42,344.00	3,566.00	-
TKN28C1903A	0.01	40362	-	-	-	-	0.01	0.02	-	-	-	-
TKN28C1904A	0.06	120262	-	-	-	-	0.01	0.04	-	-	-	-
TKN28C1906A	0.50	50362	-	0.53	0.50	0.53	0.60	0.66	0.03	29.00	1.00	-
TKN28C1907A	0.16	60362	-	0.20	0.14	0.19	0.18	0.20	0.03	70,092.00	1,193.00	-
TKN41C1908A	1.00	0	-	0.29	0.25	0.29	0.29	0.30	(0.71)	52,000.00	1,331.00	-
TMB01C1903A	0.09	60362	0.08	0.09	0.08	0.08	0.08	0.09	(0.01)	13,809.00	117.00	-
TMB01C1903B	0.02	60362	-	0.02	0.01	0.01	0.01	0.02	(0.01)	210.00	-	-
TMB01P1903A	0.31	60362	-	-	-	-	0.29	0.30	-	-	-	-
TMB06C1903A	0.04	60362	-	0.04	0.04	0.04	0.03	0.04	-	11,000.00	44.00	-
TMB07C1903A	0.03	50362	-	-	-	-	0.02	0.03	-	-	-	-
TMB08C1903A	0.04	270262	-	-	-	-	0.01	0.02	-	-	-	-
TMB08C1908A	0.20	60362	-	0.20	0.19	0.19	0.20	0.21	(0.01)	17,088.00	342.00	-
TMB11C1904A	0.02	60362	-	0.02	0.02	0.02	0.01	0.02	-	900.00	2.00	-
TMB13C1904A	0.06	60362	-	0.06	0.06	0.06	0.06	0.07	-	2,410.00	14.00	-
TMB19C1906A	0.18	60362	-	0.18	0.17	0.18	0.18	0.19	-	19,341.00	347.00	-
TMB23C1906A	0.12	60362	-	0.12	0.12	0.12	0.11	0.12	-	1,500.00	18.00	-
TMB24C1911A	0.35	60362	-	-	-	-	0.35	0.36	-	-	-	-
TMB27C1903A	0.11	60362	-	0.11	0.10	0.10	0.10	0.11	(0.01)	11,200.00	113.00	-
TMB28C1904A	0.05	50362	-	-	-	-	0.04	0.05	-	-	-	-
TMB28C1907A	0.17	50362	0.16	0.16	0.15	0.16	0.16	0.17	(0.01)	18,669.00	298.00	-
TMB41C1906A	0.23	50362	-	-	-	-	0.21	0.22	-	-	-	-
TOA01C1907A	0.39	60362	-	0.38	0.34	0.35	0.34	0.35	(0.04)	51,104.00	1,858.00	-
TOA01C1907B	0.31	60362	-	0.29	0.27	0.27	0.26	0.27	(0.04)	52,044.00	1,474.00	-
TOA11C1911A	0.31	60362	-	0.30	0.28	0.28	0.28	0.29	(0.03)	22,200.00	645.00	-
TOA13C1906A	0.27	50362	-	0.25	0.23	0.23	0.23	0.24	(0.04)	83,063.00	1,985.00	-
TOA19C1906A	0.26	60362	-	0.27	0.24	0.24	0.24	0.25	(0.02)	16,490.00	423.00	-
TOA23C1906A	0.14	60362	-	0.14	0.12	0.12	0.11	0.13	(0.02)	32,600.00	423.00	-
TOA24C1904A	0.12	40362	-	-	-	-	0.09	0.10	-	-	-	-
TOA28C1904A	0.08	10362	-	0.06	0.06	0.06	0.04	0.05	(0.02)	2,028.00	12.00	-
TOP01C1904A	0.09	60362	-	0.10	0.09	0.10	0.09	0.10	0.01	12,360.00	123.00	-
TOP01C1904B	0.02	60362	-	0.02	0.02	0.02	0.01	0.02	-	51.00	-	-
TOP01C1907A	0.79	60362	0.78	0.80	0.76	0.78	0.77	0.78	(0.01)	59,099.00	4,635.00	-
TOP01C1907B	0.57	60362	0.56	0.57	0.53	0.55	0.54	0.55	(0.02)	58,709.00	3,222.00	-
TOP01P1904A	1.30	60362	-	1.40	1.31	1.33	1.33	1.35	0.03	38,805.00	5,244.00	1.00
TOP01P1907A	1.05	60362	1.05	1.10	1.04	1.05	1.06	1.07	-	62,801.00	6,712.00	1.00
TOP06C1903A	0.08	60362	-	0.07	0.05	0.06	0.05	0.06	(0.02)	7,291.00	43.00	-
TOP06C1903B	0.01	270262	-	0.01	0.01	0.01	0.01	0.02	-	2,308.00	2.00	-
TOP07C1908A	0.34	60362	-	0.33	0.33	0.33	0.32	0.33	(0.01)	10.00	-	-
TOP08C1906A	0.51	60362	-	0.50	0.45	0.49	0.48	0.49	(0.02)	30,633.00	1,468.00	-
TOP11C1905A	0.18	60362	-	0.18	0.15	0.17	0.16	0.17	(0.01)	29,820.00	493.00	-
TOP13C1904A	0.12	60362	-	0.11	0.10	0.10	0.10	0.11	(0.02)	48,744.00	497.00	-
TOP13C1905A	0.56	60362	-	0.55	0.50	0.54	0.53	0.54	(0.02)	68,414.00	3,630.00	-
TOP19C1906A	0.45	60362	-	0.45	0.41	0.43	0.43	0.44	(0.02)	78,281.00	3,407.00	-
TOP19P1906A	0.49	60362	-	0.53	0.48	0.50	0.50	0.51	0.01	76,248.00	3,864.00	-
TOP23C1906A	0.20	50362	-	-	-	-	0.22	0.24	-	-	-	-
TOP24C1903A	0.01	220262	-	-	-	-	-	0.01	-	-	-	-
TOP24C1905A	0.17	40362	-	-	-	-	0.23	0.24	-	-	-	-
TOP24C1907A	0.69	60362	-	0.69	0.63	0.69	0.66	0.67	-	1,300.00	88.00	-
TOP27C1903A	0.01	270262	-	-	-	-	0.01	0.03	-	-	-	-
TOP28C1903A	0.01	270262	-	-	-	-	0.01	0.02	-	-	-	-
TOP28C1904A	0.06	60362	-	0.06	0.06	0.06	0.06	0.07	-	2,068.00	12.00	-
TOP28C1906A	0.56	60362	-	0.56	0.52	0.55	0.54	0.55	(0.01)	20,726.00	1,113.00	-
TOP41C1906A	0.53	60362	0.51	0.51	0.48	0.50	0.49	0.50	(0.03)	14,058.00	700.00	-
TPIO1C1906A	0.32	60362	-	0.30	0.30	0.30	0.28	0.29	(0.02)	281.00	8.00	-
TPIO1C1906B	0.23	60362	-	0.22	0.22	0.22	0.19	0.21	(0.01)	289.00	6.00	-
TP19C1907A	0.29	60362	-	0.29	0.28	0.28	0.28	0.29	(0.01)	1,571.00	45.00	-
TPIP11C1909A	0.42	60362	-	0.40	0.38	0.40	0.41	0.43	(0.02)	1,000.00	39.00	-
TPIP13C1904A	0.46	10362	-	-	-	-	0.35	0.41	-	-	-	-
TPIP13C1905A	0.12	60362	-	0.11	0.10	0.11	0.11	0.12	(0.01)	10,042.00	109.00	-
TPIP13C1908A	0.20	10362	-	-	-	-	0.19	0.20	-	-	-	-
TPIP19C1906A	0.50	60362	0.47	0.49	0.45	0.49	0.49	0.52	(0.01)	2,013.00	95.00	-
TPIP28C1906A	0.53	310162	-	-	-	-	0.37	0.41	-	-	-	-
TRUE01C1905A	0.08	60362	0.08	0.08	0.07	0.07	0.07	0.08	(0.01)	15,788.00	111.00	-
TRUE01C1905B	0.02	60362	-	0.02	0.02	0.02	0.02	0.03	-	100.00	-	-
TRUE01C1907A	0.67	60362	-	0.68	0.65	0.67	0.65	0.67	-	88,416.00	5,854.00	-
TRUE01C1907B	0.51	60362	-	0.50	0.49	0.49	0.49	0.50	(0.02)	113,282.00	5,626.00	-
TRUE01P1905A	0.65	60362	-	0.65	0.65	0.65	0.64	0.65	-	73,073.00	4,750.00	-
TRUE01P1907A	0.78	60362	-	0.79	0.78	0.78	0.77	0.78	-	108,198.00	8,474.00	-
TRUE01P1907B	0.51	60362	-	0.52	0.51	0.51	0.50	0.51	-	56,690.00	2,892.00	-
TRUE06C1906A	0.02	40362	-	-	-	-	0.01	0.02	-	-	-	-
TRUE08C1907A	0.14	60362	0.14	0.14	0.14	0.14	0.14	0.15	-	2.00	-	-
TRUE11C1905A	0.06	210262	-	-	-	-	0.02	0.04	-	-	-	-
TRUE11C1911A	0.60	60362	-	0.60	0.59	0.60	0.60	0.61	-	41,800.00	2,495.00	-
TRUE13C1905A	0.03	60362	-	0.03	0.03	0.03	0.03	0.04	-	500.00	2.00	-
TRUE13C1906A	0.44	60362	-	0.44	0.42	0.44	0.44	0.45	-	316,290.00	13,747.00	-
TRUE13C1907A	0.13	60362	-	0.14	0.13	0.13	0.13	0.14	-	226,909.00	2,950.00	-
TRUE16C1912A	0.28	60362	-	-	-	-	0.27	0.28	-	-	-	-
TRUE19C1903A	0.04	10362	-	-	-	-	0.02	0.03	-	-	-	-
TRUE19C1907A	0.59	60362	-	0.59	0.58	0.59	0.59	0.60	-	36,581.00	2,141.00	-
TRUE19P1903A	0.12	60362	-	0.12	0.12	0.12	0.12	0.13	-	42,158.00	506.00	-
TRUE27C1904A	0.06	140262	-	-	-	-	0.01	0.02	-	-	-	-
TRUE27P1904A	0.51	60362	-	0.52	0.51	0.51	0.51	0.52	-	3,850.00	200.00	-
TRUE28C1903A	0.02	40362	-	-								

## Foreign Board Quotation

Issue Date :

Thursday March 07, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
TU41C1907A	0.33	40362	-	0.30	0.30	<b>0.30</b>	0.29	0.30	(0.03)	2,006.00	60.00	-
TVO01C1903A	0.13	60362	0.13	0.13	0.13	<b>0.13</b>	0.12	0.13	-	8,053.00	105.00	-
TVO01C1903B	0.03	40362	0.02	0.02	0.02	<b>0.02</b>	0.01	0.02	(0.01)	1,858.00	4.00	-
TVO11C1903A	0.01	60362	-	-	-	-	0.01	0.04	-	-	-	-
TVO11C2001A	0.28	60362	-	0.28	0.28	<b>0.28</b>	0.28	0.29	-	500.00	14.00	-
TVO13C1904A	0.06	60362	-	-	-	-	0.05	0.06	-	-	-	-
TVO19C1906A	0.27	60362	-	0.26	0.26	<b>0.26</b>	0.26	0.27	(0.01)	95.00	2.00	-
TVO23C1907A	0.14	60362	-	-	-	-	0.12	0.14	-	-	-	-
TVO24C1903A	0.14	151161	-	-	-	-	-	0.01	-	-	-	-
UNI08C1906A	0.03	270262	-	0.03	0.02	<b>0.03</b>	0.02	0.03	-	18,048.00	36.00	-
UV13C1904A	0.03	60362	-	-	-	-	0.02	0.05	-	-	-	-
UV13C1908A	0.26	60362	-	0.26	0.26	<b>0.26</b>	0.26	0.27	-	14,480.00	376.00	-
UV19C1906A	0.25	60362	-	0.25	0.25	<b>0.25</b>	0.25	0.26	-	3,000.00	75.00	-
UV24C1903A	0.05	40362	-	-	-	-	0.03	0.04	-	-	-	-
UV28C1906A	0.16	60362	-	0.15	0.15	<b>0.15</b>	0.15	0.16	(0.01)	1,997.00	30.00	-
VGI06C1904A	6.00	181261	-	-	-	-	6.40	6.50	-	-	-	-
VGI06C1904B	6.30	10362	-	-	-	-	6.40	6.50	-	-	-	-
VGI06C1904C	6.20	60362	-	6.40	6.25	<b>6.35</b>	6.40	6.50	0.15	500.00	316.00	6.00
VGI23C1905A	1.36	60362	-	1.37	1.36	<b>1.37</b>	1.38	1.41	0.01	12,000.00	1,635.00	1.00
VGI23C1911A	1.26	50362	-	1.33	1.31	<b>1.33</b>	1.34	1.37	0.07	30,000.00	3,960.00	1.00
WHA01C1906A	0.45	60362	0.44	0.47	0.44	<b>0.47</b>	0.47	0.48	0.02	47,127.00	2,164.00	-
WHA01C1906B	0.24	60362	0.24	0.26	0.24	<b>0.26</b>	0.26	0.27	0.02	72,037.00	1,873.00	-
WHA01P1906A	0.49	60362	0.49	0.49	0.46	<b>0.47</b>	0.46	0.47	(0.02)	15,031.00	707.00	-
WHA06C1903A	0.06	60362	-	-	-	-	0.07	0.08	-	-	-	-
WHA07C1906A	0.35	40362	-	0.36	0.36	<b>0.36</b>	0.36	0.37	0.01	20.00	1.00	-
WHA08C1904A	0.08	60362	-	0.09	0.08	<b>0.08</b>	0.08	0.09	-	19,491.00	156.00	-
WHA08C1908A	0.31	60362	-	0.32	0.31	<b>0.32</b>	0.32	0.33	0.01	27,084.00	864.00	-
WHA11C1903A	0.04	10362	-	-	-	-	0.01	0.04	-	-	-	-
WHA11C2001A	0.44	60362	-	0.44	0.43	<b>0.44</b>	0.44	0.46	-	13,881.00	610.00	-
WHA13C1905A	0.24	60362	-	0.25	0.24	<b>0.24</b>	0.25	0.26	-	7,584.00	183.00	-
WHA19C1907A	0.34	60362	-	0.35	0.35	<b>0.35</b>	0.36	0.37	0.01	47,054.00	1,647.00	-
WHA23C1906A	0.16	60362	-	0.15	0.15	<b>0.15</b>	0.15	0.16	(0.01)	20,000.00	300.00	-
WHA24C1907A	0.35	60362	-	0.35	0.35	<b>0.35</b>	0.37	0.38	-	1.00	-	-
WHA24P1908A	0.45	10362	-	-	-	-	0.42	0.43	-	-	-	-
WHA27C1903A	0.18	60362	-	0.17	0.16	<b>0.17</b>	0.18	0.19	(0.01)	23,200.00	393.00	-
WHA27P1905A	0.31	60362	-	0.31	0.30	<b>0.30</b>	0.29	0.30	(0.01)	9,450.00	284.00	-
WHA28C1903A	0.03	10362	-	-	-	-	-	0.02	-	-	-	-
WHA28C1906A	0.22	60362	-	0.23	0.22	<b>0.23</b>	0.23	0.24	0.01	46,798.00	1,031.00	-
WHA41C1907A	0.25	40362	-	-	-	-	0.26	0.27	-	-	-	-
WHAU13C1905A	0.17	60362	0.18	0.18	0.17	<b>0.18</b>	0.18	0.19	0.01	29,971.00	530.00	-
WHAU19C1907A	0.24	60362	-	0.24	0.23	<b>0.24</b>	0.24	0.25	-	4,950.00	118.00	-
WHAU27C1905A	0.08	60362	-	0.08	0.08	<b>0.08</b>	0.08	0.09	-	3,120.00	25.00	-
WORK01C1904A	0.02	50362	-	-	-	-	0.01	0.02	-	-	-	-
WORK01C1904E	0.01	40362	-	-	-	-	0.01	0.02	-	-	-	-
WORK01C1910A	0.98	60362	1.00	1.00	0.96	<b>0.97</b>	0.97	0.98	(0.01)	40,856.00	3,984.00	-
WORK01C1910F	0.24	60362	-	0.25	0.23	<b>0.24</b>	0.24	0.25	-	36,932.00	886.00	-
WORK08C1906A	0.51	60362	-	0.52	0.48	<b>0.50</b>	0.50	0.51	(0.01)	41,442.00	2,076.00	-
WORK11C1903A	0.01	60362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	3,792.00	4.00	-
WORK13C1903A	0.02	40262	-	-	-	-	-	0.01	-	-	-	-
WORK13C1905A	0.44	60362	-	0.45	0.39	<b>0.41</b>	0.41	0.43	(0.03)	15,832.00	652.00	-
WORK13C1907A	0.18	60362	-	0.18	0.16	<b>0.17</b>	0.17	0.18	(0.01)	14,069.00	239.00	-
WORK19C1905A	0.07	60362	0.07	0.08	0.06	<b>0.06</b>	0.06	0.07	(0.01)	3,120.00	21.00	-
WORK19C1906A	0.59	60362	-	0.61	0.56	<b>0.59</b>	0.59	0.60	-	46,794.00	2,715.00	-
WORK24C1903A	0.01	240162	-	-	-	-	-	0.01	-	-	-	-
WORK24C1907A	0.09	60362	-	-	-	-	0.08	0.09	-	-	-	-
WORK24C1907E	0.59	60362	-	0.56	0.56	<b>0.56</b>	0.57	0.58	(0.03)	4,000.00	224.00	-
WORK27C1903A	0.04	41261	-	-	-	-	0.01	0.03	-	-	-	-
WORK28C1904A	0.01	40362	-	-	-	-	0.01	0.03	-	-	-	-
WORK28C1905A	0.05	50362	-	-	-	-	0.05	0.06	-	-	-	-
WORK28C1907A	0.17	60362	-	0.17	0.15	<b>0.16</b>	0.16	0.17	(0.01)	14,340.00	232.00	-
WORK28C1907E	0.59	60362	-	0.60	0.55	<b>0.57</b>	0.57	0.58	(0.02)	24,144.00	1,369.00	-
Preferred/Foreign												
BH-Q	23.40	210936	-	-	-	-	49.00	-	-	-	-	-
CSC-Q	76.00	0	-	-	-	-	-	-	-	-	-	-
JUTHA-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
KTB-Q	-	0	-	-	-	-	-	-	-	-	-	-
SCB-Q	170.00	211057	-	-	-	-	120.50	-	-	-	-	-
TCAP-Q	-	0	-	-	-	-	-	-	-	-	-	-
TIC-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
TISCO-Q	8.00	0	-	-	-	-	-	-	-	-	-	-
U-Q	4.00	21161	-	-	-	-	2.50	-	-	-	-	-
Warrant												
ACC-W1	0.01	60362	0.01	0.02	0.01	<b>0.01</b>	-	0.01	-	23,932.00	24.00	-
AJA-W1	0.06	60362	-	0.08	0.07	<b>0.07</b>	0.07	0.08	0.01	20,937.00	147.00	-
ALT-W1	0.58	60362	0.58	0.59	0.57	<b>0.57</b>	0.57	0.58	(0.01)	550.00	31.00	-
APEX-W1	0.05	60362	-	0.04	0.04	<b>0.04</b>	0.03	0.05	(0.01)	5,509.00	22.00	-
APURE-W2	0.15	60362	0.14	0.15	0.14	<b>0.14</b>	0.14	0.15	(0.01)	9,498.00	141.00	-
AS-W1	0.11	60362	-	0.13	0.11	<b>0.11</b>	0.10	0.11	-	2.00	-	-
AYUD-W1	6.00	60362	6.00	6.20	5.95	<b>6.00</b>	6.00	6.05	-	14,509.00	8,751.00	6.00
B-W3	0.01	50362	-	-	-	-	-	0.01	-	-	-	-
B-W4	0.13	60362	0.12	0.13	0.12	<b>0.13</b>	0.12	0.13	-	4,414.00	54.00	-
BTS-W4	0.61	60362	0.59	0.67	0.58	<b>0.67</b>	0.67	0.68	0.06	594,747.00	37,337.00	-
BWG-W4	0.01	60362	0.01	0.02	0.01	<b>0.02</b>	0.01	0.02	0.01	62,257.00	62.00	-
CGD-W4	0.23	60362	0.21	0.24	0.19	<b>0.21</b>	0.20	0.22	(0.02)	976.00	20.00	-
CGH-W3	0.05	60362	-	0.05	0.05	<b>0.05</b>	0.04	0.05	-	1.00	-	-
CI-W1	0.23	60362	-	0.23	0.21	<b>0.21</b>	0.21	0.22	(0.02)	572.00	13.00	-
CKP-W1	0.48	60362	0.48	0.49	0.48	<b>0.49</b>	0.48	0.49	0.01	22,717.00	1,095.00	-
CRANE-W1	0.95	60362	-	0.94	0.94	<b>0.94</b>	0.85	0.92	(0.01)	1.00	-	-
DCC-W1	0.80	60362	-	0.80	0.79	<b>0.79</b>	0.79	0.80	(0.01)	22,602.00	1,805.00	-
DCON-W1	3.08	210262	-	-	-	-	2.20	2.58	-	-	-	-
DIGI-W1	0.01	60362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	1,899.00	2.00	-
DIGI-W2	0.01	60362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	0.01	15.00	-	-
EARTH-W4	0.09	140660	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.31	60362	0.31	0.33	0.31	<b>0.32</b>	0.32	0.33	0.01	100,228.00	3,208.00	-
EIC-W2	0.01	280262	-	-	-	-	-	0.01	-	-	-	-
EIC-W3	0.02	60362	-	-	-	-	0.01	0.02	-	-	-	-
EMC-W6	0.24	60362	0.24	0.25	0.24	<b>0.25</b>	0.24	0.25	0.01	25,237.00	626.00	-
EPCO-W3	0.28	60362	0.28	0.30	0.28	<b>0.30</b>	0.29	0.30	0.02	30,362.00	873.00	-
EVER-W3	0.01	80262	-	-	-	-	-	-	-	-	-	-
GJS-W3	0.01	270262	-	-	-	-	-	0.01	-	-	-	-
GSTEL-W1	0.01	20561	-	-	-	-	-	-	-	-	-	-
GSTEL-W2	0.01	40561	-	-	-	-	-	-	-	-	-	-
IEC-W2	0.01	150859	-	-	-	-	-	-	-	-	-	-
IHL-W1	4.70	60362	-	4.64	4.62	<b>4.64</b>	4.30	4.64	(0.06)	7.00	3.00	4.00
ITD-W1	0.01	60362	0.01	0.01	0.01	<b>0.01</b>	-	0.01	-	1,000.00	1.00	-
JAS-W3	3.12	60362	3.12	3.26	3.12	<b>3.20</b>	3.18	3.20	0.08	65,722.00	21,151.00	3.00
JCK-W5	0.44	60362	-	0.45	0.41	<b>0.44</b>	0.42	0.44	-	1,		





