

**Asia Plus Securities  
Company Limited  
Daily Quotation Report**

**Tuesday March 26, 2019**

**NOTE :**

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
CPALL	74.00	2,319,406	0.0%
PTT	48.00	2,309,842	0.5%
STEC	23.80	1,660,211	0.4%
BDMS	24.60	1,557,867	1.7%
AOT	67.75	1,236,076	0.0%
PTTGC	67.75	1,098,240	0.4%
PTTEP	125.00	1,028,262	0.8%
SCC	484.00	878,507	0.4%
IVL	49.00	859,097	1.6%
KBANK	192.50	847,415	1.0%

Sector Ranking	
Sector	%Value
AGRI	54.8261
AUTO	0.9548
BANK	0.3475
COMM	0.0678
CONMAT	13.5917
CONS	8.3359
ENERG	2.8849
ETRON	5.3331
FASHION	19.3975
FIN	0.7206
FOOD	0.0148
HEALTH	1.8706
HOME	4.2088
ICT	5.4014
IMM	0.0356
INSUR	4.7654
MEDIA	0.1548
MINE	0.1895
PAPER	1.9506
PERSON	0.0022
PETRO	0.0103
PFUND	0.0101
PKG	5.1876
PROF	0.5125
PROP	0.0369
STEEL	0.1096
TOURISM	3.4930
TRANS	0.0386

Top Ten Gainers			
Stock	Last	Value '000	%Change
CPAL11C1903A	0.03	2	200.0%
AOT19P1903A	0.02	1	100.0%
BANP07C1904A	0.02	0	100.0%
PTTE01C1904B	0.02	8	100.0%
S5006C1903A	0.02	5	100.0%
S5028P1903B	0.02	16	100.0%
SPAL11C1905A	0.02	0	100.0%
BDMS11C1904A	0.03	0	50.0%
PTG13C1904A	0.09	28	50.0%
DTAC06C1903A	0.11	90	37.5%

Top Ten Losers			
Stock	Last	Value '000	%Change
WORK19C1908A	0.17	85	-83.0%
BTS06C1908A	0.21	54	-79.0%
GPSC28C1904A	0.01	4	-75.0%
SIRI28C1904A	0.01	0	-75.0%
TCAP19C1908A	0.25	1,038	-75.0%
CENT06C1908A	0.28	226	-72.0%
RATC19C1908A	0.28	4	-72.0%
KTC19C1908A	0.29	852	-71.0%
THAN27C1910A	0.32	3,168	-68.0%
HANA11C1904A	0.02	0	-66.7%

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
<b>SET Index</b>	1,626.89	1,634.19	1,622.94	1,632.32	6.41	0.39
<b>SET 50</b>	1,083.40	1,090.34	1,080.50	1,088.47	5.42	0.50
<b>SET 100</b>	2,385.29	2,399.02	2,378.34	2,395.02	10.88	0.46
<b>SETHD</b>	1,227.39	1,234.34	1,223.46	1,231.85	4.65	0.38
<b>sSET</b>	769.37	771.15	768.40	770.50	2.83	0.37
<b>MAI</b>	363.30	364.77	362.63	364.51	1.81	0.50
AGRI	182.71	183.12	180.98	181.93	(0.32)	(0.18)
AUTO	480.17	484.83	476.07	484.62	4.16	0.87
BANK	517.80	520.35	516.08	519.19	2.03	0.39
COMM	40,499.16	40,625.84	40,314.66	40,407.55	(10.86)	(0.03)
CONMAT	11,509.61	11,554.14	11,449.89	11,541.30	33.81	0.29
CONS	90.65	91.28	90.44	90.81	0.12	0.13
ENERG	24,489.30	24,595.27	24,335.36	24,545.01	147.66	0.61
ETRON	1,485.60	1,491.30	1,481.20	1,486.32	7.16	0.48
FASHION	704.91	705.71	701.82	704.84	-	-
FIN	3,603.32	3,620.80	3,583.14	3,603.28	5.38	0.15
FOOD	11,737.24	11,843.88	11,674.80	11,747.28	5.29	0.05
HEALTH	5,555.06	5,630.40	5,553.07	5,619.17	65.74	1.18
HOME	29.11	29.32	29.02	29.21	0.18	0.62
ICT	151.48	152.87	151.12	152.42	0.68	0.45
IMM	47.98	48.06	47.72	47.92	(0.01)	(0.02)
INSUR	11,522.91	11,545.85	11,461.49	11,472.95	(7.24)	(0.06)
MEDIA	51.75	51.99	51.52	51.85	0.34	0.66
MINE	9.97	10.05	9.97	9.97	-	-
PAPER	2,813.13	2,841.26	2,799.07	2,813.13	-	-
PERSON	284.70	284.93	282.75	282.78	(1.06)	(0.37)
PETRO	1,205.67	1,217.25	1,197.90	1,212.46	9.30	0.77
PFUND	155.91	157.00	154.83	216.31	1.65	0.77
PKG	3,343.20	3,353.66	3,329.36	3,352.76	24.94	0.75
PROF	165.84	165.84	160.31	160.31	(5.21)	(3.15)
PROP	282.51	283.88	281.44	283.11	0.19	0.07
STEEL	29.09	29.26	28.89	29.22	0.14	0.48
TOURISM	685.21	689.35	679.30	684.05	1.34	0.20
TRANS	383.21	385.48	381.60	385.37	0.90	0.23

Volume by Board (Lot)	
Main Board	13,043,274,820
Foreign Board	54
Total	13,043,274,874

Value by Board (Mn.Bt.)	
Main Board	38,120.69
Foreign Board	93.58
Total	38,214.27

Gainers and Losers	
Gainers	699
Losers	562
Unchanged	565

Fundamental Figures	
Price/Earnings	14.05
Price/Book Value	2.07
Dividend Yield	3.59

**ASP's Daily Quotation Report**  
Tuesday March 26, 2019



## Main Board Quotation

Issue Date

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
KTECH	1.16	141150	-	-	-	-	-	-	-	-	-	0
POMPUI	2.16	130948	-	-	-	-	-	-	-	-	-	0
SAFARI	2.40	160550	-	-	-	-	-	-	-	-	-	0
VI	1.84	60548	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	60548	-	-	-	-	-	-	-	-	-	0
WR	4.00	170647	-	-	-	-	-	-	-	-	-	0
Agribusiness												
CHOTI	129.50	210362	-	-	-	-	125.00	129.50	-	-	-	0
EE	0.57	250362	0.57	0.58	0.57	0.57	0.57	0.58	-	13,438	767	0.57
GFPT	13.50	250362	13.50	13.50	13.40	13.50	13.50	13.60	-	5,761	7,776	13.5
LEE	2.56	250362	-	2.58	2.54	2.54	2.54	2.56	(0.02)	1,924	489	2.54
NER	2.54	250362	2.54	2.58	2.50	2.54	2.52	2.54	-	169,702	43,085	2.54
PPPM	2.38	250362	2.38	2.40	2.36	2.38	2.38	2.40	-	3,099	737	2.38
STA	12.50	250362	12.60	12.60	12.30	12.40	12.40	12.50	(0.10)	62,894	78,282	12.45
TRUBB	1.48	250362	-	1.50	1.48	1.48	1.48	1.49	-	1,125	167	1.49
TWPC	8.25	250362	-	8.30	8.25	8.25	8.25	8.35	-	1,542	1,273	8.26
UPOIC	4.24	250362	-	4.46	4.26	4.46	4.36	4.56	0.22	84	36	4.33
UVAN	5.55	250362	-	5.70	5.55	5.55	5.55	5.60	-	227	126	5.55
VPO	0.51	250362	-	0.51	0.49	0.50	0.50	0.51	(0.01)	762	38	0.5
Banking												
BAY	37.00	250362	37.25	37.25	37.00	37.00	37.00	37.25	-	889	3,294	37.05
BBL	207.00	250362	207.00	209.00	206.00	208.00	207.00	208.00	1.00	27,642	574,485	207.83
CIMBT	0.77	250362	0.78	0.78	0.77	0.77	0.77	0.78	-	3,059	236	0.77
KBANK	190.50	250362	191.00	193.00	190.50	192.50	192.00	192.50	2.00	44,284	847,415	191.36
KKP	69.25	250362	69.25	70.25	69.25	69.75	69.75	70.00	0.50	19,940	139,037	69.73
KTB	18.90	250362	18.90	19.00	18.80	19.00	18.90	19.00	0.10	108,578	205,569	18.93
LHFG	1.47	250362	1.47	1.48	1.47	1.47	1.47	1.49	-	4,851	716	1.48
SCB	133.00	250362	133.00	134.00	132.50	133.50	133.00	133.50	0.50	58,403	777,614	133.15
TCAP	54.75	250362	55.00	55.00	54.50	55.00	54.75	55.00	0.25	12,000	65,869	54.89
TISCO	89.00	250362	89.25	89.50	88.50	88.75	88.75	89.00	(0.25)	48,363	429,599	88.83
TMB	2.10	250362	2.08	2.10	2.04	2.06	2.06	2.08	(0.04)	2,372,629	490,947	2.07
Construction Materia												
CCP	0.36	250362	0.36	0.36	0.35	0.36	0.35	0.36	-	1,900	68	0.36
COTTO	2.08	250362	-	2.10	2.06	2.08	2.06	2.08	-	1,256	261	2.08
DCC	2.16	250362	2.18	2.18	2.16	2.16	2.16	2.18	-	13,229	2,860	2.16
DCON	0.49	250362	0.49	0.50	0.49	0.50	0.49	0.50	0.01	10,637	529	0.5
DRT	5.40	250362	-	5.45	5.40	5.40	5.35	5.40	-	1,944	1,050	5.4
EPG	6.50	250362	6.45	6.55	6.40	6.45	6.45	6.50	(0.05)	22,123	14,340	6.48
GEL	0.28	250362	0.28	0.28	0.26	0.27	0.26	0.27	(0.01)	17,144	463	0.27
PPP	2.68	250362	-	2.68	2.62	2.66	2.64	2.66	(0.02)	291	77	2.63
Q-CON	5.00	250362	-	5.00	4.98	4.98	4.98	5.05	(0.02)	2	1	4.99
RCI	3.94	250362	-	3.94	3.90	3.90	3.90	3.98	(0.04)	4,399	1,724	3.92
SCC	482.00	250362	480.00	484.00	480.00	484.00	482.00	484.00	2.00	18,216	878,507	482.27
SCCC	222.00	250362	223.00	223.00	222.00	222.00	222.00	224.00	-	332	7,390	222.58
SCP	7.85	250362	7.80	7.85	7.75	7.85	7.80	7.85	-	241	188	7.8
SKN	2.80	250362	2.82	2.86	2.78	2.84	2.82	2.84	0.04	2,898	818	2.82
TASCO	15.30	250362	15.40	15.60	15.40	15.40	15.40	15.50	0.10	20,603	31,854	15.46
TCMC	2.92	250362	2.92	3.06	2.90	3.02	3.02	3.04	0.10	48,438	14,559	3.01
TOA	31.50	250362	31.25	31.75	30.75	31.50	31.25	31.50	-	23,005	71,629	31.14
TIPL	1.98	250362	1.98	1.99	1.95	1.98	1.98	1.99	-	140,743	27,716	1.97
UMI	1.19	250362	-	1.20	1.18	1.20	1.19	1.20	0.01	8	1	1.19
VNG	5.75	250362	5.70	5.75	5.65	5.75	5.65	5.75	-	522	297	5.69
WIK	1.98	250362	-	2.00	1.98	1.99	1.99	2.00	0.01	617	123	1.99
Petrochemicals & Cr												
BCT	43.75	250362	-	43.50	42.50	43.50	42.75	43.50	(0.25)	414	1,774	42.85
CMAN	2.70	250362	2.72	2.76	2.70	2.74	2.72	2.74	0.04	2,650	724	2.73
GC	5.25	250362	5.25	5.30	5.25	5.30	5.25	5.30	0.05	254	134	5.28
GGC	10.30	250362	10.30	10.50	10.30	10.40	10.30	10.40	0.10	3,249	3,375	10.39
GIFT	3.84	250362	3.84	3.92	3.84	3.88	3.82	3.90	0.04	339	131	3.85
IVL	48.25	250362	48.25	49.25	48.00	49.00	48.75	49.00	0.75	176,816	859,097	48.59
NFC	5.90	250362	-	6.10	5.85	5.85	5.85	6.10	(0.05)	11	6	5.87
PATO	12.50	250362	12.50	12.60	12.50	12.50	12.50	12.60	-	175	219	12.5
PMTA	9.85	250362	9.85	9.95	9.85	9.90	9.85	9.90	0.05	14	14	9.9
PTTGC	67.50	250362	67.75	68.00	67.25	67.75	67.50	67.75	0.25	162,413	1,098,240	67.62
SUTHA	3.90	250362	3.90	3.90	3.90	3.90	3.90	3.92	-	105	41	3.9
TCCE	28.50	250362	28.25	28.50	28.25	28.25	28.25	28.50	(0.25)	238	673	28.26
TPA	6.55	250362	-	6.55	6.35	6.35	6.35	6.50	(0.20)	143	92	6.42
UP	22.00	180362	-	23.70	23.70	23.70	20.40	23.60	1.70	23	55	23.7
VNT	24.50	250362	24.70	24.70	24.40	24.40	24.40	24.50	(0.10)	3,114	7,649	24.56
WG	167.00	220362	-	-	-	-	154.00	165.00	-	-	-	0
YCI	13.20	70557	-	-	-	-	-	-	-	-	-	0
Commerce												
BEAUTY	6.55	250362	6.60	6.70	6.50	6.60	6.60	6.65	0.05	295,384	195,077	6.6
BIG	1.26	250362	1.27	1.27	1.25	1.26	1.26	1.27	-	17,556	2,203	1.25
BJC	49.75	250362	50.00	50.00	49.25	50.00	49.75	50.00	0.25	31,697	157,413	49.66
COL	23.40	250362	23.30	23.50	23.30	23.40	23.40	23.50	-	559	1,306	23.35
COM7	17.30	250362	17.40	17.70	17.40	17.60	17.60	17.70	0.30	26,750	46,910	17.54
CPALL	74.00	250362	74.25	74.50	74.00	74.00	74.00	74.25	-	312,534	2,319,406	74.21
CSS	1.97	250362	1.96	1.97	1.95	1.97	1.96	1.97	-	7,580	1,486	1.96
FN	1.90	250362	1.92	2.08	1.92	2.08	2.08	2.10	0.18	171,581	34,681	2.02
FTE	2.26	250362	2.26	2.28	2.26	2.28	2.28	2.30	0.02	2,328	531	2.28
GLOBAL	17.20	250362	17.20	17.50	17.10	17.30	17.30	17.40	0.10	36,541	63,299	17.32
HMPRO	15.00	250362	15.00	15.20	14.90	15.00	15.00	15.10	-	147,542	222,214	15.06
IT	2.60	250362	-	2.64	2.60	2.62	2.60	2.62	0.02	585	159	2.61
KAMART	3.68	250362	3.68	3.76	3.66	3.70	3.70	3.72	0.02	3,893	1,449	3.72
LOXLEY	1.99	250362	1.99	2.00	1.97	2.00	1.98	2.00	0.01	4,032	800	1.98
MAKRO	35.50	250362	35.25	35.50	35.00	35.00	35.00	35.25	(0.50)	3,159	11,098	35.13
MC	9.65	250362	9.65	9.70	9.65	9.70	9.65	9.70	0.05	416	402	9.66
MEGA	31.75	250362	31.75	32.50	31.75	32.25	32.25	32.50	0.50	2,566	8,242	32.12
MIDA	0.59	250362	0.60	0.60	0.59	0.59	0.59	0.60	-	769	46	0.6
ROBINS	57.00	250362	56.50	57.75	56.50	57.50	57.25	57.50	0.50	9,395	53,836	57.3
RSP	3.54	250362	-	3.66	3.48	3.66	3.66	3.68	0.12	12,916	4,640	3.59
SINGER	4.88	250362	-	4.90	4.84	4.84	4.84	4.88	(0.04)	5,711	2,773	4.86
SPC	53.50	250362	-	53.50	53.50	53.50	53.25	53.50	-	16	86	53.5
SPI	72.75	250362	-	71.50	70.00	70.50	70.25	71.25	(2.25)	62	435	70.24
Information & Comm												
ZUP	0.33	250362	-	0.33	0.32	0.33	0.32	0.33	-	3,881	128	0.33
ADVANC	181.50	250362	181.00	183.00	180.50	182.00	182.00	182.50	0.50	33,932	617,676	182.03
AIT	21.30	250362	21.50	21.80	21.40	21.80	21.60	21.80	0.50	690	1,487	21.54
ALT	2.98	250362	-	3.04	2.98	3.02	3.00	3.02	0.04	332	100	3.01
BLISS	0.04	180554	-	-	-	-	-	-	-	-	-	0
DIF	15.30	250362	15.30	15.40	15.20	15.30	15.20	15.30	-	109,140	166,920	15.29
DTAC	50.50	250362	50.75	52.00	50.25	51.50	51.25	51.50	1.00	47,756	2	

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
INET	3.24	250362	3.26	3.26	3.22	3.22	3.22	3.26	(0.02)	1,146	372	3.24
INTUCH	57.00	250362	57.00	57.50	56.50	57.50	57.25	57.50	0.50	70,280	401,562	57.14
JAS	5.85	250362	5.90	5.90	5.80	5.85	5.85	5.90	-	110,167	64,509	5.86
JASIF	10.20	250362	10.10	10.20	10.10	10.20	10.10	10.20	-	22,292	22,654	10.16
JMART	7.95	250362	7.95	8.15	7.95	8.10	8.10	8.15	0.15	22,117	17,884	8.09
JTS	1.42	250362	-	1.45	1.42	1.42	1.42	1.44	-	243	35	1.43
MFEC	3.52	250362	3.56	3.58	3.44	3.56	3.42	3.56	0.04	4,049	1,415	3.49
MSC	7.20	250362	-	7.25	7.15	7.25	7.15	7.25	0.05	526	379	7.2
PT	5.95	250362	5.85	5.90	5.80	5.80	5.80	5.85	(0.15)	2,300	1,344	5.84
SAMART	7.50	250362	7.55	7.55	7.45	7.55	7.50	7.55	0.05	2,529	1,897	7.5
SAMTEL	7.35	250362	7.30	7.50	7.30	7.40	7.40	7.45	0.05	897	663	7.39
SDC	0.35	250362	0.35	0.36	0.34	0.35	0.34	0.35	-	42,154	1,489	0.35
SIS	11.60	250362	11.60	11.70	11.50	11.60	11.50	11.60	-	1,403	1,625	11.58
SVOA	1.17	250362	-	1.19	1.17	1.18	1.17	1.19	0.01	6,863	806	1.18
SYMC	5.00	250362	-	4.86	4.86	4.86	4.86	5.05	(0.14)	323	157	4.86
SYNEX	11.70	250362	11.70	11.90	11.70	11.90	11.80	11.90	0.20	2,742	3,235	11.8
THCOM	7.15	250362	7.10	7.25	7.10	7.25	7.20	7.25	0.10	4,213	3,025	7.18
TRUE	4.78	250362	4.76	4.82	4.74	4.78	4.78	4.80	-	528,589	252,564	4.78
TWZ	0.09	250362	0.08	0.09	0.08	0.08	0.08	0.09	(0.01)	78,404	677	0.09
Electronic Component												
CCET	1.79	250362	1.78	1.81	1.77	1.81	1.80	1.81	0.02	3,603	642	1.78
DELTA	70.50	250362	70.50	70.75	70.50	70.75	70.50	70.75	0.25	8,945	63,177	70.63
EIC	0.04	250362	0.05	0.05	0.05	0.05	0.04	0.05	0.01	17	-	0.05
HANA	31.00	250362	31.25	31.75	31.00	31.00	31.00	31.25	-	20,562	64,322	31.28
KCE	24.20	250362	24.30	24.70	24.20	24.40	24.30	24.40	0.20	57,162	139,684	24.44
METCO	179.50	220362	-	179.50	177.50	177.50	178.00	182.00	(2.00)	5	89	178.5
SMT	2.06	250362	-	2.08	2.06	2.08	2.06	2.08	0.02	434	90	2.07
SPPT	4.14	250362	4.14	4.14	4.08	4.12	4.10	4.12	(0.02)	3,705	1,525	4.12
SVI	4.78	250362	4.80	4.82	4.80	4.82	4.80	4.82	0.04	9,184	4,420	4.81
TEAM	1.16	250362	1.17	1.19	1.16	1.19	1.18	1.19	0.03	11,839	1,390	1.17
Energy & Utilities												
ABPIF	5.50	250362	5.50	5.55	5.50	5.55	5.50	5.55	0.05	3,154	1,737	5.51
AI	1.52	150558	-	-	-	-	-	-	-	-	-	0
AKR	0.80	250362	0.81	0.81	0.80	0.80	0.80	0.81	-	1,340	107	0.8
BAFS	34.25	250362	34.00	34.50	34.00	34.50	34.25	34.50	0.25	843	2,902	34.43
BANPU	16.00	250362	16.00	16.30	15.90	16.20	16.10	16.20	0.20	206,122	332,222	16.12
BCP	32.50	250362	32.75	32.75	32.00	32.25	32.25	32.50	(0.25)	16,499	53,271	32.29
BCPG	16.30	250362	16.40	16.40	16.20	16.30	16.30	16.40	-	10,823	17,629	16.29
BGRIM	29.50	250362	29.50	29.50	29.25	29.25	29.25	29.50	(0.25)	18,130	53,228	29.36
BPP	22.30	250362	22.30	22.60	22.30	22.50	22.50	22.60	0.20	12,904	28,968	22.45
BRRGIF	10.00	250362	10.00	10.00	10.00	10.00	10.00	10.10	-	265	265	10
CKP	4.86	250362	4.88	4.90	4.84	4.86	4.84	4.86	-	112,821	54,892	4.87
DEMCO	2.92	250362	-	2.94	2.92	2.94	2.92	2.94	0.02	809	237	2.93
EA	48.00	250362	48.25	48.50	48.00	48.25	48.00	48.25	0.25	94,859	457,223	48.2
EARTH	1.46	140660	-	-	-	-	-	-	-	-	-	0
EASTW	10.90	250362	11.00	11.00	10.90	11.00	10.90	11.00	0.10	2,135	2,346	10.99
EGATIF	11.60	250362	11.70	11.80	11.70	11.80	11.70	11.80	0.20	58,571	68,592	11.71
EGCO	286.00	250362	286.00	289.00	284.00	289.00	288.00	289.00	3.00	6,856	196,668	286.86
ESSO	11.00	250362	11.00	11.10	10.70	10.90	10.90	11.00	(0.10)	133,226	145,351	10.91
GLOW	90.75	250362	90.75	91.00	90.75	90.75	90.75	91.00	-	26,877	243,494	90.9
GPSC	56.75	250362	56.50	56.50	55.75	56.50	56.25	56.50	(0.25)	10,876	61,202	56.27
GULF	91.00	250362	91.25	93.75	91.00	93.75	93.50	93.75	2.75	67,649	624,905	92.37
GUNKUL	3.12	250362	3.12	3.14	3.10	3.12	3.10	3.12	-	17,987	5,606	3.12
IEC	0.02	150859	-	-	-	-	-	-	-	-	-	0
IFEC	3.10	110160	-	-	-	-	-	-	-	-	-	0
IRPC	5.70	250362	5.75	5.75	5.65	5.75	5.70	5.75	0.05	201,769	115,209	5.71
LANNA	11.30	250362	11.30	11.30	11.20	11.20	11.20	11.30	(0.10)	664	746	11.23
MDX	4.08	250362	-	4.14	4.08	4.10	4.10	4.12	0.02	1,495	615	4.11
PTG	9.75	250362	9.80	10.20	9.75	10.10	10.10	10.20	0.35	210,575	210,534	10
PTT	47.75	250362	48.00	48.25	47.50	48.00	47.75	48.00	0.25	483,083	2,309,842	47.81
PTTEP	124.00	250362	125.00	126.00	124.50	125.00	125.00	125.50	1.00	82,129	1,028,262	125.2
RATCH	57.25	250362	57.00	58.00	56.75	57.50	57.25	57.50	0.25	40,397	232,064	57.45
RPC	0.47	250362	-	0.48	0.46	0.47	0.46	0.47	-	15,472	720	0.47
SCG	4.36	250362	-	4.44	4.36	4.44	4.42	4.44	0.08	4	2	4.38
SCI	2.26	250362	2.32	2.32	2.26	2.32	2.30	2.32	0.06	2,967	682	2.3
SCN	3.82	250362	3.86	3.86	3.80	3.84	3.82	3.84	0.02	550	210	3.81
SGP	9.30	250362	9.25	9.40	9.25	9.25	9.25	9.30	(0.05)	31,423	29,227	9.3
SKE	1.09	250362	-	1.13	1.08	1.12	1.12	1.13	0.03	32,020	3,547	1.11
SOLAR	2.00	250362	2.02	2.02	2.00	2.02	2.00	2.02	0.02	3,913	789	2.02
SPCG	18.50	250362	18.50	18.60	18.50	18.50	18.50	18.60	-	722	1,337	18.51
SPRC	10.90	250362	10.80	10.90	10.60	10.80	10.70	10.80	(0.10)	302,521	324,805	10.74
SUPER	0.62	250362	0.62	0.64	0.62	0.63	0.63	0.64	0.01	564,359	35,640	0.63
SUSCO	2.72	250362	2.72	2.74	2.72	2.74	2.72	2.74	0.02	2,499	684	2.74
TAE	2.50	250362	2.50	2.52	2.50	2.52	2.50	2.52	0.02	2,147	537	2.5
TCC	0.35	250362	0.35	0.36	0.35	0.35	0.35	0.36	-	3,374	120	0.36
TOP	70.50	250362	70.75	70.75	69.50	70.50	70.50	70.75	-	97,253	682,877	70.22
TPIPP	6.00	250362	6.00	6.05	5.95	6.00	6.00	6.05	-	18,203	10,921	6
TTW	12.20	250362	12.20	12.30	12.10	12.20	12.10	12.20	-	50,956	62,141	12.2
WHAUP	5.75	250362	5.75	5.80	5.75	5.80	5.75	5.80	0.05	12,737	7,331	5.76
WP	5.35	250362	5.40	5.50	5.35	5.35	5.35	5.40	-	4,455	2,395	5.37
Media & Publishing												
AMARIN	4.96	250362	-	5.30	5.00	5.15	5.05	5.15	0.19	72	36	5.04
AQUA	0.45	250362	0.46	0.46	0.45	0.45	0.45	0.46	-	126,373	5,802	0.46
AS	0.80	250362	0.78	0.88	0.78	0.80	0.80	0.85	-	136	11	0.8
BEC	6.50	250362	6.55	6.75	6.50	6.70	6.70	6.75	0.20	87,192	58,020	6.65
EPCO	3.24	250362	3.24	3.30	3.24	3.28	3.26	3.28	0.04	6,238	2,042	3.27
FE	220.00	220362	-	-	-	-	216.00	226.00	-	-	-	0
GPI	2.14	250362	2.18	2.22	2.14	2.18	2.16	2.18	0.04	12,700	2,771	2.18
GRAMMY	8.05	250362	8.25	8.25	8.05	8.05	8.10	8.15	-	232	189	8.16
MACO	1.56	250362	1.56	1.57	1.54	1.56	1.55	1.56	-	41,668	6,486	1.56
MAJOR	28.00	250362	27.75	28.00	27.75	27.75	27.75	28.00	(0.25)	10,800	30,115	27.88
MATCH	2.10	250362	2.10	2.10	2.10	2.10	2.10	2.12	-	2,700	567	2.1
MATI	5.15	250362	-	5.20	5.10	5.20	5.00	5.30	0.05	41	21	5.16
MCOT	10.00	250362	-	10.20	10.00	10.20	10.10	10.20	0.20	750	755	10.07
MONO	1.67	250362	1.68	1.71	1.68	1.69	1.69	1.70	0.02	7,815	1,322	1.69
MPIC	1.50	250362	1.52	1.60	1.52	1.60	1.60	1.65	0.10	317	50	1.58
NMG	0.20	280262	-	-	-	-	-	-	-	-	-	0
PLANB	6.50	250362	6.55	6.60	6.30	6.30	6.30	6.35	(0.20)	510,613	327,119	6.41
POST	2.00	250362	-	2.06	2.02	2.04	2.00	2.06	0.04	47	10	2.04
PRAKIT	12.40	250362	-	12.50	12.50	12.50	12.40	12.60	0.10	38	48	12.5
RS	17.80	250362	17.90	18.30	17.80	18.30	18.20	18.30	0.			

**Asia Plus Securities Company Limited**  
**Main Board Quotation**

**Daily Quotation**

Issue Date **Tuesday March 26, 2019**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TRITN	0.34	250362	0.35	0.36	0.34	<b>0.35</b>	0.34	0.35	0.01	96,110	3,345	0.35
VGI	7.85	250362	7.90	7.95	7.85	<b>7.90</b>	7.90	7.95	0.05	74,385	58,738	7.9
WAVE	1.97	220362	1.97	1.97	1.97	<b>1.97</b>	1.93	1.97	-	65	11	1.97
WORK	23.10	250362	23.20	23.80	23.20	<b>23.50</b>	23.40	23.50	0.40	20,825	48,702	23.39
Finance & Securities												
AEC	0.50	250362	-	0.51	0.50	<b>0.51</b>	0.50	0.51	0.01	801	41	0.51
AEONTS	180.00	250362	180.50	181.00	180.00	<b>180.00</b>	180.00	180.50	-	782	14,105	180.36
AMANAH	1.70	250362	1.70	1.75	1.70	<b>1.74</b>	1.73	1.74	0.04	16,567	2,873	1.73
ASAP	3.14	250362	-	3.18	3.10	<b>3.12</b>	3.10	3.12	(0.02)	20,553	6,412	3.12
ASK	23.00	250362	23.00	23.00	22.90	<b>23.00</b>	22.90	23.00	-	1,737	3,980	22.92
ASP	3.06	250362	3.08	3.10	3.06	<b>3.08</b>	3.06	3.08	0.02	8,251	2,540	3.08
BFIT	17.70	250362	-	17.70	17.20	<b>17.70</b>	17.50	17.70	-	664	1,156	17.41
CGH	0.93	250362	-	0.94	0.93	<b>0.94</b>	0.93	0.94	0.01	917	86	0.94
CNS	1.88	250362	1.88	1.89	1.88	<b>1.89</b>	1.88	1.89	0.01	458	86	1.88
ECL	1.66	250362	1.67	1.69	1.66	<b>1.68</b>	1.67	1.68	0.02	2,924	490	1.68
FNS	3.64	250362	-	3.66	3.64	<b>3.66</b>	3.64	3.70	0.02	7	3	3.66
FSS	1.83	250362	-	1.81	1.81	<b>1.81</b>	1.81	1.83	(0.02)	244	44	1.81
GBX	0.62	250362	-	0.62	0.60	<b>0.61</b>	0.60	0.61	(0.01)	20,487	1,245	0.61
GL	6.65	250362	6.70	6.70	6.65	<b>6.70</b>	6.70	6.75	0.05	3,277	2,191	6.69
IFS	3.00	250362	-	3.00	2.98	<b>2.98</b>	2.98	3.00	(0.02)	1,178	351	2.98
JMT	13.80	250362	14.00	14.00	13.70	<b>13.80</b>	13.80	13.90	-	12,326	17,101	13.87
KCAR	11.40	250362	-	11.60	11.40	<b>11.60</b>	11.60	11.70	0.20	647	748	11.57
KGI	4.82	250362	4.84	4.84	4.80	<b>4.82</b>	4.82	4.84	-	18,583	8,958	4.82
KTC	34.25	250362	34.25	34.50	34.00	<b>34.25</b>	34.25	34.50	-	63,326	216,795	34.23
MBKET	10.10	250362	10.00	10.20	10.00	<b>10.20</b>	10.10	10.20	0.10	270	272	10.08
MFC	18.40	250362	18.30	18.40	18.30	<b>18.30</b>	18.30	18.40	(0.10)	339	622	18.35
ML	1.01	250362	1.01	1.01	0.99	<b>0.99</b>	0.99	1.01	(0.02)	4,436	444	1
MTC	44.75	250362	44.75	45.25	44.50	<b>45.00</b>	45.00	45.25	0.25	47,214	212,622	45.03
PE	0.18	250362	-	0.20	0.17	<b>0.19</b>	0.17	0.19	0.01	4,930	89	0.18
PL	3.50	250362	-	3.50	3.46	<b>3.50</b>	3.46	3.50	-	99	34	3.48
S11	7.30	250362	7.30	7.35	7.30	<b>7.30</b>	7.30	7.35	-	112	82	7.3
SAWAD	52.50	250362	52.75	53.00	51.75	<b>52.00</b>	51.75	52.00	(0.50)	35,482	185,789	52.36
THANI	5.70	250362	5.70	5.80	5.65	<b>5.80</b>	5.75	5.80	0.10	55,794	31,950	5.73
TK	9.60	220362	-	9.60	9.50	<b>9.60</b>	9.45	9.60	-	91	86	9.5
TNITY	5.35	250362	-	5.40	5.30	<b>5.40</b>	5.30	5.40	0.05	201	107	5.34
UOBKH	3.56	250362	-	-	-	<b>-</b>	3.56	3.62	-	-	-	0
ZMICO	1.09	250362	1.08	1.09	1.07	<b>1.09</b>	1.08	1.09	-	2,326	251	1.08
Food & Beverage												
APURE	1.30	250362	-	1.30	1.28	<b>1.29</b>	1.29	1.30	(0.01)	401	52	1.29
ASIAN	7.85	250362	7.85	7.95	7.75	<b>7.85</b>	7.85	7.90	-	88,956	69,884	7.86
BR	3.94	250362	3.94	3.96	3.92	<b>3.94</b>	3.92	3.94	-	2,271	892	3.93
BRR	6.15	250362	6.00	6.15	6.00	<b>6.15</b>	6.10	6.15	-	719	433	6.02
CBG	56.50	250362	56.75	56.75	54.00	<b>54.25</b>	54.25	54.50	(2.25)	57,911	317,468	54.82
CFRESH	3.94	250362	-	3.96	3.94	<b>3.94</b>	3.92	3.94	-	290	115	3.95
CM	4.06	250362	4.06	4.14	4.04	<b>4.14</b>	4.04	4.14	0.08	206	84	4.06
CPF	25.75	250362	25.75	26.00	25.50	<b>26.00</b>	25.75	26.00	0.25	91,632	238,859	25.85
CPI	1.41	250362	1.40	1.42	1.40	<b>1.42</b>	1.41	1.42	0.01	785	110	1.4
F&D	18.10	220362	18.20	18.20	18.20	<b>18.20</b>	17.90	18.20	0.10	1	2	18.2
HTC	14.00	250362	14.10	14.20	14.00	<b>14.10</b>	14.10	14.20	0.10	1,088	1,533	14.09
ICHI	3.52	250362	3.54	3.60	3.50	<b>3.50</b>	3.50	3.54	(0.02)	16,330	5,776	3.54
KBS	4.16	250362	4.16	4.16	4.14	<b>4.14</b>	4.12	4.14	(0.02)	123	51	4.16
KSL	3.04	250362	3.02	3.06	3.02	<b>3.06</b>	3.04	3.06	0.02	5,002	1,519	3.04
KTIS	5.80	250362	-	5.80	5.80	<b>5.80</b>	5.75	5.80	-	70	41	5.8
LST	4.56	250362	4.54	4.62	4.54	<b>4.56</b>	4.56	4.62	-	351	161	4.59
M	73.00	250362	73.00	73.25	72.75	<b>73.00</b>	72.75	73.00	-	708	5,164	72.94
MALEE	7.80	250362	7.75	7.90	7.75	<b>7.80</b>	7.80	7.85	-	3,265	2,553	7.82
MINT	38.50	250362	38.25	38.50	38.00	<b>38.50</b>	38.25	38.50	-	78,792	301,671	38.29
OISHI	82.00	250362	-	82.25	82.25	<b>82.25</b>	82.00	83.25	0.25	13	107	82.25
OSP	26.75	250362	26.50	27.00	26.25	<b>26.50</b>	26.25	26.50	(0.25)	72,995	193,673	26.53
PB	60.50	250362	-	75.50	60.00	<b>60.25</b>	60.00	61.25	(0.25)	748	4,579	61.22
PM	8.65	250362	8.65	8.70	8.60	<b>8.65</b>	8.65	8.70	-	1,788	1,544	8.63
PRG	13.00	250362	-	13.10	13.00	<b>13.00</b>	12.90	13.30	-	12	16	13.02
SAPPE	18.70	250362	18.60	19.20	18.60	<b>19.00</b>	18.90	19.00	0.30	3,475	6,611	19.03
SAUCE	22.50	250362	-	22.50	22.20	<b>22.30</b>	22.20	22.50	(0.20)	103	230	22.29
SFP	175.00	10362	-	189.00	189.00	<b>189.00</b>	171.00	184.00	14.00	1	19	189
SNP	19.60	250362	-	19.50	19.40	<b>19.50</b>	19.40	19.50	(0.10)	16	31	19.43
SORKON	69.00	250362	-	69.00	68.50	<b>68.50</b>	68.50	70.75	(0.50)	4	28	68.75
SSC	36.00	200362	-	-	-	<b>-</b>	34.00	36.00	-	-	-	0
SSF	6.70	200362	-	-	-	<b>-</b>	6.50	7.80	-	-	-	0
SST	4.58	250362	-	4.58	4.50	<b>4.56</b>	4.54	4.58	(0.02)	101	46	4.52
TC	3.68	250362	3.68	3.70	3.64	<b>3.70</b>	3.68	3.70	0.02	269	99	3.68
TFG	3.02	250362	3.02	3.06	2.98	<b>3.00</b>	3.00	3.02	(0.02)	17,687	5,324	3.01
TFMAMA	159.50	250362	-	159.50	159.00	<b>159.00</b>	159.00	159.50	(0.50)	50	795	159.02
TIPCO	7.65	250362	7.75	7.75	7.60	<b>7.70</b>	7.65	7.70	0.05	1,737	1,334	7.68
TKN	9.35	250362	9.40	9.55	9.35	<b>9.50</b>	9.45	9.50	0.15	51,253	48,448	9.45
TU	18.80	250362	18.80	19.30	18.70	<b>19.00</b>	19.00	19.10	0.20	198,409	378,872	19.1
TVO	26.75	250362	26.75	27.00	26.75	<b>26.75</b>	26.75	27.00	-	1,204	3,240	26.91
ZEN	14.70	250362	14.80	15.00	14.80	<b>15.00</b>	14.90	15.00	0.30	5,282	7,870	14.9
Health Care Services:												
AHC	17.00	250362	-	17.20	17.10	<b>17.20</b>	17.10	17.20	0.20	77	132	17.14
BCH	16.70	250362	16.80	17.20	16.70	<b>17.10</b>	17.10	17.20	0.40	161,584	274,400	16.98
BDMS	24.20	250362	24.20	24.70	24.10	<b>24.60</b>	24.60	24.70	0.40	637,257	1,557,867	24.45
BH	175.50	250362	175.50	177.50	175.50	<b>177.50</b>	177.00	177.50	2.00	9,306	164,894	177.19
CHG	1.92	250362	1.92	1.92	1.89	<b>1.90</b>	1.90	1.91	(0.02)	128,747	24,482	1.9
CMR	2.30	250362	2.34	2.34	2.32	<b>2.32</b>	2.32	2.34	0.02	392	91	2.33
EKH	5.45	250362	5.50	5.50	5.45	<b>5.50</b>	5.45	5.50	0.05	1,771	966	5.46
KDH	97.00	220362	-	96.75	96.75	<b>96.75</b>	95.50	99.50	(0.25)	20	194	96.75
LPH	5.35	250362	5.35	5.40	5.30	<b>5.35</b>	5.35	5.40	-	618	331	5.35

## Main Board Quotation

Issue Date Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ERW	7.10	250362	7.10	7.20	7.10	<b>7.10</b>	7.10	7.15	-	13,829	9,855	7.13
GRAND	0.94	250362	0.93	0.94	0.92	<b>0.93</b>	0.92	0.93	(0.01)	3,480	324	0.93
LRH	65.25	250362	65.25	66.00	65.00	<b>66.00</b>	65.75	66.00	0.75	33	217	65.7
MANRIN	32.25	250362	-	-	-	-	30.25	34.50	-	-	-	0
OHTL	462.00	210362	-	460.00	460.00	<b>460.00</b>	454.00	464.00	(2.00)	1	46	460
ROH	48.00	250362	-	48.00	48.00	<b>48.00</b>	42.25	48.00	-	1	5	48
SHANG	87.00	250362	-	-	-	-	83.25	86.50	-	-	-	0
Home & Office Prodi												
ACC	0.75	250362	0.77	0.78	0.74	<b>0.75</b>	0.74	0.75	-	91,522	6,982	0.76
AJA	0.21	250362	0.21	0.22	0.20	<b>0.21</b>	0.20	0.21	-	66,817	1,406	0.21
DTCI	27.00	210362	-	26.25	26.25	<b>26.25</b>	26.00	28.00	(0.75)	1	3	26.25
FANCY	0.74	250362	-	0.77	0.74	<b>0.75</b>	0.74	0.76	0.01	719	53	0.74
KYE	394.00	250362	-	395.00	395.00	<b>395.00</b>	395.00	397.00	1.00	2	79	395
L&E	2.76	250362	-	2.78	2.74	<b>2.78</b>	2.76	2.78	0.02	4	1	2.76
MODERN	3.68	250362	-	3.70	3.66	<b>3.70</b>	3.68	3.70	0.02	212	78	3.68
OGC	33.75	250362	-	40.00	34.25	<b>35.00</b>	35.00	37.00	1.25	13	47	35.98
ROCK	19.80	210362	-	19.80	19.80	<b>19.80</b>	16.60	19.00	-	2	4	19.8
SIAM	2.24	250362	2.24	2.26	2.24	<b>2.26</b>	2.24	2.26	0.02	2,146	483	2.25
TSR	2.18	250362	2.22	2.28	2.18	<b>2.24</b>	2.22	2.24	0.06	19,916	4,449	2.23
Insurance												
AYUD	46.00	250362	45.75	46.00	45.50	<b>45.50</b>	45.50	45.75	(0.50)	220	1,004	45.65
BKI	325.00	250362	325.00	325.00	324.00	<b>324.00</b>	324.00	325.00	(1.00)	65	2,107	324.08
BLA	27.00	250362	27.25	27.50	27.00	<b>27.25</b>	27.25	27.50	0.25	3,284	8,951	27.26
BUJ	20.20	150558	-	-	-	-	-	-	-	-	-	0
CHARAN	31.75	250362	-	31.75	31.75	<b>31.75</b>	32.00	32.75	-	1	3	31.75
INSURE	46.75	10362	-	-	-	-	34.50	46.75	-	-	-	0
MTI	90.75	250362	-	91.00	91.00	<b>91.00</b>	90.75	91.50	0.25	10	91	91
NKI	61.50	200362	-	-	-	-	53.50	61.75	-	-	-	0
NSI	77.00	250362	-	77.25	76.50	<b>77.25</b>	76.25	77.25	0.25	23	177	76.84
SMK	37.50	250362	37.50	37.50	37.50	<b>37.50</b>	38.00	38.25	-	4	15	37.5
THRE	0.75	250362	0.76	0.76	0.75	<b>0.76</b>	0.75	0.76	0.01	4,259	323	0.76
THREL	5.70	250362	-	5.75	5.65	<b>5.75</b>	5.70	5.75	0.05	494	281	5.7
TIC	49.50	250362	50.00	50.25	46.50	<b>49.25</b>	47.00	49.25	(0.25)	128	619	48.37
TIP	22.30	250362	22.30	22.40	22.30	<b>22.30</b>	22.30	22.40	-	1,198	2,673	22.31
TQM	31.00	250362	31.25	31.50	29.75	<b>29.75</b>	29.75	30.00	(1.25)	18,180	55,604	30.59
TSI	0.69	250362	0.72	0.72	0.69	<b>0.71</b>	0.70	0.71	0.02	2,410	169	0.7
TVI	3.86	250362	-	3.90	3.86	<b>3.88</b>	3.88	3.90	0.02	951	368	3.87
Mining												
PDI	12.00	250362	12.00	12.10	12.00	<b>12.00</b>	12.00	12.10	-	715	858	12.01
THL	0.46	70255	-	-	-	-	-	-	-	-	-	0
Packaging												
AJ	7.80	250362	-	7.90	7.75	<b>7.85</b>	7.80	7.90	0.05	193	151	7.83
ALUCON	178.00	250362	-	178.50	178.00	<b>178.00</b>	178.00	178.50	-	3	54	178.33
BGC	11.10	250362	11.20	11.50	11.20	<b>11.50</b>	11.40	11.50	0.40	5,766	6,551	11.36
CSC	43.50	220362	-	44.50	44.25	<b>44.50</b>	43.75	44.50	1.00	6	27	44.29
NEP	0.31	250362	-	0.32	0.31	<b>0.31</b>	0.30	0.32	-	18,952	589	0.31
NPPG	1.11	250362	-	1.13	1.10	<b>1.11</b>	1.11	1.12	-	9,452	1,049	1.11
PTL	15.20	250362	15.30	15.40	15.20	<b>15.30</b>	15.30	15.40	0.10	2,092	3,190	15.25
SITHAI	1.16	250362	1.18	1.18	1.16	<b>1.18</b>	1.17	1.18	0.02	1,454	170	1.17
SLP	0.85	250362	-	0.85	0.84	<b>0.85</b>	0.84	0.85	-	19	2	0.85
SMPC	11.00	250362	11.10	11.10	10.90	<b>11.00</b>	10.90	11.00	-	518	570	11
SPACK	1.86	220362	-	-	-	-	1.81	1.92	-	-	-	0
TCOAT	29.00	210362	-	-	-	-	29.00	32.50	-	-	-	0
TFI	0.30	250362	-	0.29	0.28	<b>0.28</b>	0.28	0.29	(0.02)	1,711	48	0.28
THIP	22.00	250362	22.00	22.00	21.90	<b>21.90</b>	21.90	22.00	(0.10)	350	769	21.98
TMD	22.10	250362	-	22.30	22.00	<b>22.30</b>	22.00	22.30	0.20	243	538	22.13
TOPP	189.00	220362	-	-	-	-	189.00	235.00	-	-	-	0
TPBI	5.20	250362	-	5.15	5.10	<b>5.10</b>	5.10	5.20	(0.10)	760	390	5.14
TPP	17.00	110262	-	-	-	-	15.70	18.90	-	-	-	0
Personal Products &												
APCO	4.12	250362	4.14	4.14	4.06	<b>4.12</b>	4.10	4.12	-	817	335	4.1
DDD	31.00	250362	-	31.25	30.75	<b>30.75</b>	30.75	31.00	(0.25)	912	2,819	30.91
JCT	87.00	250362	83.25	83.25	83.00	<b>83.25</b>	83.50	84.25	(3.75)	13	108	83.23
OCC	15.80	250362	-	-	-	-	16.20	16.90	-	-	-	0
S & J	24.20	220362	-	-	-	-	23.00	24.70	-	-	-	0
STHAI	0.91	10356	-	-	-	-	-	-	-	-	-	0
TNR	11.30	250362	11.50	11.60	11.40	<b>11.50</b>	11.50	11.60	0.20	482	552	11.46
TOG	5.00	250362	-	4.98	4.96	<b>4.96</b>	4.96	4.98	(0.04)	86	43	4.98
Professional Service												
BWG	1.21	250362	1.21	1.21	1.15	<b>1.15</b>	1.15	1.16	(0.06)	331,046	38,816	1.17
GENCO	0.77	250362	0.78	0.78	0.77	<b>0.78</b>	0.77	0.78	0.01	223	17	0.78
PRO	0.20	150555	-	-	-	-	-	-	-	-	-	0
TEAMG	2.14	250362	2.16	2.20	2.14	<b>2.14</b>	2.14	2.16	-	14,116	3,050	2.16
Property Developme												
A	6.35	250362	-	6.35	6.30	<b>6.35</b>	6.30	6.35	-	101	64	6.34
AMATA	21.10	250362	21.10	21.30	21.00	<b>21.10</b>	21.10	21.20	-	78,392	165,862	21.16
AMATAV	5.25	250362	5.40	5.40	5.25	<b>5.25</b>	5.20	5.25	-	2,661	1,400	5.26
ANAN	3.52	250362	3.54	3.56	3.50	<b>3.52</b>	3.52	3.54	-	33,309	11,763	3.53
AP	6.70	250362	6.70	6.80	6.65	<b>6.75</b>	6.75	6.80	0.05	31,266	21,021	6.72
APEX	0.20	250362	0.19	0.20	0.19	<b>0.20</b>	0.19	0.20	-	1,502	30	0.2
AQ	0.03	250362	0.02	0.03	0.02	<b>0.02</b>	0.02	0.03	(0.01)	89,250	183	0.02
BLAND	1.59	250362	1.60	1.61	1.59	<b>1.60</b>	1.59	1.60	0.01	81,230	12,998	1.6
BROCK	1.99	250362	-	1.93	1.91	<b>1.92</b>	1.91	1.92	(0.07)	252	48	1.92
CGD	1.15	250362	1.14	1.15	1.13	<b>1.15</b>	1.14	1.15	-	8,189	931	1.14
CI	1.29	250362	-	1.30	1.29	<b>1.30</b>	1.25	1.30	0.01	433	56	1.29
CPN	72.75	250362	72.50	72.75	71.75	<b>72.50</b>	72.25	72.50	(0.25)	54,272	392,312	72.29
ESTAR	0.54	250362	0.54	0.54	0.53	<b>0.53</b>	0.53	0.54	(0.01)	9,467	506	0.53
EVER	0.51	250362	0.51	0.52	0.51	<b>0.52</b>	0.51	0.52	0.01	20,396	1,052	0.52
FPT	17.10	250362	17.00	17.30	17.00	<b>17.00</b>	17.00	17.30	(0.10)	742	1,266	17.06
GLAND	2.60	250362	2.64	2.64	2.60	<b>2.60</b>	2.60	2.64	-	28	7	2.61
GOLD	8.35	250362	8.40	8.40	8.35	<b>8.35</b>	8.35	8.40	-	1,449	1,210	8.35
GREEN	1.11	250362	-	1.11	1.11	<b>1.11</b>	1.11	1.12	-	70	8	1.11
J	1.23	250362	-	-	-	-	1.19	1.22	-	-	-	0
JCK	1.65	250362	1.66	1.67	1.64	<b>1.67</b>	1.65	1.67	0.02	4,160	691	1.66
KC	1.00	301259	-	-	-	-	-	-	-	-	-	0
KWG	1.79	250362	-	1.79	1.77	<b>1.79</b>	1.77	1.79	-	429	76	1.78





## Main Board Quotation

Issue Date Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AMATAR	11.00	250362	11.20	11.20	10.90	11.20	11.20	11.30	0.20	1,858	2,068	11.13
B-WORK	10.90	250362	-	10.90	10.90	10.90	10.80	10.90	-	501	546	10.9
BKKCP	12.40	250362	-	12.50	12.40	12.50	12.50	12.60	0.10	713	890	12.48
BOFFICE	14.10	250362	-	14.20	14.10	14.10	14.00	14.10	-	4,429	6,254	14.12
CPNCG	15.20	250362	15.40	15.40	15.10	15.20	15.10	15.20	-	218	331	15.18
CPNREIT	28.25	250362	28.50	29.00	28.25	29.00	28.50	29.00	0.75	10,510	30,055	28.6
CPTGF	12.90	250362	-	13.00	12.90	13.00	13.00	13.10	0.10	211	274	13
CRYSTAL	9.10	250362	-	9.10	9.05	9.05	9.05	9.10	(0.05)	118	107	9.07
CTARAF	4.62	250362	-	4.68	4.64	4.68	4.66	4.68	0.06	459	215	4.68
DREIT	5.55	250362	-	5.60	5.50	5.60	5.50	5.60	0.05	1,153	637	5.52
ERWPF	5.10	220362	-	-	-	-	-	5.15	-	-	-	0
FTREIT	12.90	250362	12.80	13.00	12.70	12.90	12.90	13.00	-	9,502	12,305	12.95
FUTUREPF	22.90	250362	22.90	23.00	22.80	23.00	22.90	23.00	0.10	3,737	8,550	22.88
GAHREIT	9.40	250362	9.35	9.40	9.35	9.35	9.35	9.40	(0.05)	97	91	9.35
GLANDRT	12.30	250362	-	12.40	12.40	12.40	12.40	12.50	0.10	15	19	12.4
GOLDPF	7.40	250362	-	7.25	7.20	7.25	7.25	7.40	(0.15)	473	343	7.25
GVREIT	14.90	250362	15.00	15.30	15.00	15.20	15.20	15.30	0.30	2,402	3,649	15.19
HPF	5.05	250362	-	5.15	5.10	5.15	5.15	5.20	0.10	11	6	5.15
HREIT	7.75	250362	-	7.80	7.70	7.75	7.70	7.75	-	1,929	1,501	7.78
IMPACT	21.10	250362	21.20	21.50	21.00	21.20	21.20	21.40	0.10	10,053	21,421	21.31
KPNPF	8.90	130362	-	8.85	8.85	8.85	8.80	8.85	(0.05)	35	31	8.85
LHHOTEL	17.90	250362	18.00	18.70	18.00	18.60	18.60	18.70	0.70	8,029	14,847	18.49
LHPF	8.15	250362	8.20	8.20	8.20	8.20	8.20	8.25	0.05	2,040	1,673	8.2
LHSC	16.40	250362	16.40	16.50	16.40	16.50	16.40	16.50	0.10	934	1,540	16.49
LUXF	8.60	250362	-	8.55	8.55	8.55	8.55	8.60	(0.05)	9	8	8.55
M-II	8.65	250362	-	8.60	8.60	8.60	8.45	8.65	(0.05)	1	1	8.6
M-PAT	9.55	250362	-	9.55	9.55	9.55	9.50	9.55	-	95	91	9.55
M-STOR	6.80	250362	-	7.00	7.00	7.00	6.70	7.00	0.20	1	1	7
MIPF	16.50	200362	-	-	-	-	15.10	17.00	-	-	-	0
MIT	4.24	220362	-	4.22	4.22	4.22	4.08	4.24	(0.02)	1	-	4.22
MJLF	12.60	250362	-	12.60	12.40	12.50	12.50	12.60	(0.10)	810	1,013	12.5
MNIT	1.57	220362	-	-	-	-	1.47	1.56	-	-	-	0
MNIT2	5.00	180362	-	-	-	-	4.96	6.10	-	-	-	0
MNRF	3.46	210362	-	3.46	3.46	3.46	3.42	3.46	-	3	1	3.46
MONTRI	6.35	250362	-	6.35	6.35	6.35	6.05	6.50	-	150	95	6.35
POPF	13.20	250362	-	13.30	13.20	13.30	13.20	13.30	0.10	341	453	13.29
PPF	11.20	250362	-	11.30	11.30	11.30	11.20	11.30	0.10	502	567	11.3
QHHR	8.60	250362	-	8.65	8.55	8.65	8.60	8.65	0.05	3,685	3,180	8.63
QHOP	3.40	250362	3.36	3.50	3.34	3.36	3.36	3.50	(0.04)	378	127	3.36
QHPPF	12.70	250362	12.70	12.80	12.60	12.70	12.60	12.70	-	17,353	21,997	12.68
SBPF	2.80	250362	-	-	-	-	2.76	2.80	-	-	-	0
SHREIT	6.90	250362	6.90	6.90	6.90	6.90	6.90	6.95	-	45	31	6.9
SIRIP	11.30	220362	-	11.30	11.20	11.20	11.20	11.30	(0.10)	16	18	11.24
SPF	23.20	250362	23.30	23.30	23.00	23.20	23.20	23.30	-	4,928	11,357	23.05
SPRIME	11.90	250362	-	12.00	11.90	12.00	11.90	12.00	0.10	1,419	1,698	11.97
SRIPANWA	11.20	250362	-	11.20	11.20	11.20	11.20	11.30	-	1,001	1,121	11.2
SSPF	9.40	250362	-	-	-	-	9.40	9.55	-	-	-	0
SSTPF	6.50	180362	-	-	-	-	6.30	6.50	-	-	-	0
SSTRT	6.05	250362	-	6.05	6.05	6.05	6.00	6.05	-	50	30	6.05
TIF1	8.90	250362	-	8.85	8.85	8.85	8.85	8.90	(0.05)	3	3	8.85
TLGF	19.80	250362	19.80	20.20	19.80	20.10	20.10	20.20	0.30	10,061	20,100	19.98
TLHPF	11.10	220362	-	11.20	11.20	11.20	11.20	11.40	0.10	3	3	11.2
TNPF	3.36	250362	-	3.32	3.30	3.30	3.32	3.38	(0.06)	46	15	3.3
TPRIME	13.80	220362	13.90	13.90	13.80	13.80	13.80	14.00	-	96	133	13.86
TTLPF	20.90	250362	21.70	21.70	20.40	20.80	20.50	20.80	(0.10)	290	609	21.02
TU-PF	1.26	250362	-	1.27	1.27	1.27	1.27	1.63	0.01	1	-	1.27
URBNPF	3.98	250362	-	4.00	4.00	4.00	3.98	4.02	0.02	59	24	4
WHABT	9.95	250362	-	10.00	9.95	9.95	9.95	10.00	-	1,148	1,143	9.96
WHART	14.00	250362	14.00	14.00	13.50	13.80	13.70	13.80	(0.20)	12,585	17,258	13.71
Steel	-	-	-	-	-	-	-	-	-	-	-	-
AMC	1.76	250362	-	1.77	1.75	1.77	1.75	1.77	0.01	69	12	1.76
BSBM	0.90	250362	0.91	0.91	0.89	0.91	0.90	0.91	0.01	317	29	0.9
CEN	1.06	250362	1.07	1.07	1.06	1.06	1.06	1.07	-	2,045	217	1.06
CITY	2.24	250362	-	2.26	2.24	2.24	2.24	2.26	-	2	-	2.25
CSP	1.20	250362	-	1.14	1.14	1.14	1.15	1.17	(0.06)	44	5	1.14
GJS	0.13	250362	0.13	0.13	0.12	0.13	0.12	0.13	-	7,585	98	0.13
GSTEL	0.13	150561	-	-	-	-	-	-	-	-	-	0
INOX	0.88	250362	0.88	0.89	0.88	0.88	0.88	0.89	-	678	60	0.88
LHK	3.72	250362	3.74	3.74	3.74	3.74	3.72	3.74	0.02	1,051	393	3.74
MAX	0.02	250362	0.01	0.02	0.01	0.02	0.01	0.02	-	125,959	227	0.02
MCS	6.50	250362	6.50	6.55	6.50	6.50	6.50	6.55	-	2,053	1,335	6.5
MILL	1.22	250362	-	1.23	1.22	1.22	1.22	1.23	-	40	5	1.22
PAP	2.84	250362	-	2.86	2.80	2.84	2.82	2.84	-	2,291	648	2.83
PERM	1.74	250362	-	1.76	1.75	1.75	1.75	1.76	0.01	578	102	1.76
RICH	0.07	90560	-	-	-	-	-	-	-	-	-	0
SAM	0.51	250362	-	0.52	0.48	0.49	0.49	0.51	(0.02)	5,966	293	0.49
SMIT	5.70	250362	-	5.75	5.70	5.75	5.70	5.75	0.05	2,681	1,535	5.73
SSI	0.05	260459	-	-	-	-	-	-	-	-	-	0
SSSC	2.78	250362	-	2.82	2.80	2.80	2.78	2.82	0.02	560	157	2.8
TGPRO	0.14	250362	0.12	0.14	0.12	0.14	0.13	0.14	-	1,071	14	0.13
THE	1.89	250362	1.90	1.93	1.89	1.92	1.91	1.92	0.03	48,113	9,171	1.91
TIW	200.00	210362	-	-	-	-	193.00	215.00	-	-	-	0
TMT	6.35	250362	6.45	6.45	6.40	6.40	6.40	6.45	0.05	331	213	6.44
TSTH	0.74	250362	-	0.75	0.74	0.75	0.74	0.75	0.01	3,084	228	0.74
TWP	3.78	250362	-	3.78	3.78	3.78	3.72	3.78	-	11	4	3.78
TYCN	2.64	250362	-	2.74	2.72	2.74	2.64	2.74	0.10	4	1	2.73
Construction Service	-	-	-	-	-	-	-	-	-	-	-	-
BJCHI	1.96	250362	1.97	1.98	1.96	1.98	1.97	1.98	0.02	389	77	1.97
CK	25.25	250362	25.00	25.25	24.90	25.00	25.00	25.25	(0.25)	47,843	119,459	24.97
CNT	1.96	250362	-	1.99	1.95	1.95	1.95	1.98	(0.01)	176	35	1.96
EMC	0.31	250362	0.31	0.33	0.31	0.33	0.32	0.33	0.02	153,034	4,881	0.32
ITD	2.20	250362	2.20	2.24	2.20	2.22	2.22	2.24	0.02	66,468	14,765	2.22
NWR	0.87	250362	0.87	0.87	0.85	0.87	0.86	0.87	-	96,045	8,279	0.86
PAE	0.07	90559	-	-	-	-	-	-	-	-	-	0
PLE	1.16	250362	1.16	1.17	1.16	1.16	1.16	1.17	-	7,718	898	1.16
PREB	10.70	250362	10.60	10.70	10.60	10.70	10.60	10.70	-	957	1,024	10.7
PYLON	6.40	250362	6.40	6.40	6.25	6.35	6.30	6.35	(0.05)	5,564	3,503	6.3
SEAFCO	7.80	250362	7.85	7.95	7.80	7.90	7.90	7.95	0.10	47,178	37,188	7.88
SQ	2.20	250362	2.22	2.28	2.20	2.26	2.24	2.26	0.06	30,641	6,903	2.25
SRICHA	10.40	250362	10.30	10.50	10.20	10.20	10.20	10.40	(0.20)	176	182	10.35
STEC	23.70	250362	23.90	24.20	23.60	23.80	23.80	23.90	0.10	694,356	1,660,211	23.91
STPI	6.05	250362	6.05	6.25	6.05	6.15	6.15	6.20	0.10	258,670	159,906	6.18
SYNTEC	2.68	250362	2.70	2.72	2.66	2.68	2.66	2.68	-	16,127	4,335	2.69
TPOLY	2.72	250362	-	2.76	2.72	2.76	2.76	2.78	0.04	2,654	729	2.75
TRC	0.35	250362	0.34	0.35	0.34	0.34	0.34	0.35	(0.01)	6,748	230	0.34
TTCL	7.05											

Main Board Quotation

Issue Date

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										



## Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
Agro & Food Ind	-	0	-	-	-	-	-	-	-	-	-	-
ABICO	4.40	250362	4.38	4.50	4.36	<b>4.36</b>	4.36	4.44	(0.04)	129.00	56.00	4.00
AU	8.25	250362	8.25	8.30	8.20	<b>8.25</b>	8.25	8.30	-	3,256.00	2,688.00	8.00
FC	0.36	250362	-	0.36	0.34	<b>0.36</b>	0.35	0.36	-	2,862.00	98.00	-
JCKH	0.98	250362	-	1.02	0.99	<b>1.01</b>	1.00	1.01	0.03	571.00	58.00	1.00
KASET	1.96	250362	-	1.96	1.96	<b>1.96</b>	1.96	1.98	-	11.00	2.00	1.00
MM	3.52	250362	3.52	3.52	3.50	<b>3.50</b>	3.50	3.52	(0.02)	787.00	276.00	3.00
SUN	2.88	250362	-	2.92	2.88	<b>2.88</b>	2.88	2.90	-	799.00	231.00	2.00
TACC	3.28	250362	3.30	3.42	3.24	<b>3.36</b>	3.36	3.38	0.08	111,701.00	37,296.00	3.00
TMILL	2.98	250362	2.96	3.02	2.96	<b>2.98</b>	2.96	2.98	-	1,187.00	352.00	2.00
XO	10.90	250362	-	11.00	10.80	<b>11.00</b>	10.80	11.00	0.10	1,335.00	1,454.00	10.00
Consumer Produ	-	0	-	-	-	-	-	-	-	-	-	-
BGT	0.99	250362	0.98	1.00	0.98	<b>1.00</b>	1.00	1.01	0.01	232.00	23.00	-
BIZ	2.86	250362	2.90	3.08	2.90	<b>2.90</b>	2.90	2.94	0.04	20,661.00	6,149.00	2.00
DOD	10.20	250362	10.20	10.40	10.20	<b>10.30</b>	10.30	10.40	0.10	8,761.00	9,012.00	10.00
ECF	2.44	250362	2.44	2.48	2.40	<b>2.40</b>	2.40	2.44	(0.04)	12,550.00	3,050.00	2.00
HPT	0.94	250362	-	0.96	0.93	<b>0.96</b>	0.95	0.96	0.02	3,675.00	346.00	-
JUBILE	14.40	250362	14.20	14.40	14.20	<b>14.40</b>	14.30	14.40	-	1,215.00	1,736.00	14.00
MOONG	6.20	250362	-	6.20	6.15	<b>6.20</b>	6.15	6.20	-	605.00	375.00	6.00
NPK	25.50	250362	-	28.50	27.00	<b>28.50</b>	28.50	29.50	3.00	17.00	47.00	27.00
OCEAN	1.37	250362	1.38	1.39	1.35	<b>1.38</b>	1.37	1.38	0.01	10,296.00	1,406.00	1.00
TM	2.18	250362	-	2.18	2.16	<b>2.18</b>	2.16	2.18	-	419.00	91.00	2.00
Financials (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
ACAP	3.94	250362	3.96	4.08	3.96	<b>4.00</b>	4.00	4.02	0.06	8,947.00	3,586.00	4.00
AF	0.65	250362	-	0.66	0.65	<b>0.66</b>	0.65	0.72	0.01	2.00	-	-
AIRA	1.44	250362	-	1.43	1.43	<b>1.43</b>	1.42	1.44	(0.01)	15.00	2.00	1.00
ASN	3.50	220362	-	3.40	3.30	<b>3.40</b>	3.40	3.50	(0.10)	2.00	1.00	3.00
BROOK	0.51	250362	0.52	0.52	0.50	<b>0.51</b>	0.50	0.51	-	335.00	17.00	-
CHAYO	3.86	250362	3.86	3.94	3.86	<b>3.92</b>	3.90	3.92	0.06	4,483.00	1,743.00	3.00
GCAP	2.44	250362	2.46	2.48	2.44	<b>2.46</b>	2.46	2.48	0.02	4,498.00	1,103.00	2.00
LIT	6.05	250362	6.05	6.10	6.00	<b>6.00</b>	5.95	6.00	(0.05)	1,477.00	889.00	6.00
SGF	1.30	250362	-	1.30	1.29	<b>1.30</b>	1.29	1.30	-	5,848.00	760.00	1.00
Industrials (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
2S	2.18	250362	2.18	2.28	2.18	<b>2.20</b>	2.20	2.22	0.02	1,021.00	224.00	2.00
ADB	0.86	250362	-	0.86	0.85	<b>0.85</b>	0.86	0.87	(0.01)	218.00	19.00	-
BM	2.92	250362	-	2.94	2.90	<b>2.94</b>	2.92	2.94	0.02	227.00	66.00	2.00
CHO	1.14	250362	1.14	1.14	1.12	<b>1.13</b>	1.13	1.14	(0.01)	10,472.00	1,182.00	1.00
CHOW	2.38	250362	-	2.40	2.36	<b>2.36</b>	2.36	2.40	(0.02)	464.00	111.00	2.00
CIG	0.27	250362	0.28	0.28	0.26	<b>0.27</b>	0.26	0.27	-	3,370.00	91.00	-
COLOR	1.24	250362	1.29	1.29	1.26	<b>1.28</b>	1.28	1.29	0.04	823.00	105.00	1.00
CPR	4.96	250362	4.98	5.00	4.96	<b>4.96</b>	4.96	5.00	-	410.00	204.00	4.00
FPI	2.30	250362	-	2.32	2.24	<b>2.24</b>	2.24	2.30	(0.06)	2,157.00	485.00	2.00
GTB	0.59	250362	0.60	0.60	0.58	<b>0.60</b>	0.59	0.60	0.01	254.00	15.00	-
KCM	1.02	250362	1.00	1.03	0.98	<b>1.01</b>	1.00	1.01	(0.01)	13,881.00	1,392.00	1.00
KWM	1.25	250362	1.25	1.27	1.21	<b>1.23</b>	1.23	1.24	(0.02)	106,171.00	13,120.00	1.00
LVT	0.66	280257	-	-	-	-	-	-	-	-	-	-
MBAX	4.18	250362	4.16	4.18	4.16	<b>4.18</b>	4.16	4.18	-	434.00	181.00	4.00
MGT	1.72	250362	-	1.75	1.73	<b>1.75</b>	1.74	1.75	0.03	77.00	13.00	1.00
NDR	1.99	250362	-	2.10	1.99	<b>2.10</b>	2.00	2.10	0.11	4,260.00	867.00	2.00
PDG	2.84	250362	2.82	2.84	2.82	<b>2.84</b>	2.82	2.84	-	82.00	23.00	2.00
PIMO	3.12	250362	3.10	3.12	3.10	<b>3.12</b>	3.12	3.14	-	1,843.00	572.00	3.00
PJW	1.48	250362	1.48	1.50	1.47	<b>1.49</b>	1.47	1.49	0.01	731.00	109.00	1.00
PPM	1.30	250362	-	1.32	1.32	<b>1.32</b>	1.30	1.33	0.02	10.00	1.00	1.00
RWI	1.56	250362	-	-	-	-	1.54	1.55	-	-	-	-
SALEE	0.99	250362	-	0.99	0.96	<b>0.99</b>	0.97	0.99	-	1,317.00	128.00	-
SANKO	1.03	250362	-	1.06	1.03	<b>1.03</b>	1.03	1.05	-	361.00	37.00	1.00
SELIC	2.94	250362	2.94	3.00	2.94	<b>2.96</b>	2.94	2.96	0.02	4,843.00	1,431.00	2.00
SWC	8.10	250362	8.15	8.20	8.10	<b>8.10</b>	8.10	8.20	-	990.00	805.00	8.00
TMC	0.71	250362	0.73	0.73	0.72	<b>0.72</b>	0.72	0.73	0.01	2,794.00	203.00	-
TMI	0.85	250362	0.85	0.86	0.84	<b>0.86</b>	0.85	0.86	0.01	9,306.00	791.00	-
TMW	66.00	250362	66.25	66.25	66.25	<b>66.25</b>	66.00	66.25	0.25	27.00	179.00	66.00
TPAC	10.10	250362	-	10.30	10.10	<b>10.30</b>	10.20	10.30	0.20	76.00	78.00	10.00
TPLAS	1.56	250362	1.57	1.60	1.55	<b>1.55</b>	1.55	1.57	(0.01)	8,946.00	1,407.00	1.00
UAC	3.06	250362	3.06	3.14	3.06	<b>3.10</b>	3.10	3.12	0.04	10,230.00	3,164.00	3.00
UBIS	6.00	250362	-	6.00	5.95	<b>5.95</b>	5.95	6.00	(0.05)	311.00	185.00	5.00
UEC	1.28	250362	1.28	1.28	1.24	<b>1.26</b>	1.24	1.26	(0.02)	1,088.00	136.00	1.00
UKEM	0.70	250362	0.70	0.71	0.70	<b>0.70</b>	0.70	0.71	-	1,698.00	119.00	-
UREKA	1.49	250362	1.51	1.59	1.51	<b>1.56</b>	1.55	1.56	0.07	15,412.00	2,386.00	1.00
YUASA	14.70	250362	14.70	14.90	14.70	<b>14.80</b>	14.80	14.90	0.10	78.00	115.00	14.00
ZIGA	1.97	250362	-	2.00	1.98	<b>1.98</b>	1.98	2.00	0.01	675.00	134.00	1.00
Property & Cons	-	0	-	-	-	-	-	-	-	-	-	-
ARROW	8.55	250362	-	8.55	8.50	<b>8.55</b>	8.55	8.60	-	154.00	132.00	8.00
BKD	3.00	250362	-	3.00	2.98	<b>3.00</b>	2.98	3.00	-	1,284.00	385.00	3.00
BSM	0.57	250362	0.58	0.58	0.56	<b>0.58</b>	0.57	0.58	0.01	4,506.00	255.00	-
BTW	1.51	220362	-	1.51	1.51	<b>1.51</b>	1.48	1.51	-	1.00	-	1.00
CAZ	4.66	250362	4.68	4.74	4.44	<b>4.46</b>	4.44	4.46	(0.20)	55,543.00	25,443.00	4.00
CHEWA	1.12	250362	1.12	1.13	1.11	<b>1.13</b>	1.12	1.13	0.01	26,569.00	2,978.00	1.00
CMC	1.72	250362	1.74	1.75	1.73	<b>1.74</b>	1.74	1.75	0.02	22,399.00	3,896.00	1.00
CRD	1.00	250362	1.01	1.03	1.00	<b>1.00</b>	1.00	1.01	-	1,840.00	187.00	1.00
DIMET	0.90	250362	0.91	0.92	0.90	<b>0.90</b>	0.90	0.91	-	2,309.00	212.00	-
FLOYD	1.99	250362	-	2.00	1.98	<b>1.98</b>	1.98	1.99	(0.01)	693.00	138.00	1.00
FOCUS	1.63	250362	1.64	1.65	1.62	<b>1.63</b>	1.63	1.64	-	2,701.00	442.00	1.00
HYDRO	0.66	250362	0.64	0.67	0.64	<b>0.66</b>	0.65	0.67	-	365.00	24.00	-
JSP	0.46	250362	0.46	0.46	0.45	<b>0.46</b>	0.45	0.46	-	927.00	43.00	-
K	2.40	250362	2.44	2.72	2.42	<b>2.42</b>	2.42	2.44	0.02	45,044.00	11,540.00	2.00
META	1.73	250362	1.73	1.74	1.72	<b>1.74</b>	1.72	1.74	0.01	22,929.00	3,967.00	1.00
PPS	0.71	250362	-	0.72	0.71							

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
UWC	0.06	250362	0.07	0.07	0.06	0.06	0.06	0.07	-	273,688.00	1,821.00	-
Services (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
ADAM	14.00	250957	-	-	-	-	-	-	-	-	-	-
AKP	1.88	250362	-	1.91	1.89	1.91	1.89	1.91	0.03	304.00	57.00	1.00
AMA	4.40	250362	-	4.42	4.36	4.42	4.40	4.42	0.02	373.00	164.00	4.00
ARIP	0.50	250362	0.51	0.51	0.49	0.49	0.49	0.50	(0.01)	798.00	39.00	-
ATP30	1.50	250362	1.51	1.52	1.50	1.51	1.50	1.51	0.01	1,509.00	227.00	1.00
AUCT	5.85	250362	5.75	5.90	5.70	5.85	5.80	5.85	-	5,554.00	3,190.00	5.00
BOL	2.12	250362	-	2.14	2.10	2.10	2.08	2.10	(0.02)	920.00	195.00	2.00
CHUO	4.42	160559	-	-	-	-	-	-	-	-	-	-
CMO	1.30	250362	1.31	1.44	1.31	1.38	1.38	1.40	0.08	127,770.00	17,896.00	1.00
D	7.40	250362	7.35	7.40	7.35	7.40	7.35	7.40	-	1,368.00	1,007.00	7.00
DCORP	0.59	250362	0.60	0.64	0.59	0.62	0.61	0.62	0.03	42,466.00	2,627.00	-
EFORL	0.06	250362	0.06	0.06	0.05	0.06	0.05	0.06	-	12,579.00	64.00	-
ETE	1.30	250362	1.33	1.38	1.31	1.34	1.34	1.35	0.04	7,163.00	959.00	1.00
FSMART	7.05	250362	7.10	7.10	7.00	7.10	7.05	7.10	0.05	3,068.00	2,168.00	7.00
FVC	0.85	250362	0.85	0.88	0.84	0.87	0.87	0.88	0.02	43,412.00	3,770.00	-
GSC	1.71	250362	1.73	1.86	1.73	1.84	1.84	1.85	0.13	398,330.00	72,552.00	1.00
HARN	2.34	250362	2.34	2.34	2.30	2.32	2.30	2.32	(0.02)	1,766.00	409.00	2.00
JKN	7.85	250362	7.85	8.05	7.85	8.00	7.95	8.00	0.15	8,322.00	6,642.00	7.00
KIAT	0.45	250362	0.45	0.45	0.43	0.45	0.44	0.45	-	3,962.00	174.00	-
KOOL	1.44	250362	1.42	1.44	1.38	1.41	1.40	1.41	(0.03)	6,302.00	890.00	1.00
LDC	1.01	250362	1.02	1.02	1.00	1.01	1.00	1.02	-	573.00	58.00	1.00
MORE	0.26	250362	-	0.27	0.26	0.26	0.26	0.27	-	90,784.00	2,421.00	-
MPG	0.50	250362	0.51	0.53	0.49	0.51	0.50	0.51	0.01	14,241.00	716.00	-
MVP	1.80	250362	-	1.84	1.80	1.82	1.81	1.82	0.02	3,994.00	725.00	1.00
NBC	0.54	280262	-	-	-	-	-	-	-	-	-	-
NCL	1.50	250362	1.45	1.53	1.45	1.50	1.48	1.50	-	241.00	36.00	1.00
NEWS	0.01	250362	0.01	0.01	0.01	0.01	-	0.02	-	19,993.00	20.00	-
NINE	1.95	250362	1.94	1.96	1.94	1.95	1.95	1.96	-	622.00	121.00	1.00
OTO	2.58	250362	2.62	2.72	2.60	2.60	2.60	2.64	0.02	17,922.00	4,762.00	2.00
PHOL	1.78	250362	-	1.84	1.79	1.82	1.80	1.82	0.04	906.00	165.00	1.00
PICO	4.48	250362	4.56	4.56	4.46	4.46	4.46	4.56	(0.02)	20.00	9.00	4.00
PORT	4.58	250362	4.58	4.70	4.58	4.68	4.66	4.68	0.10	8,997.00	4,192.00	4.00
QLT	4.02	250362	-	4.06	4.04	4.06	4.06	4.08	0.04	268.00	108.00	4.00
RP	2.32	250362	-	2.34	2.32	2.34	2.32	2.34	0.02	138.00	32.00	2.00
SE	1.91	250362	-	1.92	1.90	1.91	1.91	1.93	-	692.00	133.00	1.00
SISB	7.30	250362	7.25	7.35	7.20	7.30	7.30	7.35	-	30,292.00	21,984.00	7.00
SONIC	1.29	250362	1.30	1.32	1.29	1.32	1.31	1.32	0.03	9,958.00	1,296.00	1.00
SPA	13.10	250362	13.00	13.10	13.00	13.10	13.00	13.10	-	1,605.00	2,091.00	13.00
THMUI	1.27	250362	-	1.31	1.28	1.28	1.27	1.29	0.01	121.00	16.00	1.00
TNDT	4.16	250362	-	4.26	4.14	4.16	4.14	4.26	-	830.00	345.00	4.00
TNH	37.00	250362	-	37.00	36.50	36.75	36.50	36.75	(0.25)	1,064.00	3,913.00	36.00
TNP	1.51	250362	1.51	1.53	1.51	1.52	1.51	1.52	0.01	1,898.00	289.00	1.00
TSF	0.02	280262	-	-	-	-	-	-	-	-	-	-
TVD	1.48	250362	1.47	1.48	1.45	1.45	1.45	1.47	(0.03)	2,803.00	409.00	1.00
TVT	0.99	250362	-	1.00	0.99	1.00	0.99	1.00	0.01	1,085.00	108.00	1.00
WINNER	2.82	250362	2.78	2.80	2.76	2.80	2.76	2.80	(0.02)	1,114.00	310.00	2.00
Technology (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
COMAN	4.14	250362	-	4.20	4.14	4.14	4.14	4.20	-	650.00	271.00	4.00
ICN	1.89	250362	-	1.89	1.87	1.89	1.88	1.90	-	2,145.00	405.00	1.00
IRCP	0.72	250362	0.72	0.76	0.72	0.75	0.75	0.76	0.03	7,665.00	570.00	-
ITEL	3.26	250362	3.26	3.28	3.24	3.26	3.26	3.28	-	1,657.00	539.00	3.00
NETBAY	26.25	250362	26.50	27.00	26.50	26.75	26.75	27.00	0.50	1,623.00	4,340.00	26.00
PLANET	1.50	220362	-	1.50	1.46	1.50	1.47	1.50	-	62.00	9.00	1.00
SIMAT	1.70	250362	-	1.79	1.70	1.72	1.70	1.72	0.02	132.00	23.00	1.00
SKY	12.40	250362	12.50	12.60	12.40	12.60	12.50	12.60	0.20	4,543.00	5,699.00	12.00
SPVI	1.34	250362	1.34	1.36	1.34	1.36	1.36	1.37	0.02	834.00	113.00	1.00
UPA	0.33	250362	0.33	0.35	0.32	0.34	0.34	0.35	0.01	103,808.00	3,534.00	-
VCOM	3.08	250362	-	3.16	3.12	3.12	3.12	3.16	0.04	93.00	29.00	3.00
Unit Trust	-	-	-	-	-	-	-	-	-	-	-	-
MGE	8.10	250362	-	8.10	8.10	8.10	7.90	8.10	-	1.00	1.00	8.00
SCBSET	5.80	20248	-	-	-	-	4.10	-	-	-	-	-
ETF	-	-	-	-	-	-	-	-	-	-	-	-
1DIV	11.09	250362	-	11.18	11.12	11.18	11.13	11.18	0.09	56.00	62.00	11.00
ABFTH	1,222.00	271261	-	-	-	-	1,243.00	1,253.00	-	-	-	-
BMSCG	7.97	250362	7.97	7.98	7.97	7.97	7.95	7.97	-	6.00	5.00	7.00
BMSCITH	12.33	250362	12.33	12.38	12.31	12.38	12.37	12.38	0.05	1,542.00	1,906.00	12.00
BSET100	10.43	250362	10.43	10.47	10.41	10.47	10.46	10.47	0.04	2,826.00	2,943.00	10.00
CHINA	5.62	250362	-	5.69	5.61	5.69	5.61	5.68	0.07	167.00	94.00	5.00
EBANK	5.60	220362	-	5.55	5.54	5.54	5.56	5.59	(0.06)	200.00	111.00	5.00
ECOMM	8.21	220362	8.08	8.10	8.08	8.10	8.07	8.10	(0.11)	11.00	9.00	8.00
EFOOD	5.74	250362	-	-	-	-	5.68	5.71	-	-	-	-
EICT	4.55	10362	-	4.56	4.56	4.56	4.55	4.58	0.01	3.00	1.00	4.00
ENGY	6.27	250362	-	-	-	-	6.25	6.29	-	-	-	-
ENY	7.47	220362	-	-	-	-	7.37	7.40	-	-	-	-
ESET50	5.72	200362	-	5.67	5.67	5.67	5.70	5.74	(0.05)	2.00	1.00	5.00
GLD	1.76	250362	-	1.76	1.75	1.75	1.75	1.76	(0.01)	1,026.00	181.00	1.00
TDEX	10.62	250362	10.66	10.69	10.64	10.69	10.68	10.69	0.07	1,670.00	1,779.00	10.00
TGOLDETF	3.85	250362	-	3.86	3.85	3.85	3.84	3.85	-	187.00	72.00	3.00
TH100	4.70	180362	-	5.00	5.00	5.00	4.73	5.00	0.30	1.00	1.00	5.00
Warrant Foreign	-	-	-	-	-	-	-	-	-	-	-	-
AAV01C1908A	0.39	250362	-	0.42	0.40	0.40	0.40	0.41	0.01	48,537.00	2,008.00	-
AAV01C1908B	0.27	250362	-	0.30	0.28	0.29	0.28	0.29	0.02	76,449.00	2,250.00	-
AAV01P1908A	0.73	250362	0.70	0.70	0.68	0.68	0.68	0.69	(0.05)	13,815.00	948.00	-
AAV06C1904A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
AAV08C1903A	0.01	220362	-	-	-	-	0.01	0.02	-	-	-	-
AAV11C1904A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
AAV11C1910A	0.26	250362	-	0.28	0.27	0.28	0.27	0.28	0.02	10,500.00	291.00	-
AAV13C1906A	0.26	250362	-	0.28	0.27	0.28	0.28	0.29	0.02	22,044.00	613.00	-
AAV19C1906A	0.23	250362	-	0.26	0.24	0.26	0.25	0.26	0.03	13,837.00	349.00	-
AAV23C1906A	0.22	250362	-	0.23	0.22	0.23	0.22	0.23	0.01	5,250.00	119.00	-
AAV24C1903A	0.02	70262	-	-	-	-	-	0.01	-	-	-	-
AAV24C1904A	0.03	70362	-	-	-	-	-	0.01	-	-	-	-
AAV24C1907A	0.26	250362	-	0.24	0.24	0.24	0.24	0.25	(0.02)	200.00	5.00	-
ADVA01C1905A	0.40	250362	0.38	0.41	0.38	0.40	0.39	0.40	-	105,010.00	4,201.00	-
ADVA01C1905B	0.22	250362	-	0.23	0.21	0.23	0.21	0.22	0.01	76,748.00	1,730.00	-
ADVA01C1908A	0.91	250362	0.90	0.93	0.89	0.91	0.90	0.91	-	43,008.00	3,923.00	-
ADVA01C1908B	0.69	250362	0.68	0.71	0.67	0.70	0.68	0.70	0.01	208,646.00	14,444.00	-
ADVA01P1905A	0.62	250362	-	0.63	0.59	0.59	0.59	0.60	(0.03)	60,092.00	3,645.00	-
ADVA01P1905B	0.13	250362	-	0.12	0.11	0.11	0.11	0.12	(0.02)	7,000.00	81.00	-
ADVA01P1908A	0.82	250362	-	0.83	0.80	0.80						

## Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ADVA11P1910A	0.36	250362	-	0.35	0.34	0.34	0.34	0.35	(0.02)	12,800.00	438.00	-
ADVA13C1904A	0.02	250362	-	-	-	-	0.01	0.02	-	-	-	-
ADVA13C1905A	0.67	220362	-	-	-	-	0.56	0.58	-	-	-	-
ADVA13C1908A	0.50	250362	-	0.51	0.49	0.50	0.50	0.51	-	103,715.00	5,241.00	-
ADVA13P1904A	0.05	250362	-	0.05	0.05	0.05	0.05	0.06	-	50.00	-	-
ADVA13P1908A	0.69	250362	-	0.67	0.65	0.65	0.66	0.67	(0.04)	71,804.00	4,698.00	-
ADVA16C1912A	0.43	250362	-	0.44	0.44	0.44	0.44	0.45	0.01	60.00	3.00	-
ADVA19C1905A	0.41	250362	0.41	0.43	0.40	0.43	0.42	0.43	0.02	53,076.00	2,221.00	-
ADVA19C1908A	1.00	0	-	0.42	0.41	0.41	0.43	0.44	(0.59)	14,552.00	605.00	-
ADVA19P1904A	0.03	210362	-	-	-	-	0.02	0.03	-	-	-	-
ADVA19P1908A	1.00	0	-	-	-	-	0.36	0.37	-	-	-	-
ADVA23C1905A	0.43	250362	-	0.45	0.41	0.45	0.44	0.45	0.02	8,698.00	372.00	-
ADVA24C1904A	0.01	70362	-	-	-	-	-	0.01	-	-	-	-
ADVA24C1905A	0.02	60262	-	-	-	-	0.01	0.02	-	-	-	-
ADVA24C1906A	0.65	250362	0.65	0.68	0.63	0.68	0.67	0.68	0.03	730.00	48.00	-
ADVA24C1907A	0.18	250362	-	0.19	0.19	0.19	0.18	0.19	0.01	5,180.00	98.00	-
ADVA24C1908A	0.78	250362	-	0.81	0.77	0.80	0.79	0.80	0.02	5,306.00	422.00	-
ADVA24P1908A	0.36	250362	-	-	-	-	-	0.35	0.36	-	-	-
ADVA27C1912A	0.50	250362	-	0.51	0.50	0.51	0.51	0.52	0.01	1,200.00	61.00	-
ADVA28C1904A	0.04	250362	-	-	-	-	0.01	0.04	-	-	-	-
ADVA28C1904B	0.19	250362	-	0.15	0.15	0.15	0.14	0.19	(0.04)	1,000.00	15.00	-
ADVA28C1905A	0.49	250362	-	-	-	-	0.48	0.52	-	-	-	-
ADVA28C1908A	0.36	250362	-	0.37	0.35	0.37	0.37	0.38	0.01	14,602.00	527.00	-
ADVA28P1907A	0.33	250362	-	0.32	0.30	0.30	0.31	0.32	(0.03)	14,196.00	438.00	-
ADVA41C1905A	0.47	250362	-	0.48	0.46	0.48	0.46	0.47	0.01	6,080.00	289.00	-
ADVA41C1908A	0.40	250362	-	-	-	-	0.38	0.39	-	-	-	-
ADVA41C1910A	1.00	0	-	-	-	-	0.49	0.51	-	-	-	-
ADVA41C1910B	1.00	0	-	-	-	-	0.45	0.47	-	-	-	-
ADVA41P1908A	0.62	250362	-	0.61	0.61	0.61	0.59	0.60	(0.01)	4,000.00	244.00	-
ADVA42C1903A	0.02	290162	-	-	-	-	-	-	-	-	-	-
AEON01C1906A	0.61	250362	-	0.62	0.60	0.60	0.60	0.61	(0.01)	4,136.00	252.00	-
AEON01C1906B	0.35	250362	-	0.35	0.35	0.35	0.34	0.35	-	11,722.00	410.00	-
AEON19C1906A	0.50	250362	-	0.50	0.50	0.50	0.49	0.50	-	4,278.00	214.00	-
AMAT01C1903A	0.17	250362	0.16	0.18	0.16	0.17	0.16	0.17	-	42,351.00	753.00	-
AMAT01C1903B	0.01	250362	0.01	0.01	0.01	0.01	0.01	0.02	-	3,395.00	3.00	-
AMAT01C1909A	0.58	250362	0.57	0.59	0.57	0.58	0.57	0.58	-	57,470.00	3,372.00	-
AMAT01C1909B	0.41	250362	0.41	0.43	0.41	0.41	0.41	0.42	-	79,994.00	3,425.00	-
AMAT01P1903A	0.28	250362	0.24	0.28	0.24	0.24	0.24	0.26	(0.04)	12,725.00	320.00	-
AMAT01P1909A	0.82	250362	-	0.83	0.80	0.81	0.81	0.82	(0.01)	38,419.00	3,132.00	-
AMAT06C1903A	0.01	200362	-	-	-	-	0.01	0.02	-	-	-	-
AMAT06C1909A	0.52	250362	-	0.50	0.49	0.50	0.49	0.50	(0.02)	400.00	20.00	-
AMAT08C1903A	0.03	120362	-	-	-	-	-	0.01	-	-	-	-
AMAT08C1908A	0.32	250362	0.33	0.33	0.32	0.32	0.32	0.33	-	24,728.00	809.00	-
AMAT11C1903A	0.01	210362	-	-	-	-	0.01	0.03	-	-	-	-
AMAT11C2001A	0.51	250362	-	0.52	0.51	0.51	0.51	0.52	-	9,538.00	493.00	-
AMAT13C1905A	0.11	250362	-	0.12	0.11	0.11	0.11	0.12	-	14,890.00	165.00	-
AMAT13C1908A	0.40	250362	-	0.41	0.39	0.40	0.40	0.41	-	237,454.00	9,642.00	-
AMAT19C1907A	0.26	250362	0.28	0.28	0.26	0.27	0.26	0.27	0.01	107,115.00	2,861.00	-
AMAT23C1906A	0.08	250362	-	0.08	0.08	0.08	0.08	0.09	-	53.00	-	-
AMAT24C1904A	0.08	80262	-	-	-	-	0.01	0.02	-	-	-	-
AMAT24C1907A	0.29	250362	-	-	-	-	0.29	0.30	-	-	-	-
AMAT27C1908A	0.39	250362	-	0.39	0.38	0.39	0.39	0.40	-	3,600.00	140.00	-
AMAT28C1906A	0.27	250362	-	0.28	0.26	0.27	0.27	0.28	-	27,228.00	743.00	-
AMAT41C1908A	0.28	250362	-	-	-	-	0.27	0.28	-	-	-	-
ANAN01C1906A	0.56	250362	0.56	0.57	0.54	0.54	0.54	0.56	(0.02)	11,916.00	671.00	-
ANAN01C1906B	0.46	250362	0.45	0.47	0.44	0.44	0.44	0.45	(0.02)	7,804.00	360.00	-
ANAN08C1906A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
ANAN13C1906A	0.44	250362	-	-	-	-	0.42	0.44	-	-	-	-
ANAN19C1906A	0.37	250362	-	0.38	0.37	0.37	0.37	0.38	-	3,419.00	129.00	-
ANAN24C1907A	0.43	220362	-	-	-	-	0.39	0.40	-	-	-	-
AOT01C1904A	0.32	250362	0.31	0.32	0.31	0.32	0.32	0.33	-	220,180.00	7,029.00	-
AOT01C1904B	0.07	250362	0.06	0.07	0.06	0.07	0.06	0.07	-	13,002.00	80.00	-
AOT01C1908A	0.57	250362	0.57	0.57	0.55	0.57	0.56	0.57	-	118,287.00	6,621.00	-
AOT01C1908B	0.39	250362	0.38	0.40	0.38	0.39	0.39	0.40	-	261,897.00	10,210.00	-
AOT01P1904A	0.33	250362	-	0.34	0.33	0.33	0.31	0.32	-	129,952.00	4,289.00	-
AOT01P1904B	0.08	250362	-	0.07	0.07	0.07	0.06	0.07	(0.01)	10.00	-	-
AOT01P1908A	0.73	250362	-	0.73	0.72	0.72	0.70	0.71	(0.01)	64,561.00	4,648.00	-
AOT01P1908B	0.50	250362	-	0.49	0.49	0.49	0.47	0.48	(0.01)	62,746.00	3,075.00	-
AOT06C1903A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
AOT06C1908A	0.41	250362	-	0.40	0.40	0.40	0.40	0.41	(0.01)	37,300.00	1,492.00	-
AOT06P1903A	0.01	210362	0.01	0.01	0.01	0.01	0.01	0.02	-	1,803.00	2.00	-
AOT06P1908A	0.46	250362	-	0.46	0.46	0.46	0.44	0.45	-	20,422.00	939.00	-
AOT07C1910A	0.53	210362	-	-	-	-	0.52	0.53	-	-	-	-
AOT08C1904A	0.11	250362	-	0.10	0.10	0.10	0.10	0.11	(0.01)	33,373.00	334.00	-
AOT08P1903A	0.03	280262	-	-	-	-	-	0.01	-	-	-	-
AOT11C1906A	0.13	250362	-	0.12	0.11	0.12	0.12	0.13	(0.01)	61,765.00	739.00	-
AOT11P1906A	0.03	250362	-	-	-	-	0.03	0.04	-	-	-	-
AOT13C1904A	0.30	200362	-	-	-	-	0.26	0.29	-	-	-	-
AOT13C1906A	0.24	250362	0.24	0.24	0.24	0.24	0.24	0.25	-	8,660.00	208.00	-
AOT13P1905A	0.12	250362	0.11	0.11	0.11	0.11	0.10	0.11	(0.01)	32,168.00	354.00	-
AOT13P1907A	0.43	250362	-	0.43	0.42	0.43	0.42	0.43	-	39,878.00	1,714.00	-
AOT16C1912A	0.81	250362	-	0.81	0.81	0.81	0.83	0.84	-	37.00	3.00	-
AOT19C1906A	0.40	250362	-	0.41	0.40	0.41	0.41	0.42	0.01	34,570.00	1,386.00	-
AOT19C1908A	0.31	250362	-	0.31	0.31	0.31	0.32	0.33	-	101,484.00	3,146.00	-
AOT19P1903A	0.01	150362	-	0.02	0.02	0.02	-	0.02	0.01	400.00	1.00	-
AOT19P1906A	0.19	250362	-	0.18	0.18	0.18	0.17	0.18	(0.01)	192,482.00	3,465.00	-
AOT23C1906A	0.29	250362	-	0.29	0.29	0.29	0.29	0.30	-	21,000.00	609.00	-
AOT24C1904A	0.07	150362	-	-	-	-	0.02	0.03	-	-	-	-
AOT24C1906A	0.33	250362	-	-	-	-	0.33	0.34	-	-	-	-
AOT24P1903A	0.02	170162	-	-	-	-	-	0.01	-	-	-	-
AOT24P1907A	0.50	190362	-	-	-	-	0.48	0.49	-	-	-	-
AOT27C1912A	0.35	250362	-	-	-	-	0.36	0.37	-	-	-	-
AOT27P1903A	0.01	110362	-	-	-	-	-	0.01	-	-	-	-
AOT28C1905A	0.13	250362	-	0.14	0.13	0.14	0.14	0.15	0.01	64,134.00	839.00	-
AOT28C1909A	0.33	250362	-	0.32	0.32	0.32	0.33	0.34	(0.01)	20,460.00	655.00	-
AOT28P1909A	0.47	250362	-	0.47	0.47	0.47	0.46	0.47	-	14,182.00	667.00	-
AOT41C1906A	0.34	250362	-	0.33	0.33	0.33	0.33	0.34	(0.01)	24,000.00	792.00	-
AOT41P1905A	0.08	250362	0.08	0.08	0.07	0.08	0.07	0.08	-	20.00	-	-
AOT42C1903A	0.02	220362	-	-	-	-	-	-	-	-	-	-
AP01C1903A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
AP01C1903B	0.01	150362	-	0.01	0.01	0.01	0.01	0.02	-	1,167.00	1.00	-
AP01C1908A	0.30	250362	-	0.30	0.30	0.30	0.30	0.31	-	6,296.00	189.00	-
AP01C1908B	0.22	250362	-	0.22	0.22	0.22	0.21	0.22	-	9,896.00	218.00	-
AP11												

Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BANP01C1905A	0.23	250362	0.24	0.25	0.24	0.24	0.24	0.25	0.01	96,284.00	2,360.00	-
BANP01C1905B	0.12	250362	0.12	0.13	0.12	0.13	0.13	0.14	0.01	198,087.00	2,473.00	-
BANP01P1903A	1.04	250362	1.02	1.04	1.02	1.02	0.97	0.99	(0.02)	13,984.00	1,444.00	1.00
BANP01P1903B	0.18	250362	0.13	0.16	0.11	0.11	0.10	0.11	(0.07)	41,916.00	624.00	-
BANP01P1905A	0.43	250362	0.40	0.41	0.39	0.39	0.38	0.39	(0.04)	171,466.00	6,940.00	-
BANP06C1903A	0.01	210362	-	0.01	0.01	0.01	0.01	0.02	-	1,500.00	2.00	-
BANP07C1904A	0.01	250362	-	0.02	0.02	0.02	0.01	0.02	0.01	18.00	-	-
BANP07C1909A	0.18	180362	-	-	-	-	0.19	0.20	-	-	-	-
BANP08C1904A	0.02	120362	-	-	-	-	0.01	0.02	-	-	-	-
BANP08C1906A	0.17	250362	-	0.19	0.18	0.18	0.19	0.20	0.01	19,700.00	359.00	-
BANP11C1909A	0.12	250362	-	0.12	0.12	0.12	0.12	0.13	-	14,014.00	168.00	-
BANP13C1904A	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	4,000.00	4.00	-
BANP13C1906A	0.25	250362	-	0.28	0.26	0.28	0.28	0.29	0.03	152,206.00	4,098.00	-
BANP13P1908A	0.37	250362	-	0.36	0.35	0.35	0.35	0.36	(0.02)	85,194.00	3,045.00	-
BANP16C1912A	0.39	250362	-	0.40	0.40	0.40	0.40	0.41	0.01	1,000.00	40.00	-
BANP19C1906A	0.21	250362	-	0.23	0.22	0.23	0.23	0.24	0.02	7,301.00	166.00	-
BANP19P1906A	0.19	250362	-	0.19	0.18	0.18	0.18	0.19	(0.01)	107,958.00	2,027.00	-
BANP23C1906A	0.10	250362	-	0.10	0.10	0.10	0.09	0.10	-	3,000.00	30.00	-
BANP24C1904A	0.01	220262	-	-	-	-	-	0.01	-	-	-	-
BANP24C1907A	0.07	140362	-	-	-	-	0.06	0.07	-	-	-	-
BANP24C1907B	0.19	50362	-	-	-	-	0.16	0.17	-	-	-	-
BANP24P1906A	0.14	50362	-	-	-	-	0.12	0.13	-	-	-	-
BANP24P1908A	0.42	250362	-	-	-	-	0.38	0.39	-	-	-	-
BANP27C1904A	0.07	120262	-	-	-	-	0.01	0.02	-	-	-	-
BANP27P1905A	0.38	250362	-	0.37	0.35	0.35	0.35	0.36	(0.03)	9,900.00	362.00	-
BANP28C1905A	0.05	70362	-	-	-	-	0.03	0.04	-	-	-	-
BANP28C1907A	0.17	250362	-	0.19	0.18	0.19	0.19	0.20	0.02	24,328.00	452.00	-
BANP28P1909A	0.33	250362	-	0.32	0.31	0.31	0.30	0.31	(0.02)	14,182.00	452.00	-
BANP41C1906A	0.13	250362	-	-	-	-	0.14	0.15	-	-	-	-
BANP41P1907A	0.37	250362	-	0.37	0.36	0.36	0.34	0.35	(0.01)	24,000.00	884.00	-
BANP42C1903A	0.02	250162	-	-	-	-	-	-	-	-	-	-
BANP42P1903A	0.70	250362	-	-	-	-	-	-	-	-	-	-
BBL07C1909A	0.27	250362	-	0.27	0.26	0.27	0.26	0.27	-	430.00	11.00	-
BBL08C1908A	0.23	250362	-	0.24	0.23	0.24	0.23	0.24	0.01	2,120.00	49.00	-
BBL08P1904A	0.08	200362	-	-	-	-	0.06	0.07	-	-	-	-
BBL11C1903A	0.01	250362	-	-	-	-	0.01	0.03	-	-	-	-
BBL11C2001A	0.33	250362	0.34	0.34	0.33	0.34	0.33	0.34	0.01	17,566.00	592.00	-
BBL11P1903A	0.01	190362	-	-	-	-	0.01	0.03	-	-	-	-
BBL11P2001A	0.52	250362	-	0.52	0.51	0.51	0.51	0.52	(0.01)	18,765.00	964.00	-
BBL13C1905A	0.14	250362	-	0.14	0.14	0.14	0.14	0.15	-	5,746.00	80.00	-
BBL13P1906A	0.31	250362	-	0.31	0.30	0.30	0.30	0.31	(0.01)	15,509.00	470.00	-
BBL19C1906A	0.50	250362	-	0.53	0.53	0.53	0.53	0.55	0.03	3,406.00	181.00	-
BBL19C1907A	0.20	250362	-	0.20	0.20	0.20	0.20	0.21	-	44,785.00	896.00	-
BBL19P1904A	0.03	200362	-	-	-	-	0.02	0.03	-	-	-	-
BBL23C1906A	0.10	250362	-	0.10	0.10	0.10	0.10	0.11	-	3,100.00	31.00	-
BBL24C1907A	0.11	130362	-	-	-	-	0.09	0.10	-	-	-	-
BBL24P1904A	0.12	270262	-	0.06	0.06	0.06	0.06	0.07	(0.06)	230.00	1.00	-
BBL27C1904A	0.13	250362	-	0.14	0.13	0.13	0.13	0.14	-	2,700.00	36.00	-
BBL27P1904A	0.20	250362	-	0.19	0.19	0.19	0.19	0.20	(0.01)	4,500.00	86.00	-
BBL28C1904A	0.04	220362	-	-	-	-	0.02	0.06	-	-	-	-
BBL41C1908A	0.22	250362	-	0.22	0.22	0.22	0.21	0.22	-	8,000.00	176.00	-
BBL42C1903A	0.10	80262	-	-	-	-	-	-	-	-	-	-
BCH01C1907A	0.41	250362	0.41	0.45	0.41	0.45	0.44	0.45	0.04	73,578.00	3,212.00	-
BCH01C1907B	0.35	250362	0.36	0.40	0.36	0.40	0.39	0.40	0.05	86,846.00	3,294.00	-
BCH01P1907A	0.36	250362	-	0.35	0.31	0.31	0.31	0.32	(0.05)	78,856.00	2,654.00	-
BCH06C1903A	0.03	150262	-	-	-	-	0.01	0.02	-	-	-	-
BCH08C1906A	0.29	250362	-	0.32	0.29	0.32	0.32	0.33	0.03	44,833.00	1,363.00	-
BCH11C1905A	0.05	200362	-	0.06	0.06	0.06	0.06	0.07	0.01	400.00	2.00	-
BCH11C2001A	0.42	250362	-	0.45	0.43	0.45	0.45	0.46	0.03	18,473.00	812.00	-
BCH13C1905A	0.04	220362	-	0.05	0.05	0.05	0.04	0.05	0.01	1.00	-	-
BCH13C1907A	0.40	250362	-	0.44	0.41	0.44	0.43	0.44	0.04	159,244.00	6,828.00	-
BCH19C1903A	0.02	210362	-	-	-	-	-	0.01	-	-	-	-
BCH19C1907A	0.34	250362	0.36	0.38	0.35	0.38	0.38	0.40	0.04	20,366.00	741.00	-
BCH23C1907A	0.18	250362	-	0.21	0.19	0.21	0.20	0.22	0.03	21,200.00	425.00	-
BCH24C1904A	0.02	240162	-	-	-	-	-	0.01	-	-	-	-
BCH24C1908A	0.32	220362	-	0.33	0.32	0.33	0.34	0.35	0.01	2,550.00	83.00	-
BCH27C1908A	0.29	250362	-	0.32	0.30	0.32	0.32	0.33	0.03	10,500.00	323.00	-
BCH27P1908A	0.31	250362	-	0.30	0.27	0.27	0.27	0.29	(0.04)	6,700.00	192.00	-
BCH28C1904A	0.01	140362	-	-	-	-	0.01	0.03	-	-	-	-
BCH28C1905A	0.05	60262	-	-	-	-	0.01	0.04	-	-	-	-
BCH41C1908A	0.23	250362	-	0.25	0.24	0.25	0.25	0.26	0.02	40,010.00	964.00	-
BCP01C1903A	0.04	220362	-	-	-	-	0.01	0.02	-	-	-	-
BCP01C1903B	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	400.00	-	-
BCP01C1908A	0.28	250362	0.27	0.27	0.27	0.27	0.27	0.28	(0.01)	4,889.00	132.00	-
BCP01C1908B	0.20	250362	0.19	0.19	0.19	0.19	0.19	0.20	(0.01)	3,583.00	68.00	-
BCP01P1903A	0.29	250362	0.29	0.33	0.29	0.33	0.31	0.33	0.04	2,840.00	93.00	-
BCP01P1908A	0.32	250362	0.31	0.33	0.31	0.33	0.32	0.33	0.01	5,801.00	191.00	-
BCP11C1909A	0.13	210362	-	-	-	-	0.11	0.12	-	-	-	-
BCP13C1906A	0.13	250362	-	0.13	0.12	0.12	0.12	0.13	(0.01)	7,537.00	92.00	-
BCP19C1906A	0.21	250362	-	0.21	0.21	0.21	0.21	0.22	-	1,000.00	21.00	-
BCP23C1907A	0.14	250362	-	0.13	0.13	0.13	0.12	0.14	(0.01)	1,000.00	13.00	-
BCP24C1904A	0.03	70162	-	-	-	-	-	0.01	-	-	-	-
BCP24C1907A	0.08	180362	-	-	-	-	0.08	0.09	-	-	-	-
BCP28C1904A	0.06	40362	-	-	-	-	0.01	0.04	-	-	-	-
BCPG01C1904A	0.02	250362	-	-	-	-	0.02	0.03	-	-	-	-
BCPG01C1904B	0.01	180362	-	-	-	-	0.01	0.02	-	-	-	-
BCPG01C1908A	0.40	250362	0.40	0.41	0.40	0.41	0.40	0.41	0.01	12,311.00	504.00	-
BCPG01C1908B	0.29	250362	0.29	0.29	0.29	0.29	0.29	0.30	-	578.00	17.00	-
BCPG06C1903A	0.01	150362	-	-	-	-	0.01	0.02	-	-	-	-
BCPG08C1904A	0.02	180262	-	-	-	-	0.01	0.02	-	-	-	-
BCPG08C1904B	0.06	140262	-	-	-	-	0.01	0.02	-	-	-	-
BCPG11C1910A	0.28	250362	-	0.28	0.28	0.28	0.28	0.29	-	800.00	22.00	-
BCPG13C1904A	0.02	130362	-	-	-	-	0.01	0.02	-	-	-	-
BCPG13C1905A	0.14	250362	-	0.13	0.13	0.13	0.13	0.14	(0.01)	73,930.00	961.00	-
BCPG19C1906A	0.27	250362	-	0.28	0.28	0.28	0.28	0.29	0.01	5,902.00	165.00	-
BCPG23C1905A	0.19	250362	-	0.20	0.20	0.20	0.19	0.21	0.01	22,324.00	446.00	-
BCPG24C1903A	0.03	171261	-	-	-	-	-	0.01	-	-	-	-
BCPG24C1906A	0.32	250362	-	0.32	0.32	0.32	0.32	0.33	-	1,000.00	32.00	-
BCPG27C1903A	0.06	251261	-	-	-	-	0.01	0.02	-	-	-	-
BCPG27P1909A	0.38	250362	-	0.37	0.37	0.37	0.37	0.38	(0.01)	4,800.00	178.00	-
BCPG28C1904A	0.01	190362	-	-	-	-	0.01	0.03	-	-	-	-
BCPG28C1906A	0.26	250362	-	0.25	0.25	0.25	0.25	0.26	(0.01)	8,194.00	205.00	-
BDMS01C1905A	0.12	250362	0.12	0.13	0.12	0.13	0.13	0.14	0.01	56,328.00	700.00	-
BDMS01C1905E												

## Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BDMS08C1906A	0.32	250362	-	0.37	0.32	<b>0.37</b>	0.36	0.37	0.05	74,618.00	2,564.00	-
BDMS11C1904A	0.02	200362	0.03	0.03	0.03	<b>0.03</b>	0.01	0.03	0.01	40.00	-	-
BDMS11C2001A	0.68	250362	0.68	0.70	0.67	<b>0.70</b>	0.70	0.71	0.02	28,357.00	1,951.00	-
BDMS13C1903A	0.01	130362	-	-	-	-	-	0.01	-	-	-	-
BDMS13C1906A	0.40	250362	-	0.44	0.40	<b>0.44</b>	0.44	0.45	0.04	314,903.00	13,304.00	-
BDMS13P1907A	0.52	250362	-	0.52	0.49	<b>0.49</b>	0.49	0.50	(0.03)	148,917.00	7,486.00	-
BDMS16C1912A	0.26	220362	-	-	-	-	0.27	0.28	-	-	-	-
BDMS19C1905A	0.24	250362	0.24	0.27	0.24	<b>0.27</b>	0.27	0.28	0.03	132,096.00	3,320.00	-
BDMS19P1906A	0.16	250362	-	0.15	0.14	<b>0.14</b>	0.13	0.14	(0.02)	42,886.00	640.00	-
BDMS23C1906A	0.17	250362	-	0.18	0.16	<b>0.18</b>	0.17	0.19	0.01	12,200.00	215.00	-
BDMS24C1905A	0.03	40362	-	-	-	-	0.02	0.03	-	-	-	-
BDMS24C1907A	0.62	200362	-	-	-	-	0.70	0.72	-	-	-	-
BDMS24C1909A	0.30	250362	-	0.32	0.32	<b>0.32</b>	0.32	0.33	0.02	3,500.00	112.00	-
BDMS24P1908A	0.58	220362	-	-	-	-	0.52	0.53	-	-	-	-
BDMS27C1903A	0.01	70362	-	-	-	-	0.01	0.02	-	-	-	-
BDMS28C1904A	0.05	210362	-	0.05	0.05	<b>0.05</b>	0.06	0.09	-	62.00	-	-
BDMS41C1906A	0.26	250362	-	-	-	-	0.28	0.29	-	-	-	-
BDMS41P1907A	0.45	250362	-	-	-	-	0.41	0.42	-	-	-	-
BDMS42C1904A	0.04	290162	-	-	-	-	0.01	0.02	-	-	-	-
BDMS42P1904A	0.08	210362	-	-	-	-	0.05	0.06	-	-	-	-
BEAU01C1906A	0.33	250362	0.33	0.34	0.32	<b>0.33</b>	0.32	0.33	-	207,653.00	6,899.00	-
BEAU01C1906B	0.18	250362	0.18	0.18	0.17	<b>0.18</b>	0.17	0.18	-	195,198.00	3,514.00	-
BEAU01P1909A	1.02	250362	1.02	1.02	0.99	<b>1.00</b>	0.99	1.00	(0.02)	78,835.00	7,879.00	1.00
BEAU06C1904A	0.08	250362	-	0.08	0.08	<b>0.08</b>	0.07	0.08	-	9,570.00	77.00	-
BEAU08C1906A	0.21	250362	-	0.22	0.21	<b>0.21</b>	0.21	0.22	-	52,599.00	1,131.00	-
BEAU11C1911A	0.44	250362	-	0.47	0.45	<b>0.46</b>	0.46	0.47	0.02	40,100.00	1,845.00	-
BEAU13C1904A	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
BEAU13C1904B	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
BEAU13C1906A	0.20	250362	-	0.21	0.20	<b>0.20</b>	0.20	0.21	-	410,569.00	8,285.00	-
BEAU19C1906A	0.31	250362	-	0.32	0.31	<b>0.32</b>	0.32	0.33	0.01	22,856.00	729.00	-
BEAU19P1908A	0.43	250362	0.42	0.42	0.40	<b>0.41</b>	0.41	0.42	(0.02)	63,612.00	2,597.00	-
BEAU23C1906A	0.02	250362	-	0.02	0.02	<b>0.02</b>	0.01	0.02	-	1,013.00	2.00	-
BEAU24C1903A	0.04	130262	-	-	-	-	-	0.01	-	-	-	-
BEAU24C1904A	0.01	190362	-	-	-	-	-	0.01	-	-	-	-
BEAU24C1907A	0.43	250362	-	0.45	0.43	<b>0.44</b>	0.44	0.45	0.01	5,307.00	232.00	-
BEAU27C1903A	0.01	200362	-	-	-	-	0.01	0.02	-	-	-	-
BEAU27C1910A	0.43	250362	-	0.44	0.42	<b>0.43</b>	0.43	0.44	-	8,400.00	362.00	-
BEAU28C1904A	0.01	220362	-	-	-	-	0.01	0.02	-	-	-	-
BEAU28C1907A	0.13	250362	-	0.15	0.14	<b>0.14</b>	0.14	0.15	0.01	68,486.00	959.00	-
BEAU41C1907A	0.13	250362	-	-	-	-	0.13	0.14	-	-	-	-
BEAU41C1907B	0.28	200362	-	-	-	-	0.26	0.27	-	-	-	-
BEAU41C1910A	0.36	220362	-	-	-	-	0.34	0.35	-	-	-	-
BEAU41C1910B	1.00	0	-	-	-	-	0.31	0.32	-	-	-	-
BEAU41P1909A	0.57	250362	-	0.57	0.57	<b>0.57</b>	0.57	0.58	-	80.00	5.00	-
BEM01C1907A	0.42	250362	0.42	0.43	0.40	<b>0.42</b>	0.42	0.43	-	83,439.00	3,503.00	-
BEM01C1907B	0.13	250362	-	0.12	0.12	<b>0.12</b>	0.12	0.13	(0.01)	13,701.00	164.00	-
BEM01P1907A	0.28	250362	0.28	0.28	0.27	<b>0.27</b>	0.26	0.27	(0.01)	141,581.00	3,964.00	-
BEM06P1906A	0.20	250362	-	0.20	0.18	<b>0.18</b>	0.17	0.18	(0.02)	16,550.00	329.00	-
BEM07C1903A	0.36	200362	-	-	-	-	-	-	-	-	-	-
BEM08C1903A	0.19	250362	-	-	-	-	0.21	0.25	-	-	-	-
BEM08C1907A	0.10	250362	-	0.12	0.11	<b>0.12</b>	0.12	0.13	0.02	47,726.00	525.00	-
BEM11C1903A	0.12	210362	-	-	-	-	0.11	0.14	-	-	-	-
BEM11C2001A	0.17	250362	-	0.19	0.18	<b>0.19</b>	0.18	0.19	0.02	47,101.00	858.00	-
BEM13C1905A	0.35	250362	-	0.34	0.32	<b>0.34</b>	0.34	0.35	(0.01)	81,654.00	2,618.00	-
BEM13C1905B	0.08	250362	-	0.08	0.08	<b>0.08</b>	0.08	0.09	-	900.00	7.00	-
BEM19C1907A	0.13	250362	0.13	0.13	0.12	<b>0.12</b>	0.12	0.13	(0.01)	94,027.00	1,128.00	-
BEM23C1905A	0.10	250362	-	0.11	0.10	<b>0.11</b>	0.11	0.12	0.01	101,442.00	1,115.00	-
BEM24C1906A	0.10	250362	-	0.11	0.11	<b>0.11</b>	0.11	0.12	0.01	500.00	6.00	-
BEM24P1909A	0.37	180362	-	-	-	-	0.32	0.34	-	-	-	-
BEM27C1904A	0.24	180362	-	-	-	-	0.23	0.28	-	-	-	-
BEM27C1908A	0.16	250362	-	0.17	0.17	<b>0.17</b>	0.17	0.18	0.01	29,400.00	500.00	-
BEM27P1905A	0.04	110362	-	-	-	-	0.02	0.03	-	-	-	-
BEM27P1907A	0.20	250362	-	0.19	0.19	<b>0.19</b>	0.18	0.19	(0.01)	10,800.00	205.00	-
BEM28C1905A	0.15	250362	-	0.16	0.16	<b>0.16</b>	0.18	0.20	0.01	141,696.00	2,267.00	-
BEM28C1906A	0.06	210362	-	0.06	0.06	<b>0.06</b>	0.06	0.07	-	200.00	1.00	-
BEM41C1907A	0.16	250362	-	-	-	-	0.16	0.17	-	-	-	-
BEM41P1907A	0.23	250362	-	0.23	0.22	<b>0.22</b>	0.21	0.22	(0.01)	8,000.00	180.00	-
BEM42C1904A	0.29	200362	-	-	-	-	0.28	0.32	-	-	-	-
BEM42P1904A	0.01	60362	-	-	-	-	-	0.01	-	-	-	-
BGR101C1903A	0.31	250362	-	0.31	0.31	<b>0.31</b>	0.30	0.31	-	9,444.00	293.00	-
BGR101C1903B	0.02	250362	-	-	-	-	0.01	0.02	-	-	-	-
BGR101C1909A	0.34	250362	-	0.35	0.34	<b>0.34</b>	0.33	0.34	-	33,844.00	1,168.00	-
BGR101C1909B	0.24	250362	-	0.24	0.23	<b>0.23</b>	0.22	0.23	(0.01)	33,962.00	798.00	-
BGR101P1909A	0.37	250362	-	0.36	0.35	<b>0.35</b>	0.35	0.36	(0.02)	37,847.00	1,360.00	-
BGR106C1903A	0.87	250362	-	0.92	0.92	<b>0.92</b>	0.86	0.87	0.05	800.00	74.00	-
BGR107C1903A	0.09	130362	-	-	-	-	-	-	-	-	-	-
BGR108C1904A	0.09	180362	-	-	-	-	0.06	0.07	-	-	-	-
BGR111C1909A	0.29	250362	-	0.29	0.28	<b>0.29</b>	0.28	0.29	-	3,000.00	86.00	-
BGR113C1904A	0.11	250362	-	0.10	0.10	<b>0.10</b>	0.10	0.11	(0.01)	14,618.00	146.00	-
BGR113C1908A	0.23	250362	-	0.24	0.23	<b>0.23</b>	0.23	0.24	-	14,902.00	347.00	-
BGR119C1903A	0.04	190362	-	-	-	-	0.01	0.02	-	-	-	-
BGR119C1908A	0.18	250362	-	0.18	0.17	<b>0.17</b>	0.17	0.18	(0.01)	18,723.00	329.00	-
BGR123C1906A	0.12	250362	-	0.12	0.11	<b>0.12</b>	0.11	0.12	-	9,100.00	102.00	-
BGR124C1907A	0.27	250362	-	0.26	0.26	<b>0.26</b>	0.25	0.26	(0.01)	100.00	3.00	-
BGR127C1905A	0.14	250362	-	0.14	0.13	<b>0.13</b>	0.13	0.14	(0.01)	3,000.00	41.00	-
BGR128C1905A	0.13	250362	-	0.13	0.12	<b>0.12</b>	0.12	0.13	(0.01)	5,120.00	65.00	-
BH01C1905A	0.10	250362	0.09	0.10	0.09	<b>0.10</b>	0.09	0.10	-	22,289.00	222.00	-
BH01C1905B	0.05	220362	-	-	-	-	0.04	0.05	-	-	-	-
BH01C1908A	0.67	250362	0.68	0.72	0.68	<b>0.71</b>	0.71	0.72	0.04	26,065.00	1,840.00	-
BH01C1908B	0.50	250362	0.51	0.54	0.51	<b>0.53</b>	0.53	0.54	0.03	56,786.00	2,998.00	-
BH01P1905A	0.73	250362	-	0.73	0.68	<b>0.68</b>	0.68	0.69	(0.05)	9,401.00	661.00	-
BH01P1908A	1.13	250362	-	1.13	1.07	<b>1.07</b>	1.07	1.08	(0.06)	7,294.00	799.00	1.00
BH07C1910A	0.57	250362	-	-	-	-	0.56	0.57	-	-	-	-
BH08C1907A	0.27	250362	0.27	0.29	0.27	<b>0.29</b>	0.29	0.30	0.02	5,285.00	147.00	-
BH11C1905A	0.10	250362	-	0.11	0.10	<b>0.11</b>	0.11	0.12	0.01	8,244.00	91.00	-
BH13C1906A	0.25	250362	0.26	0.27	0.25	<b>0.27</b>	0.27	0.28	0.02	36,734.00	987.00	-
BH19C1907A	0.49	250362	0.51	0.52	0.49	<b>0.52</b>	0.52	0.53	0.03	34,090.00	1,737.00	-
BH23C1906A	0.19	250362	-	0.21	0.19	<b>0.21</b>	0.20	0.21	0.02	2,000.00	40.00	-
BH24C1907A	0.45	250362	-	0.48	0.47	<b>0.47</b>	0.48	0.49	0.02	3,906.00	184.00	-
BH27C1905A	0.03	250362	-	-	-	-	0.03	0.04	-	-	-	-
BH41C1907A	0.37	250362	-	0.39	0.39	<b>0.39&lt;/</b>						



Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
BJC13C1906A	0.13	250362	0.13	0.13	0.11	0.13	0.13	0.14	-	11,703.00	147.00	-
BJC13C1908A	0.31	250362	0.32	0.32	0.30	0.32	0.32	0.33	0.01	79,275.00	2,413.00	-
BJC19C1906A	0.26	250362	0.25	0.27	0.25	0.27	0.27	0.28	0.01	32,722.00	828.00	-
BJC23C1905A	0.13	250362	-	0.13	0.13	0.13	0.13	0.15	-	55,730.00	724.00	-
BJC24C1906A	0.24	250362	-	0.24	0.23	0.24	0.24	0.25	-	300.00	7.00	-
BJC27C1905A	0.04	250362	-	-	-	-	0.04	0.05	-	-	-	-
BJC27P1908A	0.33	250362	-	0.32	0.31	0.32	0.30	0.31	(0.01)	21,600.00	691.00	-
BJC28C1904A	0.01	250362	-	-	-	-	0.01	0.03	-	-	-	-
BJC41C1907A	0.38	250362	-	0.35	0.35	0.35	0.36	0.37	(0.03)	16,000.00	560.00	-
BJC41P1908A	0.34	250362	-	0.33	0.31	0.31	0.31	0.32	(0.03)	2,000.00	64.00	-
BLA08C1904A	0.04	220262	-	-	-	-	0.01	0.02	-	-	-	-
BLA11C1909A	0.07	150262	-	0.05	0.05	0.05	0.05	0.06	(0.02)	2.00	-	-
BLA13C1908A	0.17	250362	-	0.16	0.16	0.16	0.16	0.17	(0.01)	12,534.00	201.00	-
BLA19C1903A	0.01	50362	-	-	-	-	-	0.01	-	-	-	-
BLA19C1906A	0.07	120362	-	-	-	-	0.04	0.05	-	-	-	-
BLA24C1903A	0.01	40262	-	-	-	-	-	0.01	-	-	-	-
BLA27C1905A	0.05	250362	-	-	-	-	0.04	0.05	-	-	-	-
BLA28C1906A	0.08	250362	-	-	-	-	0.07	0.08	-	-	-	-
BLAN01C1903A	0.04	190362	-	-	-	-	0.01	0.02	-	-	-	-
BLAN01C1903B	0.01	140362	-	0.01	0.01	0.01	0.01	0.02	-	1.00	-	-
BLAN01P1903A	0.65	250362	0.65	0.65	0.65	0.65	0.63	0.65	-	3,246.00	211.00	-
BLAN19C1906A	0.12	250362	0.12	0.12	0.12	0.12	0.12	0.13	-	2,193.00	26.00	-
BLAN24C1907A	0.24	250362	0.24	0.24	0.24	0.24	0.23	0.25	-	2,000.00	48.00	-
BPP01C1903A	0.06	150262	-	-	-	-	0.01	0.02	-	-	-	-
BPP01C1903B	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	1.00	-	-
BPP01P1903A	0.33	250362	-	0.32	0.32	0.32	0.31	0.32	(0.01)	492.00	16.00	-
BPP06C1903A	0.01	180362	-	-	-	-	0.01	0.02	-	-	-	-
BPP11C1910A	0.33	250362	-	0.34	0.33	0.34	0.34	0.35	0.01	12,800.00	428.00	-
BPP13C1906A	0.18	250362	-	0.19	0.19	0.19	0.19	0.20	0.01	29,147.00	554.00	-
BPP19C1903A	0.03	40362	-	-	-	-	-	0.02	-	-	-	-
BPP19C1903B	0.06	20162	-	-	-	-	-	0.02	-	-	-	-
BPP19C1908A	0.30	250362	-	0.31	0.31	0.31	0.31	0.32	0.01	4,721.00	146.00	-
BPP24C1904A	0.21	61261	-	-	-	-	-	0.01	-	-	-	-
BPP24C1908A	0.37	220362	-	-	-	-	0.34	0.35	-	-	-	-
BPP28C1904A	0.05	10362	-	-	-	-	0.01	0.03	-	-	-	-
BTS01C1903A	0.71	250362	0.71	0.75	0.71	0.75	0.75	0.78	0.04	24,886.00	1,782.00	-
BTS01C1903B	0.40	250362	0.40	0.45	0.40	0.45	0.45	0.50	0.05	36,826.00	1,540.00	-
BTS01C1908A	0.27	250362	0.27	0.29	0.27	0.28	0.28	0.29	0.01	202,436.00	5,537.00	-
BTS01C1908B	0.23	250362	0.23	0.24	0.23	0.24	0.24	0.25	0.01	329,475.00	7,755.00	-
BTS01P1903A	0.01	220362	-	0.01	0.01	0.01	0.01	0.02	-	1,720.00	2.00	-
BTS01P1908A	0.24	250362	0.24	0.25	0.23	0.23	0.22	0.23	(0.01)	302,731.00	7,438.00	-
BTS06C1903B	9.20	100162	-	-	-	-	-	-	-	-	-	-
BTS06C1903C	9.95	140262	-	-	-	-	11.10	11.30	-	-	-	-
BTS06C1908A	1.00	0	0.20	0.21	0.20	0.21	0.21	0.22	(0.79)	2,600.00	54.00	-
BTS06P1908A	0.24	250362	-	0.23	0.23	0.23	0.21	0.22	(0.01)	500.00	12.00	-
BTS11C1904A	0.04	220362	-	-	-	-	0.02	0.05	-	-	-	-
BTS11C1910A	0.56	250362	0.56	0.56	0.51	0.56	0.56	0.59	-	12,924.00	688.00	-
BTS13C1907A	0.22	250362	-	0.23	0.21	0.23	0.23	0.24	0.01	492,020.00	10,528.00	-
BTS19C1907A	0.45	250362	0.45	0.47	0.42	0.47	0.47	0.50	0.02	1,600.00	71.00	-
BTS19C1907B	0.18	250362	-	0.19	0.18	0.19	0.20	0.21	0.01	71,280.00	1,305.00	-
BTS23C1905A	1.92	80362	-	-	-	-	1.96	2.02	-	-	-	-
BTS24C1906A	0.58	250362	-	0.58	0.54	0.58	0.62	0.65	-	4,220.00	236.00	-
BTS28C1905A	0.37	250362	-	-	-	-	0.44	0.50	-	-	-	-
BTS41C1908A	0.20	250362	-	-	-	-	0.21	0.22	-	-	-	-
BTS41P1908A	0.13	250362	-	-	-	-	0.12	0.13	-	-	-	-
CBG01C1907A	1.51	250362	1.53	1.54	1.38	1.38	1.38	1.39	(0.13)	169,779.00	24,624.00	1.00
CBG01C1907B	1.45	250362	-	1.46	1.30	1.30	1.28	1.30	(0.15)	72,408.00	9,788.00	1.00
CBG01C1909A	0.75	250362	-	0.75	0.67	0.67	0.66	0.67	(0.08)	91,969.00	6,314.00	-
CBG01P1905A	0.16	250362	-	0.21	0.16	0.19	0.19	0.20	0.03	218,362.00	4,140.00	-
CBG01P1907A	0.16	250362	-	0.20	0.16	0.19	0.19	0.20	0.03	167,828.00	3,127.00	-
CBG06C1903A	0.64	250362	0.51	0.64	0.48	0.48	0.47	0.48	(0.16)	13,045.00	693.00	-
CBG06C1908A	0.74	250362	-	0.71	0.63	0.63	0.61	0.62	(0.11)	15,604.00	1,016.00	-
CBG06P1903A	0.01	250362	0.01	0.01	0.01	0.01	0.01	0.02	-	10,900.00	11.00	-
CBG08C1906A	1.45	250362	-	1.45	1.30	1.30	1.30	1.32	(0.15)	32,150.00	4,330.00	1.00
CBG11C1911A	1.26	250362	-	1.26	1.15	1.16	1.15	1.16	(0.10)	44,750.00	5,277.00	1.00
CBG13C1905A	0.97	250362	-	0.79	0.79	0.79	0.79	0.82	(0.18)	2.00	-	-
CBG13C1906A	1.62	150362	-	-	-	-	1.33	1.37	-	-	-	-
CBG13C1907A	0.71	250362	-	0.67	0.63	0.65	0.63	0.65	(0.06)	5,210.00	335.00	-
CBG13C1908A	0.54	250362	-	0.55	0.47	0.47	0.47	0.48	(0.07)	252,235.00	12,551.00	-
CBG13P1907A	0.47	250362	-	0.55	0.46	0.54	0.54	0.55	0.07	270,872.00	13,961.00	-
CBG16C1912A	1.38	130362	-	1.11	1.10	1.10	1.09	1.10	(0.28)	151.00	17.00	1.00
CBG19C1906A	1.05	250362	-	1.02	0.94	0.95	0.93	0.94	(0.10)	8,890.00	853.00	-
CBG19C1907A	0.49	250362	-	0.49	0.42	0.42	0.42	0.43	(0.07)	41,517.00	1,851.00	-
CBG23C1905A	1.58	250362	-	-	-	-	1.36	1.39	-	-	-	-
CBG24C1903A	0.05	120362	-	-	-	-	-	0.06	-	-	-	-
CBG24C1904A	0.31	250362	-	0.26	0.20	0.21	0.21	0.22	(0.10)	16,733.00	385.00	-
CBG24C1906A	1.76	250362	-	-	-	-	1.52	1.54	-	-	-	-
CBG28C1904A	0.64	140362	-	0.40	0.30	0.30	0.30	0.36	(0.34)	1,900.00	70.00	-
CBG28C1906A	1.31	140362	-	-	-	-	0.96	1.00	-	-	-	-
CBG28C1908A	0.62	250362	-	0.62	0.54	0.54	0.53	0.54	(0.08)	83,839.00	4,696.00	-
CBG41C1908A	1.05	250362	-	1.01	0.94	0.96	0.93	0.94	(0.09)	32,010.00	3,131.00	-
CBG41C1908B	0.61	200362	-	-	-	-	0.47	0.48	-	-	-	-
CBG41C1910A	0.56	250362	-	0.54	0.54	0.54	0.49	0.50	(0.02)	4,000.00	216.00	-
CBG41C1910B	1.00	0	-	-	-	-	0.46	0.47	-	-	-	-
CBG41P1908A	0.43	250362	-	0.49	0.44	0.48	0.47	0.48	0.05	8,301.00	385.00	-
CBG42C1904A	0.13	250362	-	0.12	0.10	0.10	0.09	0.10	(0.03)	97,130.00	976.00	-
CENT01C1903A	0.42	250362	-	0.44	0.40	0.42	0.40	0.42	-	77,446.00	3,245.00	-
CENT01C1903B	0.03	250362	-	0.03	0.03	0.03	0.01	0.02	-	3,248.00	10.00	-
CENT01C1909A	0.40	250362	0.39	0.41	0.39	0.40	0.39	0.40	-	175,830.00	7,110.00	-
CENT01C1909B	0.27	250362	-	0.28	0.26	0.27	0.26	0.27	-	291,105.00	7,992.00	-
CENT01P1903A	0.03	250362	-	0.02	0.02	0.02	0.01	0.02	(0.01)	403.00	1.00	-
CENT01P1909A	0.72	250362	-	0.74	0.70	0.71	0.71	0.72	(0.01)	78,523.00	5,607.00	-
CENT06C1904A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
CENT06C1908A	1.00	0	-	0.30	0.27	0.28	0.27	0.28	(0.72)	7,800.00	226.00	-
CENT11C1904A	0.04	250262	-	-	-	-	0.01	0.03	-	-	-	-
CENT11C1909A	0.30	250362	0.29	0.31	0.29	0.29	0.28	0.29	(0.01)	165,093.00	4,888.00	-
CENT13C1907A	0.31	250362	0.30	0.33	0.29	0.31	0.30	0.31	-	263,218.00	8,019.00	-
CENT19C1904A	0.25	250362	-	0.27	0.23	0.24	0.24	0.26	(0.01)	11,190.00	287.00	-
CENT19C1908A	0.22	250362	-	0.23	0.21	0.21	0.21	0.22	(0.01)	50,732.00	1,129.00	-
CENT24C1908A	0.24	250362	-	-	-	-	0.24	0.25	-	-	-	-
CENT27C1905A	0.24	250362	-	0.25	0.23	0.23	0.23	0.24	(0.01)	17,300.00	415.00	-
CENT41C1908A	0.22	250362	-	0.24	0.23	0.24	0.21	0.22	0.02	4,001.00	92.00	



## Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
CHG13C1906A	0.35	250362	-	0.34	0.33	0.33	0.33	0.34	(0.02)	26,440.00	889.00	-
CHG19C1906A	0.15	250362	-	-	-	-	0.14	0.15	-	-	-	-
CHG23C1907A	0.15	250362	-	0.15	0.15	0.15	0.14	0.15	-	2,500.00	38.00	-
CHG24C1904A	0.01	40262	-	-	-	-	-	0.01	-	-	-	-
CHG24C1907A	0.28	250362	-	0.27	0.27	0.27	0.26	0.27	(0.01)	200.00	5.00	-
CHG24C1911A	0.50	250362	-	0.50	0.49	0.49	0.49	0.50	(0.01)	100.00	5.00	-
CHG27C1905A	0.05	250162	-	-	-	-	0.01	0.02	-	-	-	-
CHG28C1904A	0.06	50262	-	-	-	-	0.01	0.03	-	-	-	-
CK01C1907A	0.25	250362	0.25	0.25	0.25	0.25	0.25	0.26	-	39,955.00	999.00	-
CK01C1907B	0.17	250362	0.17	0.17	0.16	0.17	0.16	0.17	-	150,229.00	2,472.00	-
CK01P1907A	0.25	250362	-	0.25	0.24	0.24	0.24	0.25	(0.01)	33,496.00	834.00	-
CK11C1904A	0.02	110362	-	-	-	-	0.01	0.03	-	-	-	-
CK11C1911A	0.21	250362	-	-	-	-	0.21	0.22	-	-	-	-
CK13C1906A	0.14	250362	-	0.13	0.13	0.13	0.13	0.14	(0.01)	24,977.00	325.00	-
CK16C1912A	0.26	250362	-	-	-	-	0.25	0.26	-	-	-	-
CK19C1903A	0.05	270262	-	-	-	-	-	0.02	-	-	-	-
CK19C1907A	0.12	250362	-	-	-	-	0.12	0.13	-	-	-	-
CK23C1907A	0.13	250362	-	0.12	0.12	0.12	0.12	0.13	(0.01)	4,000.00	48.00	-
CK24C1904A	0.04	130362	-	-	-	-	0.03	0.04	-	-	-	-
CK24C1910A	0.22	250362	-	-	-	-	0.21	0.22	-	-	-	-
CK41C1907A	0.16	250362	-	-	-	-	0.15	0.16	-	-	-	-
CKP01C1906A	0.18	250362	-	0.18	0.18	0.18	0.17	0.18	-	9,524.00	171.00	-
CKP01C1906B	0.08	250362	0.08	0.08	0.08	0.08	0.07	0.08	-	16.00	-	-
CKP08C1903A	0.28	250362	-	0.29	0.27	0.27	0.27	0.29	(0.01)	11,618.00	331.00	-
CKP08C1903B	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
CKP11C1910A	0.16	250362	-	0.16	0.16	0.16	0.16	0.17	-	4,800.00	77.00	-
CKP13C1906A	0.12	250362	-	0.12	0.12	0.12	0.12	0.13	-	7,090.00	85.00	-
CKP13C1908A	0.54	250362	-	0.55	0.54	0.54	0.54	0.55	-	86,316.00	4,731.00	-
CKP19C1903A	0.06	250262	-	-	-	-	-	0.02	-	-	-	-
CKP19C1907A	0.40	250362	-	0.40	0.39	0.39	0.38	0.39	(0.01)	53,306.00	2,090.00	-
CKP23C1907A	0.16	250362	-	0.16	0.16	0.16	0.15	0.16	-	16,000.00	256.00	-
CKP24C1906A	0.06	150362	0.05	0.05	0.05	0.05	0.04	0.05	(0.01)	2,010.00	10.00	-
CKP24C1907A	0.50	250362	-	0.50	0.49	0.49	0.49	0.50	(0.01)	1,810.00	89.00	-
CKP27C1905A	0.08	210362	-	-	-	-	0.07	0.08	-	-	-	-
CKP28C1908A	0.13	220362	-	-	-	-	0.12	0.13	-	-	-	-
COM706C1903A	0.02	250362	-	0.02	0.02	0.02	0.01	0.02	-	1.00	-	-
COM706C1908A	0.47	250362	-	0.51	0.48	0.51	0.50	0.51	0.04	2,592.00	129.00	-
COM708C1903A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
COM708C1906A	0.67	250362	-	0.71	0.68	0.71	0.71	0.73	0.04	8,475.00	597.00	-
COM711C1909A	0.24	250362	0.25	0.27	0.25	0.27	0.26	0.27	0.03	11,424.00	295.00	-
COM713C1903A	0.03	250262	-	-	-	-	-	-	-	-	-	-
COM713C1904A	0.04	250362	0.02	0.02	0.02	0.02	0.02	0.03	(0.02)	1.00	-	-
COM713C1906A	0.85	180362	-	0.67	0.63	0.63	0.66	0.70	(0.22)	406.00	26.00	-
COM713C1907A	0.28	250362	0.28	0.30	0.28	0.30	0.30	0.31	0.02	29,578.00	874.00	-
COM719C1904A	0.07	250362	-	0.08	0.08	0.08	0.08	0.09	0.01	120.00	1.00	-
COM719C1906A	0.43	250362	-	0.46	0.44	0.46	0.46	0.48	0.03	7,615.00	344.00	-
COM719P1907A	0.37	250362	-	0.36	0.33	0.34	0.34	0.35	(0.03)	18,141.00	634.00	-
COM723C1905A	0.57	250362	-	0.61	0.58	0.61	0.60	0.63	0.04	6,000.00	358.00	-
COM724C1904A	0.05	10362	-	-	-	-	0.01	0.02	-	-	-	-
COM724C1906A	0.59	250362	0.61	0.61	0.61	0.61	0.64	0.66	0.02	4,000.00	244.00	-
COM727C1907A	0.52	250362	-	0.55	0.53	0.55	0.55	-	0.03	7,650.00	414.00	-
COM741C1908A	0.22	250362	-	-	-	-	0.23	0.24	-	-	-	-
CPAL01C1904A	0.74	250362	0.74	0.75	0.74	0.74	0.72	0.74	-	119,306.00	8,944.00	-
CPAL01C1904B	0.20	250362	0.20	0.20	0.20	0.20	0.19	0.20	-	2,393.00	48.00	-
CPAL01C1907A	0.53	250362	0.54	0.55	0.53	0.53	0.52	0.53	-	70,679.00	3,814.00	-
CPAL01C1907B	0.29	250362	-	0.30	0.28	0.28	0.28	0.29	(0.01)	257,068.00	7,436.00	-
CPAL01P1904A	0.18	250362	0.18	0.18	0.17	0.17	0.17	0.18	(0.01)	7,039.00	120.00	-
CPAL01P1904B	0.01	220362	-	0.01	0.01	0.01	0.01	0.02	-	15,250.00	15.00	-
CPAL01P1907A	0.88	250362	0.88	0.88	0.87	0.87	0.87	0.88	(0.01)	79,722.00	6,937.00	-
CPAL01P1907B	0.71	250362	-	0.70	0.70	0.70	0.70	0.71	(0.01)	62,648.00	4,385.00	-
CPAL06C1903A	0.04	220362	-	0.04	0.04	0.04	0.01	0.02	-	10.00	-	-
CPAL06C1908A	0.37	250362	-	0.37	0.36	0.36	0.35	0.36	(0.01)	30,180.00	1,116.00	-
CPAL08C1908A	0.30	250362	-	0.31	0.30	0.30	0.29	0.30	-	41,942.00	1,258.00	-
CPAL08P1904A	0.04	80362	0.03	0.03	0.03	0.03	0.02	0.03	(0.01)	10.00	-	-
CPAL08P1908A	0.60	250362	-	0.60	0.59	0.59	0.60	0.61	(0.01)	28,350.00	1,674.00	-
CPAL11C1903A	0.01	220362	0.03	0.03	0.01	0.03	0.01	0.02	0.02	1,636.00	2.00	-
CPAL11C1909A	0.38	250362	-	0.38	0.38	0.38	0.37	0.38	-	6,750.00	257.00	-
CPAL11P1903A	0.01	220362	-	-	-	-	0.01	0.03	-	-	-	-
CPAL13C1903A	0.58	220362	-	-	-	-	-	-	-	-	-	-
CPAL13C1906A	0.36	250362	0.38	0.38	0.36	0.36	0.36	0.37	-	19,160.00	702.00	-
CPAL13P1906A	0.46	250362	-	0.46	0.45	0.46	0.46	0.47	-	72,200.00	3,255.00	-
CPAL16C1912A	0.96	250362	-	0.96	0.96	0.96	0.95	0.96	-	500.00	48.00	-
CPAL19C1907A	0.28	250362	0.29	0.29	0.28	0.28	0.28	0.29	-	2,350.00	68.00	-
CPAL19P1903A	0.02	10262	-	-	-	-	-	0.02	-	-	-	-
CPAL19P1906A	0.26	250362	0.26	0.26	0.25	0.26	0.26	0.27	-	207,502.00	5,224.00	-
CPAL23C1906A	0.32	250362	-	0.30	0.30	0.30	0.28	0.32	(0.02)	1,100.00	33.00	-
CPAL24C1903A	0.02	140362	-	-	-	-	-	0.09	-	-	-	-
CPAL24C1904A	0.40	250362	-	0.41	0.41	0.41	0.40	0.41	0.01	5.00	-	-
CPAL24C1907A	0.49	250362	-	0.50	0.49	0.49	0.48	0.49	-	15,038.00	742.00	-
CPAL24P1907A	0.67	250362	-	-	-	-	0.69	0.70	-	-	-	-
CPAL24P1909A	0.22	250362	-	0.22	0.22	0.22	0.22	0.23	-	4,000.00	88.00	-
CPAL27C1903A	0.05	200362	-	-	-	-	0.01	0.02	-	-	-	-
CPAL27C1912A	0.56	250362	-	-	-	-	0.53	0.54	-	-	-	-
CPAL27P1905A	0.14	250362	-	0.14	0.14	0.14	0.14	0.15	-	10,800.00	151.00	-
CPAL28C1904A	0.38	200362	-	-	-	-	0.23	0.28	-	-	-	-
CPAL28C1906A	0.22	250362	-	0.22	0.21	0.21	0.21	0.22	(0.01)	6,066.00	131.00	-
CPAL41C1906A	0.27	250362	-	0.27	0.27	0.27	0.26	0.27	-	8,100.00	219.00	-
CPAL41P1908A	0.67	250362	-	0.67	0.67	0.67	0.67	0.68	-	12,000.00	804.00	-
CPAL42C1904A	0.21	250362	-	0.21	0.20	0.20	0.20	0.21	(0.01)	8,460.00	177.00	-
CPAL42P1904A	0.02	80362	0.02	0.02	0.02	0.02	0.01	0.02	-	10.00	-	-
CPF01C1908A	0.19	250362	0.19	0.19	0.19	0.19	0.19	0.20	-	33,054.00	628.00	-
CPF01C1908B	0.13	250362	-	0.13	0.13	0.13	0.13	0.14	-	22,048.00	287.00	-
CPF01P1908A	0.37	250362	0.36	0.37	0.36	0.36	0.35	0.36	(0.01)	36,018.00	1,316.00	-
CPF01P1908B	0.29	250362	0.28	0.29	0.27	0.27	0.26	0.27	(0.02)	35,974.00	1,010.00	-
CPF06C1903A	0.02	250362	-	0.02	0.02	0.02	0.01	0.02	-	1.00	-	-
CPF08C1904A	0.06	220362	-	-	-	-	0.05	0.06	-	-	-	-
CPF11C1910A	0.47	250362	0.49	0.49	0.47	0.47	0.49	0.51	-	1,603.00	75.00	-
CPF13C1903A	0.07	130362	-	-	-	-	-	0.05	-	-	-	-
CPF13C1905A	0.09	250362	-	-	-	-	0.09	0.10	-	-	-	-
CPF19C1904A	0.24	210362	-	-	-	-	0.27	0.30	-	-	-	-
CPF19C1907A	0.10	250362	-	-	-	-	0.10	0.11	-	-	-	-
CPF24C1903A	0.06	210262	-	-	-	-	-	0.09	-	-	-	-
CPF24C1904A	0.28	190362	-	-	-	-	0.27	0.30	-	-	-	-
CPF24P1909A	0.36											

Foreign Board Quotation

Issue Date : Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (’000)	Average Price
	Price	Date										
CPN08C1903A	0.01	180362	-	-	-	-	-	0.01	-	-	-	-
CPN11C1903A	0.02	130362	-	-	-	-	0.01	0.02	-	-	-	-
CPN11C1910A	0.31	250362	-	0.32	0.30	0.32	0.31	0.32	0.01	14,291.00	439.00	-
CPN11P1903A	0.01	150362	-	-	-	-	0.01	0.03	-	-	-	-
CPN13C1903A	0.01	80362	-	-	-	-	-	0.01	-	-	-	-
CPN13C1906A	0.22	250362	-	0.22	0.20	0.21	0.21	0.22	(0.01)	62,672.00	1,304.00	-
CPN19C1906A	0.31	250362	-	0.31	0.28	0.30	0.30	0.31	(0.01)	60,671.00	1,790.00	-
CPN23C1906A	0.10	250362	-	-	-	-	0.09	0.10	-	-	-	-
CPN24C1904A	0.05	200362	-	-	-	-	0.03	0.04	-	-	-	-
CPN24C1909A	0.47	250362	-	0.48	0.45	0.48	0.47	0.48	0.01	10,568.00	488.00	-
CPN24P1907A	0.39	250362	-	0.38	0.37	0.38	0.37	0.38	(0.01)	3,510.00	133.00	-
CPN27C1903A	0.01	60362	-	-	-	-	0.01	0.02	-	-	-	-
CPN28C1904A	0.01	190362	-	-	-	-	0.01	0.03	-	-	-	-
CPN41C1907A	0.25	250362	-	0.25	0.25	0.25	0.24	0.25	-	11,980.00	300.00	-
CPN41P1908A	0.48	250362	-	0.50	0.48	0.49	0.48	0.49	0.01	12,155.00	596.00	-
DELT06C1903A	0.53	250362	-	-	-	-	0.53	0.54	-	-	-	-
DTAC01C1905A	0.51	250362	0.50	0.56	0.50	0.55	0.54	0.55	0.04	95,271.00	5,063.00	-
DTAC01C1905B	0.31	250362	-	0.35	0.30	0.34	0.33	0.34	0.03	125,172.00	4,128.00	-
DTAC01P1905A	0.41	250362	0.40	0.41	0.36	0.37	0.36	0.37	(0.04)	36,542.00	1,380.00	-
DTAC06C1903A	0.08	250362	-	0.11	0.06	0.11	0.09	0.10	0.03	11,500.00	90.00	-
DTAC06C1908A	0.53	250362	-	0.58	0.52	0.57	0.56	0.57	0.04	11,400.00	629.00	-
DTAC06P1903A	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	37,100.00	37.00	-
DTAC06P1908A	0.68	250362	-	0.68	0.63	0.63	0.62	0.63	(0.05)	10,480.00	683.00	-
DTAC07C1909A	0.55	220362	-	0.53	0.53	0.53	0.52	0.53	(0.02)	2.00	-	-
DTAC08C1903A	0.04	200362	-	-	-	-	0.03	0.04	-	-	-	-
DTAC08P1906A	0.16	250362	-	0.16	0.14	0.14	0.14	0.15	(0.02)	7,694.00	108.00	-
DTAC11C1904A	0.09	250362	-	0.10	0.10	0.10	0.10	0.11	0.01	3,612.00	36.00	-
DTAC13C1904A	0.24	250362	-	0.28	0.23	0.27	0.27	0.28	0.03	87,091.00	2,231.00	-
DTAC13P1903A	0.01	220362	-	-	-	-	-	0.01	-	-	-	-
DTAC13P1907A	0.35	250362	-	0.34	0.31	0.32	0.32	0.33	(0.03)	20,554.00	660.00	-
DTAC19C1904A	0.34	250362	-	0.39	0.35	0.39	0.38	0.39	0.05	23,606.00	889.00	-
DTAC19C1908A	0.37	250362	-	0.40	0.37	0.40	0.40	0.41	0.03	69,342.00	2,702.00	-
DTAC19P1906A	0.06	250362	-	-	-	-	0.06	0.07	-	-	-	-
DTAC23C1906A	0.26	250362	-	0.29	0.26	0.29	0.28	0.29	0.03	9,000.00	243.00	-
DTAC24C1906A	0.55	250362	-	0.58	0.58	0.58	0.59	0.61	0.03	54.00	3.00	-
DTAC27C1903A	0.03	200362	-	-	-	-	0.01	0.02	-	-	-	-
DTAC27P1903A	0.06	140262	-	-	-	-	0.01	0.02	-	-	-	-
DTAC28C1905A	0.45	130362	-	-	-	-	0.32	0.36	-	-	-	-
DTAC28C1908A	0.38	250362	-	0.42	0.39	0.42	0.42	0.43	0.04	45,590.00	1,849.00	-
DTAC41C1906A	0.59	250362	-	0.64	0.60	0.64	0.63	0.64	0.05	16,000.00	1,008.00	-
DTAC41C1908A	0.34	250362	-	-	-	-	0.37	0.38	-	-	-	-
DTAC41P1908A	0.55	250362	-	-	-	-	0.51	0.52	-	-	-	-
DTAC42C1903A	0.01	250362	-	-	-	-	-	-	-	-	-	-
EA06C1907A	0.40	250362	-	0.40	0.39	0.39	0.39	0.40	(0.01)	58,250.00	2,310.00	-
EA07C1903A	0.41	210362	-	-	-	-	-	-	-	-	-	-
EA07C1910A	0.61	250362	-	0.61	0.61	0.61	0.60	0.61	-	11.00	1.00	-
EA08C1903A	0.06	250362	0.03	0.03	0.03	0.03	0.04	0.05	(0.03)	3,242.00	10.00	-
EA08C1903B	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
EA08C1908A	0.45	250362	-	0.46	0.45	0.45	0.46	0.47	-	45,050.00	2,060.00	-
EA11C1911A	0.74	250362	-	0.74	0.73	0.73	0.74	0.75	(0.01)	24,412.00	1,804.00	-
EA13C1903A	0.01	210362	-	-	-	-	-	0.01	-	-	-	-
EA13C1905A	0.24	250362	-	0.25	0.24	0.25	0.24	0.25	0.01	21,022.00	516.00	-
EA13P1906A	0.33	250362	-	0.33	0.32	0.32	0.32	0.33	(0.01)	38,763.00	1,248.00	-
EA19C1907A	0.43	250362	-	0.45	0.43	0.45	0.44	0.45	0.02	124,961.00	5,493.00	-
EA19C1908A	1.00	0	-	0.36	0.35	0.36	0.36	0.37	(0.64)	102,633.00	3,678.00	-
EA19P1906A	0.19	250362	-	0.18	0.18	0.18	0.18	0.19	(0.01)	214,700.00	3,865.00	-
EA24C1905A	0.50	250362	-	0.51	0.50	0.51	0.51	0.52	0.01	11,591.00	589.00	-
EA27C1908A	0.42	250362	-	0.43	0.42	0.43	0.43	0.44	0.01	17,050.00	731.00	-
EA27P1908A	0.50	250362	-	0.50	0.49	0.49	0.49	0.50	(0.01)	12,000.00	588.00	-
EA28C1905A	0.18	250362	-	0.19	0.18	0.18	0.18	0.19	-	17,429.00	318.00	-
EA41C1907A	0.41	250362	-	-	-	-	0.41	0.42	-	-	-	-
EA41C1910A	0.45	250362	-	0.45	0.45	0.45	0.45	0.46	-	8,000.00	360.00	-
EA41C1910B	0.45	220362	-	-	-	-	0.42	0.43	-	-	-	-
EA41P1907A	0.69	250362	-	0.69	0.69	0.69	0.68	0.69	-	4,000.00	276.00	-
EGCO01C1903A	1.20	250362	-	1.20	1.20	1.20	1.22	1.24	-	8.00	1.00	1.00
EGCO01C1903E	0.85	250362	-	0.90	0.90	0.90	0.92	0.96	0.05	500.00	45.00	-
EGCO01C1909A	0.79	250362	0.80	0.83	0.79	0.83	0.82	0.83	0.04	20,306.00	1,638.00	-
EGCO01C1909E	0.65	250362	0.66	0.69	0.65	0.69	0.69	0.70	0.04	24,201.00	1,623.00	-
EGCO13C1907A	0.76	250362	-	0.80	0.74	0.80	0.80	0.82	0.04	779.00	61.00	-
EGCO19C1907A	0.75	250362	-	0.76	0.73	0.76	0.79	0.80	0.01	3,800.00	281.00	-
EGCO19C1908A	1.00	0	0.40	0.41	0.38	0.41	0.42	0.43	(0.59)	17,262.00	683.00	-
EGCO24C1908A	0.85	250362	-	-	-	-	0.89	0.90	-	-	-	-
EGCO27C1910A	0.60	250362	0.60	0.62	0.59	0.62	0.62	0.63	0.02	11,201.00	678.00	-
EPG01C1903A	0.01	210362	-	0.01	0.01	0.01	0.01	0.02	-	200.00	-	-
EPG01C1903B	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	2,000.00	2.00	-
EPG01P1903A	1.46	250362	-	1.44	1.42	1.42	1.42	1.44	(0.04)	4,574.00	654.00	1.00
EPG07C1906A	0.06	220362	-	-	-	-	0.05	0.06	-	-	-	-
EPG08C1903A	0.01	220362	-	-	-	-	0.01	0.02	-	-	-	-
EPG11C1903A	0.01	210362	-	0.01	0.01	0.01	0.01	0.02	-	300.00	-	-
EPG13C1903A	0.04	150162	-	-	-	-	-	0.02	-	-	-	-
EPG13C1905A	0.05	210362	-	-	-	-	0.04	0.05	-	-	-	-
EPG19C1904A	0.02	210362	-	-	-	-	0.01	0.02	-	-	-	-
EPG19C1908A	0.15	250362	-	0.16	0.15	0.15	0.14	0.15	-	18,581.00	279.00	-
EPG24C1908A	0.17	250362	0.19	0.19	0.19	0.19	0.19	0.20	0.02	710.00	13.00	-
EPG28C1904A	0.05	40362	-	-	-	-	0.01	0.03	-	-	-	-
ERW06C1907A	0.24	250362	-	0.26	0.25	0.25	0.24	0.25	0.01	5,864.00	151.00	-
ERW11C2001A	0.37	250362	-	0.39	0.39	0.39	0.38	0.39	0.02	14,319.00	558.00	-
ERW13C1906A	0.31	250362	-	0.33	0.33	0.33	0.31	0.33	0.02	16,560.00	546.00	-
ERW19C1906A	0.46	250362	-	0.48	0.48	0.48	0.47	0.48	0.02	900.00	43.00	-
ERW19C1908A	1.00	0	-	-	-	-	0.25	0.26	-	-	-	-
ERW24C1904A	0.03	250362	-	-	-	-	0.03	0.04	-	-	-	-
ERW24C1909A	0.39	190362	-	0.36	0.36	0.36	0.35	0.36	(0.03)	40.00	1.00	-
ERW27C1910A	0.37	250362	-	0.39	0.39	0.39	0.38	0.39	0.02	8,400.00	328.00	-
ESSO01C1906A	0.16	250362	0.16	0.16	0.15	0.15	0.15	0.16	(0.01)	92,006.00	1,452.00	-
ESSO01C1906B	0.09	250362	0.08	0.09	0.08	0.08	0.07	0.08	(0.01)	1,941.00	16.00	-
ESSO01P1906A	0.62	250362	-	0.67	0.64	0.64	0.64	0.65	0.02	13,452.00	882.00	-
ESSO08C1908A	0.22	250362	0.23	0.23	0.20	0.21	0.21	0.22	(0.01)	36,729.00	785.00	-
ESSO11C1905A	0.08	250362	-	-	-	-	0.07	0.08	-	-	-	-
ESSO13C1903A	0.01	270262	-	-	-	-	-	0.01	-	-	-	-
ESSO13C1905A	0.06	210362	-	0.04	0.04	0.04	0.04	0.05	(0.02)	100.00	-	-
ESSO13C1906A	0.17	250362	-	0.16	0.14	0.15	0.15	0.16	(0.02)	39,144.00	580.00	-
ESSO19C1906A	0.14	250362	-	0.14	0.13	0.14	0.14	0.15	-	22,206.00	305.00	-
ESSO24C1907A	0.25	250362	-									

## Foreign Board Quotation

Issue Date : Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
GGC13C1905A	0.10	220362	-	0.09	0.09	0.09	0.09	0.10	(0.01)	10,766.00	97.00	-
GGC13C1908A	0.20	250362	-	0.20	0.20	0.20	0.20	0.21	-	28,886.00	578.00	-
GGC19C1906A	0.54	250362	0.54	0.54	0.54	0.54	0.54	0.56	-	2,200.00	119.00	-
GGC28C1905A	0.09	250362	-	-	-	-	0.09	0.10	-	-	-	-
GGC28C1907A	0.40	250362	-	0.40	0.40	0.40	0.40	0.42	-	3,078.00	123.00	-
GLOB01C1903A	0.18	250362	0.17	0.20	0.17	0.18	0.18	0.19	-	23,101.00	413.00	-
GLOB01C1903B	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
GLOB01C1909A	0.49	250362	-	0.50	0.48	0.49	0.49	0.50	-	56,753.00	2,802.00	-
GLOB01C1909B	0.32	250362	-	0.34	0.32	0.33	0.32	0.33	0.01	51,854.00	1,730.00	-
GLOB11C1906A	0.09	250362	-	0.10	0.10	0.10	0.09	0.10	0.01	8,240.00	82.00	-
GLOB13C1906A	0.24	250362	-	0.26	0.24	0.25	0.25	0.26	0.01	56,698.00	1,430.00	-
GLOB19C1907A	0.30	250362	-	0.31	0.29	0.30	0.30	0.31	-	19,110.00	586.00	-
GLOB23C1906A	0.18	220362	-	0.13	0.13	0.13	0.12	0.13	(0.05)	2,000.00	26.00	-
GLOB24C1903A	0.02	300162	-	-	-	-	-	0.01	-	-	-	-
GLOB24C1906A	0.11	80362	-	-	-	-	0.08	0.09	-	-	-	-
GLOB24C1908A	0.27	250362	-	0.29	0.29	0.29	0.28	0.29	0.02	3,000.00	87.00	-
GLOB41C1908A	0.15	250362	-	-	-	-	0.15	0.16	-	-	-	-
GLOW13C1905A	0.44	220362	-	-	-	-	0.42	0.43	-	-	-	-
GLOW19C1906A	0.88	220362	-	-	-	-	0.86	0.87	-	-	-	-
GOLD19C1906A	0.59	220362	-	-	-	-	0.57	0.58	-	-	-	-
GPSC01C1905A	0.47	250362	-	0.47	0.44	0.45	0.45	0.46	(0.02)	20,867.00	944.00	-
GPSC01C1905B	0.27	250362	-	0.27	0.25	0.26	0.26	0.27	(0.01)	14,622.00	379.00	-
GPSC06C1903A	0.02	250362	-	-	-	-	0.01	0.02	-	-	-	-
GPSC08C1906A	0.32	250362	-	0.32	0.31	0.31	0.32	0.33	(0.01)	4,832.00	151.00	-
GPSC11C1909A	0.33	250362	-	0.33	0.32	0.33	0.33	0.34	-	7,014.00	229.00	-
GPSC13C1903A	0.01	70362	-	-	-	-	-	-	-	-	-	-
GPSC13C1904A	0.04	250362	-	0.03	0.03	0.03	0.03	0.05	(0.01)	3,000.00	9.00	-
GPSC13C1908A	0.41	250362	-	0.41	0.40	0.41	0.41	0.42	-	14,350.00	579.00	-
GPSC19C1905A	0.35	250362	-	0.34	0.32	0.33	0.34	0.35	(0.02)	5,078.00	167.00	-
GPSC19C1907A	0.21	250362	-	0.21	0.20	0.21	0.21	0.22	-	8,606.00	175.00	-
GPSC23C1906A	0.20	150362	-	0.14	0.13	0.13	0.13	0.14	(0.07)	1,797.00	24.00	-
GPSC24C1904A	0.03	190362	-	-	-	-	0.01	0.02	-	-	-	-
GPSC24C1904B	0.13	200362	-	-	-	-	0.10	0.11	-	-	-	-
GPSC27C1909A	0.27	250362	-	0.26	0.26	0.26	0.26	0.27	(0.01)	6,000.00	156.00	-
GPSC28C1904A	0.04	220362	-	0.01	0.01	0.01	0.01	0.05	(0.03)	4,000.00	4.00	-
GPSC41C1908A	0.19	250362	-	-	-	-	0.18	0.19	-	-	-	-
GULF01C1906A	0.99	250362	0.99	1.12	0.99	1.12	1.11	1.12	0.13	105,663.00	11,080.00	1.00
GULF01C1906B	0.80	250362	0.80	0.96	0.80	0.96	0.94	0.96	0.16	141,632.00	12,104.00	-
GULF01P1906A	0.53	250362	-	0.52	0.45	0.45	0.44	0.45	(0.08)	47,514.00	2,350.00	-
GULF06C1909A	0.81	250362	0.80	0.86	0.80	0.86	0.92	0.93	0.05	13,806.00	1,175.00	-
GULF07C1910A	1.06	250362	-	-	-	-	-	-	-	-	-	-
GULF08C1906A	0.70	250362	-	0.82	0.71	0.82	0.83	0.84	0.12	46,755.00	3,453.00	-
GULF11C1908A	0.71	250362	-	0.79	0.71	0.79	0.80	0.81	0.08	45,010.00	3,324.00	-
GULF13C1906A	0.77	250362	0.77	0.88	0.77	0.88	0.88	0.89	0.11	651,138.00	52,417.00	-
GULF13P1905A	0.19	250362	-	0.18	0.15	0.15	0.14	0.15	(0.04)	72,717.00	1,170.00	-
GULF19C1906A	0.94	250362	-	1.07	0.96	1.06	1.09	1.10	0.12	30,596.00	3,098.00	1.00
GULF19C1908A	0.62	250362	-	0.70	0.62	0.69	0.71	0.72	0.07	148,104.00	9,753.00	-
GULF23C1905A	0.40	250362	-	0.49	0.42	0.49	0.50	0.52	0.09	15,155.00	677.00	-
GULF24C1908A	0.83	250362	-	0.98	0.85	0.98	0.97	0.98	0.15	8,688.00	774.00	-
GULF28C1906A	0.83	210362	-	-	-	-	0.86	0.89	-	-	-	-
GULF28C1908A	0.49	250362	0.51	0.57	0.49	0.57	0.57	0.58	0.08	55,060.00	2,853.00	-
GULF41C1906A	0.76	250362	-	0.81	0.76	0.81	0.87	0.88	0.05	56,000.00	4,356.00	-
GULF41C1910A	1.00	0	-	0.77	0.73	0.77	0.76	0.78	(0.23)	220.00	16.00	-
GULF41C1910B	1.00	0	-	-	-	-	0.69	0.71	-	-	-	-
GULF41P1908A	0.61	250362	-	0.60	0.58	0.58	0.53	0.54	(0.03)	16,000.00	944.00	-
GUNK11C1903A	0.01	60362	-	-	-	-	0.01	0.03	-	-	-	-
GUNK11C1911A	0.33	250362	-	0.31	0.31	0.31	0.32	0.33	(0.02)	1,856.00	58.00	-
GUNK13C1905A	0.20	250362	-	0.20	0.20	0.20	0.20	0.21	-	5,300.00	106.00	-
GUNK19C1903A	0.12	250362	-	-	-	-	0.11	0.12	-	-	-	-
GUNK19C1906A	0.18	250362	0.19	0.19	0.17	0.18	0.18	0.19	-	2,030.00	36.00	-
GUNK23C1907A	0.13	250362	-	-	-	-	0.12	0.14	-	-	-	-
GUNK24C1903A	0.10	270262	-	-	-	-	-	0.09	-	-	-	-
GUNK24C1909A	0.45	250362	-	-	-	-	0.46	0.48	-	-	-	-
GUNK27C1905A	0.15	250362	-	-	-	-	0.15	0.16	-	-	-	-
GUNK28C1906A	0.21	250362	-	0.21	0.21	0.21	0.21	0.22	-	4,000.00	84.00	-
HANA01C1905A	0.10	250362	0.10	0.11	0.10	0.10	0.09	0.10	-	31,404.00	345.00	-
HANA01C1905B	0.05	250362	-	0.04	0.04	0.04	0.04	0.05	(0.01)	80.00	-	-
HANA08C1903A	0.04	220262	-	-	-	-	0.01	0.02	-	-	-	-
HANA11C1904A	0.06	130262	-	0.02	0.02	0.02	0.01	0.03	(0.04)	2.00	-	-
HANA11C1911A	0.25	250362	-	0.28	0.26	0.26	0.25	0.26	0.01	8,924.00	237.00	-
HANA13C1905A	0.08	190362	-	-	-	-	0.03	0.05	-	-	-	-
HANA13C1906A	0.19	250362	-	0.22	0.19	0.19	0.19	0.20	-	38,874.00	791.00	-
HANA19C1906A	0.18	250362	-	0.19	0.17	0.17	0.17	0.18	(0.01)	11,123.00	209.00	-
HANA24C1903A	0.06	131261	-	-	-	-	-	0.01	-	-	-	-
HANA24C1907A	0.17	250362	-	-	-	-	0.16	0.17	-	-	-	-
HANA28C1904A	0.02	210362	-	-	-	-	0.01	0.03	-	-	-	-
HMPR01C1908A	0.33	250362	0.34	0.35	0.34	0.34	0.34	0.35	0.01	38,988.00	1,354.00	-
HMPR01C1908E	0.24	250362	0.24	0.25	0.24	0.24	0.24	0.25	-	70,865.00	1,742.00	-
HMPR01P1908A	0.48	250362	-	0.48	0.47	0.47	0.47	0.48	(0.01)	29,988.00	1,422.00	-
HMPR11C1906A	0.08	250362	-	-	-	-	0.07	0.08	-	-	-	-
HMPR13C1905A	0.08	250362	-	0.08	0.08	0.08	0.08	0.09	-	8,000.00	64.00	-
HMPR19C1907A	0.19	250362	-	0.20	0.19	0.20	0.19	0.20	0.01	47,113.00	934.00	-
HMPR24C1907A	0.19	250362	-	0.18	0.18	0.18	0.17	0.18	(0.01)	33.00	1.00	-
HMPR27C1905A	0.16	250362	-	0.17	0.16	0.17	0.16	0.17	0.01	5,960.00	100.00	-
HMPR27P1905A	0.16	250362	-	0.16	0.15	0.15	0.15	0.17	(0.01)	1,350.00	21.00	-
HMPR41C1907A	0.20	250362	-	0.20	0.19	0.20	0.18	0.19	-	12,000.00	238.00	-
INTU01C1903A	0.46	250362	0.47	0.47	0.43	0.46	0.46	0.47	-	21,669.00	950.00	-
INTU01C1903B	0.02	210362	-	-	-	-	0.01	0.02	-	-	-	-
INTU01C1907A	0.75	250362	0.75	0.77	0.74	0.77	0.77	0.78	0.02	84,789.00	6,360.00	-
INTU01C1907B	0.58	250362	-	0.59	0.55	0.59	0.59	0.61	0.01	44,376.00	2,538.00	-
INTU01P1903A	0.20	250362	0.22	0.24	0.22	0.22	0.18	0.19	0.02	11,572.00	268.00	-
INTU01P1903B	0.02	250362	-	0.02	0.01	0.02	0.01	0.02	-	231.00	-	-
INTU01P1907A	0.39	250362	0.40	0.41	0.38	0.38	0.37	0.38	(0.01)	46,004.00	1,857.00	-
INTU01P1907B	0.22	250362	-	0.23	0.22	0.22	0.20	0.21	-	46,614.00	1,042.00	-
INTU11C1905A	0.07	250362	-	-	-	-	0.08	0.09	-	-	-	-
INTU11C2001A	0.55	250362	-	0.55	0.53	0.55	0.56	0.57	-	8,650.00	469.00	-
INTU11P1905A	0.02	150362	-	-	-	-	0.01	0.02	-	-	-	-
INTU13C1904A	0.32	250362	-	0.33	0.28	0.33	0.33	0.34	0.01	105,809.00	3,102.00	-
INTU13C1908A	0.46	250362	-	0.47	0.43	0.47	0.47	0.48	0.01	118,501.00	5,202.00	-
INTU19C1906A	0.72	220362	-	0.69	0.69	0.69	0.71	0.72	(0.03)	1,700.00	117.00	-
INTU19C1907A	0.30	250362	0.30	0.32	0.29	0.32	0.32	0.33	0.02	41,043.00	1,270.00	-
INTU24C1909A	0.37	250362	-	0.40	0.38	0.40						

## Foreign Board Quotation

Issue Date : Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
IRPC01P1903A	0.68	250362	0.66	0.68	0.66	0.66	0.64	0.66	(0.02)	45,006.00	3,057.00	-
IRPC01P1903B	0.34	250362	0.31	0.34	0.31	0.31	0.31	0.32	(0.03)	36,515.00	1,230.00	-
IRPC06C1903A	0.01	180362	-	0.01	0.01	0.01	0.01	0.02	-	201.00	-	-
IRPC06C1907A	0.15	250362	-	0.16	0.15	0.15	0.15	0.16	-	26,115.00	393.00	-
IRPC06P1907A	0.17	250362	-	0.16	0.16	0.16	0.14	0.15	(0.01)	16,000.00	256.00	-
IRPC11C1905A	0.06	80362	-	-	-	-	0.03	0.04	-	-	-	-
IRPC11C2001A	0.25	250362	-	0.25	0.25	0.25	0.26	0.27	-	14,420.00	361.00	-
IRPC13C1903A	0.01	150362	-	-	-	-	-	-	-	-	-	-
IRPC13C1906A	0.12	250362	-	0.13	0.12	0.13	0.13	0.14	0.01	9,700.00	125.00	-
IRPC19C1905A	0.12	250362	-	0.12	0.11	0.12	0.12	0.13	-	3,483.00	39.00	-
IRPC24C1904A	0.05	50362	-	-	-	-	0.02	0.03	-	-	-	-
IRPC24C1909A	0.20	250362	0.21	0.21	0.20	0.20	0.21	0.22	-	11,100.00	222.00	-
IRPC27C1903A	0.04	140262	-	-	-	-	0.01	0.02	-	-	-	-
IRPC27P1905A	0.24	250362	-	0.24	0.23	0.23	0.23	0.24	(0.01)	12,600.00	302.00	-
IRPC28C1904A	0.05	10362	-	-	-	-	0.01	0.04	-	-	-	-
IRPC41C1907A	0.14	250362	-	-	-	-	0.14	0.15	-	-	-	-
ITD06C1904A	0.02	210362	-	-	-	-	0.01	0.02	-	-	-	-
ITD11C1903A	0.01	250362	-	-	-	-	0.01	0.03	-	-	-	-
ITD13C1908A	0.14	250362	-	0.15	0.14	0.14	0.14	0.15	-	8,203.00	120.00	-
ITD19C1903A	0.04	200262	-	-	-	-	-	0.02	-	-	-	-
ITD19C1906A	0.13	250362	-	0.14	0.13	0.14	0.13	0.14	0.01	4,928.00	69.00	-
ITD28C1907A	0.10	250362	-	0.11	0.10	0.11	0.11	0.12	0.01	301,360.00	3,315.00	-
IVL01C1903A	0.01	250362	0.01	0.02	0.01	0.01	0.01	0.02	-	29,376.00	29.00	-
IVL01C1903B	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	3,441.00	3.00	-
IVL01C1905A	0.15	250362	0.16	0.17	0.16	0.17	0.16	0.17	0.02	249,623.00	4,123.00	-
IVL01C1905B	0.05	250362	0.05	0.06	0.05	0.06	0.06	0.07	0.01	7,700.00	40.00	-
IVL01C1908A	0.56	250362	0.55	0.58	0.54	0.58	0.57	0.58	0.02	331,221.00	18,535.00	-
IVL01C1908B	0.40	250362	0.40	0.43	0.39	0.43	0.42	0.43	0.03	435,057.00	17,827.00	-
IVL01P1903A	1.26	250362	-	1.28	1.22	1.22	1.20	1.22	(0.04)	32,627.00	4,142.00	1.00
IVL01P1903B	0.62	250362	-	0.67	0.55	0.55	0.52	0.55	(0.07)	38,643.00	2,423.00	-
IVL01P1905A	0.73	250362	-	0.75	0.68	0.69	0.68	0.69	(0.04)	92,119.00	6,722.00	-
IVL01P1908A	0.67	250362	-	0.69	0.65	0.65	0.64	0.65	(0.02)	221,363.00	14,895.00	-
IVL01P1908B	0.48	250362	-	0.48	0.44	0.45	0.44	0.45	(0.03)	154,929.00	7,315.00	-
IVL06C1903A	0.01	220362	-	0.01	0.01	0.01	0.01	0.02	-	4,085.00	4.00	-
IVL06C1906A	0.26	250362	0.26	0.29	0.25	0.29	0.28	0.29	0.03	43,722.00	1,203.00	-
IVL07C1906A	0.14	200362	-	-	-	-	0.13	0.14	-	-	-	-
IVL08C1905A	0.06	250362	-	-	-	-	0.05	0.06	-	-	-	-
IVL08C1907A	0.30	250362	-	0.32	0.30	0.32	0.32	0.33	0.02	48,240.00	1,488.00	-
IVL08P1903A	0.24	250362	-	0.22	0.14	0.14	0.16	0.18	(0.10)	3,028.00	64.00	-
IVL11C1906A	0.05	220362	-	-	-	-	0.03	0.05	-	-	-	-
IVL11C1911A	0.44	250362	0.45	0.47	0.43	0.47	0.47	0.48	0.03	63,259.00	2,856.00	-
IVL13C1904A	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
IVL13C1906A	0.21	250362	0.21	0.23	0.20	0.23	0.23	0.24	0.02	230,597.00	4,978.00	-
IVL13P1906A	0.56	250362	-	0.58	0.52	0.53	0.53	0.54	(0.03)	67,219.00	3,736.00	-
IVL19C1903A	0.01	110362	-	-	-	-	-	0.01	-	-	-	-
IVL19C1907A	0.38	250362	0.39	0.41	0.38	0.41	0.40	0.41	0.03	134,225.00	5,315.00	-
IVL19C1908A	0.27	250362	-	0.29	0.27	0.29	0.29	0.30	0.02	206,218.00	5,745.00	-
IVL19P1903A	0.01	210362	-	-	-	-	-	0.02	-	-	-	-
IVL19P1908A	0.26	250362	-	0.26	0.24	0.24	0.24	0.25	(0.02)	191,511.00	4,861.00	-
IVL23C1906A	0.09	250362	-	0.09	0.09	0.09	0.08	0.09	-	50.00	-	-
IVL24C1906A	0.07	250362	-	-	-	-	0.06	0.07	-	-	-	-
IVL24C1907A	0.27	250362	-	0.29	0.26	0.29	0.29	0.30	0.02	3,140.00	86.00	-
IVL24P1906A	0.62	250362	-	-	-	-	0.58	0.59	-	-	-	-
IVL27C1912A	0.56	250362	-	0.58	0.55	0.58	0.58	0.59	0.02	48,240.00	2,697.00	-
IVL27P1907A	0.25	250362	-	0.25	0.24	0.24	0.24	0.25	(0.01)	21,000.00	522.00	-
IVL28C1906A	0.23	250362	-	0.25	0.22	0.25	0.25	0.26	0.02	105,218.00	2,458.00	-
IVL28C1908A	0.20	250362	-	0.21	0.19	0.21	0.21	0.22	0.01	79,960.00	1,575.00	-
IVL28P1904A	0.04	210362	-	-	-	-	0.02	0.05	-	-	-	-
IVL28P1909A	0.46	250362	-	0.46	0.45	0.46	0.43	0.44	-	16,208.00	742.00	-
IVL41C1906A	0.08	250362	-	-	-	-	0.09	0.10	-	-	-	-
IVL41P1907A	0.29	250362	-	-	-	-	0.27	0.28	-	-	-	-
IVL42C1903A	0.02	250262	-	-	-	-	-	-	-	-	-	-
KBAN01C1904A	0.11	250362	0.12	0.12	0.12	0.12	0.12	0.13	0.01	49,245.00	591.00	-
KBAN01C1904B	0.01	210362	-	0.01	0.01	0.01	0.01	0.02	-	330.00	-	-
KBAN01C1907A	0.81	250362	-	0.85	0.81	0.85	0.84	0.85	0.04	63,908.00	5,284.00	-
KBAN01C1907B	0.53	250362	0.54	0.57	0.53	0.57	0.56	0.57	0.04	146,777.00	7,980.00	-
KBAN01P1904A	0.78	250362	-	0.77	0.74	0.74	0.73	0.74	(0.04)	31,131.00	2,374.00	-
KBAN01P1904B	0.31	250362	0.30	0.30	0.28	0.28	0.27	0.28	(0.03)	74,900.00	2,223.00	-
KBAN01P1907A	0.54	250362	0.53	0.53	0.50	0.50	0.49	0.50	(0.04)	47,792.00	2,501.00	-
KBAN06C1903A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
KBAN07C1908A	0.39	250362	-	0.40	0.40	0.40	-	0.40	0.01	23.00	1.00	-
KBAN08C1903A	0.01	220362	-	-	-	-	-	0.01	-	-	-	-
KBAN08C1906A	0.47	250362	-	0.51	0.47	0.50	0.51	0.52	0.03	24,250.00	1,174.00	-
KBAN08C1908A	0.19	250362	-	0.20	0.19	0.20	0.20	0.21	0.01	10,280.00	200.00	-
KBAN13C1904A	0.01	210362	-	-	-	-	-	0.05	-	-	-	-
KBAN13C1904B	0.07	220362	-	0.05	0.04	0.05	0.05	0.06	(0.02)	1,750.00	9.00	-
KBAN13C1906A	0.52	250362	-	0.55	0.51	0.55	0.55	0.56	0.03	113,158.00	5,949.00	-
KBAN13P1905A	0.26	250362	-	0.26	0.23	0.23	0.23	0.24	(0.03)	69,001.00	1,766.00	-
KBAN19C1906A	0.46	250362	-	0.49	0.46	0.49	0.49	0.50	0.03	96,528.00	4,557.00	-
KBAN19P1904A	0.13	250362	-	0.12	0.11	0.11	0.10	0.11	(0.02)	53,389.00	632.00	-
KBAN23C1906A	0.22	250362	-	0.24	0.22	0.24	0.24	0.25	0.02	25,200.00	565.00	-
KBAN24C1903A	0.01	60262	-	-	-	-	-	0.01	-	-	-	-
KBAN24C1907A	0.55	250362	-	0.58	0.56	0.58	0.59	0.60	0.03	270.00	16.00	-
KBAN24C1908A	0.26	250362	-	0.26	0.25	0.26	0.27	0.28	-	909.00	23.00	-
KBAN24P1907A	0.30	60362	-	-	-	-	0.21	0.22	-	-	-	-
KBAN27C1903A	0.02	270262	-	-	-	-	0.01	0.02	-	-	-	-
KBAN27P1904A	0.26	250362	-	0.26	0.23	0.23	0.23	0.24	(0.03)	8,100.00	208.00	-
KBAN28C1904A	0.01	70362	-	-	-	-	0.01	0.03	-	-	-	-
KBAN28C1905A	0.08	250362	-	0.08	0.08	0.08	0.09	0.11	-	2,200.00	18.00	-
KBAN28C1906A	0.41	250362	0.43	0.44	0.41	0.43	0.44	0.45	0.02	48,614.00	2,054.00	-
KBAN28C1907A	0.11	250362	-	0.11	0.11	0.11	0.11	0.12	-	8,058.00	89.00	-
KBAN28P1904A	0.19	120362	-	-	-	-	0.11	0.15	-	-	-	-
KBAN28P1909A	0.63	250362	-	0.64	0.61	0.61	0.61	0.62	(0.02)	38,694.00	2,449.00	-
KBAN41C1906A	0.47	210362	-	0.45	0.44	0.44	0.47	0.48	(0.03)	8,000.00	354.00	-
KBAN41P1908A	0.66	250362	-	-	-	-	0.61	0.62	-	-	-	-
KCE01C1903A	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	35,366.00	35.00	-
KCE01C1903B	0.01	180362	-	0.01	0.01	0.01	0.01	0.02	-	28,869.00	29.00	-
KCE01C1906A	0.14	250362	0.15	0.15	0.14	0.15	0.14	0.15	0.01	121,139.00	1,817.00	-
KCE01C1906B	0.08	250362	-	0.09	0.08	0.09	0.08	0.09	0.01	14,631.00	121.00	-
KCE06C1903A	0.01	210362	-	0.01	0.01	0.01	0.01	0.02	-	938.00	1.00	-
KCE06C1908A	0.21	250362	-	0.22	0.20	0.20	0.20	0.21	(0.01)	11,400.00		

## Foreign Board Quotation

Issue Date : Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
KCE24C1906A	0.15	250362	-	0.15	0.15	0.15	0.15	0.16	-	40.00	1.00	-
KCE28C1904A	0.01	150262	-	-	-	-	0.01	0.02	-	-	-	-
KCE28C1905A	0.04	250362	-	-	-	-	0.03	0.04	-	-	-	-
KCE28C1907A	0.16	220362	-	0.16	0.15	0.15	0.15	0.16	(0.01)	10,140.00	161.00	-
KCE41C1907A	0.13	250362	-	-	-	-	0.14	0.15	-	-	-	-
KKP01C1907A	0.57	250362	-	0.60	0.58	0.59	0.58	0.59	0.02	14,760.00	866.00	-
KKP01C1907B	0.43	250362	-	0.45	0.43	0.44	0.43	0.44	0.01	21,610.00	952.00	-
KKP01P1907A	0.48	250362	0.47	0.48	0.46	0.46	0.46	0.47	(0.02)	33,229.00	1,578.00	-
KKP08C1904A	0.04	220362	-	-	-	-	0.03	0.04	-	-	-	-
KKP11C1903A	0.01	220362	-	-	-	-	0.01	0.04	-	-	-	-
KKP11C1911A	0.45	250362	-	0.46	0.45	0.45	0.45	0.47	-	18,000.00	815.00	-
KKP13C1903A	0.06	10362	-	-	-	-	-	-	-	-	-	-
KKP13C1906A	0.41	250362	0.39	0.42	0.39	0.41	0.41	0.42	-	140,983.00	5,724.00	-
KKP19C1906A	0.47	250362	0.48	0.49	0.47	0.48	0.48	0.49	0.01	14,632.00	706.00	-
KKP24C1906A	0.21	260262	-	-	-	-	0.11	0.12	-	-	-	-
KKP24C1909A	0.46	220362	-	-	-	-	0.44	0.45	-	-	-	-
KKP27P1908A	0.34	250362	-	0.35	0.34	0.34	0.34	0.35	-	15,254.00	532.00	-
KKP28C1905A	0.10	250362	-	0.10	0.10	0.10	0.10	0.11	-	4,052.00	41.00	-
KTB01C1903A	0.07	220362	0.03	0.04	0.03	0.04	0.04	0.05	(0.03)	578.00	2.00	-
KTB01C1903B	0.02	140362	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	500.00	1.00	-
KTB01C1909A	0.41	250362	0.41	0.42	0.41	0.42	0.42	0.43	0.01	20,079.00	842.00	-
KTB01C1909B	0.27	250362	-	0.29	0.27	0.27	0.28	0.29	-	76,242.00	2,132.00	-
KTB01P1903A	0.41	250362	-	0.41	0.41	0.41	0.36	0.39	-	12,669.00	519.00	-
KTB01P1903B	0.10	250362	-	0.09	0.09	0.09	0.06	0.07	(0.01)	29,187.00	263.00	-
KTB01P1909A	0.51	250362	-	0.51	0.51	0.51	0.49	0.50	-	25,036.00	1,277.00	-
KTB08C1903A	0.01	60362	-	-	-	-	-	0.01	-	-	-	-
KTB11C1909A	0.10	250362	0.10	0.10	0.10	0.10	0.10	0.11	-	3,400.00	34.00	-
KTB13C1903A	0.03	210262	-	-	-	-	-	-	-	-	-	-
KTB13C1907A	0.14	250362	-	0.14	0.14	0.14	0.14	0.15	-	7,246.00	101.00	-
KTB19C1907A	0.18	250362	-	-	-	-	0.19	0.20	-	-	-	-
KTB23C1906A	0.11	250362	-	0.11	0.11	0.11	0.10	0.12	-	3.00	-	-
KTB24C1904A	0.23	281161	-	-	-	-	0.01	-	-	-	-	-
KTB24C1908A	0.17	250362	-	-	-	-	0.17	0.18	-	-	-	-
KTB24P1907A	0.18	250362	-	0.19	0.19	0.19	0.17	0.18	0.01	200.00	4.00	-
KTB27C1905A	0.08	210362	-	-	-	-	0.08	0.09	-	-	-	-
KTB41C1906A	0.10	220362	-	-	-	-	0.08	0.09	-	-	-	-
KTB42C1903A	0.03	60362	-	-	-	-	-	-	-	-	-	-
KTB42P1903A	0.09	300162	-	-	-	-	-	-	-	-	-	-
KTC01C1906A	0.49	250362	-	0.50	0.48	0.49	0.49	0.50	-	98,265.00	4,815.00	-
KTC01C1906B	0.38	250362	0.38	0.39	0.38	0.39	0.38	0.39	0.01	138,699.00	5,409.00	-
KTC08C1903A	0.04	220362	-	0.02	0.02	0.02	0.02	0.03	(0.02)	402.00	1.00	-
KTC08C1907A	0.40	250362	0.40	0.41	0.39	0.39	0.39	0.41	(0.01)	48,725.00	1,900.00	-
KTC11C1911A	0.62	250362	-	0.63	0.62	0.63	0.63	0.64	0.01	25,000.00	1,574.00	-
KTC13C1903A	0.02	200362	-	0.01	0.01	0.01	-	0.01	(0.01)	2.00	-	-
KTC13C1906A	0.26	250362	0.25	0.26	0.25	0.25	0.25	0.26	(0.01)	587,332.00	14,692.00	-
KTC19C1903A	0.01	110362	-	-	-	-	-	0.01	-	-	-	-
KTC19C1907A	0.52	250362	0.53	0.53	0.51	0.52	0.52	0.53	-	22,806.00	1,186.00	-
KTC19C1908A	1.00	0	-	0.29	0.29	0.29	0.29	0.30	(0.71)	29,396.00	852.00	-
KTC19P1903A	0.01	120362	-	-	-	-	-	0.02	-	-	-	-
KTC24C1907A	0.46	250362	-	0.47	0.45	0.47	0.45	0.47	0.01	691.00	31.00	-
KTC27C1903A	0.05	250362	-	0.04	0.03	0.04	0.04	0.05	(0.01)	6,586.00	25.00	-
KTC27P1903A	0.01	210362	-	0.01	0.01	0.01	0.01	0.02	-	2,300.00	2.00	-
KTC27P1905A	0.12	250362	0.13	0.13	0.12	0.13	0.12	0.13	0.01	3,900.00	48.00	-
KTC28C1905A	0.19	250362	-	0.19	0.19	0.19	0.19	0.20	-	6,156.00	117.00	-
KTC28C1907A	0.33	250362	-	0.34	0.34	0.34	0.34	0.35	0.01	36,420.00	1,238.00	-
KTC41C1906A	0.32	250362	-	0.33	0.33	0.33	0.33	0.34	0.01	8,280.00	273.00	-
LH01C1903A	0.04	250362	-	0.06	0.04	0.05	0.05	0.06	0.01	78,450.00	391.00	-
LH01C1903B	0.02	210262	-	-	-	-	0.01	0.02	-	-	-	-
LH01C1909A	0.24	250362	-	0.25	0.25	0.25	0.25	0.26	0.01	47,226.00	1,181.00	-
LH01C1909B	0.17	250362	-	0.18	0.18	0.18	0.18	0.19	0.01	40,366.00	727.00	-
LH01P1903A	0.36	250362	0.34	0.34	0.31	0.31	0.29	0.31	(0.05)	1,178.00	38.00	-
LH01P1909A	0.37	250362	0.35	0.35	0.35	0.35	0.33	0.34	(0.02)	8,513.00	298.00	-
LH06C1903A	0.01	150262	-	-	-	-	0.01	0.02	-	-	-	-
LH07C1908A	0.27	190362	-	-	-	-	0.28	0.30	-	-	-	-
LH11C1906A	0.03	210262	-	-	-	-	0.02	0.05	-	-	-	-
LH11C1911A	0.19	250362	-	0.21	0.20	0.20	0.20	0.21	0.01	11,010.00	220.00	-
LH13C1906A	0.17	250362	-	0.18	0.17	0.18	0.18	0.19	0.01	18,225.00	318.00	-
LH19C1906A	0.37	250362	-	0.39	0.39	0.39	0.41	0.43	0.02	2,400.00	94.00	-
LH19C1907A	0.13	250362	-	0.14	0.14	0.14	0.15	0.16	0.01	14,722.00	206.00	-
LH23C1906A	0.09	220362	-	-	-	-	0.08	0.10	-	-	-	-
LH24C1903A	0.01	211261	-	-	-	-	-	0.01	-	-	-	-
LH24C1906A	0.33	210362	-	-	-	-	-	0.42	0.44	-	-	-
LH27C1905A	0.11	250362	-	0.12	0.12	0.12	0.12	0.13	0.01	1,200.00	14.00	-
LH27P1905A	0.14	250362	-	-	-	-	0.12	0.13	-	-	-	-
LH41C1907A	0.10	220362	-	-	-	-	0.10	0.11	-	-	-	-
LPN01C1905A	0.03	210362	-	-	-	-	0.02	0.03	-	-	-	-
LPN01C1905B	0.01	130362	-	-	-	-	0.01	0.02	-	-	-	-
LPN08C1906A	0.01	280262	-	-	-	-	-	0.01	-	-	-	-
LPN08C1908A	0.25	250362	-	0.25	0.25	0.25	0.25	0.26	-	462.00	12.00	-
LPN13C1903A	0.02	50262	-	-	-	-	-	-	-	-	-	-
LPN13C1904A	0.01	190362	-	-	-	-	-	0.02	-	-	-	-
LPN13C1908A	0.35	250362	-	0.35	0.35	0.35	0.35	0.36	-	2,302.00	81.00	-
LPN19C1904A	0.02	260262	-	-	-	-	-	0.02	-	-	-	-
LPN19C1906A	0.23	250362	-	0.23	0.23	0.23	0.23	0.24	-	600.00	14.00	-
LPN24C1908A	0.06	220262	-	-	-	-	0.02	0.03	-	-	-	-
LPN28C1907A	0.25	250362	-	0.26	0.26	0.26	0.24	0.26	0.01	5.00	-	-
MAJO6C1909A	0.25	250362	-	-	-	-	0.22	0.23	-	-	-	-
MAJO19C1904A	0.58	250362	-	-	-	-	0.54	0.58	-	-	-	-
MAJO19C1907A	0.18	250362	-	0.17	0.17	0.17	0.17	0.18	(0.01)	2.00	-	-
MBK13C1907A	0.32	250362	-	0.33	0.31	0.32	0.31	0.32	-	15,550.00	498.00	-
MBK19C1906A	0.35	250362	-	0.36	0.35	0.36	0.35	0.36	0.01	24,001.00	848.00	-
MBK24C1906A	0.36	250362	-	0.36	0.35	0.36	0.35	0.36	-	3,105.00	109.00	-
MEGA01C1904#	0.16	250362	-	0.16	0.15	0.16	0.15	0.16	-	15,800.00	249.00	-
MEGA01C1904E	0.05	210362	-	-	-	-	0.03	0.04	-	-	-	-
MEGA08C1903#	0.01	180362	-	-	-	-	0.01	0.02	-	-	-	-
MEGA11C1910#	0.33	250362	-	0.35	0.34	0.35	0.35	0.36	0.02	11,150.00	384.00	-
MEGA13C1907#	0.23	220362	-	0.21	0.20	0.21	0.21	0.22	(0.02)	21,548.00	440.00	-
MEGA19C1906#	0.26	250362	0.26	0.27	0.26	0.27	0.27	0.28	0.01	5,656.00	152.00	-
MEGA24C1903#	0.03	70262	-	-	-	-	-	0.01	-	-	-	-
MINT01C1906A	0.43	250362	0.41	0.43	0.41	0.41	0.41	0.42	(0.02)	239,429.00	9,827.00	-
MINT01C1906B	0.32	250362	0.31	0.33	0.30	0.31	0.31	0.33	(0.01)	141,661.00	4,395.00	-
MINT01P1906A	0.20	250362	-	0.20	0.20	0.20	0.19	0.20	-	194.00	4.00	-
MINT06C1903A	0.01	210362	-	-	-	-	0.01	0.02	-	-	-	-
MINT06C1908A	0.28	250362	-	0.28	0.27	0.27	0.27	0.28	(0.01)	21,800.00	592.00	-
MINT07C1906A	0.33	140362	-	-	-	-	0.26	0.28	-	-	-	-
MINT08C1903A	0.06</											



## Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
MINT19C1908A	0.22	250362	0.22	0.22	0.21	0.21	0.22	0.23	(0.01)	2,650.00	57.00	-
MINT23C1905A	0.15	250362	-	0.14	0.13	0.13	0.13	0.14	(0.02)	58,203.00	760.00	-
MINT24C1908A	0.44	250362	-	0.43	0.42	0.43	0.44	0.45	(0.01)	10.00	-	-
MINT27C1903A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
MINT27C1912A	0.32	250362	-	0.33	0.33	0.33	0.34	-	0.01	15,400.00	508.00	-
MINT27P1905A	0.17	250362	-	0.17	0.16	0.16	0.16	0.17	(0.01)	900.00	15.00	-
MINT28C1904A	0.12	140362	0.09	0.09	0.09	0.09	0.05	0.09	(0.03)	10.00	-	-
MINT41C1907A	0.33	250362	-	-	-	-	0.33	0.34	-	-	-	-
MINT42C1904A	0.07	40362	-	-	-	-	0.03	0.04	-	-	-	-
MINT42P1904A	0.10	250362	0.09	0.09	0.09	0.09	0.08	0.10	(0.01)	20,000.00	180.00	-
MONO08C1906A	0.01	60362	-	-	-	-	-	0.01	-	-	-	-
MTC01C1907A	0.34	250362	-	0.35	0.34	0.34	0.33	0.34	-	112,828.00	3,854.00	-
MTC01C1907B	0.22	250362	0.22	0.23	0.22	0.22	0.21	0.22	-	66,661.00	1,514.00	-
MTC01P1907A	0.73	250362	-	0.73	0.70	0.71	0.70	0.71	(0.02)	67,423.00	4,785.00	-
MTC06C1903A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
MTC06C1908A	0.38	250362	-	0.40	0.38	0.39	0.38	0.39	0.01	17,350.00	680.00	-
MTC07C1909A	0.44	270262	-	-	-	-	0.31	0.32	-	-	-	-
MTC08C1904A	0.02	250362	-	-	-	-	0.01	0.02	-	-	-	-
MTC08C1906A	0.18	250362	-	0.19	0.18	0.19	0.19	0.20	0.01	32,678.00	620.00	-
MTC11C1904A	0.14	250362	-	0.16	0.14	0.15	0.15	0.16	0.01	18,047.00	274.00	-
MTC13C1906A	0.27	250362	-	0.28	0.26	0.27	0.27	0.28	-	179,347.00	4,872.00	-
MTC19C1903A	0.01	210362	-	-	-	-	-	0.02	-	-	-	-
MTC19C1907A	0.26	250362	-	0.27	0.25	0.26	0.26	0.27	-	92,225.00	2,414.00	-
MTC19P1906A	0.23	250362	0.23	0.23	0.22	0.22	0.22	0.23	(0.01)	289,770.00	6,392.00	-
MTC23C1906A	0.09	220362	-	-	-	-	0.07	0.08	-	-	-	-
MTC24C1903A	0.02	10362	-	-	-	-	-	0.01	-	-	-	-
MTC24C1912A	0.51	250362	-	0.53	0.51	0.53	0.52	0.53	0.02	90.00	5.00	-
MTC27C1904A	0.11	250362	-	0.12	0.11	0.11	0.11	0.12	-	22,803.00	255.00	-
MTC28C1906A	0.19	250362	0.20	0.20	0.19	0.19	0.19	0.20	-	39,412.00	753.00	-
MTC41C1907A	0.30	250362	-	0.30	0.30	0.30	0.29	0.30	-	4,000.00	120.00	-
MTC41P1907A	0.62	250362	-	0.61	0.61	0.61	0.60	0.61	(0.01)	4,000.00	244.00	-
ORI08C1904A	0.02	250362	-	0.01	0.01	0.01	0.01	0.02	(0.01)	704.00	1.00	-
ORI08C1907A	0.25	250362	-	0.25	0.24	0.25	0.24	0.25	-	9,877.00	237.00	-
ORH11C1909A	0.35	250362	0.35	0.35	0.34	0.34	0.34	0.35	(0.01)	400.00	14.00	-
ORH13C1904A	0.01	60362	-	-	-	-	-	0.01	-	-	-	-
ORH13C1904B	0.06	190362	-	-	-	-	0.03	0.05	-	-	-	-
ORH13C1907A	0.27	250362	-	0.26	0.26	0.26	0.26	0.27	(0.01)	54,037.00	1,405.00	-
ORH19C1904A	0.01	180362	-	-	-	-	-	0.02	-	-	-	-
ORH19C1905A	0.19	250362	-	0.19	0.18	0.18	0.18	0.19	(0.01)	4,520.00	81.00	-
ORI23C1905A	0.13	250362	-	0.13	0.13	0.13	0.12	0.13	-	1.00	-	-
ORI24C1903A	0.01	70262	-	-	-	-	-	0.01	-	-	-	-
ORI24C1905A	0.10	280262	-	-	-	-	0.02	0.03	-	-	-	-
ORI24C1908A	0.31	250362	-	0.32	0.31	0.31	0.31	0.32	-	1,700.00	53.00	-
ORI27C1905A	0.02	180362	-	-	-	-	0.01	0.02	-	-	-	-
ORI28C1904A	0.09	180362	-	0.03	0.03	0.03	0.03	0.04	(0.06)	1.00	-	-
ORI28C1904B	0.07	80362	-	-	-	-	0.01	0.03	-	-	-	-
ORI41C1907A	0.05	150362	-	-	-	-	0.03	0.04	-	-	-	-
ORI41C1907B	0.30	250362	-	-	-	-	0.27	0.28	-	-	-	-
PLAN13C1908A	0.28	250362	-	0.28	0.23	0.23	0.23	0.24	(0.05)	239,409.00	6,090.00	-
PLAN19C1906A	0.23	250362	0.23	0.23	0.19	0.19	0.19	0.20	(0.04)	103,204.00	2,166.00	-
PLAN27C1908A	0.29	250362	-	0.32	0.28	0.29	0.27	0.28	-	32,235.00	944.00	-
PRM13C1904A	0.02	70362	-	-	-	-	-	0.02	-	-	-	-
PRM13C1908A	0.28	250362	0.30	0.34	0.28	0.34	0.33	0.34	0.06	84,725.00	2,698.00	-
PRM19C1906A	0.12	250362	-	0.15	0.12	0.14	0.14	0.15	0.02	12,883.00	172.00	-
PSH08C1904A	0.02	220362	-	-	-	-	0.02	0.03	-	-	-	-
PSH13C1903A	0.05	170162	-	-	-	-	-	-	-	-	-	-
PSH19C1903A	0.01	190362	-	-	-	-	-	0.02	-	-	-	-
PSH19C1906A	0.40	250362	-	-	-	-	0.41	0.42	-	-	-	-
PSH19C1908A	1.00	0	-	-	-	-	0.28	0.29	-	-	-	-
PSL06C1908A	0.31	250362	-	0.32	0.30	0.31	0.30	0.31	-	20,351.00	630.00	-
PSL11C1905A	0.04	50362	-	-	-	-	0.01	0.03	-	-	-	-
PSL13C1903A	0.01	300162	-	-	-	-	-	-	-	-	-	-
PSL13C1907A	0.22	250362	-	0.22	0.21	0.21	0.21	0.22	(0.01)	8,005.00	173.00	-
PSL19C1903A	0.01	290162	-	-	-	-	-	0.01	-	-	-	-
PSL19C1907A	0.39	250362	-	0.40	0.38	0.39	0.39	0.40	-	24,998.00	973.00	-
PSL23C1907A	0.19	250362	-	0.18	0.18	0.18	0.18	0.19	(0.01)	1,500.00	27.00	-
PTG01C1905A	0.85	250362	0.86	0.95	0.86	0.95	0.95	0.98	0.10	100,863.00	9,035.00	-
PTG01C1905B	0.64	250362	0.65	0.74	0.65	0.74	0.74	0.77	0.10	112,230.00	7,841.00	-
PTG01C1908A	0.30	250362	-	0.34	0.31	0.34	0.34	0.35	0.04	222,454.00	7,390.00	-
PTG01C1908B	0.23	250362	0.23	0.26	0.23	0.26	0.26	0.27	0.03	193,844.00	4,859.00	-
PTG01P1908A	0.37	250362	-	0.37	0.34	0.34	0.33	0.34	(0.03)	8,251.00	298.00	-
PTG06C1904A	0.02	220362	0.01	0.02	0.01	0.02	0.01	0.02	-	208.00	-	-
PTG08C1903A	0.01	180262	-	0.01	0.01	0.01	0.01	0.02	-	450.00	-	-
PTG08C1906A	0.48	250362	-	0.58	0.49	0.58	0.58	0.62	0.10	62,395.00	3,276.00	-
PTG08C1907A	0.18	250362	-	0.20	0.18	0.20	0.21	0.22	0.02	23,676.00	457.00	-
PTG11C1903A	0.03	200362	-	-	-	-	0.01	0.03	-	-	-	-
PTG11C1906A	0.42	250362	-	0.47	0.42	0.47	0.49	0.51	0.05	27,251.00	1,227.00	-
PTG13C1903A	0.01	140362	-	-	-	-	-	0.01	-	-	-	-
PTG13C1904A	0.06	250362	-	0.09	0.05	0.09	0.08	0.09	0.03	3,578.00	28.00	-
PTG13C1906A	0.13	250362	0.13	0.16	0.13	0.15	0.15	0.16	0.02	242,337.00	3,556.00	-
PTG19C1905A	0.71	250362	0.71	0.82	0.70	0.82	0.79	0.82	0.11	15,560.00	1,171.00	-
PTG19C1907A	0.20	250362	-	0.23	0.20	0.22	0.22	0.23	0.02	302,394.00	6,635.00	-
PTG19P1903A	0.01	220362	-	-	-	-	-	0.02	-	-	-	-
PTG19P1908A	0.27	250362	-	0.26	0.23	0.23	0.23	0.24	(0.04)	59,667.00	1,420.00	-
PTG23C1905A	0.32	250362	-	0.37	0.31	0.37	0.35	0.39	0.05	36,208.00	1,240.00	-
PTG24C1904A	0.09	220362	-	0.07	0.07	0.07	0.08	0.09	(0.02)	5,000.00	35.00	-
PTG24C1905A	0.74	250362	-	0.87	0.80	0.87	0.87	0.91	0.13	1,100.00	92.00	-
PTG27P1910A	0.54	250362	-	0.54	0.53	0.54	0.49	0.51	-	3,600.00	191.00	-
PTG28C1904A	0.15	60362	-	-	-	-	0.02	0.06	-	-	-	-
PTG28C1907A	0.14	250362	-	0.16	0.14	0.16	0.17	0.18	0.02	43,320.00	658.00	-
PTG28C1908A	0.64	70362	-	-	-	-	0.58	0.62	-	-	-	-
PTG41C1907A	0.21	250362	-	-	-	-	0.24	0.25	-	-	-	-
PTT01C1904A	0.13	250362	0.14	0.14	0.12	0.14	0.13	0.14	0.01	603,660.00	7,995.00	-
PTT01C1904B	0.02	250362	0.02	0.02	0.01	0.02	0.01	0.02	-	213.00	-	-
PTT01C1907A	0.47	250362	0.48	0.49	0.46	0.48	0.47	0.48	0.01	442,702.00	20,855.00	-
PTT01C1907B	0.31	250362	0.30	0.33	0.30	0.33	0.32	0.33	0.02	710,107.00	22,192.00	-
PTT01P1904A	0.60	250362	-	0.60	0.58	0.58	0.56	0.58	(0.02)	117,341.00	7,021.00	-
PTT01P1904B	0.23	250362	0.21	0.23	0.21	0.21	0.20	0.21	(0.02)	332,561.00	7,293.00	-
PTT01P1907A	0.46	250362	-	0.46	0.45	0.45	0.44	0.45	(0.01)	296,000.00	13,600.00	-
PTT01P1907B	0.26	250362	-	0.26	0.25	0.25	0.24	0.25	(0.01)	315,171.00	8,180.00	-
PTT06C1903A	0.02	250362	-	0.01	0.01	0.01	0.01	0.02	(0.01)	15,220.00	15.00	-
PTT06C1908A	0.31	250362	-	0.31	0.30	0.31	0.30	0.31	-	20,200.00	612.00	-
PTT06P1903A	0.02	250362	-	0								



Foreign Board Quotation

Issue Date : **Tuesday March 26, 2019**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (000)	Average Price
	Price	Date										
PTT13C1903A	0.01	150362	-	-	-	-	-	-	-	-	-	-
PTT13C1906A	0.26	250362	-	0.27	0.26	<b>0.27</b>	0.27	0.28	0.01	781,752.00	20,406.00	-
PTT13P1906A	0.20	250362	0.19	0.20	0.19	<b>0.19</b>	0.19	0.20	(0.01)	674,430.00	13,398.00	-
PTT16C1912A	0.57	250362	-	0.56	0.55	<b>0.55</b>	0.55	0.57	(0.02)	20.00	1.00	-
PTT19C1906A	0.35	250362	-	0.36	0.35	<b>0.36</b>	0.36	0.37	0.01	209,069.00	7,343.00	-
PTT19P1903A	0.02	80362	-	-	-	-	-	0.02	-	-	-	-
PTT19P1908A	0.24	250362	-	0.24	0.23	<b>0.23</b>	0.23	0.24	(0.01)	75,702.00	1,790.00	-
PTT23C1906A	0.10	250362	-	0.11	0.10	<b>0.11</b>	0.10	0.11	0.01	10,000.00	108.00	-
PTT24C1904A	0.01	120362	-	-	-	-	-	0.01	-	-	-	-
PTT24C1906A	0.24	250362	-	0.25	0.24	<b>0.25</b>	0.25	0.26	0.01	350.00	9.00	-
PTT24P1904A	0.07	140262	-	-	-	-	0.01	0.02	-	-	-	-
PTT24P1907A	0.22	220362	-	-	-	-	0.24	0.25	-	-	-	-
PTT27C1903A	0.01	110362	-	-	-	-	0.01	0.02	-	-	-	-
PTT27P1903A	0.04	80362	-	-	-	-	0.01	0.02	-	-	-	-
PTT28C1904A	0.12	220362	-	-	-	-	0.07	0.11	-	-	-	-
PTT28C1907A	0.21	250362	-	0.21	0.21	<b>0.21</b>	0.20	0.22	-	19,070.00	400.00	-
PTT28P1907A	0.25	250362	-	0.25	0.24	<b>0.24</b>	0.24	0.26	(0.01)	99,579.00	2,478.00	-
PTT41C1906A	0.24	250362	-	0.24	0.24	<b>0.24</b>	0.24	0.25	-	8,000.00	192.00	-
PTT41C1910A	1.00	0	-	-	-	-	0.27	0.29	-	-	-	-
PTT41C1910B	1.00	0	-	-	-	-	0.23	0.25	-	-	-	-
PTT41P1908A	0.27	250362	-	-	-	-	0.25	0.26	-	-	-	-
PTTE01C1904A	0.05	250362	-	0.07	0.05	<b>0.06</b>	0.05	0.06	0.01	48,368.00	290.00	-
PTTE01C1904B	0.01	250362	0.02	0.02	0.01	<b>0.02</b>	0.01	0.02	0.01	4,248.00	8.00	-
PTTE01C1907A	0.83	250362	0.84	0.86	0.84	<b>0.85</b>	0.84	0.85	0.02	105,885.00	9,067.00	-
PTTE01C1907B	0.57	250362	-	0.60	0.58	<b>0.59</b>	0.58	0.59	0.02	183,392.00	10,953.00	-
PTTE01P1904A	1.44	250362	1.39	1.41	1.37	<b>1.37</b>	1.37	1.39	(0.07)	30,124.00	4,144.00	1.00
PTTE01P1904B	0.68	250362	0.65	0.65	0.63	<b>0.63</b>	0.63	0.65	(0.05)	45,940.00	2,919.00	-
PTTE01P1907A	0.61	250362	0.59	0.60	0.57	<b>0.58</b>	0.58	0.59	(0.03)	79,841.00	4,659.00	-
PTTE01P1907B	0.33	250362	0.32	0.32	0.30	<b>0.31</b>	0.31	0.32	(0.02)	55,604.00	1,752.00	-
PTTE06C1903A	0.01	210362	-	-	-	-	0.01	0.02	-	-	-	-
PTTE06C1908A	0.41	250362	-	0.44	0.43	<b>0.44</b>	0.42	0.43	0.03	20,710.00	904.00	-
PTTE07C1904A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
PTTE08C1904A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
PTTE08C1906A	0.50	250362	-	0.53	0.52	<b>0.53</b>	0.52	0.53	0.03	28,283.00	1,488.00	-
PTTE08P1904A	0.79	250362	-	0.76	0.74	<b>0.74</b>	0.76	0.78	(0.05)	5,060.00	377.00	-
PTTE11C1910A	0.59	250362	-	0.62	0.60	<b>0.62</b>	0.61	0.62	0.03	44,600.00	2,755.00	-
PTTE13C1904A	0.04	250362	-	0.05	0.04	<b>0.04</b>	0.04	0.05	-	32,308.00	129.00	-
PTTE13C1905A	0.29	250362	0.30	0.32	0.29	<b>0.30</b>	0.30	0.31	0.01	166,617.00	5,094.00	-
PTTE13P1905A	0.20	250362	-	0.19	0.17	<b>0.18</b>	0.18	0.19	(0.02)	12,983.00	234.00	-
PTTE19C1903A	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
PTTE19C1906A	0.56	250362	-	-	-	-	0.57	0.59	-	-	-	-
PTTE19C1908A	0.41	250362	0.43	0.43	0.42	<b>0.42</b>	0.42	0.43	0.01	136,166.00	5,796.00	-
PTTE19P1903A	0.01	250362	-	-	-	-	-	0.02	-	-	-	-
PTTE19P1908A	0.30	250362	-	0.29	0.28	<b>0.28</b>	0.28	0.29	(0.02)	52,796.00	1,478.00	-
PTTE23C1906A	0.11	250362	-	0.12	0.12	<b>0.12</b>	0.11	0.12	0.01	8,010.00	96.00	-
PTTE24C1904A	0.05	210362	-	-	-	-	0.04	0.05	-	-	-	-
PTTE24C1906A	0.39	250362	-	0.41	0.40	<b>0.40</b>	0.40	0.41	0.01	1,053.00	43.00	-
PTTE24P1904A	0.08	220362	-	-	-	-	0.07	0.08	-	-	-	-
PTTE27C1903A	0.04	100162	-	-	-	-	0.01	0.02	-	-	-	-
PTTE27C1912A	0.42	250362	-	0.44	0.43	<b>0.43</b>	0.43	0.44	0.01	3,020.00	130.00	-
PTTE27P1904A	0.37	250362	-	0.35	0.32	<b>0.34</b>	0.34	0.35	(0.03)	7,820.00	261.00	-
PTTE28C1905A	0.15	250362	-	0.17	0.16	<b>0.16</b>	0.16	0.17	0.01	14,805.00	239.00	-
PTTE28P1907A	0.33	250362	-	0.32	0.32	<b>0.32</b>	0.32	0.33	(0.01)	5,070.00	162.00	-
PTTE41C1905A	0.14	250362	-	-	-	-	0.14	0.15	-	-	-	-
PTTE41C1910A	0.46	250362	-	0.48	0.48	<b>0.48</b>	0.47	0.48	0.02	7,980.00	383.00	-
PTTE41C1910B	1.00	0	-	-	-	-	0.45	0.46	-	-	-	-
PTTE41P1906A	0.34	250362	-	0.32	0.32	<b>0.32</b>	0.32	0.33	(0.02)	8,000.00	256.00	-
PTTE42C1903A	0.01	40362	-	-	-	-	-	-	-	-	-	-
PTTG01C1904A	0.11	250362	0.11	0.11	0.11	<b>0.11</b>	0.10	0.11	-	134,431.00	1,479.00	-
PTTG01C1904B	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
PTTG01C1907A	0.71	250362	0.72	0.73	0.71	<b>0.73</b>	0.72	0.73	0.02	102,479.00	7,404.00	-
PTTG01C1907B	0.51	250362	0.52	0.53	0.52	<b>0.52</b>	0.52	0.53	0.01	362,744.00	18,999.00	-
PTTG01P1904A	1.37	250362	1.36	1.36	1.34	<b>1.34</b>	1.32	1.34	(0.03)	35,745.00	4,833.00	1.00
PTTG01P1904B	0.88	250362	0.87	0.87	0.85	<b>0.85</b>	0.83	0.85	(0.03)	68,829.00	5,936.00	-
PTTG01P1907A	0.61	250362	0.61	0.61	0.60	<b>0.60</b>	0.59	0.60	(0.01)	115,380.00	6,962.00	-
PTTG01P1907B	0.38	250362	0.37	0.37	0.37	<b>0.37</b>	0.36	0.37	(0.01)	62,076.00	2,297.00	-
PTTG06C1903A	0.01	220362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	70.00	-	-
PTTG06C1908A	0.44	250362	-	0.46	0.44	<b>0.45</b>	0.44	0.45	0.01	26,101.00	1,160.00	-
PTTG06P1903A	0.02	210362	-	-	-	-	0.01	0.02	-	-	-	-
PTTG06P1908A	0.98	250362	-	0.97	0.96	<b>0.96</b>	0.95	0.96	(0.02)	25,900.00	2,503.00	-
PTTG07C1908A	0.30	220362	-	-	-	-	-	-	-	-	-	-
PTTG08C1906A	0.27	250362	-	0.28	0.27	<b>0.28</b>	0.28	0.29	0.01	30,059.00	838.00	-
PTTG08P1904A	0.28	250362	-	0.26	0.25	<b>0.25</b>	0.25	0.26	(0.03)	22,898.00	586.00	-
PTTG11C1909A	0.25	250362	-	0.25	0.25	<b>0.25</b>	0.25	0.26	-	31,530.00	788.00	-
PTTG13C1904A	0.01	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.03	-	499.00	-	-
PTTG13C1906A	0.33	250362	-	0.34	0.33	<b>0.34</b>	0.34	0.35	0.01	244,952.00	8,201.00	-
PTTG13C1908A	0.52	250362	-	0.52	0.52	<b>0.52</b>	0.52	0.53	-	60,481.00	3,145.00	-
PTTG19C1906A	0.37	250362	0.36	0.37	0.36	<b>0.37</b>	0.37	0.38	-	188,521.00	6,879.00	-
PTTG19P1906A	0.14	250362	-	-	-	-	0.13	0.14	-	-	-	-
PTTG23C1906A	0.04	220362	-	-	-	-	0.03	0.04	-	-	-	-
PTTG24C1904A	0.02	10362	-	-	-	-	-	0.01	-	-	-	-
PTTG24C1907A	0.26	250362	-	0.27	0.26	<b>0.27</b>	0.26	0.28	0.01	13,800.00	364.00	-
PTTG24P1905A	0.33	190362	-	0.30	0.29	<b>0.29</b>	0.29	0.30	(0.04)	130.00	4.00	-
PTTG27C1903A	0.01	140262	-	-	-	-	0.01	0.02	-	-	-	-
PTTG27P1903A	0.04	180262	-	-	-	-	0.01	0.02	-	-	-	-
PTTG28C1904A	0.01	200362	-	-	-	-	0.01	0.03	-	-	-	-
PTTG28C1907A	0.36	250362	-	0.36	0.35	<b>0.36</b>	0.36	0.37	-	93,071.00	3,296.00	-
PTTG41C1906A	0.27	250362	-	0.28	0.28	<b>0.28</b>	0.28	0.29	0.01	24,000.00	672.00	-
PTTG41P1908A	0.77	250362	-	0.76	0.76	<b>0.76</b>	0.75	0.76	(0.01)	8,000.00	608.00	-
PTTG42C1904A	0.08	250262	-	-	-	-	0.01	0.02	-	-	-	-
PTTG42P1904A	0.63	250362	-	0.62	0.62	<b>0.62</b>	0.61	0.62	(0.01)	8,200.00	508.00	-
QH01C1903A	0.01	220362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	40.00	-	-
QH01C1903B	0.01	110362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	3,257.00	3.00	-
QH01C1908A	0.32	250362	0.31	0.32	0.31	<b>0.32</b>	0.31	0.32	-	15,620.00	498.00	-
QH01C1908B	0.24	220362	0.22	0.23	0.23	<b>0.23</b>	0.22	0.23	(0.01)	40,262.00	924.00	-
QH01P1903A	0.95	250362	-	0.95	0.93	<b>0.93</b>	0.90	0.93	(0.02)	2,001.00	190.00	-
QH01P1908A	0.48	250362	-	0.48	0.46	<b>0.46</b>	0.46	0.47	(0.02)	10,236.00	488.00	-
QH11C1910A	0.25	220362	-	0.25	0.24	<b>0.25</b>	0.25	0.26	-	9,820.00	245.00	-
QH13C1904A	0.07	140262	-	-	-	-	-	0.03	-	-	-	-
QH19C1904A	0.04	250362	-	-	-	-						

Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
QH24C1908A	0.23	190362	0.22	0.22	0.21	<b>0.22</b>	0.22	0.23	(0.01)	18,800.00	404.00	-
QH27C1903A	0.06	201161	-	-	-	-	0.01	0.02	-	-	-	-
QH27P1905A	0.28	250362	-	0.28	0.28	<b>0.28</b>	0.27	0.28	-	900.00	25.00	-
RATC19C1908A	1.00	0	-	0.29	0.27	<b>0.28</b>	0.28	0.29	(0.72)	141.00	4.00	-
ROBI01C1903A	0.06	250362	0.05	0.07	0.05	<b>0.07</b>	0.06	0.07	0.01	23,024.00	144.00	-
ROBI01C1903B	0.02	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	4,000.00	4.00	-
ROBI01C1909A	0.42	250362	-	0.43	0.41	<b>0.42</b>	0.42	0.43	-	62,726.00	2,683.00	-
ROBI01C1909B	0.23	250362	-	0.24	0.23	<b>0.24</b>	0.23	0.24	0.01	62,913.00	1,490.00	-
ROBI06C1903A	0.01	210362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	2,200.00	2.00	-
ROBI08C1903A	0.01	150362	-	-	-	-	0.01	0.02	-	-	-	-
ROBI11C1906A	0.06	250362	-	0.06	0.06	<b>0.06</b>	0.06	0.07	-	4,000.00	24.00	-
ROBI13C1906A	0.11	250362	-	0.11	0.11	<b>0.11</b>	0.11	0.12	-	35,891.00	395.00	-
ROBI19C1907A	0.20	250362	-	0.21	0.19	<b>0.21</b>	0.21	0.22	0.01	42,061.00	858.00	-
ROBI24C1903A	0.04	280262	-	-	-	-	-	0.01	-	-	-	-
ROBI24C1907A	0.19	200362	-	0.15	0.15	<b>0.15</b>	0.15	0.16	(0.04)	5.00	-	-
ROBI27C1905A	0.08	220362	-	-	-	-	0.06	0.07	-	-	-	-
RS06C1908A	0.54	250362	-	0.58	0.56	<b>0.58</b>	0.59	0.60	0.04	14,950.00	849.00	-
RS08C1906A	0.55	250362	-	0.61	0.56	<b>0.61</b>	0.61	0.62	0.06	36,632.00	2,114.00	-
RS11C1911A	0.69	250362	-	0.73	0.70	<b>0.72</b>	0.73	0.74	0.03	18,906.00	1,344.00	-
RS13C1905A	0.33	250362	-	0.38	0.34	<b>0.38</b>	0.38	0.40	0.05	153,995.00	5,510.00	-
RS19C1906A	0.62	250362	-	0.69	0.63	<b>0.69</b>	0.68	0.69	0.07	8,306.00	548.00	-
RS19C1908A	0.32	250362	-	0.35	0.32	<b>0.35</b>	0.35	0.36	0.03	98,456.00	3,297.00	-
RS24C1904A	0.25	220362	-	0.23	0.23	<b>0.23</b>	0.23	0.24	(0.02)	80.00	2.00	-
RS27C1905A	0.28	250362	-	0.31	0.28	<b>0.31</b>	0.32	0.33	0.03	13,600.00	401.00	-
RS41C1908A	0.29	250362	-	0.31	0.30	<b>0.31</b>	0.32	0.33	0.02	24,000.00	724.00	-
S10001C1911A	0.72	250362	-	0.74	0.72	<b>0.74</b>	0.73	0.74	0.02	374.00	28.00	-
S5001C1903F	0.02	250362	0.02	0.02	0.01	<b>0.02</b>	0.01	0.02	-	8,295.00	9.00	-
S5001C1903G	0.12	250362	0.10	0.15	0.09	<b>0.14</b>	0.13	0.14	0.02	240,286.00	2,741.00	-
S5001C1903H	0.63	250362	-	0.80	0.60	<b>0.75</b>	0.75	0.76	0.12	841,312.00	58,444.00	-
S5001C1904A	0.77	250362	0.78	0.83	0.74	<b>0.82</b>	0.82	0.83	0.05	146,754.00	11,430.00	-
S5001C1904B	0.60	250362	0.61	0.65	0.58	<b>0.63</b>	0.63	0.65	0.03	521,786.00	31,824.00	-
S5001C1905A	0.65	250362	0.67	0.71	0.63	<b>0.69</b>	0.69	0.70	0.04	160,977.00	10,617.00	-
S5001C1906F	0.52	250362	0.53	0.60	0.50	<b>0.57</b>	0.57	0.58	0.05	9,093,280.00	493,379.00	-
S5001C1906G	0.82	250362	0.81	0.91	0.79	<b>0.88</b>	0.88	0.89	0.06	1,753,112.00	147,970.00	-
S5001C1906H	0.42	250362	0.42	0.49	0.40	<b>0.47</b>	0.46	0.47	0.05	1,248,678.00	54,920.00	-
S5001C1907A	0.83	250362	0.83	0.88	0.81	<b>0.87</b>	0.87	0.88	0.04	91,828.00	7,723.00	-
S5001P1903F	0.06	250362	0.04	0.05	0.02	<b>0.02</b>	0.02	0.03	(0.04)	83,034.00	224.00	-
S5001P1903G	0.02	250362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	-	7,534.00	8.00	-
S5001P1903H	0.02	250362	0.01	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	5,046.00	5.00	-
S5001P1904A	0.51	250362	0.49	0.51	0.46	<b>0.47</b>	0.46	0.47	(0.04)	67,993.00	3,271.00	-
S5001P1904B	0.35	250362	0.34	0.36	0.31	<b>0.32</b>	0.31	0.32	(0.03)	61,110.00	2,043.00	-
S5001P1905A	0.76	250362	0.74	0.77	0.69	<b>0.69</b>	0.69	0.70	(0.07)	588,454.00	43,659.00	-
S5001P1906F	0.71	250362	0.69	0.73	0.61	<b>0.64</b>	0.64	0.65	(0.07)	6,192,734.00	419,943.00	-
S5001P1906G	1.00	250362	0.98	1.03	0.91	<b>0.93</b>	0.93	0.94	(0.07)	1,418,600.00	138,507.00	-
S5001P1906H	0.84	250362	0.85	0.86	0.75	<b>0.76</b>	0.76	0.77	(0.08)	1,582,594.00	127,818.00	-
S5001P1907A	1.02	250362	1.00	1.03	0.96	<b>0.96</b>	0.95	0.96	(0.06)	188,333.00	18,902.00	1.00
S5006C1903A	0.01	250362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	0.01	5,417.00	5.00	-
S5006C1903B	0.06	250362	0.05	0.08	0.03	<b>0.07</b>	0.07	0.08	0.01	87,449.00	547.00	-
S5006C1903C	0.53	250362	0.55	0.69	0.52	<b>0.66</b>	0.65	0.66	0.13	45,774.00	2,576.00	-
S5006C1903D	0.02	250362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	-	31.00	-	-
S5006C1906A	0.53	250362	0.52	0.58	0.50	<b>0.56</b>	0.56	0.57	0.03	19,631.00	1,045.00	-
S5006C1906B	0.37	250362	0.35	0.41	0.34	<b>0.39</b>	0.39	0.40	0.02	30,605.00	1,129.00	-
S5006C1906C	0.37	250362	-	0.42	0.35	<b>0.40</b>	0.40	0.41	0.03	38,013.00	1,398.00	-
S5006P1903A	0.40	250362	0.36	0.40	0.24	<b>0.27</b>	0.27	0.28	(0.13)	265,429.00	8,835.00	-
S5006P1903B	0.03	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.02)	19,520.00	20.00	-
S5006P1903C	0.02	250362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	-	3,044.00	3.00	-
S5006P1903D	0.02	250362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	-	7,701.00	8.00	-
S5006P1906A	0.79	250362	0.76	0.79	0.69	<b>0.71</b>	0.71	0.72	(0.08)	6,147.00	447.00	-
S5006P1906B	0.68	250362	0.67	0.67	0.57	<b>0.59</b>	0.58	0.59	(0.09)	23,453.00	1,417.00	-
S5006P1906C	0.85	250362	-	0.82	0.74	<b>0.76</b>	0.76	0.77	(0.09)	9,415.00	712.00	-
S5006P1906D	1.49	250362	1.49	1.49	1.36	<b>1.38</b>	1.38	1.39	(0.11)	480.00	71.00	1.00
S5008C1903A	0.01	220362	-	-	-	-	-	0.01	-	-	-	-
S5008C1903B	0.02	250362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	-	3,775.00	7.00	-
S5008C1906A	0.36	250362	-	0.42	0.35	<b>0.40</b>	0.39	0.40	0.04	178,442.00	6,743.00	-
S5008P1903A	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
S5008P1903B	0.01	140362	-	-	-	-	-	0.01	-	-	-	-
S5008P1906A	0.81	250362	0.82	0.82	0.72	<b>0.73</b>	0.73	0.74	(0.08)	175,200.00	13,636.00	-
S5013C1903A	0.01	250362	-	0.01	0.01	<b>0.01</b>	-	0.01	-	25.00	-	-
S5013C1903B	0.06	250362	0.07	0.09	0.05	<b>0.07</b>	0.07	0.08	0.01	744,407.00	5,317.00	-
S5013C1903C	0.65	250362	0.66	0.83	0.63	<b>0.78</b>	0.78	0.83	0.13	18,990.00	1,489.00	-
S5013C1903D	0.25	250362	0.24	0.37	0.23	<b>0.32</b>	0.32	0.33	0.07	60,262.00	1,749.00	-
S5013C1903E	0.01	250362	0.01	0.01	0.01	<b>0.01</b>	-	0.02	-	530.00	1.00	-
S5013C1906A	0.60	250362	0.62	0.69	0.59	<b>0.66</b>	0.66	0.67	0.06	10,139,619.00	643,232.00	-
S5013C1906B	0.36	250362	0.37	0.42	0.35	<b>0.40</b>	0.40	0.41	0.04	2,347,052.00	89,946.00	-
S5013C1906C	0.58	250362	0.59	0.65	0.56	<b>0.62</b>	0.62	0.63	0.04	3,129,332.00	190,208.00	-
S5013P1903A	0.03	250362	0.02	0.03	0.01	<b>0.01</b>	-	0.01	(0.02)	858,136.00	1,261.00	-
S5013P1903B	0.01	250362	-	0.01	0.01	<b>0.01</b>	-	0.01	-	1,861.00	2.00	-
S5013P1903C	0.01	250362	-	0.01	0.01	<b>0.01</b>	-	0.01	-	70.00	-	-
S5013P1903D	0.01	220362	-	-	-	-	-	0.01	-	-	-	-
S5013P1903E	0.55	250362	0.56	0.58	0.45	<b>0.46</b>	0.46	0.47	(0.09)	25,667.00	1,304.00	-
S5013P1906A	0.85	250362	0.82	0.87	0.75	<b>0.78</b>	0.78	0.79	(0.07)	7,631,326.00	629,631.00	-
S5013P1906B	1.20	250362	1.22	1.22	1.09	<b>1.11</b>	1.11	1.12	(0.09)	1,206,508.00	139,761.00	1.00
S5013P1906C	1.04	250362	1.03	1.06	0.96	<b>0.97</b>	0.97	0.98	(0.07)	886,559.00	90,204.00	1.00
S5028C1903A	0.01	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	16,865.00	17.00	-
S5028C1903B	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
S5028C1903C	0.18	250362	-	0.23	0.12	<b>0.21</b>	0.20	0.30	0.03	5,001.00	112.00	-
S5028C1904A	0.26	250362	0.27	0.31	0.24	<b>0.29</b>	0.29	0.30	0.03	765,320.00	20,863.00	-
S5028C1906A	0.59	250362	0.60	0.66	0.57	<b>0.63</b>	0.63	0.64	0.04	753,362.00	45,246.00	-
S5028P1903A	0.01	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.04	-	80.00	-	-
S5028P1903B	0.01	250362	-	0.02	0.01	<b>0.02</b>	0.01	0.02	0.01	15,262.00	16.00	-
S5028P1904A	0.42	250362	0.41	0.43	0.35	<b>0.36</b>	0.36	0.37	(0.06)	485,081.00	19,330.00	-
S5028P1906A	0.62	250362	-	0.63	0.56							

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume	Value (000)	Average Price
	Price	Date										
SAWA08C1903A	0.10	250362	-	0.07	0.05	0.05	0.05	0.06	(0.05)	7,446.00	49.00	-
SAWA08C1908A	0.44	250362	0.45	0.45	0.42	0.43	0.42	0.43	(0.01)	6,754.00	292.00	-
SAWA11C1906A	0.49	250362	-	0.51	0.48	0.50	0.48	0.49	0.01	6,808.00	340.00	-
SAWA13C1904A	0.25	250362	0.26	0.30	0.26	0.26	0.24	0.25	0.01	683.00	19.00	-
SAWA13C1908A	0.60	250362	-	0.61	0.58	0.58	0.58	0.59	(0.02)	57,060.00	3,420.00	-
SAWA19C1903A	0.08	220362	-	0.04	0.03	0.04	0.03	0.04	(0.04)	11,000.00	39.00	-
SAWA19C1908A	0.44	250362	-	0.45	0.42	0.42	0.42	0.43	(0.02)	45,070.00	1,974.00	-
SAWA23C1905A	0.36	250362	-	0.36	0.33	0.35	0.32	0.34	(0.01)	15,100.00	528.00	-
SAWA24C1910A	0.95	250362	-	0.98	0.97	0.98	0.95	0.96	0.03	120.00	12.00	-
SAWA27C1903A	0.52	250362	-	0.52	0.48	0.48	0.47	0.48	(0.04)	5,400.00	269.00	-
SAWA27C1910A	0.64	250362	-	0.67	0.64	0.66	0.64	0.65	0.02	7,000.00	458.00	-
SAWA28C1905A	0.31	250362	-	0.30	0.27	0.28	0.28	0.29	(0.03)	28,663.00	832.00	-
SAWA41C1908A	0.46	250362	-	0.46	0.44	0.46	0.44	0.45	-	12,000.00	540.00	-
SCB01C1904A	0.08	250362	-	0.08	0.08	0.08	0.07	0.08	-	510.00	4.00	-
SCB01C1904B	0.01	190362	-	-	-	-	0.01	0.02	-	-	-	-
SCB01C1907A	0.56	250362	-	0.57	0.56	0.56	0.56	0.57	-	117,159.00	6,597.00	-
SCB01C1907B	0.41	250362	-	0.42	0.41	0.42	0.41	0.42	0.01	189,856.00	7,816.00	-
SCB01P1904A	1.02	250362	1.01	1.03	0.99	0.99	0.98	0.99	(0.03)	28,211.00	2,837.00	1.00
SCB01P1904B	0.59	250362	0.56	0.58	0.55	0.55	0.53	0.55	(0.04)	50,454.00	2,817.00	-
SCB01P1907A	0.64	250362	0.63	0.64	0.62	0.62	0.61	0.62	(0.02)	82,739.00	5,191.00	-
SCB01P1907B	0.44	250362	0.42	0.43	0.41	0.41	0.41	0.42	(0.03)	45,834.00	1,927.00	-
SCB06C1903A	0.02	190362	-	-	-	-	0.01	0.02	-	-	-	-
SCB07C1904A	0.03	250362	-	-	-	-	0.02	0.03	-	-	-	-
SCB08C1908A	0.32	250362	-	0.34	0.33	0.33	0.33	0.34	0.01	10,360.00	342.00	-
SCB11C1910A	0.30	250362	-	0.31	0.31	0.31	0.31	0.32	0.01	13,560.00	420.00	-
SCB11P1910A	0.55	250362	-	0.54	0.53	0.53	0.53	0.54	(0.02)	23,100.00	1,236.00	-
SCB13C1905A	0.08	250362	-	0.08	0.08	0.08	0.08	0.09	-	310.00	2.00	-
SCB13C1907A	0.37	250362	0.35	0.36	0.35	0.36	0.36	0.37	(0.01)	374,147.00	13,278.00	-
SCB13P1905A	0.22	250362	-	0.21	0.21	0.21	0.20	0.21	(0.01)	112,533.00	2,363.00	-
SCB19C1905A	0.18	250362	0.18	0.18	0.18	0.18	0.18	0.19	-	48,467.00	872.00	-
SCB19P1906A	0.24	250362	-	0.22	0.22	0.22	0.22	0.23	(0.02)	35,844.00	789.00	-
SCB24C1905A	0.21	250362	-	0.21	0.21	0.21	0.21	0.22	-	50.00	1.00	-
SCB24P1906A	0.23	80362	-	-	-	-	0.14	0.15	-	-	-	-
SCB27P1903A	0.08	110262	-	-	-	-	0.01	0.02	-	-	-	-
SCB28C1904A	0.06	10362	-	-	-	-	0.01	0.03	-	-	-	-
SCB28C1906A	0.21	250362	-	0.22	0.20	0.22	0.22	0.23	0.01	39,050.00	837.00	-
SCB28P1909A	0.45	250362	-	0.43	0.43	0.43	0.42	0.43	(0.02)	2,026.00	87.00	-
SCB41C1906A	0.20	250362	-	0.20	0.20	0.20	0.21	0.22	-	25,980.00	520.00	-
SCB41P1907A	0.35	250362	-	-	-	-	0.33	0.34	-	-	-	-
SCB42C1903A	0.06	10262	-	-	-	-	-	-	-	-	-	-
SCC01C1907A	0.63	250362	0.66	0.66	0.65	0.66	0.66	0.67	0.03	159,841.00	10,547.00	-
SCC01C1907B	0.53	250362	0.56	0.56	0.56	0.56	0.56	0.58	0.03	141,388.00	7,918.00	-
SCC01P1907A	0.31	250362	0.30	0.31	0.29	0.30	0.29	0.30	(0.01)	173,552.00	5,204.00	-
SCC06C1907A	0.34	250362	-	0.36	0.36	0.36	0.37	0.38	0.02	29,800.00	1,073.00	-
SCC07C1909A	0.41	150362	-	-	-	-	0.40	0.41	-	-	-	-
SCC08C1908A	0.36	250362	-	0.38	0.38	0.38	0.39	0.40	0.02	25,064.00	952.00	-
SCC11C1906A	0.10	250362	-	-	-	-	0.10	0.11	-	-	-	-
SCC13C1906A	0.44	250362	0.44	0.45	0.44	0.45	0.45	0.46	0.01	34,066.00	1,501.00	-
SCC13P1907A	0.23	250362	-	0.22	0.22	0.22	0.21	0.22	(0.01)	18,834.00	414.00	-
SCC19C1907A	0.53	250362	-	0.55	0.55	0.55	0.57	0.58	0.02	100.00	6.00	-
SCC19C1907B	0.26	250362	-	0.28	0.27	0.28	0.28	0.29	0.02	56,643.00	1,530.00	-
SCC19P1906A	0.10	190362	0.09	0.09	0.09	0.09	0.08	0.09	(0.01)	450.00	4.00	-
SCC23C1906A	0.20	250362	-	0.21	0.20	0.21	0.21	0.22	0.01	18,000.00	378.00	-
SCC24C1910A	0.42	250362	-	0.43	0.43	0.43	0.44	0.46	0.01	1,770.00	76.00	-
SCC24P1909A	0.15	140362	-	-	-	-	0.12	0.13	-	-	-	-
SCC27C1904A	0.24	250362	-	0.26	0.26	0.26	0.26	0.27	0.02	11,700.00	304.00	-
SCC27P1904A	0.09	250362	-	0.08	0.08	0.08	0.07	0.08	(0.01)	7,200.00	58.00	-
SCC28C1905A	0.30	130362	-	-	-	-	0.29	0.31	-	-	-	-
SCC28C1907A	0.24	250362	-	0.24	0.24	0.24	0.24	0.25	-	34,239.00	822.00	-
SCC41C1907A	0.50	250362	-	0.52	0.52	0.52	0.53	0.54	0.02	21,980.00	1,143.00	-
SCC42C1904A	0.10	250362	-	0.11	0.10	0.11	0.10	0.11	0.01	2,025.00	21.00	-
SGP06C1903A	0.01	150362	-	0.01	0.01	0.01	0.01	0.02	-	400.00	-	-
SGP08C1906A	0.28	250362	-	0.28	0.27	0.27	0.27	0.28	(0.01)	6,210.00	174.00	-
SGP08C1907A	0.14	250362	-	-	-	-	0.14	0.15	-	-	-	-
SGP11C1904A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
SGP11C1911A	0.24	250362	-	-	-	-	0.24	0.25	-	-	-	-
SGP13C1904A	0.01	180362	-	-	-	-	-	0.01	-	-	-	-
SGP13C1905A	0.16	250362	-	0.17	0.15	0.15	0.15	0.16	(0.01)	134,209.00	2,145.00	-
SGP13C1907A	0.12	250362	-	0.12	0.11	0.11	0.11	0.12	(0.01)	130,359.00	1,561.00	-
SGP19C1904A	0.01	140362	-	-	-	-	-	0.02	-	-	-	-
SGP19C1905A	0.28	250362	0.28	0.29	0.27	0.27	0.27	0.28	(0.01)	18,091.00	507.00	-
SGP19C1907A	0.12	250362	-	0.12	0.11	0.11	0.11	0.12	(0.01)	50,925.00	610.00	-
SGP24C1906A	0.45	250362	-	0.45	0.45	0.45	0.44	0.45	-	18,000.00	810.00	-
SGP27C1903A	0.07	71261	-	-	-	-	0.01	0.02	-	-	-	-
SGP28C1904A	0.06	60362	-	-	-	-	0.01	0.03	-	-	-	-
SGP28C1906A	0.28	250362	-	0.29	0.27	0.27	0.27	0.28	(0.01)	111,608.00	3,158.00	-
SIRI01C1907A	0.40	250362	0.39	0.40	0.39	0.40	0.39	0.40	-	5,532.00	221.00	-
SIRI01C1907B	0.32	250362	0.31	0.32	0.31	0.32	0.31	0.32	-	3,522.00	112.00	-
SIRI01P1907A	0.19	250362	-	0.19	0.19	0.19	0.18	0.19	-	2,201.00	42.00	-
SIRI06C1904A	0.01	200362	-	-	-	-	0.01	0.02	-	-	-	-
SIRI08C1903A	0.01	250362	0.01	0.01	0.01	0.01	0.01	0.02	-	721.00	1.00	-
SIRI11C1911A	0.28	250362	-	0.28	0.28	0.28	0.28	0.29	-	6,000.00	168.00	-
SIRI19C1906A	0.24	250362	-	-	-	-	0.23	0.25	-	-	-	-
SIRI24C1903A	0.08	141161	-	-	-	-	-	0.01	-	-	-	-
SIRI24C1906A	0.03	10362	-	-	-	-	0.01	0.02	-	-	-	-
SIRI24C1907A	0.37	130362	-	-	-	-	0.34	0.35	-	-	-	-
SIRI28C1904A	0.04	180262	0.01	0.01	0.01	0.01	0.01	0.03	(0.03)	100.00	-	-
SPAL01C1907A	0.42	250362	-	0.42	0.40	0.40	0.41	0.42	(0.02)	21,598.00	888.00	-
SPAL01C1907B	0.29	250362	-	0.29	0.28	0.28	0.28	0.29	(0.01)	51,168.00	1,466.00	-
SPAL11C1905A	0.01	310162	-	0.02	0.02	0.02	0.01	0.03	0.01	2.00	-	-
SPAL11C1910A	0.29	250362	-	0.29	0.28	0.28	0.29	0.30	(0.01)	14,500.00	418.00	-
SPAL13C1903A	0.03	191261	-	-	-	-	-	-	-	-	-	-
SPAL13C1904A	0.01	200362	-	-	-	-	-	0.02	-	-	-	-
SPAL19C1906A	0.18	250362	-	0.18	0.17	0.18	0.18	0.19	-	4,732.00	85.00	-
SPAL24C1905A	0.08	280262	-	-	-	-	0.02	0.03	-	-	-	-
SPAL24C1907A	0.24	200362	-	-	-	-	0.21	0.22	-	-	-	-
SPRC01C1907A	0.28	250362	-	0.29	0.27	0.28	0.27	0.28	-	249,091.00	6,812.00	-
SPRC01C1907B	0.19	250362	-	0.20	0.18	0.19	0.18	0.19	-	326,735.00	5,994.00	-
SPRC06C1907A	0.16	250362	-	0.17	0.15	0.15	0.15	0.16	(0.01)	26,730.00	414.00	-
SPRC07C1903A	0.01	80162	-	-	-	-	-	-	-	-	-	-
SPRC08C1903A	0.01	50362	-									

Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SPRC11C1909A	0.07	250362	-	0.07	0.06	0.07	0.05	0.07	-	12,536.00	75.00	-
SPRC13C1905A	0.03	210362	-	-	-	-	0.01	0.05	-	-	-	-
SPRC13C1906A	0.16	250362	-	0.15	0.13	0.15	0.15	0.16	(0.01)	627,627.00	8,979.00	-
SPRC19C1905A	0.05	200362	-	0.04	0.04	0.04	0.04	0.05	(0.01)	2,500.00	10.00	-
SPRC19C1906A	0.56	250362	-	0.53	0.50	0.53	0.53	0.55	(0.03)	2,440.00	127.00	-
SPRC19C1907A	0.21	250362	0.21	0.21	0.18	0.19	0.19	0.20	(0.02)	78,804.00	1,464.00	-
SPRC23C1907A	0.12	250362	-	0.11	0.10	0.11	0.10	0.11	(0.01)	26,000.00	268.00	-
SPRC24C1903A	0.01	10262	-	-	-	-	-	0.01	-	-	-	-
SPRC24C1909A	0.72	250362	0.72	0.72	0.67	0.67	0.69	0.72	(0.05)	62,644.00	4,276.00	-
STA01C1904A	0.02	250362	-	0.02	0.02	0.02	0.01	0.02	-	151.00	-	-
STA01C1904B	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	2,200.00	2.00	-
STA01C1908A	0.19	250362	0.18	0.20	0.18	0.19	0.18	0.19	-	34,323.00	652.00	-
STA01C1908B	0.08	250362	0.08	0.09	0.08	0.08	0.08	0.09	-	67,586.00	607.00	-
STA08C1904A	0.02	210362	-	-	-	-	0.01	0.02	-	-	-	-
STA08C1908A	0.11	250362	-	0.11	0.11	0.11	0.10	0.11	-	5,710.00	63.00	-
STA11C1909A	0.09	250362	-	0.09	0.08	0.08	0.08	0.09	(0.01)	20.00	-	-
STA13C1906A	0.09	250362	-	0.09	0.09	0.09	0.08	0.09	-	114,857.00	1,034.00	-
STA13C1908A	0.21	250362	0.22	0.22	0.21	0.21	0.21	0.22	-	327,883.00	7,122.00	-
STA19C1903A	0.06	250362	-	0.06	0.03	0.04	0.04	0.05	(0.02)	71,927.00	311.00	-
STA19C1903B	0.02	40362	-	-	-	-	-	0.01	-	-	-	-
STA19C1907A	0.08	250362	-	0.07	0.07	0.07	0.06	0.07	(0.01)	41,649.00	292.00	-
STA23C1906A	0.07	220362	0.06	0.06	0.06	0.06	0.06	0.07	(0.01)	1,090.00	7.00	-
STA24C1909A	0.21	220362	-	0.20	0.19	0.19	0.18	0.19	(0.02)	440.00	8.00	-
STA27C1904A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
STA41C1907A	0.16	210362	-	-	-	-	0.13	0.14	-	-	-	-
STEC01C1907A	0.73	250362	0.76	0.78	0.73	0.75	0.74	0.75	0.02	269,545.00	20,445.00	-
STEC01C1907B	0.64	250362	0.66	0.68	0.63	0.64	0.64	0.65	-	617,870.00	40,702.00	-
STEC01P1907A	0.37	250362	0.36	0.37	0.34	0.36	0.35	0.36	(0.01)	251,128.00	9,021.00	-
STEC06C1903A	0.02	200362	0.02	0.02	0.02	0.02	0.01	0.02	-	10.00	-	-
STEC06C1908A	0.67	250362	-	0.71	0.67	0.67	0.66	0.67	-	10,670.00	732.00	-
STEC07C1904A	0.13	250362	-	0.15	0.11	0.13	0.12	0.13	-	9,350.00	124.00	-
STEC08C1903A	0.05	270262	-	-	-	-	0.01	0.02	-	-	-	-
STEC08C1908A	0.53	250362	0.55	0.56	0.51	0.52	0.52	0.53	(0.01)	139,899.00	7,398.00	-
STEC11C1903A	0.10	250362	-	0.14	0.10	0.13	0.10	0.13	0.03	4,718.00	62.00	-
STEC11C2001A	0.69	250362	-	0.71	0.67	0.68	0.68	0.69	(0.01)	52,920.00	3,649.00	-
STEC13C1903A	0.01	80362	-	-	-	-	-	0.01	-	-	-	-
STEC13C1907A	0.54	250362	0.54	0.57	0.52	0.54	0.54	0.55	-	768,906.00	42,469.00	-
STEC19C1906A	0.77	250362	-	0.83	0.77	0.78	0.78	0.80	0.01	10,712.00	831.00	-
STEC19C1908A	0.55	250362	0.57	0.59	0.55	0.56	0.56	0.57	0.01	184,358.00	10,492.00	-
STEC19P1906A	0.21	250362	-	0.21	0.19	0.20	0.20	0.21	(0.01)	89,180.00	1,761.00	-
STEC23C1907A	0.40	250362	-	0.43	0.39	0.41	0.39	0.41	0.01	44,432.00	1,844.00	-
STEC24C1906A	0.82	250362	-	0.88	0.81	0.83	0.83	0.85	0.01	58,133.00	4,975.00	-
STEC27C1908A	0.54	250362	-	0.57	0.53	0.54	0.54	0.55	-	28,340.00	1,555.00	-
STEC27P1910A	0.46	250362	-	0.45	0.44	0.44	0.44	0.45	(0.02)	101,406.00	4,512.00	-
STEC41C1907A	0.58	250362	-	0.61	0.57	0.58	0.57	0.58	-	79,391.00	4,691.00	-
SUPE13C1903A	0.02	210262	-	-	-	-	-	-	-	-	-	-
SUPE19C1903A	0.02	140362	-	-	-	-	-	0.02	-	-	-	-
SUPE19C1906A	0.13	250362	-	0.15	0.13	0.15	0.14	0.15	0.02	6,699.00	89.00	-
SUPE23C1906A	0.12	250362	-	0.13	0.12	0.13	0.11	0.13	0.01	4,115.00	52.00	-
TASC01C1903A	0.24	250362	0.26	0.27	0.25	0.25	0.25	0.26	0.01	36,538.00	973.00	-
TASC01C1903B	0.01	250362	-	0.01	0.01	0.01	0.01	0.02	-	6,500.00	7.00	-
TASC01C1909A	0.37	250362	0.37	0.38	0.37	0.38	0.36	0.37	0.01	25,251.00	959.00	-
TASC01C1909B	0.27	250362	0.27	0.28	0.27	0.27	0.26	0.27	-	32,056.00	896.00	-
TASC01P1903A	0.28	250362	-	0.26	0.26	0.26	0.26	0.28	(0.02)	1,387.00	36.00	-
TASC01P1909A	0.77	250362	-	0.76	0.76	0.76	0.76	0.78	(0.01)	2,150.00	163.00	-
TASC06C1909A	0.31	250362	-	0.30	0.30	0.30	0.28	0.29	(0.01)	4,900.00	147.00	-
TASC06P1909A	0.63	250362	-	-	-	-	0.62	0.63	-	-	-	-
TASC08C1903A	0.01	210362	-	-	-	-	-	0.01	-	-	-	-
TASC11C1904A	0.01	280262	-	-	-	-	0.01	0.03	-	-	-	-
TASC13C1904A	0.08	250362	-	-	-	-	0.08	0.09	-	-	-	-
TASC13C1907A	0.30	250362	0.33	0.33	0.31	0.31	0.31	0.32	0.01	175,005.00	5,566.00	-
TASC19C1907A	0.39	250362	-	0.41	0.41	0.41	0.39	0.40	0.02	1.00	-	-
TASC19C1907B	0.20	250362	-	0.21	0.21	0.21	0.20	0.21	0.01	15,448.00	324.00	-
TASC23C1907A	0.32	250362	-	0.33	0.33	0.33	0.31	0.33	0.01	4,000.00	132.00	-
TASC24C1903A	0.04	80362	-	-	-	-	-	0.09	-	-	-	-
TASC24C1908A	0.35	210362	-	-	-	-	0.35	0.36	-	-	-	-
TASC27C1905A	0.23	250362	-	0.23	0.22	0.23	0.22	0.23	-	3,700.00	85.00	-
TASC28C1904A	0.03	40362	-	-	-	-	0.01	0.03	-	-	-	-
TASC28C1907A	0.39	140362	-	-	-	-	0.32	0.35	-	-	-	-
TASC28C1908A	0.24	250362	-	0.25	0.24	0.25	0.24	0.25	0.01	12,102.00	303.00	-
TASC41C1909A	0.15	220362	-	0.13	0.13	0.13	0.13	0.14	(0.02)	2.00	-	-
TCAP01C1907A	0.51	250362	0.51	0.53	0.51	0.53	0.52	0.53	0.02	16,221.00	858.00	-
TCAP01C1907B	0.39	250362	0.41	0.41	0.39	0.40	0.40	0.41	0.01	17,402.00	707.00	-
TCAP01P1907A	0.33	250362	-	0.32	0.31	0.31	0.30	0.31	(0.02)	19,993.00	625.00	-
TCAP11C1909A	0.21	250362	-	0.22	0.22	0.22	0.22	0.23	0.01	200.00	4.00	-
TCAP13C1906A	0.25	250362	-	0.27	0.25	0.27	0.27	0.28	0.02	82,791.00	2,198.00	-
TCAP19C1907A	0.39	250362	0.40	0.40	0.39	0.40	0.40	0.41	0.01	12,299.00	487.00	-
TCAP19C1908A	1.00	0	-	0.25	0.25	0.25	0.25	0.26	(0.75)	41,522.00	1,038.00	-
TCAP24C1903A	0.03	280262	-	-	-	-	-	0.01	-	-	-	-
TCAP24C1907A	0.34	220362	-	-	-	-	0.28	0.29	-	-	-	-
THAI01C1907A	0.29	250362	0.30	0.32	0.30	0.30	0.30	0.31	0.01	20,880.00	649.00	-
THAI01C1907B	0.21	250362	0.22	0.24	0.22	0.23	0.22	0.23	0.02	92,475.00	2,138.00	-
THAI01P1907A	0.39	250362	-	0.38	0.37	0.37	0.37	0.38	(0.02)	6,098.00	231.00	-
THAI08C1903A	0.01	70362	-	-	-	-	-	0.01	-	-	-	-
THAI11C1906A	0.08	210362	-	-	-	-	0.06	0.07	-	-	-	-
THAI13C1906A	0.17	250362	-	0.18	0.16	0.17	0.17	0.18	-	35,776.00	608.00	-
THAI19C1905A	0.13	250362	-	0.14	0.13	0.13	0.13	0.14	-	7,936.00	104.00	-
THAI24C1906A	0.22	210362	-	0.21	0.21	0.21	0.20	0.21	(0.01)	100.00	2.00	-
THAI27C1905A	0.08	210362	-	-	-	-	0.07	0.08	-	-	-	-
THAI28C1904A	0.04	220362	-	-	-	-	0.01	0.04	-	-	-	-
THAI28C1906A	0.13	250362	-	0.15	0.13	0.14	0.14	0.15	0.01	13,412.00	188.00	-
THAN01C1907A	0.52	250362	-	0.54	0.51	0.54	0.54	0.55	0.02	26,140.00	1,380.00	-
THAN01C1907B	0.41	250362	0.39	0.43	0.39	0.43	0.42	0.43	0.02	10,612.00	433.00	-
THAN08C1904A	0.02	220362	-	-	-	-	0.01	0.02	-	-	-	-
THAN13C1905A	0.17	250362	0.17	0.18	0.16	0.18	0.18	0.19	0.01	30,121.00	499.00	-
THAN19C1903A	0.01	250362	-	-	-	-	-	0.02	-	-	-	-
THAN19C1908A	0.21	250362	-	0.22	0.20	0.22	0.21	0.23	0.01	88,801.00	1,917.00	-
THAN23C1906A	0.31	250362	-	0.32	0.30	0.32	0.32	0.33	0.01	10,500.00	330.00	-
THAN24C1903A	0.01	40362	-	-	-	-	-	0.01	-	-	-	-
THAN24C1907A	0.33	250362	-	0.34	0.31	0.34	0.35	0.37	0.01	11,000.00	356.00	-
THAN27C1910A	1											

Foreign Board Quotation

Issue Date : Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (’000)	Average Price
	Price	Date										
THCO08C1906A	0.02	250362	-	-	-	-	0.01	0.02	-	-	-	-
TISCO1C1908A	0.98	250362	0.98	0.99	0.98	<b>0.98</b>	0.97	0.98	-	26,447.00	2,596.00	-
TISCO1C1908B	0.76	250362	-	0.77	0.75	<b>0.75</b>	0.75	0.76	(0.01)	23,278.00	1,777.00	-
TISCO1P1908A	0.75	250362	-	0.75	0.74	<b>0.74</b>	0.74	0.75	(0.01)	36,258.00	2,717.00	-
TISCO08C1903A	0.07	200362	-	-	-	-	0.01	0.02	-	-	-	-
TISCO11C1903A	0.01	200362	-	-	-	-	0.01	0.03	-	-	-	-
TISCO11C1910A	0.86	250362	-	0.85	0.84	<b>0.84</b>	0.84	0.85	(0.02)	14,326.00	1,205.00	-
TISCO13C1904A	0.30	250362	-	0.30	0.29	<b>0.29</b>	0.29	0.30	(0.01)	39,994.00	1,171.00	-
TISCO19C1906A	0.86	250362	-	-	-	-	0.85	0.87	-	-	-	-
TISCO19C1908A	0.56	250362	-	0.57	0.56	<b>0.56</b>	0.56	0.57	-	11,738.00	659.00	-
TISCO23C1907A	0.52	250362	-	0.52	0.51	<b>0.51</b>	0.51	0.52	(0.01)	14,500.00	743.00	-
TISCO24C1904A	0.15	50362	-	-	-	-	0.08	0.09	-	-	-	-
TISCO24C1908A	0.73	220362	-	-	-	-	0.66	0.67	-	-	-	-
TISCO27C1905A	0.47	250362	-	0.48	0.47	<b>0.47</b>	0.47	0.48	-	7,200.00	340.00	-
TISCO28C1905A	0.35	250362	-	0.34	0.34	<b>0.34</b>	0.33	0.34	(0.01)	2,048.00	70.00	-
TISCO41C1907A	0.71	250362	-	0.69	0.69	<b>0.69</b>	0.69	0.70	(0.02)	4,000.00	276.00	-
TISCO42C1904A	0.21	250362	-	0.20	0.20	<b>0.20</b>	0.20	0.21	(0.01)	6,870.00	137.00	-
TKNO1C1906A	0.73	250362	-	0.78	0.75	<b>0.77</b>	0.77	0.78	0.04	45,334.00	3,445.00	-
TKNO1C1906B	0.52	250362	0.52	0.55	0.52	<b>0.55</b>	0.54	0.55	0.03	40,101.00	2,161.00	-
TKNO1C1909A	0.26	250362	-	0.26	0.25	<b>0.26</b>	0.26	0.27	-	5,729.00	149.00	-
TKNO1C1909B	0.19	250362	-	0.20	0.20	<b>0.20</b>	0.19	0.20	0.01	18,722.00	374.00	-
TKNO8C1903A	0.01	250362	0.01	0.01	0.01	<b>0.01</b>	0.01	0.02	-	546.00	1.00	-
TKNO8C1908A	0.21	250362	-	0.22	0.21	<b>0.22</b>	0.22	0.23	0.01	16,963.00	373.00	-
TKN13C1904A	0.02	150362	-	-	-	-	-	0.01	-	-	-	-
TKN13C1904B	0.06	250362	-	0.07	0.07	<b>0.07</b>	0.07	0.08	0.01	8,165.00	57.00	-
TKN13C1905A	0.04	250362	-	0.05	0.05	<b>0.05</b>	0.05	0.06	0.01	3,295.00	16.00	-
TKN13C1906A	0.95	210362	-	0.82	0.82	<b>0.82</b>	0.80	0.84	(0.13)	1.00	-	-
TKN13C1908A	0.12	250362	-	0.13	0.12	<b>0.13</b>	0.12	0.13	0.01	4,518.00	54.00	-
TKN19C1903A	0.02	180262	-	-	-	-	-	0.01	-	-	-	-
TKN19C1905A	0.11	250362	0.11	0.12	0.11	<b>0.12</b>	0.11	0.12	0.01	6,746.00	74.00	-
TKN19C1907A	0.87	250362	-	0.91	0.88	<b>0.91</b>	0.91	0.92	0.04	5,050.00	448.00	-
TKN24C1903A	0.03	301161	-	-	-	-	-	0.01	-	-	-	-
TKN24C1904A	0.02	220262	-	-	-	-	-	0.01	-	-	-	-
TKN24C1906A	0.63	250362	-	0.64	0.62	<b>0.64</b>	0.64	0.65	0.01	1,300.00	82.00	-
TKN28C1904A	0.01	220362	-	-	-	-	0.01	0.04	-	-	-	-
TKN28C1906A	0.26	250362	-	0.28	0.27	<b>0.27</b>	0.28	0.29	0.01	38,480.00	1,051.00	-
TKN28C1907A	0.09	250362	-	0.10	0.09	<b>0.10</b>	0.09	0.10	0.01	3,148.00	28.00	-
TKN41C1908A	0.20	220362	-	0.19	0.19	<b>0.19</b>	0.18	0.19	(0.01)	3.00	-	-
TMB01C1903A	0.01	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	10,030.00	10.00	-
TMB01C1903B	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
TMB01C1909A	0.19	250362	0.19	0.19	0.18	<b>0.18</b>	0.17	0.18	(0.01)	90,539.00	1,674.00	-
TMB01P1903A	0.42	250362	0.44	0.47	0.44	<b>0.44</b>	0.44	0.47	0.02	16,332.00	734.00	-
TMB06C1903A	0.01	220362	-	-	-	-	0.01	0.02	-	-	-	-
TMB07C1903A	0.03	50362	-	-	-	-	-	-	-	-	-	-
TMB08C1903A	0.02	200362	-	-	-	-	0.01	0.02	-	-	-	-
TMB08C1908A	0.13	250362	-	0.13	0.12	<b>0.12</b>	0.11	0.12	(0.01)	13,092.00	157.00	-
TMB11C1904A	0.01	220362	-	-	-	-	0.01	0.02	-	-	-	-
TMB13C1904A	0.02	220362	0.01	0.02	0.01	<b>0.01</b>	0.01	0.02	(0.01)	25,242.00	25.00	-
TMB13C1908A	0.17	250362	-	0.16	0.15	<b>0.15</b>	0.15	0.16	(0.02)	35,839.00	558.00	-
TMB19C1906A	0.10	250362	-	0.10	0.09	<b>0.09</b>	0.09	0.10	(0.01)	12,063.00	109.00	-
TMB23C1906A	0.07	180362	-	-	-	-	0.04	0.05	-	-	-	-
TMB24C1911A	0.27	250362	-	-	-	-	0.25	0.26	-	-	-	-
TMB27C1903A	0.03	190362	-	-	-	-	0.01	0.02	-	-	-	-
TMB28C1904A	0.01	150362	-	-	-	-	0.01	0.03	-	-	-	-
TMB28C1907A	0.10	220362	-	0.08	0.08	<b>0.08</b>	0.08	0.09	(0.02)	9,032.00	72.00	-
TMB41C1906A	0.13	250362	-	0.12	0.11	<b>0.11</b>	0.11	0.12	(0.02)	8,080.00	93.00	-
TOA01C1907A	0.23	250362	0.22	0.23	0.21	<b>0.22</b>	0.22	0.23	(0.01)	51,206.00	1,139.00	-
TOA01C1907B	0.16	250362	0.15	0.16	0.14	<b>0.15</b>	0.15	0.16	(0.01)	71,664.00	1,085.00	-
TOA11C1911A	0.19	250362	-	0.19	0.18	<b>0.19</b>	0.19	0.20	-	25,600.00	475.00	-
TOA13C1906A	0.14	220362	0.12	0.12	0.12	<b>0.12</b>	0.12	0.13	(0.02)	20,240.00	243.00	-
TOA19C1906A	0.14	250362	-	0.14	0.12	<b>0.14</b>	0.14	0.15	-	11,916.00	160.00	-
TOA23C1906A	0.06	200362	0.05	0.05	0.05	<b>0.05</b>	0.05	0.06	(0.01)	10.00	-	-
TOA24C1904A	0.04	180362	-	-	-	-	0.02	0.03	-	-	-	-
TOA24C1911A	0.22	250362	-	0.23	0.20	<b>0.23</b>	0.22	0.23	0.01	16,419.00	354.00	-
TOA28C1904A	0.06	70362	-	-	-	-	0.01	0.03	-	-	-	-
TOP01C1904A	0.03	250362	-	0.04	0.03	<b>0.04</b>	0.03	0.04	0.01	31,015.00	93.00	-
TOP01C1904B	0.01	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	16,122.00	16.00	-
TOP01C1907A	0.69	250362	0.69	0.69	0.65	<b>0.68</b>	0.68	0.69	(0.01)	104,607.00	7,011.00	-
TOP01C1907B	0.45	250362	0.45	0.46	0.41	<b>0.44</b>	0.43	0.44	(0.01)	191,558.00	8,252.00	-
TOP01P1904A	1.29	250362	-	1.39	1.28	<b>1.28</b>	1.28	1.30	(0.01)	5,590.00	744.00	1.00
TOP01P1907A	1.05	250362	-	1.09	1.05	<b>1.05</b>	1.05	1.06	-	82,509.00	8,862.00	1.00
TOP06C1903A	0.02	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	16,219.00	16.00	-
TOP06C1903B	0.01	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	2,649.00	3.00	-
TOP06C1908A	0.64	250362	-	0.63	0.59	<b>0.63</b>	0.62	0.63	(0.01)	5,700.00	356.00	-
TOP07C1908A	0.29	250362	0.27	0.29	0.27	<b>0.28</b>	0.28	0.29	(0.01)	530.00	15.00	-
TOP08C1906A	0.39	250362	-	0.37	0.35	<b>0.37</b>	0.37	0.38	(0.02)	78,850.00	2,860.00	-
TOP11C1905A	0.10	250362	-	0.10	0.09	<b>0.09</b>	0.09	0.10	(0.01)	1,568.00	15.00	-
TOP13C1904A	0.03	250362	-	-	-	-	0.02	0.03	-	-	-	-
TOP13C1905A	0.42	250362	-	0.42	0.38	<b>0.41</b>	0.41	0.42	(0.01)	94,872.00	3,802.00	-
TOP19C1906A	0.35	250362	0.35	0.35	0.32	<b>0.34</b>	0.34	0.35	(0.01)	169,236.00	5,676.00	-
TOP19P1906A	0.43	250362	-	0.45	0.42	<b>0.43</b>	0.43	0.44	-	144,735.00	6,307.00	-
TOP23C1906A	0.17	250362	-	0.16	0.15	<b>0.16</b>	0.15	0.16	(0.01)	11,000.00	174.00	-
TOP24C1903A	0.01	220262	-	-	-	-	-	0.01	-	-	-	-
TOP24C1905A	0.14	250362	-	-	-	-	0.15	0.16	-	-	-	-
TOP24C1907A	0.55	250362	-	0.54	0.51	<b>0.54</b>	0.54	0.55	(0.01)	210.00	11.00	-
TOP27C1903A	0.01	270262	-	-	-	-	0.01	0.02	-	-	-	-
TOP28C1904A	0.03	190362	-	0.01	0.01	<b>0.01</b>	0.01	0.03	(0.02)	500.00	1.00	-
TOP28C1906A	0.43	250362	-	0.42	0.39	<b>0.42</b>	0.42	0.43	(0.01)	35,539.00	1,452.00	-
TOP41C1906A	0.37	250362	-	0.37	0.36	<b>0.37</b>	0.36	0.37	-	48,000.00	1,752.00	-
TOP41C1910A	1.00	0	-	-	-	-	0.47	0.49	-	-	-	-
TOP41C1910B	1.00	0	-	-	-	-	0.42	0.44	-	-	-	-
TPI01C1906A	0.25	250362	0.25	0.26	0.25	<b>0.25</b>	0.25	0.26	-	19,299.00	501.00	-
TPI01C1906B	0.17	220362	0.16	0.17	0.16	<b>0.17</b>	0.16	0.17	-	22,994.00	391.00	-
TPI19C1907A	0.25	220362	-	0.24	0.23	<b>0.24</b>	0.24	0.25	(0.01)	3,444.00	82.00	-
TPIP11C1909A	0.34	250362	-	0.33	0.32	<b>0.32</b>	0.33	0.34	(0.02)	24,004.00	791.00	-
TPIP13C1904A	0.27	140362	-	0.18	0.16	<b>0.17</b>	0.18	0.19	(0.10)	61,494.00	1,047.00	-
TPIP13C1905A	0.08	250362	-	0.07	0.06	<b>0.07</b>	0.07	0.08	(0.01)	2,376.00	16.00	-
TPIP13C1908A	0.20	10362	-	0.16	0.15	<b>0.15</b>	0.16	0.17	(0.05)	2,000.00	31.00	-
TPIP19C1906A	0.59	250362	0.38	0.38	0.36	<b>0.38</b>	0.38	0.39				

## Foreign Board Quotation

Issue Date :

Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (’000)	Average Price
	Price	Date										
TRUE01C1905B	0.02	200362	-	-	-	-	0.01	0.02	-	-	-	-
TRUE01C1907A	0.62	250362	0.61	0.63	0.61	<b>0.62</b>	0.62	0.63	-	98,039.00	6,060.00	-
TRUE01C1907B	0.42	250362	0.42	0.44	0.41	<b>0.43</b>	0.43	0.44	0.01	151,870.00	6,502.00	-
TRUE01P1905A	0.63	250362	-	0.64	0.62	<b>0.63</b>	0.62	0.63	-	45,148.00	2,869.00	-
TRUE01P1907A	0.75	250362	0.75	0.75	0.73	<b>0.73</b>	0.72	0.73	(0.02)	47,767.00	3,558.00	-
TRUE01P1907B	0.46	250362	0.46	0.46	0.45	<b>0.45</b>	0.44	0.45	(0.01)	25,887.00	1,182.00	-
TRUE06C1906A	0.02	220362	0.01	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	2,712.00	3.00	-
TRUE08C1907A	0.12	250362	-	-	-	-	0.12	0.13	-	-	-	-
TRUE11C1905A	0.06	210262	-	-	-	-	0.01	0.04	-	-	-	-
TRUE11C1911A	0.55	250362	-	0.56	0.55	<b>0.55</b>	0.55	0.56	-	9,375.00	518.00	-
TRUE13C1905A	0.03	220362	-	-	-	-	0.02	0.03	-	-	-	-
TRUE13C1906A	0.36	250362	-	0.37	0.36	<b>0.37</b>	0.37	0.38	0.01	145,339.00	5,355.00	-
TRUE13C1907A	0.11	250362	-	0.12	0.11	<b>0.11</b>	0.11	0.12	-	94,213.00	1,036.00	-
TRUE16C1912A	0.27	130362	-	0.26	0.26	<b>0.26</b>	0.26	0.27	(0.01)	100.00	3.00	-
TRUE19C1903A	0.02	140362	-	-	-	-	-	0.01	-	-	-	-
TRUE19C1907A	0.52	250362	-	0.53	0.51	<b>0.53</b>	0.52	0.53	0.01	25,248.00	1,316.00	-
TRUE19P1903A	0.05	200362	-	-	-	-	0.01	0.02	-	-	-	-
TRUE19P1908A	0.38	250362	-	0.37	0.36	<b>0.36</b>	0.36	0.37	(0.02)	43,544.00	1,592.00	-
TRUE27C1904A	0.06	140262	-	-	-	-	0.01	0.02	-	-	-	-
TRUE27P1904A	0.50	250362	-	0.50	0.48	<b>0.48</b>	0.49	0.50	(0.02)	8,800.00	435.00	-
TRUE28C1905A	0.03	60362	-	-	-	-	0.01	0.02	-	-	-	-
TRUE28C1906A	0.33	250362	-	0.35	0.33	<b>0.35</b>	0.35	0.36	0.02	21,394.00	726.00	-
TRUE28C1907A	0.11	250362	-	0.11	0.11	<b>0.11</b>	0.11	0.12	-	5,040.00	55.00	-
TRUE41C1906A	0.17	250362	-	-	-	-	0.17	0.18	-	-	-	-
TRUE41C1908A	0.18	250362	-	-	-	-	0.18	0.19	-	-	-	-
TRUE41C1910A	1.00	0	-	-	-	-	0.45	0.47	-	-	-	-
TRUE41C1910B	1.00	0	-	-	-	-	0.40	0.42	-	-	-	-
TRUE41P1908A	0.61	250362	-	-	-	-	0.59	0.60	-	-	-	-
TTA08C1906A	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
TU01C1907A	0.65	250362	0.70	0.71	0.66	<b>0.68</b>	0.68	0.69	0.03	96,862.00	6,726.00	-
TU01C1907B	0.58	250362	-	0.67	0.59	<b>0.61</b>	0.61	0.63	0.03	42,979.00	2,708.00	-
TU01P1907A	0.18	250362	-	0.17	0.15	<b>0.16</b>	0.15	0.16	(0.02)	59,498.00	932.00	-
TU11C1906A	0.11	220362	-	0.12	0.11	<b>0.11</b>	0.11	0.12	-	8,204.00	93.00	-
TU13C1906A	0.36	250362	0.39	0.40	0.35	<b>0.38</b>	0.38	0.39	0.02	104,878.00	4,070.00	-
TU19C1906A	0.52	250362	-	0.58	0.52	<b>0.54</b>	0.54	0.56	0.02	5,255.00	282.00	-
TU19C1908A	0.25	250362	-	0.29	0.25	<b>0.27</b>	0.27	0.28	0.02	96,917.00	2,643.00	-
TU24C1904A	0.19	250362	-	0.21	0.21	<b>0.21</b>	0.20	0.21	0.02	6,587.00	138.00	-
TU41C1907A	0.30	250362	-	0.33	0.29	<b>0.31</b>	0.30	0.31	0.01	16,977.00	542.00	-
TVO01C1903A	0.08	250362	0.07	0.07	0.07	<b>0.07</b>	0.07	0.08	(0.01)	1,283.00	9.00	-
TVO01C1903B	0.02	70362	-	-	-	-	0.01	0.02	-	-	-	-
TVO11C1903A	0.01	60362	-	-	-	-	0.01	0.03	-	-	-	-
TVO11C2001A	0.26	250362	-	-	-	-	0.26	0.27	-	-	-	-
TVO13C1904A	0.06	60362	-	-	-	-	0.01	0.05	-	-	-	-
TVO19C1906A	0.23	250362	0.24	0.24	0.24	<b>0.24</b>	0.23	0.24	0.01	40.00	1.00	-
TVO23C1907A	0.11	250362	-	-	-	-	0.11	0.12	-	-	-	-
TVO24C1903A	0.14	151161	-	-	-	-	-	0.01	-	-	-	-
UNIQ08C1906A	0.02	80362	-	0.02	0.02	<b>0.02</b>	0.01	0.02	-	30.00	-	-
UV13C1904A	0.03	80362	-	-	-	-	-	0.01	-	-	-	-
UV13C1908A	0.20	250362	-	0.20	0.20	<b>0.20</b>	0.20	0.21	-	5,100.00	102.00	-
UV19C1906A	0.18	250362	-	0.18	0.18	<b>0.18</b>	0.18	0.19	-	1,500.00	27.00	-
UV24C1903A	0.05	40362	-	-	-	-	-	0.09	-	-	-	-
UV28C1906A	0.11	220362	-	-	-	-	0.09	0.10	-	-	-	-
VGI06C1904A	6.00	181261	-	-	-	-	6.55	6.65	-	-	-	-
VGI06C1904B	6.30	10362	-	-	-	-	6.55	6.65	-	-	-	-
VGI06C1904C	6.35	150362	-	-	-	-	6.55	6.65	-	-	-	-
VGI23C1905A	1.40	110362	-	-	-	-	1.41	1.44	-	-	-	-
VGI23C1911A	1.37	190362	-	-	-	-	1.37	1.40	-	-	-	-
WHA01C1906A	0.44	250362	0.43	0.46	0.42	<b>0.44</b>	0.43	0.44	-	75,489.00	3,313.00	-
WHA01C1906B	0.21	250362	0.20	0.22	0.20	<b>0.20</b>	0.20	0.21	(0.01)	102,552.00	2,168.00	-
WHA01P1906A	0.43	250362	0.41	0.42	0.41	<b>0.41</b>	0.41	0.42	(0.02)	35,966.00	1,510.00	-
WHA06C1903A	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
WHA06C1908A	0.43	250362	-	0.44	0.42	<b>0.44</b>	0.42	0.43	0.01	5,104.00	217.00	-
WHA07C1906A	0.33	250362	-	0.34	0.32	<b>0.34</b>	0.34	0.37	0.01	4,070.00	138.00	-
WHA08C1904A	0.05	220362	-	-	-	-	0.04	0.05	-	-	-	-
WHA08C1908A	0.29	250362	-	0.30	0.29	<b>0.29</b>	0.29	0.30	-	25,537.00	743.00	-
WHA11C1903A	0.03	210362	-	-	-	-	0.01	0.04	-	-	-	-
WHA11C2001A	0.42	250362	-	0.43	0.42	<b>0.42</b>	0.41	0.43	-	13,044.00	550.00	-
WHA13C1905A	0.20	250362	-	0.21	0.20	<b>0.20</b>	0.20	0.21	-	73,867.00	1,483.00	-
WHA19C1907A	0.31	250362	-	0.33	0.30	<b>0.32</b>	0.32	0.33	0.01	113,354.00	3,605.00	-
WHA23C1906A	0.11	250362	0.10	0.11	0.10	<b>0.11</b>	0.10	0.11	-	11,700.00	127.00	-
WHA24C1907A	0.31	250362	-	0.34	0.33	<b>0.33</b>	0.33	0.34	0.02	3,420.00	115.00	-
WHA24P1908A	0.41	130362	-	-	-	-	0.37	0.38	-	-	-	-
WHA27C1903A	0.03	250362	-	0.02	0.02	<b>0.02</b>	0.02	0.03	(0.01)	2,250.00	5.00	-
WHA27C1910A	0.39	250362	-	-	-	-	0.38	0.39	-	-	-	-
WHA27P1905A	0.24	250362	-	0.25	0.24	<b>0.24</b>	0.24	0.25	-	6,300.00	154.00	-
WHA28C1906A	0.18	250362	-	0.19	0.18	<b>0.18</b>	0.18	0.19	-	10,358.00	190.00	-
WHA41C1907A	0.22	250362	-	0.22	0.22	<b>0.22</b>	0.22	0.23	-	500.00	11.00	-
WHAU13C1905A	0.15	220362	-	0.14	0.13	<b>0.14</b>	0.14	0.15	(0.01)	14,752.00	195.00	-
WHAU19C1907A	0.21	220362	0.20	0.20	0.19	<b>0.20</b>	0.20	0.21	(0.01)	6,459.00	125.00	-
WHAU27C1905A	0.05	250362	-	-	-	-	0.05	0.06	-	-	-	-
WORK01C1904A	0.01	250362	0.01	0.01	0.01	<b>0.01</b>	0.01	0.02	-	2,984.00	3.00	-
WORK01C1904B	0.01	250362	-	-	-	-	0.01	0.02	-	-	-	-
WORK01C1910A	0.83	250362	-	0.87	0.84	<b>0.86</b>	0.86	0.87	0.03	36,460.00	3,134.00	-
WORK01C1910B	0.19	250362	-	0.20	0.19	<b>0.20</b>	0.19	0.20	0.01	11,102.00	211.00	-
WORK08C1906A	0.35	250362	0.36	0.37	0.35	<b>0.36</b>	0.37	0.38	0.01	37,613.00	1,343.00	-
WORK11C1903A	0.01	220362	-	0.01	0.01	<b>0.01</b>	0.01	0.03	-	1,050.00	1.00	-
WORK13C1903A	0.02	40262	-	-	-	-	-	-	-	-	-	-
WORK13C1905A	0.22	250362	-	0.24	0.23	<b>0.24</b>	0.24	0.25	0.02	66,605.00	1,577.00	-
WORK13C1907A	0.11	250362	-	0.12	0.12	<b>0.12</b>	0.12	0.13	0.01	21,981.00	264.00	-
WORK19C1905A	0.04	250362	-	0.04	0.04	<b>0.04</b>	0.03	0.04	-	10.00	-	-
WORK19C1906A	0.42	250362	0.44	0.45	0.43	<b>0.45</b>	0.45	0.46	0.03	51,771.00	2,265.00	-
WORK19C1908A	1.00	0	-	0.17	0.17	<b>0.17</b>	0.17	0.18	(0.83)	5,028.00	85.00	-
WORK24C1903A	0.01	240162	-	-	-	-	-	0.01	-	-	-	-
WORK24C1907A	0.06	250362	-	-	-	-	0.06	0.07	-	-	-	-
WORK24C1907B	0.45	250362	-	0.44	0.43	<b>0.44</b>	0.44	0.45	(0.01)	1,040.00	46.00	-
WORK27C1903A	0.04	41261	-	-	-	-	0.01	0.02	-	-	-	-
WORK28C1904A	0.01	40362	-	-	-	-	0.01	0.04	-	-	-	-
WORK28C1905A	0.03	220362	-	0.03	0.03	<b>0.03</b>	0.02	0.03	-	2,000.00	6.00	-
WORK28C1907A	0.12	250362	-	0.12	0.11	<b>0.11</b>	0.12	0.13	(0.01)	2,040.00	24.00	-
WORK28C1907B	0.41	250362	-	0.43	0.41	<b>0.42</b>	0.43	0.44	0.01	62,354.00	2,609.00	-
Preferred/Foreign	-	-	-	-	-	-	-	-	-	-	-	-



**Foreign Board Quotation**
**Issue Date : Tuesday March 26, 2019**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BH-Q	23.40	210936	-	-	-	-	49.00	-	-	-	-	-
CSC-Q	76.00	0	-	-	-	-	-	-	-	-	-	-
JUTHA-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
KTB-Q	-	0	-	-	-	-	-	-	-	-	-	-
SCB-Q	170.00	211057	-	-	-	-	120.00	-	-	-	-	-
TCAP-Q	-	0	-	-	-	-	-	-	-	-	-	-
TIC-Q	10.00	0	-	-	-	-	-	-	-	-	-	-
TISCO-Q	8.00	0	-	-	-	-	-	-	-	-	-	-
U-Q	4.00	21161	-	-	-	-	2.40	-	-	-	-	-
Warrant												
ACC-W1	0.01	250362	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
AJA-W1	0.10	250362	-	0.11	0.09	0.09	0.09	0.10	(0.01)	7,815.00	77.00	-
ALT-W1	0.55	250362	-	0.58	0.55	0.58	0.57	0.58	0.03	524.00	30.00	-
APEX-W1	0.04	220362	0.04	0.04	0.03	0.04	0.03	0.04	-	2,554.00	10.00	-
APURE-W2	0.14	250362	-	0.14	0.14	0.14	0.14	0.15	-	4,917.00	69.00	-
AS-W1	0.09	250362	-	0.09	0.09	0.09	0.08	0.10	-	200.00	2.00	-
AYUD-W1	5.60	250362	5.70	5.70	5.10	5.30	5.30	5.35	(0.30)	15,062.00	8,135.00	5.00
B-W3	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
B-W4	0.13	250362	-	0.13	0.12	0.13	0.12	0.13	-	753.00	9.00	-
BTS-W4	0.74	250362	0.75	1.00	0.74	0.95	0.95	0.96	0.21	3,252,923.00	289,866.00	-
BWG-W4	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
CGD-W4	0.17	250362	-	0.20	0.17	0.18	0.17	0.18	0.01	607.00	10.00	-
CGH-W3	0.04	250362	-	0.05	0.03	0.04	0.03	0.04	-	1,965.00	8.00	-
CI-W1	0.22	250362	-	0.24	0.21	0.21	0.21	0.22	(0.01)	2,263.00	49.00	-
CKP-W1	0.48	250362	0.49	0.49	0.48	0.49	0.48	0.49	0.01	28,452.00	1,376.00	-
CRANE-W1	0.81	250362	-	0.86	0.75	0.75	0.75	0.86	(0.06)	201.00	16.00	-
DCC-W1	0.82	250362	0.82	0.82	0.82	0.82	0.81	0.82	-	26,594.00	2,181.00	-
DCON-W1	2.10	250362	-	2.40	2.40	2.40	2.20	2.50	0.30	100.00	24.00	2.00
DIGI-W1	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
DIGI-W2	0.02	250362	-	0.02	0.01	0.01	-	0.02	(0.01)	65.00	-	-
EARTH-W4	0.09	140660	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.28	250362	0.29	0.29	0.28	0.28	0.28	0.29	-	2,407.00	69.00	-
EIC-W2	0.01	130362	-	-	-	-	-	0.01	-	-	-	-
EIC-W3	0.03	150362	-	-	-	-	0.01	0.03	-	-	-	-
EMC-W6	0.25	250362	0.25	0.25	0.24	0.25	0.24	0.25	-	52,018.00	1,259.00	-
EPCO-W3	0.28	250362	-	0.30	0.28	0.29	0.29	0.30	0.01	8,639.00	250.00	-
GJS-W3	0.01	210362	-	-	-	-	-	0.01	-	-	-	-
GSTEL-W1	0.01	20561	-	-	-	-	-	-	-	-	-	-
GSTEL-W2	0.01	40561	-	-	-	-	-	-	-	-	-	-
IEC-W2	0.01	150859	-	-	-	-	-	-	-	-	-	-
IHL-W1	4.30	250362	-	4.38	4.26	4.38	4.12	4.38	0.08	253.00	108.00	4.00
ITD-W1	0.01	220362	-	0.01	0.01	0.01	-	0.01	-	70,200.00	70.00	-
JAS-W3	3.14	250362	3.12	3.16	3.12	3.12	3.12	3.14	(0.02)	8,235.00	2,579.00	3.00
JCK-W5	0.44	220362	-	0.43	0.41	0.43	0.41	0.43	(0.01)	818.00	34.00	-
JMART-W2	0.19	250362	0.20	0.21	0.19	0.21	0.20	0.21	0.02	15,559.00	311.00	-
JMT-W2	2.46	250362	-	2.50	2.40	2.48	2.40	2.48	0.02	306.00	75.00	2.00
MACO-W2	0.19	250362	0.20	0.20	0.19	0.20	0.19	0.20	0.01	53,581.00	1,023.00	-
MIDA-W2	0.01	190362	-	0.01	0.01	0.01	-	0.01	-	5,000.00	5.00	-
MILL-W3	0.01	250362	0.01	0.01	0.01	0.01	-	0.01	-	5,054.00	5.00	-
MILL-W4	0.12	250362	-	0.12	0.12	0.12	0.11	0.12	-	1,051.00	13.00	-
MILL-W5	0.08	250362	-	0.08	0.07	0.08	0.07	0.08	-	1,171.00	9.00	-
ML-W2	0.01	220362	-	0.01	0.01	0.01	-	0.01	-	5.00	-	-
MONO-W1	0.16	250362	-	0.17	0.16	0.17	0.16	0.17	0.01	1,815.00	30.00	-
NEP-W3	0.02	190362	-	-	-	-	0.01	0.03	-	-	-	-
NFC-W1	2.14	250362	-	2.44	2.16	2.28	2.28	2.30	0.14	37,287.00	8,673.00	2.00
NOK-W1	0.27	250362	-	0.27	0.27	0.27	0.25	0.27	-	20.00	1.00	-
NPPG-W4	0.75	250362	-	0.76	0.73	0.73	0.73	0.74	(0.02)	9,270.00	681.00	-
NUSA-W3	0.22	250362	0.22	0.31	0.22	0.25	0.25	0.26	0.03	73,322.00	1,985.00	-
NVD-W1	0.25	250362	-	0.26	0.25	0.26	0.25	0.26	0.01	1,603.00	41.00	-
ORI-W1	0.59	250362	-	0.60	0.59	0.59	0.59	0.60	-	12,348.00	737.00	-
PACE-W2	0.03	250362	-	0.03	0.03	0.03	0.02	0.03	-	1,385.00	4.00	-
PDI-W1	0.76	250362	-	0.77	0.76	0.76	0.76	0.78	-	72.00	5.00	-
PDJ-W3	0.80	250362	-	0.87	0.76	0.78	0.79	0.85	(0.02)	813.00	64.00	-
PDJ-W4	0.79	250362	-	0.83	0.80	0.80	0.79	0.82	0.01	20.00	2.00	-
RICHY-W1	0.10	250362	-	0.13	0.11	0.11	0.11	0.13	0.01	148,787.00	1,817.00	-
RICHY-W2	0.12	250362	0.13	0.14	0.13	0.13	0.12	0.13	0.01	17,223.00	226.00	-
RS-W3	5.85	250362	6.05	6.15	6.00	6.15	6.10	6.15	0.30	906.00	552.00	6.00
S-W1	0.02	250362	-	0.02	0.01	0.02	0.01	0.02	-	4,384.00	4.00	-
SAMART-W2	0.56	250362	-	0.57	0.55	0.57	0.55	0.57	0.01	1,226.00	69.00	-
SAWAD-W1	7.45	250362	-	7.75	7.40	7.75	7.65	7.75	0.30	312.00	238.00	7.00
SDC-W1	0.23	250362	-	0.22	0.20	0.22	0.21	0.22	(0.01)	3,171.00	67.00	-
SMT-W1	0.01	220362	-	0.01	0.01	0.01	-	0.01	-	1.00	-	-
SMT-W2	0.38	250362	-	0.41	0.41	0.41	0.39	0.41	0.03	4.00	-	-
SPORT-W5	0.01	70262	-	-	-	-	-	0.01	-	-	-	-
SPORT-W7	0.04	210362	-	-	-	-	0.02	0.03	-	-	-	-
SST-W2	1.54	250362	-	1.57	1.55	1.55	1.54	1.55	0.01	464.00	73.00	1.00
SUPER-W4	0.05	250362	0.05	0.05	0.04	0.05	0.04	0.05	-	68,789.00	343.00	-
SVI-W3	1.85	250362	-	1.88	1.76	1.76	1.76	1.87	(0.09)	103.00	19.00	1.00
TCC-W3	0.12	250362	0.12	0.12	0.11	0.12	0.11	0.12	-	831.00	10.00	-
TCC-W4	0.13	250362	0.11	0.12	0.11	0.12	0.11	0.12	(0.01)	2,879.00	32.00	-
TCC-W5	0.26	250362	-	0.26	0.24	0.26	0.24	0.26	-	24.00	1.00	-
TCJ-W2	0.63	250362	-	0.64	0.60	0.63	0.60	0.64	-	112.00	7.00	-
TCMC-W2	0.21	250362	-	0.23	0.20	0.22	0.21	0.22	0.01	166,210.00	3,525.00	-
TFG-W1	0.38	250362	0.39	0.45	0.34	0.37	0.36	0.37	(0.01)	285,329.00	11,523.00	-
TFG-W2	0.40	250362	0.42	0.48	0.40	0.42	0.41	0.42	0.02	12,564.00	543.00	-
TGPRO-W3	0.02	250362	-	-	-	-	0.01	0.02	-	-	-	-
TH-W2	0.16	250362	-	0.16	0.15	0.16	0.14	0.16	-	602.00	9.00	-
THE-W2	0.03	250362	0.03	0.03	0.03	0.03	0.02	0.03	-	1,903.00	6.00	-
TNITY-W1	0.48	250362	-	0.49	0.47	0.47	0.47	0.48	(0.01)	2,158.00	104.00	-
TNPC-W1	0.09	250362	0.10	0.11	0.09	0.10	0.09	0.11	0.01	1,229.00	12.00	-
TRITN-W3	0.20	250362	-	0.22	0.20	0.21	0.21	0.22	0.01	56,821.00	1,194.00	-
TTCL-W1	0.74	250362	-	0.77	0.75	0.76	0.76	0.77	0.02	3,648.00	277.00	-
TWZ-W5	0.04	250362	-	0.04	0.03	0.04	0.03	0.04	-	5,010.00	20.00	-
U-W1	0.01	140362	0.01	0.01	0.01	0.01	-	0.01	-	79,999.00	80.00	-
U-W4	0.01	250362	-	-	-	-	-	0.01	-	-	-	-
VGI-W2	0.42	250362	0.43	0.45	0.42	0.44	0.44	0.45	0.02	91,714.00	4,017.00	-
VIBHA-W2	0.97	250362	-	1.00	0.99	1.00	0.98	1.00	0.03	130.00	13.00	-
VIBHA-W3	0.17	250362	-	0.18	0.17	0.17	0.17	0.18	-	16,555.00	284.00	-
WAVE-W1	0.25	250362	-	0.26	0.24	0.24	0.23	0.24	(0.01)	11,061.00	272.00	-
WHA-W1	7.15	250362	7.20	7.25	7.00	7.15	7.15	7.20	-	3,484.00	2,461.00	7.00
WIK-W2	0.21	250362	-	0.21	0.20	0.21	0.20	0.21	-	5,309.00	111.00	-

## Foreign Board Quotation

Issue Date : Tuesday March 26, 2019

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value (‘000)	Average Price
	Price	Date										
WORK-W1	4.94	250362	-	4.96	4.82	<b>4.88</b>	4.86	4.88	(0.06)	123.00	60.00	4.00
Preferred Shares												
BH-P	40.25	120159	-	-	-	-	39.75	-	-	-	-	-
CSC-P	150.00	140760	-	-	-	-	-	-	-	-	-	-
JUTHA-P	10.00	0	-	-	-	-	-	-	-	-	-	-
KTB-P	153.00	80356	-	-	-	-	-	-	-	-	-	-
SCB-P	135.00	200362	-	-	-	-	130.00	137.00	-	-	-	-
TCAP-P	560.00	170654	-	-	-	-	-	-	-	-	-	-
TIC-P	21.50	271156	-	-	-	-	-	-	-	-	-	-
TISCO-P	1,346.00	140556	-	-	-	-	-	-	-	-	-	-
U-P	2.98	250362	-	3.00	2.96	<b>2.96</b>	2.94	2.96	(0.02)	3,636.00	1,078.00	2.00
Warrant (MAI)	-	0	-	-	-	-	-	-	-	-	-	-
2S-W1	0.05	250362	-	0.05	0.04	<b>0.05</b>	0.04	0.05	-	4,666.00	20.00	-
ACAP-W2	0.36	250362	0.36	0.39	0.36	<b>0.37</b>	0.37	0.38	0.01	39,660.00	1,481.00	-
AIRA-W2	0.01	210362	-	0.01	0.01	<b>0.01</b>	-	0.01	-	3.00	-	-
ATP30-W1	0.53	250362	0.54	0.54	0.52	<b>0.54</b>	0.52	0.54	0.01	2,200.00	115.00	-
BKD-W2	0.17	250362	0.16	0.17	0.16	<b>0.16</b>	0.16	0.17	(0.01)	12,034.00	203.00	-
BM-W1	0.31	250362	-	0.32	0.31	<b>0.32</b>	0.29	0.32	0.01	175.00	5.00	-
CHEWA-W1	0.09	250362	-	0.10	0.09	<b>0.09</b>	0.09	0.10	-	235.00	2.00	-
DIMET-W2	0.06	250362	0.05	0.06	0.05	<b>0.06</b>	0.05	0.06	-	2,172.00	13.00	-
ECF-W3	0.87	250362	-	0.87	0.85	<b>0.85</b>	0.85	0.87	(0.02)	791.00	68.00	-
EFORL-W3	0.01	190362	-	0.01	0.01	<b>0.01</b>	-	0.01	-	100.00	-	-
EFORL-W4	0.01	250362	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	2,500.00	3.00	-
FC-W1	0.06	130362	-	-	-	-	0.03	0.06	-	-	-	-
FC-W2	0.02	210362	-	0.03	0.02	<b>0.03</b>	0.01	0.03	0.01	951.00	2.00	-
FOCUS-W2	0.72	250362	0.73	0.73	0.70	<b>0.73</b>	0.73	0.74	0.01	3,368.00	242.00	-
FVC-W2	0.42	250362	0.43	0.46	0.42	<b>0.44</b>	0.44	0.45	0.02	31,757.00	1,385.00	-
ITEL-W1	0.39	250362	0.40	0.41	0.39	<b>0.40</b>	0.39	0.40	0.01	1,536.00	61.00	-
JKN-W1	1.48	250362	-	1.51	1.48	<b>1.49</b>	1.49	1.50	0.01	1,291.00	193.00	1.00
LIT-W1	1.31	250362	1.32	1.35	1.32	<b>1.35</b>	1.32	1.34	0.04	359.00	48.00	1.00
META-W2	0.01	220362	-	-	-	-	-	0.01	-	-	-	-