

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DTAC	52.00	(0.25)	35,559	52.16	PLANB	6.80	(0.05)	70,010	6.84
POMPUI	-	-	-	-	FORTH	6.00	-	980	5.97	POST	2.20	-	45	2.15
SAFARI	-	-	-	-	HUMAN	8.00	0.30	37,511	7.99	PRAKIT	11.50	(0.10)	212	11.57
VI	-	-	-	-	ILINK	5.30	-	3,346	5.26	SE-ED	2.72	(0.04)	32	2.74
WORLD	-	-	-	-	INET	3.10	-	1,405	3.11	SMM	1.63	0.02	1,749	1.62
WR	-	-	-	-	INTUCH	59.50	-	70,410	59.34	SPORT	0.13	(0.01)	200	0.13
Agribusiness					JAS	6.65	(0.05)	366,816	6.64	TBSP	-	-	-	-
CHOTI	-	-	-	-	JASIF	10.50	0.10	125,078	10.44	TH	0.76	-	620	0.75
EE	0.53	0.02	39,247	0.52	JMART	9.15	0.05	5,433	9.12	TKS	7.85	-	3,488	7.85
GFPT	16.10	(0.40)	70,737	16.23	JTS	1.37	(0.02)	630	1.38	TRITN	0.36	-	11,855	0.35
LEE	2.32	-	132	2.32	MFEC	3.80	0.02	5,419	3.80	VGI	9.60	-	176,808	9.57
NER	2.56	0.08	299,978	2.54	MSC	7.65	(0.05)	555	7.64	WAVE	1.82	-	57	1.82
PPPM	2.00	(0.08)	11,977	2.01	PT	5.90	0.20	7,511	5.81	WORK	23.50	(0.30)	58,687	23.63
STA	12.90	(0.10)	253,995	13.14	SAMART	8.20	0.15	27,416	8.16	Finance & Securities				
TRUBB	1.47	-	6,417	1.49	SAMTEL	9.90	(0.05)	2,375	9.89	AEC	0.53	(0.03)	97,761	0.51
TWPC	7.40	-	2,067	7.39	SDC	0.34	-	90,242	0.35	AEGONTS	217.00	(3.00)	1,686	217.94
UPOIC	4.10	-	1,277	4.10	SIS	9.55	0.25	6,882	9.43	AMANAHA	1.70	0.01	42,858	1.69
UVAN	5.45	-	565	5.45	SVOA	1.14	0.01	6,744	1.13	ASAP	2.78	(0.02)	16,543	2.78
VPO	0.48	0.02	6,633	0.48	SYMC	4.74	(0.06)	44	4.77	ASK	24.10	(0.20)	1,042	24.14
Banking					SYNEX	10.40	(0.10)	8,900	10.36	ASP	2.64	0.02	34,874	2.64
BAY	38.75	0.50	4,694	38.55	THCOM	5.80	(0.15)	14,450	5.81	BFIT	18.30	(0.90)	5,592	18.69
BBL	199.50	(0.50)	31,983	199.70	TRJUE	5.35	-	853,789	5.31	CGH	0.93	0.08	16,866	0.86
CIMBT	0.74	-	2,618	0.73	TWZ	0.09	-	115,480	0.09	CNS	1.74	-	2,580	1.72
KBANK	193.50	-	32,836	193.30	Electronic Componer					ECL	1.57	(0.02)	32,888	1.58
KKP	68.25	-	33,373	68.06	CCET	1.81	(0.01)	2,419	1.81	FNS	3.34	(0.06)	1,548	3.38
KTB	19.50	0.20	123,247	19.44	DELTA	63.00	0.75	7,586	62.98	FSS	1.80	(0.03)	1,289	1.81
LHFG	1.49	0.01	8,673	1.48	EIC	0.04	-	65,216	0.04	GBX	0.54	-	851	0.55
SCB	134.50	0.50	105,101	134.20	HANA	26.00	0.25	18,362	25.92	GL	6.60	(0.05)	14,971	6.62
TCAP	56.75	0.25	42,678	56.60	KCE	18.60	0.10	66,384	18.63	IFS	3.24	-	1,162	3.25
TISCO	89.75	0.50	11,549	89.58	METCO	180.00	1.00	3	180.00	JMT	15.80	0.20	41,582	15.63
TMB	1.99	(0.01)	663,210	1.99	NEX	3.30	-	1,449	3.29	KCAR	11.60	-	268	11.60
Construction Materia					SMT	1.90	0.02	3,168	1.89	KGI	4.50	0.02	9,754	4.49
CCP	0.33	-	1,702	0.33	SVI	4.42	-	16,455	4.41	KTC	41.75	0.25	102,024	41.58
COTTO	2.06	0.02	7,103	2.08	TEAM	1.10	-	6,049	1.10	MBKET	8.45	0.05	62	8.42
DCC	1.99	(0.01)	28,433	1.99	Energy & Utilities					MFC	18.00	0.50	792	17.90
DCON	0.42	-	15,559	0.42	ABPIF	6.00	0.05	809	5.96	ML	0.99	(0.03)	372	0.99
DRT	6.00	0.15	5,947	5.95	AI	1.41	(0.01)	511,487	1.41	MTC	56.50	0.50	44,320	56.24
EPG	5.85	(0.05)	77,265	5.89	AKR	0.71	0.02	29,393	0.70	PE	0.09	0.02	21,372	0.08
GEL	0.24	-	20,674	0.24	BAFS	35.75	0.25	856	35.50	PL	3.16	-	1,416	3.16
PPP	2.88	(0.02)	335	2.87	BANPU	14.50	(0.40)	925,283	14.53	S11	7.60	(0.10)	624	7.63
Q-CON	5.25	(0.05)	50	5.25	BCP	29.75	0.25	21,097	29.47	SAWAD	54.50	1.25	66,055	53.92
RCI	3.34	-	193	3.34	BCPG	18.50	0.30	94,458	18.36	THANI	6.10	-	186,029	6.05
SCC	462.00	2.00	26,428	461.20	BGRIM	33.50	(0.25)	87,454	33.44	TK	10.90	(0.20)	721	10.92
SCCC	231.00	3.00	1,374	228.75	BPP	20.60	0.10	33,157	20.56	TNITY	4.62	(0.02)	188	4.62
SCP	7.50	0.05	1,086	7.45	BRRGIF	9.60	-	295	9.58	UOBKH	-	-	-	-
SKN	2.10	(0.02)	7,066	2.10	CKP	6.55	-	573,481	6.53	ZMICO	0.95	-	10,070	0.94
TASCO	19.50	(0.10)	142,938	19.52	DEMCO	3.14	(0.04)	6,620	3.15	Food & Beverage				
TCMC	2.86	0.10	117,666	2.87	EA	51.75	(1.75)	388,987	51.97	APURE	1.38	(0.02)	1,603	1.38
TOA	34.50	0.25	11,694	34.29	EARTH	-	-	-	-	ASIAN	7.45	-	6,490	7.42
TPIPL	1.98	-	34,980	1.98	EASTW	12.50	0.20	28,346	12.40	BR	3.08	(0.02)	6,070	3.08
UMI	1.20	0.02	10,509	1.21	EGATIF	12.60	0.10	5,991	12.54	BRR	6.20	-	308	6.14
VNG	5.05	-	2,008	5.05	EGCO	313.00	(4.00)	16,451	314.24	CBG	68.00	(0.75)	56,843	68.19
WIHK	1.57	-	3,439	1.56	ESSO	9.95	(0.05)	186,557	9.93	CFRESH	3.40	-	199	3.36
Petrochemicals & Ch					GLOW	84.25	0.50	13,854	84.26	CM	3.82	0.02	93	3.80
BCT	46.75	-	35	46.76	GPSC	59.25	(0.75)	24,047	59.35	CPF	28.75	0.50	237,537	28.57
CMAN	2.46	0.02	2,216	2.44	GULF	108.50	(2.00)	157,395	110.10	CPI	1.41	0.01	2,161	1.41
GC	5.20	-	14	5.16	GUNKUL	3.08	0.10	603,500	3.04	F&D	-	-	-	-
GGC	11.10	0.20	26,797	10.97	IEC	-	-	-	-	HTC	20.60	(0.30)	5,187	20.66
GIFT	3.40	(0.02)	180	3.40	IFEC	-	-	-	-	ICHI	5.45	-	37,819	5.38
IVL	47.00	-	97,264	46.96	IRPC	4.78	(0.06)	1,319,134	4.77	KBS	4.04	0.04	222	4.00
NFC	3.74	(0.02)	1	3.74	LANNA	10.80	(0.10)	177	10.82	KSL	2.88	-	4,939	2.87
PATO	12.50	-	29	12.57	MDX	4.04	0.02	1,508	4.04	KTIS	5.40	0.05	425	5.39
PMTA	8.60	-	153	8.53	PTG	17.20	0.90	761,409	16.32	LST	4.50	(0.02)	166	4.50
PTTGC	63.00	0.75	301,951	62.51	PTT	47.00	-	530,145	46.81	M	73.75	0.25	1,089	73.70
SUTHA	3.90	0.02	140	3.90	PTTEP	127.00	(1.00)	136,106	126.72	MALEE	8.05	0.35	24,341	7.95
TCCC	24.90	-	10	24.94	RATCH	64.25	(1.00)	90,300	64.68	MINT	39.50	(0.25)	77,855	39.50
TPA	5.90	(0.10)	4	5.90	RPC	0.58	0.02	159,355	0.58	OISHI	100.00	-	372	99.38
UP	21.00	(1.90)	10	21.00	SCG	4.24	(0.02)	237	4.29	OSP	34.50	(0.25)	91,752	34.75
VNT	23.20	-	4,515	23.10	SCI	2.08	0.04	13,471	2.10	PB	60.50	-	11	60.50
WG	-	-	-	-	SCN	3.50	-	2,428	3.48	PM	9.15	-	7,471	9.15
YCI	-	-	-	-	SGP	9.95	(0.05)	61,151	9.94	PRG	12.80	-	56	12.82
Commerce					SKE	1.04	0.02	3,203	1.03	SAPPE	19.40	0.60	3,127	19.26
BEAUTY	4.42	-	2,501,863	4.46	SOLAR	1.88	0.02	2,673	1.87	SAUCE	22.50	(0.10)	27	22.51
BIG	1.12	-	70,930	1.12	SPCG	18.70	-	5,623	18.68	SFP	-	-	-	-
BJC	49.25	-	49,366	49.05	SPRC	9.35	(0.20)	295,881	9.35	SNP	18.10	-	198	18.10
COL	23.70	0.20	799	23.55	SSP	7.70	-	1,634	7.67	SORKON	65.00	-	11	63.50
COM7	21.30	0.70	79,509	20.97	SUPER	0.66	-	891,074	0.66	SSC	34.25	(0.25)	6	34.29
CPALL	82.75	1.00	287,222	82.51	SUSCO	3.04	0.02	106,393	3.07	SSF	7.50	-	1	7.50
CSS	1.61	0.01	13,718	1.61	TAE	3.30	0.02	11,492	3.30	SST	4.72	0.06	269	4.69
FN	1.69	0.03	253,105	1.71	TCC	0.34	-	13,653	0.34	TC	3.96	(0.02)	312	3.95
FTE	2.26	-	9,732	2.26	TOP	60.25	-	109,399	60.27	TFG	3.72	0.24	188,301	3.62
GLOBAL	17.90	0.20	80,993	17.77	TPIPP	6.20	0.05	71,115	6.17	TFMAMA	173.50	0.50	22	174.41
HMPRO	17.60	0.30	312,310	17.49	TSE	2.40	-	4,737	2.40	TIPCO	9.55	0.25	74,011	9.58
IT	2.58	(0.02)	1,733	2.56	TTW	13.80	(0.10)	33,565	13.81	TKN	9.15	-	73,927	9.20
KAMART	4.98	0.12	40,900	4.97	WHAUP	5.55	(0.05)	32,145	5.54	TU	18.90	0.20	195,416	18.83
LOXLEY	2.08	-	54,717	2.09	WP	5.60	0.15	24,093	5.63	TVO	26.75	0.50	6,527	26.57
MAKRO	34.50	1.00	18,116	34.28	Media & Publishing					ZEN	14.20	0.20	46,293	14.17
MC	7.50	(0.05)	18,767	7.54	AMARIN	4.98	-	36	4.98	Health Care Services				
MEGA	36.75	(0.25)	8,661	36.86	AQUA	0.51	-	152,211	0.51	AHC	16.40	(0.10)	240	16.43
MIDA	0.60	(0.01)	458	0.60	AS	0.80	(0.02)	9,974	0.81	BCH	16.70	(0.10)	41,657	16.65
ROBINS	55.75	(1.50)	46,070	56.06	BEC	9.45	0.20	228,745	9.37	BDMS	26.00	-	341,801	26.00
RS	16.70	0.10	93,561	16.85	EPCO	3.22	0.16	40,048	3.17	BH	173.50	0.50	7,418	172.66
RSP	3.48	0.02	12,351	3.46	FE	-	-	-	-	CHG	2.28	0		

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RJH	23.30	0.20	720	23.30	FPT	18.70	0.20	2,290	18.62	SAT	18.30	-	4,107	18.38
RPH	5.10	-	3,032	5.06	GLAND	2.90	-	301	2.89	SPG	-	-	-	-
SKR	4.70	-	1,144	4.68	GOLD	8.40	-	23,685	8.43	STANLY	228.00	1.00	92	226.66
SVH	-	-	-	-	GREEN	1.01	0.01	1,114	1.01	TKT	1.49	0.05	2,605	1.46
THG	29.25	0.25	2,846	29.16	J	1.00	(0.01)	5,608	1.00	TNPC	1.18	(0.01)	1,201	1.18
VIBHA	1.73	-	19,086	1.73	JCK	1.38	-	8,978	1.37	TRU	4.86	(0.02)	162	4.83
VIH	5.25	-	4,595	5.21	KC	-	-	-	-	TSC	-	-	-	-
WPH	2.32	-	265	2.30	KWG	1.67	0.02	3,976	1.68	YNP	-	-	-	-
Tourism & Leisure	-	-	-	-	LALIN	5.35	(0.15)	6,050	5.35	Industrial Materials	-	-	-	-
ASIA	-	-	-	-	LH	11.30	-	469,615	11.21	ALLA	1.37	-	11,457	1.36
CENTEL	36.25	-	58,153	36.22	LPN	7.30	-	44,880	7.29	ASEFA	4.82	-	1,485	4.80
CSR	-	-	-	-	MBK	22.30	0.30	14,252	22.20	CPT	1.19	(0.01)	16,534	1.20
DTC	10.10	-	2,475	10.02	MJD	3.38	-	952	3.34	CRANE	2.08	-	948	2.07
ERW	6.65	-	29,355	6.65	MK	3.36	(0.02)	2,584	3.36	CTW	8.00	0.40	2,697	7.85
GRAND	0.81	0.01	6,380	0.80	NCH	1.01	-	75	1.00	FMT	24.30	(0.30)	43	24.35
LRH	49.25	(0.75)	32	49.01	NNCL	1.69	-	4,500	1.70	HTECH	3.56	(0.20)	23,501	3.57
MAMRIN	-	-	-	-	NOBLE	19.00	0.20	1,843	18.90	KKC	1.05	0.02	326	1.04
OHTL	-	-	-	-	NUSA	0.39	(0.01)	6,544	0.39	PK	2.04	(0.02)	808	2.05
ROH	47.75	0.75	7	49.43	NVD	2.98	-	240	2.98	SNC	13.60	(0.10)	770	13.65
SHANG	79.75	-	14	79.64	ORI	7.75	0.25	132,504	7.71	TCJ	-	-	-	-
VRANDA	9.75	0.10	4,484	9.70	PACE	0.19	-	42,421	0.19	VARO	-	-	-	-
Home & Office Prod.	-	-	-	-	PF	0.79	-	68,715	0.78	Property Fund & REI	-	-	-	-
ACC	0.70	-	1,387	0.70	PLAT	6.00	(0.05)	4,723	6.00	AIMIRT	12.60	0.10	1,258	12.57
AJA	0.20	-	29,772	0.21	POLAR	-	-	-	-	AMATAR	11.70	0.20	1	11.70
DTCI	28.00	0.25	8	28.00	PRECHA	-	-	-	-	B-WORK	11.50	0.10	5,815	11.46
FANCY	0.57	0.07	216,561	0.56	PRIN	1.59	(0.01)	384	1.59	BKKCP	13.00	-	99	13.00
KYE	394.00	(2.00)	1	394.00	PSH	21.60	-	38,455	21.49	BOFFICE	15.00	(0.20)	703	15.00
L&E	2.58	-	268	2.58	OH	3.14	(0.02)	319,355	3.14	CPNCG	15.00	-	1,605	15.00
MODERN	3.26	-	1,234	3.27	RICHY	1.40	0.01	10,025	1.39	CPNREIT	29.75	0.25	27,754	29.73
OGC	-	-	-	-	RML	1.16	-	26,355	1.15	CPTGF	13.30	-	128	13.30
ROCK	-	-	-	-	ROJNA	5.50	0.25	347,947	5.46	CRYSTAL	9.05	-	662	9.05
SIAM	2.06	-	1,478	2.05	S	3.46	(0.06)	296,722	3.49	CTARAF	5.10	(0.05)	3,526	5.13
TSR	1.98	(0.02)	564	1.99	SAMCO	1.59	0.02	8,125	1.58	DREIT	5.95	(0.05)	12,730	5.95
Insurance	-	-	-	-	SC	2.94	-	44,104	2.94	ERWPF	5.40	0.05	217	5.40
AYUD	40.25	(0.25)	35	40.44	SENA	3.50	(0.04)	5,364	3.50	FTREIT	14.80	(0.20)	21,796	14.75
BKI	326.00	-	3	326.00	SF	6.40	0.05	2,606	6.39	FUTUREPF	25.75	-	25	25.75
BLA	28.25	(0.25)	2,644	28.34	SIRI	1.41	-	67,786	1.42	GAHREIT	9.25	-	30	9.25
BUI	-	-	-	-	SPALI	22.70	(0.10)	88,994	22.82	GLANDRT	13.00	(0.10)	2,942	13.09
CHARAN	-	-	-	-	U	2.08	-	19,373	2.08	GOLDFP	-	-	-	-
INSURE	25.00	-	5	25.60	UV	6.50	0.20	27,914	6.43	GVREIT	16.30	0.30	1,288	16.10
MTI	91.50	-	500	90.10	WHA	4.40	0.04	549,071	4.39	HPF	5.00	-	4,118	5.00
NKI	-	-	-	-	WIN	0.55	0.01	50	0.55	HREIT	8.70	0.05	19,011	8.65
NSI	66.50	-	4	66.50	Paper & Printing Mat	-	-	-	-	IMPACT	24.40	-	2,517	24.40
SMK	36.00	(0.25)	29	36.14	UTP	10.40	(0.10)	14,381	10.46	KPNPF	-	-	-	-
THRE	0.77	-	8,230	0.76	Fashion	-	-	-	-	LHHOTEL	18.80	(0.10)	398	18.80
THREL	5.40	(0.05)	4,047	5.40	AFC	-	-	-	-	LHPF	8.75	0.05	245	8.72
TIC	38.50	(0.25)	2	38.50	B52	0.29	-	9,001	0.28	LHSC	18.80	-	8,160	18.80
TIP	23.60	(0.20)	1,103	23.65	BTNC	-	-	-	-	LUXF	8.90	(0.05)	172	8.90
TQM	36.50	2.25	57,216	35.80	CPH	-	-	-	-	M-II	8.35	-	11	8.35
TSI	0.59	-	5,459	0.58	CPL	1.53	0.02	1,179	1.51	M-PAT	8.80	(0.10)	43	8.85
TVI	4.12	-	93	4.10	ICC	-	-	-	-	M-STOR	7.40	-	124	7.19
Mining	-	-	-	-	LTX	95.00	-	5	95.00	MIPF	-	-	-	-
PDI	10.30	(0.20)	2,170	10.42	NC	-	-	-	-	MIT	3.70	0.02	1,140	3.70
THL	-	-	-	-	PAF	0.84	0.01	343	0.83	MJLF	12.60	(0.10)	378	12.67
Packaging	-	-	-	-	PDJ	1.79	0.01	1,128	1.78	MNIT	-	-	-	-
AJ	9.05	-	391	9.03	PG	-	-	-	-	MNIT2	-	-	-	-
ALUCON	-	-	-	-	SABINA	26.25	-	5,284	26.24	MNRF	3.30	-	32	3.30
BGC	11.50	(0.10)	5,691	11.52	SAWANG	-	-	-	-	MONTRI	-	-	-	-
CSC	48.25	1.25	176	48.70	SUC	45.00	(0.50)	1	45.00	POPF	13.20	-	9,179	13.21
NEP	0.31	0.01	4,163	0.30	TNL	-	-	-	-	PPF	-	-	-	-
NPPG	1.02	(0.01)	10,280	1.02	TPCORP	-	-	-	-	QHHR	8.80	-	6,023	8.79
PTL	15.40	0.10	4,769	15.35	TR	37.75	-	24	37.75	QHOP	3.70	0.12	52	3.55
SITHAI	1.09	-	4,649	1.08	TTI	-	-	-	-	QHPF	13.90	(0.10)	18,274	13.96
SLP	0.70	-	3,058	0.70	TTL	70.50	0.50	227	70.08	SBPF	-	-	-	-
SMPC	7.50	(0.10)	4,426	7.55	TTTM	175.00	-	3	175.00	SHREIT	7.25	0.10	724	7.17
SPACK	-	-	-	-	UPF	-	-	-	-	SIRIP	-	-	-	-
TCOAT	30.00	3.75	1	30.00	UT	-	-	-	-	SPF	23.50	-	585	23.50
TFI	0.27	-	319	0.25	WACOAL	46.50	-	9	46.03	SPRIME	12.80	0.10	538	12.61
THIP	18.30	-	423	18.30	Transportation & Log	-	-	-	-	SRIANWA	11.60	0.10	110	11.57
TMD	23.10	0.10	9	22.93	AAV	4.02	-	58,874	4.03	SSPF	9.65	-	1	9.65
TOPP	-	-	-	-	AOT	66.50	-	159,805	66.49	SSTPF	6.45	-	1	6.45
TPBI	5.00	0.04	24	4.96	ASIMAR	1.70	0.02	1,407	1.69	SSTRT	6.10	-	170	6.10
TPP	-	-	-	-	B	0.58	(0.01)	15,063	0.59	TIF1	9.10	0.05	177	9.05
Personal Products &	-	-	-	-	BA	11.30	(0.10)	1,239	11.29	TLGF	20.60	(0.10)	1,556	20.68
APCO	3.76	(0.02)	927	3.74	BEM	11.30	(0.10)	2,573,879	11.25	TLHPF	-	-	-	-
DDD	25.50	0.25	11,683	25.64	BTS	11.70	0.10	534,796	11.63	TNPF	3.52	-	41	3.34
JCT	88.50	-	1	88.50	BTSGIF	10.80	0.10	66,494	10.79	TPRIME	14.20	-	870	14.20
OCC	14.30	0.30	2	14.25	III	5.95	0.35	66,504	5.90	TTLPF	21.50	0.20	431	21.49
S & J	23.80	0.70	2	23.75	JUTHA	0.80	0.01	1,230	0.76	TU-PF	-	-	-	-
STHAI	-	-	-	-	JWD	8.25	0.10	13,704	8.13	URBNPF	4.12	-	78	4.12
TNR	10.10	0.10	62	10.10	KWC	-	-	-	-	WHABT	9.85	-	554	9.85
TOG	5.70	0.10	1,970	5.68	NOK	2.26	-	2,219	2.23	WHART	15.10	(0.10)	15,063	15.15
Professional Service	-	-	-	-	NYT	4.96	(0.02)	1,523	4.97	Steel	-	-	-	-
BWG	0.91	0.01	151,160	0.91	PRM	7.05	(0.10)	81,376	7.07	AMC	1.76	0.08	2,098	1.72
GENCO	0.69	0.01	54,284	0.70	PSL	7.45	(0.05)	32,246	7.45	BSBM	0.93	0.03	8,469	0.91
PRO	-	-	-	-	RCL	4.30	-	437	4.30	CEN	0.96	(0.03)	5,553	0.97
SISB	7.40	(0.10)	12,363	7.41	TFFIF	11.80	(0.10)	75,358	11.80	CITY	2.24	-	160	2.23
TEAMG	2.04	-	3,851	2.04	THAI	10.20	-	16,276	10.19	CSP	1.03	(0.03)	1,477	1.05
Property Developme	-	-	-	-	TSTE	-	-	-	-	GJS	0.13	(0.01)	38,448	0.13
A	6.35	-	130	6.35	TTA	5.20	-	2,759	5.20	GSTEL	-	-	-	-
AMATA	23.20	0.20	91,716	23.05	WICE	3.38	(0.02)	2,084	3.39	INOX	0.84	(0.01)	552	0.84
AMATAV	4.96	(0.02)	1,429	4.97	Automotive	-	-	-	-	LHK	3.94	(0.02)	3,400	3.96
ANAN	3.78	(0.04)	87,758	3.80	AH	19.30	(0.30)	4,090	19.37	MAX	0.02	-	32,777	0.02
AP	7.85	(0.05)	51,626	7.87	APCS	-	-	-	-	MCS	7.35	-	8,230	7.30
APEX	0.20	0.01	20,834	0.20	BAT-3K	-	-	-	-	MILL	0.90	(0.01)	729	0.90
AQ	0.03	-	129,828	0.03	CWT	3.02	(0.02)	1,925	3.02	PAP	2.90	0.04	3,337	2.82
BLAND	1.64	-	136,084	1.64	EASON	2.02	-	38	2.02	PERM	1.44	0.25	422,683	1.41
BROCK	1.99	-	52	1.99	GYT	353.00	4.00	1	353.00	RICH	-	-	-	-
CGD	1.06	0.01	32,898	1.04	HFT	2.78	-	504	2.79	SAM	0.51	0.03	34,999	0.50
CI	1.27	(0.01)	275	1.26	IHL	5.35								

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	QTC	5.25	0.15	3,112	5.00	ADVA01P1908A	0.32	(0.03)	130,373	-
ABICO	4.10	0.06	353	4.00	SAAM	1.31	(0.01)	1,709	1.00	ADVA01P1908B	-	-	-	-
AU	10.80	(0.10)	22,522	10.00	SEAOIL	5.60	(0.10)	15,357	5.00	ADVA06C1906A	0.59	0.08	10,251	-
FC	0.31	0.01	6,850	-	SR	1.64	0.04	39	1.00	ADVA07C1908A	-	-	-	-
JCKH	0.73	0.02	319	-	TAKUNI	0.60	-	25,653	-	ADVA08C1906A	0.43	0.02	2,150	-
KASET	1.79	(0.01)	739	1.00	TPCH	11.00	0.40	50,134	10.00	ADVA08C1911A	0.63	0.02	17,574	-
MM	2.92	(0.06)	1,761	2.00	TRT	1.80	0.01	1,931	1.00	ADVA11C1910A	0.76	0.04	12,400	-
SUN	2.40	(0.04)	464	2.00	UMS	0.54	(0.06)	95	-	ADVA11P1910A	-	-	-	-
TACC	4.70	(0.10)	17,185	4.00	UWC	0.05	(0.01)	45,708	-	ADVA13C1908A	0.56	0.03	265,559	-
TMILL	2.90	(0.02)	1,183	2.00	Services (MAI)	-	-	-	-	ADVA13P1908A	0.20	(0.01)	45,000	-
XO	8.75	0.25	45,228	8.00	A5	-	-	-	-	ADVA16C1911A	0.68	0.02	8,000	-
Consumer Products	-	-	-	-	AKP	1.46	0.03	2,999	1.00	ADVA16C1912A	-	-	-	-
BGT	1.00	-	150	1.00	AMA	5.95	0.35	68,391	5.00	ADVA19C1908A	0.37	0.02	150,916	-
BIZ	2.56	0.02	723	2.00	ARIP	0.45	-	655	-	ADVA19P1908A	-	-	-	-
DOD	10.20	-	18,585	10.00	ATP30	1.36	0.02	21,643	1.00	ADVA23C2001A	0.80	0.04	16,005	-
ECF	2.38	-	14,223	2.00	AUCT	6.80	(0.05)	22,581	6.00	ADVA23P1908A	-	-	-	-
HPT	0.76	0.01	2,280	-	BOL	2.40	(0.02)	1,682	2.00	ADVA24C1906A	-	-	-	-
JUBILE	15.70	(0.10)	224	15.00	CHUO	-	-	-	-	ADVA24C1907A	-	-	-	-
MOONG	5.45	(0.05)	523	5.00	CMO	1.49	0.02	1,406	1.00	ADVA24C1908A	-	-	-	-
NPK	25.50	0.50	1	25.00	D	6.90	-	753	6.00	ADVA24P1908A	-	-	-	-
OCEAN	1.27	0.01	38,086	1.00	DCORP	0.63	0.14	250,057	-	ADVA27C1912A	-	-	-	-
TM	2.40	0.02	811	2.00	EFORL	0.04	-	52,836	-	ADVA28C1908A	0.36	0.01	35,535	-
Financials (MAI)	-	-	-	-	ETE	1.16	(0.01)	4,686	1.00	ADVA28P1907A	0.01	(0.03)	2,000	-
ACAP	3.30	-	3,955	3.00	FSMART	6.95	(0.05)	2,462	6.00	ADVA28P1911A	0.29	(0.02)	18,253	-
AF	0.69	-	423	-	FVC	0.61	0.02	28,384	-	ADVA41C1908A	0.35	0.02	20,000	-
AIRA	1.30	-	926	1.00	GSC	1.05	(0.03)	17,537	1.00	ADVA41C1910A	0.50	0.02	20,000	-
ASN	4.10	(0.40)	111	4.00	HARN	2.32	-	7,654	2.00	ADVA41C1910B	-	-	-	-
BROOK	0.54	0.06	202,039	-	JKN	8.35	0.10	126,539	8.00	ADVA41P1908A	-	-	-	-
CHAYO	4.38	-	11,314	4.00	KIAT	0.41	0.01	3,326	-	ADVA41P1911A	-	-	-	-
GCAP	2.24	-	6,493	2.00	KOOL	1.24	0.01	50,012	1.00	ADVA42C1910A	-	-	-	-
LIT	5.50	0.05	1,429	5.00	LDC	1.01	(0.02)	813	1.00	AEON01C1906A	-	-	-	-
MITSIB	2.44	(0.12)	297,781	2.00	MORE	0.16	-	28,118	-	AEON01C1906B	0.51	(0.09)	24,515	-
SGF	0.93	(0.03)	105,075	-	MPG	0.65	(0.01)	4,362	-	AEON01C1911A	1.60	(0.07)	7,567	1.00
Industrials (MAI)	-	-	-	-	MVP	1.82	(0.02)	5,946	1.00	AEON01C1911B	0.55	(0.03)	23,816	-
2S	2.24	-	2,432	2.00	NBC	-	-	-	-	AEON13C1910A	1.30	(0.15)	101	1.00
ADB	0.84	0.01	3,668	-	NCL	1.37	-	112	1.00	AEON13C1911A	0.52	(0.03)	38,047	-
BM	2.18	0.02	572	2.00	NEWS	0.01	-	55,155	-	AEON19C1906A	0.41	(0.06)	5,684	-
CHO	1.02	-	73,984	1.00	NINE	1.98	-	1,585	1.00	AEON19C1911A	0.44	(0.02)	10,410	-
CHOW	2.36	0.06	3,491	2.00	OTO	2.44	-	256	2.00	AMAT01C1909A	0.70	0.02	63,579	-
CIG	0.26	-	3,293	-	PHOL	1.78	0.03	13,171	1.00	AMAT01C1909B	0.45	0.01	106,562	-
COLOR	1.28	-	2,001	1.00	PICO	4.02	-	1	4.00	AMAT01P1909A	0.40	(0.02)	67,038	-
CPR	5.10	0.10	682	5.00	PORT	4.72	0.06	6,709	4.00	AMAT06C1909A	0.54	0.02	9,400	-
FPI	2.78	-	7,360	2.00	QLT	-	-	-	-	AMAT08C1908A	0.31	0.01	27,061	-
GTB	0.62	0.03	21,360	-	RP	2.24	(0.04)	1,350	2.00	AMAT11C2001A	0.59	0.02	16,024	-
KCM	0.88	0.02	21,836	-	SE	1.90	(0.01)	312	1.00	AMAT13C1908A	0.41	0.02	381,867	-
KWM	1.08	-	1,346	1.00	SONIC	1.30	0.01	30,373	1.00	AMAT16C1911A	0.53	0.01	15,412	-
LVT	-	-	-	-	SPA	12.10	-	1,837	12.00	AMAT19C1907A	0.17	-	117,020	-
MBAX	3.96	-	183	3.00	THMUJ	1.18	-	438	1.00	AMAT23C1906A	-	-	-	-
MGT	1.99	(0.01)	462	1.00	TNDT	4.76	0.04	900	4.00	AMAT24C1907A	-	-	-	-
NDR	1.95	(0.01)	1,062	1.00	TNH	37.00	0.25	604	36.00	AMAT27C1908A	0.36	0.01	16,200	-
PDG	2.92	0.02	333	2.00	TNP	1.39	0.03	3,118	1.00	AMAT41C1908A	0.25	0.01	22,000	-
PIMO	1.38	(0.01)	161,802	1.00	TSF	-	-	-	-	AMAT42C1910A	-	-	-	-
PJW	1.75	-	787	1.00	TVD	1.29	0.03	1,882	1.00	ANAN01C1906A	0.74	(0.03)	11,678	-
PPM	1.34	-	985	1.00	TVT	0.88	-	1,682	-	ANAN01C1906B	0.45	(0.05)	5,470	-
RWI	1.44	-	500	1.00	VL	1.51	0.01	25,694	1.00	ANAN08C1906A	-	-	-	-
SALEE	1.01	0.01	5,771	-	WINNER	2.70	-	359	2.00	ANAN08C1911A	0.40	(0.02)	4,685	-
SANKO	1.02	(0.01)	2,070	1.00	Technology (MAI)	-	-	-	-	ANAN13C1906A	-	-	-	-
SELIC	3.20	(0.04)	2,107	3.00	COMAN	3.34	(0.08)	1,075	3.00	ANAN19C1906A	0.22	(0.04)	12,201	-
SWC	5.50	(0.05)	2,455	5.00	ICN	1.90	0.06	39,267	1.00	ANAN19C1910A	0.22	(0.02)	11,744	-
TMC	0.64	-	812	-	IRCP	0.70	0.01	2,981	-	ANAN24C1907A	0.39	(0.06)	4,600	-
TMI	0.79	-	7,368	-	ITEL	3.12	0.02	360	3.00	AOT01C1908A	0.38	-	132,888	-
TMW	63.50	-	85	63.00	NETBAY	32.25	(0.50)	4,818	32.00	AOT01C1908B	0.18	(0.01)	123,423	-
TPAC	12.50	0.20	587	12.00	PLANET	1.46	-	589	1.00	AOT01C1911A	0.63	-	49,852	-
TPLAS	1.48	0.03	2,743	1.00	SIMAT	1.60	(0.01)	5,892	1.00	AOT01C1911B	0.44	-	79,228	-
UAC	3.02	(0.02)	1,158	3.00	SKY	12.50	-	3,523	12.00	AOT01P1908A	0.62	(0.01)	76,819	-
UBIS	6.25	-	25	6.00	SPVI	1.51	(0.02)	20,636	1.00	AOT01P1908B	0.31	(0.02)	56,757	-
UEC	1.23	-	671	1.00	UPA	0.30	0.01	4,226	-	AOT01P1911A	0.70	(0.01)	17,088	-
UKEM	0.55	0.02	60,314	-	VCOM	2.86	(0.04)	2,602	2.00	AOT01P1911B	0.51	(0.01)	34,465	-
UREKA	1.11	0.10	21,074	1.00	Unit Trust	-	-	-	-	AOT06C1908A	0.14	-	13,600	-
YUASA	14.30	-	243	14.00	MGE	-	-	-	-	AOT06P1908A	0.20	(0.01)	5,700	-
ZIGA	1.75	(0.03)	596	1.00	SCBSET	-	-	-	-	AOT07C1910A	0.35	-	3	-
Property & Construc	-	-	-	-	ETF	-	-	-	-	AOT08C1911A	0.26	0.01	9,858	-
ALL	4.36	0.02	65,576	4.00	1DIV	11.25	0.05	152	11.00	AOT11C1906A	-	-	-	-
ARROW	8.50	0.15	1,845	8.00	ABFTH	-	-	-	-	AOT11C2004A	-	-	-	-
BKD	2.90	-	502	2.00	BMSCG	8.38	-	229	8.00	AOT11P1906A	-	-	-	-
BSM	0.50	0.02	8,717	-	BMSCITH	12.67	0.01	2,362	12.00	AOT11P2004A	0.56	(0.44)	860	-
BTW	1.32	-	110	1.00	BSET100	10.81	0.01	2,255	10.00	AOT13C1906A	0.02	-	1,515	-
CAZ	2.48	0.04	56,365	2.00	CHINA	5.30	0.02	181	5.00	AOT13C1908A	0.18	0.01	21,265	-
CHEWA	0.83	-	35,260	-	EBANK	-	-	-	-	AOT13C1911A	0.38	-	139,654	-
CMC	1.38	0.01	13,929	1.00	ECOMM	8.67	0.20	157	8.00	AOT13P1907A	0.19	(0.01)	24,479	-
CRD	1.01	-	623	1.00	EFOOD	-	-	-	-	AOT13P1912A	0.44	(0.56)	40,063	-
DIMET	0.74	-	1,550	-	EICT	4.85	0.03	2	4.00	AOT16C1912A	0.68	-	2,025	-
FLOYD	1.73	-	897	1										

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT42C1912A	0.42	-	16	-	BDMS01C1911B	0.17	-	47,178	-	BH23C1906A	-	-	-	-
AP01C1908A	0.57	-	5,856	-	BDMS01P1908A	0.29	(0.01)	15,168	-	BH24C1907A	-	-	-	-
AP01C1908B	0.44	0.01	3,924	-	BDMS01P1911A	0.36	-	18,692	-	BH24C1910A	0.69	(0.01)	2,610	-
AP06C1909A	0.56	(0.01)	4,000	-	BDMS08C1906A	-	-	-	-	BH41C1907A	-	-	-	-
AP11C2001A	0.44	-	8,494	-	BDMS08C1911A	0.20	(0.01)	10,000	-	BH41P1911A	-	-	-	-
AP19C1906A	0.46	-	4,000	-	BDMS11C2001A	0.71	-	1,051	-	BIG08C1906A	-	-	-	-
AP19C1910A	0.26	(0.01)	5,090	-	BDMS11P2002A	-	-	-	-	BJC01C1906A	0.13	-	33,364	-
AP24C1906A	-	-	-	-	BDMS13C1906A	0.29	(0.08)	100	-	BJC01C1906B	0.01	-	160	-
AP24C1907A	-	-	-	-	BDMS13C1909A	0.13	-	45,200	-	BJC01C1911A	0.59	-	76,821	-
BANP01C1909A	0.22	(0.03)	449,024	-	BDMS13P1907A	-	-	-	-	BJC01C1911B	0.46	(0.01)	109,017	-
BANP01C1909B	0.11	(0.03)	242,648	-	BDMS16C1912A	0.28	-	12,091	-	BJC01P1906A	0.25	(0.02)	46,826	-
BANP01P1909A	0.59	0.05	472,792	-	BDMS19C1910A	0.13	(0.01)	16,664	-	BJC01P1911A	0.34	-	106,591	-
BANP01P1909B	0.36	0.04	366,023	-	BDMS19P1906A	-	-	-	-	BJC06C1907A	-	-	-	-
BANP07C1909A	0.07	(0.01)	300	-	BDMS23C1906A	-	-	-	-	BJC08C1907A	-	-	-	-
BANP08C1906A	-	-	-	-	BDMS23P1908A	0.07	-	2,000	-	BJC11C2001A	0.34	0.01	15,947	-
BANP11C1909A	0.03	-	1,000	-	BDMS24C1907A	-	-	-	-	BJC13C1906A	-	-	-	-
BANP11C2004A	0.29	(0.71)	7,000	-	BDMS24C1909A	-	-	-	-	BJC13C1908A	0.12	(0.01)	161,524	-
BANP13C1906A	-	-	-	-	BDMS24C1912A	0.17	(0.83)	40	-	BJC13C1911A	0.36	0.01	215,556	-
BANP13C1910A	0.12	(0.03)	76,110	-	BDMS24P1908A	-	-	-	-	BJC19C1906A	-	-	-	-
BANP13C1912A	0.22	(0.78)	159,940	-	BDMS41C1906A	-	-	-	-	BJC19C1910A	0.34	0.01	32,356	-
BANP13P1908A	0.35	0.05	258,442	-	BDMS41C1911A	-	-	-	-	BJC23C2001A	0.38	0.01	21,500	-
BANP16C1912A	0.23	(0.03)	6	-	BDMS41P1907A	-	-	-	-	BJC24C1906A	0.03	-	400	-
BANP19C1906A	-	-	-	-	BDMS41P1911A	-	-	-	-	BJC24C1910A	-	-	-	-
BANP19C1910A	0.15	(0.03)	71,428	-	BEAU01C1906A	0.01	-	10,755	-	BJC27P1908A	0.18	-	15,863	-
BANP19P1906A	-	-	-	-	BEAU01C1906B	0.01	-	4,110	-	BJC41C1907A	-	-	-	-
BANP19P1910A	0.17	0.03	44,200	-	BEAU01C1911A	0.79	(0.02)	778,997	-	BJC41C1910A	-	-	-	-
BANP23C1906A	-	-	-	-	BEAU01P1909A	1.68	(0.04)	4,282	1.00	BJC41C1912A	0.50	-	12,000	-
BANP23P1908A	0.24	0.03	29,501	-	BEAU06C1909A	0.04	-	23,865	-	BJC41P1908A	0.17	(0.01)	1,501	-
BANP24C1907A	0.01	(0.01)	4,000	-	BEAU06C1911A	0.60	(0.01)	85,605	-	BJC42C1912A	-	-	-	-
BANP24C1907B	-	-	-	-	BEAU08C1906A	-	-	-	-	BLA11C1909A	-	-	-	-
BANP24C1911A	0.20	(0.04)	1,000	-	BEAU08C1910A	0.07	-	19,773	-	BLA13C1908A	0.11	(0.01)	1,892	-
BANP24P1906A	0.03	(0.07)	621	-	BEAU11C1911A	0.13	0.03	2,125	-	BLA19C1906A	-	-	-	-
BANP24P1908A	0.34	0.03	300	-	BEAU13C1906A	-	-	-	-	BLAN19C1906A	-	-	-	-
BANP28C1907A	-	-	-	-	BEAU13C1910A	0.04	(0.01)	25,389	-	BLAN19C1910A	0.22	-	2,000	-
BANP28C1911A	0.18	(0.03)	4,042	-	BEAU13C1910B	0.36	-	1,792,344	-	BLAN24C1907A	0.14	(0.01)	1,000	-
BANP28P1909A	0.26	0.03	45,900	-	BEAU13P1909A	0.29	-	98,030	-	BPP11C1910A	0.14	-	800	-
BANP41C1906A	-	-	-	-	BEAU19C1906A	0.01	-	130	-	BPP13C1906A	-	-	-	-
BANP41C1909A	-	-	-	-	BEAU19C1910A	0.30	-	312,725	-	BPP13C1911A	0.34	0.02	243,862	-
BANP41C1911A	0.27	(0.04)	81,521	-	BEAU19P1908A	0.47	(0.01)	443,815	-	BPP19C1908A	0.07	-	500	-
BANP41P1907A	-	-	-	-	BEAU23C1906A	-	-	-	-	BPP19C1910A	0.33	0.02	18,421	-
BANP41P1909A	-	-	-	-	BEAU24C1907A	0.05	0.01	15,469	-	BPP24C1908A	0.09	-	1,400	-
BBL07C1909A	-	-	-	-	BEAU24C1909A	0.84	(0.01)	9,043	-	BPP24C1911A	0.48	0.03	6,229	-
BBL08C1908A	-	-	-	-	BEAU27C1910A	0.10	0.01	2,400	-	BTS01C1908A	0.31	-	168,461	-
BBL11C2001A	0.23	0.01	2,330	-	BEAU28C1907A	-	-	-	-	BTS01C1908B	0.23	(0.01)	719,560	-
BBL11P2001A	0.42	-	8,398	-	BEAU28C1910A	-	-	-	-	BTS01P1908A	0.11	(0.01)	483,784	-
BBL13C1908A	0.17	(0.01)	20,986	-	BEAU28C1910B	0.41	(0.01)	47,162	-	BTS06C1908A	-	-	-	-
BBL13C1911A	0.77	(0.04)	58,850	-	BEAU41C1907A	-	-	-	-	BTS06P1908A	-	-	-	-
BBL13P1906A	-	-	-	-	BEAU41C1907B	-	-	-	-	BTS08C1911A	0.20	-	134,790	-
BBL13P1911A	0.56	0.01	24,152	-	BEAU41C1910A	-	-	-	-	BTS11C1910A	-	-	-	-
BBL19C1906A	0.08	-	500	-	BEAU41C1910B	0.04	-	10	-	BTS11C2003A	0.26	-	86,700	-
BBL19C1907A	-	-	-	-	BEAU41C1911A	0.22	0.01	2	-	BTS13C1907A	0.19	0.01	448,223	-
BBL19C1911A	0.24	(0.01)	11,860	-	BEAU41P1909A	-	-	-	-	BTS13C1912A	0.21	(0.79)	1,172,362	-
BBL19P1909A	-	-	-	-	BEAU41P1911A	-	-	-	-	BTS16C2001A	0.21	0.01	4,875	-
BBL23C1906A	-	-	-	-	BEAU42C1910A	-	-	-	-	BTS19C1907A	-	-	-	-
BBL24C1907A	-	-	-	-	BEAU42C1911A	0.99	0.07	36	-	BTS19C1907B	0.16	(0.01)	113,980	-
BBL24C1910A	0.13	(0.02)	10	-	BEM01C1907A	0.61	(0.02)	30,490	-	BTS19C1910A	0.12	0.02	31,372	-
BBL27C2002A	-	-	-	-	BEM01C1907B	0.14	-	856,305	-	BTS19P1910A	-	-	-	-
BBL41C1908A	-	-	-	-	BEM01C1911A	0.31	-	258,051	-	BTS24C1906A	-	-	-	-
BBL41C1912A	-	-	-	-	BEM01C1911B	0.23	(0.02)	239,568	-	BTS24C2001A	-	-	-	-
BCH01C1907A	0.31	(0.02)	4,247	-	BEM01P1907A	0.06	0.01	155,257	-	BTS24P2001A	0.22	-	150	-
BCH01C1907B	0.17	(0.03)	4,312	-	BEM01P1911A	0.31	-	450,156	-	BTS27P1911A	0.22	-	36,000	-
BCH01P1907A	0.18	-	52,400	-	BEM06P1906A	-	-	-	-	BTS41C1908A	-	-	-	-
BCH06C1909A	0.21	(0.02)	3,749	-	BEM08C1907A	0.14	-	67,815	-	BTS41P1908A	-	-	-	-
BCH08C1906A	0.09	(0.01)	2,200	-	BEM11C2001A	0.25	(0.02)	26,934	-	BTS41P1910A	-	-	-	-
BCH08C1910A	0.17	(0.01)	8,000	-	BEM11C2003A	0.28	(0.01)	24,398	-	CBG01C1907A	2.20	(0.02)	34,748	2.00
BCH11C2001A	0.34	(0.01)	1,102	-	BEM13C1909A	0.20	(0.02)	470,739	-	CBG01C1907B	2.14	(0.06)	21,626	2.00
BCH13C1907A	0.21	(0.03)	6,429	-	BEM19C1907A	0.13	(0.02)	181,861	-	CBG01C1909A	1.04	(0.03)	154,274	1.00
BCH13C1909A	0.16	(0.01)	6,240	-	BEM19P1910A	0.08	-	8,499	-	CBG01C1911A	1.24	(0.02)	91,161	1.00
BCH13C1911A	0.30	(0.01)	12,915	-	BEM23C2001A	0.20	-	12,026	-	CBG01C1911B	0.88	(0.04)	121,680	-
BCH16C2001A	0.28	(0.02)	7,357	-	BEM24C1906A	0.10	-	256,329	-	CBG01P1907A	0.02	-	40	-
BCH19C1907A	0.19	(0.01)	2,900	-	BEM24C1909A	0.14	(0.86)	45,449	-	CBG01P1909A	0.10	-	1,026	-
BCH19C1910A	0.15	(0.01)	1,534	-	BEM24P1909A	0.06	-	11,070	-	CBG01P1911A	0.43	-	111,998	-
BCH23C1907A	0.06	(0.01)	3,000	-	BEM27C1908A	0.23	-	10,800	-	CBG06C1908A	0.98	(0.03)	15,299	-
BCH24C1908A	0.18	(0.01)	9,970	-	BEM27P1907A	-	-	-	-	CBG08C1906A	2.22	-	33,600	2.00
BCH27C1908A	0.18	(0.01)	1,200	-	BEM27P1912A	0.25	0.02	92,102	-	CBG08C1910A	0.77	(0.02)	15,802	-
BCH27P1908A	-	-	-	-	BEM28C1909A	0.20	-	18,464	-	CBG11C1911A	1.76	(0.03)	7,340	1.00
BCH41C1908A	-	-	-	-	BEM28C1910A	0.14	(0.01)	121,631	-	CBG13C1906A	-	-	-	-
BCP01C1908A	0.11	-	21,309	-	BEM41C1907A	0.17	(0.03)	400	-	CBG13C1907A	-	-	-	-
BCP01C1908B	-	-	-	-	BEM41C1910A	0.20	(0.80)	34,440	-	CBG13C1908A	0.67	(0.04)	687,769	-
BCP01P1908A	0.39	-	8,273	-	BEM41P1907A	-	-	-	-	CBG13P1907A	0.03	-	8,430	-
BCP11C1909A	-	-	-	-	BEM42C1910A	0.18	(0.01)	2,500	-	CBG13P1909A	0.24	-	290,468	-
BCP11C2004A	-	-	-	-	BGR101C1909A	0.47	(0.02)	69,292	-	CBG16C1912A	1.64	-	100	1.00
BCP13C1906A	-	-	-	-	BGR101C1909B	0.29	(0.02)	69,564	-	CBG16C2001A	1.00	(0.06)	9,445	1.00
BCP13C1910A	0.10	-	1	-	BGR101P1909A	0.16	0.01	412	-	CBG19C1906A	1.62	(0.06)	4,815	1.00
BCP19C1906A	-	-	-	-	BGR108C1911A	0.27	(0.02)	4,200	-	CBG19C1907A	0.54	(0.03)	87,732	-
BCP19C1910A	0.10	-	3,900	-	BGR111C1909A	0.34	(0.03)	11,826	-	CBG23C1908A	0.63	(0.01)	26,000	-
BCP23C1907A	-	-	-	-	BGR113C1908A	0.28	(0.02)	132,005	-	CBG24C1906A	-	-	-	-
BCP24C1907A	-	-	-	-	BGR119C1908A	0.18	(0.02)	600	-	CBG24C1906B	0.49	(0.01)	200	-
BCP24C1912A	-	-	-	-	BGR123C1906A	0.08	(0.02)	16,124	-	CBG24C1909A	0.68	(0.01)	2,350	-
BCPG01C1908A	0.57	0.05	65,804	-	BGR124C1907A	0.30	(0.02)	600	-	CBG27C1912A	0.87	(0.01)	12,739	-
BCPG01C1908B	0													

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENT01C1911B	0.37	0.01	117,103	-	CPAL41C1906A	-	-	-	-	EGCO41C1911A	0.43	(0.02)	30,000	-
CENT01P1909A	0.91	(0.03)	21,570	-	CPAL41C1910A	-	-	-	-	EGCO41C1910A	0.27	-	7,038	-
CENT01P1911A	0.34	-	172,039	-	CPAL41C1910B	0.57	0.01	1,614	-	EPGO7C1906A	-	-	-	-
CENT06C1908A	-	-	-	-	CPAL41P1908A	-	-	-	-	EPG19C1908A	0.02	-	17,012	-
CENT08C1911A	0.15	0.01	43,400	-	CPAL41P1911A	-	-	-	-	EPG19C1910A	0.17	(0.01)	16,398	-
CENT11C1909A	0.07	0.02	1	-	CPAL42C1910A	-	-	-	-	EPG24C1908A	-	-	-	-
CENT11C2004A	0.39	(0.61)	6,000	-	CPF01C1908A	0.26	0.01	178,948	-	EPG24C1911A	0.31	(0.01)	21,792	-
CENT13C1907A	-	-	-	-	CPF01C1908B	0.15	0.01	191,070	-	ERW06C1907A	0.04	-	500	-
CENT13C1911A	0.30	-	254,633	-	CPF01P1908A	0.17	(0.01)	71,824	-	ERW06C1911A	0.24	(0.02)	11,477	-
CENT19C1908A	-	-	-	-	CPF01P1908B	-	-	-	-	ERW11C2001A	-	-	-	-
CENT19C1910A	0.18	-	52,727	-	CPF08C1911A	0.20	0.02	28,150	-	ERW13C1906A	0.03	-	2,450	-
CENT23C1908A	-	-	-	-	CPF11C1910A	0.61	-	1,700	-	ERW13C1911A	0.22	-	8,945	-
CENT24C1908A	-	-	-	-	CPF13C1908A	0.21	-	71,298	-	ERW19C1906A	0.18	(0.01)	6,620	-
CENT24C1910A	0.28	-	24,190	-	CPF13C1910A	0.17	(0.01)	80,992	-	ERW19C1908A	-	-	-	-
CENT27C1912A	0.37	-	10,800	-	CPF13C1911A	0.25	0.01	63,428	-	ERW24C1909A	-	-	-	-
CENT41C1908A	-	-	-	-	CPF13P1910A	0.20	(0.01)	41,797	-	ERW27C1910A	0.23	-	2,400	-
CENT41C1912A	-	-	-	-	CPF19C1907A	0.09	-	300	-	ESSO01C1906A	0.01	-	500	-
CENT41P1910A	0.53	(0.01)	40	-	CPF19C1910A	0.22	0.01	20,550	-	ESSO01C1906B	0.01	-	42,200	-
CHG01C1907A	0.86	0.03	8,217	-	CPF19P1910A	-	-	-	-	ESSO01C1911A	0.63	(0.02)	89,547	-
CHG01C1907B	0.19	0.02	47,959	-	CPF24C1912A	0.27	0.04	2,158	-	ESSO01C1911B	0.21	(0.01)	79,541	-
CHG01P1907A	0.06	-	65,563	-	CPF24P1909A	-	-	-	-	ESSO01P1906A	0.69	0.02	95,150	-
CHG06C1911A	0.36	0.02	8,800	-	CPF27C2001A	-	-	-	-	ESSO08C1908A	-	-	-	-
CHG11C1911A	0.29	-	2,568	-	CPF41C1908A	0.14	-	54,660	-	ESSO08C1911A	0.16	(0.01)	18,172	-
CHG13C1906A	0.53	0.03	9,131	-	CPF41P1910A	-	-	-	-	ESSO11C2002A	0.22	-	300	-
CHG13C1911A	0.30	0.01	99,826	-	CPN01C1908A	0.38	0.01	142,027	-	ESSO13C1906A	-	-	-	-
CHG19C1906A	0.23	0.01	6,005	-	CPN01C1908B	0.17	-	203,908	-	ESSO13C1910A	0.14	-	50,084	-
CHG23C1907A	0.23	-	2,500	-	CPN01P1908A	0.71	(0.05)	96,924	-	ESSO13C1911A	0.61	(0.01)	145,029	-
CHG24C1907A	0.51	0.03	900	-	CPN06C1908A	0.35	0.02	43,170	-	ESSO19C1906A	-	-	-	-
CHG24C1911A	0.79	(0.02)	15	-	CPN11C1910A	0.25	0.01	12,701	-	ESSO19C1910A	0.12	(0.01)	5,431	-
CK01C1907A	0.40	(0.01)	41,516	-	CPN13C1906A	-	-	-	-	ESSO23C1908A	0.09	(0.01)	8,000	-
CK01C1907B	0.25	-	45,068	-	CPN13C1908A	0.31	0.01	217,879	-	ESSO24C1907A	-	-	-	-
CK01P1907A	-	-	-	-	CPN19C1906A	-	-	-	-	ESSO24C1910A	0.68	(0.04)	22,627	-
CK08C1911A	0.25	(0.02)	13,478	-	CPN19C1911A	0.36	(0.01)	96,701	-	ESSO27C1912A	-	-	-	-
CK11C1911A	0.28	(0.01)	7,866	-	CPN23C1906A	-	-	-	-	ESSO41C1911A	-	-	-	-
CK13C1906A	0.14	-	89,940	-	CPN24C1909A	0.36	0.01	201	-	ESSO42C1910A	-	-	-	-
CK13C1910A	0.29	-	68,053	-	CPN24P1907A	-	-	-	-	GFPT08C1906A	0.46	(0.06)	16,000	-
CK16C1912A	0.38	0.01	16,370	-	CPN24P1911A	0.66	(0.03)	22,860	-	GFPT19C1906A	0.53	(0.10)	13,297	-
CK19C1907A	0.17	0.01	6,877	-	CPN41C1907A	-	-	-	-	GFPT19C1907A	0.18	(0.04)	23,734	-
CK23C1907A	0.16	(0.01)	2,000	-	CPN41C1910A	0.35	(0.01)	36,000	-	GFPT23C1909A	0.28	(0.03)	17,050	-
CK24C1910A	-	-	-	-	CPN41P1908A	-	-	-	-	GFPT24C1907A	0.41	(0.07)	5,000	-
CK41C1907A	-	-	-	-	DTAC01C1910A	0.53	(0.01)	70,853	-	GFPT42C1911A	-	-	-	-
CK41C1911A	-	-	-	-	DTAC01C1910B	0.50	0.02	75,024	-	GGC08C1906A	-	-	-	-
CKP01C1906A	0.55	(0.01)	128,591	-	DTAC01P1910A	0.94	(0.02)	50,420	-	GGC13C1908A	0.15	-	14,558	-
CKP01C1906B	0.24	(0.02)	113,285	-	DTAC01P1910B	0.42	(0.01)	77,499	-	GGC19C1906A	0.37	(0.02)	4,842	-
CKP01C1911A	0.49	(0.02)	123,914	-	DTAC06C1908A	0.32	(0.01)	25,750	-	GGC28C1907A	0.12	(0.02)	3,750	-
CKP01C1911B	0.40	(0.01)	362,291	-	DTAC06P1908A	0.29	-	8,901	-	GLOB01C1909A	0.45	0.02	84,418	-
CKP06C1910A	0.55	0.02	22,150	-	DTAC07C1909A	-	-	-	-	GLOB01C1909B	0.22	0.01	168,364	-
CKP08C1910A	0.33	(0.01)	13,760	-	DTAC08C1911A	0.46	-	29,300	-	GLOB01P1909A	0.41	(0.03)	127,725	-
CKP11C1910A	0.40	-	25,700	-	DTAC08P1906A	-	-	-	-	GLOB11C1906A	-	-	-	-
CKP13C1906A	0.41	-	87,452	-	DTAC08P1911A	0.69	(0.02)	18,000	-	GLOB11C2002A	0.59	0.02	10,285	-
CKP13C1908A	-	-	-	-	DTAC11C2002A	0.57	0.01	12,516	-	GLOB13C1906A	-	-	-	-
CKP13C1910A	0.37	-	134,552	-	DTAC13C1908A	0.32	-	27,421	-	GLOB13C1910A	0.38	0.02	79,484	-
CKP19C1907A	1.16	(0.06)	200	1.00	DTAC13C1911A	0.58	-	42,580	-	GLOB19C1907A	0.13	-	13,018	-
CKP19C1910A	0.37	(0.02)	22,376	-	DTAC13P1907A	0.07	-	10,371	-	GLOB23C1906A	-	-	-	-
CKP23C1907A	0.55	(0.03)	1,300	-	DTAC13P1909A	0.46	0.01	28,170	-	GLOB24C1906A	-	-	-	-
CKP24C1906A	-	-	-	-	DTAC19C1908A	0.22	-	19,724	-	GLOB24C1908A	0.14	0.06	2,100	-
CKP24C1907A	1.65	-	60	1.00	DTAC19P1906A	-	-	-	-	GLOB24C1911A	-	-	-	-
CKP24C1912A	0.47	(0.01)	1	-	DTAC19P1910A	0.22	(0.01)	26,712	-	GLOB41C1908A	-	-	-	-
CKP24P1912A	0.17	-	18,213	-	DTAC23C1906A	-	-	-	-	GLOB41C1910A	-	-	-	-
CKP28C1908A	-	-	-	-	DTAC23P1908A	0.27	(0.02)	7,000	-	GLOW13C1912A	1.13	0.01	20,484	1.00
CKP28C1910A	0.26	-	110,676	-	DTAC24C1906A	0.25	(0.01)	40	-	GLOW19C1906A	0.21	-	1,979	-
CKP41C1909A	0.34	(0.01)	4,000	-	DTAC24C1910A	0.55	0.07	3	-	GOLD19C1906A	-	-	-	-
COM706C1908A	0.92	0.07	5,538	-	DTAC24P1909A	-	-	-	-	GPSC01C1910A	0.56	(0.03)	44,413	-
COM708C1906A	-	-	-	-	DTAC28C1908A	0.23	0.01	5,060	-	GPSC01C1910B	0.49	(0.03)	51,595	-
COM708C1911A	0.75	0.07	28,995	-	DTAC28C1911A	0.45	(0.55)	20,280	-	GPSC01P1910A	0.55	0.03	28,130	-
COM711C1909A	0.38	0.04	2,600	-	DTAC41C1906A	0.31	0.02	1,000	-	GPSC08C1906A	0.10	(0.03)	3,000	-
COM713C1906A	-	-	-	-	DTAC41C1908A	0.24	0.04	22,000	-	GPSC11C1909A	0.24	(0.03)	10,018	-
COM713C1907A	0.53	0.09	105,831	-	DTAC41P1908A	0.29	-	10,859	-	GPSC13C1908A	0.28	(0.03)	39,740	-
COM719C1906A	0.91	0.12	8,173	-	DTAC42C1911A	-	-	-	-	GPSC13C1911A	0.63	(0.04)	122,843	-
COM719C1910A	0.50	0.07	57,645	-	EA06C1907A	0.24	(0.07)	31,457	-	GPSC19C1907A	-	-	-	-
COM719P1907A	-	-	-	-	EA07C1910A	0.58	(0.11)	940	-	GPSC19C1910A	0.44	(0.03)	18,678	-
COM724C1906A	1.38	0.16	600	1.00	EA08C1908A	0.41	(0.06)	32,831	-	GPSC23C1906A	-	-	-	-
COM724C1908A	0.45	0.03	290	-	EA11C1911A	0.70	(0.06)	22,961	-	GPSC24C1909A	0.49	(0.04)	100	-
COM727C1907A	0.93	0.08	5,400	-	EA13C1908A	0.38	(0.07)	327,695	-	GPSC27C1909A	0.20	(0.03)	12,000	-
COM741C1908A	0.40	0.05	54,000	-	EA13C1910A	0.27	(0.05)	108,784	-	GPSC41C1908A	-	-	-	-
CPAL01C1907A	0.78	0.05	79,528	-	EA13P1906A	-	-	-	-	GULF01C1906A	1.96	(0.06)	23,603	2.00
CPAL01C1907B	0.31	0.03	268,172	-	EA13P1909A	0.37	0.04	258,654	-	GULF01C1906B	1.66	(0.12)	18,393	1.00
CPAL01C1911A	0.82	0.04	115,488	-	EA13P1910A	0.77	0.05	24,168	-	GULF01C1909A	1.34	(0.07)	249,391	1.00
CPAL01C1911B	0.65	0.04	139,751	-	EA16C1911A	0.60	(0.07)	36,435	-	GULF01C1909B	0.38	(0.04)	801,734	-
CPAL01P1907A	0.24	(0.03)	228,909	-	EA19C1907A	0.30	(0.05)	60,552	-	GULF01P1906A	0.01	-	32,308	-
CPAL01P1907B	0.09	(0.02)	39,029	-	EA19C1908A	0.25	(0.05)	132,662	-	GULF01P1909A	0.29	0.03	955,318	-
CPAL01P1911A	0.86	(0.04)	39,348	-	EA19P1906A	-	-	-	-	GULF06C1909A	1.52	(0.11)	13,817	1.00
CPAL01P1911B	0.58	(0.04)	166,091	-	EA19P1910A	0.38	0.04	25,335	-	GULF07C1910A	1.85	0.06	13	1.00
CPAL06C1908A	0.48	0.05	16,080	-	EA23C1909A	0.36	(0.06)	26,000	-	GULF08C1906A	-	-	-	-
CPAL08C1908A	0.39	0.03	20,860	-	EA24C1910A	0.41	(0.06)	29,225	-	GULF08C1910A	0.44	(0.05)	50,618	-
CPAL08P1908A	0.10	(0.01)	4,000	-	EA27C1908A	0.37	(0.05)	16,390	-	GULF11C1908A	-	-	-	-
CPAL11C1909A	0.53	0.05	13,462	-	EA27P1908A	0.21	0.03	23,156	-	GULF11C2003A	0.52	(0.01)	7,836	-
CPAL13C1906A	0.41	0.02	3,070	-	EA28C1909A	0.34	(0.06)	17,19						

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF41C1909B	-	-	-	-	IVL19C1908A	0.10	(0.01)	22,160	-	KTC01P1910A	0.38	-	41,673	-
GULF41C1910A	-	-	-	-	IVL19P1908A	-	-	-	-	KTC08C1907A	-	-	-	-
GULF41C1910B	-	-	-	-	IVL19P1910A	-	-	-	-	KTC08C1910A	0.38	0.01	29,085	-
GULF41P1908A	0.05	(0.01)	1,000	-	IVL23C1906A	-	-	-	-	KTC11C1911A	0.82	0.01	14,310	-
GULF41P1909A	0.33	(0.06)	3,881	-	IVL23P1909A	0.33	0.01	8,100	-	KTC13C1906A	-	-	-	-
GULF41P1911A	0.27	0.01	152	-	IVL24C1906A	-	-	-	-	KTC13C1909A	0.30	0.01	443,562	-
GULF41P1911B	0.24	0.01	201,745	-	IVL24C1907A	0.08	-	10	-	KTC13P1909A	0.27	(0.01)	67,309	-
GULF42C1910A	0.36	0.01	130	-	IVL24C1910A	0.43	(0.02)	1,580	-	KTC16C1911A	0.57	(0.01)	1,000	-
GUNK11C1911A	0.51	0.05	935	-	IVL24P1906A	0.26	(0.01)	3,003	-	KTC19C1907A	0.87	(0.03)	9,270	-
GUNK13C1909A	0.37	0.06	136,294	-	IVL27C1912A	0.44	(0.01)	7,800	-	KTC19C1908A	0.41	(0.01)	21,132	-
GUNK19C1906A	0.19	0.05	43,580	-	IVL27P1907A	0.12	0.01	4,800	-	KTC19C1910A	0.27	-	51,950	-
GUNK19C1910A	0.37	0.05	14,302	-	IVL28C1908A	-	-	-	-	KTC23C1908A	0.59	-	21,650	-
GUNK23C1907A	0.18	0.02	12,300	-	IVL28C1910A	0.27	(0.01)	40,860	-	KTC24C1907A	0.70	(0.02)	1,000	-
GUNK24C1909A	-	-	-	-	IVL28P1909A	0.25	0.01	31,267	-	KTC27C1911A	0.50	-	5,501	-
GUNK42C1910A	-	-	-	-	IVL41C1906A	-	-	-	-	KTC27P1911A	0.45	-	3,680	-
HANA01C1909A	0.13	-	46,686	-	IVL41C1909A	0.34	(0.02)	107,320	-	KTC28C1907A	-	-	-	-
HANA01C1909B	-	-	-	-	IVL41C1910A	-	-	-	-	KTC28C1908A	0.10	-	1,219	-
HANA01C1911A	0.93	0.02	19,682	-	IVL41C1910B	-	-	-	-	KTC28C1909A	0.26	-	19,842	-
HANA11C1911A	0.09	-	1	-	IVL41P1907A	-	-	-	-	KTC41C1906A	-	-	-	-
HANA13C1906A	-	-	-	-	IVL42C1910A	0.37	(0.01)	100	-	KTC41C1910A	0.43	(0.01)	8,529	-
HANA13C1910A	0.09	-	1,202	-	KBAN01C1907A	0.76	0.01	12,243	-	KTC41P1910A	0.44	(0.01)	99	-
HANA13C1911A	0.89	0.02	14,715	-	KBAN01C1907B	0.26	(0.01)	92,281	-	LH01C1909A	0.31	(0.02)	67,154	-
HANA13C1912A	0.24	0.01	29,819	-	KBAN01C1911A	0.91	(0.01)	28,757	-	LH01C1909B	0.21	(0.01)	78,937	-
HANA19C1906A	-	-	-	-	KBAN01C1911B	0.63	-	25,270	-	LH01P1909A	0.19	(0.01)	120,980	-
HANA19C1910A	0.15	0.01	26,000	-	KBAN01P1907A	0.10	(0.03)	63,396	-	LH07C1908A	0.35	-	5,000	-
HANA24C1907A	-	-	-	-	KBAN01P1911A	1.15	(0.01)	37,051	1.00	LH11C1906A	-	-	-	-
HANA27C2001A	0.30	(0.70)	4,800	-	KBAN01P1911B	0.80	(0.03)	40,258	-	LH11C1911A	0.24	0.01	2,666	-
HMPRO01C1908A	0.59	0.03	46,141	-	KBAN07C1908A	0.30	0.04	10	-	LH13C1906A	-	-	-	-
HMPRO01C1908B	0.43	0.04	138,010	-	KBAN08C1906A	0.16	(0.02)	19,000	-	LH13C1910A	0.22	(0.01)	16,138	-
HMPRO01P1908A	0.14	(0.01)	16,444	-	KBAN08C1908A	0.10	(0.01)	1,600	-	LH19C1906A	-	-	-	-
HMPRO06C1910A	0.48	0.03	21,898	-	KBAN13C1906A	0.25	(0.01)	52,223	-	LH19C1907A	0.13	(0.01)	15,050	-
HMPR11C1906A	0.07	0.01	5,000	-	KBAN13C1910A	0.63	(0.01)	95,624	-	LH19P1910A	-	-	-	-
HMPR11C2003A	0.45	0.02	13,995	-	KBAN13P1908A	0.29	-	45,938	-	LH23C1906A	-	-	-	-
HMPR13C1908A	0.44	0.04	124,444	-	KBAN16C2001A	0.72	-	50	-	LH24C1906A	0.55	0.04	480	-
HMPR19C1907A	0.30	0.05	42,440	-	KBAN19C1906A	0.21	-	40,450	-	LH24C1912A	0.20	(0.80)	250	-
HMPR24C1907A	-	-	-	-	KBAN19C1911A	0.48	-	71,766	-	LH41C1907A	-	-	-	-
HMPR27P2001A	0.33	(0.67)	2,628	-	KBAN19P1910A	0.25	-	3,000	-	LPN08C1906A	-	-	-	-
HMPR41C1907A	0.35	0.04	2,282	-	KBAN23C1906A	0.02	(0.02)	1,000	-	LPN08C1908A	0.25	(0.02)	12,506	-
HMPR41C1911A	0.34	0.03	55,080	-	KBAN24C1907A	-	-	-	-	LPN13C1908A	0.35	(0.02)	25,785	-
INTU01C1907A	0.81	0.01	75,484	-	KBAN24C1908A	-	-	-	-	LPN19C1906A	-	-	-	-
INTU01C1907B	0.54	0.01	95,225	-	KBAN24P1907A	-	-	-	-	LPN24C1908A	-	-	-	-
INTU01P1907A	0.16	(0.01)	119,596	-	KBAN24P1909A	-	-	-	-	LPN28C1907A	-	-	-	-
INTU01P1907B	0.04	(0.01)	200	-	KBAN27P2001A	0.59	(0.01)	1,800	-	MAJ006C1909A	0.21	0.02	13,350	-
INTU11C2001A	0.52	0.01	7,650	-	KBAN28C1907A	-	-	-	-	MAJ013C1909A	0.22	0.03	23,181	-
INTU13C1908A	0.39	(0.02)	88,797	-	KBAN28C1911A	0.44	-	58,616	-	MAJ019C1907A	0.12	0.01	68,436	-
INTU19C1906A	0.72	0.02	5,510	-	KBAN28P1909A	0.22	(0.01)	28,664	-	MAJ027C1912A	0.24	0.02	5,128	-
INTU19C1907A	0.17	-	25,000	-	KBAN41C1906A	-	-	-	-	MBK13C1907A	0.28	0.02	9,653	-
INTU19P1910A	0.12	(0.01)	1,000	-	KBAN41C1910A	0.45	-	26,960	-	MBK19C1906A	0.24	0.02	18,140	-
INTU23C1908A	0.19	0.01	8,500	-	KBAN41P1908A	0.25	(0.03)	1,000	-	MBK24C1906A	0.23	(0.02)	12,950	-
INTU24C1909A	0.31	0.04	136	-	KBAN41P1908B	-	-	-	-	MBK24C1910A	0.50	0.02	28,201	-
INTU41C1908A	-	-	-	-	KBAN42C1911A	-	-	-	-	MEGA11C1910A	0.43	(0.01)	10,598	-
INTU41P1910A	0.27	(0.07)	121	-	KCE01C1906A	0.02	0.01	3,535	-	MEGA13C1907A	0.19	(0.01)	88,636	-
INTU42C1910A	-	-	-	-	KCE01C1906B	-	-	-	-	MEGA19C1906A	0.27	(0.02)	14,402	-
IRPC01C1906A	0.01	-	128,803	-	KCE01C1911A	0.78	0.01	42,620	-	MEGA19C1910A	0.24	(0.01)	24,740	-
IRPC01C1906B	-	-	-	-	KCE01C1911B	0.55	-	61,715	-	MINT01C1906A	0.43	-	19,831	-
IRPC01C1911A	0.58	(0.04)	54,644	-	KCE06C1908A	0.02	(0.01)	900	-	MINT01C1906B	0.13	(0.01)	15,255	-
IRPC01C1911B	0.13	(0.02)	2,120	-	KCE06C1911A	0.51	(0.01)	11,150	-	MINT01C1911A	0.44	-	17,981	-
IRPC01P1911A	0.35	0.02	91,433	-	KCE08C1911A	0.07	-	50	-	MINT01C1911B	0.36	-	22,072	-
IRPC06C1907A	0.02	0.01	4,466	-	KCE11C1906A	-	-	-	-	MINT01P1906A	0.02	-	1	-
IRPC06C1911A	0.33	(0.03)	22,026	-	KCE11C2004A	0.73	(0.27)	4,806	-	MINT01P1911A	0.45	(0.01)	21,575	-
IRPC06P1907A	0.25	0.04	2,000	-	KCE13C1907A	-	-	-	-	MINT06C1908A	0.19	(0.01)	6,200	-
IRPC11C2001A	0.08	-	2,865	-	KCE13C1908A	0.09	-	2	-	MINT07C1906A	-	-	-	-
IRPC13C1906A	-	-	-	-	KCE13C1911A	0.46	(0.01)	60,182	-	MINT08C1908A	0.18	-	2,000	-
IRPC13C1909A	0.03	(0.01)	184	-	KCE19C1906A	-	-	-	-	MINT11C1910A	-	-	-	-
IRPC13C1911A	0.31	(0.05)	152,974	-	KCE19C1910A	0.11	(0.01)	521	-	MINT13C1908A	-	-	-	-
IRPC19C1910A	0.05	(0.01)	2,432	-	KCE19C1910B	0.40	-	19,335	-	MINT13C1911A	0.36	(0.01)	14,000	-
IRPC19C1910B	0.26	(0.03)	60,190	-	KCE23C1911A	0.37	-	15,500	-	MINT16C1911A	0.40	(0.01)	11,888	-
IRPC23C1908A	-	-	-	-	KCE24C1906A	-	-	-	-	MINT19C1906A	-	-	-	-
IRPC24C1909A	-	-	-	-	KCE24C1911A	0.53	0.01	27,929	-	MINT19C1908A	-	-	-	-
IRPC24C1911A	0.36	(0.07)	1	-	KCE28C1907A	-	-	-	-	MINT19P1910A	-	-	-	-
IRPC27C1911A	-	-	-	-	KCE28C1911A	0.46	(0.54)	23,158	-	MINT23C2001A	0.36	-	1,500	-
IRPC41C1907A	-	-	-	-	KCE41C1907A	-	-	-	-	MINT24C1908A	-	-	-	-
IRPC41C1910A	-	-	-	-	KCE41C1911A	0.52	(0.01)	116,511	-	MINT27C1912A	0.32	-	1,800	-
IRPC41C1911A	0.40	(0.05)	50,660	-	KCE42C1910A	-	-	-	-	MINT27P1912A	-	-	-	-
IRPC41C1911B	-	-	-	-	KKP01C1907A	0.52	0.01	17,226	-	MINT41C1907A	-	-	-	-
IRPC41P1909A	0.33	0.03	221	-	KKP01C1907B	0.26	0.01	57,928	-	MINT41C1910A	0.30	0.01	200	-
IRPC42C1911A	-	-	-	-	KKP01P1907A	0.20	0.01	18,275	-	MINT41P1912A	-	-	-	-
ITD13C1908A	0.11	-	17,960	-	KKP11C1911A	0.37	-	1,200	-	MON008C1906A	-	-	-	-
ITD19C1906A	0.06	(0.01)	6,610	-	KKP13C1906A	0.18	-	24,698	-	MTC01C1907A	0.71	0.02	63,554	-
ITD28C1907A	0.04	-	50	-	KKP13C1910A	0.38	-	130,029	-	MTC01C1907B	0.43	0.02	55,580	-
IVL01C1908A	0.40	-	146,996	-	KKP19C1906A	0.28	-	2,490	-	MTC01P1907A	0.09	-	68,073	-
IVL01C1908B	0.20	(0.01)	266,096	-	KKP24C1906A	-	-	-	-	MTC06C1908A	0.88	0.03	2,120	-
IVL01C1911A	0.59	(0.01)	101,364	-	KKP24C1909A	-	-	-	-	MTC07C1909A	-	-	-	-
IVL01C1911B	0.38	-	173,282	-	KKP27P1908A	0.15	-	2,400	-	MTC08C1906A	0.30	0.01	17,600	-
IVL01P1908A	0.54	-	35,072	-	KKP41C1910A	0.27	(0.01)	17,760	-	MTC08C1911A	0.61	0.02	16,400	-
IVL01P1908B	0.28	0.01	76,663	-	KTBO1C1909A	0.48	0.01	11,953	-	MTC11C2002A	0.88	0.03	8,309	-
IVL01P1911A	0.48	(0.01)	98,878	-	KTBO1C1909B	0.27	0.01	39,950	-	MTC13C1906A	-	-	-	-
IVL01P1911B	0.45	-	105,682	-	KTBO1P1909A	0.29	(0.02)	11,414	-	MTC13C1910A	0.61	0.02	93,449	-
IVL06C1906A	-	-	-	-	KTBI1C1909A	-	-	-	-	MTC16C1911A	-	-	-	-
IVL06C1910A	0.25</													

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MTC42C1910A	-	-	-	-	PTTE01P1907B	0.05	0.01	511	-	RS23C1909A	0.18	0.01	7,000	-
ORI08C1907A	0.25	0.03	26,550	-	PTTE01P1910A	1.05	0.01	153,262	1.00	RS24C1910A	0.29	0.01	3,830	-
ORI11C1909A	0.39	0.02	24,018	-	PTTE01P1910B	0.51	-	204,094	-	RS41C1908A	-	-	-	-
ORI13C1907A	0.29	0.04	210,105	-	PTTE06C1908A	0.23	(0.02)	18,841	-	RS41C1912A	0.47	0.01	3,800	-
ORI19C1910A	0.34	0.04	33,538	-	PTTE06P1910A	0.52	0.01	37,068	-	RS42C1911A	0.57	0.02	4,740	-
ORI23C1911A	0.48	0.03	30,000	-	PTTE08C1906A	0.18	(0.03)	39,313	-	S10001C1911A	0.73	0.01	322	-
ORI24C1908A	0.38	0.03	27,222	-	PTTE08C1910A	0.27	(0.01)	10,285	-	S5001C1906F	0.19	-	2,090,694	-
ORI41C1907A	-	-	-	-	PTTE08P1911A	0.63	0.01	17,500	-	S5001C1906G	0.84	0.01	1,809,411	-
ORI41C1907B	-	-	-	-	PTTE11C1910A	0.49	(0.01)	35,990	-	S5001C1906H	0.08	-	14,055	-
PLAN13C1908A	0.23	(0.01)	56,847	-	PTTE13C1908A	0.29	(0.02)	180,330	-	S5001C1906I	0.19	(0.01)	1,050,768	-
PLAN19C1906A	-	-	-	-	PTTE13C1911A	0.51	(0.02)	184,296	-	S5001C1907A	0.76	-	750,225	-
PLAN23C1909A	0.18	(0.01)	7,510	-	PTTE13P1908A	0.29	-	35,568	-	S5001C1908A	0.84	-	620,251	-
PLAN27C1908A	0.28	(0.02)	7,800	-	PTTE13P1912A	0.59	(0.41)	192,398	-	S5001C1909F	1.27	0.01	2,472,590	1.00
PLAN41C1910A	0.21	(0.01)	8,000	-	PTTE16C1911A	0.38	(0.03)	3,100	-	S5001C1909G	1.03	0.01	1,451,687	-
PRM13C1908A	0.26	(0.03)	92,836	-	PTTE19C1906A	0.32	(0.04)	4,908	-	S5001P1906F	0.01	(0.01)	210,972	-
PRM19C1906A	-	-	-	-	PTTE19C1908A	0.23	(0.02)	117,240	-	S5001P1906G	0.27	(0.02)	1,590,740	-
PRM19C1910A	0.30	(0.02)	24,146	-	PTTE19P1908A	0.02	-	17	-	S5001P1906H	0.07	(0.03)	385,605	-
PRM23C1909A	0.31	(0.02)	29,305	-	PTTE23C1906A	-	-	-	-	S5001P1906I	0.15	(0.02)	1,651,136	-
PSH13C1910A	0.57	(0.01)	104,867	-	PTTE23P1909A	0.40	0.02	8,000	-	S5001P1907A	0.48	(0.02)	683,611	-
PSH19C1906A	0.79	0.02	1,200	-	PTTE24C1906A	-	-	-	-	S5001P1908A	0.45	(0.01)	160,257	-
PSH19C1908A	0.45	(0.01)	4,000	-	PTTE24C1910A	0.56	(0.02)	2,064	-	S5001P1909F	0.40	(0.01)	1,202,578	-
PSL06C1908A	-	-	-	-	PTTE24P1909A	-	-	-	-	S5001P1909G	0.72	(0.03)	1,160,035	-
PSL06C1911A	0.68	(0.02)	29,997	-	PTTE27C1912A	0.37	(0.01)	7,200	-	S5006C1906A	0.10	(0.01)	109	-
PSL13C1907A	-	-	-	-	PTTE28C1909A	0.26	(0.01)	44,946	-	S5006C1906B	0.02	-	200	-
PSL19C1907A	0.10	(0.02)	21,859	-	PTTE28P1907A	-	-	-	-	S5006C1906C	-	-	-	-
PSL23C1907A	-	-	-	-	PTTE28P1911A	0.51	0.01	8,173	-	S5006C1909A	0.53	0.02	45,457	-
PTG01C1908A	1.22	0.15	184,747	1.00	PTTE41C1910A	-	-	-	-	S5006C1909B	1.02	0.04	6,951	1.00
PTG01C1908B	1.21	0.18	189,091	1.00	PTTE41C1910B	0.37	(0.02)	100	-	S5006P1906A	-	-	-	-
PTG01C1911A	0.85	0.11	511,186	-	PTTE41P1906A	-	-	-	-	S5006P1906B	0.02	0.01	2,407	-
PTG01C1911B	0.72	0.11	603,177	-	PTTE41P1910A	-	-	-	-	S5006P1906C	-	-	-	-
PTG01P1908A	0.02	(0.01)	46,408	-	PTTE42C1910A	-	-	-	-	S5006P1906D	0.35	(0.05)	23,581	-
PTG01P1911A	0.30	(0.05)	781,548	-	PTTG01C1907A	0.33	0.03	188,855	-	S5006P1909A	0.53	(0.04)	52,088	-
PTG06C1910A	1.31	0.14	34,700	1.00	PTTG01C1907B	0.11	-	291,647	-	S5006P1909B	0.34	(0.02)	39,427	-
PTG08C1906A	-	-	-	-	PTTG01C1910A	0.39	0.01	240,114	-	S5008C1906A	0.05	(0.02)	3,001	-
PTG08C1907A	1.10	0.17	57,960	-	PTTG01C1910B	0.44	0.02	172,171	-	S5008C1906B	0.16	(0.01)	151,000	-
PTG11C1906A	-	-	-	-	PTTG01P1907A	0.47	(0.05)	273,854	-	S5008P1906A	0.03	-	110	-
PTG11C2003A	0.74	0.08	37,666	-	PTTG01P1907B	0.17	(0.03)	165,710	-	S5008P1906B	-	-	-	-
PTG13C1906A	-	-	-	-	PTTG01P1910A	1.24	(0.04)	130,948	1.00	S5013C1906A	0.31	-	5,096,882	-
PTG13C1910A	1.04	0.16	300,163	-	PTTG01P1910B	0.55	(0.03)	166,711	-	S5013C1906B	0.05	-	69,666	-
PTG13C1911A	0.64	0.11	1,057,151	-	PTTG06C1908A	0.08	0.01	17,031	-	S5013C1906C	0.16	-	2,158,002	-
PTG13C1912A	0.36	0.07	682,910	-	PTTG06C1911A	0.48	0.03	46,799	-	S5013C1906D	0.05	(0.01)	9,572	-
PTG16C1911A	-	-	-	-	PTTG06P1908A	0.77	(0.08)	29,300	-	S5013C1906E	0.38	-	1,197,738	-
PTG19C1907A	1.14	0.18	43,326	-	PTTG07C1908A	-	-	-	-	S5013C1909A	0.94	0.02	5,624,385	-
PTG19C1910A	0.74	0.13	71,714	-	PTTG08C1906A	-	-	-	-	S5013C1909B	0.93	-	2,701,465	-
PTG19C1910B	0.35	0.08	453,935	-	PTTG08C1911A	0.30	0.01	24,500	-	S5013P1906A	0.03	(0.01)	1,778,649	-
PTG19P1908A	0.02	-	7,001	-	PTTG11C1909A	0.07	0.01	4,200	-	S5013P1906B	0.15	(0.02)	2,066,600	-
PTG19P1910A	0.21	(0.04)	257,901	-	PTTG11C2004A	0.61	(0.39)	13,306	-	S5013P1906C	0.24	(0.02)	2,357,974	-
PTG24C1909A	1.05	0.12	153,404	-	PTTG13C1906A	-	-	-	-	S5013P1906D	0.01	-	155,172	-
PTG27P1910A	0.04	-	59,103	-	PTTG13C1908A	0.16	-	90,155	-	S5013P1906E	0.09	(0.02)	1,042,390	-
PTG27P2001A	0.51	(0.49)	146,252	-	PTTG13C1911A	0.45	0.02	390,490	-	S5013P1909A	0.36	(0.01)	2,457,296	-
PTG28C1907A	0.73	0.08	2	-	PTTG13P1909A	0.67	(0.04)	153,302	-	S5013P1909B	0.73	(0.02)	2,614,003	-
PTG28C1908A	-	-	-	-	PTTG13P1910A	0.42	(0.03)	201,459	-	S5028C1906A	0.25	0.01	254,739	-
PTG28C1910A	-	-	-	-	PTTG16C2001A	0.34	0.01	33,091	-	S5028C1906B	0.03	(0.04)	1	-
PTG28C1910B	0.35	0.06	33,676	-	PTTG19C1906A	-	-	-	-	S5028C1906C	-	-	-	-
PTG28C1911A	0.40	(0.60)	16,274	-	PTTG19C1910A	0.24	0.02	218,742	-	S5028C1907A	0.46	0.01	1,066,398	-
PTG41C1907A	-	-	-	-	PTTG19P1906A	-	-	-	-	S5028C1908A	0.82	(0.18)	442,744	-
PTG41C1910A	0.79	0.02	112,000	-	PTTG19P1910A	0.40	(0.02)	47,642	-	S5028P1906A	0.03	0.01	2,044	-
PTG41P1911A	0.56	(0.09)	53,217	-	PTTG23C1906A	-	-	-	-	S5028P1906B	0.05	(0.04)	5,301	-
PTG42C1910A	0.75	0.10	10,857	-	PTTG23C1908A	0.09	-	4,000	-	S5028P1906C	0.16	(0.03)	262,223	-
PTT01C1907A	0.33	(0.01)	94,368	-	PTTG24C1907A	-	-	-	-	S5028P1907A	0.23	-	291,848	-
PTT01C1907B	0.10	(0.01)	295,701	-	PTTG24C1911A	0.47	0.03	4,515	-	S5028P1908A	0.43	(0.57)	482,771	-
PTT01C1910A	0.32	(0.01)	200,454	-	PTTG27C2001A	0.54	(0.46)	14,400	-	S5041C1906F	-	-	-	-
PTT01C1910B	0.28	(0.01)	202,337	-	PTTG28C1907A	0.02	-	50	-	S5041C1906G	0.03	(0.01)	600	-
PTT01P1907A	0.30	-	142,292	-	PTTG28C1911A	0.30	0.02	31,200	-	S5041C1909A	-	-	-	-
PTT01P1907B	-	-	-	-	PTTG41C1906A	-	-	-	-	S5041C1909B	-	-	-	-
PTT01P1910A	0.71	0.01	89,090	-	PTTG41C1909A	-	-	-	-	S5041C1909F	0.83	(0.03)	2,801,002	-
PTT01P1910B	0.35	-	67,030	-	PTTG41C1911A	0.53	(0.01)	70,660	-	S5041C1909G	0.61	0.01	80,000	-
PTT06C1908A	0.09	(0.02)	4,500	-	PTTG41C1911B	-	-	-	-	S5041P1906F	-	-	-	-
PTT07C1906A	-	-	-	-	PTTG41P1908A	-	-	-	-	S5041P1906G	-	-	-	-
PTT08C1906A	-	-	-	-	PTTG42C1910A	-	-	-	-	S5041P1909A	-	-	-	-
PTT08P1911A	0.44	0.01	16,000	-	QH01C1908A	0.44	(0.03)	29,676	-	S5041P1909B	0.52	(0.07)	720,000	-
PTT11C1909A	0.06	(0.01)	210	-	QH01C1908B	0.30	(0.01)	36,604	-	S5041P1909F	0.76	(0.01)	1,840,000	-
PTT11C2004A	0.36	(0.64)	3	-	QH01P1908A	0.17	-	10,000	-	S5041P1909G	0.56	0.02	6,000	-
PTT13C1906A	-	-	-	-	QH11C1910A	0.33	(0.01)	4,506	-	SAWA01C1907A	0.86	0.06	243,481	-
PTT13C1909A	0.15	-	91,695	-	QH13C1909A	0.32	(0.01)	39,036	-	SAWA01C1907B	0.57	0.05	111,752	-
PTT13C1911A	0.31	(0.01)	91,952	-	QH19C1909A	0.26	(0.04)	50	-	SAWA01C1911A	0.71	0.04	124,131	-
PTT13P1906A	-	-	-	-	QH24C1908A	-	-	-	-	SAWA01C1911B	0.48	0.03	218,943	-
PTT13P1909A	0.24	(0.01)	53,219	-	RAT13C1911A	0.43	(0.02)	129,292	-	SAWA01P1907A	0.06	(0.02)	9,300	-
PTT16C1912A	0.43	(0.02)	2,000	-	RAT19C1908A	0.43	(0.08)	37,782	-	SAWA01P1911A	0.68	(0.04)	75,407	-
PTT19C1906A	0.10	(0.03)	91,665	-	RAT19C1910A	0.18	(0.02)	18,516	-	SAWA06C1908A	0.78	0.08	7,769	-
PTT19C1911A	0.22	(0.01)	70,150	-	RAT41C1911A	-	-	-	-	SAWA08C1908A	0.50	0.05	45,157	-
PTT19P1908A	-	-	-	-	ROB101C1909A	0.27	(0.03)	121,449	-	SAWA11C1906A	0.58	0.06	7,543	-
PTT23C1906A	-	-	-	-	ROB101C1909B	0.09	(0.01)	6	-	SAWA11C2003A	0.81	0.03	17,546	-
PTT23C1911A	0.25	(0.02)	3,000	-	ROB106C1910A	0.26	(0.06)	37,726	-	SAWA13C1908A	0.71	0.01	2,565	-
PTT24C1906A	-	-	-	-	ROB11C1906A	-	-	-	-	SAWA13C1911A	0.58	0.04	86,995	-

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB08C1908A	0.23	(0.01)	19,800	-	STA08C1908A	0.07	0.01	4,675	-	THAN27C1910A	0.29	(0.02)	17,600	-
SCB11C1910A	0.25	-	20,242	-	STA11C1909A	0.05	-	4,800	-	THC008C1906A	-	-	-	-
SCB11P1910A	0.26	(0.01)	14,698	-	STA13C1906A	-	-	-	-	TISCO1C1908A	1.19	0.01	22,342	1.00
SCB13C1907A	0.14	(0.01)	95,548	-	STA13C1908A	0.16	(0.01)	348,865	-	TISCO1C1908B	0.82	-	33,421	-
SCB13C1911A	0.62	(0.01)	256,926	-	STA19C1907A	0.02	-	5,000	-	TISCO1P1908A	0.23	(0.01)	16,026	-
SCB16C2001A	0.50	0.02	5,430	-	STA19C1909A	0.18	(0.01)	198,348	-	TISC11C1910A	0.97	0.01	15,790	-
SCB19C1910A	0.34	-	49,621	-	STA23C1906A	-	-	-	-	TISC13C1908A	0.67	-	32,751	-
SCB19P1906A	-	-	-	-	STA23C1911A	0.37	(0.02)	74,150	-	TISC16C2001A	0.82	0.02	2	-
SCB19P1911A	0.21	(0.01)	15,748	-	STA24C1909A	0.18	0.03	105	-	TISC19C1906A	1.00	0.01	6,000	-
SCB24C1910A	0.34	(0.03)	2,020	-	STA24C1911A	0.37	(0.01)	109,967	-	TISC19C1908A	0.56	-	17,502	-
SCB24P1906A	-	-	-	-	STA27C1911A	0.29	-	36,832	-	TISC23C1907A	0.49	0.01	11,000	-
SCB24P1909A	0.28	(0.01)	1,860	-	STA41C1907A	0.05	(0.01)	8,499	-	TISC24C1908A	0.75	0.10	2,000	-
SCB28C1911A	0.45	0.01	63,891	-	STA41C1910A	0.24	-	20,502	-	TISC41C1907A	-	-	-	-
SCB28P1909A	0.14	(0.03)	8,048	-	STA42C1911A	0.46	(0.02)	9,980	-	TISC41C1911A	0.67	0.02	26,859	-
SCB41C1906A	-	-	-	-	STEC01C1907A	-	-	-	-	TISC42C1910A	-	-	-	-
SCB41C1910A	0.39	(0.01)	12,000	-	STEC01C1907B	0.79	0.07	100	-	TKN01C1906A	0.50	0.01	45,028	-
SCB41P1907A	-	-	-	-	STEC01C1911A	0.26	0.01	169,372	-	TKN01C1906B	0.07	(0.01)	4,082	-
SCB42C1911A	-	-	-	-	STEC01C1911B	0.22	0.01	151,288	-	TKN01C1909A	0.16	-	9,002	-
SCC01C1907A	0.50	0.02	49,573	-	STEC01P1907A	0.05	(0.01)	31,520	-	TKN01C1909B	0.09	-	19,500	-
SCC01C1907B	0.27	0.02	29,439	-	STEC01P1911A	0.27	(0.01)	85,893	-	TKN01C1911A	0.63	(0.01)	18,630	-
SCC01P1907A	0.18	(0.01)	700	-	STEC06C1908A	0.81	-	1,000	-	TKN06C1909A	0.25	(0.02)	10,051	-
SCC06C1907A	0.11	-	83	-	STEC08C1908A	0.65	0.03	63	-	TKN08C1908A	0.11	-	11,820	-
SCC07C1909A	0.24	-	53	-	STEC11C2001A	-	-	-	-	TKN13C1906A	-	-	-	-
SCC08C1908A	0.18	-	4,000	-	STEC13C1907A	0.58	(0.03)	10	-	TKN13C1908A	-	-	-	-
SCC11C1906A	-	-	-	-	STEC13C1909A	0.19	-	31,611	-	TKN13C1909A	0.29	(0.01)	36,994	-
SCC11C2003A	0.36	0.01	4,463	-	STEC16C1911A	0.25	0.01	3,370	-	TKN13C1911A	0.58	(0.01)	82,401	-
SCC13C1906A	-	-	-	-	STEC16C1911B	0.68	(0.03)	54	-	TKN19C1907A	0.59	0.01	4,776	-
SCC13C1908A	0.12	(0.01)	29,461	-	STEC19C1906A	-	-	-	-	TKN19C1910A	0.31	-	7,620	-
SCC13C1911A	0.32	0.01	23,308	-	STEC19C1908A	0.67	0.07	2,897	-	TKN23C1911A	0.50	-	6,300	-
SCC13P1907A	0.04	(0.01)	1,000	-	STEC19C1910A	0.18	0.02	192,528	-	TKN24C1906A	0.22	(0.01)	360	-
SCC13P1911A	0.38	(0.01)	20,558	-	STEC19P1906A	-	-	-	-	TKN24C1908A	-	-	-	-
SCC19C1907A	0.28	(0.01)	20,000	-	STEC23C1907A	0.43	(0.01)	2,303	-	TKN28C1907A	-	-	-	-
SCC19C1907B	-	-	-	-	STEC24C1906A	-	-	-	-	TKN28C1910A	0.12	(0.01)	4,073	-
SCC19P1906A	-	-	-	-	STEC24C1911A	0.28	0.02	3,895	-	TKN28C1911A	0.53	-	32,168	-
SCC19P1911A	-	-	-	-	STEC27C1908A	-	-	-	-	TKN41C1908A	-	-	-	-
SCC23C1906A	-	-	-	-	STEC27P1910A	0.15	-	11,910	-	TKN42C1911A	-	-	-	-
SCC24C1910A	0.17	(0.01)	940	-	STEC41C1907A	-	-	-	-	TMB01C1909A	0.13	-	51,224	-
SCC24C1912A	0.47	0.02	60	-	STEC41C1910A	0.19	-	8,000	-	TMB08C1908A	0.05	-	40	-
SCC24P1909A	-	-	-	-	STEC41P1911A	-	-	-	-	TMB13C1908A	-	-	-	-
SCC24P1910A	0.41	0.01	5	-	STEC42C1910A	0.21	0.01	5,850	-	TMB19C1906A	-	-	-	-
SCC27C2001A	-	-	-	-	SUPE19C1906A	-	-	-	-	TMB19C1910A	-	-	-	-
SCC28C1907A	-	-	-	-	SUPE19C1910A	0.13	-	22,732	-	TMB23C1906A	-	-	-	-
SCC28C1910A	0.17	-	5,117	-	SUPE23C1906A	-	-	-	-	TMB24C1911A	0.22	(0.01)	500	-
SCC41C1907A	-	-	-	-	TASC01C1909A	0.72	-	74,523	-	TMB28C1907A	-	-	-	-
SCC41C1908A	-	-	-	-	TASC01C1909B	0.56	-	131,372	-	TMB28C1911A	0.15	-	1,012	-
SCC41C1908B	-	-	-	-	TASC01P1909A	0.25	0.01	30,372	-	TMB28C1912A	0.41	(0.59)	1	-
SCC42C1911A	-	-	-	-	TASC06C1909A	0.66	0.03	3,300	-	TMB41C1906A	-	-	-	-
SGP08C1906A	-	-	-	-	TASC06P1909A	-	-	-	-	TMB41C1912A	0.36	(0.01)	21,000	-
SGP08C1907A	0.09	(0.01)	1,000	-	TASC08C1910A	0.50	(0.01)	12,690	-	TOA01C1907A	0.26	-	16,892	-
SGP11C1911A	-	-	-	-	TASC11C2002A	0.78	0.01	7,209	-	TOA01C1907B	0.13	-	21,754	-
SGP13C1907A	0.06	(0.01)	70	-	TASC13C1907A	0.61	(0.04)	1	-	TOA11C1911A	0.20	-	8,562	-
SGP13C1908A	0.32	(0.01)	68,686	-	TASC13C1911A	0.51	-	167,705	-	TOA13C1906A	0.01	-	500	-
SGP13C1912A	0.20	(0.01)	24,665	-	TASC19C1907A	-	-	-	-	TOA13C1909A	0.28	0.01	69,401	-
SGP19C1907A	0.06	-	100	-	TASC19C1907B	0.43	0.01	12,417	-	TOA19C1906A	0.09	0.01	9,671	-
SGP19C1910A	0.15	-	24,384	-	TASC19C1910A	0.30	(0.01)	91,199	-	TOA19C1910A	0.29	-	8,009	-
SGP23C1908A	0.29	(0.03)	5,500	-	TASC23C1907A	0.76	0.04	3,000	-	TOA23C1906A	-	-	-	-
SGP24C1906A	0.43	(0.02)	200	-	TASC24C1908A	0.77	0.02	1,000	-	TOA24C1911A	0.25	-	50	-
SGP24C1910A	-	-	-	-	TASC28C1907A	-	-	-	-	TOP01C1907A	0.14	-	253,509	-
SGP24C1911A	0.61	(0.05)	2,000	-	TASC28C1908A	-	-	-	-	TOP01C1907B	0.02	-	226	-
SIRI01C1907A	0.50	(0.02)	388	-	TASC28C1910A	0.49	-	2,228	-	TOP01C1910A	0.28	-	208,940	-
SIRI01C1907B	0.32	(0.01)	488	-	TASC28C1912A	0.31	(0.69)	6,024	-	TOP01C1910B	0.33	(0.01)	244,064	-
SIRI01P1907A	-	-	-	-	TASC41C1909A	-	-	-	-	TOP01P1907A	1.36	(0.01)	35,692	1.00
SIRI11C1911A	-	-	-	-	TASC41C1912A	0.43	0.01	24,955	-	TOP01P1910A	1.16	-	42,971	1.00
SIRI19C1906A	-	-	-	-	TASC42C1910A	0.49	(0.02)	4,000	-	TOP06C1908A	0.09	-	10,148	-
SIRI19C1910A	-	-	-	-	TCAP01C1907A	0.59	0.01	32,956	-	TOP06C1911A	0.39	(0.01)	84,328	-
SIRI24C1906A	-	-	-	-	TCAP01C1907B	0.34	-	40,527	-	TOP07C1908A	-	-	-	-
SIRI24C1907A	-	-	-	-	TCAP01P1907A	0.08	-	9,675	-	TOP08C1906A	-	-	-	-
SIRI24C1911A	0.23	(0.77)	50	-	TCAP11C1909A	0.18	(0.01)	2,857	-	TOP08C1911A	0.24	(0.01)	35,700	-
SPAL01C1907A	0.95	(0.02)	10,194	-	TCAP13C1906A	0.13	0.01	72,036	-	TOP11C2002A	0.25	(0.01)	21,250	-
SPAL01C1907B	0.75	(0.01)	9,349	-	TCAP13C1910A	0.37	0.01	194,500	-	TOP11P2002A	1.27	(0.01)	22,330	1.00
SPAL01C1911A	0.53	-	25,298	-	TCAP19C1907A	0.30	0.01	15,516	-	TOP13C1909A	0.11	-	7,863	-
SPAL01C1911B	0.34	-	46,272	-	TCAP19C1908A	0.18	0.01	35,858	-	TOP13C1910A	0.25	-	108,433	-
SPAL11C1910A	0.62	(0.02)	9,450	-	TCAP24C1907A	-	-	-	-	TOP13C1911A	0.41	(0.01)	201,252	-
SPAL13C1909A	0.36	-	45,218	-	TCAP41C1911A	0.38	0.01	67,960	-	TOP13P1909A	0.96	0.06	1	-
SPAL19C1906A	0.49	(0.04)	8,632	-	THAI01C1907A	-	-	-	-	TOP13P1911A	0.43	(0.01)	87,155	-
SPAL19C1910A	0.35	(0.03)	28,637	-	THAI01C1907B	-	-	-	-	TOP16C1911A	0.16	(0.01)	300	-
SPAL24C1907A	-	-	-	-	THAI01P1907A	0.54	-	7,736	-	TOP19C1906A	-	-	-	-
SPAL41C1912A	0.41	(0.01)	8,000	-	THAI08C1911A	0.09	-	1,907	-	TOP19C1910A	0.20	(0.01)	145,322	-
SPRC01C1907A	0.07	(0.01)	4,550	-	THAI11C1906A	-	-	-	-	TOP19P1906A	0.12	(0.02)	20,700	-
SPRC01C1907B	0.02	(0.01)	64	-	THAI11C2003A	0.19	(0.01)	2,204	-	TOP19P1911A	0.27	(0.01)	16,852	-
SPRC01C1911A	0.42	(0.05)	69,313	-	THAI13C1906A	-	-	-	-	TOP23C1906A	-	-	-	-
SPRC01C1911B	0.12	(0.01)	84,791	-	THAI13C1910A	0.09	-	7,024	-	TOP23C2001A	0.38	(0.01)	11,000	-
SPRC06C1907A	-	-	-	-	THAI13C1911A	0.65	-	734	-	TOP24C1907A	-	-	-	-
SPRC11C1909A	0.03	-	10	-	THAI19C1910A	0.06	-	300	-	TOP24C1911A	0.44	-	11,728	-
SPRC13C1906A	-	-	-	-	THAI19C1910B	0.35	(0.02)	4,860	-	TOP24P1910A	-	-	-	-
SPRC13C1910A	-	-	-	-	THAI24C1906A	-	-	-	-	TOP28C1911A	0.29	(0.01)	3,018	-
SPRC13C1911A	0.32	(0.04)	272,227	-	THAI24C1911A	-	-	-	-	TOP41C1906A	-	-	-	-
SPRC19C1906A	-	-	-	-	THAI42C1911A	-	-	-	-	TOP41C1909A	0.28	(0.01)	22,000	-
SPRC19C1907A	-	-	-	-	THAN01C1907A	0.54	0.02	29,099	-	TOP41C1910A	-	-	-	-
SPRC19C1910A	-	-	-	-	THAN01C1907B	0.32	(0.02)	46,024	-	TOP41C1910B	-	-	-	-
SPRC23C1														

Main Board Quotation

Issue Date :

Thursday June 13, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TIPI19C1906A	-	-	-	-	BH-Q	-	-	-	-	Preferred Shares	-	-	-	-
TRUE01C1907A	0.80	(0.02)	944	-	CSC-Q	-	-	-	-	BH-P	-	-	-	-
TRUE01C1907B	0.44	(0.04)	1,014	-	JUTHA-Q	-	-	-	-	CSC-P	-	-	-	-
TRUE01C1911A	0.30	-	60,547	-	KTB-Q	-	-	-	-	JUTHA-P	-	-	-	-
TRUE01C1911B	0.24	(0.02)	81,622	-	SCB-Q	-	-	-	-	KTB-P	-	-	-	-
TRUE01P1907A	0.27	0.01	25,845	-	TCAP-Q	-	-	-	-	SCB-P	-	-	-	-
TRUE01P1907B	0.05	(0.04)	84,626	-	TIC-Q	-	-	-	-	TCAP-P	-	-	-	-
TRUE01P1911A	0.36	0.01	29,394	-	TISCO-Q	-	-	-	-	TIC-P	-	-	-	-
TRUE01P1911B	0.24	-	21,296	-	U-Q	-	-	-	-	TISCO-P	-	-	-	-
TRUE06C1906A	0.02	-	3,677	-	Warrant	-	-	-	-	U-P	3.02	(0.02)	421	3.00
TRUE08C1907A	0.10	-	10,001	-	AJA-W1	0.05	(0.01)	11,245	-	Warrant (MAI)	-	-	-	-
TRUE08P1911A	-	-	-	-	ALT-W1	0.41	0.01	2,356	-	AIRA-W1	-	-	-	-
TRUE11C1911A	0.62	(0.03)	3,000	-	APEX-W1	0.03	(0.01)	3	-	BKD-W2	0.12	-	1,375	-
TRUE11P2002A	0.57	0.01	2,746	-	APURE-W2	0.12	-	1,038	-	BM-W1	0.16	0.01	318	-
TRUE13C1906A	0.25	(0.04)	10,350	-	AS-W1	0.06	0.01	1	-	BROOK-W5	0.29	0.01	1,016,666	-
TRUE13C1907A	0.08	(0.01)	200	-	AYUD-W1	3.20	(0.08)	7,565	3.00	CHEWA-W1	0.02	0.01	5,808	-
TRUE13C1911A	0.84	0.02	100	-	B-W3	-	-	-	-	DIMET-W2	-	-	-	-
TRUE13C1912A	0.27	-	71,459	-	B-W4	0.10	(0.01)	10,133	-	ECF-W3	0.83	-	702	-
TRUE13P1909A	0.33	0.01	13,953	-	B52-W1	-	-	-	-	EFORL-W3	-	-	-	-
TRUE16C1912A	0.30	-	400	-	B52-W2	-	-	-	-	EFORL-W4	0.01	-	2,666	-
TRUE19C1907A	0.52	(0.04)	2,000	-	BTS-W4	1.07	0.03	657,976	1.00	FC-W1	-	-	-	-
TRUE19C1910A	0.17	-	2,000	-	CGD-W4	0.14	-	4,368	-	FC-W2	-	-	-	-
TRUE19P1908A	-	-	-	-	CGH-W3	0.03	0.01	1,989	-	FVC-W2	0.25	0.02	33,697	-
TRUE28C1907A	-	-	-	-	CI-W1	0.16	0.01	4,741	-	ITEL-W1	0.38	-	1,227	-
TRUE28C1911A	0.22	-	4,581	-	CKP-W1	0.90	-	432,366	-	JKN-W1	1.42	0.02	21,528	1.00
TRUE28C1911B	-	-	-	-	CRANE-W1	1.08	(0.05)	9,412	1.00	LIT-W1	1.02	0.01	73,654	1.00
TRUE41C1906A	0.08	(0.02)	6,000	-	DCC-W1	0.70	-	10,563	-	META-W3	-	-	-	-
TRUE41C1908A	0.18	(0.01)	1	-	EARTH-W4	-	-	-	-	NCL-W3	0.08	-	3,789	-
TRUE41C1909A	-	-	-	-	ECL-W3	0.27	(0.01)	48,764	-	NEWS-W6	-	-	-	-
TRUE41C1910A	0.45	0.01	20	-	EIC-W2	-	-	-	-	OCEAN-W3	0.43	0.02	104,823	-
TRUE41C1910B	-	-	-	-	EIC-W3	-	-	-	-	PORT-W1	1.08	-	120,190	1.00
TRUE41P1908A	-	-	-	-	EMC-W6	0.16	0.01	21,018	-	PROUD-W2	0.55	0.02	101	-
TRUE41P1910A	-	-	-	-	EPCO-W3	0.30	0.03	64,194	-	SANKO-W1	0.15	-	2,651	-
TRUE42C1910A	-	-	-	-	GJS-W3	0.01	-	25,170	-	SIMAT-W2	0.25	0.01	1,995	-
TTA08C1906A	-	-	-	-	GSTEL-W1	-	-	-	-	SIMAT-W3	0.35	0.03	3,492	-
TU01C1907A	0.61	0.04	53,281	-	GSTEL-W2	-	-	-	-	SIMAT-W4	0.63	-	601	-
TU01C1907B	0.42	0.05	61,552	-	IHL-W1	1.97	0.23	1,190	1.00	STAR-W3	0.38	-	2,868	-
TU01P1907A	0.06	(0.01)	24,200	-	JAS-W3	3.60	(0.04)	72,339	3.00	SWC-W1	3.86	-	592	3.00
TU11C1906A	-	-	-	-	JCK-W5	0.19	0.01	5,246	-	TAKUNI-W	0.11	(0.01)	30,407	-
TU11C2003A	0.37	0.01	27,275	-	JMT-W2	2.54	-	547	2.00	TVD-W2	0.44	-	766	-
TU13C1906A	0.12	0.01	33,943	-	MACO-W2	0.14	-	88,768	-	UAC-W2	0.53	-	4,185	-
TU13C1909A	0.23	0.02	69,529	-	MILL-W3	-	-	-	-	UKEM-W2	0.44	0.03	11,128	-
TU19C1906A	0.39	0.04	4,256	-	MILL-W4	0.08	(0.01)	659	-	Preferred Shares	-	-	-	-
TU19C1908A	0.12	0.01	60,389	-	MILL-W5	0.03	-	1,532	-	SGF-P1	-	-	-	-
TU24C1909A	0.39	0.02	90,989	-	MINT-W6	3.68	(0.06)	62,951	3.00	-	-	-	-	-
TU41C1907A	-	-	-	-	MONO-W1	0.12	-	30,436	-	-	-	-	-	-
TU41C1911A	0.39	0.01	20,000	-	NEP-W3	-	-	-	-	-	-	-	-	-
TU41P1911A	0.23	(0.02)	1,200	-	NFC-W1	1.65	(0.02)	201	1.00	-	-	-	-	-
TVO11C2001A	0.20	0.01	3,100	-	NOK-W1	0.25	(0.25)	349	-	-	-	-	-	-
TVO19C1906A	0.09	-	1,098	-	NPPG-W4	0.53	-	1,870	-	-	-	-	-	-
TVO23C1907A	-	-	-	-	NUSA-W3	0.18	-	90	-	-	-	-	-	-
UNIQ08C1906A	-	-	-	-	NVD-W1	0.21	0.01	422	-	-	-	-	-	-
UV13C1908A	0.14	0.01	10,767	-	ORI-W1	0.62	0.03	75,188	-	-	-	-	-	-
UV19C1906A	0.07	0.01	1,600	-	PACE-W2	0.02	-	26,175	-	-	-	-	-	-
VGI23C1911A	1.73	0.01	252	1.00	PDI-W1	0.83	(0.03)	37,915	-	-	-	-	-	-
WHA01C1906A	0.48	0.01	163,471	-	PDJ-W3	0.66	-	27	-	-	-	-	-	-
WHA01C1906B	0.04	-	51,922	-	PDJ-W4	0.66	(0.01)	66	-	-	-	-	-	-
WHA01C1911A	0.61	0.02	90,513	-	RICHY-W1	-	-	-	-	-	-	-	-	-
WHA01C1911B	0.44	0.02	86,449	-	RICHY-W2	0.06	-	4,431	-	-	-	-	-	-
WHA01P1906A	0.04	(0.02)	34,258	-	RS-W3	5.15	0.10	765	5.00	-	-	-	-	-
WHA01P1911A	0.73	(0.01)	27,058	-	S-W1	0.01	-	1	-	-	-	-	-	-
WHA06C1908A	0.38	0.02	9,500	-	SAMART-W2	0.65	-	33,347	-	-	-	-	-	-
WHA07C1906A	0.28	(0.03)	1	-	SAWAD-W1	6.85	0.15	825	6.00	-	-	-	-	-
WHA08C1908A	0.26	0.02	31,200	-	SDC-W1	0.19	-	47,288	-	-	-	-	-	-
WHA11C2001A	0.44	0.02	32,824	-	SINGER-W1	1.66	(0.02)	2,817	1.00	-	-	-	-	-
WHA13C1909A	0.41	0.01	196,733	-	SINGER-W2	1.28	(0.02)	31,761	1.00	-	-	-	-	-
WHA16C1911A	0.48	0.01	3,200	-	SMT-W1	-	-	-	-	-	-	-	-	-
WHA19C1907A	0.20	0.01	136,546	-	SMT-W2	0.35	(0.01)	9,141	-	-	-	-	-	-
WHA23C1906A	-	-	-	-	SPORT-W7	-	-	-	-	-	-	-	-	-
WHA24C1907A	-	-	-	-	SST-W2	1.39	(0.03)	3,106	1.00	-	-	-	-	-
WHA24P1908A	-	-	-	-	SUPER-W4	0.05	0.01	36,629	-	-	-	-	-	-
WHA27C1910A	0.36	0.01	13,200	-	SVI-W3	1.09	(0.05)	242	1.00	-	-	-	-	-
WHA28C1910A	0.37	0.01	57,025	-	TCC-W3	0.10	0.01	4,201	-	-	-	-	-	-
WHA41C1907A	-	-	-	-	TCC-W4	0.10	(0.01)	17,094	-	-	-	-	-	-
WHA41C1911A	-	-	-	-	TCC-W5	0.20	-	4,121	-	-	-	-	-	-
WHA42C1911A	-	-	-	-	T CJ-W2	0.46	(0.01)	474	-	-	-	-	-	-
WHAU13C1910A	0.16	-	61,547	-	TCMC-W2	0.16	0.01	300,310	-	-	-	-	-	-
WHAU19C1907A	-	-	-	-	TFG-W2	0.63	0.14	219,579	-	-	-	-	-	-
WORK01C1910A	0.71	(0.04)	57,332	-	TGPRO-W3	0.02	-	3,002	-	-	-	-	-	-
WORK01C1910B	0.12	-	46,608	-	TH-W2	0.17	-	1,040	-	-	-	-	-	-
WORK08C1906A	0.06	(0.01)	141	-	THE-W2	0.01	-	24,552	-	-	-	-	-	-
WORK13C1907A	0.02	(0.01)	200	-	TNITY-W1	0.42	0.01	373	-	-	-	-	-	-
WORK13C1909A	0.48	(0.03)	101,612	-	TRITN-W3	0.20	0.01	6,408	-	-	-	-	-	-
WORK13C1911A	0.78	(0.02)	101,679	-	TTCL-W1	0.89	-	4,923	-	-	-	-	-	-
WORK19C1906A	0.07	(0.02)	2,000	-	TWZ-W5	0.03	-	14,996	-	-	-	-	-	-
WORK19C1908A	0.07	(0.01)	1,736	-	U-W1	-	-	-	-	-	-	-	-	-
WORK19C1910A	0.70	(0.04)	23,602	-	U-W4	-	-	-	-	-	-	-	-	-
WORK23C1909A	-	-	-	-	VGI-W2	0.89	0.01	597,252	-	-	-	-	-	-
WORK24C1907A	0.01	-	339	-	VIBHA-W2	0.72	(0.03)	430	-	-	-	-	-	-
WORK24C1907B	0.18	(0.02)	11	-	VIBHA-W3	0.13	-	2,646	-	-	-	-	-	-
WORK24C1910A	0.62	(0.38)	20	-	WAVE-W1	0.31	-	4,586	-	-	-	-	-	-
WORK28C1907A	0.02	-	200	-	WHA-W1	8.60	0.35	18,704	8.00	-	-	-	-	-
WORK28C1907B	-	-	-	-	WIJK-W2	0.19	0.01	21,632	-	-	-	-	-	-