

## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ILINK	5.20	-	3,305	5.18	SE-ED	2.64	0.02	243	2.64
SAFARI	-	-	-	-	INET	3.30	0.02	1,477	3.30	SMM	2.46	0.10	22,392	2.42
VI	-	-	-	-	INTUCH	64.00	-	100,313	63.78	SPORT	0.15	-	45	0.14
WORLD	-	-	-	-	JAS	7.85	0.10	798,437	7.78	TBSP	-	-	-	-
Agribusiness	-	-	-	-	JASIF	11.70	0.20	196,865	11.65	TH	0.73	(0.01)	4,746	0.73
CHOTI	101.00	-	1	101.00	JMART	12.60	0.70	65,148	12.27	TKS	7.95	0.05	1,174	7.94
EE	0.54	(0.01)	51,066	0.55	JTS	1.39	-	430	1.40	VGI	9.70	0.10	51,348	9.62
GFPT	18.20	-	11,079	18.25	MFEC	4.00	0.08	9,295	3.96	WAVE	1.73	0.02	369	1.72
LEE	2.38	0.02	1,285	2.36	MSC	7.45	(0.05)	2,608	7.45	WORK	29.00	(0.25)	31,124	29.00
NER	2.82	0.06	690,030	2.84	PT	5.95	0.05	2,019	5.96	Finance & Securities	-	-	-	-
PPPM	2.84	0.24	181,547	2.81	SAMART	10.40	(0.20)	60,657	10.44	AEC	0.54	-	1,200	0.54
STA	12.30	-	77,930	12.37	SAMTEL	11.80	(0.60)	10,130	12.24	AEONTS	234.00	4.00	2,569	231.60
TRUBB	1.44	0.01	594	1.43	SDC	0.33	(0.01)	4,558	0.34	AMANAHA	2.28	0.04	76,669	2.28
TWPC	7.45	(0.05)	528	7.44	SIS	9.70	0.05	1,645	9.67	ASAP	3.30	(0.04)	9,251	3.31
UPOIC	4.16	(0.02)	809	4.17	SVOA	1.20	0.01	4,481	1.19	ASK	24.20	0.10	599	24.21
UVAN	5.35	0.05	783	5.32	SYMC	4.48	(0.08)	379	4.50	ASP	2.78	-	18,440	2.80
VPO	0.59	0.01	762	0.58	SYNEX	10.90	(0.10)	5,602	10.81	BFIT	17.80	(0.10)	1,697	17.90
Banking	-	-	-	-	THCOM	5.85	(0.05)	3,190	5.86	CGH	0.92	0.02	13,625	0.92
BAY	38.00	(0.25)	2,934	38.05	TRUE	6.50	(0.05)	1,446,082	6.53	CNS	1.78	(0.01)	201	1.79
BBL	192.50	(0.50)	47,277	192.64	TWZ	0.08	-	73,825	0.08	ECL	1.80	(0.02)	159,284	1.82
CIMBT	0.71	(0.01)	1,719	0.71	Electronic Componer	-	-	-	-	FNS	3.18	(0.04)	714	3.17
KBANK	180.00	(3.50)	131,151	180.95	CCET	1.74	(0.02)	9,715	1.75	FSS	2.08	0.06	2,947	2.07
KKP	71.75	1.00	27,513	71.38	DELTA	59.25	(0.50)	3,726	59.39	GBX	0.55	0.01	1,789	0.55
KTB	19.40	(0.20)	125,043	19.47	EIC	0.04	-	29,121	0.04	GL	6.75	0.05	29,442	6.75
LHFG	1.51	(0.01)	13,965	1.51	HANA	27.75	(0.50)	40,263	27.48	IFS	3.32	(0.02)	673	3.32
SCB	139.50	1.00	52,534	138.85	KCE	18.10	(0.10)	46,362	18.19	JMT	18.60	0.90	69,939	18.22
TCAP	55.00	(0.50)	29,613	55.27	METCO	-	-	-	-	KCAR	11.60	-	272	11.60
TISCO	97.75	0.75	26,995	97.64	NEX	3.86	0.22	18,923	3.78	KGI	4.72	-	10,562	4.72
TMB	1.91	-	346,727	1.91	SMT	1.88	(0.02)	2,724	1.88	KTC	41.75	2.25	232,898	40.97
Construction Materia	-	-	-	-	SVI	4.26	-	2,773	4.25	MBKET	9.15	-	156	9.19
CCP	0.38	-	7,019	0.37	TEAM	1.11	-	8,453	1.12	MFC	17.50	-	6	17.50
COTTO	2.04	-	956	2.04	Energy & Utilities	-	-	-	-	ML	1.01	0.01	2,063	1.00
DCC	2.14	-	14,524	2.12	7UP	0.29	-	34,114	0.29	MTC	58.00	3.00	119,916	56.77
DCON	0.41	-	13,187	0.40	ABPIF	6.40	(0.10)	6,166	6.40	PE	0.08	-	10,712	0.08
DRT	6.00	-	4,328	6.02	AI	1.47	0.01	72,798	1.47	PL	3.28	-	1,570	3.28
EPG	7.15	(0.05)	104,783	7.11	AKR	0.80	(0.01)	51,300	0.82	S11	7.85	(0.10)	505	7.89
GEL	0.22	(0.01)	23,657	0.22	BAFS	36.50	(0.25)	4,260	36.48	SAWAD	55.50	1.50	59,921	54.86
PPP	2.78	-	1,752	2.77	BANPU	14.50	-	202,586	14.52	THANI	7.00	0.10	169,128	6.90
O-CON	5.75	-	102	5.78	BCP	31.00	0.50	22,623	30.84	TK	9.95	0.15	977	9.94
RCI	3.52	-	236	3.52	BCPG	19.10	0.30	126,569	19.01	TNITY	4.54	-	238	4.54
SCC	452.00	(2.00)	31,803	452.89	BGRIM	35.50	0.50	74,784	35.52	UOBKH	3.70	0.02	200	3.69
SCCC	240.00	1.00	995	239.82	BPP	22.10	0.30	56,740	22.02	ZMICO	0.91	-	3,219	0.91
SCP	7.70	(0.05)	2,451	7.70	BRRGIF	9.80	-	146	9.76	Food & Beverage	-	-	-	-
SKN	1.96	(0.02)	5,496	1.97	CKP	6.95	0.30	533,336	6.86	APURE	1.39	-	2,685	1.40
TASCO	20.70	(0.20)	100,667	20.79	DEMCO	3.54	(0.20)	30,897	3.61	ASIAN	6.90	(0.15)	7,572	6.90
TCMC	2.46	(0.02)	19,822	2.44	EA	53.50	1.00	112,341	53.12	BR	3.22	(0.02)	13,915	3.25
TOA	39.75	-	26,744	40.05	EARTH	0.69	(0.05)	1,155,155	0.72	BRR	6.10	-	588	6.07
TPIPL	1.98	0.01	54,914	1.98	EASTW	13.20	(0.20)	12,818	13.22	CBG	74.75	0.25	16,046	74.84
UMI	1.17	-	1,628	1.17	EGATIF	12.70	0.10	13,067	12.65	CFRESH	3.00	-	169	3.01
VNG	4.98	-	724	4.99	EGCO	335.00	-	5,086	336.10	CM	3.72	-	51	3.72
WIHK	1.62	0.10	113,459	1.60	ESSO	10.40	(0.20)	215,031	10.53	CPF	28.75	-	100,577	28.70
Petrochemicals & Ch	-	-	-	-	GLOW	89.25	0.25	1,765	89.01	CPI	1.43	-	36	1.43
BCT	46.75	(0.25)	91	46.52	GPSC	70.25	2.50	163,158	69.10	F&D	17.80	(0.10)	13	17.23
CMAN	2.40	0.02	4,666	2.41	GULF	128.00	3.00	96,349	126.51	HTC	20.40	(0.30)	3,430	20.50
GC	5.40	-	1,504	5.35	GUNKUL	3.14	-	303,947	3.14	ICHI	7.05	0.45	78,162	6.88
GGC	12.20	-	25,601	12.25	IFEC	0.39	(0.01)	419,022	0.38	KBS	4.04	0.04	283	4.03
GIFT	3.38	(0.02)	45	3.38	IRPC	4.90	0.04	1,123,641	4.90	KSL	2.82	-	4,732	2.81
IVL	41.75	1.00	234,884	41.64	LANNA	11.40	0.10	157	11.32	KTIS	5.45	-	149	5.43
NFC	4.00	(0.10)	4	3.87	MDX	4.08	-	2,771	4.09	LST	4.72	-	12	4.68
PATO	12.70	(0.30)	513	12.85	PTG	21.60	(0.20)	300,209	21.66	M	78.75	-	1,982	78.20
PMTA	8.40	-	9	8.42	PTT	47.75	(0.25)	429,213	47.75	MALEE	8.70	-	3,085	8.71
PTTGC	61.50	(0.25)	126,801	61.80	PTTEP	134.50	-	70,710	134.25	MINT	40.75	-	72,242	40.82
SUTHA	3.94	-	2	3.92	RATCH	66.00	0.75	62,341	65.74	OISHI	112.50	2.50	19	111.13
TCCC	23.20	0.10	292	23.09	RPC	0.56	0.01	70,820	0.57	OSP	35.00	(0.75)	134,304	35.05
TPA	5.90	0.05	1	5.90	SCG	4.20	(0.02)	200	4.20	PB	60.00	(0.25)	2	60.00
UP	24.70	4.70	22	20.11	SCI	1.95	-	1,337	1.94	PM	9.35	0.10	2,294	9.25
VNT	24.70	0.50	11,320	24.63	SCN	3.34	-	4,590	3.34	PRG	12.50	-	56	12.50
WG	-	-	-	-	SGP	9.55	-	40,454	9.56	SAPPE	20.50	-	7,818	20.54
YCI	-	-	-	-	SKE	1.22	0.06	171,922	1.21	SAUCE	-	-	-	-
Commerce	-	-	-	-	SOLAR	1.92	0.09	40,168	1.90	SFP	-	-	-	-
BEAUTY	3.96	0.06	550,659	3.96	SPCG	19.10	-	14,642	19.10	SNP	18.20	(0.10)	10	18.24
BIG	1.10	0.03	37,949	1.08	SPRC	10.10	(0.10)	252,810	10.18	SPORKON	62.00	0.50	2	62.00
BJC	50.00	-	31,940	50.08	SSP	8.35	-	9,887	8.35	SSC	33.75	-	70	33.75
COL	24.40	-	2,274	24.34	SUPER	0.77	0.03	1,639,996	0.75	SSF	-	-	-	-
COM7	23.60	(0.20)	170,361	23.95	SUSCO	3.28	-	9,819	3.26	SST	4.90	0.06	548	4.88
CPALL	87.25	-	226,409	87.27	TAE	3.82	(0.22)	72,562	3.90	TC	3.66	0.02	111	3.66
CSS	1.90	-	13,311	1.91	TCC	0.34	-	9,652	0.34	TFG	4.70	0.12	168,395	4.71
FN	2.00	0.05	82,297	2.00	TOP	69.00	-	88,209	69.37	TFMAMA	183.00	(0.50)	28	181.50
FTE	2.44	(0.02)	3,625	2.44	TPIPP	6.05	-	66,307	6.05	TIPCO	9.55	0.05	11,093	9.54
GLOBAL	17.20	0.10	40,875	17.10	TSE	2.80	(0.06)	58,051	2.83	TKN	9.00	0.05	24,345	8.94
HMPRO	17.10	-	224,840	17.14	TTW	13.60	0.20	35,984	13.48	TU	19.00	-	147,473	18.92
IT	3.02	(0.02)	1,887	3.02	WHAUP	6.10	(0.05)	30,843	6.11	TVO	28.25	0.25	4,944	27.92
KAMART	5.90	0.45	124,577	5.80	WP	7.25	(0.05)	50,249	7.24	WR	0.42	(0.03)	1,663	0.43
LOXLEY	2.38	-	31,992	2.38	Media & Publishing	-	-	-	-	ZEN	15.60	(0.30)	20,935	15.83
MAKRO	38.50	0.25	2,082	38.43	AMARIN	5.00	-	120	4.97	Health Care Services	-	-	-	-
MC	7.50	(0.05)	10,244	7.52	AQUA	0.55	-	122,778	0.55	AHC	14.70	(0.30)	540	14.80
MEGA	34.75	-	9,202	34.85	AS	0.75	0.01	35	0.73	BCH	15.30	0.40	404,320	15.30
MIDA	0.61	0.01	1,996	0.60	BEC	9.90	0.10	115,862	9.92	BDMIS	24.90	0.10	220,011	24.98
ROBINS	54.25	(2.50)	92,060	54.54	EPCO	3.64	0.02	37,354	3.64	BH	172.50	(0.50)	7,322	173.09
RS	15.70	0.10	50,345	15.72	-	-	-	-	CHG	2.26	-	116,119	2.27	
RSP	3.46	-	540	3.45	GPI	2.02	(0.02)	5,762	2.01	CMR	2.36	0.02	131	2.36
SINGER	8.95	0.10	32,693	8.84	GRAMMY	11.20	-	1,053	11.20	EKH	7.40	-	22,787	7.42

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SVH	458.00	2.00	2	457.00	GREEN	0.99	-	2,171	0.99	TNPC	1.12	-	442	1.12
THG	23.90	0.40	14,524	23.73	J	1.05	(0.01)	7,699	1.04	TRU	4.72	-	42	4.69
VIBHA	2.04	-	125,493	2.04	JCK	1.35	0.05	13,796	1.33	TSC	12.70	0.20	30	12.70
VIH	5.60	(0.05)	2,791	5.62	KC	0.29	(0.01)	33,819	0.28	Industrial Materials	-	-	-	-
WPH	2.32	0.04	571	2.29	KTECH	0.07	-	477,499	0.06	ALLA	1.50	0.02	67,970	1.48
Tourism & Leisure	-	-	-	-	KWG	2.02	0.02	103	2.00	ASEFA	5.20	-	2,715	5.18
ASIA	7.20	(0.10)	155	7.22	LALIN	5.65	0.05	2,787	5.64	CPT	1.06	-	16,843	1.06
CENTEL	34.50	-	36,944	34.26	LH	11.20	0.10	511,430	11.20	CRANE	2.02	-	3,099	2.03
CSR	-	-	-	-	LPN	7.35	(0.05)	42,231	7.39	CTW	7.75	-	153	7.75
DTC	9.60	(0.10)	4,086	9.62	MBK	23.00	0.70	66,909	22.82	FMT	24.60	0.20	308	24.22
ERW	6.15	(0.20)	204,395	6.17	MJD	3.38	(0.06)	1,092	3.39	HTECH	4.04	0.02	6,653	4.03
GRAND	0.82	(0.01)	6,305	0.83	MK	3.32	-	1,420	3.36	KKC	1.05	-	738	1.04
LRH	46.00	(0.75)	5	46.00	NCH	1.06	0.02	1	1.02	PK	1.99	0.01	104	1.98
MANRIN	-	-	-	-	NNCL	1.96	0.03	59,253	1.97	SNC	14.00	-	1,829	13.91
OHTL	466.00	(4.00)	1	466.00	NOBLE	21.80	0.10	9,469	22.01	TCJ	4.90	(0.06)	735	4.91
ROH	51.00	0.50	1	51.00	NUSA	0.40	0.01	17,386	0.40	VARO	-	-	-	-
SHANG	78.00	(0.25)	7	77.79	NVD	2.94	(0.02)	490	2.95	Property Fund & REI	-	-	-	-
VRANDA	9.75	0.15	3,938	9.79	ORI	9.30	0.10	65,517	9.29	AIMCG	9.90	-	13,319	9.90
Home & Office Prod.	-	-	-	-	PACE	0.21	0.01	12,317	0.20	AIMIRT	12.30	0.40	22,928	11.97
ACC	0.69	-	2,082	0.69	PF	0.79	-	91,678	0.79	AMATAR	12.20	0.30	1,861	12.00
AJA	0.20	-	42,601	0.20	PLAT	6.25	-	10,161	6.25	B-WORK	12.00	0.10	359	11.96
DTCI	26.00	1.00	66	25.98	POLAR	0.10	(0.01)	270,860	0.10	BKKCP	13.20	0.10	1,040	13.13
FANCY	0.59	(0.03)	11,861	0.60	PRECHA	1.53	0.05	1	1.53	BOFFICE	15.70	0.50	1,900	15.36
KYE	384.00	-	2	384.50	PRIN	1.60	-	1,037	1.60	CPNCG	15.40	0.10	1,225	15.33
L&E	2.52	(0.04)	703	2.52	PSH	22.30	-	24,025	22.24	CPNREIT	31.50	1.00	28,480	31.08
MODERN	3.26	-	2,091	3.26	QH	3.04	0.02	431,296	3.03	CPTGF	13.60	0.30	774	13.14
OGC	-	-	-	-	RICHY	1.38	0.01	1,906	1.37	CRYSTAL	8.95	-	343	8.95
ROCK	19.50	-	30	19.50	RML	1.16	-	1,841	1.16	CTARAF	5.75	-	4,378	5.71
SIAM	2.08	0.04	1,277	2.06	ROJNA	6.70	0.10	27,237	6.60	DREIT	6.40	0.15	7,114	6.22
TSR	1.98	0.02	634	1.97	S	3.72	0.02	225,153	3.71	ERWPF	5.40	(0.05)	232	5.40
Insurance	-	-	-	-	SAMCO	1.60	-	1,310	1.63	FTREIT	14.60	0.70	37,668	14.45
AYUD	41.50	(0.25)	66	41.34	SC	2.94	(0.02)	9,048	2.90	FUTUREPF	25.50	(0.25)	193	25.60
BKI	331.00	-	188	331.03	SENA	3.62	0.02	3,281	3.61	GAHREIT	9.30	-	1,768	9.33
BLA	25.75	-	7,525	25.77	SF	6.40	(0.05)	14,038	6.39	GLANDRT	13.30	0.20	1,024	13.26
BUI	12.40	0.30	180	12.29	SIRI	1.47	-	162,366	1.47	GOLDPF	-	-	-	-
CHARAN	29.50	(2.00)	5	29.50	SPALI	23.50	0.10	37,567	23.55	GVREIT	16.40	0.40	7,551	16.20
INSURE	-	-	-	-	U	1.98	-	45,506	1.98	HPF	5.00	0.04	622	4.96
MTI	94.50	0.50	93	94.37	UV	6.50	0.10	16,268	6.45	HREIT	9.00	0.30	23,460	8.94
NKI	61.50	1.25	5	61.50	WHA	4.60	(0.02)	288,662	4.60	IMPACT	24.40	1.40	18,612	23.90
NSI	-	-	-	-	WIN	0.53	(0.01)	946	0.53	KPNPF	8.85	(0.05)	519	8.80
SMK	36.00	(0.25)	19	36.16	Paper & Printing Mat	-	-	-	-	LHHOTEL	19.70	0.40	1,137	19.62
THRE	0.80	-	1,095	0.80	UTP	10.90	0.50	39,294	10.73	LHPF	9.20	0.10	1,524	9.11
THREL	5.45	-	1,471	5.43	Fashion	-	-	-	-	LHSC	18.30	0.30	6,404	18.17
TIC	32.00	(1.00)	136	31.11	AFC	7.65	0.05	19	7.62	LUXF	8.90	-	50	8.90
TIP	24.70	(0.10)	1,492	24.70	B52	0.23	-	4,403	0.24	M-II	8.70	0.20	120	8.70
TOM	46.00	(1.00)	6,838	46.13	BTNC	17.40	(0.80)	10	17.40	M-PAT	6.40	(0.40)	1,573	6.54
TSI	0.51	(0.05)	7,279	0.53	CPH	4.80	(0.14)	116	4.81	M-STOR	7.25	-	12	7.30
TVI	4.58	0.04	846	4.55	CPL	1.50	0.01	125	1.49	MIPF	16.50	(0.50)	101	16.50
Mining	-	-	-	-	ICC	-	-	-	-	MIT	-	-	-	-
PDI	9.25	(0.10)	1,452	9.31	NC	-	-	-	-	MJLF	12.80	0.10	614	12.74
THL	-	-	-	-	PAF	0.83	-	1,534	0.84	MNIT	1.55	0.04	4	1.55
Packaging	-	-	-	-	PDJ	1.64	(0.01)	1,203	1.63	MNIT2	-	-	-	-
AJ	8.75	-	129	8.75	PG	5.60	(0.45)	180	5.63	MNRF	3.38	(0.02)	1,284	3.38
ALUCON	173.00	1.00	14	173.07	SABINA	26.50	0.25	91,870	26.94	MONTRI	-	-	-	-
BGC	13.00	(0.40)	60,032	13.06	SAWANG	-	-	-	-	POPF	13.60	-	4,480	13.65
CSC	50.25	0.25	45	50.05	SUC	44.50	-	184	44.50	PPF	11.70	-	837	11.71
NEP	0.28	-	7,900	0.28	TNL	20.00	(0.10)	4	20.00	QHHR	9.90	0.30	2,203	9.68
NPPG	1.00	(0.01)	26,550	1.00	TPCORP	-	-	-	-	QHOP	3.56	0.06	309	3.43
PTL	15.10	-	1,841	15.08	TR	37.50	-	5	37.50	QHPF	14.70	0.40	7,010	14.18
SITHAI	1.07	-	4,510	1.07	TTI	23.00	(0.80)	4	23.00	SBPF	2.82	0.14	80	2.85
SLP	0.70	(0.02)	5,762	0.70	TTT	76.50	(3.50)	298	75.94	SHREIT	6.80	(0.35)	3,833	6.88
SMPC	8.10	(0.10)	13,074	8.19	UPF	49.00	(1.00)	2	49.13	SIRIP	11.40	-	20	11.40
SPACK	-	-	-	-	UT	-	-	-	-	SPF	23.40	0.30	1,174	23.32
TCOAT	29.00	-	2	29.00	WACOAL	47.75	0.75	1	47.75	SPRIME	13.40	0.10	9,139	13.18
TFI	0.23	-	5	0.23	Transportation & Log	-	-	-	-	SRIPANWA	11.60	-	144	11.60
THIP	18.60	-	167	18.60	AAV	3.94	0.02	48,775	3.93	SSPF	10.00	-	779	10.00
TMD	23.90	-	23	23.87	AOT	73.00	(0.50)	242,342	73.02	SSTPF	6.50	0.10	120	6.46
TOPP	-	-	-	-	ASIMAR	2.10	0.12	108,951	2.12	SSTRT	6.30	0.05	576	6.27
TPBI	4.92	-	927	4.90	B	11.20	(0.02)	98,818	0.57	TIF1	9.20	(0.05)	239	9.17
TPP	-	-	-	-	BA	6.10	-	6,108	11.20	TLGF	22.00	0.80	10,563	21.73
Personal Products &	-	-	-	-	BEM	10.60	0.30	1,239,521	10.50	TLHPF	11.70	0.20	452	11.70
APCO	3.68	-	1,118	3.64	BTS	12.60	(0.10)	212,925	12.69	TNPF	3.34	-	590	3.34
DDD	24.60	-	5,087	24.67	BTSGIF	11.10	0.10	97,729	11.12	TPRIME	15.50	0.20	170	15.36
JCT	91.75	5.75	1	91.75	IUI	6.40	-	17,596	6.38	TTLPF	21.80	0.20	82	21.80
OCC	14.50	-	1	14.50	JUTHA	0.90	(0.01)	2,578	0.88	TU-PF	1.79	(0.01)	30	1.79
S & J	25.00	0.50	1	25.00	JWD	9.85	0.15	20,696	9.84	URBNPF	4.30	0.04	2	4.30
STHAI	0.02	0.01	27,455	0.02	KWC	325.00	-	26	323.62	WHABT	9.90	0.05	14	9.90
TNR	9.90	-	133	9.86	NOK	2.40	-	2,434	2.40	WHART	15.50	0.50	31,601	15.11
TOG	5.75	(0.05)	384	5.76	NYT	4.96	-	3,648	4.97	Steel	-	-	-	-
Professional Service	-	-	-	-	PRM	8.50	(0.40)	223,112	8.61	AMC	1.74	-	194	1.74
BWG	0.89	-	12,640	0.89	PCL	9.00	(0.20)	216,390	9.14	BSBM	0.89	-	332	0.89
GENCO	0.67	0.01	8,496	0.66	RSL	5.00	(0.15)	16,488	5.10	CEN	1.07	-	2,576	1.06
PRO	0.35	-	85,874	0.35	TFFIF	12.30	0.30	118,705	12.24	CITY	2.26	0.02	500	2.26
SISB	8.05	0.05	13,191	7.95										

## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	PSTC	0.68	0.01	119,575	-	ADVA01P1908A	0.07	-	15,780	-
ABICO	4.60	0.10	295	4.00	QTC	5.55	(0.05)	19,313	5.00	ADVA01P1908B	-	-	-	-
AU	16.30	0.20	24,957	16.00	SAAM	1.32	0.04	5,834	1.00	ADVA01P1912A	0.59	0.01	62,751	-
FC	0.30	0.01	26,277	-	SEAOIL	5.65	-	2,346	5.00	ADVA01P1912B	0.42	0.02	77,868	-
JCKH	0.63	(0.02)	815	-	SR	1.23	0.11	17,953	1.00	ADVA06C1912A	0.45	(0.04)	15,550	-
KASET	1.87	(0.01)	136	1.00	TAKUNI	0.59	-	1,745	-	ADVA07C1908A	-	-	-	-
MM	2.90	-	1,108	2.00	TPCH	12.70	0.10	16,472	12.00	ADVA08C1911A	0.94	-	100	-
SUN	2.30	-	2,791	2.00	TRT	2.00	-	1,580	2.00	ADVA08C2001A	0.28	(0.01)	10,500	-
TACC	5.05	0.25	98,259	4.00	UMS	0.46	0.02	51	-	ADVA11C1910A	-	-	-	-
TMILL	3.04	0.04	3,150	3.00	UWC	0.04	(0.01)	186,269	-	ADVA11P1910A	-	-	-	-
XO	7.95	(0.10)	7,700	7.00	Services (MAI)	-	-	-	-	ADVA13C1908A	-	-	-	-
Consumer Products	-	-	-	-	A5	1.21	(0.01)	4,602	1.00	ADVA13C1912A	0.45	(0.02)	154,120	-
BGT	1.03	-	4,558	1.00	AKP	1.48	0.02	10,620	1.00	ADVA13P1908A	-	-	-	-
BIZ	2.58	0.02	620	2.00	AMA	9.35	0.05	60,497	9.00	ADVA13P1912A	0.38	0.01	133,580	-
DOD	13.30	0.40	92,600	13.00	ARIP	0.50	-	1,892	-	ADVA16C1911A	0.97	(0.04)	9,000	-
ECF	2.44	-	13,357	2.00	ATP30	1.51	0.03	11,548	1.00	ADVA16C1912A	0.65	(0.02)	9,600	-
HPT	0.75	-	5,268	-	AUCT	7.55	(0.20)	21,396	7.00	ADVA16C2002A	0.32	(0.03)	9,388	-
JUBILE	17.30	0.10	275	17.00	BOL	2.56	(0.02)	2,261	2.00	ADVA19C1908A	0.50	(0.04)	300	-
MOONG	5.75	-	3,684	5.00	CHUO	0.20	-	6,507	-	ADVA19C1911A	0.28	(0.01)	75,860	-
NPK	25.25	-	15	25.00	CMO	1.39	(0.01)	1,490	1.00	ADVA19P1908A	-	-	-	-
OCEAN	1.26	0.01	4,638	1.00	D	6.75	(0.05)	2,853	6.00	ADVA19P1911A	0.17	-	7,000	-
TM	2.80	(0.02)	26,803	2.00	DCORP	0.60	-	6,010	-	ADVA23C2001A	-	-	-	-
Financials (MAI)	-	-	-	-	EFORL	0.04	(0.01)	64,535	-	ADVA23P1908A	-	-	-	-
ACAP	2.76	(0.06)	11,155	2.00	ETE	1.11	(0.01)	8,177	1.00	ADVA24C1907A	0.06	(0.02)	59,217	-
AF	0.69	0.02	1	-	FSMART	8.30	0.05	8,333	8.00	ADVA24C1908A	-	-	-	-
AIRA	1.30	0.01	29	1.00	FVC	0.59	-	21,335	-	ADVA24P1908A	-	-	-	-
ASN	5.65	0.20	771	5.00	GSC	1.00	0.02	16,381	1.00	ADVA27C1912A	0.76	(0.02)	3,198	-
BROOK	0.52	-	28,451	-	HARN	2.46	-	19,870	2.00	ADVA28C1908A	0.51	(0.14)	500	-
CHAYO	5.00	0.10	35,485	4.00	JKN	8.90	0.35	234,159	8.00	ADVA28C2001A	0.34	(0.02)	30,074	-
GCAP	2.46	(0.04)	13,632	2.00	KIAT	0.41	-	7,754	-	ADVA28P1911A	0.10	-	8,562	-
LIT	5.50	-	4,134	5.00	KOOL	1.33	-	18,930	1.00	ADVA41C1908A	-	-	-	-
MITSI	2.52	0.02	100,556	2.00	LDC	0.98	-	1,691	-	ADVA41C1910A	0.68	(0.03)	7,200	-
SGF	1.21	0.25	1,534,247	1.00	MORE	0.15	-	19,539	-	ADVA41C1910B	-	-	-	-
Industrials (MAI)	-	-	-	-	MPG	0.46	(0.01)	208	-	ADVA41C1912A	0.41	0.03	48,000	-
2S	2.24	-	633	2.00	MVP	2.08	(0.02)	2,604	2.00	ADVA41P1908A	-	-	-	-
ACG	1.60	-	255,525	1.00	NBC	0.46	-	3,201	-	ADVA41P1911A	-	-	-	-
ADB	0.75	(0.01)	990	-	NCL	1.21	(0.02)	300	1.00	ADVA41P1912A	-	-	-	-
BM	2.12	(0.02)	495	2.00	NEWS	0.01	-	83,048	-	ADVA42C1910A	-	-	-	-
CHO	0.99	-	232,810	1.00	NINE	2.02	0.02	378	2.00	AEON01C1911A	1.84	0.07	8,795	1.00
CHOW	2.24	0.04	469	2.00	OTO	3.48	0.08	9,129	3.00	AEON01C1911B	0.63	0.03	28,646	-
CIG	0.25	-	186	-	PHOL	1.92	0.02	2,301	1.00	AEON13C1910A	-	-	-	-
COLOR	1.27	0.01	22	1.00	PICO	4.16	0.04	2	4.00	AEON13C1911A	0.62	0.05	5,854	-
CPR	5.00	-	208	5.00	PORT	5.00	-	6,301	5.00	AEON19C1911A	0.48	0.02	13,097	-
FPI	2.90	0.04	5,605	2.00	QLT	3.84	(0.06)	224	3.00	AEON24C1912A	0.48	0.03	2,158	-
GTB	0.61	0.01	2,550	-	RP	2.28	0.06	3,818	2.00	AEON41C1912A	0.48	-	6,040	-
KCM	0.85	-	12,398	-	SE	1.90	0.01	671	1.00	AMAT01C1909A	0.70	0.01	31,302	-
KWM	1.07	0.01	1,968	1.00	SONIC	1.32	-	3,343	1.00	AMAT01C1909B	0.38	0.01	38,455	-
MBAX	3.98	-	270	3.00	SPA	14.00	0.30	9,095	13.00	AMAT01P1909A	0.26	-	6,712	-
MGT	1.81	0.01	3,012	1.00	THMUJ	1.19	(0.01)	6,711	1.00	AMAT06C1909A	0.42	(0.02)	33,143	-
NDR	1.66	(0.16)	114,103	1.00	TNDT	5.55	-	151	5.00	AMAT08C1908A	0.21	(0.01)	8,171	-
PDG	3.18	0.08	3,515	3.00	TNH	36.75	0.50	76	36.00	AMAT11C2001A	0.56	(0.01)	2,904	-
PIMO	1.37	0.02	32,449	1.00	TNP	1.47	-	14,044	1.00	AMAT13C1908A	0.32	0.01	51,881	-
PJW	1.89	-	1,379	1.00	TSF	0.01	(0.01)	98,448	-	AMAT13C1912A	0.46	(0.01)	81,558	-
PPM	1.28	0.01	31	1.00	TVD	1.39	(0.01)	5,509	1.00	AMAT16C1911A	0.49	-	21,320	-
RWI	1.33	(0.02)	9,627	1.00	TVT	0.88	-	821	-	AMAT19C1907A	-	-	-	-
SALEE	0.99	-	2,563	-	VL	1.69	0.01	235,686	1.00	AMAT19C1912A	0.15	(0.01)	8,200	-
SANKO	1.04	-	403	1.00	WINNER	2.84	(0.02)	1,599	2.00	AMAT24C1907A	0.07	(0.01)	50	-
SELIC	3.10	0.04	6,836	3.00	Technology (MAI)	-	-	-	-	AMAT24C2001A	0.47	(0.02)	200	-
SWC	5.45	(0.05)	1,813	5.00	COMAN	3.20	0.08	738	3.00	AMAT27C1908A	0.26	(0.02)	5,160	-
TMC	0.64	0.03	273	-	ICN	1.99	-	3,409	1.00	AMAT41C1908A	-	-	-	-
TMI	0.77	-	2,082	-	IRCP	0.68	-	4,033	-	AMAT41C1912A	-	-	-	-
TMW	64.75	0.25	189	64.00	ITEL	3.56	0.02	10,363	3.00	AMAT42C1910A	0.48	(0.07)	2,200	-
TPAC	12.40	(0.20)	1,065	12.00	NETBAY	31.50	-	2,524	31.00	ANAN08C1911A	0.33	0.02	24,404	-
TPLAS	1.46	(0.01)	2,162	1.00	PLANET	1.46	0.02	4	1.00	ANAN13C1912A	0.34	0.02	43,337	-
UAC	3.16	0.02	5,572	3.00	SIMAT	1.54	0.01	2,883	1.00	ANAN19C1910A	0.15	0.01	23,601	-
UBIS	6.20	-	1,009	6.00	SKY	11.80	-	4,123	11.00	ANAN24C1907A	0.17	(0.01)	4,200	-
UEC	1.22	-	301	1.00	SPVI	1.60	-	6,691	1.00	ANAN24C1912A	0.31	-	8,130	-
UKEM	0.60	(0.01)	3,489	-	UPA	0.29	-	59,616	-	AOT01C1908A	0.60	(0.05)	58,726	-
UREKA	1.06	0.01	5,122	1.00	VCOM	3.10	0.02	1,221	3.00	AOT01C1908B	0.27	(0.05)	40,173	-
YUASA	13.90	-	50	13.00	Unit Trust	-	-	-	-	AOT01C1911A	0.86	(0.04)	58,722	-
ZIGA	1.66	0.07	7,732	1.00	MGE	-	-	-	-	AOT01C1911B	0.62	(0.04)	68,518	-
Property & Construc	-	-	-	-	SCBSET	-	-	-	-	AOT01P1908A	0.25	0.01	275,932	-
ALL	4.76	(0.04)	23,143	4.00	ETF	-	-	-	-	AOT01P1908B	0.06	-	1	-
ARIN	1.16	(0.02)	429,259	1.00	1DIV	11.48	0.03	1,323	11.00	AOT01P1911A	0.43	0.03	198,707	-
ARROW	8.35	-	660	8.00	ABFTH	-	-	-	-	AOT01P1911B	0.26	0.02	76,638	-
BKD	2.86	-	432	2.00	BMSCG	8.80	-	135	8.00	AOT06C1908A	0.20	(0.05)	18,400	-
BSM	0.44	-	3,674	-	BMSCITH	12.93	(0.01)	2,240	12.00	AOT06C1911A	0.83	(0.11)	11,401	-
BTW	1.44	0.01	402	1.00	BSET100	11.12	0.02	476	11.00	AOT06P1908A	-	-	-	-
CAZ	2.40	0.06	5,809	2.00	CHINA	-	-	-	-	AOT07C1910A	-	-	-	-
CHEWA	0.81	-	19,770	-	EBANK	-	-	-	-	AOT08C1911A	0.39	(0.04)	30,380	-
CMC	1.35	0.01	5,339	1.00	ECOMM	8.97	(0.12)	1	8.00	AOT11C2004A	0.73	(0.05)	24,143	-
CRD	1.00	-	446	-	EFOOD	-	-	-	-	AOT11P2004A	0.34	0.02		

## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28P1909A	0.03	-	250	-	BCPG19P1911A	0.33	(0.03)	93,646	-	BGR124C1907A	-	-	-	-
AOT41C1909A	-	-	-	-	BCPG24C1912A	0.28	0.03	400	-	BGR124C1912A	-	-	-	-
AOT41C1912A	0.59	(0.07)	12,000	-	BCPG27P1909A	0.09	(0.01)	10,306	-	BGR127P1912A	0.37	-	7,600	-
AOT41C1912B	-	-	-	-	BCPG28C1910A	0.28	0.03	56,778	-	BGR127P1911A	0.18	(0.01)	28,920	-
AOT41P1909A	-	-	-	-	BCPG28C1912A	0.25	0.02	18,302	-	BGR141C1911A	0.27	0.01	14,000	-
AOT41P1911A	-	-	-	-	BCPG41C1910A	0.35	0.02	26,000	-	BGR141P1912A	-	-	-	-
AOT41P1911B	-	-	-	-	BDMS01C1908A	0.50	0.03	36,680	-	BGR142C1910A	-	-	-	-
AOT41P1912A	-	-	-	-	BDMS01C1908B	0.12	(0.02)	29,084	-	BH01C1908A	0.29	(0.01)	36,775	-
AOT42C1912A	-	-	-	-	BDMS01C1911A	0.18	-	77,558	-	BH01C1908B	0.09	(0.01)	144	-
AP01C1908A	0.60	0.03	34,799	-	BDMS01C1911B	0.11	0.01	92,170	-	BH01P1908A	0.67	(0.01)	47,924	-
AP01C1908B	0.39	(0.01)	48,213	-	BDMS01P1908A	0.21	(0.02)	8,397	-	BH07C1910A	-	-	-	-
AP06C1909A	0.51	(0.01)	4,800	-	BDMS01P1911A	0.37	(0.01)	1,680	-	BH08C1907A	0.02	-	500	-
AP08C1912A	0.29	-	22,400	-	BDMS08C1911A	0.15	-	6,000	-	BH11C2002A	0.43	(0.01)	5,998	-
AP11C2001A	0.45	0.01	11,000	-	BDMS11C2001A	0.54	-	9,177	-	BH13C1909A	0.18	(0.01)	11,870	-
AP16C2002A	-	-	-	-	BDMS11P2002A	-	-	-	-	BH13C1912A	0.53	(0.01)	46,524	-
AP19C1910A	0.23	0.03	14,020	-	BDMS13C1909A	0.06	-	17,000	-	BH19C1907A	-	-	-	-
AP24C1907A	-	-	-	-	BDMS13C1912A	0.13	-	29,140	-	BH19C1912A	0.51	-	6,001	-
AP24C1912A	0.30	0.04	500	-	BDMS13C1912B	0.48	(0.52)	44,005	-	BH24C1907A	-	-	-	-
BANP01C1909A	0.18	0.01	85,647	-	BDMS16C1912A	-	-	-	-	BH24C1910A	0.58	0.04	100	-
BANP01C1909B	0.06	-	25	-	BDMS19C1910A	0.07	-	29,880	-	BH41C1911A	0.44	0.01	8,000	-
BANP01C1912A	0.32	0.01	64,840	-	BDMS23P1908A	0.03	-	1,000	-	BH41P1911A	-	-	-	-
BANP01C1912B	0.21	-	96,531	-	BDMS24C1907A	-	-	-	-	BJC01C1911A	0.60	-	35,474	-
BANP01P1909A	0.54	-	31,292	-	BDMS24C1909A	-	-	-	-	BJC01C1911B	0.44	(0.01)	54,565	-
BANP01P1909B	0.28	-	32,722	-	BDMS24C1912A	-	-	-	-	BJC01P1911A	0.27	(0.01)	9,295	-
BANP01P1912A	0.43	-	33,628	-	BDMS24P1908A	-	-	-	-	BJC06C1907A	-	-	-	-
BANP01P1912B	0.31	-	62,756	-	BDMS27C2002A	0.17	-	4,000	-	BJC06C1912A	0.34	-	12,425	-
BANP06C1912A	0.23	0.01	17,600	-	BDMS41C1911A	-	-	-	-	BJC08C1907A	-	-	-	-
BANP07C1909A	-	-	-	-	BDMS41P1907A	-	-	-	-	BJC11C2001A	0.32	-	14,251	-
BANP08P1912A	0.27	-	12,600	-	BDMS41P1911A	0.15	-	5	-	BJC13C1908A	-	-	-	-
BANP11C1909A	-	-	-	-	BEAU01C1911A	0.45	0.03	298,112	-	BJC13C1911A	0.32	-	168,718	-
BANP11C2004A	0.26	-	31,520	-	BEAU01P1909A	1.96	(0.04)	104	1.00	BJC16C2002A	0.35	(0.65)	24,000	-
BANP13C1910A	0.09	-	96,450	-	BEAU06C1909A	-	-	-	-	BJC19C1910A	0.28	(0.01)	18,846	-
BANP13C1912A	0.19	(0.01)	6,100	-	BEAU06C1911A	0.28	0.02	16,333	-	BJC23C2001A	0.36	-	14,000	-
BANP13P1908A	0.26	-	79,098	-	BEAU08C1910A	0.03	-	1,200	-	BJC24C1910A	-	-	-	-
BANP16C1912A	0.20	-	6	-	BEAU11C1911A	0.07	-	2,001	-	BJC27P1908A	0.08	-	20,000	-
BANP19C1910A	0.10	-	21,575	-	BEAU13C1910A	0.02	-	3,839	-	BJC41C1907A	-	-	-	-
BANP19P1910A	0.11	-	8,000	-	BEAU13C1910B	0.12	0.01	149,472	-	BJC41C1910A	-	-	-	-
BANP23P1908A	0.15	(0.01)	5,500	-	BEAU13C1912A	0.51	0.03	438,911	-	BJC41C1912A	-	-	-	-
BANP24C1907A	-	-	-	-	BEAU13P1909A	0.20	(0.02)	212,757	-	BJC41P1908A	-	-	-	-
BANP24C1907B	-	-	-	-	BEAU19C1910A	0.12	-	39,557	-	BJC41P1912A	-	-	-	-
BANP24C1911A	0.16	(0.01)	200	-	BEAU19P1908A	0.34	(0.05)	60,319	-	BJC42C1912A	-	-	-	-
BANP24P1908A	-	-	-	-	BEAU24C1907A	-	-	-	-	BLA11C1909A	-	-	-	-
BANP28C1911A	0.15	-	18,224	-	BEAU24C1909A	0.55	0.04	331	-	BLA13C1908A	-	-	-	-
BANP28P1909A	0.16	(0.01)	8,695	-	BEAU27C1910A	-	-	-	-	BLAN19C1910A	0.27	(0.02)	1,000	-
BANP41C1909A	-	-	-	-	BEAU28C1910A	-	-	-	-	BLAN19C1912A	0.18	(0.01)	7,469	-
BANP41C1911A	0.22	0.01	6,000	-	BEAU28C1910B	0.17	0.02	11,154	-	BLAN24C1907A	-	-	-	-
BANP41P1907A	-	-	-	-	BEAU41C1907A	-	-	-	-	BPP01C1912A	0.48	0.01	26,434	-
BANP41P1909A	-	-	-	-	BEAU41C1910A	-	-	-	-	BPP01C1912B	0.31	0.01	63,752	-
BANP41P1912A	-	-	-	-	BEAU41C1910B	-	-	-	-	BPP01P1912A	0.71	(0.03)	27,534	-
BBL07C1909A	0.07	-	714	-	BEAU41C1911A	0.11	-	1,001	-	BPP13C1910A	0.15	-	22,001	-
BBL08C1908A	-	-	-	-	BEAU41P1909A	0.85	(0.04)	800	-	BPP13C1911A	0.37	0.01	11,458	-
BBL08C2001A	0.19	-	4,900	-	BEAU41P1911A	-	-	-	-	BPP16C2001A	0.43	0.02	2,100	-
BBL08P1912A	0.52	-	14,220	-	BEAU42C1910A	-	-	-	-	BPP19C1908A	0.06	(0.02)	1	-
BBL11C2001A	0.16	-	380	-	BEAU42C1911A	-	-	-	-	BPP19C1910A	0.40	0.02	18,159	-
BBL11P2001A	0.44	0.01	2,000	-	BEC16C2002A	0.73	(0.27)	34,459	-	BPP24C1908A	0.08	(0.03)	1,000	-
BBL13C1908A	0.06	-	3,156	-	BEC27C2002A	0.24	0.01	81,178	-	BPP24C1911A	0.58	0.01	300	-
BBL13C1911A	0.49	(0.01)	94,924	-	BEC41C1912A	0.65	0.02	16,572	-	BTS01C1908A	0.42	-	84,656	-
BBL13P1911A	0.58	0.01	62,233	-	BEM01C1907A	0.35	0.05	15,964	-	BTS01C1908B	0.32	(0.02)	114,220	-
BBL19C1907A	-	-	-	-	BEM01C1907B	0.01	(0.01)	5,300	-	BTS01P1908A	0.03	-	500	-
BBL19C1911A	0.14	-	11,000	-	BEM01C1911A	0.21	0.02	384,962	-	BTS06C1908A	0.31	(0.01)	18,100	-
BBL19P1909A	-	-	-	-	BEM01C1911B	0.14	0.02	186,081	-	BTS06P1908A	-	-	-	-
BBL24C1907A	-	-	-	-	BEM01P1907A	0.03	(0.02)	3,550	-	BTS08C1911A	0.28	0.01	32,866	-
BBL24C1910A	0.06	(0.01)	50	-	BEM01P1911A	0.36	(0.05)	81,377	-	BTS11C1910A	-	-	-	-
BBL27C2002A	-	-	-	-	BEM06C1912A	0.10	0.01	47,620	-	BTS11C2003A	0.33	0.01	31,200	-
BBL41C1908A	-	-	-	-	BEM06P1912A	0.40	(0.04)	29,945	-	BTS13C1907A	0.24	-	1	-
BBL41C1912A	0.51	(0.04)	1	-	BEM08C1907A	-	-	-	-	BTS13C1912A	0.27	(0.01)	339,281	-
BCH01C1907A	0.08	0.02	340,322	-	BEM11C2001A	0.16	0.02	31,600	-	BTS16C2001A	0.26	(0.01)	1,001	-
BCH01C1907B	0.02	-	2	-	BEM11C2003A	0.19	0.02	59,259	-	BTS16C2001B	-	-	-	-
BCH01P1907A	0.18	(0.08)	177,659	-	BEM13C1909A	0.10	0.03	70,630	-	BTS19C1907A	-	-	-	-
BCH06C1909A	0.04	-	31,746	-	BEM13C1912A	0.18	0.02	183,505	-	BTS19C1907B	0.25	-	2,000	-
BCH08C1910A	0.06	-	75,000	-	BEM13P1911A	0.30	(0.04)	111,921	-	BTS19C1910A	0.15	(0.02)	38,048	-
BCH11C2001A	0.20	0.02	114,059	-	BEM16C1912A	0.16	(0.84)	100	-	BTS19P1910A	-	-	-	-
BCH13C1909A	0.05	0.01	25,842	-	BEM16C2001A	0.08	0.01	26,572	-	BTS24C2001A	-	-	-	-
BCH13C1911A	0.15	0.02	434,865	-	BEM19C1907A	0.01	-	3,300	-	BTS24P2001A	0.13	-	100	-
BCH16C2001A	0.15	0.03	7,310	-	BEM19C1911A	0.09	0.02	23,512	-	BTS27P1911A	0.12	-	25,920	-
BCH19C1907A	0.01	(0.01)	500	-	BEM19P1910A	-	-	-	-	BTS41C1908A	-	-	-	-
BCH19C1910A	0.05	-	16,290	-	BEM19P1911A	0.25	(0.03)	100	-	BTS41C1912A	-	-	-	-
BCH23C1907A	-	-	-	-	BEM23C2001A	0.12	0.01	5,400	-	BTS41P1908A	-	-	-	-
BCH24C1908A	0.04	0.01	24,000	-	BEM24C1909A	0.05	-	10,000	-	BTS41P1910A	-	-	-	-
BCH27C1908A	-	-	-	-	BEM24P1909A	0.05	(0.02)	20,000	-	BTS41P1912A	-	-	-	-
BCH27P1908A	0.17	(0.02)	41,500	-	BEM27C1908A	0.12	0.02	18,101	-	CBG01C1907A	2.64	0.06	7,148	2.00
BCH41C1908A	-	-	-	-	BEM27P1907A	-	-	-	-	CBG01C1907B	2.70	-	11,013	2.00
BCP01C1908A	0.11	-	56,654	-	BEM27P1912A	0.28	(0.05)	4,072	-	CBG01C1909A	1.26	0.01	130,765	1.00
BCP01C1908B	-	-	-	-	BEM28C1909A	0.08	0.01	14,196	-	CBG01C1911A	1.48	0.03	54,250	1.00
BCP01P1908A	0.28	(0.02)	27,185	-	BEM28C1910A	0.06	-	5,903	-	CBG01C1911B	1.03	0.01	78,703	1.00
BCP11C1909A	-	-	-	-	BEM41C1910A	-	-	-	-	CBG01P1907A	-	-	-	-
BCP11C2004A	0.24	-	9,050	-	BEM41P1907A	-	-	-	-	CBG01P1909A	0.02	-	1	-
BCP13C1910A	-	-	-	-	BEM41P1911A	-	-	-	-	CBG01P1911A	0.19	(0.01)	138,161	-
BCP13C1912A	0.20	0.01	53,587	-	BEM42C1910A	-	-	-	-	CBG06C1908A	1.14	0.02	3,940	1.00
BCP19C1910A	0.10	(0.02)	13,748	-	BGR101C1909A	0.56	0.03	51,201	-	CBG08C1910A	0.91	-	27,050	-
BCP23C1907A	-	-	-	-	BGR101C1909B	0.33	0.01	61,551	-	CBG11C191				

## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG24C1909A	-	-	-	-	CPAL01P1907B	0.01	(0.01)	3	-	EA13P1910A	0.50	(0.05)	90,084	-
CBG27C1912A	-	-	-	-	CPAL01P1911A	0.61	(0.01)	83,457	-	EA16C1911A	0.61	0.05	5,081	-
CBG28C1908A	-	-	-	-	CPAL01P1911B	0.35	-	52,517	-	EA19C1907A	0.14	-	9,802	-
CBG28C1910A	-	-	-	-	CPAL06C1908A	0.50	(0.02)	9,600	-	EA19C1908A	0.17	0.02	67,752	-
CBG28C1912A	0.64	(0.01)	49,575	-	CPAL08C1908A	0.43	(0.01)	6,003	-	EA19P1910A	-	-	-	-
CBG41C1908A	-	-	-	-	CPAL08C2001A	0.62	-	34,250	-	EA23C1909A	0.33	0.02	13,000	-
CBG41C1908B	0.79	(0.07)	30	-	CPAL08P1908A	-	-	-	-	EA24C1910A	0.38	0.02	2,020	-
CBG41C1910A	0.81	-	8,000	-	CPAL11C1909A	0.61	(0.02)	2,400	-	EA27C1908A	0.33	0.02	11,200	-
CBG41C1910B	-	-	-	-	CPAL13C1911A	0.79	-	132,364	-	EA27P1908A	0.08	-	2,568	-
CBG41P1908A	-	-	-	-	CPAL13P1911A	0.35	-	84,326	-	EA28C1909A	0.28	0.02	26,828	-
CBG41P1909A	0.22	(0.01)	50	-	CPAL16C1912A	1.49	-	11,168	1.00	EA28C1909B	0.11	-	12,168	-
CBG41P1910A	-	-	-	-	CPAL16C2001A	0.79	(0.01)	17,175	-	EA28C1910A	0.20	0.01	13,834	-
CBG42C1910A	-	-	-	-	CPAL19C1907A	0.30	(0.01)	4,694	-	EA41C1907A	-	-	-	-
CENT01C1909A	0.05	(0.01)	51,090	-	CPAL19C1911A	0.39	(0.02)	28,720	-	EA41C1910A	0.41	0.02	200	-
CENT01C1909B	0.01	(0.01)	10,000	-	CPAL19P1910A	-	-	-	-	EA41C1910B	-	-	-	-
CENT01C1911A	0.35	-	152,065	-	CPAL24C1907A	-	-	-	-	EA41C1912A	0.49	-	60	-
CENT01C1911B	0.24	-	293,069	-	CPAL24P1907A	-	-	-	-	EA41P1907A	-	-	-	-
CENT01P1909A	1.03	0.02	96,481	1.00	CPAL24P1909A	-	-	-	-	EA41P1912A	-	-	-	-
CENT01P1911A	0.36	-	277,282	-	CPAL24P1912A	-	-	-	-	EA42C1910A	0.22	0.02	1,690	-
CENT06C1908A	-	-	-	-	CPAL27C1912A	0.81	0.01	5,414	-	EGCO01C1909A	1.35	(0.01)	16,054	1.00
CENT08C1911A	0.08	-	24,000	-	CPAL28C1910A	-	-	-	-	EGCO01C1909B	1.16	(0.02)	13,301	1.00
CENT11C1909A	-	-	-	-	CPAL28C1912A	0.61	-	12,268	-	EGCO01C2001A	0.83	(0.01)	21,281	-
CENT11C2004A	0.30	-	2,457	-	CPAL41C1910A	0.72	(0.01)	6,000	-	EGCO01C2001B	0.58	0.01	38,395	-
CENT13C1911A	0.19	-	189,823	-	CPAL41C1910B	-	-	-	-	EGCO13C1910A	-	-	-	-
CENT16C2001A	0.21	(0.01)	35,622	-	CPAL41P1908A	-	-	-	-	EGCO13C1912A	0.57	(0.01)	103,749	-
CENT19C1908A	-	-	-	-	CPAL41P1911A	-	-	-	-	EGCO16C2001A	-	-	-	-
CENT19C1910A	0.08	(0.01)	18,431	-	CPAL41P1912A	-	-	-	-	EGCO19C1907A	-	-	-	-
CENT23C1908A	-	-	-	-	CPAL41P1912B	-	-	-	-	EGCO19C1908A	0.54	(0.01)	1,575	-
CENT24C1908A	-	-	-	-	CPAL42C1910A	-	-	-	-	EGCO24C1908A	-	-	-	-
CENT24C1910A	0.16	(0.01)	10,000	-	CPF01C1908A	0.23	-	20,136	-	EGCO27C1910A	-	-	-	-
CENT27C1912A	-	-	-	-	CPF01C1908B	0.10	-	425	-	EGCO41C1911A	0.55	0.04	12	-
CENT41C1908A	-	-	-	-	CPF01P1908A	0.12	-	18,294	-	EGCO41P1911A	0.13	0.01	200	-
CENT41C1912A	-	-	-	-	CPF01P1908B	-	-	-	-	EPG19C1908A	0.04	(0.01)	39,494	-
CENT41P1910A	-	-	-	-	CPF08C1911A	0.16	-	13,846	-	EPG19C1910A	0.35	(0.01)	16,489	-
CHG01C1907A	0.79	-	5,807	-	CPF11C1910A	-	-	-	-	EPG19P1911A	0.12	-	8,215	-
CHG01C1907B	0.08	-	9,612	-	CPF13C1908A	-	-	-	-	EPG24C1908A	0.09	-	1,050	-
CHG01P1907A	-	-	-	-	CPF13C1910A	-	-	-	-	EPG24C1911A	0.58	(0.01)	13,636	-
CHG06C1911A	0.31	0.01	2,750	-	CPF13C1911A	0.22	-	260	-	ERW06C1907A	0.01	-	2	-
CHG08C1912A	0.27	-	12,000	-	CPF13P1910A	0.15	-	1,838	-	ERW06C1911A	0.10	(0.04)	60,643	-
CHG11C1911A	0.26	0.01	400	-	CPF16C2001A	0.16	-	6,250	-	ERW11C2001A	0.16	(0.02)	10,467	-
CHG13C1911A	0.25	-	29,545	-	CPF19C1907A	-	-	-	-	ERW13C1911A	0.11	(0.03)	32,879	-
CHG16C2002A	0.24	0.01	7,913	-	CPF19C1910A	0.17	-	5,652	-	ERW19C1908A	-	-	-	-
CHG19C1911A	0.17	0.01	1	-	CPF19C2001A	-	-	-	-	ERW19C1911A	0.12	(0.03)	32,236	-
CHG23C1907A	0.09	0.01	200	-	CPF19P1910A	-	-	-	-	ERW24C1909A	0.07	(0.04)	3	-
CHG24C1907A	0.34	(0.12)	400	-	CPF24C1912A	-	-	-	-	ERW27C1910A	0.13	(0.01)	12,960	-
CHG24C1911A	0.82	0.02	30	-	CPF24P1909A	-	-	-	-	ESSO01C1911A	0.67	(0.02)	57,695	-
CHG41C1912A	-	-	-	-	CPF27C2001A	-	-	-	-	ESSO01C1911B	0.22	(0.01)	173,626	-
CK01C1907A	0.32	-	621	-	CPF28C1912A	0.16	-	10	-	ESSO01P1911A	0.34	0.01	103,159	-
CK01C1907B	0.09	-	10,580	-	CPF28P1911A	0.16	-	215	-	ESSO06C1911A	0.27	(0.02)	6,100	-
CK01C2001A	-	-	-	-	CPF41C1908A	-	-	-	-	ESSO08C1908A	-	-	-	-
CK01C2001B	0.18	-	4,351	-	CPF41P1910A	-	-	-	-	ESSO08C1911A	0.16	(0.02)	23,000	-
CK01P1907A	0.01	-	900	-	CPF41P1912A	0.17	(0.01)	2	-	ESSO11C2002A	0.24	-	12,000	-
CK01P2001A	0.39	-	4,901	-	CPN01C1908A	0.24	0.02	98,233	-	ESSO13C1910A	0.12	(0.02)	59,168	-
CK06C1911A	-	-	-	-	CPN01C1908B	0.06	-	8,100	-	ESSO13C1911A	-	-	-	-
CK08C1911A	0.18	0.01	1,100	-	CPN01P1908A	0.63	(0.06)	12,805	-	ESSO13C1912A	0.25	(0.02)	176,362	-
CK11C1911A	-	-	-	-	CPN06C1908A	0.16	0.01	8,640	-	ESSO19C1910A	0.10	(0.01)	13,061	-
CK13C1910A	0.20	0.01	2,526	-	CPN11C1910A	0.14	0.01	18,236	-	ESSO23C1908A	0.07	-	8,770	-
CK16C1912A	-	-	-	-	CPN13C1908A	0.14	0.01	45,882	-	ESSO24C1907A	-	-	-	-
CK19C1907A	0.03	(0.01)	1,000	-	CPN13C1912A	0.41	0.01	83,185	-	ESSO24C1910A	-	-	-	-
CK19C1912A	-	-	-	-	CPN16C2001A	0.37	0.01	8,155	-	ESSO27C1912A	0.16	(0.01)	4,108	-
CK23C1907A	-	-	-	-	CPN19C1911A	0.25	-	25,916	-	ESSO41C1911A	-	-	-	-
CK24C1910A	-	-	-	-	CPN24C1909A	0.20	0.02	3,000	-	ESSO42C1910A	0.15	-	2,020	-
CK41C1907A	-	-	-	-	CPN24P1907A	-	-	-	-	GFPT08C1912A	0.49	(0.01)	3,580	-
CK41C1911A	-	-	-	-	CPN24P1911A	-	-	-	-	GFPT13C1912A	0.43	(0.01)	10,070	-
CKP01C1911A	0.58	0.06	33,711	-	CPN41C1910A	-	-	-	-	GFPT19C1907A	-	-	-	-
CKP01C1911B	0.47	0.08	96,041	-	CPN41P1908A	-	-	-	-	GFPT19C1912A	0.37	0.01	2,546	-
CKP06C1910A	0.64	0.10	8,660	-	CPN41P1912A	-	-	-	-	GFPT19P1912A	-	-	-	-
CKP08C1910A	0.38	0.06	22,367	-	DTAC01C1910A	0.77	0.09	136,119	-	GFPT23C1909A	0.40	(0.02)	2,000	-
CKP11C1910A	0.46	(0.02)	2,400	-	DTAC01C1910B	0.70	0.11	213,150	-	GFPT24C1907A	-	-	-	-
CKP13C1908A	-	-	-	-	DTAC01P1910A	0.57	(0.09)	58,419	-	GFPT24C1912A	0.41	(0.01)	500	-
CKP13C1910A	0.38	0.02	500	-	DTAC01P1910B	0.18	(0.04)	111,201	-	GFPT42C1911A	0.63	(0.02)	4,000	-
CKP13C1912A	0.31	0.06	112,416	-	DTAC06C1908A	0.45	0.11	40,650	-	GGC13C1908A	0.17	(0.01)	344,706	-
CKP16C2001A	0.30	0.06	3,623	-	DTAC06P1908A	0.03	(0.01)	82	-	GLOB01C1909A	0.32	0.01	34,640	-
CKP19C1907A	-	-	-	-	DTAC07C1909A	-	-	-	-	GLOB01C1909B	0.10	-	33,889	-
CKP19C1910A	0.45	0.07	4,260	-	DTAC08C1911A	0.64	0.09	42,130	-	GLOB01P1909A	0.42	(0.02)	54,278	-
CKP19C1911A	0.19	0.03	12,358	-	DTAC08P1911A	0.36	(0.07)	7,754	-	GLOB06C1911A	0.30	-	10,100	-
CKP23C1907A	-	-	-	-	DTAC11C2002A	0.76	0.07	29,016	-	GLOB11C2002A	0.48	0.01	19,010	-
CKP24C1907A	1.82	0.05	300	1.00	DTAC13C1908A	0.44	0.10	379,875	-	GLOB13C1910A	0.25	0.01	28,555	-
CKP24C1912A	0.50	0.01	20	-	DTAC13C1911A	0.81	0.12	134,600	-	GLOB16C2001A	-	-	-	-
CKP24P1912A	0.09	(0.03)	9,568	-	DTAC13P1907A	-	-	-	-	GLOB19C1907A	-	-	-	-
CKP28C1908A	-	-	-	-	DTAC13P1909A	0.13	(0.05)	32,490	-	GLOB19C1912A	0.24	0.01	25,491	-
CKP28C1910A	0.30	(0.06)	12,080	-	DTAC16C2001A	-	-	-	-	GLOB24C1908A	-	-	-	-
CKP28C1912A	0.23	0.03	22,724	-	DTAC19C1908A	0.28	0.07	109,185	-	GLOB24C1911A	-	-	-	-
CKP41C1909A	0.40	(0.04)	6,000	-	DTAC19P1910A	0.06	(0.03)	31,140	-	GLOB41C1908A	-	-	-	-
COM706C1908A	1.47	(0.07)	934	1.00	DTAC23P1908A	0.05	(0.02)	1,923	-	GLOB41C1910A	0.16	(0.02)	12,000	-
COM708C1911A	0.95	(0.02)	19,599	-	DTAC24C1910A	0.81	0.13	3,098	-	GLOW13C1912A	-	-	-	-
COM711C1909A	0.51	(0.02)	43,752	-	DTAC24P1909A	0.41	(0.07)	6,827	-	GPSC01C1910A	0.98	0.12	174,136	-
COM713C1907A	-	-	-	-	DTAC27C2002A	0.77	0.09	16,800	-	GPSC01C1910B	0.89	0.13	85,648	-
COM713C1912A	0.63	(0.02)	400,723	-	DTAC27P2002A	0.36	(0.04)	15,233	-	GPSC01C1912A	0.73	0.09	207,798	-
COM716C2001A	0.70	(0.01)	46,670	-	DTAC28C1908A	0.28	0.05	22,414	-	GPSC01C1912B	0.51	0.08	377,750	-
COM719C1910A	0.64	(0.03)	50,576	-										



## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC24C1909A	0.92	0.12	3,962	-	INTU19P1910A	-	-	-	-	KBAN28P1909A	0.18	0.02	16,156	-
GPSC27C1909A	0.40	0.07	34,044	-	INTU23C1908A	0.26	(0.01)	13,313	-	KBAN41C1910A	-	-	-	-
GPSC41C1908A	0.15	0.04	46,586	-	INTU24C1909A	0.44	0.01	140,502	-	KBAN41P1908A	-	-	-	-
GPSC41C1911A	0.86	0.08	19,000	-	INTU41C1908A	-	-	-	-	KBAN41P1908B	-	-	-	-
GPSC41C1912A	0.53	0.05	28,500	-	INTU41C1912A	0.47	0.01	7,200	-	KBAN41P1912A	0.73	0.04	8,000	-
GPSC41P1912A	-	-	-	-	INTU41P1910A	-	-	-	-	KBAN42C1911A	-	-	-	-
GULF01C1909A	2.34	0.20	29,636	2.00	INTU42C1910A	0.36	(0.01)	1,000	-	KCE01C1911A	0.66	(0.01)	76,758	-
GULF01C1909B	0.75	0.05	179,632	-	IRPC01C1911A	0.58	0.01	155,062	-	KCE01C1911B	0.42	(0.02)	57,204	-
GULF01C1912A	0.64	0.05	193,477	-	IRPC01C1911B	0.13	0.01	49,400	-	KCE06C1908A	0.02	0.01	1,101	-
GULF01C1912B	0.46	0.05	319,687	-	IRPC01P1911A	0.30	(0.01)	179,139	-	KCE06C1911A	0.36	(0.02)	13,551	-
GULF01P1909A	0.03	(0.01)	132,566	-	IRPC06C1907A	0.01	-	7,515	-	KCE08C1911A	0.05	-	2,000	-
GULF01P1912A	0.66	(0.07)	386,556	-	IRPC06C1911A	0.29	0.02	50,170	-	KCE11C2004A	0.63	(0.01)	16,004	-
GULF06C1909A	3.42	0.34	640	3.00	IRPC06P1907A	-	-	-	-	KCE13C1907A	-	-	-	-
GULF06C1912A	-	-	-	-	IRPC11C2001A	-	-	-	-	KCE13C1908A	-	-	-	-
GULF07C1910A	-	-	-	-	IRPC13C1909A	0.03	-	1,380	-	KCE13C1911A	0.32	(0.01)	24,550	-
GULF08C1910A	0.87	0.09	23,020	-	IRPC13C1911A	0.27	0.01	249,592	-	KCE16C2001A	0.36	(0.02)	16,001	-
GULF11C1908A	2.08	0.06	800	2.00	IRPC13C1912A	0.12	-	29,536	-	KCE19C1910A	-	-	-	-
GULF11C2003A	0.84	0.06	39,082	-	IRPC19C1910A	-	-	-	-	KCE19C1910B	0.28	-	1,110	-
GULF13C1909A	0.75	0.10	182,089	-	IRPC19C1910B	0.23	0.02	7,450	-	KCE23C1911A	0.28	-	3,000	-
GULF13C1910A	2.18	0.06	1	2.00	IRPC23C1908A	-	-	-	-	KCE24C1911A	0.42	-	1,472	-
GULF13C1912A	0.56	0.05	517,392	-	IRPC24C1909A	-	-	-	-	KCE28C1911A	0.36	(0.01)	14,084	-
GULF13P1908A	-	-	-	-	IRPC24C1911A	-	-	-	-	KCE41C1907A	0.01	-	9,000	-
GULF13P1910A	0.04	(0.01)	120,513	-	IRPC27C1911A	0.05	(0.01)	401	-	KCE41C1911A	0.41	-	16,000	-
GULF13P1911A	0.38	(0.05)	509,912	-	IRPC41C1910A	-	-	-	-	KCE42C1910A	-	-	-	-
GULF16C2001A	0.90	0.09	11,500	-	IRPC41C1911A	-	-	-	-	KKP01C1907A	0.63	0.03	26,386	-
GULF19C1908A	2.06	0.18	102	2.00	IRPC41C1911B	-	-	-	-	KKP01C1907B	0.19	0.03	31,822	-
GULF19C1910A	0.75	0.05	47,285	-	IRPC41C1912A	-	-	-	-	KKP01P1907A	-	-	-	-
GULF19C1912A	0.36	0.04	111,990	-	IRPC41P1909A	0.22	(0.01)	100	-	KKP11C1911A	0.41	0.03	5,242	-
GULF19P1911A	0.07	(0.02)	34,037	-	IRPC41P1912A	-	-	-	-	KKP13C1910A	0.41	0.04	55,262	-
GULF19P2001A	0.45	(0.04)	50,444	-	IRPC42C1911A	0.44	0.02	6,040	-	KKP16C2002A	0.68	(0.32)	16,000	-
GULF24C1908A	-	-	-	-	ITD13C1908A	0.04	(0.01)	3,760	-	KKP19C1911A	0.42	0.03	22,125	-
GULF24C1909A	0.85	0.10	44,082	-	IVL01C1908A	0.13	0.03	342,582	-	KKP24C1909A	0.40	(0.01)	1,000	-
GULF24P2001A	0.51	(0.05)	34,432	-	IVL01C1908B	0.03	-	5,283	-	KKP27P1908A	-	-	-	-
GULF27C2004A	0.58	0.04	28,000	-	IVL01C1911A	0.33	0.04	869,531	-	KKP27P2002A	0.43	(0.02)	4,260	-
GULF28C1908A	-	-	-	-	IVL01C1911B	0.17	0.03	274,893	-	KKP41C1910A	-	-	-	-
GULF28C1909A	-	-	-	-	IVL01P1908A	0.75	(0.08)	64,922	-	KTBO1C1909A	0.44	(0.01)	8,563	-
GULF28C1910A	0.61	-	22,600	-	IVL01P1908B	0.36	(0.07)	116,098	-	KTBO1C1909B	0.19	(0.01)	16,716	-
GULF28C2001A	0.40	0.02	42,654	-	IVL01P1911A	0.63	(0.05)	167,660	-	KTBO1P1909A	0.24	0.01	56,454	-
GULF41C1909A	0.73	0.06	16,050	-	IVL01P1911B	0.60	(0.07)	82,908	-	KTBI1C1909A	-	-	-	-
GULF41C1909B	-	-	-	-	IVL06C1910A	0.05	-	24,463	-	KTBI1C2004A	0.30	(0.02)	8,440	-
GULF41C1910A	-	-	-	-	IVL06P1910A	0.39	(0.10)	84,731	-	KTBI3C1908A	0.13	(0.01)	8,000	-
GULF41C1910B	-	-	-	-	IVL08C1907A	-	-	-	-	KTBI3C1912A	0.25	(0.01)	9,000	-
GULF41C1911A	-	-	-	-	IVL08C1911A	0.15	0.02	27,272	-	KTBI9C1907A	-	-	-	-
GULF41P1908A	-	-	-	-	IVL08P1910A	0.47	(0.07)	20,100	-	KTBI9C1912A	0.21	-	334	-
GULF41P1909A	0.05	-	10,600	-	IVL11C1911A	0.14	0.02	37,822	-	KTBI9P1910A	-	-	-	-
GULF41P1911A	0.08	(0.02)	1,840	-	IVL13C1908A	0.02	-	160	-	KTBI9C1908A	-	-	-	-
GULF41P1911B	-	-	-	-	IVL13C1909A	0.11	0.02	100,571	-	KTBI9P1907A	-	-	-	-
GULF41P1912A	0.42	(0.02)	1,481	-	IVL13C1912A	0.20	0.03	153,089	-	KTBI9P1910A	-	-	-	-
GULF42C1910A	0.74	0.08	308	-	IVL13P1908A	-	-	-	-	KTBI9P1911A	-	-	-	-
GUNK01C1912A	0.40	(0.01)	32,491	-	IVL13P1911A	0.38	(0.04)	328,012	-	KTC01C1910A	0.52	0.09	302,370	-
GUNK01C1912B	0.28	(0.02)	38,748	-	IVL13P1912A	0.78	(0.06)	1,408	-	KTC01C1910B	0.31	0.07	304,722	-
GUNK01P1912A	0.43	-	27,324	-	IVL16C2001A	0.18	0.03	2,000	-	KTC01P1910A	0.26	(0.07)	64,903	-
GUNK08C1912A	0.46	(0.02)	13,010	-	IVL19C1907A	-	-	-	-	KTC01P2001A	0.64	(0.08)	78,728	-
GUNK11C1911A	0.49	-	814	-	IVL19C1908A	-	-	-	-	KTC06C1911A	0.46	0.10	27,619	-
GUNK13C1909A	0.34	(0.01)	1,222	-	IVL19C1909A	-	-	-	-	KTC08C1907A	-	-	-	-
GUNK13C1912A	0.27	-	28,108	-	IVL19C1911A	0.09	-	67,177	-	KTC08C1910A	0.32	0.07	14,728	-
GUNK16C2002A	0.34	(0.01)	300	-	IVL19P1908A	-	-	-	-	KTC11C1911A	0.75	0.06	47,639	-
GUNK19C1910A	0.33	-	400	-	IVL19P1910A	0.24	(0.04)	18,234	-	KTC13C1909A	0.21	0.06	368,640	-
GUNK19C1911A	0.18	-	3,301	-	IVL23P1909A	0.43	(0.08)	14,000	-	KTC13P1909A	0.16	(0.05)	145,748	-
GUNK23C1907A	0.09	(0.01)	2,600	-	IVL24C1907A	-	-	-	-	KTC13P1911A	0.56	(0.11)	273,241	-
GUNK24C1909A	0.73	(0.03)	20	-	IVL24C1910A	0.20	0.04	5,830	-	KTC16C1911A	0.52	0.07	15,199	-
GUNK42C1910A	0.38	(0.01)	10,000	-	IVL27C1911A	0.23	(0.01)	7,570	-	KTC19C1907A	0.78	0.11	2,400	-
HANA01C1909A	0.13	(0.03)	100,530	-	IVL27C1912A	0.02	-	-	-	KTC19C1908A	0.28	0.08	107,732	-
HANA01C1909B	0.04	(0.01)	3	-	IVL27P1907A	-	-	-	-	KTC19C1910A	0.20	0.05	82,093	-
HANA01C1911A	0.99	(0.09)	35,464	-	IVL27P1912A	0.34	(0.04)	3,600	-	KTC19P1911A	0.27	(0.05)	194,100	-
HANA01C2001A	0.30	(0.03)	67,878	-	IVL28C1908A	-	-	-	-	KTC19P2001A	0.38	(0.07)	2,138	-
HANA01C2001B	0.21	(0.02)	88,144	-	IVL28C1910A	0.09	-	13,130	-	KTC23C1908A	0.49	0.08	9,000	-
HANA11C1911A	-	-	-	-	IVL28P1909A	0.32	(0.06)	20,234	-	KTC24C1907A	0.56	0.15	1,550	-
HANA13C1910A	0.08	(0.02)	6,892	-	IVL41C1909A	-	-	-	-	KTC24C2001A	0.47	0.07	10,340	-
HANA13C1911A	0.97	(0.10)	39,673	-	IVL41C1910A	-	-	-	-	KTC27C1911A	0.43	0.05	15,758	-
HANA13C1912A	0.26	(0.02)	105,711	-	IVL41C1910B	-	-	-	-	KTC27P1911A	0.38	(0.04)	7,494	-
HANA19C1910A	0.14	(0.02)	14,990	-	IVL41P1907A	-	-	-	-	KTC28C1908A	0.04	0.01	1,805	-
HANA24C1907A	-	-	-	-	IVL41P1912A	-	-	-	-	KTC28C1909A	0.17	0.05	20,236	-
HANA27C2001A	0.32	(0.03)	11,400	-	IVL42C1910A	0.13	-	1,500	-	KTC41C1910A	0.35	0.06	11,980	-
HMPRO1C1908A	0.51	-	13,297	-	JAS06C1912A	0.52	0.02	21,023	-	KTC41P1910A	-	-	-	-
HMPRO1C1908B	0.29	-	25,282	-	JAS13C1912A	0.51	0.03	374,718	-	KTC42C1911A	0.32	0.05	988	-
HMPRO1P1908A	0.09	-	20,000	-	JAS16C2002A	0.58	(0.42)	36,000	-	LHO1C1909A	0.29	0.01	66,160	-
HMPRO6C1910A	0.34	(0.02)	6,600	-	JAS16C2002B	0.49	(0.51)	36,000	-	LHO1C1909B	0.17	0.01	70,533	-
HMPRO8C1912A	0.30	-	11,800	-	JAS19C1912A	0.37	0.01	59,782	-	LHO1P1909A	0.15	(0.01)	24,971	-
HMPR1C2003A	0.37	(0.01)	7,100	-	JAS41C1912A	0.46	0.01	18,000	-	LHO7C1908A	-	-	-	-
HMPR13C1908A	-	-	-	-	JAS41P1912A	0.35	(0.01)	11	-	LH11C1911A	0.20	-	1,200	-
HMPR13C1912A	0.23	(0.01)	28,411	-	KBAN01C1907A	0.28	(0.11)	17,988	-	LH13C1910A	0.17	-	43,515	-
HMPR19C1907A	0.07	(0.01)	3,200	-	KBAN01C1907B	-	-	-	-	LH16C2002A	0.27	(0.73)	5,000	-
HMPR19C1911A	0.18	(0.01)	5,001	-	KBAN01C1911A	0.59	(0.06)	44,178	-	LH19C1907A	0.05	(0.01)	20,000	-
HMPR24C1907A	-	-	-	-	KBAN01C1911B	0.31	(0.05)	44,071	-	LH19C1911A	-	-	-	-
HMPR27P2001A	0.32	0.01	3,562	-	KBAN01P1907A	-	-	-	-	LH19P1910A	-	-	-	-
HMPR41C1907A	-	-	-	-	KBAN01P1911A	1.34	0.08	58,683	1.00	LH24C1912A	0.16	-	1,500	-
HMPR41C1911A	-	-	-	-	KBAN01P1911B	0.94	0.07	106,439	-	LH41C1907A	-	-	-	-

## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MEGA13C1912A	0.32	0.01	8,362	-	PTG01C2001B	0.72	(0.04)	690,012	-	PTTG01C1907B	0.01	(0.01)	3,382	-
MEGA19C1910A	0.13	-	25,300	-	PTG01P1908A	0.01	(0.01)	2,315	-	PTTG01C1910A	0.29	(0.01)	160,911	-
MINT01C1911A	0.46	-	46,315	-	PTG01P1911A	0.11	-	60,644	-	PTTG01C1910B	0.31	-	78,361	-
MINT01C1911B	0.36	-	76,575	-	PTG01P2001A	0.53	0.01	279,048	-	PTTG01C1912A	0.65	(0.01)	49,608	-
MINT01P1911A	0.35	-	32,734	-	PTG06C1910A	2.24	(0.04)	48,875	2.00	PTTG01C1912B	0.47	-	120,194	-
MINT06C1908A	0.14	(0.02)	8,250	-	PTG08C1907A	-	-	-	-	PTTG01P1907A	0.25	(0.03)	62,162	-
MINT08C1908A	0.14	(0.01)	9,000	-	PTG08C1912A	0.86	(0.03)	146,496	-	PTTG01P1907B	-	-	-	-
MINT11C1910A	0.34	-	17,780	-	PTG11C2003A	1.22	(0.04)	94,294	1.00	PTTG01P1910A	1.23	(0.01)	42,318	1.00
MINT13C1908A	0.15	(0.02)	38,419	-	PTG13C1910A	1.84	(0.06)	138,353	1.00	PTTG01P1910B	0.45	(0.02)	116,901	-
MINT13C1911A	0.36	-	34,762	-	PTG13C1911A	1.26	(0.05)	163,842	1.00	PTTG01P1912A	0.87	(0.01)	32,267	-
MINT16C1911A	0.39	(0.01)	4,500	-	PTG13C1912A	0.76	(0.03)	559,606	-	PTTG01P1912B	0.59	(0.01)	78,848	-
MINT16C2001A	0.35	(0.65)	300	-	PTG13C1912B	0.49	(0.02)	669,886	-	PTTG06C1908A	-	-	-	-
MINT19C1908A	0.10	(0.01)	88,860	-	PTG13P1911A	0.29	0.01	364,337	-	PTTG06C1911A	0.32	(0.02)	22,297	-
MINT19P1910A	-	-	-	-	PTG16C1911A	1.66	(0.06)	31,230	1.00	PTTG06P1908A	0.51	(0.02)	7,550	-
MINT23C2001A	0.38	0.01	2,500	-	PTG19C1907A	2.04	(0.02)	6,333	2.00	PTTG07C1908A	-	-	-	-
MINT24C1908A	-	-	-	-	PTG19C1910A	1.40	(0.04)	7,832	1.00	PTTG08C1911A	0.20	-	8,000	-
MINT27C1912A	0.33	-	1,800	-	PTG19C1910B	0.75	(0.04)	25,041	-	PTTG08P1912A	0.45	(0.01)	12,000	-
MINT27P1912A	0.19	-	8,646	-	PTG19C1911A	0.49	(0.02)	168,702	-	PTTG11C1909A	-	-	-	-
MINT41C1910A	-	-	-	-	PTG19P1908A	-	-	-	-	PTTG11C2004A	0.51	-	19,012	-
MINT41P1912A	-	-	-	-	PTG19P1910A	-	-	-	-	PTTG13C1908A	0.05	(0.01)	914	-
MTC01C1907A	0.70	0.12	23,191	-	PTG19P2001A	0.44	-	51,626	-	PTTG13C1911A	0.33	0.01	74,714	-
MTC01C1907B	0.25	0.09	81,020	-	PTG24C1909A	-	-	-	-	PTTG13P1909A	-	-	-	-
MTC01C1912A	0.66	0.11	107,934	-	PTG27P1910A	-	-	-	-	PTTG13P1910A	0.34	(0.01)	88,000	-
MTC01C1912B	0.47	0.08	159,390	-	PTG27P2001A	0.24	0.02	30,234	-	PTTG16C2001A	0.26	-	4,001	-
MTC01P1907A	0.01	-	1,200	-	PTG28C1908A	-	-	-	-	PTTG19C1910A	0.14	0.01	420	-
MTC01P1912A	0.61	(0.11)	102,394	-	PTG28C1910A	-	-	-	-	PTTG19P1910A	-	-	-	-
MTC06C1908A	0.81	0.17	9,390	-	PTG28C1910B	-	-	-	-	PTTG23C1908A	-	-	-	-
MTC06C1912A	0.51	0.09	36,560	-	PTG28C1911A	0.79	(0.02)	26,188	-	PTTG24C1907A	-	-	-	-
MTC07C1909A	-	-	-	-	PTG28C1912A	0.56	(0.03)	125,489	-	PTTG24C1911A	0.37	0.02	100	-
MTC08C1911A	0.57	0.09	50,000	-	PTG41C1907A	-	-	-	-	PTTG27C2001A	0.44	-	8,904	-
MTC11C2002A	0.86	0.09	39,297	-	PTG41C1910A	-	-	-	-	PTTG28C1911A	0.21	-	10,040	-
MTC13C1910A	0.52	0.04	2,122	-	PTG41C1912A	0.84	0.03	58,000	-	PTTG41C1909A	-	-	-	-
MTC13C1912A	0.50	0.11	342,579	-	PTG41P1911A	-	-	-	-	PTTG41C1911A	-	-	-	-
MTC16C1911A	0.74	0.09	32,353	-	PTG41P1912A	0.53	0.01	7,000	-	PTTG41C1911B	-	-	-	-
MTC19C1907A	0.31	0.08	9,378	-	PTG42C1910A	1.56	(0.02)	35	1.00	PTTG41P1908A	-	-	-	-
MTC19C1911A	0.38	0.08	75,992	-	PTT01C1907A	0.31	(0.02)	258	-	PTTG41P1912A	0.81	(0.19)	6,000	-
MTC19P1911A	0.28	(0.06)	38,661	-	PTT01C1907B	0.01	(0.02)	2	-	PTTG42C1910A	-	-	-	-
MTC23C1911A	0.54	0.01	8,000	-	PTT01C1910A	0.32	-	96,300	-	QH01C1908A	0.35	0.01	83,439	-
MTC24C1910A	0.45	0.09	1,185	-	PTT01C1910B	0.26	(0.01)	10	-	QH01C1908B	0.15	-	13,796	-
MTC24C1912A	0.96	0.09	266	-	PTT01P1907A	0.11	(0.01)	113,722	-	QH01P1908A	0.14	-	41,988	-
MTC27C1911A	0.68	0.09	28,800	-	PTT01P1907B	-	-	-	-	QH11C1910A	0.23	-	2,000	-
MTC27P1911A	0.21	(0.04)	58,522	-	PTT01P1910A	0.62	0.01	108,189	-	QH13C1909A	0.20	(0.01)	29,898	-
MTC28C1910A	0.43	0.08	59,752	-	PTT01P1910B	0.26	0.01	191,430	-	QH19C1909A	-	-	-	-
MTC28C1912A	0.39	0.09	41,380	-	PTT06C1908A	-	-	-	-	QH24C1908A	-	-	-	-
MTC41C1911A	0.46	0.06	12,000	-	PTT06C1912A	0.25	(0.76)	60	-	RATC13C1911A	0.44	0.03	229,783	-
MTC41P1907A	-	-	-	-	PTT08C1912A	0.46	(0.02)	14,730	-	RATC16C2001A	0.40	0.01	3,015	-
MTC41P1911A	-	-	-	-	PTT08P1911A	0.32	-	30,904	-	RATC19C1908A	0.42	0.04	2,401	-
MTC42C1910A	-	-	-	-	PTT11C1909A	0.04	-	1,000	-	RATC19C1910A	0.15	0.01	133,588	-
ORI08C1907A	0.46	0.02	2,600	-	PTT11C2004A	0.35	(0.01)	14,301	-	RATC41C1911A	0.20	0.02	820	-
ORI11C1909A	0.63	0.04	3,400	-	PTT13C1909A	0.10	(0.01)	101,435	-	ROB01C1909A	0.16	(0.06)	130,532	-
ORI13C1907A	0.54	(0.05)	40	-	PTT13C1911A	0.29	(0.01)	202,498	-	ROB01C1909B	0.03	(0.02)	14,023	-
ORI13C1912A	0.67	0.01	74,855	-	PTT13P1909A	-	-	-	-	ROB01C1912A	0.41	(0.10)	102,939	-
ORI19C1910A	0.59	0.02	7,088	-	PTT13P1911A	0.33	-	18,892	-	ROB01C1912B	0.26	(0.09)	132,919	-
ORI19C2001A	0.22	0.01	10,567	-	PTT16C1912A	-	-	-	-	ROB06C1910A	0.14	(0.08)	82,505	-
ORI23C1911A	0.78	0.02	11,200	-	PTT16C2001A	0.25	(0.01)	200	-	ROB08C2001A	0.27	(0.11)	32,895	-
ORI24C1908A	0.73	0.03	8,700	-	PTT19C1911A	0.21	-	270	-	ROB11C2003A	0.32	(0.09)	25,222	-
ORI24C2001A	0.44	(0.56)	5,640	-	PTT19P1908A	-	-	-	-	ROB13C1908A	0.04	(0.05)	12,007	-
ORI41C1907A	-	-	-	-	PTT19P1911A	0.15	-	1,000	-	ROB13C1912A	0.28	(0.09)	287,859	-
ORI41C1907B	-	-	-	-	PTT23C1911A	0.22	(0.01)	9,000	-	ROB19C1907A	-	-	-	-
ORI41C1911A	0.62	(0.03)	24,000	-	PTT24C1911A	-	-	-	-	ROB19C1910A	0.13	(0.10)	45,930	-
OSP01C1912A	0.33	(0.04)	155,482	-	PTT24P1907A	-	-	-	-	ROB123C1909A	0.09	(0.07)	24,010	-
OSP01C1912B	0.22	(0.02)	113,573	-	PTT28C1911A	0.15	(0.02)	7,635	-	ROB124C1907A	-	-	-	-
OSP01P1912A	0.40	0.03	86,254	-	PTT28C1912A	0.23	(0.01)	2,505	-	ROB124C1909A	0.08	(0.11)	7,010	-
OSP06C1912A	0.25	(0.03)	17,939	-	PTT28P1912A	0.30	-	12,217	-	ROB141C1912A	-	-	-	-
OSP13C1912A	0.31	(0.04)	242,779	-	PTT41C1910A	-	-	-	-	RS06C1908A	-	-	-	-
OSP16C2001A	0.27	(0.73)	25,000	-	PTT41C1910B	-	-	-	-	RS08C1911A	0.19	0.01	19,638	-
OSP19C1912A	0.24	(0.02)	33,253	-	PTT41P1908A	-	-	-	-	RS08C2001A	0.33	0.01	37,430	-
OSP24C1912A	0.28	(0.04)	253	-	PTT41P1911A	-	-	-	-	RS11C1911A	0.34	0.01	1,320	-
OSP28C2001A	0.26	(0.02)	6,085	-	PTT42C1911A	-	-	-	-	RS13C1909A	0.08	-	47,107	-
OSP41C1912A	0.31	(0.06)	21,220	-	PTTE01C1907A	0.86	(0.07)	18,975	-	RS13C1912A	0.32	-	57,027	-
OSP41P1912A	-	-	-	-	PTTE01C1907B	0.10	(0.02)	24,305	-	RS16C2001A	0.33	0.01	2,312	-
PLAN13C1908A	-	-	-	-	PTTE01C1910A	0.49	(0.01)	56,297	-	RS19C1908A	-	-	-	-
PLAN13C1912A	0.63	0.04	19,343	-	PTTE01C1910B	0.44	(0.01)	77,648	-	RS19C1911A	0.18	-	21,000	-
PLAN13C1912B	0.38	0.04	67,041	-	PTTE01P1907A	0.03	(0.01)	120	-	RS23C1909A	0.07	(0.02)	1,000	-
PLAN16C2002A	0.59	(0.41)	38,346	-	PTTE01P1907B	0.01	-	2	-	RS24C1910A	0.15	0.01	6,280	-
PLAN19C1911A	0.51	0.04	25,259	-	PTTE01P1910A	0.81	-	73,087	-	RS41C1908A	-	-	-	-
PLAN19C2001A	0.30	0.03	25,608	-	PTTE01P1910B	0.30	-	81,224	-	RS41C1912A	-	-	-	-
PLAN23C1909A	0.52	0.04	5,300	-	PTTE06C1908A	0.19	(0.03)	9,910	-	RS42C1911A	0.36	0.01	5,600	-
PLAN24C1912A	0.49	0.04	8	-	PTTE06P1910A	0.24	-	16,040	-	S1000C1911A	0.81	(0.01)	632	-
PLAN27C1908A	0.70	0.05	11,487	-	PTTE08C1910A	0.29	(0.01)	6,910	-	S5001C1907A	0.97	0.02	159,503	-
PLAN41C1910A	0.52	0.05	10,000	-	PTTE08P1911A	0.41	-	4,170	-	S5001C1908A	1.06	0.02	881,055	1.00
PRM13C1908A	0.57	(0.11)	1	-	PTTE11C1910A	0.54	-	22,120	-	S5001C1909F	1.58	(0.02)	3,505,312	1.00
PRM13C1912A	0.56	(0.10)	195,287	-	PTTE13C1908A	0.28	(0.01)	63,079	-	S5001C1909G	1.28	-	3,761,118	1.00
PRM19C1910A	0.52	(0.11)	19,098	-	PTTE13C1911A	0.58	(0.01)	131,512	-	S5001C1909H	0.66	(0.02)	3,021,651	-
PRM19C2001A	0.36	(0.06)	33,913	-	PTTE13P1908A	0.09	-	7,035	-	S5001C1909I	0.39	(0.01)	1,930,718	-
PRM23C1909A	0.54	(0.08)	24,600	-	PTTE13P1911A	0.63	(0.02)	121,643	-	S5001C1910A	0.84	0.01	521,942	-
PRM27C2002A	0.58	(0.07)	32,400											

## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013C1909A	1.17	-	3,719,209	1.00	SCC16C2002A	-	-	-	-	STEC19P1911A	0.18	0.01	10,824	-
S5013C1909B	1.17	-	110,895	1.00	SCC19C1907A	0.10	-	18,000	-	STEC23C1907A	0.19	(0.01)	300	-
S5013C1909C	0.72	-	8,738,452	-	SCC19C1907B	-	-	-	-	STEC24C1911A	0.22	(0.01)	600	-
S5013C1909D	0.44	-	3,256,865	-	SCC19C1911A	0.20	-	25,218	-	STEC27C1908A	-	-	-	-
S5013C1909E	0.78	(0.22)	8,690	-	SCC19P1911A	0.15	-	8,000	-	STEC27C2002A	0.19	0.01	16,692	-
S5013P1909A	0.11	-	959,984	-	SCC24C1910A	-	-	-	-	STEC27P1910A	0.09	-	9,156	-
S5013P1909B	0.27	-	4,538,232	-	SCC24C1912A	0.38	(0.01)	1,150	-	STEC41C1907A	-	-	-	-
S5013P1909C	0.41	(0.01)	1,758,573	-	SCC24P1909A	-	-	-	-	STEC41C1910A	-	-	-	-
S5013P1909D	0.69	(0.01)	10,019,109	-	SCC24P1910A	0.37	0.01	2,240	-	STEC41P1911A	-	-	-	-
S5013P1909E	0.86	(0.14)	12,819	-	SCC27C2001A	0.28	(0.02)	13,686	-	STEC42C1910A	-	-	-	-
S5024C1909A	1.14	0.02	23,339	1.00	SCC28C1910A	0.09	(0.01)	10,220	-	SUPE19C1910A	0.16	0.02	17,651	-
S5024C1909B	0.95	-	9,504	-	SCC41C1907A	-	-	-	-	TASC01C1909A	0.83	(0.02)	33,967	-
S5024C1909C	0.39	-	60,687	-	SCC41C1908A	-	-	-	-	TASC01C1909B	0.61	-	50,774	-
S5024P1909A	0.33	(0.01)	151,885	-	SCC41C1908B	-	-	-	-	TASC01C1912A	0.54	(0.02)	80,992	-
S5024P1909B	0.45	(0.01)	5,600	-	SCC42C1911A	-	-	-	-	TASC01C1912B	0.38	(0.01)	51,628	-
S5024P1909C	1.04	(0.02)	25,371	1.00	SGP08C1907A	-	-	-	-	TASC01P1909A	0.11	-	122,634	-
S5028C1907A	0.32	(0.02)	5,510	-	SGP11C1911A	0.15	(0.02)	15,310	-	TASC01P1912A	0.62	(0.01)	30,810	-
S5028C1908A	0.93	0.01	106,486	-	SGP13C1907A	-	-	-	-	TASC06C1909A	0.73	(0.01)	9,180	-
S5028C1909A	0.47	-	461,765	-	SGP13C1908A	0.13	(0.01)	30,469	-	TASC06P1909A	0.02	-	5	-
S5028C1912A	0.23	-	56,184	-	SGP13C1912A	0.13	(0.01)	62,495	-	TASC08C1910A	0.59	(0.02)	17,350	-
S5028P1907A	0.02	0.01	60	-	SGP19C1907A	-	-	-	-	TASC11C2002A	0.89	0.01	4,000	-
S5028P1908A	0.09	-	380	-	SGP19C1910A	0.08	-	69,048	-	TASC13C1907A	-	-	-	-
S5028P1909A	0.55	(0.01)	472,438	-	SGP19C2001A	0.18	-	270	-	TASC13C1911A	0.56	(0.02)	326,803	-
S5028P1912A	0.42	-	491,886	-	SGP23C1908A	0.13	(0.01)	4,540	-	TASC16C2001A	0.49	-	11,610	-
S5041C1909A	-	-	-	-	SGP24C1910A	-	-	-	-	TASC19C1907A	-	-	-	-
S5041C1909B	-	-	-	-	SGP42C1911A	0.42	(0.01)	340	-	TASC19C1907B	-	-	-	-
S5041C1909C	0.55	-	5,877,583	-	SIRI01C1907A	0.57	(0.01)	4,066	-	TASC19C1910A	0.32	(0.02)	110,399	-
S5041C1909F	1.02	(0.30)	950	1.00	SIRI01C1907B	0.31	(0.04)	791	-	TASC19P1911A	0.26	0.01	8,822	-
S5041C1909G	0.73	(0.06)	50	-	SIRI01P1907A	-	-	-	-	TASC23C1907A	-	-	-	-
S5041P1909A	0.32	(0.01)	48,000	-	SIRI11C1911A	-	-	-	-	TASC24C1908A	-	-	-	-
S5041P1909B	-	-	-	-	SIRI19C1910A	0.15	(0.02)	1,818	-	TASC28C1908A	-	-	-	-
S5041P1909C	0.72	-	2,934,765	-	SIRI24C1907A	-	-	-	-	TASC28C1910A	0.54	-	1,000	-
S5041P1909F	-	-	-	-	SIRI24C1911A	-	-	-	-	TASC28C1912A	0.33	(0.01)	9,436	-
S5041P1909G	0.22	-	4,600	-	SPAL01C1907A	1.07	0.02	3,748	1.00	TASC41C1909A	-	-	-	-
SAWA01C1907A	0.87	0.09	161,865	-	SPAL01C1907B	0.80	0.05	4,522	-	TASC41C1912A	0.46	0.02	6,000	-
SAWA01C1907B	0.38	0.06	55,432	-	SPAL01C1911A	0.54	0.02	46,492	-	TASC42C1910A	0.52	(0.03)	5,000	-
SAWA01C1911A	0.69	0.07	123,008	-	SPAL01C1911B	0.32	0.02	64,179	-	TCAP01C1907A	0.46	(0.04)	7,340	-
SAWA01C1911B	0.42	0.04	128,402	-	SPAL11C1910A	0.66	0.01	1,200	-	TCAP01C1907B	0.11	(0.01)	7,636	-
SAWA01P1907A	0.01	(0.01)	237	-	SPAL13C1909A	0.32	0.02	33,764	-	TCAP01P1907A	-	-	-	-
SAWA01P1911A	0.56	(0.04)	68,923	-	SPAL16C2002A	0.52	(0.48)	19,600	-	TCAP11C1909A	0.08	(0.01)	600	-
SAWA06C1908A	0.59	0.07	8,901	-	SPAL19C1910A	0.32	-	4,865	-	TCAP13C1910A	0.21	(0.04)	35,391	-
SAWA08C1908A	0.38	0.05	15,152	-	SPAL24C1907A	-	-	-	-	TCAP19C1907A	0.05	(0.03)	21,560	-
SAWA11C2003A	0.81	0.06	31,048	-	SPAL24C1912A	0.32	-	20	-	TCAP19C1908A	-	-	-	-
SAWA13C1908A	0.65	(0.05)	44	-	SPAL41C1912A	-	-	-	-	TCAP24C1907A	-	-	-	-
SAWA13C1911A	0.53	0.05	181,275	-	SPRC01C1907A	0.06	(0.01)	26,771	-	TCAP41C1911A	-	-	-	-
SAWA16C2001A	-	-	-	-	SPRC01C1907B	0.01	-	1,000	-	THAI01C1907A	-	-	-	-
SAWA19C1908A	0.33	0.05	56,538	-	SPRC01C1911A	0.53	-	25,954	-	THAI01C1907B	-	-	-	-
SAWA19C1912A	0.34	0.04	76,636	-	SPRC01C1911B	0.15	-	122,261	-	THAI01P1907A	0.44	(0.04)	7,282	-
SAWA23C1911A	0.55	0.03	7,000	-	SPRC06C1907A	-	-	-	-	THAI08C1911A	-	-	-	-
SAWA24C1910A	-	-	-	-	SPRC11C1909A	-	-	-	-	THAI11C2003A	-	-	-	-
SAWA24C1912A	0.51	0.04	10,290	-	SPRC13C1910A	0.07	-	9,888	-	THAI13C1910A	-	-	-	-
SAWA27C1910A	0.70	0.06	8,100	-	SPRC13C1911A	0.36	(0.05)	44,236	-	THAI13C1911A	-	-	-	-
SAWA28C1909A	0.43	0.03	260	-	SPRC13C1912A	0.17	(0.01)	176,257	-	THAI13C1912A	0.22	-	42,850	-
SAWA28C1910A	0.35	0.05	51,922	-	SPRC19C1907A	-	-	-	-	THAI19C1910A	-	-	-	-
SAWA28C2001A	0.47	0.04	11,176	-	SPRC19C1910A	0.09	(0.01)	13,269	-	THAI19C1910B	0.26	(0.01)	1,000	-
SAWA41C1908A	-	-	-	-	SPRC23C1907A	-	-	-	-	THAI19C1911A	0.13	-	17,001	-
SAWA41C1911A	0.73	0.07	56,552	-	SPRC24C1909A	0.31	(0.02)	2,750	-	THAI24C1911A	-	-	-	-
SAWA41P1911A	0.23	(0.03)	20	-	SPRC41C1911A	0.08	(0.12)	1	-	THAI42C1911A	-	-	-	-
SAWA41P1912A	0.73	(0.27)	4,600	-	SPRC41C1912A	-	-	-	-	THAN01C1907A	0.83	0.02	17,126	-
SAWA42C1910A	0.46	(0.06)	200	-	STA01C1908A	0.06	0.01	190	-	THAN01C1907B	0.50	0.05	13,666	-
SCB01C1907A	0.64	0.03	15,216	-	STA01C1908B	-	-	-	-	THAN06C1910A	0.41	0.03	17,901	-
SCB01C1907B	0.20	-	77,104	-	STA01C1912A	0.37	0.01	94,088	-	THAN13C1909A	0.39	0.03	51,292	-
SCB01C1911A	0.78	0.04	38,309	-	STA01C1912B	0.26	-	86,011	-	THAN19C1908A	0.19	-	22,113	-
SCB01C1911B	0.59	0.02	131,913	-	STA01P1912A	0.28	-	76,250	-	THAN24C1907A	-	-	-	-
SCB01P1907A	0.06	(0.01)	8,000	-	STA06C1911A	0.35	-	9,720	-	THAN24C2001A	0.39	(0.02)	1,000	-
SCB01P1907B	0.01	-	2	-	STA08C1908A	0.02	(0.01)	1	-	THAN27C1910A	0.41	0.01	21,000	-
SCB01P1911A	0.56	-	45,021	-	STA11C1909A	-	-	-	-	TISCO01C1908A	1.62	0.08	31,404	1.00
SCB01P1911B	0.34	(0.02)	139,489	-	STA13C1908A	0.06	(0.01)	6,068	-	TISCO01C1908B	1.11	0.06	56,010	1.00
SCB06C1912A	0.40	0.02	28,400	-	STA13C1912A	0.19	-	72,150	-	TISCO01P1908A	0.03	(0.01)	19,296	-
SCB08C1908A	0.19	0.01	14,800	-	STA19C1907A	-	-	-	-	TISC11C1910A	1.30	(0.01)	1,719	1.00
SCB11C1910A	0.24	0.01	14,600	-	STA19C1909A	0.08	-	9,752	-	TISC13C1908A	-	-	-	-
SCB11P1910A	0.14	(0.01)	9,900	-	STA23C1911A	0.28	0.01	8,250	-	TISC13C1912A	0.96	0.03	93,464	-
SCB13C1911A	0.65	0.01	200,595	-	STA24C1909A	-	-	-	-	TISC16C2001A	-	-	-	-
SCB16C2001A	0.56	0.01	5,610	-	STA24C1911A	0.27	-	1,070	-	TISC19C1908A	0.78	0.04	4,218	-
SCB19C1910A	0.34	-	26,559	-	STA27C1911A	0.20	0.01	11,902	-	TISC19C1912A	0.31	0.01	6,864	-
SCB19P1911A	-	-	-	-	STA41C1907A	-	-	-	-	TISC23C1907A	-	-	-	-
SCB24C1910A	0.34	(0.02)	350	-	STA41C1910A	0.14	(0.02)	6,000	-	TISC24C1908A	1.11	0.01	4,105	1.00
SCB24P1909A	-	-	-	-	STA41C1912A	-	-	-	-	TISC41C1911A	0.90	0.01	4,000	-
SCB28C1911A	0.47	-	21,231	-	STA42C1911A	0.32	-	6,000	-	TISC42C1910A	0.91	0.02	2,000	-
SCB28C2001A	0.27	0.01	12,144	-	STEC01C1907A	-	-	-	-	TKN01C1909A	0.10	-	1,040	-
SCB28P1909A	-	-	-	-	STEC01C1907B	-	-	-	-	TKN01C1909B	-	-	-	-
SCB41C1910A	0.39	0.01	8,660	-	STEC01C1911A	0.23	-	139,325	-	TKN01C1911A	0.50	0.01	1,986	-
SCB41P1907A	-	-	-	-	STEC01C1911B	0.18	0.01	102,772	-	TKN06C1909A	-	-	-	-
SCB41P1912A	-	-	-	-	STEC01P1907A	-	-	-	-	TKN08C1908A	-	-	-	-
SCB42C1911A	-	-	-	-	STEC01P1911A	0.25	-	191,425	-	TKN13C1908A	-	-	-	-
SCC01C1907A	0.38	-	35,707	-	STEC06C1908A	0.60	(0.10)	1,100	-	TKN13C1909A	0.16	-	13,600	-
SCC01C1907B	0.05	(0.01)	149,862	-	STEC06C1912A	0.20	0.01	15,700	-	TKN13C1911A	0.46	0.01	39,733	-
SCC01P1907A	0.08	-	277,015	-	STEC08C1908A	-	-	-	-	TKN16C2001A	0.41	0.01	4,000	-
SCC06C1907A	-	-	-	-	STEC08C2001A	0.23	0.01	15,200	-	TKN19				



## Main Board Quotation

Issue Date :

Thursday July 18, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB01C1909A	0.07	0.01	1,000	-	TRUE42C1910A	0.48	0.03	60	-	J-W1	0.80	(0.01)	19,777	-
TMB08C1908A	-	-	-	-	TU01C1907A	0.59	(0.02)	19,255	-	JAS-W3	5.25	0.25	319,086	5.00
TMB13C1908A	-	-	-	-	TU01C1907B	0.28	-	9,219	-	JCK-W5	0.28	0.04	68,031	-
TMB19C1910A	0.07	(0.01)	55,256	-	TU01C2001A	0.50	(0.01)	39,014	-	JMT-W2	3.58	0.16	6,430	3.00
TMB24C1911A	0.17	(0.01)	10	-	TU01C2001B	0.36	-	77,933	-	MACO-W2	0.28	0.01	1,544,834	-
TMB28C1911A	-	-	-	-	TU01P1907A	-	-	-	-	MILL-W3	-	-	-	-
TMB28C1912A	0.25	-	59,848	-	TU01P2001A	0.49	0.01	39,935	-	MILL-W4	0.07	-	3,128	-
TMB41C1911A	-	-	-	-	TU11C2003A	0.33	-	18,150	-	MILL-W5	0.03	-	8,762	-
TMB41C1912A	0.24	-	12,000	-	TU13C1909A	0.16	(0.01)	2,030	-	MINT-W6	5.65	0.10	31,327	5.00
TMB41P1911A	-	-	-	-	TU13C1912A	0.33	-	94,960	-	MONO-W1	0.20	-	209,448	-
TOA01C1907A	0.54	0.01	35,083	-	TU19C1908A	0.05	(0.01)	600	-	NEP-W3	0.01	-	140	-
TOA01C1907B	0.31	(0.01)	3,250	-	TU24C1909A	-	-	-	-	NFC-W1	1.78	(0.05)	516	1.00
TOA01C2001A	0.45	0.01	91,291	-	TU41C1911A	0.34	0.02	360	-	NOK-W1	0.20	0.01	83	-
TOA01C2001B	0.33	(0.01)	143,403	-	TU41P1911A	-	-	-	-	NPPG-W4	0.57	(0.02)	150,546	-
TOA01P2001A	0.46	(0.02)	71,256	-	TVO11C2001A	0.22	-	1,796	-	NUSA-W3	0.18	-	11,607	-
TOA11C1911A	0.36	0.04	7,786	-	TVO19C1911A	0.22	-	8,400	-	NVD-W1	0.22	0.01	8,200	-
TOA13C1909A	0.50	0.02	179,204	-	TVO23C1907A	-	-	-	-	ORI-W1	1.15	0.03	345,167	1.00
TOA16C2001A	-	-	-	-	UV13C1908A	0.08	0.01	4,636	-	PACE-W2	0.02	-	3,080	-
TOA19C1910A	0.55	0.02	10,000	-	VGI23C1911A	1.73	0.02	4	1.00	PDI-W1	0.83	-	14,073	-
TOA19C1911A	0.26	-	30,741	-	WHA01C1911A	0.67	(0.01)	36,734	-	PDJ-W3	0.57	-	42	-
TOA24C1911A	0.49	(0.03)	18,740	-	WHA01C1911B	0.47	(0.01)	59,415	-	PDJ-W4	0.59	(0.01)	12	-
TOP01C1907A	0.26	0.01	79,305	-	WHA01P1911A	0.55	-	28,017	-	PERM-W1	0.43	(0.01)	587,359	-
TOP01C1907B	0.02	-	100	-	WHA06C1908A	0.37	(0.01)	3,100	-	RICHY-W2	0.10	0.01	40,869	-
TOP01C1910A	0.47	(0.01)	175,046	-	WHA08C1908A	0.25	-	10,400	-	RS-W3	5.45	0.05	4,367	5.00
TOP01C1910B	0.58	-	123,327	-	WHA11C2001A	0.47	(0.01)	11,000	-	SAMART-W2	1.01	(0.03)	86,795	1.00
TOP01C1912A	0.78	-	88,765	-	WHA13C1909A	0.43	(0.03)	905	-	SAWAD-W1	8.65	0.30	1,407	8.00
TOP01C1912B	0.55	-	185,802	-	WHA13C1912A	0.44	(0.01)	84,500	-	SDC-W1	0.19	(0.01)	8,347	-
TOP01P1907A	0.56	(0.01)	39,658	-	WHA16C1911A	0.51	(0.02)	5,000	-	SINGER-W1	3.04	0.08	12,726	3.00
TOP01P1910A	0.58	-	183,569	-	WHA19C1907A	0.10	(0.01)	20,601	-	SINGER-W2	2.06	0.08	68,467	2.00
TOP01P1912A	0.50	(0.01)	217,648	-	WHA19C1911A	0.24	-	10	-	SMT-W2	0.45	0.02	9,036	-
TOP06C1908A	0.15	(0.04)	7,000	-	WHA24C1907A	-	-	-	-	SPORT-W7	0.02	-	10	-
TOP06C1911A	0.80	0.03	25,971	-	WHA24C1911A	0.23	(0.01)	970	-	SST-W2	1.54	(0.01)	39,735	1.00
TOP07C1908A	0.09	0.01	2,000	-	WHA24P1908A	-	-	-	-	SUPER-W4	0.06	0.01	381,235	-
TOP08C1911A	0.43	0.02	35,118	-	WHA27C1910A	0.38	-	3,600	-	SVI-W3	1.36	(0.18)	113,233	1.00
TOP08P1912A	0.21	(0.01)	8,950	-	WHA28C1910A	0.40	-	14,775	-	TCC-W3	0.10	-	5,997	-
TOP11C2002A	0.43	0.03	2,341	-	WHA28C1912A	0.30	(0.01)	4,048	-	TCC-W4	0.10	-	3,217	-
TOP11P2002A	0.84	(0.01)	56,775	-	WHA41C1911A	0.35	(0.03)	1,332	-	TCC-W5	0.21	0.01	1,762	-
TOP13C1909A	0.17	(0.01)	25,446	-	WHA41P1912A	0.56	(0.01)	1,140	-	TCI-W2	0.57	-	775	-
TOP13C1910A	0.44	-	309,676	-	WHA42C1911A	-	-	-	-	TCMC-W2	0.13	(0.01)	64,969	-
TOP13C1911A	0.74	0.02	150	-	WHAU13C1910A	0.21	-	4,490	-	TFG-W2	0.93	0.05	217,376	-
TOP13P1909A	0.29	(0.02)	139,430	-	WHAU13C1912A	0.24	(0.01)	6,620	-	TGPRO-W3	-	-	-	-
TOP13P1911A	0.14	(0.02)	13,203	-	WHAU19C1907A	-	-	-	-	TH-W2	0.17	-	7,008	-
TOP16C1911A	-	-	-	-	WHAU27C2002A	0.33	(0.01)	2,400	-	THE-W2	0.02	-	1,245	-
TOP16C2001A	0.68	0.02	31,018	-	WORK01C1910A	1.26	0.06	9,220	1.00	TNITY-W1	0.56	(0.03)	3,920	-
TOP19C1910A	0.35	-	68,170	-	WORK01C1910B	0.22	-	68,477	-	TRITN-W3	0.20	(0.01)	6,664	-
TOP19P1911A	-	-	-	-	WORK08C1912A	1.37	0.03	7	1.00	TTCL-W1	1.11	(0.01)	30,444	1.00
TOP23C2001A	0.64	0.03	11	-	WORK13C1907A	0.01	-	233	-	TWZ-W5	0.01	-	10,691	-
TOP24C1907A	-	-	-	-	WORK13C1909A	0.96	(0.01)	29,633	-	U-W1	-	-	-	-
TOP24C1911A	0.74	0.03	502	-	WORK13C1911A	1.40	0.03	200	1.00	U-W4	-	-	-	-
TOP24P1910A	0.59	(0.03)	2,200	-	WORK19C1908A	0.14	(0.01)	50,533	-	VGI-W2	1.42	0.09	1,065,126	1.00
TOP28C1911A	0.49	0.01	48,336	-	WORK19C1910A	1.30	0.07	2,480	1.00	VIBHA-W2	1.12	(0.01)	557	1.00
TOP41C1909A	0.49	0.01	10,000	-	WORK23C1909A	-	-	-	-	VIBHA-W3	0.32	-	98,246	-
TOP41C1910A	-	-	-	-	WORK24C1907A	0.01	-	77	-	WAVE-W1	0.45	-	37,422	-
TOP41C1910B	-	-	-	-	WORK24C1907B	0.48	0.06	150	-	WHA-W1	11.70	0.20	3,039	11.00
TOP41P1910A	-	-	-	-	WORK24C1910A	1.19	0.08	2,600	1.00	WIK-W2	0.23	0.06	735,901	-
TOP42C1911A	0.79	0.09	100	-	WORK28C1911A	-	-	-	-	WORK-W1	9.60	(0.20)	3,657	10.00
TP119C1907A	-	-	-	-	Preferred/Foreign	-	-	-	-	ZMICO-W4	0.13	-	28,122	-
TP119C1911A	0.14	-	30,900	-	BH-Q	-	-	-	-	Preferred Shares	-	-	-	-
TP11C1909A	0.13	(0.01)	36,000	-	CSC-Q	-	-	-	-	BH-P	-	-	-	-
TP11P13C1908A	0.05	-	5,001	-	JUTHA-Q	-	-	-	-	CSC-P	-	-	-	-
TRUE01C1907A	1.72	0.07	2,839	1.00	KTB-Q	-	-	-	-	JUTHA-P	-	-	-	-
TRUE01C1907B	1.44	0.12	4,154	1.00	SCB-Q	-	-	-	-	KTB-P	-	-	-	-
TRUE01C1911A	0.56	(0.01)	121,349	-	TCAP-Q	-	-	-	-	SCB-P	-	-	-	-
TRUE01C1911B	0.51	0.01	146,216	-	TIC-Q	-	-	-	-	TCAP-P	-	-	-	-
TRUE01P1907A	0.01	-	2	-	TISCO-Q	-	-	-	-	TIC-P	-	-	-	-
TRUE01P1907B	0.01	(0.05)	2	-	U-Q	-	-	-	-	TISCO-P	-	-	-	-
TRUE01P1911A	0.15	-	71,874	-	Warrant	-	-	-	-	U-P	2.92	(0.02)	2,100	2.00
TRUE01P1911B	0.07	-	27,700	-	AJA-W1	0.03	-	3,863	-	Warrant (MAI)	-	-	-	-
TRUE06C1911A	0.67	0.04	8,250	-	AKR-W1	0.19	0.01	584,546	-	AIRA-W2	-	-	-	-
TRUE08C1907A	0.30	0.04	6,180	-	ALT-W1	0.60	(0.02)	7,071	-	BKD-W2	0.15	(0.01)	41,874	-
TRUE08P1911A	0.16	(0.01)	13,350	-	APEX-W1	0.02	-	16	-	BM-W1	0.19	-	4,075	-
TRUE11C1911A	1.22	0.25	40	1.00	APURE-W2	0.17	(0.01)	125,250	-	BROOK-W5	0.30	0.01	125,334	-
TRUE11P2002A	0.24	(0.01)	22,918	-	AS-W1	0.06	0.01	201	-	CHEWA-W1	0.02	-	190,789	-
TRUE13C1907A	0.31	0.02	1,570	-	AYUD-W1	4.54	0.04	8,936	4.00	CHO-W2	0.35	(0.03)	1,224,159	-
TRUE13C1911A	1.76	0.18	205	1.00	B-W3	0.01	-	31	-	DIMET-W2	-	-	-	-
TRUE13C1912A	0.52	(0.01)	14,995	-	B-W4	0.11	(0.01)	24,245	-	DOD-W1	2.62	0.52	1,559,054	2.00
TRUE13C1912B	0.32	(0.68)	192,643	-	B52-W1	-	-	-	-	ECF-W3	1.25	0.04	2,460	1.00
TRUE13P1909A	0.04	-	2,855	-	B52-W2	-	-	-	-	EFORL-W3	-	-	-	-
TRUE16C1912A	0.50	0.03	8,010	-	BTS-W4	2.08	-	186,018	2.00	EFORL-W4	0.01	-	9,302	-
TRUE16C2002A	0.45	(0.55)	11,000	-	CGD-W4	0.16	0.01	247,412	-	FC-W1	0.05	0.02	1	-
TRUE19C1907A	1.44	0.18	850	1.00	CGH-W3	0.04	-	315,527	-	FC-W2	0.02	0.01	1	-
TRUE19C1910A	0.36	(0.01)	48,830	-	CI-W1	0.15	-	48,294	-	FVC-W2	0.28	0.01	6,542	-
TRUE19P1908A	-	-	-	-	CKP-W1	1.39	0.14	1,247,482	1.00	HPT-W1	0.49	(0.02)	7,558	-
TRUE19P1911A	0.06	(0.01)	28,545	-	CRANE-W1	1.08	-	4,881	1.00	ITEL-W1	0.62	(0.01)	15,925	-
TRUE28C1911A	0.43	0.03	3,347	-	DCC-W1	0.80	(0.02)	90,973	-	JKN-W1	2.02	0.12	68,770	1.00
TRUE28C1911B	-	-	-	-	EARTH-W4	0.01	-	265	-	LIT-W1	1.36	0.09	63,829	1.00
TRUE28C2001A	0.35	0.02	14,072	-	ECL-W3	0.60	(0.02)	587,431	-	NCL-W3	0.12	-	60,061	-
TRUE41C1908A	-	-	-	-	EIC-W2	-	-	-	-	NEWS-W6	-	-	-	-
TRUE41C1909A	-	-	-	-	EIC-W3	0.02	-	160	-	OCEAN-W3	0.57	-	88,062	-
TRUE41C1910A	-	-	-	-	EMC-W6	0.15	-	2,606	-	PORT-W1	1.61	(0.17)	139,159	1.00
TRUE41C1910B	-	-	-	-	EPCO-W3	0.65	0.01	96,296	-	PROUD-W2	0.59	(0.01)	986	-
TRUE41C1911A	0.47	0.03	18,501	-	GJS-W3	0.01	(0.01)	7,930	-	SANKO-W1	0.20	(0.01)	5,526	-
TRUE41P1908A	-	-	-	-	GSTEEL-W1	-	-	-	-	SIMAT-W2	0.34	-	35,823	-