

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ILINK	5.20	0.10	5,024	5.14	SE-ED	2.66	-	51	2.66
SAFARI	-	-	-	-	INET	3.32	-	5,616	3.32	SPORT	0.14	-	753	0.13
VI	-	-	-	-	INTUCH	64.25	-	74,808	63.98	STARK	2.42	(0.14)	24,079	2.43
WORLD	-	-	-	-	JAS	6.30	(1.30)	6,548,672	6.56	TBSP	13.20	0.40	2	13.20
Agribusiness	-	-	-	-	JASIF	11.30	(0.20)	683,883	11.34	TH	0.77	0.05	10,652	0.74
CHOTI	-	-	-	-	JMART	12.40	0.10	57,606	12.46	TKS	7.85	(0.05)	4,887	7.87
EE	0.55	-	10,002	0.56	JTS	1.42	0.04	749	1.40	VGI	9.90	(0.20)	260,066	9.98
GFPT	18.10	0.20	16,861	18.14	MFEC	4.00	(0.02)	1,300	4.00	WAVE	1.77	0.04	731	1.77
LEE	2.34	(0.02)	2,157	2.33	MSC	7.55	-	342	7.54	WORK	28.50	(0.25)	35,543	28.71
NER	2.84	0.04	689,242	2.87	PT	6.00	(0.05)	4,332	6.05	Finance & Securities	-	-	-	-
PPPM	2.96	0.20	253,565	2.93	SAMART	10.30	(0.30)	61,214	10.43	AEC	0.53	-	1,361	0.52
STA	12.40	-	98,485	12.38	SAMTEL	12.60	(0.70)	5,477	13.02	AEONTS	229.00	1.00	2,190	229.17
TRUBB	1.43	(0.01)	646	1.43	SDC	0.33	-	15,351	0.33	AMANAH	2.30	(0.02)	75,592	2.32
TWPC	7.30	(0.05)	1,285	7.34	SIS	9.45	(0.15)	502	9.46	ASAP	3.44	(0.12)	43,792	3.50
UPOIC	4.12	-	35	4.11	SVOA	1.21	-	52,041	1.22	ASK	24.50	-	1,309	24.54
UVAN	5.35	(0.05)	1,166	5.31	SYMC	4.52	-	9	4.52	ASP	2.80	-	22,982	2.82
VPO	0.55	(0.01)	9,551	0.56	SYNEX	10.80	-	2,609	10.86	BFIT	17.90	(0.10)	7,298	17.81
Banking	-	-	-	-	THCOM	5.55	(0.15)	29,917	5.65	CGH	0.86	(0.02)	9,638	0.86
BAY	39.25	0.50	14,124	38.81	TRUE	6.40	(0.20)	4,109,456	6.38	CNS	1.81	0.01	503	1.80
BBL	185.50	(4.50)	132,173	187.74	TWZ	0.08	-	321,120	0.08	ECL	1.85	(0.03)	385,937	1.91
CIMBT	0.72	-	5,383	0.71	Electronic Componen	-	-	-	-	FNS	3.14	(0.06)	370	3.18
KBANK	177.00	(2.00)	123,549	177.99	CCET	1.75	(0.01)	2,990	1.75	FSS	2.08	(0.06)	578	2.10
KKP	71.75	0.75	54,864	71.83	DELTA	55.25	-	9,656	55.61	GBX	0.54	-	6,293	0.54
KTB	19.90	-	714,033	19.82	EIC	0.05	-	11,225	0.04	GL	7.20	0.35	180,008	7.14
LHFG	1.47	(0.03)	106,357	1.48	HANA	28.25	-	17,329	28.25	IFS	3.46	-	1,009	3.44
SCB	141.50	0.50	57,467	141.27	KCE	18.20	0.20	73,063	18.25	JMT	19.40	0.70	99,351	19.11
TCAP	57.75	-	44,896	57.48	METCO	-	-	-	-	KCAR	11.70	0.10	271	11.70
TISCO	98.50	(0.25)	29,082	98.82	NEX	3.92	0.02	2,224	3.91	KGI	4.74	-	19,436	4.73
TMB	1.92	-	540,021	1.93	SMT	1.83	-	2,537	1.82	KTC	42.00	-	69,105	42.13
Construction Materia	-	-	-	-	SVI	4.10	(0.06)	17,144	4.12	MBKET	9.40	0.05	804	9.36
CCP	0.37	-	1,036	0.36	TEAM	1.10	-	18,132	1.12	MFC	17.60	0.20	139	17.39
COTTO	2.00	(0.02)	2,094	2.02	Energy & Utilities	-	-	-	-	ML	1.02	0.01	710	1.01
DCC	2.12	-	48,117	2.13	7UP	0.40	0.09	479,380	0.37	MTC	58.25	1.00	51,725	58.28
DCON	0.40	(0.01)	9,578	0.40	ABPIF	6.40	(0.05)	2,971	6.42	PE	0.08	-	35,731	0.07
DRT	6.05	(0.05)	3,434	6.10	AI	1.39	(0.06)	192,518	1.42	PL	3.24	-	1,296	3.22
EPG	6.85	(0.25)	210,702	6.90	AKR	0.80	(0.01)	20,445	0.81	S11	8.00	0.05	5,273	8.02
GEL	0.23	(0.01)	2,139	0.23	BAFS	35.75	(0.50)	1,928	35.89	SAWAD	55.00	(0.50)	45,655	55.17
PPP	2.80	-	1,685	2.79	BANPU	14.80	(0.10)	131,165	14.82	THANI	7.30	(0.05)	180,478	7.31
Q-CON	5.90	0.10	548	5.81	BCP	31.00	0.25	17,845	30.85	TK	10.10	-	736	10.06
RCI	3.46	(0.04)	310	3.47	BPCG	19.00	0.20	63,903	18.97	TNITY	4.60	0.08	178	4.58
SCC	450.00	(2.00)	19,095	450.96	BGRIM	35.50	-	20,593	35.35	UOBKH	3.66	0.02	37	3.62
SCCC	241.00	-	118	240.99	BPP	22.00	0.20	22,062	22.04	ZMICO	0.91	-	2,101	0.90
SCP	7.65	-	1,544	7.61	BRRGIF	9.85	0.05	1,521	9.83	Food & Beverage	-	-	-	-
SKN	2.06	(0.04)	19,450	2.08	CKP	6.80	0.05	244,690	6.80	APURE	1.36	-	1,979	1.37
TASCO	20.40	0.40	173,950	20.27	DEMCO	3.50	(0.06)	10,034	3.53	ASIAN	6.95	(0.10)	1,732	7.01
TCMC	2.72	0.18	167,964	2.67	EA	52.50	(0.50)	107,473	52.63	BR	3.30	-	4,728	3.31
TOA	40.75	0.25	34,934	40.83	EARTH	0.75	(0.02)	694,553	0.76	BRR	6.05	-	630	6.02
TIPL	1.97	0.01	72,437	1.96	EASTW	13.20	(0.10)	10,092	13.23	CBG	75.75	(1.00)	30,693	75.87
UMI	1.18	0.01	1,588	1.18	EGATIF	12.80	-	27,510	12.87	CFRESH	3.00	(0.02)	291	2.99
VNG	5.00	0.02	351	5.00	EGCO	332.00	-	5,523	333.13	CM	3.70	-	276	3.68
WIJK	1.59	0.02	17,102	1.60	ESSO	10.70	-	135,123	10.73	CPF	28.75	-	199,028	28.75
Petrochemicals & Chr	-	-	-	-	GLOW	89.25	-	12,803	89.25	CPI	1.41	(0.02)	570	1.42
BCT	47.75	(0.25)	56	47.75	GPSC	69.25	0.75	62,664	68.97	F&D	18.30	0.50	1	18.30
CMAN	2.46	0.02	28,612	2.52	GULF	127.00	-	23,630	127.24	HTC	20.60	(0.20)	2,967	20.87
GC	5.35	-	481	5.35	GUNKUL	3.18	(0.06)	387,718	3.21	ICHI	7.80	0.10	97,605	7.71
GGC	12.40	0.10	8,122	12.30	IFEC	0.30	(0.06)	589,245	0.32	KBS	4.00	(0.02)	145	3.98
GIFT	3.28	0.04	351	3.27	IRPC	4.88	(0.08)	1,145,360	4.90	KSL	2.78	(0.02)	4,106	2.79
IVL	41.00	(0.25)	160,908	40.90	LANNA	11.50	-	277	11.38	KTIS	5.45	(0.05)	162	5.45
NFC	4.00	-	12	4.00	MDX	4.18	0.10	12,375	4.16	LST	4.78	-	459	4.78
PATO	12.80	-	209	12.94	PTG	22.80	1.20	880,505	22.58	M	79.75	(1.00)	4,612	79.86
PMTA	8.60	0.10	29	8.60	PTT	47.75	-	210,809	47.79	MALEE	9.60	(0.15)	79,646	9.77
PTTGC	61.50	(0.25)	151,058	61.79	PTTEP	136.50	(0.50)	83,101	136.60	MINT	40.75	-	376,906	40.12
SUTHA	3.92	(0.02)	29	3.93	RATCH	65.75	0.50	21,232	65.75	OISHI	109.00	-	80	108.10
TCCC	23.30	-	115	23.27	RPC	0.56	-	8,328	0.56	OSP	35.25	0.25	68,451	35.13
TPA	5.85	(0.05)	156	5.85	SCG	4.22	-	129	4.24	PB	60.00	(0.75)	105	60.05
UP	-	-	-	-	SCI	2.12	0.12	35,351	2.10	PM	9.30	(0.05)	4,320	9.31
VNT	24.80	(0.70)	16,502	25.10	SCN	3.22	(0.02)	9,130	3.22	PRG	12.70	0.20	90	12.56
WG	-	-	-	-	SGP	9.75	-	17,089	9.75	SAPPE	20.50	(0.50)	8,405	20.58
YCI	-	-	-	-	SKE	1.20	(0.02)	18,123	1.20	SAUCE	22.80	-	3	22.80
Commerce	-	-	-	-	SOLAR	1.87	-	4,964	1.88	SFP	-	-	-	-
BEAUTY	3.84	(0.06)	814,708	3.87	SPCG	19.20	(0.20)	17,192	19.34	SNP	18.50	0.10	1	18.50
BIG	1.19	(0.03)	159,385	1.21	SPRC	10.50	-	259,110	10.44	SORKON	62.00	0.25	15	61.92
BJC	52.25	0.75	92,879	52.31	SSP	8.50	(0.15)	50,315	8.61	SSC	33.50	-	16	33.50
COL	23.90	(0.50)	4,775	24.26	SUPER	0.78	0.02	4,308,111	0.78	SST	-	-	-	-
COM7	23.90	0.20	101,569	23.98	SUSCO	3.30	0.04	26,843	3.29	SST	4.74	0.02	229	4.72
CPALL	87.50	0.75	152,545	87.31	TAE	4.00	(0.08)	21,133	4.05	TC	3.66	-	12	3.66
CSS	1.86	(0.01)	23,926	1.85	TCC	0.34	0.01	19,401	0.33	TFG	4.64	-	76,955	4.66
FN	2.10	(0.06)	125,174	2.09	TOP	71.00	(0.25)	60,062	70.89	TFMAMA	182.50	-	19	181.61
FTE	2.40	(0.02)	2,303	2.42	TPIPP	6.10	-	110,540	6.13	TIPCO	10.00	0.35	26,706	9.82
GLOBAL	16.50	(0.10)	129,057	16.36	TSE	2.80	(0.06)	30,430	2.84	TKN	10.10	(0.20)	405,860	10.07
HMPRO	17.40	0.10	155,967	17.38	TTW	13.50	(0.10)	79,360	13.56	TU	19.50	0.10	170,533	19.48
IT	3.04	-	684	3.04	WHAUP	6.15	0.05	37,975	6.13	TVO	28.50	0.25	5,807	28.32
KAMART	5.90	0.15	38,006	5.84	WP	7.05	(0.40)	66,695	7.20	WR	0.45	0.04	1,626	0.45
LOXLEY	2.36	(0.04)	83,894	2.38	Media & Publishing	-	-	-	-	ZEN	17.70	(0.40)	29,853	17.74
MAKRO	37.75	(0.25)	3,626	37.77	AMARIN	4.98	(0.02)	50	4.96	Health Care Services	-	-	-	-
MC	8.20	0.05	150,172	8.44	AQUA	0.58	0.03	496,493	0.57	AHC	14.20	0.40	379	14.12
MEGA	35.50	(0.50)	5,903	35.77	AS	0.75	-	479	0.75	BCH	15.50	-	62,477	15.43
MIDA	0.60	(0.01)	2,222	0.60	BEC	10.30	0.20	140,496	10.13	BDSM	24.80	(0.10)	145,728	24.88
ROBINS	54.50	(0.50)	57,848	54.46	EPCO	3.78	(0.08)	67,837	3.79	BH	171.50	(0.50)	6,451	170.94
RS	16.40	(0.20)	50,631	16.48	FE	-	-	-	-	CHG	2.28	0.02	153,990	2.26
RSP	3.48	(0.02)	2,345	3.48	GPI	2.00	(0.02)	5,963	2.00	CMR	2.36	-	302	2.37
SINGER	9.20	(0.20)	37,775	9.23	GRAMMY									

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SVH	456.00	(4.00)	7	456.57	GREEN	1.00	0.01	514	1.00	TNPC	1.15	-	531	1.15
THG	24.60	0.50	28,761	24.44	J	1.06	-	2,050	1.05	TRU	4.72	-	47	4.71
VIBHA	2.06	-	45,106	2.06	JCK	1.36	(0.03)	4,810	1.38	TSC	12.70	-	33	12.70
VIH	5.80	0.10	4,976	5.77	KC	0.19	(0.03)	106,380	0.19	Industrial Materials	-	-	-	-
WPH	2.36	0.04	5,429	2.37	KTECH	0.07	-	268,356	0.08	ALLA	1.52	0.03	67,391	1.52
Tourism & Leisure	-	-	-	-	KWG	1.98	(0.02)	126	2.00	ASEFA	5.15	(0.10)	6,123	5.22
ASIA	-	-	-	-	LALIN	5.70	-	1,045	5.69	CPT	1.03	(0.02)	29,703	1.04
CENTEL	34.25	(0.25)	14,677	34.39	LH	11.30	-	565,304	11.31	CRANE	2.16	(0.02)	20,228	2.23
CSR	-	-	-	-	LPN	7.35	-	30,321	7.40	CTW	7.80	-	43	7.76
DTC	9.35	(0.20)	5,536	9.42	MBK	23.60	(0.10)	11,442	23.59	FMT	24.30	0.10	1	24.30
ERW	6.00	(0.05)	127,384	5.99	MJD	3.28	(0.04)	400	3.29	HTECH	3.86	(0.14)	17,258	3.94
GRAND	0.83	-	4,307	0.82	MK	3.36	-	1,529	3.35	KKC	1.01	(0.01)	4,174	1.02
LRH	45.75	(0.25)	34	45.86	NCH	1.00	-	74	1.00	PK	1.97	(0.02)	1,453	1.98
MANRIN	30.00	(1.00)	60	30.01	NNCL	1.97	0.01	23,131	1.97	SNC	14.10	0.10	1,916	14.01
OHTL	-	-	-	-	NOBLE	21.50	(0.10)	10,180	21.60	TCJ	4.94	-	61	4.97
ROH	52.00	0.50	2	51.88	NUSA	0.39	0.01	84,423	0.39	VARO	6.90	(0.10)	15	6.42
SHANG	78.00	0.25	1	78.00	NVD	2.90	0.04	2,590	2.90	Property Fund & REIT	-	-	-	-
VRANDA	9.75	-	1,814	9.73	ORI	9.35	(0.05)	153,986	9.35	AIMCG	9.90	-	10,587	9.90
Home & Office Produ	-	-	-	-	PACE	0.21	0.02	868,859	0.20	AIMIRT	12.70	0.10	5,972	12.74
ACC	0.70	-	3,172	0.69	PF	0.79	-	67,435	0.79	AMATAR	12.10	(0.10)	290	12.17
AJA	0.20	-	249,707	0.21	PLAT	6.35	(0.05)	8,223	6.33	B-WORK	12.10	-	76	12.10
DTCI	26.00	-	22	25.65	POLAR	0.10	-	391,297	0.10	BKCP	13.40	0.10	455	13.40
FANCY	0.59	(0.02)	6,598	0.60	PRECHA	1.52	-	75	1.48	BOFFICE	15.70	(0.20)	299	15.87
KYE	385.00	-	2	385.00	PRIN	1.59	(0.01)	1,370	1.60	CPNCG	15.70	-	7,326	15.73
L&E	2.52	-	779	2.51	PSH	22.60	0.20	28,784	22.51	CPNREIT	33.00	0.25	20,121	32.83
MODERN	3.26	-	2,028	3.26	QH	3.04	(0.02)	422,232	3.05	CPTGF	13.70	-	1,622	13.70
OGC	32.75	(1.75)	22	30.78	RICHY	1.37	-	2,120	1.37	CRYSTAL	9.00	-	2,931	9.00
ROCK	19.50	-	11	19.50	RML	1.05	(0.05)	153,470	1.06	CTARAF	5.80	0.05	3,720	5.80
SIAM	2.06	0.02	1,156	2.04	ROJNA	6.25	(0.15)	225,556	6.22	DREIT	6.35	0.05	506	6.35
TSR	1.97	0.01	1,077	1.97	S	3.62	(0.06)	428,510	3.65	ERWPF	5.40	-	157	5.40
Insurance	-	-	-	-	SAMCO	1.64	0.01	2,362	1.65	FTREIT	15.30	0.10	6,472	15.29
AYUD	41.25	-	28	41.25	SC	2.90	(0.02)	23,746	2.89	FUTUREPF	26.25	0.25	941	26.12
BKI	330.00	(1.00)	102	330.79	SENA	3.60	(0.02)	4,042	3.61	GAHREIT	9.35	-	225	9.31
BLA	26.00	(0.25)	3,660	26.06	SF	6.55	-	6,360	6.49	GLANDRT	13.60	(0.10)	435	13.78
BUI	12.30	-	724	12.28	SIRI	1.49	(0.01)	131,040	1.50	GOLDPF	7.50	(0.05)	33	7.36
CHARAN	-	-	-	-	SPALI	23.70	0.30	66,831	23.68	GVREIT	17.10	0.30	2,443	16.91
INSURE	31.25	7.15	2	31.25	U	1.99	-	41,162	1.99	HPF	5.00	-	1,055	4.99
MTI	95.75	0.75	18	95.13	UV	6.85	(0.10)	58,204	6.92	HREIT	9.05	(0.05)	4,982	9.03
NKI	60.00	(1.50)	23	53.36	WHA	4.80	0.10	2,447,377	4.77	IMPACT	24.70	0.20	8,281	24.51
NSI	-	-	-	-	WIN	0.50	(0.02)	5,750	0.51	KPNPF	8.75	(0.05)	200	8.75
SMK	37.00	0.75	1	37.00	Paper & Printing Mat	-	-	-	-	LHHOTEL	19.70	-	635	19.70
THRE	0.79	(0.01)	5,110	0.79	UTP	11.20	0.10	4,702	11.10	LHPF	9.30	0.10	414	9.27
THREL	5.45	-	3,880	5.40	Fashion	-	-	-	-	LHSC	18.30	(0.10)	46	18.27
TIC	27.00	(0.50)	17	26.91	AFC	-	-	-	-	LUXF	8.95	-	110	8.95
TIP	24.80	-	1,114	24.74	B52	0.22	(0.01)	1,326	0.23	M-II	-	-	-	-
TQM	45.75	(1.50)	8,450	46.55	BTNC	-	-	-	-	M-PAT	6.50	-	208	6.50
TSI	0.48	(0.09)	1,449	0.49	CPH	4.86	(0.04)	110	4.78	M-STOR	7.25	0.10	22	7.25
TVI	4.76	0.06	311	4.72	CPL	1.49	(0.01)	5,701	1.50	MIPF	-	-	-	-
Mining	-	-	-	-	ICC	-	-	-	-	MIT	3.66	(0.02)	61	3.67
PDI	9.40	0.15	1,015	9.33	NC	-	-	-	-	MJLF	12.70	-	848	12.70
THL	-	-	-	-	PAF	0.81	(0.02)	1,378	0.82	MNIT	-	-	-	-
Packaging	-	-	-	-	PDJ	1.60	(0.02)	7,173	1.61	MNIT2	4.96	(0.04)	147	5.00
AJ	8.80	-	260	8.80	PG	5.85	0.20	56	5.76	MNRF	3.36	(0.02)	3,164	3.38
ALUCON	174.00	0.50	1	174.00	SABINA	27.00	-	26,494	26.84	MONTRI	6.25	-	1	6.25
BGC	13.00	-	23,314	13.02	SAWANG	-	-	-	-	POPF	13.90	0.10	19,328	13.91
CSC	50.75	(0.25)	73	50.44	SUC	44.75	-	441	44.75	PPF	12.00	0.10	392	12.00
NEP	0.28	-	5,610	0.28	TNL	19.90	(0.10)	4	19.90	QHHR	10.00	-	3,691	10.02
NPPG	1.01	(0.01)	55,344	1.00	TPCORP	12.70	(0.20)	10	12.76	QHOP	3.54	(0.02)	452	3.49
PTL	15.10	-	1,313	15.14	TR	38.00	-	4	38.00	QHPF	15.10	0.30	8,431	14.99
SITHAI	1.06	-	5,889	1.06	TTI	-	-	-	-	SBPF	2.78	(0.06)	55	2.78
SLP	0.70	(0.01)	2,808	0.71	TTT	65.25	5.00	259	63.39	SHREIT	6.90	(0.05)	241	6.90
SMPC	8.20	0.15	3,681	8.11	UPF	49.00	-	10	49.00	SIRIP	11.40	-	10	11.40
SPACK	1.62	-	12	1.63	UT	-	-	-	-	SPF	23.70	0.40	1,369	23.54
TCOAT	29.00	-	1	29.00	WACOAL	48.00	-	1	48.00	SPRIME	13.60	0.10	940	13.59
TFI	0.23	-	101	0.22	Transportation & Log	-	-	-	-	SRIPANWA	11.60	-	1,456	11.49
THIP	19.50	0.90	303	19.34	AAV	3.94	-	66,929	3.95	SSPF	9.95	0.05	100	9.95
TMD	23.90	0.10	8	23.55	AOT	72.25	0.75	235,990	72.13	SSTPF	6.60	0.10	136	6.52
TOPP	-	-	-	-	ASIMAR	1.97	(0.07)	4,640	2.00	SSTRT	6.30	-	157	6.30
TPBI	4.92	0.02	194	4.90	B	0.57	-	9,291	0.57	TIF1	9.35	0.10	75	9.26
TPP	17.20	(0.30)	5	17.20	BA	11.10	0.10	7,161	11.01	TLGF	22.70	0.30	5,478	22.64
Personal Products &	-	-	-	-	BEM	10.70	-	745,608	10.64	TLHPF	11.60	-	257	11.61
APCO	3.68	-	1,046	3.61	BTS	12.90	0.20	309,528	12.85	TNPF	3.36	0.02	9	3.36
DDD	24.40	-	7,616	24.43	BTSGIF	11.10	-	11,362	11.10	TPRIME	16.20	-	1,083	16.25
JCT	85.25	(2.75)	7	85.93	III	6.70	(0.30)	102,352	6.79	TLPF	21.70	(0.10)	37	21.67
OCC	-	-	-	-	JUTHA	0.90	0.04	1,081	0.90	TU-PF	1.81	-	3	1.81
S & J	-	-	-	-	JWD	10.00	(0.40)	64,849	10.00	URBNPF	-	-	-	-
STHAI	0.02	0.01	979,120	0.01	KWC	311.00	(4.00)	9	323.00	WHABT	9.90	-	1,112	9.85
TNR	9.90	-	607	9.86	NOK	2.34	(0.04)	2,906	2.38	WHART	16.70	0.10	10,578	16.68
TOG	5.70	-	1,617	5.70	NYT	4.94	-	2,340	4.96	Steel	-	-	-	-
Professional Service	-	-	-	-	PRM	8.85	(0.10)	105,455	8.88	AMC	1.73	0.01	15	1.74
BWG	0.87	0.01	47,895	0.87	PSL	9.40	(0.10)	119,977	9.43	BSBM	0.90	0.01	13,216	0.91
GENCO	0.67	0.01	1,787	0.66	RCL	4.74	(0.12)	11,991	4.80	CEN	1.06	-	58	1.06
PRO	0.35	0.01	72,201	0.35	TFIF	12.30	(0.10)	30,883	12.34	CITY	2.24	-	56	2.23
SISB	8.05	(0.05)	7,939	8.04	THAI	10.20	(0.10)	31,081	10.18	CSP	1.07	-	555	1.03
TEAMG	2.02	(0.02)	4,569	2.02	TSTE	-	-	-	-	GJS	0.17	0.01	30,201	0.17
Property Developer	-	-	-	-	TTA	6.65	(0.15)	21,621	6.71	GSTEEL	0.07	-	59,041	0.07
A	6.30	-	120	6.30	WICE	3.76	(0.10)	30,317	3.81	INOX	0.81	(0.02)	2,175	0.82
AMATA	24.30	0.20	185,600	24.29	Automotive	-	-	-	-	LHK	3.86	0.02	1,683	3.84
AMATAV	4.90	-	31,876	4.90	AH	18.50	(0.10)	3,002	18.58	MAX	0.02	0.01	36,889	0.02
ANAN	3.80	-	43,753	3.80	APCS	4.54	-	464	4.54	MCS	8.20	0.05	4,821	8.16
AP	7.90	(0.10)	97,911	7.96	BAT-3K	-	-	-	-	MILL	0.90	-	1,600	0.90
APEX	0.18	-	2,773	0.18	CWT	3.04	(0.10)	18,968	3.09	PAP	2.94	0.02	88	2.92
AQ	0.02	(0.01)	132,331	0.02	EASON	1.88	0.01	104	1.87	PERM	1.15	-	30,137	1.16
BLAND	1.73	(0.01)	266,006	1.73	GYT	-	-	-	-	RICH	-	-	-	-
BROCK	2.02	-	263	2.01	HFT	2.86	(0.04)	3,277	2.88	SAM	0.50	0.01	1,552	0.50
CGD	1.06	-	12,173	1.06	IHL	5								

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	PSTC	0.69	-	241,070	-	ADVA01C1908A	1.53	(0.09)	20,491	1.00
ABICO	4.58	(0.04)	4,585	4.00	QTC	5.25	-	5,904	5.00	ADVA01C1908B	1.08	(0.15)	6,760	1.00
AU	16.40	(0.30)	23,612	16.00	SAAM	1.28	(0.03)	752	1.00	ADVA01C1912A	0.50	(0.03)	97,244	-
FC	0.30	0.02	5,834	-	SEAOIL	5.60	(0.05)	11,934	5.00	ADVA01C1912B	0.33	(0.04)	172,102	-
JCKH	0.62	-	2,687	-	SR	1.19	(0.02)	1,552	1.00	ADVA01P1908A	0.06	0.01	60,388	-
KASET	1.87	(0.01)	433	1.00	TAKUNI	0.60	-	5,576	-	ADVA01P1908B	-	-	-	-
MM	2.86	(0.02)	470	2.00	TPCH	12.50	(0.20)	30,699	12.00	ADVA01P1912A	0.61	0.03	150,133	-
SUN	2.28	(0.02)	3,546	2.00	TRH	2.00	-	386	2.00	ADVA01P1912B	0.43	0.03	177,439	-
TACC	4.90	(0.06)	34,317	4.00	UMS	0.47	-	16	-	ADVA06C1912A	0.40	(0.09)	14,850	-
TMILL	3.04	0.02	1,089	3.00	UWC	0.05	-	40,772	-	ADVA07C1908A	-	-	-	-
XO	8.05	(0.10)	9,769	8.00	Services (MAI)	-	-	-	-	ADVA08C1911A	-	-	-	-
Consumer Products	-	-	-	-	A5	1.28	0.03	3,557	1.00	ADVA08C2001A	0.26	(0.03)	17,156	-
BGT	1.06	0.02	1,062	1.00	AKP	1.53	0.03	2,171	1.00	ADVA11C1910A	-	-	-	-
BIZ	2.58	-	1,000	2.00	AMA	9.25	0.15	69,675	9.00	ADVA11P1910A	-	-	-	-
DOD	13.60	0.60	142,422	13.00	ARIP	0.49	(0.01)	3,869	-	ADVA13C1908A	-	-	-	-
ECF	2.42	-	49,078	2.00	ATP30	1.54	0.01	15,412	1.00	ADVA13C1912A	0.42	(0.05)	284,814	-
HPT	0.75	-	1,766	-	AUCT	7.50	(0.05)	8,591	7.00	ADVA13P1908A	0.02	-	8,000	-
JUBILE	17.80	(0.30)	1,394	18.00	BOL	2.60	(0.02)	3,920	2.00	ADVA13P1912A	0.39	0.02	368,056	-
MOONG	5.75	(0.05)	7,584	5.00	CHUO	0.20	0.01	4,149	-	ADVA16C1911A	0.87	(0.18)	40	-
NPK	-	-	-	-	CMO	1.38	-	504	1.00	ADVA16C1912A	-	-	-	-
OCEAN	1.24	(0.01)	24,704	1.00	D	7.25	0.25	14,240	7.00	ADVA16C2002A	0.33	(0.01)	5,000	-
TM	2.72	(0.12)	30,030	2.00	DCORP	0.58	(0.03)	5,006	-	ADVA19C1908A	0.39	(0.08)	7,073	-
Financials (MAI)	-	-	-	-	EFORL	0.05	-	39,150	-	ADVA19C1911A	0.24	(0.04)	148,074	-
ACAP	2.80	(0.04)	3,822	2.00	ETE	1.06	(0.04)	14,486	1.00	ADVA19P1908A	-	-	-	-
AF	0.68	(0.01)	573	-	FSMART	8.45	(0.10)	17,088	8.00	ADVA19P1911A	0.18	0.02	25,854	-
AIRA	1.31	-	548	1.00	FVC	0.59	(0.01)	8,879	-	ADVA23C2001A	-	-	-	-
ASN	5.55	(0.05)	61	5.00	GSC	0.98	0.01	1,371	-	ADVA23P1908A	-	-	-	-
BROOK	0.53	-	13,012	-	HARN	2.42	-	1,988	2.00	ADVA24C1907A	0.02	(0.01)	7,232	-
CHAYO	4.94	(0.16)	68,018	4.00	JKN	8.55	(0.05)	53,139	8.00	ADVA24C1908A	-	-	-	-
GCAP	2.42	(0.04)	8,624	2.00	KIAT	0.41	0.01	18,442	-	ADVA24C2001A	0.30	(0.06)	5,600	-
LIT	5.65	0.15	9,756	5.00	KOOL	1.30	(0.01)	8,534	1.00	ADVA24P1908A	-	-	-	-
MTSIB	2.44	(0.08)	79,701	2.00	LDC	0.98	(0.01)	2,520	-	ADVA27C1912A	0.71	(0.07)	4,542	-
SGF	1.27	(0.01)	251,308	1.00	MORE	0.14	-	32,839	-	ADVA28C1908A	-	-	-	-
Industrials (MAI)	-	-	-	-	MPG	0.44	0.01	2,033	-	ADVA28C2001A	0.32	(0.03)	36,504	-
2S	2.28	0.04	24,919	2.00	MVP	2.06	0.02	1,139	2.00	ADVA28P1911A	0.10	0.01	6,684	-
ACG	1.60	-	52,025	1.00	NBC	0.61	0.06	65,282	-	ADVA41C1908A	-	-	-	-
ADB	0.76	-	827	-	NCL	1.24	0.02	1,021	1.00	ADVA41C1910A	0.63	(0.07)	10,800	-
BM	2.26	0.08	7,785	2.00	NEWS	0.01	-	190,585	-	ADVA41C1910B	-	-	-	-
CHO	1.00	-	29,938	1.00	NINE	2.26	(0.10)	8,168	2.00	ADVA41C1912A	-	-	-	-
CHOW	2.42	0.22	75,490	2.00	OTO	3.64	(0.02)	2,570	3.00	ADVA41P1908A	-	-	-	-
CIG	0.25	-	460	-	PHOL	1.93	0.01	3,384	1.00	ADVA41P1911A	-	-	-	-
COLOR	1.24	(0.03)	200	1.00	PICO	4.12	-	13	4.00	ADVA41P1912A	-	-	-	-
CPR	5.05	(0.05)	1,336	5.00	PORT	4.88	(0.02)	4,580	4.00	ADVA42C1910A	-	-	-	-
FPI	2.88	-	6,947	2.00	QLT	3.94	0.06	166	3.00	AEON01C1911A	1.73	-	22,594	1.00
GTB	0.61	0.01	6,131	-	RP	2.28	(0.02)	673	2.00	AEON01C1911B	0.58	-	45,789	-
KCM	0.85	-	4,779	-	SE	1.97	0.03	3,290	1.00	AEON13C1910A	1.34	(0.17)	500	1.00
KWM	1.07	0.01	2,071	1.00	SONIC	1.32	0.01	2,513	1.00	AEON13C1911A	0.55	-	31,141	-
MBAX	4.00	0.02	533	3.00	SPA	13.40	0.20	4,472	13.00	AEON19C1911A	0.44	-	8,630	-
MGT	1.88	0.02	3,645	1.00	THMUI	1.17	(0.02)	6,512	1.00	AEON24C1912A	-	-	-	-
NDR	1.64	(0.01)	3,397	1.00	TNDT	5.80	0.05	340	5.00	AEON41C1912A	0.46	0.01	22,000	-
PDG	3.32	0.08	7,668	3.00	TNH	36.25	(0.50)	106	36.00	AMAT01C1909A	0.78	0.03	54,633	-
PIMO	1.35	(0.02)	58,950	1.00	TNP	1.50	(0.01)	1,175	1.00	AMAT01C1909B	0.44	0.03	102,066	-
PJW	1.92	(0.04)	5,881	1.00	TSF	0.01	-	222,323	-	AMAT01P1909A	0.21	(0.01)	117,461	-
PPM	1.25	(0.01)	2,291	1.00	TVD	1.39	0.02	3,255	1.00	AMAT06C1909A	0.52	0.03	9,030	-
RWI	1.32	(0.02)	1,352	1.00	TVT	0.89	0.01	1,324	-	AMAT08C1908A	0.26	0.03	24,023	-
SALEE	0.98	(0.02)	70	-	VL	1.59	(0.08)	308,066	1.00	AMAT11C2001A	0.62	0.03	4,880	-
SANKO	1.05	0.01	636	1.00	WINNER	2.82	-	1,357	2.00	AMAT13C1908A	0.36	0.02	180,268	-
SELIC	3.06	-	4,510	3.00	Technology (MAI)	-	-	-	-	AMAT13C1912A	0.52	0.02	258,914	-
SWC	5.45	(0.10)	3,416	5.00	COMAN	3.18	-	557	3.00	AMAT16C1911A	0.57	0.03	13,090	-
TMC	0.64	0.01	9,659	-	ICN	1.96	(0.02)	3,046	1.00	AMAT19C1907A	0.03	(0.01)	14,001	-
TMI	0.77	-	12,491	-	IRCP	0.69	-	1,102	-	AMAT19C1912A	0.17	0.01	18,604	-
TMW	65.25	-	168	65.00	ITEL	3.60	(0.14)	76,136	3.00	AMAT24C1907A	-	-	-	-
TPAC	12.40	(0.10)	2,232	12.00	NETBAY	31.50	(1.00)	5,203	31.00	AMAT24C2001A	0.55	0.03	3,640	-
TPLAS	1.46	-	827	1.00	PLANET	1.45	(0.03)	133	1.00	AMAT27C1908A	0.31	0.03	8,538	-
UAC	3.14	(0.02)	587	3.00	SIMAT	1.55	(0.01)	2,111	1.00	AMAT41C1908A	-	-	-	-
UBIS	6.20	0.05	140	6.00	SKY	12.00	0.20	11,140	11.00	AMAT41C1912A	0.52	0.02	18,000	-
UEC	1.19	(0.01)	565	1.00	SPVI	1.65	0.01	8,597	1.00	AMAT42C1910A	0.56	0.03	350	-
UKEM	0.59	-	14,543	-	UPA	0.30	-	71,477	-	ANAN08C1911A	0.33	(0.01)	8,900	-
UREKA	1.08	0.01	30,311	1.00	VCOM	3.12	0.04	5,141	3.00	ANAN13C1912A	0.34	-	17,805	-
YUASA	-	-	-	-	Unit Trust	-	-	-	-	ANAN19C1910A	0.14	(0.01)	348	-
ZIGA	1.68	0.03	6,057	1.00	MGE	-	-	-	-	ANAN24C1907A	0.16	-	1,500	-
Property & Construc	-	-	-	-	SCBSET	-	-	-	-	ANAN24C1912A	0.31	-	1,370	-
ALL	4.88	(0.06)	45,002	4.00	ETF	-	-	-	-	AOT01C1908A	0.57	0.03	62,591	-
ARIN	0.99	(0.10)	295,515	1.00	1DIV	11.51	(0.04)	102	11.00	AOT01C1908B	0.23	0.03	274,771	-
ARROW	8.35	-	604	8.00	ABFTH	-	-	-	-	AOT01C1911A	0.82	0.01	120,327	-
BKD	2.82	(0.02)	1,105	2.00	BMSCG	8.90	0.08	246	8.00	AOT01C1911B	0.57	0.02	146,011	-
BSM	0.45	-	755	-	BMSCITH	12.92	(0.04)	17,110	12.00	AOT01P1908A	0.26	(0.03)	241,345	-
BTW	1.43	(0.03)	574	1.00	BSET100	11.11	(0.02)	597	11.00	AOT01P1908B	0.05	(0.01)	3,100	-
CAZ	2.62	(0.06)	111,247	2.00	CHINA	5.48	-	346	5.00	AOT01P1911A	0.44	(0.01)	239,946	-
CHEWA	0.81	0.01	52,558	-	EBANK	-	-	-	-	AOT01P1911B	0.26	(0.02)	38,881	-
CMC	1.34	(0.01)	9,332	1.00	ECOMM	-	-	-	-	AOT06C1908A	0.14	-	23,322	-
CRD	1.00</													

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT24P1912A	0.56	(0.03)	223	-	BCP13C1910A	0.09	-	8	-	BEM28C1910A	0.06	-	3,028	-
AOT27C1912A	0.34	-	5,364	-	BCP13C1912A	0.20	0.01	44,884	-	BEM28C2001A	0.10	-	36,658	-
AOT28C1909A	0.18	0.01	61,212	-	BEP19C1910A	0.10	-	23,812	-	BEM41C1910A	-	-	-	-
AOT28C1912A	0.44	(0.11)	30	-	BEP23C1907A	-	-	-	-	BEM41C2001A	-	-	-	-
AOT28C1912B	0.26	0.01	31,378	-	BEP24C1907A	-	-	-	-	BEM41P1907A	-	-	-	-
AOT28P1909A	-	-	-	-	BEP24C1912A	-	-	-	-	BEM41P1911A	-	-	-	-
AOT28P1912A	0.39	(0.03)	27,312	-	BEPG01C1908A	0.56	0.01	76,047	-	BEM42C1910A	-	-	-	-
AOT41C1909A	-	-	-	-	BEPG01C1908B	0.27	0.01	109,148	-	BGRIO1C1909A	0.54	-	14,537	-
AOT41C1912A	0.56	0.02	12,000	-	BEPG01C1912A	0.37	0.01	87,507	-	BGRIO1C1909B	0.31	-	12,936	-
AOT41C1912B	-	-	-	-	BEPG01C1912B	0.25	(0.01)	139,473	-	BGRIO1C2001A	0.38	-	24,042	-
AOT41P1909A	-	-	-	-	BEPG01P1912A	0.78	(0.02)	52,119	-	BGRIO1C2001B	-	-	-	-
AOT41P1911A	-	-	-	-	BEPG08C1910A	0.35	0.01	25,760	-	BGRIO1P1909A	0.07	-	11,330	-
AOT41P1911B	-	-	-	-	BEPG11C1910A	0.32	(0.01)	34,800	-	BGRIO1P2001A	0.46	(0.01)	28,296	-
AOT41P1912A	0.69	(0.03)	4	-	BEPG13C1908A	0.25	-	86,644	-	BGRIO6C1912A	0.27	-	1,700	-
AOT42C1912A	-	-	-	-	BEPG13C1912A	0.29	0.01	55,069	-	BGRIO8C1911A	0.28	(0.01)	3,200	-
AP01C1908A	0.55	(0.03)	9,798	-	BEPG19C1911A	0.33	0.01	37,813	-	BGRIO1C1909A	0.36	-	800	-
AP01C1908B	0.34	(0.05)	15,126	-	BEPG19P1911A	0.32	(0.02)	11,058	-	BGRIO1C1908A	-	-	-	-
AP06C1909A	0.46	(0.09)	2,870	-	BEPG24C1912A	-	-	-	-	BGRIO1C1912A	0.29	-	40,572	-
AP08C1912A	0.27	(0.02)	8,810	-	BEPG27P1909A	0.09	-	23,036	-	BGRIO1C2001A	0.22	-	10	-
AP11C2001A	0.42	(0.02)	13,000	-	BEPG28C1910A	0.25	0.01	18,274	-	BGRIO1C1908A	0.16	-	206	-
AP16C2002A	-	-	-	-	BEPG28C1912A	0.24	0.01	34,486	-	BGRIO1C1911A	0.15	-	201	-
AP19C1910A	0.20	(0.01)	3,910	-	BEPG41C1910A	0.33	(0.01)	18,000	-	BGRIO1C1907A	-	-	-	-
AP24C1907A	-	-	-	-	BDM501C1908A	0.46	-	46,919	-	BGRIO1C1912A	-	-	-	-
AP24C1912A	0.26	(0.01)	9,520	-	BDM501C1908B	0.11	-	92,030	-	BGRIO1C1912A	0.36	-	3,600	-
BANP01C1909A	0.20	(0.01)	56,848	-	BDM501C1911A	0.17	(0.01)	10,014	-	BGRIO1C1911A	-	-	-	-
BANP01C1909B	0.07	-	17,851	-	BDM501C1911B	0.10	(0.01)	10,750	-	BGRIO1C1911A	-	-	-	-
BANP01C1912A	0.34	(0.02)	23,092	-	BDM501P1908A	0.20	(0.01)	54,167	-	BGRIO1C1912A	-	-	-	-
BANP01C1912B	0.23	(0.02)	1,274	-	BDM501P1911A	0.37	-	8,457	-	BGRIO1C1910A	0.22	(0.09)	1	-
BANP01P1909A	0.47	(0.01)	43,006	-	BDM508C1911A	-	-	-	-	BHO1C1908A	0.25	(0.02)	35,170	-
BANP01P1909B	0.22	0.01	65,826	-	BDM511C2001A	0.53	0.01	8,000	-	BHO1C1908B	0.06	(0.01)	10,300	-
BANP01P1912A	0.38	(0.01)	63,996	-	BDM511P2002A	0.48	(0.01)	511	-	BHO1C2001A	0.79	(0.03)	10,510	-
BANP01P1912B	0.27	-	34,480	-	BDM513C1909A	0.05	(0.01)	200	-	BHO1C2001B	0.52	(0.02)	11,614	-
BANP06C1912A	0.25	-	14,400	-	BDM513C1912A	0.12	-	300	-	BHO1P1908A	0.69	-	69,802	-
BANP07C1909A	-	-	-	-	BDM513C1912B	0.46	-	96,248	-	BHO1P2001A	1.20	-	22,235	1.00
BANP08P1912A	0.22	(0.01)	10,603	-	BDM516C1912A	-	-	-	-	BHO7C1910A	-	-	-	-
BANP11C1909A	-	-	-	-	BDM519C1910A	0.07	-	100	-	BHO8C1907A	-	-	-	-
BANP11C2004A	0.28	-	11,730	-	BDM523P1908A	-	-	-	-	BH11C2002A	0.40	(0.01)	7,000	-
BANP13C1910A	0.10	-	50,744	-	BDM524C1907A	0.25	(0.02)	200	-	BH13C1909A	0.15	(0.01)	15,582	-
BANP13C1912A	0.21	(0.01)	75,640	-	BDM524C1909A	-	-	-	-	BH13C1912A	0.50	-	40,677	-
BANP13P1908A	0.20	-	47,720	-	BDM524C1912A	-	-	-	-	BH19C1907A	-	-	-	-
BANP16C1912A	0.21	(0.01)	419	-	BDM524P1908A	0.11	(0.02)	500	-	BH19C1912A	0.47	(0.02)	13,143	-
BANP19C1910A	0.11	(0.01)	26,802	-	BDM527C2002A	0.17	-	20,236	-	BH24C1907A	-	-	-	-
BANP19P1910A	0.08	(0.03)	14,000	-	BDM541C1911A	-	-	-	-	BH24C1910A	0.53	(0.01)	17,706	-
BANP23P1908A	0.11	-	2,500	-	BDM541C2001A	-	-	-	-	BH41C1911A	0.39	(0.01)	30,000	-
BANP24C1907A	-	-	-	-	BDM541P1907A	-	-	-	-	BH41P1911A	-	-	-	-
BANP24C1907B	-	-	-	-	BDM541P1911A	-	-	-	-	BJO1C1911A	0.71	0.05	64,772	-
BANP24C1911A	0.19	0.01	630	-	BEAU01C1911A	0.39	(0.02)	174,592	-	BJO1C1911B	0.54	0.04	110,988	-
BANP24P1908A	-	-	-	-	BEAU01P1909A	2.00	0.02	1,010	2.00	BJO1P1911A	0.21	(0.03)	94,129	-
BANP28C1911A	0.16	(0.01)	514	-	BEAU01P2001A	0.76	0.02	243,579	-	BJC06C1907A	-	-	-	-
BANP28C2001A	0.20	(0.01)	6,024	-	BEAU06C1909A	0.02	0.01	237	-	BJC06C1912A	0.44	0.05	37,276	-
BANP28P1909A	0.12	-	4,104	-	BEAU06C1911A	0.23	(0.02)	21,933	-	BJC08C1907A	-	-	-	-
BANP41C1909A	-	-	-	-	BEAU08C1910A	0.02	(0.01)	200	-	BJC11C2001A	0.39	0.02	20,049	-
BANP41C1911A	0.24	-	6,200	-	BEAU11C1911A	-	-	-	-	BJC13C1908A	0.06	-	10,000	-
BANP41P1907A	-	-	-	-	BEAU13C1910A	0.01	(0.01)	2,666	-	BJC13C1911A	0.40	0.03	240,235	-
BANP41P1909A	-	-	-	-	BEAU13C1910B	0.10	-	214,684	-	BJC16C2002A	0.44	0.04	109	-
BANP41P1912A	-	-	-	-	BEAU13C1912A	0.44	(0.03)	913,739	-	BJC19C1910A	0.37	0.05	53,434	-
BBL07C1909A	0.05	(0.02)	207	-	BEAU13P1909A	0.19	0.01	196,165	-	BJC23C2001A	0.44	0.04	19,001	-
BBL08C1908A	-	-	-	-	BEAU19C1910A	0.10	(0.01)	102,736	-	BJC24C1910A	0.48	0.05	2,500	-
BBL08C2001A	0.14	(0.03)	13,471	-	BEAU19P1908A	0.35	0.01	262,770	-	BJC27P1908A	-	-	-	-
BBL08P1912A	0.65	0.10	36,716	-	BEAU24C1907A	0.01	-	1,000	-	BJC41C1910A	-	-	-	-
BBL11C2001A	0.13	(0.01)	11,665	-	BEAU24C1909A	0.49	(0.03)	2,900	-	BJC41C1912A	-	-	-	-
BBL11P2001A	0.49	0.03	23,540	-	BEAU27C1910A	-	-	-	-	BJC41P1908A	-	-	-	-
BBL13C1908A	0.03	(0.02)	8,400	-	BEAU28C1910A	-	-	-	-	BJC41P1912A	-	-	-	-
BBL13C1911A	0.36	(0.06)	130,211	-	BEAU28C1910B	0.13	(0.01)	24,648	-	BJC42C1912A	-	-	-	-
BBL13P1911A	0.68	0.07	147,527	-	BEAU41C1907A	-	-	-	-	BLA11C1909A	-	-	-	-
BBL19C1907A	-	-	-	-	BEAU41C1910A	-	-	-	-	BLA13C1908A	-	-	-	-
BBL19C1911A	0.11	(0.01)	2,242	-	BEAU41C1910B	-	-	-	-	BLAN19C1910A	0.23	(0.04)	6,000	-
BBL19P1909A	-	-	-	-	BEAU41C1911A	-	-	-	-	BLAN19C1912A	0.17	(0.01)	5,620	-
BBL24C1907A	-	-	-	-	BEAU41P1909A	0.90	0.05	222	-	BLAN24C1907A	0.12	(0.10)	2	-
BBL24C1910A	0.03	(0.03)	50	-	BEAU41P1911A	-	-	-	-	BPP01C1912A	0.47	0.01	21,524	-
BBL27C2002A	0.25	(0.02)	2,000	-	BEAU42C1910A	-	-	-	-	BPP01C1912B	0.30	-	56,919	-
BBL41C1908A	-	-	-	-	BEAU42C1911A	0.51	(0.03)	200	-	BPP01P1912A	0.69	(0.04)	18,868	-
BBL41C1912A	0.41	(0.06)	6,230	-	BEC16C2002A	0.81	0.02	12,153	-	BPP11C1910A	0.15	0.01	1,000	-
BBL41P2001A	-	-	-	-	BEC27C2002A	0.26	-	83,767	-	BPP13C1911A	0.37	0.01	71,147	-
BCH01C1907A	0.08	-	27,198	-	BEC41C1912A	0.73	0.04	37,437	-	BPP16C2001A	0.42	0.01	100	-
BCH01C1907B	0.01	(0.01)	500	-	BEC41C2001A	-	-	-	-	BPP19C1908A	-	-	-	-
BCH01C2001A	0.37	-	49,958	-	BEM01C1907A	0.34	(0.03)	6,999	-	BPP19C1910A	0.38	0.01	15,600	-
BCH01C2001B	0.23	(0.01)	8,880	-	BEM01C1907B	0.01	-	45,383	-	BPP24C1908A	0.08	(0.01)	2,000	-
BCH01P1907A	0.16	0.01	21,877	-	BEM01C1911A	0.21	-	306,426	-	BPP24C1911A	0.59	-	2,000	-
BCH01P2001A	0.61	-	38,898	-	BEM01C1911B	0.13	(0.01)	89,108	-	BTS01C1908A	0.46	0.03	91,167	-
BCH06C1909A	0.05	-	802	-	BEM01P1907A	-	-	-	-	BTS01C1908B	0.35	0.02	73,687	-
BCH08C1910A	0.06	-	600	-	BEM01P1911A	0.37	0.01	99,376	-	BTS01C2001A	0.36	0.01	20,795	-
BCH11C2001A	0.20	-	2,020	-	BEM06C1912A	0.10	-	30,500	-	BTS01C2001B	0.26	0.01	24,728	-
BCH13C1909A	0.05	(0.01)	611	-	BEM06P1912A	0.39	0.01	68,672	-	BTS01P1908A	0.03	-	1	-
BCH13C1911A	0.15	-	20,904	-	BEM08C1907A	-	-	-	-	BTS01P2001A	0.38	(0.01)	34,192	-
BCH13C1912A	0.30	(0.70)	28,432	-	BEM11C2001A	0.15	-	9,100	-	BTS06C1908A	0.32	(0.01)	4,400	-
BCH16C2001A	-	-	-	-	BEM11C2003A	0.19	(0.01)	153,820	-	BTS06P1908A	-	-	-	-
BCH19C1907A	-	-	-	-	BEM13C1909A	0.08	-	60,099	-	BTS08C1911A	0.29	0.01	9,300	-
BCH19C1910A	0.05	(0.01)	10,000	-	BEM13C1912A	0.18	(0.01)	345,027	-	BTS11C1910A	-	-	-	-
BCH23C1907A	-	-	-	-	BEM13P1911A	0.29	-	132,782	-	BTS11C2003A	0.36	0.02	14,903	-
BCH24C1908A</														

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS41P1908A	-	-	-	-	CKP13C1908A	-	-	-	-	CPN16C2001A	0.35	(0.02)	150	-
BTS41P1910A	-	-	-	-	CKP13C1910A	-	-	-	-	CPN19C1911A	0.24	(0.01)	14,000	-
BTS41P1912A	0.24	(0.76)	402	-	CKP13C1912A	0.27	0.01	147,313	-	CPN24C1909A	0.17	(0.02)	4,900	-
CBG01C1907A	-	-	-	-	CKP16C2001A	0.25	(0.01)	400	-	CPN24P1907A	-	-	-	-
CBG01C1907B	2.82	(0.18)	1,326	2.00	CKP19C1907A	1.18	(0.47)	1,000	1.00	CPN24P1911A	0.60	-	2,100	-
CBG01C1909A	1.29	(0.07)	103,673	1.00	CKP19C1910A	0.40	0.02	1,000	-	CPN41C1910A	0.21	(0.03)	12,000	-
CBG01C1911A	1.52	(0.04)	99,259	1.00	CKP19C1911A	-	-	-	-	CPN41P1908A	-	-	-	-
CBG01C1911B	1.05	(0.04)	83,498	1.00	CKP23C1907A	-	-	-	-	CPN41P1912A	-	-	-	-
CBG01C2001A	0.93	(0.04)	71,648	-	CKP24C1907A	-	-	-	-	DTAC01C1910A	0.68	(0.04)	105,841	-
CBG01C2001B	0.59	(0.03)	78,388	-	CKP24C1912A	0.51	0.01	200	-	DTAC01C1910B	0.59	(0.04)	110,084	-
CBG01P1907A	-	-	-	-	CKP24P1912A	0.10	-	11,527	-	DTAC01P1910A	0.62	0.02	210,742	-
CBG01P1909A	0.02	-	1,103	-	CKP28C1908A	-	-	-	-	DTAC01P1910B	0.19	0.01	144,528	-
CBG01P1911A	0.16	-	125,033	-	CKP28C1910A	0.25	-	303	-	DTAC06C1908A	0.32	(0.06)	25,560	-
CBG01P2001A	0.95	0.01	64,808	-	CKP28C1912A	0.21	0.01	1,515	-	DTAC06P1908A	0.03	0.01	243	-
CBG06C1908A	1.16	(0.09)	12,300	1.00	CKP41C1909A	-	-	-	-	DTAC07C1909A	-	-	-	-
CBG08C1910A	0.93	(0.03)	23,980	-	COM706C1908A	-	-	-	-	DTAC08C1911A	0.56	(0.04)	37,277	-
CBG11C1911A	2.14	(0.08)	721	2.00	COM708C1911A	0.97	-	13,698	-	DTAC08P1911A	0.39	-	25,460	-
CBG13C1907A	1.35	(0.03)	10,048	1.00	COM711C1909A	0.52	0.02	32,004	-	DTAC11C2002A	0.68	(0.05)	32,000	-
CBG13C1908A	0.78	(0.05)	2,552	-	COM713C1907A	-	-	-	-	DTAC13C1908A	0.34	(0.03)	332,807	-
CBG13C1912A	0.87	(0.04)	228,530	-	COM713C1912A	0.65	0.02	133,685	-	DTAC13C1911A	0.71	(0.03)	30,193	-
CBG13P1907A	-	-	-	-	COM716C2001A	0.71	0.02	800	-	DTAC13P1907A	-	-	-	-
CBG13P1909A	0.04	-	3,444	-	COM719C1910A	0.67	0.02	18,817	-	DTAC13P1909A	0.16	0.02	51,831	-
CBG13P1911A	0.46	0.01	65,152	-	COM719C2001A	0.19	-	39,287	-	DTAC13P1912A	0.60	0.02	131,837	-
CBG16C1912A	-	-	-	-	COM719P1907A	-	-	-	-	DTAC16C2001A	0.71	(0.06)	2	-
CBG16C2001A	1.32	-	2	1.00	COM719P1911A	0.24	(0.01)	59,534	-	DTAC19C1908A	0.20	(0.02)	61,065	-
CBG19C1907A	0.54	(0.07)	5,988	-	COM724C1908A	0.67	0.03	4,100	-	DTAC19P1910A	0.08	0.01	21,320	-
CBG19C1911A	0.69	(0.03)	28,461	-	COM727C1907A	1.32	0.04	2,174	1.00	DTAC23P1908A	0.06	0.02	4,420	-
CBG19P1911A	0.15	-	17,724	-	COM741C1908A	0.58	0.03	4,001	-	DTAC24C1910A	0.68	(0.06)	436	-
CBG23C1908A	-	-	-	-	COM741C1911A	0.96	0.01	30,000	-	DTAC24P1909A	0.44	0.02	1,757	-
CBG24C1909A	0.82	(0.07)	14,710	-	CPAL01C1907A	0.99	0.03	13,913	-	DTAC27C2002A	0.69	(0.05)	24,000	-
CBG27C1912A	1.04	(0.11)	1,000	1.00	CPAL01C1907B	0.16	-	92,809	-	DTAC27P2002A	0.37	0.01	53,706	-
CBG28C1908A	-	-	-	-	CPAL01C1911A	0.96	0.02	128,710	-	DTAC28C1908A	0.19	(0.02)	26,861	-
CBG28C1910A	-	-	-	-	CPAL01C1911B	0.76	0.03	260,485	-	DTAC28C1911A	0.55	(0.05)	35,439	-
CBG28C1912A	0.66	(0.03)	48,671	-	CPAL01P1907A	0.01	-	9	-	DTAC41C1908A	-	-	-	-
CBG41C1908A	-	-	-	-	CPAL01P1907B	-	-	-	-	DTAC41C1912A	0.66	(0.03)	38,160	-
CBG41C1908B	-	-	-	-	CPAL01P1911A	0.61	(0.01)	98,257	-	DTAC41P1908A	-	-	-	-
CBG41C1910A	0.87	(0.04)	8,000	-	CPAL01P1911B	0.34	(0.01)	48,088	-	DTAC42C1911A	-	-	-	-
CBG41C1910B	-	-	-	-	CPAL06C1908A	0.47	0.02	11,300	-	EA06C1907A	0.02	(0.04)	3,112	-
CBG41C2001A	0.97	(0.03)	16,000	-	CPAL08C1908A	0.40	0.01	10,000	-	EA06C1910A	0.32	(0.03)	25,850	-
CBG41P1908A	-	-	-	-	CPAL08C2001A	0.60	0.01	36,520	-	EA07C1910A	0.50	(0.02)	35	-
CBG41P1909A	0.19	0.01	750	-	CPAL08P1908A	-	-	-	-	EA08C1908A	0.30	(0.02)	15,670	-
CBG41P1910A	-	-	-	-	CPAL11C1909A	0.60	0.02	4,401	-	EA11C1911A	0.64	(0.02)	14,496	-
CBG41P2001A	-	-	-	-	CPAL13C1911A	0.78	0.03	328,202	-	EA13C1908A	0.26	(0.02)	26,284	-
CBG42C1910A	1.06	(0.14)	3,000	1.00	CPAL13P1911A	0.34	(0.01)	180,297	-	EA13C1910A	0.19	-	92,694	-
CENT01C1909A	0.06	0.01	10	-	CPAL16C1912A	-	-	-	-	EA13C1912A	0.48	(0.03)	283,414	-
CENT01C1909B	-	-	-	-	CPAL16C2001A	0.78	0.02	1,602	-	EA13P1909A	0.17	-	19,724	-
CENT01C1911A	0.34	-	17,449	-	CPAL19C1907A	0.24	(0.03)	1,516	-	EA13P1910A	0.50	-	76,090	-
CENT01C1911B	0.23	(0.01)	20,674	-	CPAL19C1911A	0.39	0.02	39,374	-	EA16C1911A	0.55	(0.02)	4,252	-
CENT01P1909A	1.00	-	7,851	1.00	CPAL19P1910A	0.06	(0.01)	24,000	-	EA19C1907A	0.08	(0.02)	11,462	-
CENT01P1911A	0.35	-	15,296	-	CPAL24C1907A	0.99	0.01	1	-	EA19C1908A	0.13	(0.02)	76,868	-
CENT06C1908A	-	-	-	-	CPAL24C1912A	-	-	-	-	EA19C2001A	0.40	(0.60)	27,261	-
CENT08C1911A	0.08	-	4,800	-	CPAL24P1907A	-	-	-	-	EA19P1910A	0.20	-	60,000	-
CENT11C1909A	-	-	-	-	CPAL24P1909A	-	-	-	-	EA23C1909A	0.29	(0.01)	10,800	-
CENT11C2004A	0.30	0.01	8,000	-	CPAL24P1912A	-	-	-	-	EA24C1910A	0.34	(0.02)	780	-
CENT13C1911A	0.18	-	6,298	-	CPAL27C1912A	0.79	0.01	8,398	-	EA27C1908A	0.29	(0.01)	12,650	-
CENT13C1912A	0.26	(0.74)	11,436	-	CPAL28C1910A	0.63	(0.01)	50	-	EA27P1908A	0.06	-	8,000	-
CENT16C2001A	-	-	-	-	CPAL28C1912A	0.60	0.02	27,429	-	EA28C1909A	0.23	(0.02)	35,712	-
CENT19C1908A	-	-	-	-	CPAL28C2001A	0.45	0.01	24,528	-	EA28C1909B	0.10	-	4,235	-
CENT19C1910A	0.08	-	92,825	-	CPAL41C1910A	0.69	0.01	28,000	-	EA28C1910A	0.18	(0.01)	6,219	-
CENT23C1908A	-	-	-	-	CPAL41C1910B	-	-	-	-	EA41C1910A	-	-	-	-
CENT24C1908A	-	-	-	-	CPAL41P1908A	-	-	-	-	EA41C1910B	-	-	-	-
CENT24C1910A	-	-	-	-	CPAL41P1911A	-	-	-	-	EA41C1912A	0.46	(0.02)	18,000	-
CENT27C1912A	0.27	0.01	6,136	-	CPAL41P1912A	-	-	-	-	EA41P1907A	-	-	-	-
CENT41C1908A	-	-	-	-	CPAL41P1912B	-	-	-	-	EA41P1912A	0.75	0.03	7	-
CENT41C1912A	-	-	-	-	CPAL42C1910A	-	-	-	-	EA42C1910A	-	-	-	-
CENT41P1910A	-	-	-	-	CPF01C1908A	0.22	(0.01)	107,137	-	EGCO01C1909A	1.31	0.03	9,677	1.00
CHG01C1907A	0.79	0.03	2,589	-	CPF01C1908B	0.08	(0.01)	163,353	-	EGCO01C1909B	1.11	0.04	10,963	1.00
CHG01C1907B	0.05	0.01	15,180	-	CPF01C2001A	0.27	(0.01)	101,534	-	EGCO01C2001A	0.81	0.02	15,354	-
CHG01C2001A	0.35	0.01	10,055	-	CPF01C2001B	0.17	(0.01)	124,167	-	EGCO01C2001B	0.55	0.02	30,542	-
CHG01C2001B	0.24	0.01	11,658	-	CPF01P1908A	-	-	-	-	EGCO13C1910A	-	-	-	-
CHG01P1907A	0.02	0.01	236	-	CPF01P1908B	0.03	-	10	-	EGCO13C1912A	0.53	-	54,803	-
CHG01P2001A	0.38	(0.02)	20,525	-	CPF01P2001A	0.42	-	76,226	-	EGCO16C2001A	0.69	(0.04)	3	-
CHG06C1911A	-	-	-	-	CPF01P2001B	0.29	-	87,900	-	EGCO19C1907A	1.26	(0.14)	1,000	1.00
CHG08C1912A	0.26	0.01	8,304	-	CPF08C1911A	0.16	-	17,600	-	EGCO19C1908A	0.49	0.04	6,033	-
CHG11C1911A	0.24	-	600	-	CPF11C1910A	-	-	-	-	EGCO24C1908A	1.42	0.05	6	1.00
CHG13C1911A	0.25	0.01	13,316	-	CPF13C1908A	-	-	-	-	EGCO27C1910A	0.91	(0.07)	658	-
CHG16C2002A	-	-	-	-	CPF13C1910A	0.13	(0.01)	68,210	-	EGCO41C1911A	0.52	0.04	6,000	-
CHG19C1911A	0.15	-	12,507	-	CPF13C1911A	0.21	-	41,394	-	EGCO41P1911A	0.12	(0.01)	344	-
CHG23C1907A	-	-	-	-	CPF13P1910A	-	-	-	-	EPG13C1912A	0.26	(0.74)	10,138	-
CHG24C1907A	-	-	-	-	CPF16C2001A	0.15	(0.01)	1,970	-	EPG19C1908A	0.02	(0.02)	2,610	-
CHG24C1911A	0.79	0.04	8,470	-	CPF19C1907A	-	-	-	-	EPG19C1910A	0.28	(0.05)	52,140	-
CHG41C1912A	0.19	0.01	12,000	-	CPF19C1910A	0.16	-	32,974	-	EPG19P1911A	0.12	0.01	19,332	-
CK01C1907A	0.32	-	5,890	-	CPF19C2001A	0.15	-	1,620	-	EPG24C1908A	0.06	(0.02)	3,560	-
CK01C1907B	0.07	(0.01)	3,164	-	CPF19P1910A	-	-	-	-	EPG24C1911A	0.49	(0.08)	20,258	-
CK01C2001A	0.26	-	28,195	-	CPF24C1912A	-	-	-	-	ERW06C1907A	-	-	-	-
CK01C2001B	0.18	-	69,510	-	CPF24P1909A	-	-	-	-	ERW06C1911A	0.08	-	14,550	-
CK01P1907A	0.02	0.01	1,301	-	CPF27C2001A	0.23	-	11,600	-	ERW11C2001A	-	-	-	-
CK01P2001A	0.39	-	19,468	-	CPF28C1912A	0.16	-	20,280	-	ERW13C1911A	0.10	-	3,000	-
CK06C1911A	-	-	-											

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO23C1908A	0.07	-	1,000	-	GUNK16C2002A	0.36	(0.02)	22,500	-	IVL19C1907A	-	-	-	-
ESSO24C1907A	-	-	-	-	GUNK19C1910A	0.36	(0.03)	6,738	-	IVL19C1908A	-	-	-	-
ESSO24C1910A	0.79	-	100	-	GUNK19C1911A	0.19	(0.02)	31,324	-	IVL19C1911A	0.08	(0.01)	37,100	-
ESSO27C1912A	0.17	-	1,280	-	GUNK23C1907A	0.10	(0.03)	14,445	-	IVL19C2001A	0.25	(0.75)	25,889	-
ESSO41C1911A	-	-	-	-	GUNK24C1909A	0.88	0.02	1,000	-	IVL19P1908A	-	-	-	-
ESSO42C1910A	-	-	-	-	GUNK42C1910A	0.41	(0.06)	8,700	-	IVL19P1910A	0.27	0.02	28,678	-
GFPT08C1912A	0.47	0.01	9,750	-	HANA01C1909A	0.15	-	86,522	-	IVL23P1909A	0.49	0.02	9,000	-
GFPT13C1912A	0.42	0.01	27,724	-	HANA01C1909B	0.04	(0.01)	46	-	IVL24C1907A	-	-	-	-
GFPT19C1907A	-	-	-	-	HANA01C1911A	1.06	(0.01)	29,322	1.00	IVL24C1910A	0.16	(0.01)	300	-
GFPT19C1912A	0.35	0.01	11,790	-	HANA01C2001A	0.32	-	80,404	-	IVL24C2001A	0.29	(0.02)	2,400	-
GFPT19P1912A	0.25	(0.01)	3,500	-	HANA01C2001B	0.22	-	177,506	-	IVL24P1911A	-	-	-	-
GFPT23C1909A	0.38	0.01	7,000	-	HANA11C1911A	-	-	-	-	IVL27C1912A	0.20	(0.01)	12,526	-
GFPT24C1907A	-	-	-	-	HANA13C1910A	0.09	-	6,053	-	IVL27P1907A	-	-	-	-
GFPT24C1912A	0.40	(0.03)	300	-	HANA13C1911A	1.05	-	8,570	1.00	IVL27P1912A	0.37	0.01	16,627	-
GFPT42C1911A	-	-	-	-	HANA13C1912A	0.28	-	121,018	-	IVL28C1908A	-	-	-	-
GGC13C1908A	0.18	0.02	16,482	-	HANA19C1910A	0.16	-	571	-	IVL28C1910A	0.07	(0.01)	2,028	-
GLOB01C1909A	0.25	(0.01)	29,524	-	HANA24C1907A	-	-	-	-	IVL28C2001A	0.24	(0.01)	40,560	-
GLOB01C1909B	0.06	(0.03)	100,404	-	HANA27C2001A	0.34	-	8,400	-	IVL28P1909A	0.37	0.03	20,260	-
GLOB01P1909A	0.51	-	168,732	-	HMPR01C1908A	0.55	0.03	8,746	-	IVL28P1912A	0.40	0.01	15,180	-
GLOB06C1911A	0.22	(0.02)	20,930	-	HMPR01C1908B	0.32	0.03	16,139	-	IVL41C1909A	-	-	-	-
GLOB11C2002A	0.40	(0.01)	29,500	-	HMPR01C2001A	0.44	0.02	13,297	-	IVL41C1910A	-	-	-	-
GLOB13C1910A	0.19	(0.01)	105,915	-	HMPR01C2001B	0.28	(0.72)	18,116	-	IVL41C1910B	-	-	-	-
GLOB16C2001A	0.28	(0.02)	8	-	HMPR01P1908A	0.06	(0.02)	8,000	-	IVL41P1907A	-	-	-	-
GLOB19C1907A	-	-	-	-	HMPR01P2001A	0.54	(0.01)	35,074	-	IVL41P1912A	-	-	-	-
GLOB19C1912A	0.18	(0.02)	16,454	-	HMPR06C1910A	0.37	0.01	6,300	-	IVL42C1910A	-	-	-	-
GLOB24C1908A	-	-	-	-	HMPR08C1912A	0.32	0.01	8,800	-	JAS06C1912A	0.18	(0.27)	355,860	-
GLOB24C1911A	0.39	(0.03)	1,150	-	HMPR11C2003A	0.40	0.02	8,000	-	JAS13C1912A	0.21	(0.25)	2,121,642	-
GLOB41C1908A	-	-	-	-	HMPR13C1908A	0.31	(0.04)	500	-	JAS16C2002A	0.30	(0.24)	42,015	-
GLOB41C1910A	0.11	-	39,000	-	HMPR13C1912A	0.26	0.02	59,623	-	JAS16C2002B	0.22	(0.22)	16,422	-
GLOW13C1912A	-	-	-	-	HMPR19C1907A	0.06	(0.01)	1,000	-	JAS19C1912A	0.14	(0.19)	644,421	-
GPSC01C1910A	0.94	0.05	72,431	-	HMPR19C1911A	0.19	0.01	501	-	JAS41C1912A	0.17	(0.25)	302,412	-
GPSC01C1910B	0.82	0.02	49,133	-	HMPR24C1907A	0.05	-	1,000	-	JAS41P1912A	0.66	0.30	784,338	-
GPSC01C1912A	0.68	0.02	133,603	-	HMPR24C1912A	-	-	-	-	KBAN01C1907A	0.17	(0.06)	89,131	-
GPSC01C1912B	0.45	0.01	212,474	-	HMPR27P2001A	0.28	(0.02)	7,781	-	KBAN01C1907B	0.02	0.01	1	-
GPSC01P1910A	0.21	-	73,659	-	HMPR41C1911A	-	-	-	-	KBAN01C1911A	0.53	(0.03)	116,533	-
GPSC01P1912A	0.92	(0.02)	75,063	-	HMPR41P1911A	0.23	(0.03)	1,000	-	KBAN01C1911B	0.26	(0.03)	97,047	-
GPSC06C1912A	0.61	0.01	29,200	-	INTU01C1907A	1.10	(0.02)	9,450	1.00	KBAN01P1907A	-	-	-	-
GPSC08C2001A	0.63	0.02	20,617	-	INTU01C1907B	0.83	-	13,420	-	KBAN01P1911A	1.40	0.05	63,988	1.00
GPSC11C1909A	0.43	0.01	8,357	-	INTU01C1912A	0.59	(0.01)	88,111	-	KBAN01P1911B	0.99	0.04	75,432	-
GPSC13C1908A	0.44	0.01	24,901	-	INTU01C1912B	0.45	-	118,490	-	KBAN07C1908A	-	-	-	-
GPSC13C1911A	-	-	-	-	INTU01P1907A	0.01	-	1	-	KBAN08C1908A	-	-	-	-
GPSC13C1912A	0.56	0.03	136,812	-	INTU01P1907B	-	-	-	-	KBAN08P1912A	0.75	0.04	41,335	-
GPSC13P1911A	0.73	(0.04)	109,999	-	INTU01P1912A	0.68	0.01	72,886	-	KBAN13C1910A	0.26	(0.02)	45,727	-
GPSC19C1907A	0.06	0.01	40,317	-	INTU01P1912B	0.44	0.01	98,703	-	KBAN13C1912A	0.50	(0.04)	332,946	-
GPSC19C1910A	0.74	-	700	-	INTU11C2001A	0.67	(0.01)	16,000	-	KBAN13P1908A	-	-	-	-
GPSC19C2001A	0.42	0.01	130,507	-	INTU13C1908A	0.56	-	47,470	-	KBAN13P1911A	0.90	0.04	181,779	-
GPSC19P1911A	0.19	(0.02)	41,532	-	INTU13C1912A	0.48	-	46,980	-	KBAN16C2001A	0.35	(0.03)	41,840	-
GPSC24C1909A	0.85	0.01	7,350	-	INTU16C2001A	-	-	-	-	KBAN19C1911A	0.15	(0.03)	53,832	-
GPSC27C1909A	0.35	0.01	7,340	-	INTU19C1907A	0.14	(0.01)	14,212	-	KBAN19P1910A	0.25	0.01	87,450	-
GPSC41C1908A	0.10	0.01	9,140	-	INTU19C1912A	0.34	(0.01)	29,650	-	KBAN24C1907A	-	-	-	-
GPSC41C1911A	0.80	0.02	16,000	-	INTU19P1910A	-	-	-	-	KBAN24C1908A	-	-	-	-
GPSC41C1912A	0.50	0.01	22,000	-	INTU23C1908A	0.26	-	10,000	-	KBAN24C1912A	0.30	(0.03)	14,510	-
GPSC41P1912A	-	-	-	-	INTU24C1909A	0.46	-	10	-	KBAN24P1907A	-	-	-	-
GULF01C1909A	2.26	-	11,616	2.00	INTU41C1908A	0.21	(0.05)	1	-	KBAN24P1909A	0.48	0.04	340	-
GULF01C1909B	0.73	0.01	30,931	-	INTU41C1912A	0.45	(0.02)	40,000	-	KBAN27P2001A	0.66	0.03	9,070	-
GULF01C1912A	0.62	0.01	75,364	-	INTU41P1910A	-	-	-	-	KBAN28C1911A	0.15	(0.02)	41,402	-
GULF01C1912B	0.43	-	86,904	-	INTU42C1910A	-	-	-	-	KBAN28C2001A	0.30	(0.02)	24,174	-
GULF01P1909A	0.03	-	154,725	-	IRPC01C1911A	0.58	(0.02)	201,205	-	KBAN28P1909A	0.19	0.01	16,192	-
GULF01P1912A	0.67	(0.01)	122,446	-	IRPC01C1911B	0.11	(0.01)	158,312	-	KBAN28P1912A	0.75	0.05	36,291	-
GULF06C1909A	3.30	(0.24)	105	3.00	IRPC01P1911A	0.30	0.02	99,172	-	KBAN41C1910A	-	-	-	-
GULF06C1912A	0.62	0.01	5,150	-	IRPC06C1907A	-	-	-	-	KBAN41P1908A	-	-	-	-
GULF07C1910A	-	-	-	-	IRPC06C1911A	0.27	(0.03)	21,000	-	KBAN41P1908B	-	-	-	-
GULF08C1910A	0.84	0.02	11,005	-	IRPC06P1907A	-	-	-	-	KBAN41P1912A	-	-	-	-
GULF11C1908A	-	-	-	-	IRPC11C2001A	0.08	-	2,000	-	KBAN42C1911A	-	-	-	-
GULF11C2003A	0.81	(0.01)	26,001	-	IRPC13C1909A	0.02	-	1,540	-	KCE01C1911A	0.65	0.01	103,092	-
GULF13C1909A	0.69	(0.01)	57,656	-	IRPC13C1911A	0.25	(0.03)	227,517	-	KCE01C1911B	0.41	0.02	170,670	-
GULF13C1910A	-	-	-	-	IRPC13C1912A	0.13	-	12	-	KCE06C1908A	0.02	0.01	1	-
GULF13C1912A	0.53	(0.01)	363,262	-	IRPC19C1910A	-	-	-	-	KCE06C1911A	0.36	0.02	36,733	-
GULF13P1908A	-	-	-	-	IRPC19C1910B	0.21	(0.03)	43,096	-	KCE08C1911A	-	-	-	-
GULF13P1910A	0.04	(0.01)	880	-	IRPC23C1908A	-	-	-	-	KCE11C2004A	0.63	0.02	54,006	-
GULF13P1911A	0.38	-	289,869	-	IRPC24C1909A	-	-	-	-	KCE13C1907A	-	-	-	-
GULF16C2001A	-	-	-	-	IRPC24C1911A	0.34	(0.04)	934	-	KCE13C1908A	-	-	-	-
GULF19C1908A	2.00	-	4,025	1.00	IRPC27C1911A	-	-	-	-	KCE13C1911A	0.31	-	103,140	-
GULF19C1910A	0.72	-	12,215	-	IRPC41C1910A	-	-	-	-	KCE16C2001A	0.36	0.02	49,432	-
GULF19C1912A	0.34	0.01	32,191	-	IRPC41C1911A	-	-	-	-	KCE19C1910A	-	-	-	-
GULF19P1911A	0.07	-	49,515	-	IRPC41C1911B	0.36	(0.04)	1	-	KCE19C1910B	0.26	0.01	45,154	-
GULF19P2001A	0.44	(0.01)	46,058	-	IRPC41C1912A	-	-	-	-	KCE23C1911A	0.26	0.01	19,000	-
GULF24C1908A	-	-	-	-	IRPC41P1909A	-	-	-	-	KCE24C1911A	0.40	-	601	-
GULF24C1909A	0.81	0.02	11,500	-	IRPC41P1912A	0.51	0.04	1,000	-	KCE28C1911A	0.35	0.01	52,436	-
GULF24P2001A	0.50	(0.02)	1,000	-	IRPC42C1911A	0.41	(0.05)	8,500	-	KCE41C1907A	-	-	-	-
GULF27C2004A	0.57	0.02	13,200	-	ITD13C1908A	0.04	(0.01)	264	-	KCE41C1911A	0.40	0.02	66,000	-
GULF28C1908A	1.89	0.13	200	1.00	IVL01C1908A	0.10	(0.02)	155,320	-	KCE42C1910A	0.35	0.02	1,315	-
GULF28C1909A	-	-	-	-	IVL01C1908B	0.02	-	352	-	KKP01C1907A	0.64	0.03	31,497	-
GULF28C1910A	-	-	-	-	IVL01C1911A	0.29	(0.02)	438,650	-	KKP01C1907B	0.15	0.02	55,432	-
GULF28C2001A	0.39	0.01	22,308	-	IVL01C1911B	0.14	(0.01)	59,802	-	KKP01C2001A	0.69	0.02	70,215	-
GULF41C1909A	0.72	0.02	12,000	-	IVL01P1908A	0.84	0.04	31,714	-	KKP01C2001B	0.50	0.03	92,004	-
GULF41C1909B	-	-	-	-	IVL01P1908B	0.40	0.01	51,375	-	KKP01P1907A	0.01	-	20,000	-
GULF41C1910A	-	-	-	-	IVL01P1911A	0.68								

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTBI19C1907A	-	-	-	-	MTC24C1910A	0.48	0.05	3,150	-	PTT01P1907B	-	-	-	-
KTBI19C1912A	0.23	-	1,220	-	MTC24C1912A	1.00	(0.03)	20	1.00	PTT01P1910A	0.61	-	117,870	-
KTBI19P1910A	-	-	-	-	MTC27C1911A	0.71	0.03	17,518	-	PTT01P1910B	0.24	(0.01)	201,250	-
KTBI24C1908A	-	-	-	-	MTC27P1911A	0.19	(0.01)	64,600	-	PTT06C1908A	0.02	-	9	-
KTBI24P1907A	-	-	-	-	MTC28C1910A	0.44	0.01	340	-	PTT06C1912A	0.24	-	23,000	-
KTBI41C1910A	-	-	-	-	MTC28C1912A	0.38	0.03	51,638	-	PTT08C1912A	-	-	-	-
KTC01C1910A	0.53	-	58,896	-	MTC41C1911A	-	-	-	-	PTT08P1911A	0.30	(0.02)	40,000	-
KTC01C1910B	0.31	-	58,986	-	MTC41P1907A	-	-	-	-	PTT11C1909A	-	-	-	-
KTC01C2001A	0.53	-	34,993	-	MTC41P1911A	-	-	-	-	PTT11C2004A	0.35	0.01	18,302	-
KTC01C2001B	0.32	(0.01)	24,463	-	MTC42C1910A	-	-	-	-	PTT13C1909A	0.09	-	39,038	-
KTC01P1910A	0.24	(0.01)	187,653	-	ORI08C1907A	0.48	-	7,615	-	PTT13C1911A	0.28	-	174,588	-
KTC01P2001A	0.61	-	18,927	-	ORI11C1909A	0.63	(0.01)	4,600	-	PTT13P1909A	-	-	-	-
KTC06C1911A	0.44	(0.01)	9,843	-	ORI13C1907A	-	-	-	-	PTT13P1911A	0.31	(0.03)	185,968	-
KTC08C1907A	-	-	-	-	ORI13C1912A	0.68	(0.01)	107,646	-	PTT16C1912A	-	-	-	-
KTC08C1910A	0.31	-	10,000	-	ORI19C1910A	0.59	(0.01)	24,241	-	PTT16C2001A	-	-	-	-
KTC11C1911A	0.77	-	12,000	-	ORI19C2001A	0.22	-	36,252	-	PTT19C1911A	0.21	0.01	32,047	-
KTC13C1909A	0.19	(0.01)	207,165	-	ORI23C1911A	0.81	(0.02)	21,324	-	PTT19P1908A	-	-	-	-
KTC13C1912A	0.44	(0.01)	146,457	-	ORI24C1908A	0.73	(0.05)	15,000	-	PTT19P1911A	0.14	(0.01)	38,600	-
KTC13P1909A	0.14	-	83,459	-	ORI24C2001A	0.45	(0.02)	3,996	-	PTT23C1911A	-	-	-	-
KTC13P1911A	0.54	-	149,354	-	ORI41C1907B	-	-	-	-	PTT24C1911A	-	-	-	-
KTC16C1911A	-	-	-	-	ORI41C1911A	0.65	(0.01)	21,600	-	PTT24P1907A	-	-	-	-
KTC19C1907A	0.88	0.06	690	-	OSP01C1912A	0.34	0.01	115,111	-	PTT28C1911A	-	-	-	-
KTC19C1908A	0.27	(0.01)	16,614	-	OSP01C1912B	0.22	0.02	128,286	-	PTT28P1912A	0.23	-	35,070	-
KTC19C1910A	0.19	(0.01)	611	-	OSP01P1912A	0.38	(0.01)	60,667	-	PTT28P1912A	0.29	-	15,276	-
KTC19P1911A	0.23	(0.02)	30,800	-	OSP06C1912A	0.26	0.02	13,201	-	PTT41C1910A	-	-	-	-
KTC19P2001A	0.36	-	18,272	-	OSP13C1912A	0.32	-	59,729	-	PTT41C1910B	-	-	-	-
KTC23C1908A	-	-	-	-	OSP16C2001A	-	-	-	-	PTT41P1908A	-	-	-	-
KTC24C1907A	0.56	-	625	-	OSP19C1912A	0.24	0.01	25,804	-	PTT41P1911A	-	-	-	-
KTC24C2001A	-	-	-	-	OSP24C1912A	0.29	0.01	182	-	PTT42C1911A	-	-	-	-
KTC27C1911A	0.44	-	4,801	-	OSP28C2001A	0.26	0.01	11,640	-	PTTE01C1907A	0.93	(0.01)	14,799	-
KTC27P1911A	0.34	(0.01)	1,796	-	OSP41C1912A	-	-	-	-	PTTE01C1907B	0.08	(0.02)	31,960	-
KTC28C1908A	0.04	(0.01)	18	-	OSP41P1912A	0.40	-	2,000	-	PTTE01C1910A	0.52	(0.01)	46,752	-
KTC28C1909A	0.16	-	13,784	-	PLAN13C1908A	-	-	-	-	PTTE01C1910B	0.46	(0.03)	55,781	-
KTC41C1910A	0.35	(0.03)	7,200	-	PLAN13C1912A	0.67	(0.03)	42,397	-	PTTE01C2001A	0.77	-	26,676	-
KTC41P1910A	0.32	(0.01)	402	-	PLAN13C1912B	0.40	(0.02)	66,419	-	PTTE01C2001B	0.52	-	36,356	-
KTC42C1911A	0.34	-	1	-	PLAN16C2002A	0.64	-	42,381	-	PTTE01P1907A	0.01	-	70	-
LH01C1909A	0.30	-	24,906	-	PLAN19C1911A	0.53	(0.02)	18,257	-	PTTE01P1907B	0.01	-	5	-
LH01C1909B	0.17	-	32,307	-	PLAN19C2001A	0.31	(0.01)	13,378	-	PTTE01P1910A	0.75	0.01	99,121	-
LH01P1909A	0.14	(0.01)	34,158	-	PLAN23C1909A	0.54	(0.03)	6,460	-	PTTE01P1910B	0.26	-	25,335	-
LH07C1908A	-	-	-	-	PLAN24C1912A	0.50	(0.04)	1,000	-	PTTE01P2001A	1.02	-	25,990	1.00
LH11C1911A	0.21	0.01	800	-	PLAN27C1908A	0.74	(0.01)	7,558	-	PTTE01P2001B	0.62	-	43,091	-
LH13C1910A	0.18	-	23,978	-	PLAN41C1910A	0.53	(0.02)	34,000	-	PTTE06C1908A	0.21	(0.01)	11,200	-
LH16C2002A	-	-	-	-	PRM13C1908A	0.69	(0.08)	340	-	PTTE06P1910A	0.18	(0.01)	3,280	-
LH19C1907A	0.04	(0.01)	1,102	-	PRM13C1912A	0.65	(0.02)	170,215	-	PTTE08C1910A	0.31	(0.02)	4,150	-
LH19C1911A	0.13	-	9,042	-	PRM19C1910A	0.61	(0.02)	21,325	-	PTTE08P1911A	0.36	-	5,600	-
LH19P1910A	-	-	-	-	PRM19C2001A	0.40	(0.02)	25,261	-	PTTE11C1910A	0.59	0.02	2,000	-
LH24C1912A	-	-	-	-	PRM23C1909A	0.62	(0.05)	16,502	-	PTTE13C1908A	0.29	-	123,460	-
LH41C1911A	-	-	-	-	PRM27C2002A	0.66	(0.01)	50,128	-	PTTE13C1911A	0.62	(0.01)	132,243	-
LH41P1911A	-	-	-	-	PSH13C1910A	0.60	0.01	22,000	-	PTTE13P1908A	0.06	(0.01)	2,238	-
LPN08C1908A	0.18	0.01	10,841	-	PSH19C1908A	0.45	0.02	4,000	-	PTTE13P1911A	0.57	(0.01)	80,264	-
LPN13C1908A	0.31	0.01	17,877	-	PSH19C2001A	0.41	0.03	6,356	-	PTTE13P1912A	0.33	-	22,130	-
LPN24C1908A	-	-	-	-	PSL06C1908A	0.13	(0.02)	26,260	-	PTTE16C1911A	0.48	(0.01)	2,600	-
MAJO06C1909A	0.12	0.02	63,106	-	PSL06C1911A	1.26	(0.03)	17,870	1.00	PTTE19C1908A	0.20	(0.03)	16,184	-
MAJO13C1909A	0.16	0.03	63,842	-	PSL13C1907A	-	-	-	-	PTTE19C2001A	0.40	(0.60)	31,270	-
MAJO19C1907A	0.02	(0.02)	100	-	PSL13C1912A	0.56	(0.02)	175,817	-	PTTE19P1908A	-	-	-	-
MAJO19C1912A	0.19	0.03	78,073	-	PSL19C1907A	0.19	(0.05)	4,649	-	PTTE19P1911A	0.14	(0.02)	101	-
MAJO24C2002A	0.35	0.03	6,080	-	PSL19C1912A	0.49	(0.02)	17,412	-	PTTE23P1909A	0.15	-	2,000	-
MAJO27C1912A	0.21	0.03	9,185	-	PSL23C1907A	-	-	-	-	PTTE24C1910A	0.70	-	1,200	-
MBK13C1907A	-	-	-	-	PSL27C2002A	0.70	(0.02)	22,500	-	PTTE24P1909A	-	-	-	-
MBK13C1912A	0.48	(0.52)	32	-	PTG01C1908A	2.02	0.15	122,976	2.00	PTTE27C1912A	0.43	-	1,974	-
MBK19C1911A	0.37	(0.01)	7,107	-	PTG01C1908B	2.36	0.24	86,603	2.00	PTTE28C1909A	0.28	(0.01)	18,250	-
MBK24C1910A	0.55	(0.02)	1,000	-	PTG01C1911A	1.59	0.15	390,863	1.00	PTTE28C2001A	0.41	(0.01)	5,540	-
MEGA11C1910A	0.33	(0.01)	16,560	-	PTG01C1911B	1.61	0.24	274,391	1.00	PTTE28P1911A	0.26	0.01	14,168	-
MEGA13C1907A	-	-	-	-	PTG01C2001A	1.04	0.12	471,341	1.00	PTTE41C1910A	0.39	-	18,666	-
MEGA13C1912A	0.34	(0.02)	51,909	-	PTG01C2001B	0.86	0.14	656,017	-	PTTE41C1910B	-	-	-	-
MEGA19C1910A	0.14	(0.01)	9,771	-	PTG01P1908A	0.02	0.01	11,032	-	PTTE41P1910A	-	-	-	-
MINT01C1911A	0.46	0.02	216,281	-	PTG01P1911A	0.09	(0.01)	104,612	-	PTTE42C1910A	-	-	-	-
MINT01C1911B	0.35	0.01	278,618	-	PTG01P2001A	0.45	(0.08)	252,099	-	PTTG01C1907A	0.10	(0.01)	51,650	-
MINT01P1911A	0.35	-	357,829	-	PTG06C1910A	2.46	0.26	53,890	2.00	PTTG01C1907B	-	-	-	-
MINT06C1908A	0.12	(0.01)	184,191	-	PTG08C1907A	-	-	-	-	PTTG01C1910A	0.27	(0.01)	138,041	-
MINT08C1908A	0.13	(0.01)	81,502	-	PTG08C1912A	1.01	0.15	43,134	-	PTTG01C1910B	0.28	(0.02)	95,892	-
MINT11C1910A	0.33	-	58,033	-	PTG11C2003A	1.38	0.17	53,608	1.00	PTTG01C1912A	0.63	(0.02)	35,335	-
MINT13C1908A	0.14	-	300,122	-	PTG13C1910A	2.06	0.26	151	2.00	PTTG01C1912B	0.46	(0.01)	140,304	-
MINT13C1911A	0.35	-	315,754	-	PTG13C1911A	1.43	0.18	24,447	1.00	PTTG01P1907A	0.21	(0.02)	12,661	-
MINT13C1912A	0.25	(0.75)	68,420	-	PTG13C1912A	0.91	0.16	1,080,234	-	PTTG01P1907B	-	-	-	-
MINT16C1911A	0.38	-	8,427	-	PTG13C1912B	0.58	0.10	1,687,382	-	PTTG01P1910A	1.22	(0.01)	76,958	1.00
MINT16C2001A	0.35	0.02	96,940	-	PTG13P1911A	0.21	(0.07)	587,645	-	PTTG01P1910B	0.44	-	123,584	-
MINT19C1908A	0.10	0.01	488,562	-	PTG16C1911A	1.87	0.20	16,031	1.00	PTTG01P1912A	0.87	0.01	26,823	-
MINT19P1910A	0.04	-	90	-	PTG19C1907A	2.30	0.24	21,558	2.00	PTTG01P1912B	0.58	-	78,207	-
MINT23C2001A	0.34	(0.03)	6,300	-	PTG19C1910A	1.61	0.24	42,790	1.00	PTTG06C1908A	0.01	-	2,638	-
MINT24C1908A	0.36	0.01	6,803	-	PTG19C1910B	0.93	0.17	53,569	-	PTTG06C1911A	0.31	(0.01)	20,050	-
MINT27C1912A	0.32	-	24,442	-	PTG19C1911A	0.60	0.12	384,898	-	PTTG06P1908A	0.44	(0.03)	5,500	-
MINT27P1912A	0.19	0.01	43,524	-	PTG19P1908A	-	-	-	-	PTTG07C1908A	-	-	-	-
MINT41C1910A	0.27	-	1,660	-	PTG19P1910A	0.03	(0.01)	32,520	-	PTTG08C1911A	0.19	(0.01)	13,240	-
MINT41P1912A	-	-	-	-	PTG19P2001A	0.37	(0.06)	159,362	-	PTTG08P1912A	0.44	-	9,400	-
MTC01C1907A	0.78	0.05	2,460	-	PTG24C1909A	1.78	0.15	1,000	1.00	PTTG11C1909A	-	-	-	-
MTC01C1907B	0.26	0.03	26,768	-	PTG27P1910A	0.01	-	71,720						

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MTC23C1911A	0.66	0.05	1,000	-	PTT01P1907A	0.07	(0.02)	173,040	-	PTTG41C1911A	0.38	-	421	-

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG41C1911B	-	-	-	-	S5041C1909B	-	-	-	-	SGP13C1912A	0.15	-	50	-
PTTG41P1908A	-	-	-	-	S5041C1909C	0.49	(0.02)	7,674,758	-	SGP19C1907A	-	-	-	-
PTTG41P1912A	-	-	-	-	S5041C1909D	0.61	(0.39)	20	-	SGP19C1910A	0.09	-	10	-
PTTG42C1910A	-	-	-	-	S5041C1909F	1.02	(0.06)	10	1.00	SGP19C2001A	0.19	(0.01)	150	-
QH01C1908A	0.34	-	10,298	-	S5041C1909G	0.72	(0.02)	10	-	SGP23C1908A	0.14	(0.01)	9,005	-
QH01C1908B	0.15	(0.01)	38,320	-	S5041P1909A	0.30	(0.01)	50,300	-	SGP24C1910A	-	-	-	-
QH01P1908A	0.11	(0.01)	77,675	-	S5041P1909B	-	-	-	-	SGP41C2001A	-	-	-	-
QH11C1910A	0.22	(0.01)	13,765	-	S5041P1909C	0.67	(0.03)	11,400	-	SGP42C1911A	-	-	-	-
QH13C1909A	0.21	0.01	21,730	-	S5041P1909D	0.62	(0.38)	3,900,750	-	SIRI01C1907A	0.62	-	4,176	-
QH19C1909A	-	-	-	-	S5041P1909F	-	-	-	-	SIRI01C1907B	0.37	0.02	3,614	-
QH24C1908A	-	-	-	-	S5041P1909G	0.21	0.03	2	-	SIRI01P1907A	-	-	-	-
RATC13C1911A	0.42	0.02	90,492	-	SAWA01C1907A	0.85	(0.03)	35,631	-	SIRI11C1911A	0.38	0.01	6,000	-
RATC16C2001A	0.38	0.01	2,795	-	SAWA01C1907B	0.32	(0.05)	29,694	-	SIRI19C1910A	0.17	(0.01)	551	-
RATC19C1908A	0.38	0.03	11,832	-	SAWA01C1911A	0.66	(0.03)	48,272	-	SIRI24C1907A	-	-	-	-
RATC19C1910A	0.14	0.01	45,651	-	SAWA01C1911B	0.39	(0.03)	42,803	-	SIRI24C1911A	0.25	-	5,560	-
RATC41C1911A	-	-	-	-	SAWA01P1907A	0.02	-	370	-	SPAL01C1907A	1.04	0.04	2,280	1.00
ROBI01C1909A	0.16	(0.01)	31,527	-	SAWA01P1911A	0.55	0.02	80,458	-	SPAL01C1907B	0.85	0.15	9,064	-
ROBI01C1909B	0.02	(0.01)	70	-	SAWA06C1908A	0.52	(0.08)	9,000	-	SPAL01C1911A	0.57	0.05	102,536	-
ROBI01C1912A	0.41	(0.03)	68,643	-	SAWA08C1908A	0.34	(0.03)	25,010	-	SPAL01C1911B	0.32	0.02	152,147	-
ROBI01C1912B	0.26	(0.02)	49,144	-	SAWA11C2003A	0.76	(0.03)	42,000	-	SPAL11C1910A	-	-	-	-
ROBI06C1910A	0.14	(0.02)	24,776	-	SAWA13C1908A	-	-	-	-	SPAL13C1909A	0.32	0.02	50,876	-
ROBI08C2001A	0.28	(0.02)	19,168	-	SAWA13C1911A	0.50	(0.02)	291,319	-	SPAL16C2002A	0.53	0.04	200	-
ROBI11C2003A	0.31	(0.03)	10,604	-	SAWA16C2001A	0.67	(0.07)	8,030	-	SPAL19C1910A	0.33	0.02	43,696	-
ROBI13C1908A	0.04	(0.01)	7,802	-	SAWA19C1908A	0.28	(0.03)	25,860	-	SPAL24C1907A	-	-	-	-
ROBI13C1912A	0.27	(0.02)	139,283	-	SAWA19C1912A	0.32	(0.02)	45,441	-	SPAL24C1912A	-	-	-	-
ROBI19C1907A	-	-	-	-	SAWA23C1911A	0.54	(0.04)	23,850	-	SPAL41C1912A	0.39	(0.07)	8,000	-
ROBI19C1910A	0.13	(0.03)	49,990	-	SAWA24C1910A	1.28	(0.03)	30	1.00	SPRC01C1907A	0.08	(0.01)	66,625	-
ROBI23C1909A	0.08	(0.02)	2,000	-	SAWA24C1912A	0.49	(0.02)	500	-	SPRC01C1907B	-	-	-	-
ROBI24C1907A	-	-	-	-	SAWA27C1910A	0.67	(0.04)	32,482	-	SPRC01C1911A	0.60	(0.04)	18,455	-
ROBI24C1909A	-	-	-	-	SAWA28C1909A	0.38	(0.06)	41	-	SPRC01C1911B	0.17	(0.01)	244,746	-
ROBI41C1912A	-	-	-	-	SAWA28C1910A	0.32	(0.02)	57,965	-	SPRC06C1907A	-	-	-	-
RS06C1908A	0.02	-	100	-	SAWA28C2001A	0.45	(0.04)	12,192	-	SPRC11C1909A	-	-	-	-
RS08C1911A	0.22	-	15,751	-	SAWA41C1908A	-	-	-	-	SPRC13C1910A	0.08	(0.01)	3,561	-
RS08C2001A	0.38	(0.01)	25,575	-	SAWA41C1911A	0.70	(0.05)	24,000	-	SPRC13C1911A	0.46	(0.01)	82,538	-
RS11C1911A	0.37	-	3,003	-	SAWA41P1911A	-	-	-	-	SPRC13C1912A	0.20	(0.01)	348,894	-
RS13C1909A	0.10	-	10,000	-	SAWA41P1912A	-	-	-	-	SPRC19C1907A	-	-	-	-
RS13C1912A	0.38	(0.01)	32,530	-	SAWA42C1910A	-	-	-	-	SPRC19C1910A	0.11	(0.01)	24,217	-
RS16C2001A	0.39	(0.01)	3,610	-	SCB01C1907A	0.68	-	22,871	-	SPRC23C1907A	-	-	-	-
RS19C1908A	0.02	-	4,000	-	SCB01C1907B	0.19	(0.03)	17,980	-	SPRC24C1909A	0.38	(0.02)	9,330	-
RS19C1911A	0.22	(0.01)	36	-	SCB01C1911A	0.82	0.02	44,541	-	SPRC41C1911A	-	-	-	-
RS23C1909A	0.09	(0.01)	3,000	-	SCB01C1911B	0.61	0.01	93,960	-	SPRC41C1912A	0.52	(0.03)	4,000	-
RS24C1910A	0.17	(0.01)	200	-	SCB01P1907A	0.02	-	16,000	-	SPRC41C2001A	0.19	(0.81)	12,000	-
RS41C1908A	-	-	-	-	SCB01P1907B	0.01	-	3,000	-	STA01C1908A	0.05	(0.01)	96,776	-
RS41C1912A	-	-	-	-	SCB01P1911A	0.51	(0.01)	62,912	-	STA01C1908B	-	-	-	-
RS42C1911A	0.42	(0.02)	2,585	-	SCB01P1911B	0.31	(0.01)	94,792	-	STA01C1912A	0.37	(0.01)	71,019	-
S10001C1911A	0.81	(0.01)	622	-	SCB06C1912A	0.42	(0.01)	31,900	-	STA01C1912B	0.26	-	90,892	-
S5001C1907A	0.95	-	249,416	-	SCB08C1908A	0.19	(0.01)	18,001	-	STA01P1912A	0.27	-	82,068	-
S5001C1908A	1.04	(0.01)	476,276	1.00	SCB11C1910A	0.25	-	36,400	-	STA06C1911A	0.35	(0.01)	12,000	-
S5001C1909F	1.55	(0.03)	3,647,041	1.00	SCB11P1910A	0.11	(0.01)	16,400	-	STA08C1908A	-	-	-	-
S5001C1909G	1.23	(0.03)	3,100,349	1.00	SCB13C1911A	0.68	0.01	212,596	-	STA11C1909A	-	-	-	-
S5001C1909H	0.63	(0.03)	3,016,570	-	SCB16C2001A	0.60	-	1	-	STA13C1908A	0.06	-	37,839	-
S5001C1909I	0.37	(0.01)	2,545,585	-	SCB19C1910A	0.35	(0.01)	17,641	-	STA13C1912A	0.19	-	58,017	-
S5001C1910A	0.81	(0.02)	44,832	-	SCB19P1911A	0.08	-	76,000	-	STA19C1907A	-	-	-	-
S5001P1907A	0.03	(0.01)	36,803	-	SCB24C1910A	0.38	-	7,100	-	STA19C1909A	0.07	(0.01)	69,174	-
S5001P1908A	0.16	-	68,671	-	SCB24P1909A	0.11	(0.02)	1	-	STA23C1911A	0.29	0.01	15,385	-
S5001P1909F	0.09	(0.01)	242,087	-	SCB28C1911A	0.50	0.01	11,280	-	STA24C1909A	0.09	(0.01)	33	-
S5001P1909G	0.24	-	717,967	-	SCB28C2001A	0.28	0.01	15,180	-	STA24C1911A	0.27	-	121,301	-
S5001P1909H	0.77	-	3,956,359	-	SCB28P1909A	-	-	-	-	STA27C1911A	0.19	-	10,684	-
S5001P1909I	1.20	0.01	3,487,824	1.00	SCB28P1912A	0.19	(0.02)	1,014	-	STA41C1910A	0.13	(0.02)	18,000	-
S5001P1910A	0.87	-	849,738	-	SCB41C1910A	0.41	-	1,500	-	STA41C1912A	0.35	(0.01)	36,000	-
S5006C1909A	0.68	(0.01)	79,214	-	SCB41P1907A	-	-	-	-	STA42C1911A	0.33	(0.01)	1,500	-
S5006C1909B	1.34	(0.02)	159	1.00	SCB41P1912A	-	-	-	-	STEC01C1907A	0.88	(0.08)	1	-
S5006C1909C	1.57	0.01	611	1.00	SCB42C1911A	-	-	-	-	STEC01C1907B	-	-	-	-
S5006P1909A	0.13	(0.01)	15,079	-	SCC01C1907A	0.37	-	29,679	-	STEC01C1911A	0.23	(0.01)	11,268	-
S5006P1909B	0.07	-	11,575	-	SCC01C1907B	-	-	-	-	STEC01C1911B	0.17	(0.01)	7,172	-
S5006P1909C	0.18	-	30	-	SCC01C2001A	0.50	-	23,302	-	STEC01P1907A	0.01	-	10	-
S5008C1909A	0.58	(0.02)	141,520	-	SCC01C2001B	0.29	(0.71)	25,054	-	STEC01P1911A	0.25	0.01	118,689	-
S5008C1909B	0.25	-	175,054	-	SCC01P1907A	0.05	(0.01)	131,630	-	STEC06C1908A	0.57	(0.10)	1,000	-
S5008P1909A	0.13	(0.01)	49,830	-	SCC01P2001A	0.52	0.01	32,175	-	STEC06C1912A	0.19	(0.02)	7,300	-
S5008P1909B	0.46	(0.03)	251,048	-	SCC06C1907A	-	-	-	-	STEC08C1908A	-	-	-	-
S5013C1909A	1.15	(0.01)	2,231,576	1.00	SCC07C1909A	0.14	-	14	-	STEC08C2001A	0.22	-	1,000	-
S5013C1909B	1.11	(0.02)	144,998	1.00	SCC08C1908A	-	-	-	-	STEC11C2001A	-	-	-	-
S5013C1909C	0.68	(0.02)	5,458,743	-	SCC11C2003A	0.27	-	11,911	-	STEC13C1909A	0.14	(0.01)	52,494	-
S5013C1909D	0.41	(0.01)	2,440,790	-	SCC13C1908A	0.02	(0.02)	2,800	-	STEC16C1911A	0.20	(0.01)	2,150	-
S5013C1909E	0.78	-	4,453,850	-	SCC13C1911A	0.21	(0.01)	73,795	-	STEC16C1911B	-	-	-	-
S5013P1909A	0.09	-	986,416	-	SCC13P1911A	0.36	0.01	71,897	-	STEC19C1908A	0.42	(0.08)	2,500	-
S5013P1909B	0.23	-	5,036,541	-	SCC16C2002A	-	-	-	-	STEC19C1910A	0.11	(0.01)	35,522	-
S5013P1909C	0.37	(0.01)	2,038,107	-	SCC19C1907A	0.06	(0.01)	2	-	STEC19P1911A	0.17	(0.01)	2,912	-
S5013P1909D	0.64	(0.01)	7,684,979	-	SCC19C1907B	-	-	-	-	STEC23C1907A	-	-	-	-
S5013P1909E	0.83	-	1,965,130	-	SCC19C1911A	0.18	(0.01)	8,927	-	STEC24C1911A	0.21	(0.02)	100	-
S5024C1909A	1.06	(0.03)	45,740	1.00	SCC19P1911A	0.15	-	8,000	-	STEC27C1908A	-	-	-	-
S5024C1909B	0.96	0.03	4,537	-	SCC24C1910A	-	-	-	-	STEC27C2002A	0.18	(0.01)	1,518	-
S5024C1909C	0.37	(0.01)	97,255	-	SCC24C1912A	0.38	-	500	-	STEC27P1910A	-	-	-	-
S5024P1909A	0.30	-	116,869	-	SCC24P1909A	-	-	-	-	STEC41C1910A	-	-	-	-
S5024P1909B	0.44	(0.01)	9,550	-	SCC24P1910A	0.37	-	100	-	STEC41P1911A	-	-	-	-
S5024P1909C	0.99	-	49,190	-	SCC27C2001A	0.27	-	2,936	-	STEC42C1910A	-	-	-	-
S5028C1907A	0.23	(0.01)	2,221	-	SCC28C1910A	-	-	-	-	SUPE19C1910A				

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5028P1907A	-	-	-	-	SCC42C1911A	-	-	-	-	TASC01C1912B	0.34	0.03	153,270	-
S5028P1908A	0.07	(0.02)	3,004	-	SGP08C1907A	-	-	-	-	TASCO1P1909A	0.11	(0.02)	44,240	-
S5028P1909A	0.52	(0.01)	642,861	-	SGP11C1911A	-	-	-	-	TASCO1P1912A	0.65	(0.03)	36,230	-
S5028P1912A	0.41	-	221,892	-	SGP13C1907A	-	-	-	-	TASCO6C1909A	0.63	0.01	4,300	-
S5041C1909A	-	-	-	-	SGP13C1908A	0.14	-	25,144	-	TASCO6P1909A	0.02	-	400	-
TASC08C1910A	0.53	0.05	27,174	-	TMB41P1911A	-	-	-	-	TU13C1912A	0.38	0.01	109,797	-
TASC11C2002A	-	-	-	-	TOA01C1907A	0.59	-	11,630	-	TU19C1908A	-	-	-	-
TASC13C1907A	-	-	-	-	TOA01C1907B	0.40	0.02	7,026	-	TU24C1909A	0.41	0.01	70	-
TASC13C1911A	0.51	0.04	413,963	-	TOA01C2001A	0.49	0.01	45,443	-	TU41C1911A	0.39	-	100	-
TASC16C2001A	0.45	0.04	2,960	-	TOA01C2001B	0.36	-	73,540	-	TU41P1911A	-	-	-	-
TASC19C1907A	-	-	-	-	TOA01P2001A	0.42	(0.01)	54,101	-	TVO11C2001A	0.21	(0.01)	7,000	-
TASC19C1907B	0.36	(0.01)	1,550	-	TOA11C1911A	0.37	(0.04)	4,680	-	TVO19C1911A	0.23	0.01	1,800	-
TASC19C1910A	0.28	0.03	76,679	-	TOA13C1909A	0.55	0.02	26,618	-	TVO23C1907A	-	-	-	-
TASC19P1911A	0.26	(0.03)	45,658	-	TOA16C2001A	-	-	-	-	UV13C1908A	0.11	(0.01)	32,500	-
TASC23C1907A	-	-	-	-	TOA19C1910A	0.59	0.01	8,262	-	VGI23C1911A	-	-	-	-
TASC24C1908A	0.74	(0.20)	30	-	TOA19C1911A	0.29	0.01	29,421	-	WHA01C1911A	0.78	0.05	344,339	-
TASC28C1908A	-	-	-	-	TOA24C1911A	0.53	0.03	7,500	-	WHA01C1911B	0.56	0.05	215,801	-
TASC28C1910A	-	-	-	-	TOP01C1907A	0.30	(0.02)	21,839	-	WHA01P1911A	0.47	(0.04)	203,549	-
TASC28C1912A	0.30	0.03	42,176	-	TOP01C1907B	-	-	-	-	WHA06C1908A	0.42	0.02	8,550	-
TASC41C1909A	-	-	-	-	TOP01C1910A	0.53	(0.02)	85,681	-	WHA08C1908A	0.33	0.05	57,237	-
TASC41C1912A	0.41	0.02	12,000	-	TOP01C1910B	0.68	0.01	34,501	-	WHA11C2001A	0.56	0.05	59,526	-
TASC42C1910A	-	-	-	-	TOP01C1912A	0.86	(0.01)	22,442	-	WHA13C1909A	0.56	0.06	10,522	-
TCAP01C1907A	0.63	-	8,226	-	TOP01C1912B	0.61	(0.02)	45,634	-	WHA13C1912A	0.53	0.05	789,499	-
TCAP01C1907B	0.19	(0.02)	29,854	-	TOP01P1907A	0.43	0.03	11,294	-	WHA16C1911A	0.58	(0.01)	2,000	-
TCAP01C2001A	0.54	-	80,892	-	TOP01P1910A	0.48	-	43,768	-	WHA19C1907A	0.15	0.04	60,880	-
TCAP01C2001B	0.39	(0.01)	56,982	-	TOP01P1912A	0.43	-	42,768	-	WHA19C1911A	0.30	0.04	163,224	-
TCAP01P1907A	-	-	-	-	TOP06C1908A	0.17	-	2,200	-	WHA24C1907A	0.33	0.03	3,000	-
TCAP01P2001A	0.48	(0.01)	37,311	-	TOP06C1911A	0.89	(0.03)	11,137	-	WHA24C1911A	0.28	0.01	14,989	-
TCAP11C1909A	0.13	-	26,000	-	TOP07C1908A	-	-	-	-	WHA24P1908A	-	-	-	-
TCAP13C1910A	0.31	-	162,500	-	TOP08C1911A	0.47	-	20,000	-	WHA27C1910A	0.46	0.05	24,000	-
TCAP19C1907A	0.12	(0.01)	8,196	-	TOP08P1912A	0.18	-	3,800	-	WHA28C1910A	0.48	0.06	102,759	-
TCAP19C1908A	0.09	-	18,198	-	TOP11C2002A	0.45	-	2,001	-	WHA28C1912A	0.37	0.04	20,758	-
TCAP24C1907A	-	-	-	-	TOP11P2002A	0.77	-	24,572	-	WHA41C1911A	-	-	-	-
TCAP41C1911A	0.32	0.02	12,000	-	TOP13C1909A	0.21	-	13,733	-	WHA41P1912A	0.47	(0.05)	95	-
THAI01C1907A	0.01	-	100	-	TOP13C1910A	0.50	(0.02)	72,309	-	WHA42C1911A	-	-	-	-
THAI01C1907B	0.01	-	896	-	TOP13C1911A	-	-	-	-	WHAU13C1910A	0.20	(0.01)	11,072	-
THAI01P1907A	0.47	0.03	5,852	-	TOP13P1909A	0.21	-	51,088	-	WHAU13C1912A	0.24	(0.01)	19,918	-
THAI08C1911A	0.06	(0.02)	5,600	-	TOP13P1911A	0.12	-	7,342	-	WHAU19C1907A	-	-	-	-
THAI11C2003A	0.17	(0.01)	3,000	-	TOP16C1911A	-	-	-	-	WHAU27C2002A	0.33	(0.01)	4,800	-
THAI13C1910A	0.06	(0.02)	27,631	-	TOP16C2001A	0.75	(0.02)	10	-	WORK01C1910A	1.18	(0.04)	8,103	1.00
THAI13C1911A	-	-	-	-	TOP19C1910A	0.40	(0.01)	15,814	-	WORK01C1910B	0.19	(0.01)	137,443	-
THAI13C1912A	0.20	(0.02)	88,546	-	TOP19P1911A	0.06	-	24,000	-	WORK08C1912A	1.36	0.02	3	1.00
THAI19C1910A	-	-	-	-	TOP23C2001A	0.70	0.05	300	-	WORK13C1907A	-	-	-	-
THAI19C1910B	0.23	(0.04)	2,000	-	TOP24C1907A	-	-	-	-	WORK13C1909A	0.86	(0.04)	28,507	-
THAI19C1911A	0.12	(0.02)	15,334	-	TOP24C1911A	0.79	0.02	2,000	-	WORK13C1911A	1.31	(0.05)	301	1.00
THAI24C1911A	-	-	-	-	TOP24P1910A	0.51	0.01	2,300	-	WORK19C1908A	0.11	(0.02)	201,733	-
THAI42C1911A	-	-	-	-	TOP28C1911A	0.53	(0.01)	10,220	-	WORK19C1910A	1.21	(0.08)	4,150	1.00
THAN01C1907A	0.97	(0.03)	11,996	-	TOP41C1909A	0.54	(0.02)	14,400	-	WORK23C1909A	-	-	-	-
THAN01C1907B	0.67	(0.03)	10,284	-	TOP41C1910A	-	-	-	-	WORK24C1907A	-	-	-	-
THAN01C2001A	0.51	(0.01)	65,131	-	TOP41C1910B	-	-	-	-	WORK24C1907B	0.35	(0.01)	681	-
THAN01C2001B	0.34	(0.02)	75,761	-	TOP41P1910A	-	-	-	-	WORK24C1910A	1.08	(0.08)	1,200	1.00
THAN06C1910A	0.47	(0.03)	21,085	-	TOP42C1911A	-	-	-	-	WORK28C1911A	-	-	-	-
THAN13C1909A	0.46	(0.02)	74,205	-	TP19C1907A	-	-	-	-	Preferred/Foreign	-	-	-	-
THAN19C1908A	0.26	(0.01)	15,287	-	TP19C1911A	0.14	(0.01)	17,360	-	BH-Q	-	-	-	-
THAN24C1907A	-	-	-	-	TPIP11C1909A	0.12	(0.01)	1,350	-	CSC-Q	-	-	-	-
THAN24C2001A	0.45	(0.01)	1,085	-	TPIP13C1908A	-	-	-	-	JUTHA-Q	-	-	-	-
THAN27C1910A	0.47	(0.03)	53,564	-	TRUE01C1907A	1.61	(0.11)	15,992	1.00	KTB-Q	-	-	-	-
TISCO01C1908A	1.67	0.02	16,418	1.00	TRUE01C1907B	1.25	(0.18)	19,786	1.00	SCB-Q	-	-	-	-
TISCO01C1908B	1.16	0.01	21,284	1.00	TRUE01C1911A	0.53	(0.05)	180,636	-	TCAP-Q	-	-	-	-
TISCO01C2001A	1.27	-	35,314	1.00	TRUE01C1911B	0.47	(0.05)	408,824	-	TIC-Q	-	-	-	-
TISCO01C2001B	0.95	-	49,556	-	TRUE01P1907A	-	-	-	-	TISCO-Q	-	-	-	-
TISCO01P1908A	0.02	(0.01)	66,200	-	TRUE01P1907B	-	-	-	-	U-Q	-	-	-	-
TISCO01P2001A	0.60	-	57,030	-	TRUE01P1911A	0.16	0.02	511,421	-	Warrant	-	-	-	-
TISC11C1910A	-	-	-	-	TRUE01P1911B	0.08	0.01	144,280	-	AJA-W1	0.06	0.03	742,920	-
TISC13C1908A	-	-	-	-	TRUE06C1911A	0.60	(0.09)	44,080	-	AKR-W1	0.21	(0.01)	814,721	-
TISC13C1912A	0.98	(0.01)	49,110	-	TRUE08C1907A	0.23	(0.05)	49,024	-	ALT-W1	0.62	(0.03)	5,041	-
TISC16C2001A	-	-	-	-	TRUE08P1911A	0.17	0.02	53,850	-	APEX-W1	0.02	-	287	-
TISC19C1908A	0.79	(0.03)	1	-	TRUE11C1911A	-	-	-	-	APURE-W2	0.17	-	53,036	-
TISC19C1912A	0.31	(0.01)	10,047	-	TRUE11P2002A	0.26	0.03	95,621	-	AS-W1	0.05	-	1,289	-
TISC23C1907A	-	-	-	-	TRUE13C1907A	-	-	-	-	AYUD-W1	4.48	(0.02)	11,352	4.00
TISC24C1908A	1.14	(0.01)	1,690	1.00	TRUE13C1911A	-	-	-	-	B-W3	-	-	-	-
TISC41C1911A	0.91	0.01	4,000	-	TRUE13C1912A	0.47	(0.07)	11,848	-	B-W4	0.12	-	39,177	-
TISC42C1910A	-	-	-	-	TRUE13C1912B	0.28	(0.05)	1,137,503	-	B52-W1	-	-	-	-
TKN01C1909A	0.18	(0.01)	240,760	-	TRUE13P1909A	0.05	0.02	134,195	-	B52-W2	-	-	-	-
TKN01C1909B	0.07	(0.01)	5,677	-	TRUE16C1912A	0.46	(0.04)	114,400	-	BTS-W4	2.20	0.08	1,033,775	2.00
TKN01C1911A	0.75	(0.01)	51,186	-	TRUE16C2002A	-	-	-	-	CGD-W4	0.16	0.01	96,157	-
TKN06C1909A	0.24	(0.05)	20,443	-	TRUE19C1907A	1.27	(0.21)	3,598	1.00	CGH-W3	0.03	(0.01)	12,213	-
TKN08C1908A	0.10	(0.01)	7,300	-	TRUE19C1910A	0.32	(0.06)	91,590	-	CI-W1	0.15	-	42,395	-
TKN13C1908A	-	-	-	-	TRUE19P1908A	-	-	-	-	CKP-W1	1.39	0.02	1,070,016	1.00
TKN13C1909A	0.30	(0.03)	31,068	-	TRUE19P1911A	0.07	0.01	78,039	-	CRANE-W1	1.49	0.02	108,059	1.00
TKN13C1911A	0.68	(0.06)	92,791	-	TRUE28C1911A	0.37	(0.07)	26,212	-	DCC-W1	0.79	(0.01)	44,185	-
TKN16C2001A	-	-	-	-	TRUE28C1911B	-	-	-	-	EARTH-W4	-	-	-	-
TKN19C1907A	0.66	(0.14)	2,468	-	TRUE28C2001A	0.31	(0.03)	69,414	-	ECL-W3	0.71	0.02	916,273	-
TKN19C1910A	0.33	(0.03)	25,809	-	TRUE41C1908A	-	-	-	-	EIC-W2	-	-	-	-
TKN23C1911A	0.61	(0.03)	14,500	-	TRUE41C1909A	-	-	-	-	EIC-W3	0.02	-	162	-
TKN24C1908A	0.06	(0.01)	2,000	-	TRUE41C1910A	0.82	(0.15)	4,050	-	EMC-W6	0.15	-	1,656	-

Main Board Quotation

Issue Date :

Tuesday July 23, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN28C1910A	0.13	(0.01)	6,108	-	TRUE41C1910B	-	-	-	-	EPCO-W3	0.73	(0.05)	236,538	-
TKN28C1911A	0.64	(0.02)	3,789	-	TRUE41C1911A	0.41	(0.08)	500	-	GJS-W3	0.01	-	17,190	-
TKN41C1908A	0.04	-	1	-	TRUE41P1908A	-	-	-	-	GSTEEL-W1	-	-	-	-
TKN41C1912A	0.67	(0.04)	44,200	-	TRUE41P1910A	0.05	0.01	20	-	GSTEEL-W2	-	-	-	-
TKN42C1911A	0.81	0.16	501	-	TRUE41P1911A	-	-	-	-	IHL-W1	2.80	0.30	256,572	2.00
TMB01C1909A	0.06	(0.01)	9,000	-	TRUE42C1910A	0.42	(0.06)	20,000	-	J-W1	0.86	(0.07)	20,876	-
TMB08C1908A	-	-	-	-	TU01C1907A	-	-	-	-	JAS-W3	3.88	(0.98)	1,830,282	4.00
TMB13C1908A	-	-	-	-	TU01C1907B	0.39	0.01	150	-	JCK-W5	0.32	(0.02)	41,637	-
TMB19C1910A	-	-	-	-	TU01C2001A	0.56	0.02	45,246	-	JMT-W2	3.64	0.02	12,977	3.00
TMB24C1911A	-	-	-	-	TU01C2001B	0.42	0.02	48,522	-	MACO-W2	0.25	(0.02)	406,264	-
TMB28C1911A	-	-	-	-	TU01P1907A	-	-	-	-	MILL-W3	0.01	-	300	-
TMB28C1912A	0.26	0.01	14,499	-	TU01P2001A	0.43	(0.02)	43,570	-	MILL-W4	0.07	-	100	-
TMB41C1911A	0.18	-	6,000	-	TU11C2003A	0.38	0.01	24,922	-	MILL-W5	0.04	-	43,169	-
TMB41C1912A	-	-	-	-	TU13C1909A	0.20	-	23,360	-	MINT-W6	5.90	-	49,849	5.00