















**Main Board Quotation**

**Issue Date :**

*Monday August 05, 2019*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------



## Main Board Quotation

Issue Date :

Monday August 05, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC16C2001A	0.36	(0.04)	3,572	-	S5041P1909B	0.30	-	10	-	SPAL01C1911B	0.13	(0.01)	70,548	-
RATC19C1908A	0.31	(0.09)	8,719	-	S5041P1909C	1.20	0.22	256,037	1.00	SPAL11C1910A	0.33	(0.01)	46,499	-
RATC19C1910A	0.11	(0.03)	143,688	-	S5041P1909D	1.06	0.16	2,644,950	-	SPAL13C1909A	0.10	-	52,656	-
RATC24C2001A	0.31	(0.03)	400	-	S5041P1909E	-	-	-	-	SPAL16C2002A	0.30	(0.02)	15,400	-
RATC41C1911A	-	-	-	-	S5041P1909G	-	-	-	-	SPAL19C1910A	0.11	(0.02)	85,940	-
ROBI01C1909A	0.40	(0.01)	32,679	-	SAWA01C1911A	0.55	(0.06)	163,069	-	SPAL24C1907A	-	-	-	-
ROBI01C1909B	0.08	(0.01)	18,094	-	SAWA01C1911B	0.30	(0.05)	103,149	-	SPAL24C1912A	-	-	-	-
ROBI01C1912A	0.77	0.01	8,756	-	SAWA01P1911A	0.60	0.06	214,099	-	SPAL41C1912A	-	-	-	-
ROBI01C1912B	0.57	-	8,778	-	SAWA06C1908A	0.33	(0.07)	9,850	-	SPRC01C1911A	0.35	(0.01)	73,085	-
ROBI06C1910A	0.45	(0.02)	10,901	-	SAWA08C1908A	0.19	(0.06)	26,903	-	SPRC01C1911B	-	-	-	-
ROBI08C2001A	-	-	-	-	SAWA08C2001A	0.47	(0.05)	37,400	-	SPRC06C1907A	-	-	-	-
ROBI11C2003A	0.60	(0.01)	7,000	-	SAWA11C2003A	0.68	(0.06)	41,000	-	SPRC11C1909A	-	-	-	-
ROBI13C1908A	0.15	(0.01)	41,695	-	SAWA13C1908A	0.43	(0.14)	150	-	SPRC13C1910A	-	-	-	-
ROBI13C1912A	0.58	(0.02)	42,562	-	SAWA13C1911A	0.39	(0.07)	116,449	-	SPRC13C1911A	0.21	(0.03)	137,655	-
ROBI19C1907A	-	-	-	-	SAWA16C2001A	-	-	-	-	SPRC13C1912A	0.10	(0.01)	20,633	-
ROBI19C1910A	0.35	(0.02)	3,000	-	SAWA19C1908A	0.15	(0.05)	83,803	-	SPRC19C1907A	-	-	-	-
ROBI23C1909A	0.28	(0.02)	3,600	-	SAWA19C1912A	0.25	(0.03)	119,206	-	SPRC19C1910A	-	-	-	-
ROBI24C1907A	-	-	-	-	SAWA23C1911A	0.45	(0.06)	26,110	-	SPRC23C1907A	-	-	-	-
ROBI24C1909A	-	-	-	-	SAWA24C1910A	1.19	(0.04)	4,200	1.00	SPRC24C1909A	0.14	(0.02)	2,100	-
ROBI24C1912A	-	-	-	-	SAWA24C1912A	0.36	(0.07)	26,884	-	SPRC41C1911A	-	-	-	-
ROBI41C1912A	-	-	-	-	SAWA27C1910A	0.54	(0.07)	6,976	-	SPRC41C1912A	0.29	(0.01)	10,000	-
ROBI41C2001A	-	-	-	-	SAWA28C1909A	-	-	-	-	SPRC41C2001A	0.10	-	430	-
ROBI41P2001A	-	-	-	-	SAWA28C1910A	0.23	(0.05)	76,118	-	STA01C1908A	-	-	-	-
RS06C1908A	-	-	-	-	SAWA28C2001A	0.37	(0.04)	14,241	-	STA01C1908B	0.01	-	2,093	-
RS08C1911A	0.16	-	20,710	-	SAWA41C1908A	0.15	(0.01)	1	-	STA01C1912A	0.24	(0.02)	63,915	-
RS08C2001A	0.30	0.01	33,000	-	SAWA41C1911A	0.58	(0.03)	13,000	-	STA01C1912B	0.14	(0.02)	69,120	-
RS11C1911A	0.30	0.02	9,304	-	SAWA41P1911A	-	-	-	-	STA01P1912A	0.38	0.01	39,590	-
RS13C1909A	0.05	-	12,000	-	SAWA41P1912A	0.73	0.03	30,384	-	STA06C1911A	0.19	(0.03)	10,400	-
RS13C1912A	0.30	-	52,371	-	SAWA42C1910A	0.31	(0.06)	300	-	STA08C1908A	-	-	-	-
RS16C2001A	0.30	-	1,058	-	SCB01C1911A	0.64	(0.08)	22,594	-	STA11C1909A	-	-	-	-
RS19C1908A	-	-	-	-	SCB01C1911B	0.44	(0.06)	39,752	-	STA13C1908A	0.02	-	29,753	-
RS19C1911A	0.16	0.02	15,254	-	SCB01C2002A	0.58	(0.04)	21,529	-	STA13C1912A	0.10	(0.01)	48,582	-
RS23C1909A	0.05	-	4,000	-	SCB01C2002B	0.39	(0.04)	32,092	-	STA19C1907A	-	-	-	-
RS24C1910A	-	-	-	-	SCB01P1911A	0.59	0.05	59,238	-	STA19C1909A	0.03	-	501	-
RS41C1908A	-	-	-	-	SCB01P1911B	0.37	0.04	74,268	-	STA19C2001A	0.14	-	5,738	-
RS41C1912A	0.28	0.01	100	-	SCB01P2002A	1.08	0.08	50,391	1.00	STA23C1911A	0.17	0.01	7,000	-
RS42C1911A	0.31	(0.01)	1,100	-	SCB01P2002B	0.81	0.06	56,274	-	STA24C1909A	-	-	-	-
S10001C1911A	0.59	(0.05)	562	-	SCB06C1912A	0.26	(0.08)	18,900	-	STA24C1911A	0.16	-	72	-
S5001C1908A	0.55	(0.17)	1,067,106	-	SCB08C1908A	0.07	(0.03)	4,000	-	STA27C1911A	0.10	(0.01)	2,050	-
S5001C1909F	0.71	(0.21)	3,843,099	-	SCB11C1910A	0.16	(0.02)	16,841	-	STA41C1910A	-	-	-	-
S5001C1909G	0.46	(0.18)	2,916,527	-	SCB11P1910A	0.13	0.02	7,000	-	STA41C1912A	-	-	-	-
S5001C1909H	0.18	(0.09)	2,168,824	-	SCB13C1911A	0.48	(0.07)	137,683	-	STA42C1911A	0.19	-	360	-
S5001C1909I	0.08	(0.05)	819,307	-	SCB16C2001A	0.44	(0.01)	100	-	STEC01C1911A	0.15	-	134,746	-
S5001C1909J	0.41	(0.11)	1,194,535	-	SCB19C1910A	0.21	(0.05)	14,424	-	STEC01C1911B	0.10	-	174,458	-
S5001C1910A	0.48	(0.10)	173,874	-	SCB19P1911A	0.09	0.01	36,150	-	STEC01P1911A	0.32	0.01	49,174	-
S5001P1908A	0.34	0.10	209,387	-	SCB24C1910A	0.22	(0.08)	1,000	-	STEC06C1908A	0.24	-	2,000	-
S5001P1909F	0.22	0.06	1,577,963	-	SCB24P1909A	-	-	-	-	STEC06C1912A	0.10	(0.01)	15,800	-
S5001P1909G	0.51	0.12	2,593,826	-	SCB28C1911A	0.35	(0.05)	3,569	-	STEC08C1908A	-	-	-	-
S5001P1909H	1.43	0.27	3,122,011	1.00	SCB28C2001A	0.19	(0.03)	2	-	STEC08C2001A	0.16	-	25,980	-
S5001P1909I	1.97	0.29	2,354,678	1.00	SCB28P1909A	0.02	-	1,006	-	STEC11C2001A	0.51	(0.01)	24,920	-
S5001P1909J	1.32	0.19	1,935,195	1.00	SCB28P1912A	0.23	0.02	9,606	-	STEC13C1909A	0.07	-	246,221	-
S5001P1910A	1.22	0.14	1,297,088	1.00	SCB41C1910A	0.25	(0.07)	14,420	-	STEC16C1911A	0.12	-	100	-
S5006C1909A	0.21	(0.10)	246,016	-	SCB41P1912A	-	-	-	-	STEC16C1911B	-	-	-	-
S5006C1909B	0.50	(0.18)	95,590	-	SCB42C1911A	-	-	-	-	STEC19C1908A	0.14	(0.03)	26,015	-
S5006C1909C	0.81	(0.20)	280,953	-	SCC01C2001A	0.38	(0.01)	57,030	-	STEC19C1910A	-	-	-	-
S5006C1909D	0.08	(0.04)	59,008	-	SCC01C2001B	0.19	(0.01)	82,274	-	STEC19P1911A	0.23	0.01	18,062	-
S5006P1909A	0.34	0.10	385,259	-	SCC01P2001A	0.63	0.01	72,021	-	STEC23C1907A	-	-	-	-
S5006P1909B	0.17	0.05	226,219	-	SCC06C1907A	-	-	-	-	STEC24C1911A	0.13	(0.02)	13	-
S5006P1909C	0.39	0.07	6,561	-	SCC07C1909A	-	-	-	-	STEC27C1908A	0.15	(0.02)	22,105	-
S5006P1909D	1.51	0.28	9,331	1.00	SCC08C1908A	0.02	-	500	-	STEC27C2002A	0.13	-	53,246	-
S5008C1909A	0.11	(0.07)	80,609	-	SCC11C2003A	0.18	(0.07)	495	-	STEC27P1910A	-	-	-	-
S5008C1909B	0.05	(0.02)	13,864	-	SCC13C1908A	-	-	-	-	STEC41C1910A	-	-	-	-
S5008P1909A	0.26	0.05	147,791	-	SCC13C1911A	0.12	-	106,480	-	STEC41P1911A	-	-	-	-
S5008P1909B	1.03	0.25	140,459	-	SCC13P1911A	0.46	-	32,450	-	STEC42C1910A	-	-	-	-
S5013C1909A	0.49	(0.15)	7,757,712	-	SCC16C2002A	-	-	-	-	SUPE19C1910A	0.06	(0.01)	44,872	-
S5013C1909B	0.41	(0.16)	4,314,227	-	SCC19C1907A	-	-	-	-	TASC01C1909A	0.52	(0.07)	33,432	-
S5013C1909C	0.21	(0.10)	5,923,659	-	SCC19C1907B	-	-	-	-	TASC01C1909B	0.30	(0.03)	90,988	-
S5013C1909D	0.11	(0.05)	3,792,268	-	SCC19C1911A	0.10	-	1,800	-	TASC01C1912A	0.35	(0.02)	34,523	-
S5013C1909E	0.36	(0.10)	7,284,377	-	SCC19P1911A	0.20	0.01	24,548	-	TASC01C1912B	0.21	(0.01)	38,494	-
S5013C1909F	0.27	(0.09)	1,700,966	-	SCC24C1910A	-	-	-	-	TASC01P1909A	0.17	0.02	74,916	-
S5013P1909A	0.19	0.04	2,601,581	-	SCC24C1912A	0.26	(0.02)	2,321	-	TASC01P1912A	0.78	0.02	23,570	-
S5013P1909B	0.46	0.10	5,505,239	-	SCC24P1909A	-	-	-	-	TASC06C1909A	0.33	0.01	4,000	-
S5013P1909C	0.71	0.14	4,675,247	-	SCC24P1910A	-	-	-	-	TASC06P1909A	-	-	-	-
S5013P1909D	1.16	0.21	1,470,070	1.00	SCC27C2001A	-	-	-	-	TASC08C1910A	0.33	(0.02)	17,900	-
S5013P1909E	1.32	0.18	184,691	1.00	SCC28C1910A	-	-	-	-	TASC11C2002A	0.63	(0.01)	18,800	-
S5013P1909F	1.24	0.14	5,816,436	1.00	SCC28C2001A	-	-	-	-	TASC13C1911A	0.31	(0.04)	81,169	-
S5024C1909A	0.25	(0.16)	262,817	-	SCC41C1908A	-	-	-	-	TASC16C2001A	0.29	(0.02)	16,200	-
S5024C1909B	0.44	(0.13)	16,262	-	SCC41C1908B	-	-	-	-	TASC19C1907A	-	-	-	-
S5024C1909C	0.07	(0.05)	5,558	-	SCC41C2001A	-	-	-	-	TASC19C1907B	-	-	-	-
S5024P1909A	0.77	0.20	152,115	-	SCC42C1911A	-	-	-	-	TASC19C1910A	0.13	(0.02)	10,594	-
S5024P1909B	0.84	0.12	18,005	-	SGP11C1911A	-	-	-	-	TASC19P1911A	0.37	0.05	8,422	-
S5024P1909C	1.98	0.39	24,372	1.00	SGP13C1908A	0.05	(0.02)	19,888	-	TASC23C1907A	-	-	-	-
S5028C1908A	0.25	(0.16)	79,977	-	SGP13C1912A	0.12	-	2,542	-	TASC24C1908A	0.37	-	3,100	-
S5028C1909A	0.12	(0.07)	529,045	-	SGP19C1907A	-	-	-	-	TASC24C2001A	-	-	-	-
S5028C1912A	0.11	(0.03)	41,012	-	SGP19C1910A	-	-	-	-	TASC28C1908A	-	-	-	-
S5028P1908A	0.13	0.04	3,712	-	SGP19C2001A	-	-	-	-	TASC28C1910A	0.30	(0.02)	26,464	-
S5028P1909A	0.86	0.12	1,020,509	-	SGP23C1908A	-	-	-	-	TASC28C1912A	0.19	-		

**Main Board Quotation**

**Issue Date :**

*Monday August 05, 2019*

Securities	Close	Change	Volume (Lot)	Average Price
S5041C1909D	0.20	(0.09)	1,970	-
S5041C1909F	0.46	(0.12)	12,184	-
S5041C1909G	0.27	(0.10)	5,046,731	-
S5041P1909A	0.55	0.19	43,100	-

Securities	Close	Change	Volume (Lot)	Average Price
SIRI19C1910A	0.09	(0.03)	29,805	-
SIRI24C1907A	-	-	-	-
SIRI24C1911A	-	-	-	-
SPAL01C1911A	0.29	(0.01)	117,694	-

Securities	Close	Change	Volume (Lot)	Average Price
TCAP01C2001B	0.38	-	96,708	-
TCAP01P2001A	0.47	0.01	84,995	-
TCAP11C1909A	0.11	0.01	13,907	-
TCAP13C1910A	0.27	(0.01)	116,581	-

## Main Board Quotation

Issue Date :

Monday August 05, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TCAP19C1907A	-	-	-	-	TOP13C1910A	0.29	(0.03)	68,999	-	WHAU13C1910A	0.17	-	29,162	-
TCAP19C1908A	0.05	-	10,100	-	TOP13C1911A	0.51	(0.08)	1,022	-	WHAU13C1912A	0.21	(0.01)	51,643	-
TCAP24C1907A	-	-	-	-	TOP13P1909A	0.28	0.01	54,773	-	WHAU19C1907A	-	-	-	-
TCAP24C2001A	-	-	-	-	TOP13P1911A	0.16	0.01	32,206	-	WHAU27C2002A	0.30	(0.01)	19,210	-
TCAP41C1911A	-	-	-	-	TOP16C1911A	-	-	-	-	WORK01C1910A	0.70	(0.18)	85,146	-
THAI08C1911A	-	-	-	-	TOP16C2001A	0.46	(0.04)	51,322	-	WORK01C1910B	0.07	(0.05)	299,712	-
THAI11C2003A	-	-	-	-	TOP19C1910A	0.21	(0.02)	14,134	-	WORK08C1912A	0.85	(0.23)	1,259	-
THAI13C1910A	-	-	-	-	TOP19P1911A	0.07	(0.01)	8,070	-	WORK13C1909A	0.34	(0.20)	96,218	-
THAI13C1911A	-	-	-	-	TOP23C2001A	-	-	-	-	WORK13C1911A	0.78	(0.29)	2,974	-
THAI13C1912A	0.17	-	64,676	-	TOP24C1907A	-	-	-	-	WORK19C1908A	0.01	(0.03)	417,709	-
THAI19C1910A	-	-	-	-	TOP24C1911A	0.54	(0.03)	3,400	-	WORK19C1910A	0.66	(0.24)	21,104	-
THAI19C1910B	0.17	-	6,150	-	TOP24P1910A	0.69	0.05	2,000	-	WORK23C1909A	-	-	-	-
THAI19C1911A	0.09	-	3,000	-	TOP28C1911A	0.34	(0.02)	35,730	-	WORK24C1907A	-	-	-	-
THAI24C1911A	-	-	-	-	TOP41C1909A	0.28	(0.04)	2,000	-	WORK24C1907B	-	-	-	-
THAI42C1911A	0.42	(0.27)	14,000	-	TOP41C1910A	-	-	-	-	WORK24C1910A	0.53	(0.23)	34,055	-
THAN01C2001A	0.46	(0.01)	46,012	-	TOP41C1910B	-	-	-	-	WORK28C1911A	0.84	(0.13)	2,365	-
THAN01C2001B	0.30	(0.02)	65,952	-	TOP41P1910A	-	-	-	-	Preferred/Foreign	-	-	-	-
THAN06C1910A	0.41	(0.03)	13,700	-	TOP42C1911A	-	-	-	-	BH-Q	-	-	-	-
THAN13C1909A	-	-	-	-	TPI19C1907A	-	-	-	-	CSC-Q	-	-	-	-
THAN13C1912A	0.28	(0.01)	28,869	-	TPI19C1911A	-	-	-	-	JUTHA-Q	-	-	-	-
THAN19C1908A	0.18	(0.02)	9,167	-	TPIP11C1909A	0.04	(0.02)	500	-	KTB-Q	-	-	-	-
THAN24C1907A	-	-	-	-	TPIP13C1908A	-	-	-	-	SCB-Q	-	-	-	-
THAN24C2001A	0.40	(0.01)	6,000	-	TRUE01C1911A	0.41	(0.04)	145,369	-	TCAP-Q	-	-	-	-
THAN27C1910A	0.42	(0.03)	8,996	-	TRUE01C1911B	0.35	(0.01)	179,078	-	TISCO-Q	-	-	-	-
TISCO1C1908A	1.68	(0.07)	20,638	1.00	TRUE01C2002A	0.27	(0.01)	103,619	-	U-Q	-	-	-	-
TISCO1C1908B	1.12	(0.09)	26,490	1.00	TRUE01C2002B	0.16	(0.01)	177,758	-	Warrant	-	-	-	-
TISCO1C2001A	1.26	(0.07)	89,804	1.00	TRUE01P1911A	0.19	0.01	390,014	-	AJA-W1	0.04	(0.01)	16,600	-
TISCO1C2001B	0.93	(0.06)	143,219	-	TRUE01P1911B	0.09	-	13,219	-	AKR-W1	0.16	(0.02)	92,258	-
TISCO1P1908A	-	-	-	-	TRUE01P2002A	0.79	0.04	64,379	-	ALT-W1	0.58	(0.02)	2,403	-
TISCO1P2001A	0.55	0.02	61,430	-	TRUE01P2002B	0.59	0.03	81,432	-	APEX-W1	0.02	(0.01)	100	-
TISCO8C2001A	0.75	(0.04)	25,100	-	TRUE06C1911A	0.46	(0.01)	2,750	-	APURE-W2	0.15	-	7,370	-
TISC11C1910A	1.31	(0.04)	3,600	1.00	TRUE08C2001A	0.20	(0.01)	36,800	-	AS-W1	0.08	0.01	2,942	-
TISC13C1908A	-	-	-	-	TRUE08P1911A	0.20	0.01	11,300	-	AYUD-W1	3.78	(0.04)	4,810	3.00
TISC13C1912A	0.97	(0.04)	70,844	-	TRUE11C1911A	-	-	-	-	B-W3	-	-	-	-
TISC16C2001A	1.05	(0.15)	5,882	1.00	TRUE11P2002A	0.30	0.02	15,683	-	B-W4	0.08	(0.01)	19,632	-
TISC19C1908A	0.72	(0.05)	3,000	-	TRUE13C1911A	-	-	-	-	B52-W1	-	-	-	-
TISC19C1912A	0.30	(0.01)	24,044	-	TRUE13C1912A	-	-	-	-	B52-W2	-	-	-	-
TISC23C1907A	-	-	-	-	TRUE13C1912B	0.20	(0.02)	56,233	-	BKD-W2	0.15	(0.01)	41,792	-
TISC24C1908A	1.15	(0.23)	1,600	1.00	TRUE13P1909A	0.05	0.01	15,225	-	BTS-W4	1.87	(0.09)	185,604	1.00
TISC41C1911A	-	-	-	-	TRUE16C1912A	0.38	(0.02)	11,100	-	CGD-W4	0.14	-	32,316	-
TISC41C2001A	-	-	-	-	TRUE16C2002A	0.28	(0.03)	10,000	-	CGH-W3	0.04	-	301	-
TISC42C1910A	-	-	-	-	TRUE19C1907A	-	-	-	-	CI-W1	0.13	0.01	886	-
TKN01C1909A	0.15	(0.03)	65,080	-	TRUE19C1910A	0.21	(0.03)	27,800	-	CKP-W1	1.03	-	356,291	1.00
TKN01C1909B	0.05	(0.02)	39,537	-	TRUE19P1908A	-	-	-	-	CRANE-W1	1.15	0.02	15,519	1.00
TKN01C1911A	0.68	(0.09)	20,636	-	TRUE19P1911A	0.08	-	8,000	-	DCC-W1	0.79	-	27,188	-
TKN06C1909A	0.17	(0.04)	15,670	-	TRUE28C1911A	0.28	(0.03)	8,126	-	EARTH-W4	-	-	-	-
TKN08C1908A	0.06	(0.03)	16,071	-	TRUE28C1911B	-	-	-	-	ECL-W3	0.57	(0.02)	45,378	-
TKN13C1908A	-	-	-	-	TRUE28C2001A	0.25	-	4,527	-	EIC-W2	-	-	-	-
TKN13C1909A	0.24	(0.03)	1,001	-	TRUE41C1908A	0.23	(0.04)	600	-	EIC-W3	-	-	-	-
TKN13C1911A	-	-	-	-	TRUE41C1909A	-	-	-	-	EMC-W6	0.14	-	2,820	-
TKN13C1912A	0.22	(0.03)	99,260	-	TRUE41C1910A	-	-	-	-	EPCO-W3	0.58	(0.01)	27,648	-
TKN16C2001A	0.58	(0.08)	18,763	-	TRUE41C1910B	-	-	-	-	GJS-W3	-	-	-	-
TKN19C1907A	-	-	-	-	TRUE41C1911A	-	-	-	-	GSTEEL-W1	-	-	-	-
TKN19C1910A	0.27	(0.04)	13,855	-	TRUE41P1908A	-	-	-	-	GSTEEL-W2	-	-	-	-
TKN23C1911A	0.54	(0.04)	7,500	-	TRUE41P1910A	-	-	-	-	JHL-W1	2.08	0.08	57,146	2.00
TKN24C1908A	0.03	(0.02)	8,170	-	TRUE41P1911A	-	-	-	-	J-W1	0.73	0.03	10,182	-
TKN28C1910A	0.11	(0.02)	17,969	-	TRUE42C1910A	-	-	-	-	JAS-W3	3.20	(0.26)	107,620	3.00
TKN28C1911A	-	-	-	-	TU01C2001A	0.48	-	119,415	-	JCK-W5	0.28	(0.02)	6,502	-
TKN41C1908A	-	-	-	-	TU01C2001B	0.33	-	188,805	-	JMT-W2	3.20	(0.08)	997	3.00
TKN41C1912A	0.64	(0.04)	54	-	TU01P2001A	0.47	(0.01)	108,002	-	MACO-W2	0.22	-	258,539	-
TKN42C1911A	-	-	-	-	TU11C2003A	0.31	-	19,000	-	MILL-W3	-	-	-	-
TMB01C1909A	-	-	-	-	TU13C1909A	0.13	-	52,476	-	MILL-W4	0.08	0.01	68,031	-
TMB08C1908A	-	-	-	-	TU13C1912A	0.29	-	175,211	-	MILL-W5	0.04	0.01	96,977	-
TMB13C1908A	-	-	-	-	TU19C1908A	-	-	-	-	MINT-W6	4.78	(0.08)	19,201	4.00
TMB19C1910A	-	-	-	-	TU19C2001A	0.19	-	79,488	-	MONO-W1	0.11	(0.01)	19,233	-
TMB24C1911A	0.12	(0.02)	4,466	-	TU24C1909A	0.32	-	30,352	-	NEP-W3	-	-	-	-
TMB28C1911A	-	-	-	-	TU41C1911A	0.31	0.01	16,100	-	NFC-W1	1.86	0.02	138	1.00
TMB28C1912A	0.17	(0.02)	54,957	-	TU41C2001A	0.25	(0.75)	32,000	-	NOK-W1	0.18	-	433	-
TMB41C1911A	0.12	(0.02)	30,000	-	TU41P1911A	-	-	-	-	NPPG-W4	0.57	(0.01)	17,210	-
TMB41C1912A	0.16	(0.03)	12,000	-	TU41P2001A	-	-	-	-	NUSA-W3	0.16	0.01	6,779	-
TMB41P1911A	0.43	0.05	1,024	-	TVO11C2001A	0.20	(0.01)	2,898	-	NVD-W1	0.19	-	2,538	-
TOA01C2001A	0.38	(0.03)	68,894	-	TVO19C1911A	-	-	-	-	ORI-W1	0.89	(0.09)	235,688	-
TOA01C2001B	0.27	0.02	89,356	-	TVO23C1907A	-	-	-	-	PACE-W2	0.02	(0.01)	652,109	-
TOA01P2001A	0.49	0.02	41,401	-	UV13C1908A	0.04	(0.01)	1,830	-	PDI-W1	1.01	(0.05)	48,287	1.00
TOA11C1911A	0.25	(0.04)	16,880	-	VG123C1911A	1.71	(0.10)	130	1.00	PDJ-W3	0.52	0.02	24	-
TOA13C1909A	0.36	(0.02)	42,749	-	WHA01C1911A	0.66	(0.01)	72,488	-	PDJ-W4	0.52	(0.01)	100	-
TOA16C2001A	0.30	0.02	7,060	-	WHA01C1911B	0.43	(0.03)	92,261	-	PERM-W1	0.30	(0.01)	27,210	-
TOA19C1910A	0.39	(0.08)	11,958	-	WHA01P1911A	0.51	0.01	65,222	-	RICHY-W2	0.07	-	2,841	-
TOA19C1911A	0.18	-	14,828	-	WHA06C1908A	0.28	(0.01)	1,100	-	RS-W3	5.00	(0.10)	1,821	5.00
TOA24C1911A	0.35	(0.05)	1,100	-	WHA08C1908A	0.18	(0.02)	25,490	-	SAMART-W2	0.83	(0.02)	30,388	-
TOP01C1910A	0.33	(0.04)	160,686	-	WHA11C2001A	0.45	(0.02)	19,558	-	SAWAD-W1	7.60	(0.50)	578	7.00
TOP01C1910B	0.36	(0.04)	134,917	-	WHA13C1909A	-	-	-	-	SDC-W1	0.15	-	11,502	-
TOP01C1912A	0.64	(0.03)	80,282	-	WHA13C1912A	0.40	(0.02)	209,586	-	SINGER-W1	2.50	(0.02)	2,355	2.00
TOP01C1912B	0.41	(0.02)	115,788	-	WHA16C1911A	0.50	0.01	500	-	SINGER-W2	1.96	-	22,987	2.00
TOP01P1910A	0.62	0.02	124,216	-	WHA19C1907A	-	-	-	-	SMT-W2	0.38	(0.02)	8,848	-
TOP01P1912A	0.56	0.02	60,813	-	WHA19C1911A	0.21	(0.01)	66,646	-	SPORT-W7	0.01	(0.01)	5,500	-
TOP06C1908A	0.03	(0.02)	2,230	-	WHA24C1907A	-	-	-	-	SST-W2	1.50	0.03	1,183	1.00
TOP06C1911A	0.54	(0.06)	6,130	-	WHA24C1911A	-	-	-	-	SUPER-W4	0.04	(0.01)	128,134	-
TOP06P1912A	0.77	0.04	34,950	-	WHA24P1908A	-	-	-	-	SV1-W3	1.08	(0.04)	1,832	1.00

**Main Board Quotation**

**Issue Date :**

*Monday August 05, 2019*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP07C1908A	0.02	(0.01)	67	-	WHA27C1910A	0.33	(0.02)	2,400	-	TCC-W3	0.08	-	37,468	-
TOP08C1911A	0.29	(0.01)	20,800	-	WHA28C1910A	0.35	(0.02)	32,550	-	TCC-W4	0.08	-	118,539	-
TOP08P1912A	0.23	0.01	7,600	-	WHA28C1912A	0.27	(0.01)	9,614	-	TCC-W5	0.19	(0.01)	3,581	-
TOP11C2002A	0.31	(0.01)	8,003	-	WHA41C1911A	-	-	-	-	TCJ-W2	0.57	(0.03)	994	-
TOP11P2002A	0.90	0.02	72,500	-	WHA41P1912A	-	-	-	-	TCMC-W2	0.14	(0.01)	41,929	-
TOP13C1909A	0.06	(0.02)	12,463	-	WHA42C1911A	-	-	-	-	TFG-W2	0.77	(0.04)	25,060	-



**Main Board Quotation**

**Issue Date :**

*Monday August 05, 2019*

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-