

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DIF	17.50	0.10	86,979	17.42	NMG	-	-	-	-
POMPUI	-	-	-	-	DTAC	59.50	2.75	160,293	58.43	PLANB	8.60	0.30	302,858	8.36
SAFARI	-	-	-	-	FORTH	5.75	-	943	5.68	POST	2.02	0.02	61	1.96
VI	-	-	-	-	HUMAN	8.30	0.10	4,973	8.03	PRAKIT	11.60	-	318	11.53
WORLD	-	-	-	-	ILINK	5.10	-	3,294	5.07	SE-ED	2.66	-	88	2.66
WR	-	-	-	-	INET	3.20	-	355	3.20	SPORT	0.14	-	2	0.14
Agribusiness					INTUCH	63.75	2.75	182,356	63.11	TBSP	13.90	1.10	52	13.94
CHOTI	-	-	-	-	JAS	6.30	0.10	470,058	6.21	TH	0.75	0.03	75	0.74
EE	0.53	-	16,292	0.53	JASIF	11.30	-	209,009	11.29	TKS	7.75	-	7,187	7.80
GFPT	18.00	0.40	38,049	17.55	JMART	11.30	0.50	91,750	11.01	VGI	9.50	0.15	285,763	9.44
LEE	2.24	(0.02)	2,066	2.24	JTS	1.38	(0.01)	480	1.39	WAVE	2.02	0.12	1,033	1.93
NER	2.62	0.06	304,852	2.53	MFEC	3.84	(0.02)	1,249	3.83	WORK	24.80	-	135,856	24.71
PPPM	-	-	-	-	MSC	7.65	(0.05)	184	7.64	Finance & Securities				
STA	10.90	(0.20)	112,853	10.97	PT	5.90	-	3,637	5.84	AEC	0.53	0.01	2,572	0.52
TRUBB	1.40	-	1,304	1.38	SAMART	9.65	(0.10)	53,749	9.53	AEONTS	221.00	2.00	7,971	220.37
TWPC	7.20	0.05	1,647	7.15	SAMTEL	11.30	(0.60)	7,053	11.41	AMANAH	2.34	0.02	81,985	2.32
UPOIC	4.06	(0.02)	5	4.06	SDC	0.32	0.01	8,508	0.31	ASAP	3.14	0.04	6,355	3.09
UVAN	5.15	-	2,218	5.09	SIS	8.90	0.10	1,653	8.81	ASK	25.25	0.25	4,649	25.14
VPO	0.55	(0.01)	3,802	0.55	SVOA	1.14	0.01	18,916	1.15	ASP	2.66	0.06	37,421	2.61
Banking					SYMC	4.30	-	16	4.30	BFIT	17.10	(0.40)	910	17.26
BAY	38.00	(0.25)	4,335	37.88	SYNEX	9.55	(0.10)	5,409	9.56	CGH	0.87	(0.01)	9,704	0.87
BBL	177.00	(0.50)	68,836	176.79	THCOM	5.40	-	10,405	5.37	CNS	1.73	(0.01)	519	1.71
CIMBT	0.71	-	5,850	0.71	TRUE	6.30	0.30	2,759,910	6.15	ECL	1.68	0.05	72,615	1.65
KBANK	173.50	1.00	83,825	173.21	TWZ	0.08	-	431,806	0.08	FNS	3.12	0.06	1,226	3.08
KKP	71.25	(0.25)	53,949	71.10	Electronic Componer	-	-	-	-	FSS	2.12	0.17	901	2.05
KTB	19.00	(0.10)	243,498	18.98	CCET	1.73	(0.02)	3,271	1.73	GBX	0.54	0.01	1,640	0.53
LHFG	1.42	(0.01)	33,929	1.42	DELTA	49.00	(1.00)	9,030	49.02	GL	6.25	(0.05)	19,012	6.26
SCB	133.50	(1.00)	93,488	133.32	EIC	0.05	0.01	1,321	0.04	IFS	3.44	0.04	26,556	3.47
TCAP	58.00	0.25	56,275	57.59	HANA	25.75	(0.25)	17,537	25.83	JMT	18.70	1.30	178,278	17.98
TISCO	99.50	0.50	54,453	98.59	KCE	16.00	-	59,302	15.94	KCAR	11.60	-	1,272	11.60
TMB	1.82	(0.01)	529,243	1.81	METCO	175.00	(1.00)	5	175.40	KGJ	4.68	0.04	41,332	4.61
Construction Material					NEX	3.94	0.04	3,002	3.91	KTC	46.25	0.75	127,411	45.65
CCP	0.38	-	62,215	0.37	SMT	1.80	(0.01)	4,848	1.78	MBKET	8.40	0.05	402	8.36
COTTO	1.99	-	1,668	1.98	SVI	3.82	(0.06)	22,179	3.83	MFC	18.00	-	1,202	18.03
DCC	2.20	0.04	61,086	2.13	TEAM	1.07	-	2,210	1.05	ML	1.02	0.01	9,592	1.01
DCON	0.39	(0.01)	7,628	0.40	Energy & Utilities	-	-	-	-	MTC	60.50	1.50	56,544	59.80
DRT	6.00	-	1,302	5.98	7UP	0.35	0.01	8,494	0.34	PE	0.09	-	7,588	0.08
EPG	6.45	(0.15)	65,448	6.37	ABPFI	6.35	0.05	382	6.33	PL	3.10	-	2,466	3.08
GEL	0.23	-	52,907	0.22	AI	1.32	(0.01)	24,414	1.32	S11	8.50	(0.05)	1,163	8.44
PPP	2.78	(0.02)	45	2.78	AKR	0.77	-	5,325	0.77	SAWAD	54.50	1.75	64,734	53.62
Q-CON	6.30	0.15	1,371	6.25	BASF	35.00	(0.25)	1,772	34.81	THANI	7.20	0.05	149,646	7.16
RCI	3.68	0.02	2,645	3.67	BANPU	13.80	(0.10)	336,072	13.71	TK	10.10	0.10	2,130	10.00
SCC	422.00	(4.00)	40,750	424.55	BCP	29.00	0.25	53,192	28.56	TNITY	4.26	-	40	4.23
SCCC	237.00	1.00	428	234.89	BCPG	19.60	-	83,005	19.47	UOBKH	-	-	-	-
SCP	7.45	(0.05)	2,826	7.39	BGRIM	35.50	1.00	132,306	34.73	ZMICO	0.90	-	3,252	0.89
SKN	2.02	(0.02)	25,539	2.02	BPP	21.60	(0.30)	34,127	21.58	Food & Beverage				
TASCO	18.30	(0.20)	202,552	18.08	BRRGIF	9.75	(0.05)	264	9.75	APURE	1.33	0.01	1,047	1.33
TCMC	2.50	-	12,277	2.48	CKP	6.50	0.15	382,474	6.38	ASIAN	6.25	-	10,265	6.17
TOA	38.50	-	12,169	38.30	DEMCO	3.12	(0.04)	7,394	3.14	BR	3.18	-	9,900	3.16
TPIPL	1.69	(0.01)	136,590	1.69	EA	51.75	0.50	175,830	51.40	BRR	6.00	0.10	764	5.88
UMI	1.11	(0.01)	2,784	1.11	EARTH	-	-	-	-	CBG	78.25	0.75	43,685	77.74
VNG	5.00	-	358	4.99	EASTW	13.30	0.10	9,662	13.21	CFRESH	2.86	(0.04)	705	2.86
WIHK	1.48	(0.05)	15,842	1.48	EGATIF	13.20	-	26,464	13.21	CM	3.60	-	701	3.59
Petrochemicals & Ch					EGCO	315.00	(1.00)	8,313	315.70	CPF	27.00	0.25	257,767	26.84
BCT	47.25	(0.50)	60	46.52	ESSO	9.45	(0.10)	153,316	9.39	CPI	1.41	(0.02)	1,276	1.41
CMAN	2.44	-	2,141	2.43	GLOW	89.25	-	4,501	89.24	F&D	18.00	-	22	17.98
GC	5.35	0.05	1,431	5.34	GPSC	68.50	0.50	86,095	68.06	HTC	21.40	-	5,080	21.17
GGC	11.70	-	11,041	11.51	GULF	123.00	1.00	116,462	120.72	ICHI	8.15	0.15	67,210	8.08
GIFT	3.24	0.06	3,392	3.25	GUNKUL	3.02	0.02	421,363	2.97	KBS	3.90	(0.06)	190	3.91
IVL	37.50	(0.75)	485,517	36.88	IFEC	-	-	-	-	KSL	2.78	(0.02)	6,618	2.76
NFC	3.64	(0.08)	116	3.64	IRPC	4.32	(0.24)	2,450,643	4.35	KTIS	5.00	-	10	5.00
PATO	12.80	(0.10)	109	12.89	LANNA	10.70	(0.30)	1,565	10.58	LST	4.54	-	2,170	4.51
PMTA	8.40	(0.05)	256	8.35	MDX	3.92	(0.02)	1,169	3.93	M	78.50	1.00	4,460	77.83
PTTGC	56.50	(1.00)	366,304	56.64	PTG	20.30	1.00	514,503	19.76	MALEE	8.40	-	10,337	8.25
SUTHA	3.86	(0.06)	313	3.89	PTT	45.50	(0.25)	639,793	45.50	MINT	38.00	(0.25)	172,454	37.78
TCCC	23.00	-	70	22.93	PTTEP	130.50	(0.50)	103,466	130.13	OISHI	104.50	2.50	53	101.67
TPA	5.80	(0.05)	1	5.80	RATCH	66.25	0.50	43,079	65.83	OSP	35.00	-	70,074	34.91
UP	-	-	-	-	RPC	0.56	0.01	15,060	0.55	PB	60.50	0.25	44	60.32
VNT	24.60	(0.30)	19,500	24.60	SCG	4.20	(0.02)	29	4.19	PM	9.20	0.10	4,904	9.05
WG	-	-	-	-	SCI	1.96	(0.02)	2,914	1.97	PRG	13.30	(1.00)	2	13.20
YCI	-	-	-	-	SCN	3.12	0.04	17,643	3.06	SAPPE	21.10	(0.30)	6,674	20.95
Commerce					SGP	9.20	(0.10)	52,147	9.13	SAUCE	22.90	(0.10)	21	22.79
BEAUTY	3.68	(0.02)	291,551	3.66	SKE	1.18	0.01	4,339	1.16	SFP	-	-	-	-
BIG	1.14	(0.03)	282,093	1.15	SOLAR	2.22	(0.02)	15,080	2.22	SNP	18.60	(0.10)	28	18.51
BJC	51.25	0.50	66,327	50.82	SPCG	18.60	(0.10)	5,628	18.47	SORKON	59.50	(0.25)	72	59.47
COL	23.60	(0.40)	2,285	23.56	SPRC	9.40	0.05	222,279	9.22	SSC	-	-	-	-
COM7	25.75	0.75	89,718	25.19	SSP	8.25	0.25	44,582	8.14	SSF	6.50	(0.05)	100	6.50
CPALL	85.50	-	394,308	85.62	SUPER	0.66	-	2,134,590	0.65	SST	-	-	-	-
CSS	1.66	(0.01)	16,760	1.66	SUSCO	3.10	0.06	11,576	3.05	TC	3.54	(0.06)	673	3.54
DOHOME	8.70	0.90	4,666,150	8.20	TAE	4.02	0.04	19,157	3.97	TFG	4.40	0.04	38,320	4.32
FN	1.90	0.05	11,955	1.85	TCC	0.32	-	3,424	0.32	TFMAMA	181.00	(0.50)	24	182.04
FTE	2.40	0.04	5,743	2.36	TOP	65.75	(0.25)	98,230	65.42	TIPCO	11.40	0.50	24,403	11.14
GLOBAL	15.90	(0.10)	59,921	15.92	TPIPP	5.75	(0.10)	93,102	5.78	TKN	10.20	0.20	245,511	9.96
HMPRO	17.30	0.70	399,882	17.12	TSE	2.68	-	36,289	2.65	TU	18.30	(0.60)	450,418	18.45
ILM	23.40	1.20	240,472	22.78	TTW	13.90	(0.10)	66,105	13.94	TVO	28.00	-	6,180	27.79
IT	2.72	(0.04)	2,695	2.72	WHAUP	6.00	(0.05)	66,744	5.99	ZENO	17.80	1.10	36,557	17.38
KAMART	5.60	0.05	30,264	5.53	WP	6.65	0.10	10,656	6.55	Health Care Services				
LOXLEY	2.06	(0.02)	46,284	2.07	Media & Publishing	-	-	-	-	AHC	15.40	-	280	15.46
MAKRO	37.75	(0.25)	6,558	37.25	AMARIN	4.94	-	52	4.93	BCH	15.20	0.20	78,517	15.07
MC	7.70	-	11,972	7.64	AQUA	0.55	(0.01)	145,792	0.55	BDMS	25.00	0.30	390,929	24.89
MEGA	33.75	(0.25)	18,291	33.42	AS	0.77	0.05	73	0.75	BH	166.50	(0.50)	8,879	166.96
MIDA	0.60	-	18,137	0.60	BEC	9.20	(0.10)	87,643	9.14	CHG	2.24	(0.04)	497,333	2.20
ROBINS	63.25	-</												

## Main Board Quotation

## Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RPH	6.10	(0.10)	26,401	6.11	GLAND	2.70	-	808	2.70	TKT	1.30	-	308	1.30
SKR	4.80	-	1,533	4.77	GOLD	8.40	(0.05)	4,502	8.22	TNPC	1.12	0.02	1	1.12
SVH	452.00	(2.00)	24	446.83	GREEN	0.98	-	610	0.95	TRU	4.70	0.04	246	4.66
THG	24.20	0.20	20,941	23.82	J	1.02	-	253	1.01	TSC	12.30	(0.10)	211	12.27
VIBHA	2.20	-	45,438	2.20	JCK	1.48	0.03	3,167	1.48	Industrial Materials	-	-	-	-
VIH	5.50	-	2,686	5.45	KC	-	-	-	-	ALLA	1.46	0.02	3,943	1.44
WPH	2.34	0.02	2,526	2.34	KWG	1.98	-	551	1.98	ASEFA	4.98	0.02	871	4.90
Tourism & Leisure	-	-	-	-	LALIN	5.60	-	5,846	5.46	CPT	0.98	-	11,987	0.98
ASIA	6.40	(0.05)	188	6.45	LH	10.90	(0.20)	851,630	10.93	CRANE	1.95	0.10	47,703	1.95
CENTEL	32.25	-	32,599	32.02	LPN	7.05	-	35,093	7.03	CTW	7.65	0.05	287	7.61
CSR	-	-	-	-	MBK	23.30	0.80	37,421	22.96	FMT	24.20	-	130	24.20
DTC	9.90	0.15	375	9.80	MJD	3.22	(0.06)	1,130	3.20	HTECH	3.54	-	5,292	3.46
ERW	5.40	(0.05)	75,333	5.38	MK	3.24	(0.02)	4,716	3.24	KKC	0.97	(0.03)	407	0.97
GRAND	0.80	(0.01)	1,359	0.79	NCH	1.00	-	716	1.00	PK	1.91	(0.05)	6,704	1.92
LRH	45.25	(1.25)	24	45.23	NNCL	1.98	0.01	19,931	1.97	SNC	13.90	(0.20)	7,343	13.82
MANRIN	-	-	-	-	NOBLE	22.70	0.60	16,518	22.30	STARK	2.38	-	13,348	2.34
OHTL	450.00	(4.00)	1	450.00	NUSA	0.37	-	13,365	0.37	TCJ	4.96	-	258	4.86
ROH	-	-	-	-	NVD	2.82	-	66	2.80	VARO	-	-	-	-
SHANG	76.00	0.50	47	75.04	ORI	8.05	0.20	184,404	7.88	Property Fund & REI	-	-	-	-
VRANDA	9.40	(0.10)	2,113	9.41	PACE	0.22	(0.01)	55,731	0.23	AIMCG	9.75	-	7,340	9.74
Home & Office Prod.	-	-	-	-	PF	0.75	0.01	92,212	0.74	AIMIRT	12.50	0.10	8,910	12.48
ACC	0.69	-	985	0.69	PLAT	5.90	(0.05)	6,819	5.89	AMATAR	12.20	0.10	232	12.10
AJA	0.21	0.01	23,945	0.21	POLAR	-	-	-	-	B-WORK	12.10	(0.10)	270	12.10
DTCI	-	-	-	-	PRECHA	-	-	-	-	BKKCP	13.40	-	175	13.37
FANCY	0.61	-	782	0.61	PRIN	1.59	0.01	1,752	1.58	BOFFICE	15.10	(0.20)	597	15.21
KYE	378.00	(7.00)	25	376.08	PSH	21.40	-	23,930	21.17	CPNCG	15.40	(0.10)	964	15.47
L&E	2.54	0.06	523	2.49	OH	2.98	-	565,489	2.98	CPNREIT	34.00	1.00	11,552	33.61
MODERN	3.22	-	550	3.20	RICHY	1.27	(0.02)	10,255	1.27	CPTGF	13.60	-	109	13.60
OGC	-	-	-	-	RML	1.05	(0.01)	21,209	1.05	CRYSTAL	8.95	-	130	8.90
ROCK	19.50	-	38	19.50	ROJNA	6.45	-	43,433	6.38	CTARAF	5.80	(0.05)	2,373	5.81
SIAM	2.00	(0.04)	3,723	2.01	S	3.44	0.08	288,568	3.39	DREIT	6.75	(0.10)	2,469	6.80
TSR	1.93	-	3,881	1.91	SAMCO	1.61	-	1,946	1.58	ERWPF	5.40	-	1,011	5.07
Insurance	-	-	-	-	SC	2.82	0.04	11,050	2.78	FTREIT	15.30	-	4,867	15.22
AYUD	41.00	(0.25)	5,718	40.99	SENA	3.50	-	7,698	3.47	FUTUREPF	25.75	-	1,973	25.74
BKI	327.00	(1.00)	54	327.80	SF	6.20	0.15	21,073	6.15	GAHREIT	9.30	(0.05)	422	9.27
BLA	23.80	(0.30)	14,062	23.72	SIRI	1.41	-	266,680	1.40	GLANDRT	13.50	(0.20)	4	13.50
BUI	-	-	-	-	SPALI	21.20	-	32,630	21.21	GOLDPF	7.70	0.20	10	7.52
CHARAN	-	-	-	-	U	1.81	(0.03)	55,433	1.82	GVREIT	16.50	(0.20)	110	16.46
INSURE	-	-	-	-	UV	6.40	-	32,541	6.30	HPF	4.96	-	2,662	4.94
MTI	92.50	(1.00)	6	92.75	WHA	4.68	0.08	1,199,100	4.65	HREIT	8.85	(0.05)	2,431	8.86
NKI	-	-	-	-	WIN	0.49	-	524	0.48	IMPACT	24.20	(0.20)	3,916	24.15
NSI	66.00	-	7	66.00	Paper & Printing Mat	-	-	-	-	KPNPF	8.65	(0.05)	44	8.65
SEG	36.50	-	1,743	36.49	UTP	11.70	(0.10)	41,269	11.63	LHHOTEL	19.80	0.10	425	19.80
SMK	36.00	-	12	35.83	Fashion	-	-	-	-	LHPF	9.25	0.10	632	9.18
THRE	0.81	-	11,294	0.80	AFC	-	-	-	-	LHSC	18.50	-	3,041	18.50
THREL	5.20	0.05	2,064	5.09	B52	0.20	-	1,386	0.20	LUXF	9.00	(0.05)	104	9.00
TIP	24.70	-	2,671	24.68	BTNC	-	-	-	-	M-II	8.50	(0.10)	146	8.50
TQM	41.00	(1.00)	41,424	40.71	CPH	4.90	0.02	303	4.87	M-PAT	6.50	-	158	6.50
TSI	0.46	(0.02)	7,257	0.45	CPL	1.48	(0.01)	22	1.48	M-STOR	7.20	0.05	101	7.20
TVI	4.66	(0.04)	805	4.64	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
PDI	9.35	(0.10)	1,484	9.33	PAF	0.81	-	1,542	0.81	MJLF	12.60	-	1,801	12.60
THL	-	-	-	-	PDJ	1.51	-	3,135	1.51	MNIT	1.52	(0.01)	41	1.53
Packaging	-	-	-	-	PG	5.80	0.05	1	5.80	MNIT2	4.96	-	59	4.96
AJ	8.50	0.30	166	8.12	SABINA	29.50	1.75	87,314	28.36	MNRF	-	-	-	-
ALUCON	167.50	-	7	168.21	SAWANG	-	-	-	-	MONTRI	6.30	-	10	6.30
BGC	12.40	0.20	28,560	12.29	SUC	43.75	0.25	212	43.66	POPF	13.60	-	1,577	13.60
CSC	49.50	-	15	49.18	TNL	-	-	-	-	PPF	-	-	-	-
NEP	0.28	(0.01)	1,788	0.28	TPCORP	-	-	-	-	QHHR	9.90	0.05	1,721	9.90
NPPG	1.03	-	9,372	1.02	TR	38.00	1.00	88	37.07	QHOP	-	-	-	-
PTL	15.10	-	6,784	14.98	TTI	22.40	2.40	56	22.39	QHPF	15.10	0.10	1,164	15.05
SITHAI	1.02	-	3,262	1.02	TTT	69.75	0.25	7	69.43	SBPF	2.64	(0.10)	393	2.63
SLP	0.67	-	1,765	0.67	UPF	-	-	-	-	SHREIT	6.90	0.05	588	6.82
SMPC	7.75	(0.05)	1,975	7.69	UT	14.10	0.10	15	14.10	SIRIP	11.30	-	1	11.30
SPACK	1.60	-	20	1.60	WACOAL	-	-	-	-	SPF	23.40	-	1,069	23.41
TCOAT	29.00	0.25	1	29.00	Transportation & Log	-	-	-	-	SPRIME	13.60	0.10	784	13.57
TFI	0.11	0.01	224	0.10	AAV	3.76	(0.04)	106,708	3.74	SRIPANWA	-	-	-	-
THIP	18.20	0.10	164	18.20	AOT	69.25	(0.25)	419,618	69.33	SSPF	10.00	0.10	1,038	9.93
TMD	24.20	(0.20)	2	24.05	ASIMAR	1.84	0.01	734	1.83	SSTPF	-	-	-	-
TOPP	-	-	-	-	B	0.36	-	30,518	0.36	SSTRT	6.50	0.05	191	6.45
TPBI	4.94	-	145	4.93	BA	10.30	-	11,886	10.25	TIF1	9.25	-	135	9.05
TPP	18.90	1.90	4	19.38	BEM	10.40	-	548,582	10.38	TLGF	22.10	0.10	2,926	21.99
Personal Products &	-	-	-	-	BTS	12.30	0.10	533,333	12.29	TLHPF	11.40	-	10	11.42
APCO	3.66	0.02	457	3.64	BTSGIF	11.10	0.10	32,236	11.01	TNPF	-	-	-	-
DDD	24.90	0.30	6,788	24.82	III	6.95	0.35	77,701	6.76	TPRIME	-	-	-	-
JCT	85.00	(0.50)	7	85.00	JUTHA	0.74	(0.01)	179	0.75	TTLPF	21.50	-	47	21.50
OCC	-	-	-	-	JWD	9.50	0.10	11,140	9.33	TU-PF	1.82	0.01	101	1.77
S & J	24.00	-	1	24.00	KWC	311.00	-	2	302.00	URBNPF	-	-	-	-
STHAI	-	-	-	-	NOK	2.24	(0.04)	340	2.25	WHABT	9.85	(0.05)	2,224	9.85
TNR	9.55	0.05	1,719	9.48	NYT	4.80	0.02	1,725	4.80	WHART	16.80	-	5,028	16.59
TOG	5.60	0.10	777	5.52	PRM	8.75	0.30	189,275	8.43	Steel	-	-	-	-
Professional Service	-	-	-	-	PSL	7.65	-	73,152	7.59	AMC	1.70	(0.01)	310	1.71
BWG	0.82	(0.02)	46,144	0.82	RCL	4.20	(0.04)	2,417	4.18	BSBM	0.92	0.04	53,847	0.94
GENCO	0.64	-	9,878	0.65	TFFIF	12.60	-	37,604	12.53	CEN	1.04	-	3,609	1.03
PRO	-	-	-	-	THAI	9.95	0.05	17,683	9.93	CITY	2.16	0.02	17	2.15
SISB	7.80	0.10	38,100	7.68	TSTE	-	-	-	-	CSP	1.05	(0.01)	93	1.05
TEAMG	2.02	0.02	3,514	1.99	TTA	5.65	0.05	25,128	5.56	GJS	0.16	-	14,840	0.15
Property Developme	-	-	-	-	WICE	3.26	(0.02)	18,620	3.24	GSTEEL	-	-	-	-
A	6.30	0.05	110	6.30	Automotive	-	-	-	-	INOX	0.80	(0.02)	2,242	0.82
AMATA	24.70	0.70	240,610	24.44	AH	18.40	-	7,113	18.25	LHK	3.82	0.06	1,104	3.78
AMATAV	4.72	(0.06)	2,896	4.74	APCS	4.38	0.02	1,045	4.38	MAX	0.02	-	80,636	0.02
ANAN	3.42	-	71,283	3.37	BAT-3K	-	-	-	-	MCS	8.25	-	9,886	8.20
AP	7.30	0.15	74,638	7.20	CWT	2.84	(0.06)	6,382	2.85	MILL	0.98	(0.01)	186,871	1.09
APEX	0.18	-	29,559	0.17	EASON	1.86	0.03	1,192	1.81	PAP	2.84	-	490	2.84
AQ	0.03	0.01	840,330	0.02	GYT	-	-	-	-	PERM	1.05	(0.01)	17,074	1.07
BLAND	1.55	(0.01)	217,565	1.55	HFT	2.86	0.06	12,762	2.83	RICH	-	-	-	-
BROCK	1.98	-	598	1.97	IHL	5.15	0.05	27,952	5.01	SAM	0.48	(0.01)	5,898	0.49
CGD	1.06	-	19,820	1.05	INGRS	0.63								

## Main Board Quotation

Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	PSTC	0.70	-	253,651	-	ADVA01C1908B	1.12	0.33	40,722	-
ABICO	4.44	(0.02)	89	4.00	QTC	4.86	(0.12)	20,074	4.00	ADVA01C1912A	0.51	0.10	386,669	-
AU	16.40	(0.20)	20,005	16.00	SAAM	1.30	0.02	1,831	1.00	ADVA01C1912B	0.33	0.07	505,438	-
JCKH	0.62	0.01	306	-	SEAOIL	5.50	0.10	12,525	5.00	ADVA01P1908A	0.03	(0.03)	191,419	-
KASET	1.86	0.01	362	1.00	SR	1.15	0.02	12,275	1.00	ADVA01P1908B	0.01	(0.01)	10,500	-
MM	2.74	0.02	12	2.00	TAKUNI	0.58	0.01	2,853	-	ADVA01P1912A	0.56	(0.11)	298,040	-
PRIME	0.42	0.02	29,174	-	TPCH	12.70	0.10	29,498	12.00	ADVA01P1912B	0.38	(0.10)	326,582	-
SUN	2.00	-	1,171	2.00	TRT	1.94	0.02	4,662	1.00	ADVA06C1912A	0.40	0.10	61,010	-
TACC	4.68	0.06	29,740	4.00	UMS	-	-	-	-	ADVA07C1908A	-	-	-	-
TMILL	2.98	0.02	1,552	2.00	UWC	0.04	-	265,411	-	ADVA08C1911A	0.81	(0.17)	5,100	-
XO	7.40	(0.05)	6,799	7.00	Services (MAI)	-	-	-	-	ADVA08C2001A	0.26	0.06	31,730	-
<b>Consumer Products</b>														
-	-	-	-	-	A5	-	-	-	-	ADVA11C1910A	0.95	0.04	2,800	-
BGT	1.00	(0.03)	13,464	-	AKP	1.54	(0.01)	2,822	1.00	ADVA11P1910A	-	-	-	-
BIZ	2.60	0.02	307	2.00	AMA	7.80	0.25	26,769	7.00	ADVA11P2005A	0.41	(0.59)	22,100	-
DOD	12.10	0.60	34,588	11.00	ARIP	0.47	0.01	2,521	-	ADVA13C1908A	-	-	-	-
ECF	2.42	-	22,353	2.00	ATP30	1.47	(0.02)	8,877	1.00	ADVA13C1912A	0.42	0.08	701,183	-
HPT	0.74	-	1,745	-	AUCT	6.70	-	8,792	6.00	ADVA13P1908A	0.01	(0.01)	7,325	-
JUBILE	17.10	0.20	1,768	16.00	BOL	2.54	(0.02)	3,558	2.00	ADVA13P1912A	0.35	(0.09)	266,620	-
MOONG	5.40	(0.10)	8,201	5.00	CHUO	-	-	-	-	ADVA16C1911A	0.90	0.23	28,963	-
NPK	-	-	-	-	CMO	1.39	-	1,052	1.00	ADVA16C1912A	0.64	0.10	26,866	-
OCEAN	1.26	0.01	27,700	1.00	D	6.70	(0.05)	5,718	6.00	ADVA16C2002A	0.27	0.05	19,200	-
TM	2.64	(0.06)	35,291	2.00	DCORP	0.55	(0.01)	9,304	-	ADVA19C1908A	0.30	0.14	64,265	-
<b>Financials (MAI)</b>														
-	-	-	-	-	EFORL	0.04	(0.01)	125,503	-	ADVA19C1911A	0.25	0.07	132,974	-
ACAP	2.38	(0.04)	7,299	2.00	ETE	1.20	0.01	14,117	1.00	ADVA19P1908A	-	-	-	-
AF	0.68	(0.01)	572	-	FSMART	7.75	-	14,726	7.00	ADVA19P1911A	0.14	(0.05)	89,150	-
AIRA	1.30	(0.01)	390	1.00	FVC	0.55	-	3,279	-	ADVA23C2001A	0.90	0.05	1,000	-
ASN	6.00	(0.10)	447	5.00	GSC	0.92	-	2,011	-	ADVA23P1908A	-	-	-	-
BROOK	0.51	0.01	111,082	-	HARN	2.40	0.04	3,311	2.00	ADVA24C1908A	1.42	0.24	100	1.00
CHAYO	5.05	0.13	55,764	4.00	JKN	7.75	(0.05)	40,490	7.00	ADVA24C2001A	0.32	0.07	1,337	-
GCAP	2.30	(0.02)	7,293	2.00	KIAT	0.40	-	13,132	-	ADVA24P1908A	-	-	-	-
LIT	5.60	0.05	3,874	5.00	KOOL	1.19	0.01	8,670	1.00	ADVA24P2001A	0.35	(0.09)	116,527	-
MITSI B	2.50	0.04	16,701	2.00	LDC	0.99	0.01	2,153	-	ADVA27C1912A	0.72	0.10	8,840	-
SGF	1.15	(0.01)	58,968	1.00	MORE	0.14	-	181,980	-	ADVA28C1908A	0.40	0.32	9	-
<b>Industrials (MAI)</b>														
-	-	-	-	-	MPG	0.42	0.01	201	-	ADVA28C2001A	0.32	0.07	115,127	-
2S	2.22	-	16,251	2.00	MVP	2.04	0.02	1,814	2.00	ADVA28P1911A	0.07	(0.04)	27,277	-
ACG	1.48	(0.01)	9,684	1.00	NBC	0.58	(0.02)	2,593	-	ADVA41C1908A	0.11	0.08	1	-
ADB	0.73	-	159	-	NCL	1.21	(0.01)	69	1.00	ADVA41C1910A	0.61	0.15	10,800	-
BM	2.26	(0.02)	124	2.00	NEWS	0.01	-	66,712	-	ADVA41C1910B	0.64	0.14	1,600	-
CHO	0.91	(0.01)	10,851	-	NINE	2.60	-	2,464	2.00	ADVA41C1912A	0.36	(0.01)	39,000	-
CHOW	2.22	(0.04)	2,109	2.00	OTO	3.60	0.06	1,661	3.00	ADVA41P1908A	-	-	-	-
CIG	0.24	-	5,548	-	PHOL	2.04	0.06	14,982	2.00	ADVA41P1911A	-	-	-	-
COLOR	1.25	(0.02)	504	1.00	PICO	4.06	(0.06)	1	4.00	ADVA41P1912A	0.38	(0.11)	24,262	-
CPR	5.00	-	497	4.00	PORT	4.72	-	2,145	4.00	ADVA42C1910A	0.91	0.23	63	-
FPI	2.66	0.04	4,748	2.00	QLT	3.90	(0.02)	487	3.00	AEON01C1911A	1.49	0.02	19,631	1.00
GTB	0.63	0.03	14,581	-	RP	2.20	(0.02)	527	2.00	AEON01C1911B	0.47	0.02	72,102	-
KCM	0.84	0.01	10,113	-	SE	1.87	(0.08)	2,141	1.00	AEON13C1910A	1.02	(0.22)	200	1.00
KUMWEL	1.12	0.03	184,716	1.00	SONIC	1.28	-	4,559	1.00	AEON13C1911A	0.42	0.01	45,387	-
KWM	1.05	(0.01)	3,113	1.00	SPA	12.40	(0.10)	10,196	12.00	AEON19C1911A	0.33	0.02	23,043	-
MBAX	3.98	-	142	3.00	THMUJ	1.00	(0.01)	743	1.00	AEON24C1912A	0.32	-	2,793	-
MGT	1.88	0.01	8,195	1.00	TNDT	5.05	-	1,443	5.00	AEON41C1912A	0.36	0.01	43,200	-
NDR	1.48	(0.04)	1,188	1.00	TNH	36.00	-	252	36.00	AMAT01C1909A	0.81	0.09	67,634	-
PDG	3.28	(0.02)	817	3.00	TNP	1.47	0.02	5,855	1.00	AMAT01C1909B	0.43	0.07	133,911	-
PIMO	1.30	0.01	21,050	1.00	TSF	-	-	-	-	AMAT01C2001A	0.60	0.08	111,975	-
PJW	1.72	(0.01)	5,200	1.00	TVD	1.29	-	4,267	1.00	AMAT01C2001B	0.15	0.01	32,614	-
PPM	1.19	(0.07)	442	1.00	TVT	0.87	0.01	3,713	-	AMAT01P1909A	0.13	(0.05)	7,148	-
RWI	1.32	-	198	1.00	VL	1.52	0.01	47,631	1.00	AMAT01P2001A	0.64	(0.08)	18,391	-
SALEE	0.96	0.01	745	-	WINNER	2.80	0.02	1,980	2.00	AMAT06C1909A	0.46	0.09	12,360	-
SANKO	1.00	-	597	1.00	Technology (MAI)	-	-	-	-	AMAT08C1908A	0.21	0.04	38,336	-
SELIC	2.98	(0.02)	4,831	2.00	COMAN	3.22	0.06	1,239	3.00	AMAT08C2001A	0.49	0.08	28,820	-
SWC	5.30	-	1,505	5.00	ICN	1.92	0.01	514	1.00	AMAT11C2001A	0.63	0.08	5,825	-
TMC	0.62	(0.03)	21,339	-	IRCP	0.66	(0.01)	3,865	-	AMAT13C1908A	0.33	0.08	2,095	-
TMI	0.77	-	8,441	-	ITEL	3.42	(0.04)	14,442	3.00	AMAT13C1912A	0.52	0.07	245,708	-
TMW	59.00	-	131	58.00	NETBAY	30.00	0.50	2,482	29.00	AMAT16C1911A	0.56	0.08	28,220	-
TPAC	-	-	-	-	PLANET	1.26	-	73	1.00	AMAT19C1912A	0.17	0.02	46,900	-
TPLAS	1.42	(0.02)	744	1.00	SIMAT	1.51	-	1,060	1.00	AMAT24C2001A	0.57	0.07	6,124	-
UAC	3.08	0.04	357	3.00	SKY	13.70	0.50	28,268	13.00	AMAT27C1908A	0.25	0.05	9,270	-
UBIS	6.05	-	530	6.00	SPVI	1.62	(0.03)	3,303	1.00	AMAT41C1908A	-	-	-	-
UEC	1.18	0.02	790	1.00	UPA	0.28	-	63,135	-	AMAT41C1912A	0.51	0.06	38,500	-
UKEM	0.54	(0.01)	6,412	-	VCOM	3.10	0.08	1,054	3.00	AMAT42C1910A	0.55	0.09	380	-
UREKA	1.03	0.02	3,176	1.00	Unit Trust	-	-	-	-	ANAN08C1911A	0.17	(0.02)	16,200	-
YUASA	13.00	(0.10)	147	13.00	MGE	-	-	-	-	ANAN13C1912A	0.19	(0.02)	5,449	-
ZIGA	1.62	(0.04)	3,104	1.00	SCBSET	-	-	-	-	ANAN19C1910A	-	-	-	-
<b>Property &amp; Construc</b>														
-	-	-	-	-	ETF	-	-	-	-	ANAN24C1912A	-	-	-	-
ALL	4.56	0.06	51,093	4.00	1DIV	11.00	(0.05)	693	10.00	AOT01C1908A	0.38	-	141,064	-
ARIN	0.90	0.08	326,110	-	ABFTH	-	-	-	-	AOT01C1908B	0.09	-	76,556	-
ARROW	8.35	(0.05)	656	8.00	BMSCG	8.53	0.03	705	8.00	AOT01C1911A	0.67	-	243,642	-
BSM	0.38	(0.02)	40,491	-	BMSC1TH	12.20	0.03	5,019	12.00	AOT01C1911B	0.42	(0.01)	279,097	-
BTW	1.40	(0.01)	412	1.00	BSET100	10.75	0.02	5,671	10.00	AOT01P1908A	0.32	(0.01)	95,595	-
CAZ	2.36	0.02	11,976	2.00	CHINA	5.15	(0.06)	287	5.00	AOT01P1908B	0.04	(0.01)	400	-
CHEWA	0.80	0.01	39,579	-	EBANK	-	-	-	-	AOT01P1911A	0.50	-	150,846	-
CMC	1.28	0.02	6,523	1.00	ECOMM	8.89	(0.01)	3	8.00	AOT01P1911B	0.31	0.01	161,015	-
CRD	0.99	-	292	-	EFOOD	5.98	(0.08)	18	5.00	AOT06C1908A	0.02	-	2	-
DIMET	0.81	(0.11)	372,403	-	EICT	-	-	-	-	AOT06C1911A	0.52	(0.03)	17,020	-
FLOYD	1.73	0.02	505	1.00	ENGY	-	-	-	-	AOT06P1908A	-	-	-	-
HYDRO	0.43	0.02	440	-	ENY	-	-	-	-	AOT07C1910A	-	-	-	-
JSP	0.39	-	5,330	-	ESET50	5.85	0.04	17	5.00	AOT08C1911A	0.23	(0.02)	37,987	-
K	1.40	0.03	4,259	1.00	GLD	1.88	0.01	15,046	1.00	AOT11C2004A	0.54	(0.03)	59,918	-
META	1.61	0.01	72,801	1.00	TDEX	10.92	0.02	1,440	10.00	AOT11P2004A	0.39	0.01	26,700	-
PPS	0.79	0.01	9,491	-	TGOLDEF	4.13	0.01	1,423	4.00	AOT13C1908A	0.07	-	21,910	-
PROUD	1.48	-	5,315	1.00	TH100	-	-	-	-	AOT13C1911A	0.36	(0.01)	237,497	-
SMART	1.15	(0.05)	31,352	1.00	Warrant Foreign	-	-	-	-	AOT13P1912A	0.25	0.01	12,920	-
STAR	3.74	(0.02)	3,204	3.00										

Main Board Quotation

Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27C1912A	0.27	(0.01)	63,738	-	BCPG01C1912B	0.28	(0.01)	124,112	-	BGR113C1908A	-	-	-	-
AOT28C1909A	0.07	(0.01)	13,518	-	BCPG01P1912A	0.67	-	63,097	-	BGR113C1912A	0.27	0.03	128,654	-
AOT28C1912A	0.34	(0.01)	62,979	-	BCPG08C1910A	0.38	(0.02)	23,490	-	BGR16C2001A	0.20	0.01	1,400	-
AOT28C1912B	0.17	(0.01)	23,280	-	BCPG11C1910A	0.36	(0.01)	28,706	-	BGR119C1908A	0.12	0.03	84,425	-
AOT28P1909A	-	-	-	-	BCPG13C1908A	0.25	(0.01)	77,744	-	BGR19C1911A	0.14	0.02	56,336	-
AOT28P1912A	0.46	0.01	18,216	-	BCPG13C1912A	0.32	-	93,613	-	BGR124C1912A	0.21	(0.02)	700	-
AOT41C1909A	-	-	-	-	BCPG19C1911A	0.36	-	36,551	-	BGR127C1912A	0.34	0.02	18,400	-
AOT41C1912A	0.40	(0.02)	6,000	-	BCPG19P1911A	0.24	-	48,446	-	BGR127P1911A	0.17	-	10,922	-
AOT41C1912B	-	-	-	-	BCPG24C1912A	0.30	(0.03)	701	-	BGR14C1911A	-	-	-	-
AOT41P1909A	-	-	-	-	BCPG27P1909A	0.06	0.01	8,000	-	BGR14C2001A	0.25	(0.75)	19,980	-
AOT41P1911A	-	-	-	-	BCPG28C1910A	0.27	(0.01)	54,869	-	BGR14P1912A	0.49	(0.51)	6,000	-
AOT41P1911B	0.20	(0.80)	100	-	BCPG28C1912A	0.25	(0.02)	14,196	-	BGR14C2001A	-	-	-	-
AOT41P1912A	-	-	-	-	BCPG41C1910A	0.37	(0.03)	26,920	-	BH01C1908A	0.14	(0.01)	65,374	-
AOT42C1912A	0.41	(0.37)	57,050	-	BDMS01C1908A	0.45	0.02	240	-	BH01C1908B	0.02	(0.01)	1,015	-
AP01C1908A	0.37	0.04	87,480	-	BDMS01C1908B	0.06	-	2,150	-	BH01C2001A	0.70	(0.01)	88,025	-
AP01C1908B	0.13	0.01	157,326	-	BDMS01C1911A	0.17	0.01	75,708	-	BH01C2001B	0.42	(0.01)	102,586	-
AP01C2001A	0.30	0.02	115,375	-	BDMS01C1911B	0.10	0.01	46,050	-	BH01P1908A	0.71	0.02	54,864	-
AP01C2001B	0.18	-	54,458	-	BDMS01P1908A	0.13	(0.02)	17,309	-	BH01P2001A	1.26	0.02	47,183	1.00
AP06C1909A	0.19	(0.01)	2,200	-	BDMS01P1911A	0.35	(0.02)	25,967	-	BH07C1910A	-	-	-	-
AP08C1912A	0.16	0.02	24,080	-	BDMS08C1911A	0.13	-	8,000	-	BH11C2002A	0.34	-	19,500	-
AP11C2001A	0.27	0.01	38,000	-	BDMS11C2001A	0.50	-	14,458	-	BH13C1909A	0.08	-	17,064	-
AP16C2002A	0.15	(0.85)	9,000	-	BDMS11P2002A	0.44	(0.01)	9,360	-	BH13C1912A	0.37	(0.03)	189,692	-
AP19C1910A	0.09	-	15,480	-	BDMS13C1909A	0.04	-	60	-	BH19C1912A	0.38	-	53,845	-
AP24C1912A	0.12	(0.08)	2,000	-	BDMS13C1912A	0.11	-	45,238	-	BH24C1910A	0.38	(0.02)	15,824	-
BANP01C1909A	0.09	(0.02)	240,570	-	BDMS13C1912B	0.45	0.01	181,742	-	BH41C1911A	0.30	-	6,000	-
BANP01C1909B	0.02	-	2,142	-	BDMS16C1912A	-	-	-	-	BH41P1911A	0.41	0.03	4,000	-
BANP01C1912A	0.23	(0.02)	130,877	-	BDMS19C1910A	-	-	-	-	BJC01C1911A	0.64	0.01	67,454	-
BANP01C1912B	0.13	(0.02)	156,054	-	BDMS23P1908A	-	-	-	-	BJC01C1911B	0.47	0.03	118,831	-
BANP01P1909A	0.63	0.03	51,169	-	BDMS24C1909A	-	-	-	-	BJC01P1911A	0.22	-	128,680	-
BANP01P1909B	0.32	0.02	63,702	-	BDMS24C1912A	0.08	(0.03)	500	-	BJC06C1912A	0.36	0.01	18,520	-
BANP01P1912A	0.49	0.01	141,574	-	BDMS24P1908A	-	-	-	-	BJC11C2001A	0.34	0.01	19,986	-
BANP01P1912B	0.37	0.02	75,148	-	BDMS27C2002A	0.16	-	10,967	-	BJC13C1908A	-	-	-	-
BANP06C1912A	0.13	(0.01)	12,100	-	BDMS41C1911A	-	-	-	-	BJC13C1911A	0.33	0.02	165,552	-
BANP07C1909A	-	-	-	-	BDMS41C2001A	0.43	0.01	6,000	-	BJC16C2002A	0.38	0.03	24,000	-
BANP08C1912A	0.14	(0.01)	26,800	-	BDMS41P1911A	-	-	-	-	BJC19C1910A	0.28	-	24,590	-
BANP08P1912A	0.31	-	13,468	-	BEAU01C1911A	0.28	(0.01)	23,547	-	BJC23C2001A	0.38	0.01	13,000	-
BANP11C1909A	-	-	-	-	BEAU01P1909A	2.12	0.02	640	2.00	BJC24C1910A	0.40	(0.01)	4,000	-
BANP11C2004A	0.19	(0.02)	29,277	-	BEAU01P2001A	0.78	0.01	64,644	-	BJC27P1908A	0.02	(0.05)	1,000	-
BANP13C1910A	0.04	(0.01)	33,672	-	BEAU06C1909A	0.02	-	5,003	-	BJC41C1910A	-	-	-	-
BANP13C1912A	0.11	(0.02)	63,920	-	BEAU06C1911A	0.14	(0.02)	12,631	-	BJC41C1912A	-	-	-	-
BANP13P1908A	0.34	0.05	50	-	BEAU08C1910A	-	-	-	-	BJC41P1908A	-	-	-	-
BANP16C1912A	0.13	(0.02)	2,020	-	BEAU11C1911A	0.04	(0.01)	400	-	BJC41P1912A	0.37	(0.01)	36,400	-
BANP19C1910A	-	-	-	-	BEAU13C1910A	0.01	-	2,377	-	BJC42C1912A	-	-	-	-
BANP19P1910A	0.12	-	11,380	-	BEAU13C1910B	0.05	-	9,330	-	BLA11C1909A	-	-	-	-
BANP23P1908A	0.18	0.01	16,500	-	BEAU13C1912A	0.34	(0.01)	91,455	-	BLA13C1908A	-	-	-	-
BANP24C1911A	0.08	(0.05)	17,010	-	BEAU13P1909A	0.14	-	476	-	BLAN19C1910A	0.12	(0.02)	10,492	-
BANP24P1908A	0.28	0.01	800	-	BEAU19C1910A	0.06	-	23,800	-	BLAN19C1912A	0.09	(0.01)	5,060	-
BANP28C1911A	0.09	(0.01)	8,000	-	BEAU19P1908A	0.26	(0.01)	106,557	-	BPP01C1912A	0.41	(0.04)	69,367	-
BANP28C2001A	0.12	(0.01)	20,627	-	BEAU24C1909A	0.38	(0.01)	2,250	-	BPP01C1912B	0.24	(0.03)	115,188	-
BANP28P1909A	0.17	(0.01)	17,864	-	BEAU27C1910A	-	-	-	-	BPP01P1912A	0.74	0.04	32,068	-
BANP41C1909A	-	-	-	-	BEAU28C1910A	-	-	-	-	BPP11C1910A	0.10	(0.02)	4,000	-
BANP41C1911A	0.13	(0.01)	24,000	-	BEAU28C1910B	0.07	(0.01)	2,028	-	BPP13C1911A	0.29	(0.03)	118,364	-
BANP41P1909A	0.14	0.01	2,358	-	BEAU41C1910A	-	-	-	-	BPP16C2001A	0.32	(0.05)	21,300	-
BANP41P1912A	0.47	(0.53)	6,000	-	BEAU41C1910B	-	-	-	-	BPP19C1908A	-	-	-	-
BBL07C1909A	0.02	-	11	-	BEAU41C1911A	-	-	-	-	BPP19C1910A	0.29	(0.05)	31,210	-
BBL08C1908A	-	-	-	-	BEAU41P1909A	-	-	-	-	BPP24C1908A	-	-	-	-
BBL08C2001A	0.09	-	1,336	-	BEAU41P1911A	1.32	(0.01)	11	1.00	BPP24C1911A	0.48	(0.06)	1,605	-
BBL08P1912A	0.85	0.03	18,829	-	BEAU42C1910A	-	-	-	-	BTS01C1908A	0.40	0.01	17,810	-
BBL11C2001A	0.08	-	4,329	-	BEAU42C1911A	0.36	(0.03)	3,000	-	BTS01C1908B	0.28	0.02	79,940	-
BBL11C2005A	0.44	(0.56)	40,547	-	BEC01C2001A	0.53	(0.02)	32,839	-	BTS01C2001A	0.31	0.01	98,246	-
BBL11P2001A	0.59	0.01	43,170	-	BEC01C2001B	0.16	(0.01)	5,938	-	BTS01C2001B	0.21	0.01	107,658	-
BBL13C1908A	-	-	-	-	BEC01P2001A	0.55	0.01	47,171	-	BTS01P1908A	0.02	-	200	-
BBL13C1911A	0.20	-	138,410	-	BEC16C2002A	0.53	(0.03)	16,000	-	BTS01P2001A	0.39	(0.02)	48,536	-
BBL13P1911A	0.88	0.03	169	-	BEC27C2002A	0.16	(0.02)	3,832	-	BTS06C1908A	0.26	0.06	4,400	-
BBL19C1911A	-	-	-	-	BEC41C1912A	0.46	(0.05)	69,940	-	BTS06P1908A	-	-	-	-
BBL19P1909A	0.06	0.02	1	-	BEC41C2001A	0.17	(0.03)	18,000	-	BTS08C1911A	0.25	0.02	30,100	-
BBL24C1910A	-	-	-	-	BEM01C1911A	0.18	-	261,395	-	BTS11C1910A	-	-	-	-
BBL24C1912A	0.17	-	6,300	-	BEM01C1911B	0.11	0.01	291,016	-	BTS11C2003A	0.31	0.01	20,804	-
BBL27C2002A	0.18	-	20,962	-	BEM01P1911A	0.37	(0.01)	53,474	-	BTS13C1912A	0.23	-	126,381	-
BBL41C1908A	-	-	-	-	BEM06C1912A	0.07	(0.01)	30,725	-	BTS16C2001A	0.23	0.01	2,007	-
BBL41C1912A	0.25	(0.01)	2,013	-	BEM06P1912A	0.40	(0.01)	23,100	-	BTS16C2001B	-	-	-	-
BBL41P2001A	1.13	0.12	18,390	1.00	BEM08C2001A	0.15	-	9,000	-	BTS19C1910A	0.12	-	15,948	-
BCH01C2001A	0.34	0.01	84,517	-	BEM11C2001A	0.13	0.01	30,900	-	BTS19P1910A	-	-	-	-
BCH01C2001B	0.20	-	71,448	-	BEM11C2003A	0.17	0.01	87,880	-	BTS24C2001A	-	-	-	-
BCH01P2001A	0.62	(0.03)	108,338	-	BEM13C1909A	0.06	0.01	6,060	-	BTS24P2001A	0.11	(0.02)	14	-
BCH06C1909A	0.04	0.01	1	-	BEM13C1912A	0.14	-	119,575	-	BTS27P1911A	0.11	-	3,942	-
BCH08C1910A	-	-	-	-	BEM13P1911A	0.29	(0.02)	72,174	-	BTS41C1908A	-	-	-	-
BCH11C2001A	0.18	0.01	12,000	-	BEM16C1912A	-	-	-	-	BTS41C1912A	0.20	0.01	18,000	-
BCH13C1909A	0.04	(0.01)	882	-	BEM16C2001A	0.06	-	13,252	-	BTS41P1908A	-	-	-	-
BCH13C1911A	0.12	0.01	27,506	-	BEM19C1911A	0.08	-	31,933	-	BTS41P1910A	-	-	-	-
BCH13C1912A	0.25	0.01	60,856	-	BEM19P1910A	-	-	-	-	BTS41P1912A	0.22	(0.02)	6,000	-
BCH16C2001A	0.13	(0.02)	10	-	BEM19P1911A	0.24	(0.02)	8,568	-	CBG01C1909A	1.40	0.06	119,394	1.00
BCH19C1910A	0.04	0.01	10	-	BEM23C2001A	0.10	-	5,100	-	CBG01C1911A	1.60	-	104,110	1.00
BCH24C1908A	0.01	(0.01)	2,500	-	BEM24C1909A	0.03	(0.01)	5,450	-	CBG01C1911B	1.09	-	141,449	1.00
BCH27C1908A	-	-	-	-	BEM24P1909A	-	-	-	-	CBG01C2001A	0.98	0.02	143,012	-
BCH27P1908A	0.12	0.02	2,814	-	BEM27C1908A	0.07	(0.01)	11,236	-	CBG01C2001B	0.61	0.01	203,215	-
BCH41C1908A	-	-	-	-	BEM27P1912A	0.29	(0.02)	3,270	-	CBG01P1909A	-	-	-	-
BCH41C2001A	0.27	-	30,010	-	BEM28C1909A	0.04	-	500	-	CBG01P1911A	0.11	-	160,428	-

## Main Board Quotation

**Issue Date :**
*Tuesday August 06, 2019*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG27C1912A	-	-	-	-	CPAL11C1909A	0.44	(0.02)	5,400	-	EA08C1908A	0.20	(0.01)	43,760	-
CBG28C1908A	-	-	-	-	CPAL13C1911A	0.65	-	337,739	-	EA08C2001A	0.43	-	90,214	-
CBG28C1910A	-	-	-	-	CPAL13P1911A	0.34	-	57,296	-	EA11C1911A	0.57	-	30,636	-
CBG28C1912A	0.69	0.01	109,806	-	CPAL16C1912A	1.39	-	12,000	1.00	EA13C1908A	0.16	-	50,593	-
CBG41C1908A	-	-	-	-	CPAL16C2001A	0.63	(0.01)	17,585	-	EA13C1910A	0.12	(0.01)	153,655	-
CBG41C1908B	-	-	-	-	CPAL19C1911A	0.30	(0.01)	59,080	-	EA13C1912A	0.42	0.02	176,202	-
CBG41C1910A	-	-	-	-	CPAL19P1910A	0.04	(0.01)	16,000	-	EA13P1909A	0.12	(0.01)	33,418	-
CBG41C1910B	-	-	-	-	CPAL24C1912A	-	-	-	-	EA13P1910A	0.47	(0.02)	6,840	-
CBG41C2001A	0.95	0.05	77,760	-	CPAL24P1909A	-	-	-	-	EA16C1911A	0.49	0.02	120,849	-
CBG41P1908A	-	-	-	-	CPAL24P1912A	0.57	-	1,000	-	EA19C1908A	0.06	0.01	55,999	-
CBG41P1909A	0.10	(0.01)	3,400	-	CPAL27C1912A	0.68	(0.01)	13,200	-	EA19C2001A	0.35	0.01	139,977	-
CBG41P1910A	0.05	-	180	-	CPAL28C1910A	-	-	-	-	EA19P1910A	0.17	-	68,000	-
CBG41P2001A	0.78	0.03	19,050	-	CPAL28C1912A	0.49	(0.01)	16,231	-	EA23C1909A	0.22	-	20,000	-
CBG41P2002A	-	-	-	-	CPAL28C2001A	0.36	(0.02)	63,869	-	EA24C1910A	0.28	-	560	-
CBG42C1910A	1.12	(0.11)	10	1.00	CPAL41C1910A	0.56	(0.05)	36,000	-	EA27C1908A	0.20	-	29,060	-
CENTO1C1909A	-	-	-	-	CPAL41C1910B	-	-	-	-	EA27P1908A	-	-	-	-
CENTO1C1909B	-	-	-	-	CPAL41C2001A	0.43	(0.57)	15,980	-	EA28C1909A	0.14	(0.01)	42,720	-
CENTO1C1911A	0.25	(0.01)	142,015	-	CPAL41P1908A	-	-	-	-	EA28C1909B	-	-	-	-
CENTO1C1911B	0.15	-	148,976	-	CPAL41P1911A	-	-	-	-	EA28C1910A	0.13	-	23,419	-
CENTO1P1909A	1.17	(0.03)	29,318	1.00	CPAL41P1912A	-	-	-	-	EA41C1910A	0.27	(0.01)	16,000	-
CENTO1P1911A	0.41	(0.02)	121,066	-	CPAL41P1912B	-	-	-	-	EA41C1910B	0.27	(0.01)	3,920	-
CENTO06C1908A	-	-	-	-	CPAL42C1910A	0.54	(0.16)	2,000	-	EA41C1912A	0.40	(0.04)	36,000	-
CENTO06C1912A	0.13	0.02	23,700	-	CPF01C1908A	0.12	(0.01)	143,478	-	EA41P1912A	0.75	0.05	14,000	-
CENTO08C1911A	-	-	-	-	CPF01C1908B	0.02	-	40,982	-	EA42C1910A	-	-	-	-
CENT11C1909A	-	-	-	-	CPF01C2001A	0.20	-	618,159	-	EGCO01C1909A	1.04	(0.01)	32,375	1.00
CENT11C2004A	0.21	(0.03)	16,941	-	CPF01C2001B	0.11	-	187,212	-	EGCO01C1909B	0.74	-	30,256	-
CENT13C1911A	0.10	-	40,957	-	CPF01P1908A	0.17	-	46,602	-	EGCO01C2001A	0.62	-	39,442	-
CENT13C1912A	0.17	-	137,990	-	CPF01P1908B	0.04	-	42,400	-	EGCO01C2001B	0.38	-	44,804	-
CENT16C2001A	0.14	(0.01)	12,501	-	CPF01P2001A	0.49	-	57,086	-	EGCO13C1910A	0.55	(0.21)	293	-
CENT19C1908A	-	-	-	-	CPF01P2001B	0.35	-	64,784	-	EGCO13C1912A	0.36	0.01	121,354	-
CENT19C1910A	0.03	-	17,500	-	CPF08C1911A	0.09	-	17,100	-	EGCO16C2001A	-	-	-	-
CENT23C1908A	-	-	-	-	CPF11C1910A	0.31	-	3,230	-	EGCO19C1908A	0.17	(0.02)	74,958	-
CENT24C1908A	-	-	-	-	CPF13C1908A	-	-	-	-	EGCO24C1908A	-	-	-	-
CENT24C1910A	-	-	-	-	CPF13C1910A	-	-	-	-	EGCO27C1910A	0.64	(0.06)	1,000	-
CENT27C1912A	0.19	-	17,668	-	CPF13C1911A	0.14	0.01	61,128	-	EGCO41C1911A	0.32	(0.01)	52,000	-
CENT41C1908A	-	-	-	-	CPF13P1910A	0.20	0.01	1,100	-	EGCO41C2001A	0.40	(0.60)	27,980	-
CENT41C1912A	0.07	(0.02)	10	-	CPF16C2001A	0.09	-	1,136	-	EGCO41P1911A	0.16	0.01	193	-
CENT41C2001A	-	-	-	-	CPF19C1910A	0.08	-	27,924	-	EGCO41P2001A	0.73	-	6,000	-
CENT41P1910A	0.64	(0.02)	430	-	CPF19C2001A	0.09	-	9,000	-	EPG13C1912A	0.18	(0.02)	16,708	-
CHG01C2001A	0.33	(0.01)	168,015	-	CPF19P1910A	-	-	-	-	EPG19C1908A	-	-	-	-
CHG01C2001B	0.21	(0.02)	155,921	-	CPF24C1912A	0.10	(0.02)	3,230	-	EPG19C1910A	0.19	(0.01)	16,217	-
CHG01P2001A	0.37	-	90,464	-	CPF24P1909A	-	-	-	-	EPG19P1911A	0.12	(0.01)	39,587	-
CHG06C1911A	0.25	(0.04)	35,750	-	CPF27C2001A	0.16	-	7,064	-	EPG24C1908A	-	-	-	-
CHG08C1912A	0.23	(0.03)	114,544	-	CPF28C1912A	0.09	(0.01)	2,078	-	EPG24C1911A	0.41	-	13,400	-
CHG11C1911A	0.22	(0.02)	11,200	-	CPF28P1911A	0.19	-	23,840	-	ERW06C1911A	0.02	(0.01)	2,450	-
CHG13C1911A	0.21	(0.02)	284,137	-	CPF41C1908A	-	-	-	-	ERW11C2001A	-	-	-	-
CHG16C2002A	0.20	(0.02)	9,640	-	CPF41C2001A	0.12	-	24,000	-	ERW13C1911A	0.04	-	6,000	-
CHG19C1911A	0.12	(0.02)	25,157	-	CPF41P1910A	-	-	-	-	ERW13C2001A	0.18	(0.82)	24,738	-
CHG24C1911A	-	-	-	-	CPF41P1912A	0.23	0.02	1	-	ERW19C1908A	-	-	-	-
CHG41C1912A	0.16	(0.04)	30,000	-	CPN01C1908A	0.08	(0.02)	65,760	-	ERW19C1911A	0.04	(0.01)	418,212	-
CK01C2001A	0.21	(0.01)	96,723	-	CPN01C1908B	0.02	-	30	-	ERW24C1909A	-	-	-	-
CK01C2001B	0.13	(0.01)	281,742	-	CPN01C2001A	0.51	(0.03)	129,110	-	ERW27C1910A	-	-	-	-
CK01P2001A	0.44	0.01	22,368	-	CPN01C2001B	0.32	(0.03)	150,807	-	ESSO01C1911A	0.43	(0.03)	103,862	-
CK06C1911A	0.08	(0.01)	13,120	-	CPN01P1908A	0.83	0.04	36,432	-	ESSO01C1911B	0.12	(0.01)	57,242	-
CK08C1911A	0.11	(0.01)	6,000	-	CPN01P2001A	1.07	0.02	62,030	1.00	ESSO01P1911A	0.43	0.02	36,441	-
CK11C1911A	0.15	-	1,200	-	CPN06C1908A	-	-	-	-	ESSO06C1911A	0.14	(0.02)	8,600	-
CK13C1910A	0.12	(0.01)	64,586	-	CPN11C1910A	0.06	(0.02)	8,200	-	ESSO08C1908A	-	-	-	-
CK16C1912A	0.26	0.01	5,060	-	CPN13C1908A	0.02	(0.03)	120	-	ESSO08C1911A	0.08	(0.02)	4,200	-
CK19C1912A	0.08	(0.01)	8,000	-	CPN13C1912A	0.25	(0.02)	76,360	-	ESSO11C2002A	0.15	(0.01)	3,519	-
CK24C1910A	-	-	-	-	CPN16C2001A	0.22	(0.02)	10,300	-	ESSO13C1910A	-	-	-	-
CK41C1911A	0.13	-	12,000	-	CPN19C1911A	0.13	(0.01)	46,394	-	ESSO13C1911A	-	-	-	-
CKP01C1911A	0.44	0.01	97,614	-	CPN24C1909A	0.06	(0.04)	482	-	ESSO13C1912A	0.16	(0.01)	33,649	-
CKP01C1911B	0.33	0.03	189,464	-	CPN24P1911A	0.72	0.01	3,010	-	ESSO19C1910A	0.04	(0.01)	8,000	-
CKP06C1910A	0.43	0.03	15,923	-	CPN41C1910A	0.11	(0.03)	6,000	-	ESSO23C1908A	0.02	(0.01)	1,000	-
CKP08C1910A	0.23	0.02	32,657	-	CPN41P1908A	-	-	-	-	ESSO24C1910A	0.39	(0.07)	100	-
CKP11C1910A	0.30	-	5,100	-	CPN41P1912A	0.62	0.02	6,000	-	ESSO27C1912A	0.09	(0.01)	13,272	-
CKP13C1908A	-	-	-	-	DTAC01C1910A	0.80	0.12	126,276	-	ESSO41C1911A	-	-	-	-
CKP13C1910A	-	-	-	-	DTAC01C1910B	0.69	0.12	184,184	-	ESSO42C1910A	-	-	-	-
CKP13C1912A	0.20	0.03	171,786	-	DTAC01C2001A	0.77	0.10	202,059	-	GFPT08C1912A	0.41	0.03	25,256	-
CKP16C2001A	-	-	-	-	DTAC01C2001B	0.53	0.10	216,096	-	GFPT13C1912A	0.36	0.01	28,886	-
CKP19C1910A	0.28	0.02	19,858	-	DTAC01P1910A	0.46	(0.11)	122,994	-	GFPT19C1912A	0.30	0.02	23,557	-
CKP19C1911A	0.11	0.01	23,311	-	DTAC01P1910B	0.12	(0.03)	179,672	-	GFPT19P1912A	0.23	(0.02)	54,239	-
CKP24C1912A	0.43	0.02	200	-	DTAC01P2001A	0.88	(0.12)	95,619	-	GFPT23C1909A	0.32	0.02	16,000	-
CKP24P1912A	0.10	(0.02)	1,842	-	DTAC01P2001B	0.60	(0.11)	124,625	-	GFPT24C1912A	-	-	-	-
CKP28C1908A	-	-	-	-	DTAC06C1908A	0.39	0.15	55,220	-	GFPT42C1911A	0.47	(0.08)	5	-
CKP28C1910A	0.16	0.02	15,800	-	DTAC06P1908A	-	-	-	-	GGC13C1908A	0.07	(0.01)	48,404	-
CKP28C1912A	0.14	-	36,290	-	DTAC07C1909A	0.64	0.08	500	-	GLOB01C1909A	0.18	(0.02)	88,394	-
CKP41C1909A	0.22	(0.01)	18,000	-	DTAC08C1911A	0.67	0.13	69,981	-	GLOB01C1909B	0.03	-	20,840	-
COM706C1908A	1.75	(0.17)	292	1.00	DTAC08P1911A	0.28	(0.06)	35,000	-	GLOB01P1909A	0.56	0.01	41,563	-
COM708C1911A	1.18	0.06	23,144	1.00	DTAC11C2002A	0.78	0.10	76,643	-	GLOB06C1911A	0.15	(0.01)	6,362	-
COM711C1909A	0.65	0.06	21,904	-	DTAC13C1908A	0.37	0.02	23,714	-	GLOB11C2002A	0.35	(0.01)	25,958	-
COM713C1912A	0.83	0.09	2,606	-	DTAC13C1911A	0.83	0.08	120	-	GLOB13C1910A	0.13	(0.01)	12,790	-
COM713C2001A	0.23	0.02	77,224	-	DTAC13C1912A	0.52	0.10	146,108	-	GLOB16C2001A	-	-	-	-
COM716C2001A	0.91	0.09	24,800	-	DTAC13P1909A	0.05	(0.04)	24,962	-	GLOB19C1912A	0.14	(0.01)	34,500	-
COM719C1910A	0.87	0.10	11,084	-	DTAC13P1912A	0.46	(0.09)	5,292	-	GLOB24C1908A	-	-	-	-
COM719C2001A	0.24	0.02	36,536	-	DTAC16C2001A	0.81	0.09	60,532	-	GLOB24C1911A	0.32	(0.02)	29,603	-
COM719P1911A	0.15	(0.02)	125,038	-	DTAC19C1908A	0.22	0.07	156,872	-	GLOB41C1908A	0.0			



# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC13P1911A	0.69	(0.02)	4,574	-	INTU19P1910A	-	-	-	-	KBAN13C1912A	0.41	0.02	166,266	-
GPSC19C1910A	0.67	0.02	17,921	-	INTU23C1908A	0.17	0.06	1,600	-	KBAN13P1908A	-	-	-	-
GPSC19C2001A	0.36	-	69,599	-	INTU24C1909A	0.34	0.13	58,772	-	KBAN13P1911A	0.96	0.01	3	-
GPSC19P1911A	0.17	(0.01)	32,951	-	INTU41C1908A	-	-	-	-	KBAN16C2001A	0.28	-	2,610	-
GPSC24C1909A	0.81	0.02	7,801	-	INTU41C1912A	0.41	0.09	81,614	-	KBAN19C1911A	0.10	0.01	124,211	-
GPSC27C1909A	0.29	-	7,246	-	INTU41P1910A	0.07	(0.03)	45,951	-	KBAN19P1910A	0.22	(0.03)	121,200	-
GPSC41C1908A	0.01	-	16,251	-	INTU42C1910A	-	-	-	-	KBAN24C1908A	-	-	-	-
GPSC41C1911A	0.73	0.03	3,150	-	IRPC01C1911A	0.28	(0.11)	427,054	-	KBAN24C1912A	0.23	0.01	2,159	-
GPSC41C1912A	0.44	0.01	41,915	-	IRPC01C1911B	0.05	(0.02)	5,679	-	KBAN24P1909A	-	-	-	-
GPSC41P1912A	0.93	(0.10)	30	-	IRPC01P1911A	0.45	0.09	168,033	-	KBAN27P2001A	0.64	(0.03)	8,808	-
GULF01C1909A	1.94	-	82,972	1.00	IRPC06C1911A	0.06	(0.07)	12,610	-	KBAN28C1911A	0.10	-	54,680	-
GULF01C1909B	0.56	0.02	137,648	-	IRPC11C2001A	0.04	(0.02)	500	-	KBAN28C2001A	0.23	-	20,120	-
GULF01C1912A	0.51	0.01	433,617	-	IRPC11C2005A	0.30	(0.70)	13,730	-	KBAN28P1909A	0.14	(0.02)	12,144	-
GULF01C1912B	0.32	0.01	292,956	-	IRPC13C1909A	0.02	0.01	4	-	KBAN28P1912A	0.75	(0.03)	31,248	-
GULF01P1909A	0.03	-	68,579	-	IRPC13C1911A	0.10	(0.02)	100	-	KBAN41C1910A	0.07	(0.01)	6,000	-
GULF01P1912A	0.71	(0.03)	266,372	-	IRPC13C1912A	0.08	(0.02)	2,890	-	KBAN41C2001A	0.45	0.01	68,434	-
GULF06C1909A	2.42	(0.24)	400	2.00	IRPC19C1910A	-	-	-	-	KBAN41P1908A	-	-	-	-
GULF06C1912A	0.45	-	39,320	-	IRPC19C1910B	0.05	(0.05)	17,994	-	KBAN41P1908B	-	-	-	-
GULF07C1910A	-	-	-	-	IRPC23C1908A	-	-	-	-	KBAN41P1912A	0.91	0.05	14,400	-
GULF08C1910A	0.66	0.04	32,990	-	IRPC24C1909A	-	-	-	-	KBAN42C1911A	-	-	-	-
GULF11C1908A	-	-	-	-	IRPC24C1911A	0.13	(0.13)	490	-	KCE01C1911A	0.42	-	287,387	-
GULF11C2003A	0.71	0.02	93,728	-	IRPC27C1911A	-	-	-	-	KCE01C1911B	0.22	-	90,056	-
GULF13C1909A	0.49	0.02	219,911	-	IRPC41C1910A	-	-	-	-	KCE06C1908A	0.01	-	140	-
GULF13C1910A	1.51	(0.18)	7	1.00	IRPC41C1911A	-	-	-	-	KCE06C1911A	0.16	-	8,728	-
GULF13C1912A	0.42	0.01	328,163	-	IRPC41C1911B	0.12	(0.10)	20	-	KCE08C1911A	0.03	-	500	-
GULF13P1908A	-	-	-	-	IRPC41C1912A	-	-	-	-	KCE11C2004A	0.44	0.01	37,170	-
GULF13P1910A	0.04	-	7,290	-	IRPC41P1909A	0.43	0.12	563	-	KCE13C1908A	-	-	-	-
GULF13P1911A	0.39	(0.02)	138,763	-	IRPC41P1912A	0.82	0.18	2,395	-	KCE13C1911A	0.14	-	51,323	-
GULF16C2001A	0.73	0.01	2,510	-	IRPC42C1911A	0.15	(0.12)	2,000	-	KCE16C2001A	0.19	(0.02)	12,000	-
GULF19C1908A	1.48	(0.14)	4,500	1.00	ITD13C1908A	0.02	0.01	6,911	-	KCE19C1910A	0.02	-	40	-
GULF19C1910A	0.56	0.02	93,439	-	IVL01C1908A	0.03	(0.01)	162,290	-	KCE19C1910B	0.11	-	38,816	-
GULF19C1912A	0.25	0.01	208,774	-	IVL01C1908B	0.02	-	44	-	KCE23C1911A	0.12	-	11,300	-
GULF19P1911A	0.07	-	77,913	-	IVL01C1911A	0.18	(0.01)	823,677	-	KCE24C1911A	-	-	-	-
GULF19P2001A	0.48	(0.01)	150,102	-	IVL01C1911B	0.07	(0.01)	108,058	-	KCE28C1911A	0.18	0.01	24,144	-
GULF24C1908A	-	-	-	-	IVL01C2002A	0.32	(0.03)	1,015,215	-	KCE41C1911A	0.21	0.01	26,000	-
GULF24C1909A	0.59	0.03	34,150	-	IVL01C2002B	0.19	(0.03)	204,158	-	KCE42C1910A	0.13	(0.25)	400	-
GULF24C2001A	0.32	0.01	320	-	IVL01P1908A	1.08	0.07	33,078	1.00	KKP01C2001A	0.66	(0.02)	68,612	-
GULF24P2001A	0.56	(0.01)	12,776	-	IVL01P1908B	0.62	0.09	76,875	-	KKP01C2001B	0.45	(0.01)	102,514	-
GULF27C2004A	0.46	0.01	27,750	-	IVL01P1911A	0.85	0.06	196,557	-	KKP01P2001A	0.81	0.01	43,483	-
GULF28C1908A	-	-	-	-	IVL01P1911B	0.83	0.08	175,998	-	KKP11C1911A	0.34	(0.03)	22,000	-
GULF28C1909A	-	-	-	-	IVL01P2002A	0.77	0.05	189,945	-	KKP13C1910A	0.33	(0.01)	142,596	-
GULF28C1910A	-	-	-	-	IVL01P2002B	0.61	0.04	164,405	-	KKP16C2002A	0.65	(0.01)	24,110	-
GULF28C2001A	0.30	0.01	54,756	-	IVL06C1910A	0.02	-	30	-	KKP19C1911A	0.36	(0.01)	65,915	-
GULF41C1909A	0.52	(0.06)	23,400	-	IVL06P1910A	0.66	0.04	37,650	-	KKP24C1909A	0.32	-	100	-
GULF41C1909B	0.49	(0.12)	50	-	IVL08C1911A	0.06	(0.01)	7,000	-	KKP27P1908A	-	-	-	-
GULF41C1910A	-	-	-	-	IVL08P1910A	0.69	0.07	38,600	-	KKP27P2002A	0.41	0.01	5,038	-
GULF41C1910B	-	-	-	-	IVL11C1911A	0.05	(0.02)	181	-	KKP41C1910A	0.24	(0.02)	7	-
GULF41C1911A	0.42	(0.11)	16,000	-	IVL11C2005A	0.29	(0.71)	50,002	-	KTBO1C1909A	0.36	(0.02)	45,722	-
GULF41P1908A	-	-	-	-	IVL13C1908A	-	-	-	-	KTBO1C1909B	0.11	(0.01)	137,752	-
GULF41P1909A	-	-	-	-	IVL13C1909A	0.02	(0.02)	15,639	-	KTBO1P1909A	0.25	0.01	118,368	-
GULF41P1911A	0.09	0.01	10,001	-	IVL13C1912A	0.08	(0.01)	37,266	-	KTB1C1909A	-	-	-	-
GULF41P1911B	0.09	0.01	1	-	IVL13C2001A	0.17	(0.03)	347,760	-	KTB1C2004A	0.25	(0.02)	13,040	-
GULF41P1912A	0.48	0.01	2	-	IVL13P1908A	-	-	-	-	KTB13C1908A	-	-	-	-
GULF42C1910A	0.50	0.02	2,001	-	IVL13P1911A	0.56	0.06	23,237	-	KTB13C1912A	0.20	(0.01)	24,743	-
GUNK01C1912A	0.33	(0.01)	96,628	-	IVL13P1912A	1.09	0.19	100	1.00	KTB19C1912A	0.15	(0.01)	8,200	-
GUNK01C1912B	0.22	0.01	52,742	-	IVL16C2001A	0.07	(0.02)	3,136	-	KTB19P1910A	-	-	-	-
GUNK01P1912A	0.48	0.02	44,416	-	IVL19C1908A	-	-	-	-	KTB24C1908A	-	-	-	-
GUNK08C1912A	0.38	-	54,570	-	IVL19C1911A	0.04	-	1,700	-	KTB41C1910A	-	-	-	-
GUNK11C1911A	0.39	-	4,721	-	IVL19C2001A	0.13	(0.02)	135,479	-	KTC01C1910A	0.69	0.03	248,363	-
GUNK13C1909A	0.22	-	2,548	-	IVL19P1908A	-	-	-	-	KTC01C1910B	0.45	0.02	210,002	-
GUNK13C1912A	0.19	0.01	79,623	-	IVL19P1910A	0.36	0.04	28,327	-	KTC01C2001A	0.68	0.04	125,009	-
GUNK16C2002A	-	-	-	-	IVL23P1909A	-	-	-	-	KTC01C2001B	0.42	-	183,878	-
GUNK19C1910A	0.22	(0.01)	45,658	-	IVL24C1910A	0.07	(0.01)	50,141	-	KTC01P1910A	0.13	(0.01)	238,603	-
GUNK19C1911A	0.12	0.01	43,352	-	IVL24C2001A	0.17	(0.05)	16,403	-	KTC01P2001A	0.44	(0.02)	126,047	-
GUNK24C1909A	0.53	-	15,230	-	IVL24P1911A	0.95	0.18	600	-	KTC06C1911A	0.61	(0.02)	29,590	-
GUNK24C2001A	-	-	-	-	IVL27C1912A	0.10	(0.03)	69,162	-	KTC08C1910A	0.45	0.03	33,100	-
GUNK42C1910A	0.23	(0.01)	52,000	-	IVL27P1912A	0.47	0.04	44,240	-	IVL27C1911A	0.91	0.01	48,040	-
HANA01C1909A	0.07	-	18,312	-	IVL28C1908A	-	-	-	-	KTC13C1909A	0.30	0.02	396,681	-
HANA01C1909B	0.02	0.01	4	-	IVL28C1910A	0.02	(0.01)	1,600	-	KTC13C1912A	0.61	0.03	309,910	-
HANA01C1911A	0.74	(0.03)	24,216	-	IVL28C2001A	0.14	(0.02)	146,741	-	KTC13P1909A	0.05	-	15,019	-
HANA01C2001A	0.22	-	57,310	-	IVL28P1909A	0.52	0.04	3,550	-	KTC13P1911A	0.34	(0.03)	61,243	-
HANA01C2001B	0.14	-	51,336	-	IVL28P1912A	0.52	0.05	90,599	-	KTC16C1911A	0.69	0.03	2,000	-
HANA11C1911A	-	-	-	-	IVL41C1909A	0.01	(0.03)	16,000	-	KTC19C1908A	0.39	0.02	19,436	-
HANA13C1910A	0.05	-	1,100	-	IVL41C1910A	-	-	-	-	KTC19C1910A	0.28	0.02	68,897	-
HANA13C1911A	-	-	-	-	IVL41C1910B	-	-	-	-	KTC19P1911A	0.14	(0.01)	40,530	-
HANA13C1912A	0.17	(0.01)	33,548	-	IVL41C2001A	0.18	(0.10)	37,626	-	KTC19P2001A	0.24	(0.01)	46,906	-
HANA19C1910A	0.07	(0.02)	12,462	-	IVL41P1912A	0.93	0.12	75	-	KTC23C1908A	-	-	-	-
HANA27C2001A	0.24	(0.02)	16,180	-	IVL41P2001A	-	-	-	-	KTC24C2001A	0.63	0.03	100	-
HMPR01C1908A	0.53	0.09	61,221	-	IVL42C1910A	0.03	(0.02)	2,000	-	KTC27C1911A	0.54	-	26,601	-
HMPR01C1908B	0.26	0.08	58,725	-	JAS06C1912A	0.17	0.01	36,165	-	KTC27P1911A	0.24	-	12,760	-
HMPR01C2001A	0.41	0.06	157,852	-	JAS08C1912A	0.26	0.01	37,400	-	KTC28C1908A	-	-	-	-
HMPR01C2001B	0.25	0.05	229,238	-	JAS13C1912A	0.19	0.01	110,212	-	KTC28C1909A	0.25	0.03	60,812	-
HMPR01P1908A	0.04	(0.03)	61,194	-	JAS16C2002A	0.29	0.01	12,417	-	KTC41C1910A	0.46	(0.01)	41,280	-
HMPR01P2001A	0.53	(0.08)	117,309	-	JAS16C2002B	0.20	0.01	8,410	-	KTC41C2001A	0.53	(0.47)	18,000	-
HMPR06C1910A	0.34	0.09	11,660	-	JAS19C1912A	0.12	-	88,182	-	KTC41P1910A	0.20	(0.01)	900	-
HMPR08C1912A	0.31	0.06	38,800	-	JAS19P2001A	0.23	(0.01)							

Main Board Quotation

Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAJ013C1909A	0.14	0.02	51,356	-	PTG01C1911A	1.24	0.16	438,494	1.00	PTTE41C2001A	0.38	(0.01)	27,980	-
MAJ019C1912A	0.15	(0.01)	4,000	-	PTG01C1911B	1.12	0.20	268,054	-	PTTE41P1910A	-	-	-	-
MAJ024C2002A	0.33	0.02	600	-	PTG01C2001A	0.74	0.11	485,009	-	PTTE42C1910A	-	-	-	-
MAJ027C1912A	0.18	-	10,421	-	PTG01C2001B	0.54	0.09	506,453	-	PTTG01C1910A	0.14	(0.02)	460,572	-
MBK13C1912A	0.42	0.08	36,633	-	PTG01P1908A	0.02	-	4,503	-	PTTG01C1910B	0.13	(0.02)	234,153	-
MBK19C1911A	0.31	0.05	20,830	-	PTG01P1911A	0.10	(0.03)	180,006	-	PTTG01C1912A	0.44	(0.03)	307,489	-
MBK24C1910A	0.45	0.06	4,320	-	PTG01P2001A	0.58	(0.09)	350,762	-	PTTG01C1912B	0.28	(0.03)	402,142	-
MEGA11C1910A	0.24	(0.01)	39,270	-	PTG06C1910A	1.94	0.27	28,110	1.00	PTTG01P1910A	1.52	0.05	70,473	1.00
MEGA13C1912A	0.26	(0.01)	63,264	-	PTG08C1912A	0.67	0.11	12,299	-	PTTG01P1910B	0.60	0.03	231,861	-
MEGA19C1910A	0.08	(0.01)	16,000	-	PTG11C2003A	1.05	0.13	62,188	-	PTTG01P1912A	1.06	0.04	127,835	1.00
MINT01C1911A	0.32	(0.01)	784,556	-	PTG11C2005A	0.66	(0.34)	26,000	-	PTTG01P1912B	0.75	0.03	129,649	-
MINT01C1911B	0.21	(0.01)	52,924	-	PTG13C1910A	1.44	0.03	610	1.00	PTTG06C1908A	-	-	-	-
MINT01P1911A	0.43	0.01	397,478	-	PTG13C1911A	1.00	0.16	1,030	-	PTTG06C1911A	0.13	(0.01)	19,980	-
MINT06C1908A	0.02	(0.01)	9,141	-	PTG13C1912A	0.56	0.11	870,754	-	PTTG06P1908A	0.79	0.10	16,750	-
MINT08C1908A	0.03	(0.01)	2,000	-	PTG13C1912B	0.34	0.07	616,361	-	PTTG07C1908A	-	-	-	-
MINT11C1910A	0.19	(0.01)	121,154	-	PTG13P1911A	0.30	(0.09)	407,367	-	PTTG08C1911A	0.10	(0.01)	11,000	-
MINT13C1908A	0.03	(0.02)	1,000	-	PTG16C1911A	-	-	-	-	PTTG08C2001A	0.34	(0.03)	62,181	-
MINT13C1911A	0.21	(0.02)	173,440	-	PTG19C1910A	1.13	0.17	43,445	1.00	PTTG08P1912A	0.58	0.03	40,280	-
MINT13C1912A	0.15	(0.01)	21,649	-	PTG19C1910B	0.50	0.10	87,785	-	PTTG11C1909A	-	-	-	-
MINT16C1911A	0.23	(0.01)	34,182	-	PTG19C1911A	0.32	0.07	638,973	-	PTTG11C2004A	0.33	(0.03)	117,637	-
MINT16C2001A	0.23	(0.02)	20	-	PTG19P1908A	-	-	-	-	PTTG13C1908A	-	-	-	-
MINT19C1908A	0.01	(0.01)	5,400	-	PTG19P1910A	0.03	(0.01)	45,272	-	PTTG13C1911A	0.15	(0.03)	171,729	-
MINT19C2001A	0.15	(0.01)	113,978	-	PTG19P2001A	0.47	(0.08)	142,805	-	PTTG13C1912A	0.26	(0.02)	421,297	-
MINT19P1910A	0.05	0.01	1	-	PTG24C1909A	1.37	0.08	250	1.00	PTTG13P1909A	-	-	-	-
MINT23C2001A	0.24	(0.02)	10,000	-	PTG27P1910A	-	-	-	-	PTTG13P1910A	0.45	0.02	15,399	-
MINT24C1908A	0.13	(0.02)	33,402	-	PTG27P2001A	0.25	(0.05)	96,426	-	PTTG16C2001A	0.14	(0.02)	24,000	-
MINT27C1912A	0.21	(0.02)	36,786	-	PTG28C1908A	-	-	-	-	PTTG19C1910A	0.04	(0.01)	5,022	-
MINT27P1912A	0.25	0.02	2,111	-	PTG28C1910A	-	-	-	-	PTTG19P1910A	0.41	0.01	45,665	-
MINT41C1910A	-	-	-	-	PTG28C1910B	-	-	-	-	PTTG23C1908A	-	-	-	-
MINT41C2001A	-	-	-	-	PTG28C1911A	0.56	0.13	2,069	-	PTTG24C1911A	0.18	(0.01)	5,000	-
MINT41P1912A	-	-	-	-	PTG28C1912A	0.41	0.09	112,072	-	PTTG27C2001A	0.27	(0.02)	20,807	-
MTC01C1912A	0.73	0.05	86,400	-	PTG41C1910A	-	-	-	-	PTTG28C1911A	0.08	(0.02)	35,176	-
MTC01C1912B	0.54	0.05	128,600	-	PTG41C1912A	0.60	0.10	23,725	-	PTTG28C2001A	0.23	(0.02)	63,318	-
MTC01P1912A	0.48	(0.05)	111,496	-	PTG41P1911A	0.23	(0.06)	4,230	-	PTTG41C1909A	-	-	-	-
MTC06C1908A	1.04	0.14	6,550	-	PTG41P1912A	0.55	(0.11)	42,673	-	PTTG41C1911A	0.19	(0.03)	11,980	-
MTC06C1912A	0.60	0.04	21,240	-	PTG42C1910A	1.21	0.25	1,312	1.00	PTTG41C1911B	-	-	-	-
MTC07C1909A	-	-	-	-	PTT01C1910A	0.22	(0.01)	605,462	-	PTTG41P1908A	-	-	-	-
MTC08C1911A	0.66	0.07	35,550	-	PTT01C1910B	0.15	(0.01)	1,042,593	-	PTTG41P1912A	1.04	0.23	21,980	1.00
MTC11C2002A	0.98	0.06	5,428	-	PTT01C2001A	0.37	(0.01)	324,285	-	PTTG42C1910A	-	-	-	-
MTC13C1910A	-	-	-	-	PTT01C2001B	0.22	-	6,266	-	QH01C1908A	0.30	0.01	13,086	-
MTC13C1912A	0.55	0.06	248,314	-	PTT01P1910A	0.70	0.02	420,143	-	QH01C1908B	0.08	(0.01)	44,321	-
MTC16C1911A	0.85	0.06	21,240	-	PTT01P1910B	0.29	-	721,949	-	QH01C2001A	0.39	-	32,868	-
MTC19C1911A	0.41	0.06	85,899	-	PTT01P2001A	0.71	-	180,217	-	QH01C2001B	0.27	(0.01)	34,873	-
MTC19P1911A	0.18	(0.02)	54,517	-	PTT01P2001B	0.53	0.02	227,576	-	QH01P1908A	0.10	-	44,096	-
MTC23C1911A	-	-	-	-	PTT06C1908A	0.01	-	3,000	-	QH01P2001A	0.45	(0.01)	125,409	-
MTC24C1910A	-	-	-	-	PTT06C1912A	0.14	(0.02)	76,399	-	QH11C1910A	0.18	(0.02)	10,000	-
MTC24C1912A	-	-	-	-	PTT08C1912A	0.35	(0.03)	82,780	-	QH13C1909A	0.14	(0.01)	56,214	-
MTC27C1911A	0.77	0.06	13,544	-	PTT08P1911A	0.36	0.01	131,300	-	QH19C1909A	0.09	(0.02)	290	-
MTC27P1911A	0.13	(0.02)	20,674	-	PTT11C1909A	-	-	-	-	QH24C1908A	-	-	-	-
MTC28C1910A	-	-	-	-	PTT11C2004A	0.27	-	1,351	-	RATC13C1911A	0.41	0.02	65,432	-
MTC28C1912A	0.41	0.04	35,070	-	PTT13C1909A	0.04	0.01	4,263	-	RATC16C2001A	0.38	0.02	15,022	-
MTC41C1911A	0.47	(0.03)	12,000	-	PTT13C1911A	0.19	(0.01)	423,223	-	RATC19C1908A	0.32	0.01	5,076	-
MTC41P1911A	0.33	(0.20)	4,000	-	PTT13P1909A	0.12	(0.01)	146,899	-	RATC19C1910A	0.12	0.01	119,955	-
MTC42C1910A	-	-	-	-	PTT13P1911A	0.38	0.02	191,424	-	RATC24C2001A	0.30	(0.01)	800	-
ORI08C2001A	0.29	0.01	46,530	-	PTT16C1912A	0.34	(0.01)	60	-	RATC41C1911A	-	-	-	-
ORI11C1909A	0.31	0.02	8,850	-	PTT16C2001A	0.15	(0.02)	400	-	ROBI01C1909A	0.41	0.01	36,997	-
ORI13C1912A	0.38	0.04	261,516	-	PTT19C1911A	0.12	-	201,475	-	ROBI01C1909B	0.09	0.01	1,151	-
ORI19C1910A	0.26	0.03	28,985	-	PTT19P1908A	-	-	-	-	ROBI01C1912A	0.76	(0.01)	7,513	-
ORI19C2001A	0.11	0.01	19,300	-	PTT19P1911A	0.17	0.01	100	-	ROBI01C1912B	0.56	(0.01)	9,833	-
ORI23C1911A	0.44	-	4,536	-	PTT23C1911A	0.14	(0.02)	40,100	-	ROBI06C1910A	0.44	(0.01)	12,503	-
ORI24C1908A	0.24	0.04	38,674	-	PTT24C1911A	-	-	-	-	ROBI08C2001A	0.63	(0.02)	11,100	-
ORI24C2001A	0.23	0.02	8,700	-	PTT24P2001A	-	-	-	-	ROBI11C2003A	0.58	(0.02)	5,000	-
ORI41C1911A	0.35	(0.02)	35,890	-	PTT28C1911A	0.09	(0.01)	28,504	-	ROBI13C1908A	0.13	(0.02)	27,032	-
OSP01C1912A	0.33	-	267,891	-	PTT28C1912A	-	-	-	-	ROBI13C1912A	0.58	-	29,029	-
OSP01C1912B	0.19	(0.01)	131,832	-	PTT28P1912A	0.34	0.02	78,386	-	ROBI19C1910A	0.35	-	4,022	-
OSP01P1912A	0.37	-	204,597	-	PTT41C1910A	-	-	-	-	ROBI23C1909A	0.28	-	5,002	-
OSP06C1912A	0.22	-	28,485	-	PTT41C1910B	-	-	-	-	ROBI24C1909A	0.30	(0.01)	201	-
OSP08C2001A	0.25	(0.02)	50,324	-	PTT41C2001A	0.23	(0.77)	6,000	-	ROBI24C1912A	-	-	-	-
OSP11C2005A	0.28	(0.72)	3,200	-	PTT41P1908A	-	-	-	-	ROBI41C1912A	-	-	-	-
OSP13C1912A	0.30	-	107,410	-	PTT41P1911A	-	-	-	-	ROBI41C2001A	-	-	-	-
OSP16C2001A	0.26	-	27,000	-	PTT42C1911A	-	-	-	-	ROBI41P2001A	0.23	-	11,000	-
OSP19C1912A	0.21	-	24,128	-	PTTE01C1910A	0.38	(0.01)	149,078	-	RS06C1908A	0.01	-	391	-
OSP24C1912A	0.26	-	20	-	PTTE01C1910B	0.31	(0.01)	190,603	-	RS08C1911A	0.17	0.01	10,600	-
OSP28C2001A	0.24	-	68,138	-	PTTE01C2001A	0.64	(0.01)	77,047	-	RS08C2001A	0.30	-	33,980	-
OSP41C1912A	-	-	-	-	PTTE01C2001B	0.40	(0.01)	108,602	-	RS11C1911A	0.30	-	7,332	-
OSP41P1912A	0.37	(0.01)	1	-	PTTE01P1910A	0.86	0.03	136,412	-	RS13C1909A	0.05	-	10,827	-
PLAN13C1908A	-	-	-	-	PTTE01P1910B	0.29	0.01	156,852	-	RS13C1912A	0.30	-	19,724	-
PLAN13C1912A	0.56	0.08	1	-	PTTE01P2001A	1.13	0.02	49,964	1.00	RS16C2001A	0.31	0.01	7,060	-
PLAN13C1912B	0.31	0.03	100,649	-	PTTE01P2001B	0.70	0.02	88,297	-	RS19C1908A	-	-	-	-
PLAN16C2002A	0.54	0.06	34,000	-	PTTE06C1908A	0.03	(0.01)	6,454	-	RS19C1911A	0.15	(0.01)	17,986	-
PLAN19C1911A	0.40	0.04	38,942	-	PTTE06P1910A	0.22	0.01	10,450	-	RS23C1909A	0.05	-	3,000	-
PLAN19C2001A	0.25	0.03	52,630	-	PTTE08C1910A	0.19	(0.02)	14,095	-	RS24C1910A	-	-	-	-
PLAN23C1909A	0.40	0.01	34,300	-	PTTE08P1911A	0.40	0.01	4,550	-	RS41C1908A	-	-	-	-
PLAN24C1912A	0.41	0.04	4,280	-	PTTE11C1910A	0.42	(0.01)	47,020	-	RS41C1912A	0.27	(0.01)	841	-
PLAN27C1908A	0.65	0.11	13,559	-	PTTE13C1908A	0.13	(0.01)	26,561	-	RS42C1911A	0.33	0.02	1,060	

## Main Board Quotation

Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006C1909D	0.08	-	58,561	-	SCB41C1910A	0.23	(0.02)	29,900	-	STEC27C1908A	0.18	0.03	18,213	-
S5006P1909A	0.29	(0.05)	110,624	-	SCB41P1912A	0.38	0.07	6,600	-	STEC27C2002A	0.14	0.01	23,848	-
S5006P1909B	0.15	(0.02)	236,795	-	SCB42C1911A	0.29	(0.10)	250	-	STEC27P1910A	0.08	-	1,000	-
S5006P1909C	0.37	(0.02)	2,716	-	SCC01C2001A	0.36	(0.02)	47,081	-	STEC41C1910A	0.08	-	12,000	-
S5006P1909D	1.42	(0.09)	6,170	1.00	SCC01C2001B	0.18	(0.01)	212,021	-	STEC41P1911A	0.26	0.02	1	-
S5008C1909A	0.12	0.01	101,365	-	SCC01P2001A	0.65	0.02	138,668	-	STEC42C1910A	0.06	(0.01)	5,200	-
S5008C1909B	0.04	(0.01)	163,591	-	SCC07C1909A	0.06	(0.01)	2	-	SUPE19C1910A	0.06	-	69,628	-
S5008P1909A	0.23	(0.03)	223,906	-	SCC08C1908A	-	-	-	-	TASC01C1909A	0.48	(0.04)	257,781	-
S5008P1909B	0.92	(0.11)	29,777	1.00	SCC11C2003A	0.17	(0.01)	38,078	-	TASC01C1909B	0.26	(0.04)	147,365	-
S5013C1909A	0.51	0.02	7,988,030	-	SCC13C1908A	-	-	-	-	TASC01C1912A	0.31	(0.04)	193,209	-
S5013C1909B	0.43	0.02	2,627,177	-	SCC13C1911A	0.11	(0.01)	32,637	-	TASC01C1912B	0.17	(0.04)	178,250	-
S5013C1909C	0.23	0.02	9,067,394	-	SCC13P1911A	0.48	0.02	403	-	TASC01P1909A	0.18	0.01	104,804	-
S5013C1909D	0.11	-	1,569,831	-	SCC16C2002A	0.16	(0.02)	20	-	TASC01P1912A	0.85	0.07	105,047	-
S5013C1909E	0.38	0.02	3,371,235	-	SCC19C1911A	0.09	(0.01)	97,492	-	TASC06C1909A	0.23	(0.10)	18,374	-
S5013C1909F	0.28	0.01	1,793,284	-	SCC19P1911A	0.21	0.01	103,585	-	TASC06P1909A	0.03	0.01	5,873	-
S5013P1909A	0.17	(0.02)	3,724,693	-	SCC24C1910A	0.02	-	621	-	TASC08C1910A	0.27	(0.06)	52,110	-
S5013P1909B	0.42	(0.04)	6,775,177	-	SCC24C1912A	0.25	(0.01)	2,129	-	TASC11C2002A	0.56	(0.07)	41,044	-
S5013P1909C	0.66	(0.05)	1,949,770	-	SCC24P1909A	-	-	-	-	TASC13C1911A	0.28	(0.03)	294,103	-
S5013P1909D	1.09	(0.07)	1,249,933	1.00	SCC24P1910A	-	-	-	-	TASC16C2001A	0.24	(0.05)	28,100	-
S5013P1909E	1.29	(0.03)	15,378	1.00	SCC27C2001A	0.17	(0.02)	17,466	-	TASC19C1910A	0.11	(0.02)	66,217	-
S5013P1909F	1.20	(0.04)	340,442	1.00	SCC28C1910A	-	-	-	-	TASC19P1911A	0.38	0.01	77,870	-
S5024C1909A	0.27	0.02	424,972	-	SCC28C2001A	0.14	(0.02)	50,900	-	TASC24C1908A	0.26	(0.11)	15,402	-
S5024C1909B	0.46	0.02	47,110	-	SCC41C1908A	-	-	-	-	TASC24C2001A	0.21	(0.10)	200	-
S5024C1909C	0.07	-	84,729	-	SCC41C1908B	-	-	-	-	TASC28C1908A	0.05	(0.48)	4	-
S5024P1909A	0.69	(0.08)	184,203	-	SCC41C2001A	0.16	(0.84)	37,960	-	TASC28C1910A	0.24	(0.06)	48,814	-
S5024P1909B	0.79	(0.05)	29,495	-	SCC41P2001A	-	-	-	-	TASC28C1912A	0.15	(0.04)	18,082	-
S5024P1909C	1.86	(0.12)	25,034	2.00	SCC42C1911A	-	-	-	-	TASC41C1909A	0.13	(0.09)	150	-
S5028C1908A	0.28	0.03	111,989	-	SGP11C1911A	0.11	(0.02)	6,880	-	TASC41C1912A	0.23	(0.06)	59,100	-
S5028C1909A	0.13	0.01	536,712	-	SGP13C1908A	0.04	(0.01)	8,408	-	TASC42C1910A	0.19	(0.06)	1,000	-
S5028C1912A	0.11	-	92,102	-	SGP13C1912A	0.10	(0.02)	35,002	-	TCAP01C2001A	0.54	0.01	139,583	-
S5028P1908A	0.09	(0.04)	8,423	-	SGP19C1910A	0.05	(0.01)	10	-	TCAP01C2001B	0.38	-	170,177	-
S5028P1909A	0.81	(0.05)	1,419,290	-	SGP19C2001A	0.14	(0.02)	34,160	-	TCAP01P2001A	0.45	(0.02)	19,246	-
S5028P1912A	0.56	(0.02)	819,975	-	SGP23C1908A	-	-	-	-	TCAP11C1909A	0.11	-	17,643	-
S5041C1909A	1.32	0.08	63,347	1.00	SGP24C1910A	-	-	-	-	TCAP13C1910A	0.28	0.01	119,713	-
S5041C1909B	0.91	0.04	515,750	-	SGP41C2001A	0.32	(0.08)	36,000	-	TCAP19C1908A	0.04	(0.01)	15,000	-
S5041C1909C	0.13	0.01	11,188	-	SGP42C1911A	0.30	(0.02)	11,640	-	TCAP24C2001A	0.36	(0.01)	610	-
S5041C1909D	0.21	0.01	920	-	SIRI11C1911A	0.26	(0.01)	33,000	-	TCAP41C1911A	-	-	-	-
S5041C1909E	0.48	0.02	8,749,669	-	SIRI19C1910A	0.09	-	45,765	-	THAI08C1911A	-	-	-	-
S5041C1909G	0.29	0.02	658	-	SIRI24C1911A	0.16	(0.04)	5,000	-	THAI11C2003A	0.14	-	3,200	-
S5041C1912A	0.35	(0.65)	2,784	-	SPAL01C1911A	0.29	-	107,117	-	THAI13C1910A	-	-	-	-
S5041P1909A	0.50	(0.05)	9,134,616	-	SPAL01C1911B	0.12	(0.01)	48,266	-	THAI13C1911A	0.50	(0.13)	200	-
S5041P1909B	0.29	(0.01)	7,226	-	SPAL11C1910A	0.34	0.01	22,559	-	THAI13C1912A	0.16	(0.01)	101,906	-
S5041P1909C	1.16	(0.04)	182,000	1.00	SPAL13C1909A	0.09	(0.01)	5,016	-	THAI19C1910A	-	-	-	-
S5041P1909D	1.01	(0.05)	32,021	1.00	SPAL16C2002A	0.31	0.01	6,000	1.00	THAI19C1910B	0.16	(0.01)	5,634	-
S5041P1909E	-	-	-	-	SPAL19C1910A	0.11	-	40,292	-	THAI19C1911A	0.09	-	13,868	-
S5041P1909G	-	-	-	-	SPAL24C1912A	-	-	-	-	THAI24C1911A	-	-	-	-
S5041P1912A	0.62	(0.38)	2,168	-	SPAL41C1912A	-	-	-	-	THAI42C1911A	0.41	(0.01)	6,250	-
SAWA01C1911A	0.61	0.06	219,128	-	SPAL41C2001A	0.35	(0.65)	17,100	-	THAN01C2001A	0.47	0.01	36,702	-
SAWA01C1911B	0.34	0.04	257,406	-	SPRC01C1911A	0.34	(0.01)	159,484	-	THAN01C2001B	0.31	0.01	38,127	-
SAWA01P1911A	0.52	(0.08)	88,213	-	SPRC01C1911B	0.08	(0.01)	85,690	-	THAN06C1910A	0.42	0.01	11,550	-
SAWA06C1908A	0.35	0.02	9,304	-	SPRC11C1909A	-	-	-	-	THAN13C1909A	0.40	(0.03)	200	-
SAWA08C1908A	0.24	0.05	54,430	-	SPRC11C2005A	0.14	(0.86)	100	-	THAN13C1912A	0.27	(0.01)	26,772	-
SAWA08C2001A	0.51	0.04	43,913	-	SPRC13C1910A	0.03	-	605	-	THAN19C1908A	0.17	(0.01)	25,794	-
SAWA11C2003A	0.72	0.04	78,000	-	SPRC13C1911A	0.21	-	211,318	-	THAN24C2001A	0.41	0.01	3,600	-
SAWA13C1908A	-	-	-	-	SPRC13C1912A	0.10	-	119,878	-	THAN27C1910A	0.44	0.02	6,586	-
SAWA13C1911A	0.44	0.05	168,480	-	SPRC19C1910A	0.04	(0.01)	180	-	TISCO1C1908A	1.70	0.02	41,275	1.00
SAWA16C2001A	-	-	-	-	SPRC24C1909A	0.12	(0.02)	4,010	-	TISCO1C1908B	1.11	(0.01)	38,982	1.00
SAWA19C1908A	0.18	0.03	147,075	-	SPRC41C1911A	-	-	-	-	TISCO1C2001A	1.27	0.01	180,172	1.00
SAWA19C1912A	0.28	0.03	94,483	-	SPRC41C1912A	0.27	(0.02)	21,602	-	TISCO1C2001B	0.95	0.02	227,923	-
SAWA23C1911A	0.46	0.01	11,000	-	SPRC41C2001A	0.09	(0.01)	12,000	-	TISCO1P1908A	0.01	(0.01)	600	-
SAWA24C1910A	1.20	0.01	2,270	1.00	STA01C1908A	-	-	-	-	TISCO1P2001A	0.53	(0.02)	114,136	-
SAWA24C1912A	0.42	0.06	8,190	-	STA01C1908B	0.01	-	1	-	TISCO8C2001A	0.75	-	53,000	-
SAWA27C1910A	0.58	0.04	18,006	-	STA01C1912A	0.22	(0.02)	109,380	-	TISC11C1910A	1.25	(0.06)	1,200	1.00
SAWA28C1909A	0.23	(0.09)	513	-	STA01C1912B	0.13	(0.01)	43,351	-	TISC11C2005A	0.41	(0.59)	1,800	-
SAWA28C1910A	0.26	0.03	137,973	-	STA01P1912A	0.41	0.03	68,911	-	TISC13C1908A	0.93	(0.14)	400	-
SAWA28C2001A	0.40	0.03	32,514	-	STA06C1911A	0.17	(0.02)	77,554	-	TISC13C1912A	0.97	-	159,064	-
SAWA41C1908A	0.20	0.05	1	-	STA08C1908A	-	-	-	-	TISC16C2001A	1.04	(0.01)	12,560	1.00
SAWA41C1911A	0.60	0.02	51,840	-	STA11C1909A	-	-	-	-	TISC19C1908A	0.74	0.02	18,700	-
SAWA41P1911A	0.24	0.01	18,000	-	STA11C2005A	0.28	(0.72)	12,000	-	TISC19C1912A	0.30	-	55,874	-
SAWA41P1912A	0.71	(0.02)	12,194	-	STA13C1908A	-	-	-	-	TISC24C1908A	1.10	(0.05)	2,210	1.00
SAWA42C1910A	0.34	0.03	100	-	STA13C1912A	0.10	-	2,611	-	TISC41C1911A	0.80	(0.17)	4,000	-
SCB01C1911A	0.61	(0.03)	71,132	-	STA19C1909A	-	-	-	-	TISC41C2001A	0.35	(0.03)	55,000	-
SCB01C1911B	0.41	(0.03)	140,083	-	STA19C2001A	0.11	(0.03)	35,938	-	TISC42C1910A	-	-	-	-
SCB01C2002A	0.55	(0.03)	83,003	-	STA23C1911A	0.14	(0.03)	17,069	-	TKN01C1909A	0.15	-	509,904	-
SCB01C2002B	0.36	(0.03)	113,759	-	STA24C1909A	-	-	-	-	TKN01C1909B	0.06	0.01	31,458	-
SCB01P1911A	0.61	0.02	46,526	-	STA24C1911A	0.14	(0.02)	2,213	-	TKN01C1911A	0.74	0.06	392,623	-
SCB01P1911B	0.38	0.01	40,312	-	STA27C1911A	0.08	(0.02)	45,856	-	TKN06C1909A	0.19	0.02	27,222	-
SCB01P2002A	1.09	0.01	38,982	1.00	STA41C1910A	-	-	-	-	TKN08C1908A	0.07	0.01	21,204	-
SCB01P2002B	0.84	0.03	41,497	-	STA41C1912A	0.20	(0.02)	6,000	-	TKN13C1908A	-	-	-	-
SCB06C1912A	0.24	(0.02)	24,601	-	STA42C1911A	0.16	(0.03)	1,000	-	TKN13C1909A	0.25	0.01	7,289	-
SCB08C1908A	0.05	(0.02)	2,000	-	STEC01C1911A	0.17	0.02	109,569	-	TKN13C1911A	0.64	(0.03)	5	-
SCB11C1910A	0.13	(0.03)	15,183	-	STEC01C1911B	0.11	0.01	113,967	-	TKN13C1912A	0.22	-	158,199	-
SCB11C2005A	0.43	(0.57)	26,200	-	STEC01P1911A	0.29	(0.03)	105,363	-	TKN16C2001A	0.59	0.01	5	



**Main Board Quotation**

Issue Date :

Tuesday August 06, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB24C1911A	0.12	-	1,266	-	TU41C1911A	0.28	(0.03)	14,980	-	PACE-W2	0.02	-	48,279	-
TMB28C1911A	0.05	(0.02)	12,144	-	TU41C2001A	0.21	(0.04)	36,000	-	PDI-W1	1.04	0.03	16,201	1.00
TMB28C1912A	0.15	(0.02)	21,888	-	TU41P1911A	0.20	0.07	5,345	-	PDJ-W3	-	-	-	-
TMB41C1911A	-	-	-	-	TU41P2001A	-	-	-	-	PDJ-W4	0.54	0.02	18	-
TMB41C1912A	-	-	-	-	TVO11C2001A	0.19	(0.01)	6,102	-	PERM-W1	0.32	0.02	99,640	-
TMB41P1911A	0.44	0.01	4,990	-	TVO19C1911A	0.18	(0.03)	600	-	RICHY-W2	0.07	-	979	-
TOA01C2001A	0.38	-	41,449	-	UV13C1908A	0.04	-	391	-	RS-W3	4.98	(0.02)	1,256	5.00
TOA01C2001B	0.26	(0.01)	10,130	-	VGI23C1911A	1.71	-	57	1.00	SAMART-W2	0.82	(0.01)	107,951	-
TOA01P2001A	0.48	(0.01)	55,758	-	WHA01C1911A	0.69	0.03	146,805	-	SAWAD-W1	7.90	0.30	570	7.00
TOA11C1911A	0.25	-	4,458	-	WHA01C1911B	0.48	0.05	154,421	-	SDC-W1	0.15	-	1,551	-
TOA13C1909A	0.35	(0.01)	1,048	-	WHA01P1911A	0.47	(0.04)	22,052	-	SINGER-W1	2.76	0.26	3,567	2.00
TOA16C2001A	0.30	-	14,974	-	WHA06C1908A	0.32	0.04	8,279	-	SINGER-W2	2.04	0.08	16,565	2.00
TOA19C1910A	0.40	0.01	3,315	-	WHA08C1908A	0.21	0.03	33,440	-	SMT-W2	0.37	(0.01)	16,743	-
TOA19C1911A	0.18	-	11,522	-	WHA11C2001A	0.48	0.03	53,696	-	SPORT-W7	-	-	-	-
TOA24C1911A	0.35	-	2,000	-	WHA13C1909A	0.43	0.02	3,372	-	SST-W2	1.50	-	2,291	1.00
TOP01C1910A	0.32	(0.01)	106,172	-	WHA13C1912A	0.44	0.04	220,163	-	SUPER-W4	0.05	0.01	513,786	-
TOP01C1910B	0.34	(0.02)	214,222	-	WHA16C1911A	0.54	0.04	300	-	SVI-W3	1.10	0.02	2,043	1.00
TOP01C1912A	0.63	(0.01)	100,796	-	WHA19C1911A	0.23	0.02	143,231	-	TCC-W3	0.09	0.01	6,103	-
TOP01C1912B	0.39	(0.02)	116,784	-	WHA24C1911A	0.23	0.03	3,000	-	TCC-W4	0.08	-	13,400	-
TOP01P1910A	0.63	0.01	84,733	-	WHA24P1908A	-	-	-	-	TCC-W5	0.19	-	179	-
TOP01P1912A	0.57	0.01	100,677	-	WHA27C1910A	0.38	0.05	3,600	-	TCJ-W2	0.60	0.03	3,443	-
TOP06C1908A	-	-	-	-	WHA28C1910A	0.39	0.04	52,393	-	TCMC-W2	0.14	-	45,660	-
TOP06C1911A	0.52	(0.02)	35,300	-	WHA28C1912A	0.29	0.02	10,097	-	TFG-W2	0.80	0.03	25,463	-
TOP06P1912A	0.76	(0.01)	26,050	-	WHA41C1911A	0.34	0.02	9,980	-	TGPRO-W3	0.02	0.01	53,061	-
TOP07C1908A	-	-	-	-	WHA41P1912A	0.47	(0.04)	15	-	TH-W2	0.16	-	4,751	-
TOP08C1911A	0.25	(0.04)	49,200	-	WHA42C1911A	-	-	-	-	THE-W2	0.02	-	14,026	-
TOP08P1912A	0.23	-	21,200	-	WHAU13C1910A	-	-	-	-	TNITY-W1	0.45	0.02	1,464	-
TOP11C2002A	0.29	(0.02)	36,222	-	WHAU13C1912A	0.21	-	38,457	-	TRITN-W3	0.20	-	25,231	-
TOP11P2002A	0.90	-	45,500	-	WHAU27C2002A	0.30	-	12,448	-	TTCL-W1	1.02	0.02	34,805	1.00
TOP13C1909A	0.06	-	6,891	-	WORK01C1910A	0.69	(0.01)	298,791	-	TWZ-W5	0.01	-	5	-
TOP13C1910A	0.27	(0.02)	83,671	-	WORK01C1910B	0.07	-	284,040	-	U-W1	-	-	-	-
TOP13C1911A	0.51	-	1,010	-	WORK08C1912A	0.86	0.01	540	-	U-W4	0.01	-	1,020	-
TOP13P1909A	0.30	0.02	505	-	WORK13C1909A	0.33	(0.01)	134,842	-	VGI-W2	1.50	0.04	1,005,724	1.00
TOP13P1911A	0.15	(0.01)	26,446	-	WORK13C1911A	0.79	0.01	24,123	-	VIBHA-W2	1.19	0.01	7,729	1.00
TOP16C1911A	-	-	-	-	WORK19C1908A	0.02	0.01	48,420	-	VIBHA-W3	0.30	0.04	241,500	-
TOP16C2001A	0.45	(0.01)	15,674	-	WORK19C1910A	0.63	(0.03)	45,577	-	WAVE-W1	0.45	0.02	25,110	-
TOP19C1910A	0.19	(0.02)	83,057	-	WORK23C1909A	0.39	(0.61)	1,500	-	WHA-W1	12.40	0.80	9,380	12.00
TOP19P1911A	0.07	-	24,970	-	WORK24C1910A	0.50	(0.03)	26,610	-	WIK-W2	0.18	(0.01)	14,735	-
TOP23C2001A	0.47	(0.04)	500	-	WORK28C1911A	0.77	(0.07)	50	-	WORK-W1	9.20	0.30	3,966	9.00
TOP24C1911A	0.51	(0.03)	200	-	Preferred/Foreign	-	-	-	-	ZMICO-W4	0.11	0.01	19,691	-
TOP24P1910A	0.68	(0.01)	1,700	-	BH-Q	-	-	-	-	Preferred Shares	-	-	-	-
TOP28C1911A	0.33	(0.01)	47,012	-	CSC-Q	-	-	-	-	BH-P	-	-	-	-
TOP41C1909A	0.27	(0.01)	41,920	-	JUTHA-Q	-	-	-	-	CSC-P	-	-	-	-
TOP41C1910A	-	-	-	-	KTB-Q	-	-	-	-	JUTHA-P	-	-	-	-
TOP41C1910B	-	-	-	-	KTB-P	-	-	-	-	KTB-P	-	-	-	-
TOP41P1910A	-	-	-	-	SCB-Q	-	-	-	-	SCB-P	-	-	-	-
TOP42C1911A	-	-	-	-	TCAP-Q	-	-	-	-	TCAP-P	-	-	-	-
TP19C1911A	0.09	(0.02)	8,400	-	TISCO-Q	-	-	-	-	TISCO-P	-	-	-	-
TPIP13C1909A	-	-	-	-	U-Q	-	-	-	-	U-P	2.78	(0.02)	65	2.00
TPIP13C1908A	-	-	-	-	Warrant	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE01C1911A	0.49	0.08	273,242	-	AJA-W1	0.04	-	17,366	-	BM-W1	0.21	0.01	1,815	-
TRUE01C1911B	0.41	0.06	442,417	-	AKR-W1	0.18	0.02	139,815	-	BROOK-W5	0.29	0.04	313,461	-
TRUE01C2002A	0.32	0.05	173,935	-	ALT-W1	0.62	0.04	4,355	-	CHEWA-W1	0.03	-	12,894	-
TRUE01C2002B	0.20	0.04	202,480	-	APEX-W1	-	-	-	-	CHO-W2	0.23	-	110,536	-
TRUE01P1911A	0.15	(0.04)	147,163	-	APURE-W2	0.15	-	10,286	-	DOD-W1	2.24	0.12	54,554	2.00
TRUE01P1911B	0.07	(0.02)	17,096	-	AS-W1	0.08	-	3,235	-	ECF-W3	1.24	-	7,773	1.00
TRUE01P2002A	0.73	(0.06)	62,983	-	AYUD-W1	3.78	-	5,024	3.00	EFORL-W3	0.01	-	45	-
TRUE01P2002B	0.53	(0.06)	110,186	-	B-W3	-	-	-	-	EFORL-W4	0.01	-	31	-
TRUE06C1911A	0.51	0.05	18,730	-	B-W4	0.09	0.01	12,329	-	FVC-W2	0.25	(0.01)	3,209	-
TRUE08C2001A	0.24	0.04	68,020	-	B52-W1	-	-	-	-	HPT-W1	0.45	(0.01)	4,173	-
TRUE08P1911A	0.16	(0.04)	11,000	-	B52-W2	-	-	-	-	ITEL-W1	0.53	-	22,527	-
TRUE11C1911A	0.96	(0.14)	400	-	BKD-W2	0.16	0.01	51,967	-	JKN-W1	1.63	0.02	1,818	1.00
TRUE11C2005A	0.33	(0.67)	18,400	-	BTS-W4	1.96	0.09	357,910	1.00	LIT-W1	1.56	0.16	120,430	1.00
TRUE11P2002A	0.25	(0.05)	23,476	-	CGD-W4	0.14	-	18,929	-	NCL-W3	0.12	-	40,083	-
TRUE13C1911A	1.33	0.07	269	1.00	CGH-W3	0.03	(0.01)	18,185	-	NEWS-W6	-	-	-	-
TRUE13C1912A	0.43	0.03	13,310	-	CI-W1	0.14	0.01	6,869	-	OCEAN-W3	0.54	-	99,112	-
TRUE13C1912B	0.26	0.06	382,694	-	CKP-W1	1.15	0.12	1,063,803	1.00	PORT-W1	1.34	0.06	18,053	1.00
TRUE13P1909A	0.04	(0.01)	32,264	-	CRANE-W1	1.70	0.55	350,167	1.00	PRIME-W1	0.06	-	2,000	-
TRUE16C1912A	0.42	0.04	9,558	-	DCC-W1	0.77	(0.02)	217,520	-	PRIME-W2	0.04	(0.01)	16,156	-
TRUE16C2002A	0.33	0.05	10,130	-	EARTH-W4	-	-	-	-	PROUD-W2	0.55	(0.03)	790	-
TRUE19C1910A	0.28	0.07	65,288	-	ECL-W3	0.63	0.06	128,196	-	SANKO-W1	0.21	-	7,332	-
TRUE19P1908A	-	-	-	-	EIC-W2	-	-	-	-	SIMAT-W2	0.28	0.01	4,863	-
TRUE19P1911A	0.07	(0.01)	43,652	-	EIC-W3	0.02	0.01	157	-	SIMAT-W3	0.28	-	610	-
TRUE28C1911A	0.33	0.05	16,803	-	EMC-W6	0.14	-	1,832	-	SIMAT-W4	0.62	-	1,310	-
TRUE28C1911B	-	-	-	-	EPCO-W3	0.63	0.05	63,027	-	STAR-W3	0.47	0.02	31,013	-
TRUE28C2001A	0.27	0.02	26,140	-	GJS-W3	-	-	-	-	SWC-W1	3.94	-	423	3.00
TRUE41C1908A	-	-	-	-	GSTEEL-W1	-	-	-	-	TAKUNI-W	0.10	-	23,239	-
TRUE41C1909A	-	-	-	-	GSTEEL-W2	-	-	-	-	TVD-W2	0.42	-	13,337	-
TRUE41C1910A	-	-	-	-	IHL-W1	2.02	(0.06)	13,899	2.00	UAC-W2	0.56	0.02	5,213	-
TRUE41C1910B	-	-	-	-	J-W1	0.76	0.03	3,959	-	UKEM-W2	0.46	-	242	-
TRUE41C1911A	-	-	-	-	JAS-W3	3.36	0.16	73,643	3.00	Preferred Shares	-	-	-	-
TRUE41C2001A	0.24	(0.76)	24,010	-	JCK-W5	0.29	0.01	4,685	-	SGF-P1	-	-	-	-
TRUE41P1908A	-	-	-	-										

