

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DIF	17.60	-	129,830	17.64	NMG	-	-	-	-
POMPI	-	-	-	-	DTAC	61.00	3.25	105,317	59.73	PLANB	8.40	0.25	220,766	8.35
SAFARI	-	-	-	-	FORTH	6.00	0.30	13,916	5.95	POST	-	-	-	-
VI	-	-	-	-	HUMAN	8.50	0.75	8,071	8.22	PRAKIT	11.10	0.20	173	11.04
WORLD	-	-	-	-	ILINK	4.92	0.06	3,322	4.85	SE-ED	2.66	-	463	2.66
WR	-	-	-	-	INET	3.30	0.10	4,918	3.26	SPORT	0.12	(0.01)	102	0.12
Agribusiness	-	-	-	-	INTUCH	62.25	1.00	341,801	61.85	TBSP	14.50	0.10	72	14.54
CHOTI	98.00	(1.00)	10	98.40	JAS	6.65	0.40	856,891	6.45	TH	0.70	(0.02)	7,839	0.70
EE	0.55	-	4,242	0.55	JASIF	11.60	0.20	245,401	11.56	TKS	7.85	0.15	1,298	7.80
GFPT	18.10	0.20	9,637	17.90	JMART	11.00	0.40	56,485	10.82	VGI	9.50	0.10	59,839	9.47
LEE	2.22	-	686	2.20	JTS	1.34	0.01	108	1.33	WAVE	1.94	0.03	5	1.90
NER	2.56	0.02	108,842	2.56	MFEC	3.70	(0.06)	6,819	3.69	WORK	22.90	(0.20)	71,518	23.05
PPPM	0.99	0.20	509,074	0.95	MSC	6.60	0.05	1,368	6.60	Finance & Securities	-	-	-	-
STA	10.20	0.45	82,403	10.06	PT	5.85	(0.10)	1,592	5.90	AEC	0.31	0.01	39,741	0.30
TRUBB	1.33	0.04	4,225	1.31	SAMART	9.15	0.35	23,824	9.06	AEONTS	221.00	6.00	2,407	218.85
TWPC	6.55	0.05	1,267	6.49	SAMTEL	9.95	0.35	4,967	9.77	AMANAH	2.34	-	150,673	2.35
UPOIC	3.82	-	13	3.85	SDC	0.30	-	8,929	0.29	ASAP	2.78	-	29,898	2.75
UVAN	5.60	0.05	1,665	5.59	SIS	9.05	0.10	1,105	8.96	ASK	24.80	0.10	5,368	24.51
VPO	0.55	0.01	288	0.54	SVOA	1.07	0.03	12,638	1.05	ASP	2.54	0.04	6,912	2.52
Banking	-	-	-	-	SYMC	4.00	-	27	4.00	BFIT	16.80	-	457	16.63
BAY	34.75	0.75	9,740	34.64	SYNEX	9.75	0.10	3,026	9.72	CGH	0.88	0.01	38,093	0.86
BBL	173.00	6.00	77,537	171.12	THCOM	4.92	0.20	14,613	4.84	CNS	1.65	0.01	676	1.65
CIMBT	0.69	0.03	13,523	0.68	TRUE	6.35	0.35	2,207,209	6.17	ECL	1.60	0.05	24,802	1.58
KBANK	157.50	2.50	151,208	157.19	TWZ	0.09	0.01	138,034	0.08	FNS	2.86	-	1,123	2.85
KKP	71.25	1.50	59,542	70.48	Electronic Componen	-	-	-	-	FSS	1.83	(0.13)	3,011	1.83
KTB	17.70	0.40	428,251	17.59	CCET	1.80	0.01	2,614	1.79	GBX	0.53	(0.01)	4,001	0.54
LHFG	1.38	0.01	31,676	1.38	DELTA	51.00	-	5,176	50.68	GL	5.50	0.10	39,837	5.54
SCB	124.00	3.50	176,466	123.08	EIC	0.05	0.01	6,930	0.04	IFS	3.38	0.06	2,378	3.37
TCAP	53.75	2.25	75,018	52.93	HANA	28.25	-	12,973	28.31	JMT	18.50	0.50	28,023	18.23
TISCO	101.50	3.50	55,387	101.17	KCE	15.40	0.50	111,299	15.25	KCAR	11.60	-	296	11.65
TMB	1.55	0.03	1,582,637	1.52	METCO	171.00	0.50	1	171.00	KGI	4.60	0.04	33,956	4.55
Construction Materia	-	-	-	-	NEX	3.88	0.10	9,306	3.83	KTC	44.75	1.75	114,225	44.07
CCP	0.35	-	3,381	0.35	SMT	1.58	-	2,298	1.57	MBKET	9.40	0.25	8,601	9.34
COTTO	1.82	(0.01)	4,352	1.81	SVI	3.38	0.02	8,504	3.37	MFC	17.60	0.10	63	17.45
DCC	2.06	0.06	13,271	2.04	TEAM	0.96	0.03	1,030	0.94	ML	1.01	0.01	2,188	1.00
DCON	0.39	0.01	15,577	0.38	Energy & Utilities	-	-	-	-	MTC	54.25	2.00	198,543	53.57
DRT	6.05	0.05	1,863	6.04	7UP	0.39	0.01	74,306	0.39	PE	0.07	(0.01)	187	0.07
EPG	6.40	0.35	173,120	6.25	ABPIF	6.30	-	1,271	6.30	PL	2.90	-	589	2.90
GEL	0.19	-	20,303	0.19	AI	1.28	0.12	291,197	1.27	S11	8.60	-	7,694	8.56
PPP	2.64	0.02	3,272	2.57	AKR	0.79	0.01	10,197	0.78	SAWAD	54.25	2.50	187,351	53.33
Q-CON	5.80	0.30	215	5.72	BAFS	34.00	0.50	1,727	33.71	THANI	6.85	0.05	131,609	6.83
RCI	3.70	0.04	5,906	3.72	BANPU	11.90	0.60	347,589	11.58	TK	9.85	(0.15)	177	9.93
SCC	412.00	6.00	50,478	406.85	BCP	26.25	(0.50)	56,927	26.33	TNITY	4.20	-	50	4.20
SCCC	234.00	2.00	853	233.06	BCPG	18.40	0.20	80,656	18.20	UOBKH	-	-	-	-
SCP	7.00	0.10	743	6.96	BGRIM	35.25	0.50	47,912	35.14	ZMICO	0.86	0.02	6,741	0.85
SKN	2.02	0.17	48,396	1.96	BPP	19.60	0.10	28,270	19.57	Food & Beverage	-	-	-	-
TASCO	18.00	0.40	212,322	17.95	BRRGIF	9.80	0.05	1,001	9.77	APURE	0.92	0.02	6,138	0.91
TCMC	2.18	0.04	11,676	2.19	CKP	6.25	0.20	371,775	6.12	ASIAN	5.85	0.20	7,899	5.83
TOA	37.75	1.25	31,050	37.30	DEMCO	3.00	0.10	6,988	3.00	BR	2.92	-	4,979	2.92
TIPL	1.69	-	38,576	1.70	EA	48.50	1.00	105,988	48.04	BRR	5.75	0.05	374	5.68
UMI	1.00	-	3,903	1.00	EARTH	-	-	-	-	CBG	75.00	1.75	40,260	74.75
VNG	4.84	0.02	1,583	4.83	EASTW	12.50	0.20	5,292	12.41	CFRESH	2.64	(0.04)	325	2.62
WIIK	1.42	0.02	1,231	1.40	EGATIF	13.40	-	20,889	13.38	CM	3.24	(0.06)	442	3.24
Petrochemicals & Che	-	-	-	-	EGCO	320.00	4.00	9,990	317.44	CPF	29.00	0.25	213,177	28.65
BCT	42.25	(0.75)	236	42.11	ESSO	8.70	(0.10)	185,632	8.74	CPI	1.39	(0.01)	1,099	1.39
CMAN	2.10	0.06	11,133	2.10	GLOW	89.50	-	202	89.54	F&D	19.20	0.20	50	19.20
GC	5.50	0.05	1,696	5.47	GPSC	68.75	1.50	79,628	68.14	HTC	22.40	(0.10)	5,735	22.67
GGC	10.90	0.30	11,893	10.74	GULF	123.50	3.00	61,906	122.55	ICHI	7.30	0.05	55,197	7.39
GIFT	3.14	0.02	1,185	3.12	GUNKUL	3.00	0.06	398,330	2.98	KBS	3.78	(0.02)	136	3.76
IVL	39.75	0.75	120,389	39.22	IFEC	-	-	-	-	KSL	2.50	-	7,180	2.52
NFC	3.62	-	1	3.62	IRPC	3.92	0.02	959,620	3.93	KTIS	5.00	0.02	1,838	4.98
PATO	12.80	-	245	12.84	LANNA	9.80	-	800	9.87	LST	4.50	(0.04)	1,511	4.52
PMTA	8.25	-	36	8.24	MDX	3.68	0.12	8,895	3.46	M	78.00	1.00	3,802	77.64
PTTGC	52.50	0.25	177,876	52.22	PTG	20.20	0.90	337,595	19.92	MALEE	7.60	0.15	4,756	7.51
SUTHA	3.82	0.02	36	3.82	PTT	42.75	0.50	431,476	42.57	MINT	38.50	1.25	165,734	38.17
TCCC	22.00	-	341	22.07	PTTEP	125.50	2.50	73,646	124.29	OISHI	112.50	4.00	231	111.44
TPA	5.55	0.05	70	5.52	RATCH	67.00	1.00	41,623	66.52	OSP	36.75	2.00	413,073	36.57
UP	-	-	-	-	RPC	0.54	0.01	7,168	0.54	PB	60.75	(0.25)	57	60.86
VNT	24.00	0.20	3,284	23.88	SCG	4.00	-	179	3.99	PM	9.00	0.05	2,203	8.99
WG	-	-	-	-	SCI	1.87	(0.02)	11,474	1.92	PRG	13.30	0.30	9	13.30
YCI	-	-	-	-	SCN	2.70	0.04	4,404	2.69	SAPPE	22.70	0.30	3,551	22.51
Commerce	-	-	-	-	SGP	8.20	0.10	64,499	8.21	SAUCE	22.70	-	7	22.61
BEAUTY	3.02	(0.06)	975,979	3.06	SKE	1.14	0.02	5,723	1.12	SFP	-	-	-	-
BIG	0.91	0.05	91,293	0.89	SOLAR	1.95	0.01	2,484	1.94	SNP	17.30	0.10	21	17.16
BJC	52.75	0.75	129,395	52.23	SPCG	18.70	0.30	12,812	18.62	SORKON	58.00	-	35	57.57
COL	20.50	0.30	5,186	20.21	SPRC	8.40	-	119,279	8.40	SSC	-	-	-	-
COM7	26.00	0.50	72,227	25.76	SSP	8.10	0.10	23,585	8.10	SSF	-	-	-	-
CPALL	84.50	2.00	363,121	83.64	SUPER	0.61	0.02	927,544	0.60	SST	4.62	0.02	1	4.62
CSS	1.51	0.01	10,339	1.52	SUSCO	2.98	0.10	11,782	2.94	TC	3.32	0.02	456	3.29
DOHOME	9.50	0.15	223,938	9.43	TAE	4.00	0.12	39,501	4.00	TFG	4.96	0.30	157,421	4.88
FN	1.70	0.08	37,655	1.68	TCC	0.31	0.01	5,449	0.30	TFMAMA	181.50	1.00	15	181.90
FTE	2.10	(0.02)	13,292	2.05	TOP	64.50	0.50	88,054	63.83	TIPCO	9.75	0.35	71,158	9.69
GLOBAL	15.30	0.30	86,876	15.16	TPIPP	5.90	-	79,222	5.86	TKN	10.10	0.75	351,293	9.89
HMPRO	17.30	0.50	220,154	17.06	TSE	2.66	0.08	30,075	2.63	TU	18.10	-	99,990	18.00
ILM	21.80	0.40	50,407	21.78	TTW	13.80	-	35,988	13.77	TVO	27.75	1.00	10,544	27.53
IT	2.38	(0.04)	2,491	2.40	WHAUP	6.50	0.30	132,554	6.39	ZEN	16.50	0.40	7,441	16.42
KAMART	5.05	0.17	13,443	5.01	WP	6.20	0.15	9,156	6.18	Health Care Services	-	-	-	-
LOXLEY	1.84	0.03	15,604	1.84	Media & Publishing	-	-	-	-	AHC	15.30	-	240	15.34
MAKRO	37.00	1.75	5,721	36.05	AMARIN	4.88	(0.12)	143	4.86	BCH	14.90	0.30	92,388	14.85
MC	7.20	0.15	6,457	7.17	AQUA	0.55	(0.01)	353,837	0.55	BDMS	23.20	(0.10)	576,862	23.16
MEGA	30.00	0.50	41,043	29.85	AS	0.78	-	11	0.77	BH	140.50	(2.00)	33,874	140.39
MIDA	0.60	-	8											

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RPH	6.30	0.05	5,675	6.24	GLAND	2.68	(0.02)	219	2.70	TKT	1.27	0.02	197	1.27
SKR	4.72	-	550	4.70	GOLD	8.20	-	2,851	8.20	TNPC	1.07	0.04	11	1.07
SVH	454.00	2.00	1	454.00	GREEN	0.97	0.01	531	0.96	TRU	4.66	0.02	33	4.66
THG	24.00	0.70	17,935	23.67	J	0.97	0.02	2,358	0.93	TSC	12.20	-	3	12.20
VIBHA	2.10	0.06	48,981	2.06	JCK	1.35	-	5,790	1.32	Industrial Materials	-	-	-	-
VIH	5.20	0.15	2,937	5.10	KC	-	-	-	-	ALLA	1.13	0.05	2,477	1.13
WPH	2.22	-	2,384	2.23	KWG	1.77	(0.01)	310	1.77	ASEFA	4.70	-	2,532	4.68
Tourism & Leisure	-	-	-	-	LALIN	5.30	0.10	7,534	5.19	CPT	0.87	0.02	28,225	0.88
ASIA	6.55	(0.05)	381	6.52	LH	10.90	0.30	528,133	10.75	CRANE	2.12	-	8,546	2.14
CENDEL	32.25	1.75	63,573	31.86	LPN	6.55	0.10	91,457	6.58	CTW	6.85	(0.05)	179	6.82
CSR	-	-	-	-	MBK	22.30	0.60	10,375	22.09	FMT	23.80	-	41	23.61
DTC	9.65	0.10	2,167	9.69	MJD	3.16	(0.06)	422	3.18	HTECH	3.14	0.06	2,522	3.12
ERW	5.75	0.30	324,685	5.71	MK	3.18	0.04	4,767	3.16	KKC	0.91	0.03	677	0.90
GRAND	0.78	0.01	3,805	0.77	NCH	1.00	-	1,416	1.00	PK	1.85	0.05	976	1.83
LRH	46.25	0.50	28	45.59	NNCL	2.04	0.07	44,159	2.03	SNC	13.40	(0.40)	5,187	13.33
MANRIN	33.75	3.50	5	33.45	NOBLE	21.60	0.60	1,471	21.39	STARK	2.26	0.02	7,843	2.25
OHTL	452.00	-	3	452.00	NUSA	0.33	-	47,154	0.33	TCJ	4.64	0.02	28	4.70
ROH	-	-	-	-	NVD	2.40	0.10	1,513	2.37	VARO	-	-	-	-
SHANG	72.00	1.00	203	70.14	ORI	8.10	0.10	108,737	8.06	Property Fund & REIT	-	-	-	-
VRANDA	8.90	0.15	3,596	8.83	PACE	0.20	-	58,475	0.19	AIMCG	9.75	0.05	6,655	9.70
Home & Office Produ	-	-	-	-	PF	0.77	0.01	69,744	0.76	AIMIRT	12.90	0.50	17,220	12.74
ACC	0.68	-	814	0.68	PLAT	5.60	0.10	4,930	5.56	AMATAR	12.30	-	14	12.30
AJA	0.19	-	893	0.19	POLAR	-	-	-	-	B-WORK	12.20	-	75	12.20
DTCI	-	-	-	-	PRECHA	1.46	0.10	922	1.45	BKCP	13.90	0.30	3,708	13.83
FANCY	0.48	0.01	6,168	0.49	PRIN	1.58	0.04	3,018	1.56	BOFFICE	16.00	(0.10)	652	16.02
KYE	349.00	(1.00)	30	347.60	PSH	20.00	0.70	54,152	19.76	CPNGC	15.40	0.10	488	15.40
L&E	2.32	(0.06)	628	2.33	OH	2.96	0.02	550,223	2.95	CPNREIT	35.00	-	3,489	35.00
MODERN	2.88	(0.12)	10,643	2.88	RICHY	1.15	0.01	2,783	1.15	CPTGF	13.20	-	10,420	13.21
OGC	-	-	-	-	RML	1.07	-	10,555	1.07	CRYSTAL	8.85	-	943	8.86
ROCK	-	-	-	-	ROJNA	6.65	0.20	75,734	6.55	CTARAF	5.90	0.05	3,927	5.89
SIAM	1.98	0.08	1,764	1.96	S	3.36	0.06	30,857	3.34	DREIT	6.00	(0.05)	7,462	6.05
TSR	1.90	0.04	841	1.87	SAMCO	1.61	-	552	1.62	ERWPF	5.30	0.05	1,053	5.30
Insurance	-	-	-	-	SC	2.70	0.04	27,571	2.70	FTREIT	15.70	-	1,134	15.56
AYUD	40.25	0.25	2,850	40.25	SENA	3.38	0.06	2,722	3.37	FUTUREPF	25.75	-	579	25.75
BKI	324.00	(1.00)	205	324.03	SF	6.00	-	51,913	6.00	GAHREIT	9.35	0.05	400	9.35
BLA	20.20	(0.50)	26,799	20.35	SIRI	1.39	0.01	120,963	1.38	GLANDRT	13.60	(0.10)	211	13.50
BUI	-	-	-	-	SPALI	20.60	0.30	232,394	20.74	GOLDPF	7.65	-	4	7.66
CHARAN	-	-	-	-	U	1.81	0.02	120,372	1.80	GVREIT	16.70	-	2,552	16.66
INSURE	-	-	-	-	UV	6.10	0.10	10,331	6.08	HPF	4.96	0.02	709	4.94
MTI	88.25	0.25	14	91.29	WHA	4.70	0.10	493,011	4.66	HREIT	8.95	(0.15)	5,085	8.97
NKI	-	-	-	-	WIN	0.49	-	150	0.49	IMPACT	25.25	0.25	2,387	25.46
NSI	61.00	4.00	2	61.00	Paper & Printing Mat	-	-	-	-	KPNPF	8.65	-	25	8.69
SEG	36.25	(0.25)	2,001	36.37	UTP	11.40	0.10	4,708	11.39	LHHOTEL	19.80	-	843	19.80
SMK	36.00	1.00	29	36.16	Fashion	-	-	-	-	LHPF	9.10	-	232	9.06
THRE	0.74	0.01	8,792	0.73	AFC	-	-	-	-	LHSC	19.00	0.30	3,368	18.82
THREL	4.48	0.02	3,686	4.46	B52	0.20	0.01	1,235	0.20	LUXF	9.00	0.05	60	9.00
TIP	24.70	0.10	1,779	24.59	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	44.75	2.75	20,059	43.84	CPH	-	-	-	-	M-PAT	5.00	(0.05)	330	5.00
TSI	0.47	-	666	0.47	CPL	1.38	(0.03)	39	1.29	M-STOR	7.10	0.10	29	6.99
TVI	4.60	0.02	1,158	4.57	ICC	40.25	0.25	70	40.25	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
PDI	8.95	0.25	884	8.80	PAF	0.79	-	359	0.77	MJLF	12.60	-	1,112	12.52
THL	-	-	-	-	PDJ	1.50	-	8,650	1.50	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	5.65	0.25	3	5.62	MNIT2	-	-	-	-
AJ	8.80	0.05	80	8.72	SABINA	31.25	1.00	49,473	30.87	MNRF	3.56	0.10	1,955	3.54
ALUCON	167.00	-	67	166.77	SAWANG	-	-	-	-	MONTRI	-	-	-	-
BGC	13.30	0.80	95,739	13.07	SUC	42.75	0.25	424	42.57	POPF	13.70	-	1,452	13.70
CSC	-	-	-	-	TNL	-	-	-	-	PPF	11.70	0.10	161	11.60
NEP	0.29	0.01	1,701	0.29	TPCORP	12.40	-	19	12.43	QHHR	10.10	0.10	2,467	10.08
NPPG	1.02	-	23,223	1.03	TR	33.50	-	90	33.47	QHOP	3.62	0.06	863	3.58
PTL	15.10	0.10	4,050	15.01	TTI	-	-	-	-	QHPF	15.30	-	2,961	15.32
SITHAI	0.94	0.01	4,464	0.94	TTT	67.50	(0.50)	6	67.58	SBPF	2.70	(0.10)	125	2.70
SLP	0.64	(0.02)	715	0.64	UPF	-	-	-	-	SHREIT	7.00	0.10	619	7.00
SMPC	8.00	0.15	4,492	8.01	UT	14.60	0.60	47	14.57	SIRIP	11.20	-	16	11.20
SPACK	1.58	-	67	1.57	WACOAL	-	-	-	-	SPF	23.50	0.20	596	23.48
TCOAT	24.50	0.50	102	24.01	Transportation & Log	-	-	-	-	SPRIME	14.00	-	61	14.00
TFI	0.10	-	1,642	0.10	AAV	3.18	0.02	190,473	3.17	SRIPANWA	11.60	-	13	11.52
THIP	17.10	-	168	17.10	AOT	70.50	1.00	284,436	70.07	SSPF	10.10	0.10	2	10.05
TMD	23.80	-	192	23.63	ASIMAR	1.54	(0.03)	3,571	1.55	SSTFP	6.80	-	308	6.80
TOPP	190.00	1.00	2	190.00	B	0.35	-	17,345	0.34	SSTRT	6.25	(0.10)	553	6.28
TPBI	4.94	0.02	102	4.95	BA	9.00	0.05	3,668	9.01	TIFT	9.10	-	101	9.10
TPP	16.30	-	2	16.30	BEM	10.70	(0.10)	1,098,305	10.72	TLGF	22.40	0.40	3,452	22.06
Personal Products &	-	-	-	-	BTS	12.40	(0.10)	508,186	12.41	TLHPF	11.40	0.10	1	11.40
APCO	3.44	(0.04)	1,640	3.43	BTSXIF	11.20	0.10	21,296	11.15	TNPF	3.22	-	9	3.20
DDD	24.50	0.50	14,934	24.25	III	6.40	0.25	16,432	6.34	TPRIME	16.30	0.40	2,760	15.95
JCT	83.25	-	10	83.25	JUTHA	0.75	0.01	9	0.71	TTLPF	21.80	0.10	258	21.79
OCC	13.10	0.10	1	13.10	JWD	8.85	0.45	24,025	8.71	TU-PF	1.70	0.17	1	1.70
S & J	24.00	-	4	24.00	KWC	-	-	-	-	URBNPF	-	-	-	-
STHAI	-	-	-	-	NOK	2.18	-	53,056	2.14	WHABT	9.70	(0.10)	628	9.74
TNR	9.00	(0.05)	262	9.00	NYT	4.66	(0.04)	8,529	4.66	WHART	17.60	-	19,304	17.59
TOG	5.15	0.15	766	5.17	PRM	8.85	0.50	176,884	8.69	Steel	-	-	-	-
Professional Service	-	-	-	-	PSL	7.95	0.45	114,554	7.80	AMC	1.97	0.05	15,710	1.97
BWG	0.71	0.02	48,969	0.70	RCL	4.22	0.14	7,641	4.16	BSBM	0.90	-	3,008	0.90
GENCO	0.60	-	5,003	0.60	TFFIF	12.90	-	33,236	12.88	CEN	0.98	-	325	0.97
PRO	-	-	-	-	THAI	9.20	0.15	14,549	9.19	CITY	2.02	-	375	1.98
SISB	7.80	0.20	9,770	7.71	TSTE	-	-	-	-	CSP	1.02	(0.03)	29	1.02
TEAMG	2.06	0.04	24,530	2.08	TTA	5.60	0.30	47,523	5.51	GJS	0.14	0.01	24,443	0.13
Property Developer	-	-	-	-	WICE	2.96	0.06	7,488	2.95	GSTEEL	-	-	-	-
A	6.25	-	130	6.25	Automotive	-	-	-	-	INOX	0.77	0.01	798	0.77
AMATA	24.50	0.60	126,808	24.38	AH	17.40	-	3,601	17.28	LHK	3.58	-	3,233	3.60
AMATAV	4.52	0.06	4,775	4.51	APCS	4.30	-	116	4.30	MAX	0.01	(0.01)	28,972	0.01
ANAN	3.22	0.04	100,531	3.22	BAT-3K	225.00	-	2	225.00	MCS	8.75	-	18,072	8.76
AP	7.45	0.35	172,661	7.45	CWT	2.88	0.02	907	2.90	MILL	0.83	(0.01)	4,398	0.84
APEX	0.17	-	9,066	0.17	EASON	1.79	-	49	1.80	PAP	2.72	(0.10)	6,658	2.74
AQ	0.02	-	493,551	0.02	GYT	-	-	-	-	PERM	1.03	0.01	25,094	1.03
BLAND	1.51	0.01	111,460	1.51	HFT	2.74	0.02	523	2.74	RICH	-	-	-	-
BROCK	1.98	0.04	1,203	1.93	IHL	4.70	0.24	32,834	4.71					

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	PSTC	0.73	0.03	281,691	-	ADVA01C1908A	1.82	0.18	11,159	1.00
ABICO	4.14	0.04	153	4.00	QTC	4.92	0.14	4,339	4.00	ADVA01C1908B	1.33	0.21	7,480	1.00
AU	14.30	0.50	64,686	14.00	SAAM	1.30	0.01	415	1.00	ADVA01C1912A	0.57	0.07	161,200	-
JCKH	0.50	-	1,263	-	SEAOIL	5.15	0.10	2,446	5.00	ADVA01C1912B	0.37	0.04	178,091	-
KASET	1.80	0.07	192	1.00	SR	1.16	0.03	118	1.00	ADVA01P1908A	0.01	-	1,326	-
MM	2.72	0.04	315	2.00	TAKUNI	0.52	-	3,671	-	ADVA01P1908B	-	-	-	-
PRIME	0.38	-	21,932	-	TPCH	12.40	0.70	16,246	12.00	ADVA01P1912A	0.48	(0.07)	83,649	-
SUN	1.62	0.03	10,223	1.00	TRT	1.88	0.09	374	1.00	ADVA01P1912B	0.31	(0.05)	80,089	-
TACC	4.84	0.10	33,354	4.00	UMS	-	-	-	-	ADVA06C1912A	0.47	0.08	13,150	-
TMILL	2.84	0.02	1,048	2.00	UWC	0.04	-	166,012	-	ADVA07C1908A	-	-	-	-
XO	6.00	0.35	19,757	5.00	Services (MAI)	-	-	-	-	ADVA08C1911A	-	-	-	-
Consumer Products	-	-	-	-	A5	-	-	-	-	ADVA08C2001A	0.30	0.05	20,366	-
BGT	1.01	-	449	1.00	AKP	1.39	-	3,958	1.00	ADVA11C1910A	-	-	-	-
BIZ	2.58	(0.06)	3,324	2.00	AMA	7.50	0.65	23,137	7.00	ADVA11P1910A	-	-	-	-
DOD	12.10	1.20	44,591	11.00	ARIP	0.43	(0.01)	2,794	-	ADVA11P2005A	0.34	(0.05)	37,600	-
ECF	2.42	0.02	16,500	2.00	ATP30	1.40	0.05	4,454	1.00	ADVA13C1912A	0.50	0.08	251,579	-
HPT	0.69	0.05	18,884	-	AUCT	7.00	0.05	18,028	6.00	ADVA13P1908A	-	-	-	-
JUBILE	18.20	0.50	1,605	17.00	BOL	2.70	0.04	2,356	2.00	ADVA13P1912A	0.28	(0.05)	91,442	-
MOONG	4.48	0.04	771	4.00	CHUO	-	-	-	-	ADVA16C1911A	1.03	0.11	44,000	-
NPK	23.50	(0.20)	5	23.00	CMO	1.16	(0.01)	122	1.00	ADVA16C1912A	0.70	0.06	49,483	-
OCEAN	1.15	(0.10)	94,765	1.00	D	6.00	-	1,305	5.00	ADVA16C2002A	0.34	0.04	20,410	-
TM	2.52	0.06	9,347	2.00	DCORP	0.46	0.03	28,119	-	ADVA19C1908A	0.32	0.11	4,790	-
Financials (MAI)	-	-	-	-	EFORL	0.04	(0.01)	918,491	-	ADVA19C1911A	0.30	0.06	58,787	-
ACAP	1.97	0.03	13,856	1.00	ETE	0.89	0.03	2,572	-	ADVA19P1908A	-	-	-	-
AF	0.68	-	1,269	-	FSMART	7.80	0.25	8,876	7.00	ADVA19P1911A	0.09	(0.03)	5,491	-
AIRA	1.31	0.01	213	1.00	FVC	0.40	(0.01)	11,619	-	ADVA23C2001A	-	-	-	-
ASN	5.90	0.30	60	5.00	GSC	0.90	0.02	4,203	-	ADVA23P1908A	-	-	-	-
BROOK	0.48	(0.03)	11,897	-	HARN	2.26	0.04	1,687	2.00	ADVA24C1908A	1.52	0.10	3	1.00
CHAYO	4.92	0.14	39,645	4.00	JKN	7.75	0.10	26,525	7.00	ADVA24C2001A	0.37	0.06	3,015	-
GCAP	2.34	(0.02)	11,283	2.00	KIAT	0.40	0.01	49,374	-	ADVA24P1908A	-	-	-	-
LIT	5.30	0.20	5,156	5.00	KOOL	1.20	(0.01)	6,639	1.00	ADVA24P2001A	0.25	(0.06)	8,000	-
MTSIB	2.48	(0.06)	105,254	2.00	LDC	0.97	(0.01)	6,528	-	ADVA27C1912A	0.80	0.08	5,120	-
SGF	1.21	0.02	48,751	1.00	MORE	0.17	0.03	1,060,783	-	ADVA28C2001A	0.37	0.05	60,331	-
Industrials (MAI)	-	-	-	-	MPG	0.41	-	3	-	ADVA28P1911A	0.05	-	10,000	-
ZS	2.40	-	16,457	2.00	MVP	1.88	(0.04)	2,430	1.00	ADVA28P2001A	0.27	(0.04)	19,973	-
ACG	1.49	(0.02)	6,134	1.00	NBC	0.74	0.02	34	-	ADVA41C1910A	0.70	0.10	10,000	-
ADB	0.69	0.02	271	-	NCL	1.23	0.04	7,488	1.00	ADVA41C1910B	-	-	-	-
BM	-	-	-	-	NEWS	0.01	-	4,531	-	ADVA41C1912A	0.39	(0.04)	15,980	-
CHO	0.87	(0.01)	21,602	-	NINE	2.58	0.04	4,242	2.00	ADVA41C1912B	-	-	-	-
CHOW	2.08	0.06	1,139	2.00	OTO	3.32	0.08	52	3.00	ADVA41P1911A	-	-	-	-
CIG	0.22	(0.01)	9,482	-	PHOL	1.82	0.05	203	1.00	ADVA41P1912A	-	-	-	-
COLOR	1.20	-	502	1.00	PICO	4.02	0.02	110	4.00	ADVA42C1910A	-	-	-	-
CPR	4.88	0.06	190	4.00	PORT	4.38	0.02	2,629	4.00	AEON01C1911A	1.46	0.11	18,594	1.00
FPI	2.56	0.02	15,020	2.00	QLT	3.92	-	38	3.00	AEON01C1911B	0.43	0.04	53,148	-
GTB	0.57	(0.01)	2,510	-	RP	2.00	0.02	412	2.00	AEON13C1910A	-	-	-	-
KCM	0.72	0.02	2,201	-	SE	1.77	0.02	246	1.00	AEON13C1911A	0.39	0.04	30,023	-
KUMWEL	1.00	0.06	102,394	1.00	SONIC	1.27	0.03	3,761	1.00	AEON19C1911A	0.30	0.04	42,374	-
KWM	0.94	0.04	1,491	-	SPA	12.30	0.40	5,624	12.00	AEON24C1912A	0.30	0.03	3,012	-
MBAX	3.94	0.04	1,564	3.00	THMUI	0.83	0.04	1,873	-	AEON41C1912A	0.32	0.02	44,760	-
MGT	1.86	0.03	1,742	1.00	TNDT	4.66	0.02	470	4.00	AMAT01C1909A	0.77	0.09	31,532	-
NDR	1.38	0.01	46	1.00	TNH	35.25	0.25	1,140	34.00	AMAT01C1909B	0.36	0.07	112,964	-
PDG	3.28	(0.02)	183	3.00	TNP	1.88	0.17	28,285	1.00	AMAT01C2001A	0.55	0.07	68,295	-
PIMO	1.19	-	6,993	1.00	TSF	-	-	-	-	AMAT01C2001B	0.14	0.01	74,289	-
PJW	1.50	0.02	2,279	1.00	TVD	1.27	-	1,556	1.00	AMAT01P1909A	0.11	(0.03)	69,095	-
PPM	1.16	0.05	90	1.00	TVT	0.81	0.01	766	-	AMAT01P2001A	0.63	(0.07)	41,118	-
RWI	1.31	(0.01)	3,042	1.00	VL	1.55	0.02	74,669	1.00	AMAT06C1909A	0.35	0.06	6,500	-
SALEE	0.95	0.03	991	-	WINNER	2.90	0.04	3,720	2.00	AMAT08C1908A	0.12	0.02	17,000	-
SANKO	1.01	0.01	415	1.00	Technology (MAI)	-	-	-	-	AMAT08C2001A	0.45	0.07	23,250	-
SELIC	2.82	(0.02)	1,956	2.00	COMAN	3.06	0.02	1,075	3.00	AMAT11C2001A	0.58	0.05	5,544	-
SWC	4.58	0.04	325	4.00	ICN	1.75	0.02	9,484	1.00	AMAT13C1908A	0.24	0.07	82,899	-
TMC	0.62	-	8,411	-	IRCP	0.60	(0.02)	1,951	-	AMAT13C1912A	0.48	0.06	89,697	-
TMI	0.77	-	5,710	-	ITEL	3.36	0.08	5,899	3.00	AMAT16C1911A	0.51	0.06	53,604	-
TMW	50.00	-	291	50.00	NETBAY	32.00	-	3,052	32.00	AMAT19C1912A	0.16	0.02	23,313	-
TPAC	11.90	0.90	199	11.00	PLANET	1.30	-	58	1.00	AMAT24C2001A	0.52	0.05	1,002	-
TPLAS	1.37	0.04	69	1.00	SIMAT	1.46	0.02	3,804	1.00	AMAT27C1908A	0.17	0.04	4,334	-
UAC	3.08	0.14	1,070	2.00	SKY	15.50	0.60	43,578	15.00	AMAT41C1912A	0.46	0.06	53,840	-
UBIS	6.00	-	2,720	6.00	SPVI	1.49	0.04	5,093	1.00	AMAT42C1910A	-	-	-	-
UEC	1.05	(0.02)	550	1.00	UPA	0.27	-	9,481	-	ANAN08C1911A	0.11	0.01	6,527	-
UKEM	0.51	-	4,878	-	VCOM	3.10	0.02	214	3.00	ANAN13C1912A	-	-	-	-
UREKA	0.99	-	652	-	Unit Trust	-	-	-	-	ANAN19C1910A	-	-	-	-
YUASA	13.20	0.20	143	13.00	MGE	-	-	-	-	ANAN19C2001A	0.25	0.03	10,124	-
ZIGA	1.57	-	1,256	1.00	SCBSET	-	-	-	-	ANAN24C1912A	0.09	-	4,000	-
Property & Construc	-	-	-	-	ETF	-	-	-	-	AOT01C1908A	0.42	0.07	226,565	-
ALL	4.14	0.06	33,089	4.00	1DIV	10.59	0.08	145	10.00	AOT01C1908B	0.06	0.01	52,954	-
ARIN	0.78	0.01	74,529	-	ABFTH	-	-	-	-	AOT01C1911A	0.70	0.05	265,809	-
ARROW	8.45	0.05	926	8.00	BMSCG	8.22	0.09	227	8.00	AOT01C1911B	0.44	0.05	342,331	-
BSM	0.35	(0.01)	6,123	-	BMSCITH	11.87	0.18	9,638	11.00	AOT01P1908A	0.21	(0.06)	93,653	-
BTW	1.23	-	552	1.00	BSET100	10.50	0.20	1,105	10.00	AOT01P1908B	0.02	-	20	-
CAZ	2.32	0.06	5,605	2.00	CHINA	5.21	0.03	15	5.00	AOT01P1911A	0.43	(0.04)	134,826	-
CHEWA	0.74	0.01	34,008	-	EBANK	-	-	-	-	AOT01P1911B	0.25	(0.03)	94,464	-
CMC	1.10	0.02	7,572	1.00	ECOMM	-	-	-	-	AOT06C1908A	-	-	-	-
CRD	0.97	-	1,204	-	EFOOD	-	-	-	-	AOT06C1				

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C1909A	0.05	-	2,800	-	BCP13C1910A	-	-	-	-	BEM41P1911A	0.26	0.02	8,000	-
AOT28C1912A	0.36	0.04	76,268	-	BCP13C1912A	-	-	-	-	BEM42C1910A	-	-	-	-
AOT28C1912B	0.18	0.02	19,252	-	BCP19C1910A	-	-	-	-	BGR10C1909A	0.54	0.06	67,121	-
AOT28C2002A	0.31	0.03	76,652	-	BCP19C2001A	0.07	(0.01)	3,770	-	BGR10C1909B	0.26	0.03	66,450	-
AOT28P1909A	-	-	-	-	BCP24C1912A	-	-	-	-	BGR10C2001A	0.36	0.03	76,918	-
AOT28P1912A	0.38	(0.05)	43,445	-	BCPG01C1908A	0.44	0.03	15,778	-	BGR10C2001B	0.24	0.02	145,636	-
AOT41C1909A	-	-	-	-	BCPG01C1908B	-	-	-	-	BGR10P1909A	0.05	-	300	-
AOT41C1912A	0.42	0.05	55,920	-	BCPG01C1912A	0.29	0.02	35,116	-	BGR10P2001A	0.42	(0.04)	49,977	-
AOT41C1912B	-	-	-	-	BCPG01C1912B	0.17	-	33,576	-	BGR10C1912A	0.24	0.03	13,600	-
AOT41P1909A	-	-	-	-	BCPG01P1912A	0.82	(0.03)	52,062	-	BGR10C1911A	0.26	0.03	33,620	-
AOT41P1911A	-	-	-	-	BCPG08C1910A	0.23	0.02	26,200	-	BGR11C1909A	0.30	0.01	30,600	-
AOT41P1911B	-	-	-	-	BCPG11C1910A	0.23	0.01	22,298	-	BGR11C1912A	0.25	0.03	127,705	-
AOT41P1912A	-	-	-	-	BCPG13C1908A	0.07	0.01	16,000	-	BGR11C2001A	-	-	-	-
AOT42C1912A	-	-	-	-	BCPG13C1912A	0.21	0.01	101,758	-	BGR11C1908A	0.08	0.01	16,960	-
AP01C1908A	0.39	0.09	324,687	-	BCPG19C1911A	0.23	0.01	32,318	-	BGR11C1911A	0.12	-	13,907	-
AP01C1908B	0.12	0.05	141,803	-	BCPG19P1911A	0.30	(0.02)	38,881	-	BGR12C1912A	0.18	0.01	3,000	-
AP01C2001A	0.32	0.05	196,537	-	BCPG24C1912A	0.17	0.01	3,500	-	BGR12C1912A	0.34	0.02	14,400	-
AP01C2001B	0.19	0.03	289,771	-	BCPG27P1909A	-	-	-	-	BGR12P1911A	0.14	(0.01)	28,392	-
AP06C1909A	0.21	0.07	21,075	-	BCPG28C1910A	0.17	0.04	60,392	-	BGR14C1911A	-	-	-	-
AP08C1912A	0.17	0.04	53,230	-	BCPG28C1912A	0.16	0.02	13,182	-	BGR14C2001A	0.23	-	6,000	-
AP11C2001A	0.27	0.02	3,000	-	BCPG41C1910A	0.21	0.01	18,660	-	BGR14P1912A	-	-	-	-
AP16C2002A	0.16	0.04	32,100	-	BDM501C1908A	0.22	(0.01)	1	-	BGR14C1910A	-	-	-	-
AP19C1910A	0.09	0.02	48,278	-	BDM501C1908B	-	-	-	-	BH01C1908A	0.01	-	300	-
AP24C1912A	0.15	0.02	8,002	-	BDM501C1911A	0.10	-	112,996	-	BH01C1908B	0.01	-	11,118	-
BANP01C1909A	-	-	-	-	BDM501C1911B	-	-	-	-	BH01C2001A	0.28	(0.02)	267,679	-
BANP01C1909B	0.01	-	100	-	BDM501P1908A	0.21	0.02	117,036	-	BH01C2001B	0.12	-	188,566	-
BANP01C1912A	0.10	0.03	194,253	-	BDM501P1911A	0.44	-	99,268	-	BH01P1908A	1.91	0.11	18,276	1.00
BANP01C1912B	0.03	-	10,083	-	BDM508C1911A	0.08	(0.01)	29,000	-	BH01P2001A	1.96	0.08	78,084	1.00
BANP01P1909A	1.06	(0.09)	54,123	1.00	BDM511C2001A	0.34	-	30,150	-	BH07C1910A	-	-	-	-
BANP01P1909B	0.70	(0.18)	42,593	-	BDM511P2002A	0.58	0.01	68,260	-	BH11C2002A	0.10	(0.01)	8,000	-
BANP01P1912A	0.76	(0.10)	51,694	-	BDM513C1909A	-	-	-	-	BH13C1909A	-	-	-	-
BANP01P1912B	0.64	(0.13)	64,347	-	BDM513C1912A	0.06	(0.01)	22,456	-	BH13C1912A	0.09	(0.01)	30,713	-
BANP06C1912A	0.03	0.01	1,576	-	BDM513C1912B	0.25	(0.02)	119,994	-	BH19C1912A	0.09	(0.01)	112,683	-
BANP07C1909A	-	-	-	-	BDM516C1912A	0.15	(0.05)	1,003	-	BH24C1910A	0.05	(0.02)	2,000	-
BANP08C1912A	-	-	-	-	BDM519C1910A	0.02	-	1,450	-	BH41C1911A	0.05	(0.01)	4,008	-
BANP08P1912A	0.60	(0.10)	10,040	-	BDM519C2001A	0.26	-	47,954	-	BH41P1911A	0.83	0.05	43,556	-
BANP11C1909A	-	-	-	-	BDM523P1908A	0.01	-	9,000	-	BJC01C1911A	0.71	0.05	65,916	-
BANP11C2004A	0.09	0.02	19,082	-	BDM524C1909A	-	-	-	-	BJC01C1911B	0.52	0.04	74,756	-
BANP13C1910A	0.01	-	21,000	-	BDM524C1912A	-	-	-	-	BJC01P1911A	0.17	(0.02)	130,310	-
BANP13C1912A	0.04	0.01	63,209	-	BDM524P1908A	-	-	-	-	BJC06C1912A	0.41	0.05	35,421	-
BANP13P1908A	-	-	-	-	BDM527C2002A	0.11	-	10,338	-	BJC11C2001A	0.37	0.02	23,070	-
BANP16C1912A	-	-	-	-	BDM541C1911A	-	-	-	-	BJC13C1911A	0.37	0.03	147,570	-
BANP19C1910A	-	-	-	-	BDM541C2001A	0.25	(0.01)	12,000	-	BJC16C2002A	0.41	0.04	50,148	-
BANP19P1910A	0.30	(0.11)	13,677	-	BDM541P1911A	-	-	-	-	BJC19C1910A	0.31	0.03	50,081	-
BANP23P1908A	-	-	-	-	BEAU01C1911A	0.10	(0.02)	412,132	-	BJC23C2001A	0.42	0.03	14,000	-
BANP24C1911A	-	-	-	-	BEAU01P1909A	2.70	-	10,327	2.00	BJC24C1910A	0.43	0.03	6,067	-
BANP24P1908A	0.96	(0.12)	500	-	BEAU01P2001A	1.10	0.04	178,599	1.00	BJC27P1908A	-	-	-	-
BANP28C1911A	-	-	-	-	BEAU06C1909A	0.02	-	10,269	-	BJC41C1910A	0.15	0.01	1,000	-
BANP28C2001A	0.03	(0.03)	1,500	-	BEAU06C1911A	0.05	-	400	-	BJC41C1912A	0.48	0.01	24,940	-
BANP28P1909A	-	-	-	-	BEAU08C1910A	0.01	(0.01)	482	-	BJC41P1908A	-	-	-	-
BANP41C1909A	-	-	-	-	BEAU11C1911A	-	-	-	-	BJC41P1912A	0.30	(0.03)	3,290	-
BANP41C1911A	-	-	-	-	BEAU13C1910A	0.01	-	391	-	BJC42C1912A	-	-	-	-
BANP41P1909A	0.37	(0.14)	39	-	BEAU13C1910B	0.02	0.01	15,430	-	BLA11C1909A	-	-	-	-
BANP41P1912A	-	-	-	-	BEAU13C1912A	0.13	(0.02)	234,661	-	BLA13C1908A	-	-	-	-
BBL07C1909A	-	-	-	-	BEAU13P1909A	0.37	0.02	17,161	-	BLAN19C1910A	0.08	0.01	3,000	-
BBL08C1908A	-	-	-	-	BEAU19C1910A	0.01	-	26,500	-	BLAN19C1912A	0.07	-	15,979	-
BBL08C2001A	0.07	0.02	5,784	-	BEAU19P1908A	0.58	0.04	398	-	BPP01C1912A	0.25	-	21,372	-
BBL08P1912A	0.97	(0.26)	2,400	1.00	BEAU24C1909A	0.13	(0.02)	52,122	-	BPP01C1912B	0.13	-	37,684	-
BBL11C2001A	0.06	0.01	4,393	-	BEAU27C1910A	0.02	(0.01)	200	-	BPP01P1912A	1.00	(0.01)	25,425	1.00
BBL11C2005A	0.37	0.09	69,050	-	BEAU28C1910A	-	-	-	-	BPP11C1910A	-	-	-	-
BBL11P2001A	0.64	(0.11)	25,604	-	BEAU28C1910B	-	-	-	-	BPP13C1911A	0.13	(0.01)	65,001	-
BBL13C1908A	-	-	-	-	BEAU41C1910A	-	-	-	-	BPP16C2001A	0.15	0.01	8,800	-
BBL13C1911A	0.13	0.04	321,836	-	BEAU41C1910B	0.01	-	420	-	BPP19C1908A	-	-	-	-
BBL13C2001A	0.51	0.12	118,066	-	BEAU41C1911A	-	-	-	-	BPP19C1910A	0.11	-	12,807	-
BBL13P1911A	1.06	(0.11)	80	1.00	BEAU41P1909A	1.12	(0.11)	35	1.00	BPP24C1908A	-	-	-	-
BBL13P2001A	0.49	(0.12)	46,047	-	BEAU41P1911A	-	-	-	-	BPP24C1911A	0.25	(0.01)	24,015	-
BBL19C1911A	0.04	0.01	6,006	-	BEAU42C1910A	-	-	-	-	BTS01C1908A	0.42	-	10,274	-
BBL19C2001A	0.32	0.06	61,948	-	BEAU42C1911A	0.17	0.02	5,000	-	BTS01C1908B	0.27	(0.01)	56,712	-
BBL19P1909A	0.06	(0.04)	999	-	BEC01C2001A	0.36	0.02	118,088	-	BTS01C2001A	0.33	-	141,328	-
BBL24C1910A	-	-	-	-	BEC01C2001B	0.10	-	14,560	-	BTS01C2001B	0.22	-	268,928	-
BBL24C1912A	0.11	0.04	602	-	BEC01P2001A	0.64	(0.02)	34,236	-	BTS01P1908A	0.01	-	800	-
BBL27C2002A	0.14	0.03	21,542	-	BEC16C2002A	0.35	0.03	26,200	-	BTS01P2001A	0.37	-	139,080	-
BBL41C1908A	-	-	-	-	BEC27C2002A	0.11	0.01	15,142	-	BTS06C1908A	0.22	(0.01)	14,820	-
BBL41C1912A	0.18	0.05	2,004	-	BEC41C1912A	0.29	0.02	26,760	-	BTS06P1908A	-	-	-	-
BBL41C2001A	0.47	0.11	25,200	-	BEC41C2001A	0.11	0.01	12,000	-	BTS08C1911A	0.25	-	40,080	-
BBL41P2001A	-	-	-	-	BEM01C1911A	0.20	(0.01)	277,425	-	BTS11C1910A	-	-	-	-
BCH01C2001A	0.31	0.04	93,052	-	BEM01C1911B	0.12	(0.02)	259,126	-	BTS11C2003A	0.31	(0.01)	54,605	-
BCH01C2001B	0.17	0.02	67,198	-	BEM01P1911A	0.32	0.01	142,925	-	BTS13C1912A	0.23	(0.01)	255,558	-
BCH01P2001A	0.64	(0.06)	71,404	-	BEM06C1912A	0.08	(0.01)	7,500	-	BTS16C2001A	0.24	0.01	2,744	-
BCH06C1909A	-	-	-	-	BEM06P1912A	0.32	0.01	29,060	-	BTS16C2001B	-	-	-	-
BCH06C2001A	0.21	0.04	15,800	-	BEM08C2001A	0.17	(0.01)	51,585	-	BTS19C1910A	0.12	(0.01)	76,640	-
BCH08C1910A	0.03	-	500	-	BEM11C2001A	0.14	(0.02)	38,700	-	BTS19P1910A	-	-	-	-
BCH11C2001A	0.15	0.02	20,850	-	BEM11C2003A	0.18	(0.02)	23,600	-	BTS24C2001A	0.30	(0.05)	5	-
BCH13C1909A	-	-	-	-	BEM13C1909A	0.05	(0.02)	76,654	-	BTS24P2001A	-	-	-	-
BCH13C1911A	0.10	0.02	23,802	-	BEM13C1912A	0.17	-	104,007	-	BTS27P1911A	0.09	(0.01)	4,921	-
BCH13C1912A	0.21	0.02	50,707	-	BEM13P1911A	0.24	0.01	148,758	-	BTS41C1912A	0.20	-	12,000	-
BCH16C2001A	-	-	-	-	BEM16C1912A	0.15	(0.02)	250	-	BTS41P1908A	-	-	-	-
BCH19C1910A	-	-	-	-	BEM16C2001A	0.07	(0.01)	48,001	-	BTS41P1910A	-	-	-	-
BCH19C2001A	0.19	0.02	18,23											

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG13P1909A	0.02	-	2,000	-	CPAL01P2002B	0.91	(0.11)	72,630	-	DTAC41C1908A	-	-	-	-
CBG13P1911A	0.37	(0.04)	83,801	-	CPAL06C1908A	0.04	0.02	7,200	-	DTAC41C1912A	0.78	0.11	55,800	-
CBG16C1912A	1.92	0.03	710	1.00	CPAL06P1912A	0.68	(0.13)	10,286	-	DTAC41P1908A	-	-	-	-
CBG16C2001A	1.13	0.06	31,210	1.00	CPAL08C1908A	0.11	0.03	13,810	-	DTAC41P2001A	-	-	-	-
CBG19C1911A	0.54	0.05	63,137	-	CPAL08C2001A	0.44	0.07	63,028	-	DTAC42C1911A	-	-	-	-
CBG19P1911A	0.09	(0.02)	79,810	-	CPAL08P1908A	-	-	-	-	EA06C1910A	0.10	-	26,650	-
CBG23C1908A	-	-	-	-	CPAL11C1909A	0.34	0.07	29,400	-	EA07C1910A	0.26	0.01	44	-
CBG24C1909A	0.65	0.07	16,660	-	CPAL13C1911A	0.57	0.08	580,030	-	EA08C1908A	0.06	0.01	3,100	-
CBG27C1912A	0.90	0.06	2,386	-	CPAL13P1911A	0.33	(0.06)	108,912	-	EA08C2001A	0.31	0.02	60,290	-
CBG28C1910A	0.57	0.06	76,016	-	CPAL16C1912A	1.32	0.09	52,262	1.00	EA11C1911A	0.43	0.02	69,420	-
CBG28C1912A	0.55	0.04	32,805	-	CPAL16C2001A	0.55	0.09	66,395	-	EA13C1908A	0.03	(0.01)	3,422	-
CBG41C1908B	-	-	-	-	CPAL19C1911A	0.24	0.05	89,380	-	EA13C1910A	0.06	0.01	41,788	-
CBG41C1910A	-	-	-	-	CPAL19P1910A	-	-	-	-	EA13C1912A	0.28	0.01	339,845	-
CBG41C1910B	0.67	0.07	20	-	CPAL24C1912A	0.33	0.07	361	-	EA13P1909A	0.14	(0.01)	76,216	-
CBG41C2001A	0.78	0.02	27,500	-	CPAL24P1909A	-	-	-	-	EA13P1910A	0.54	(0.06)	82,811	-
CBG41C2001B	-	-	-	-	CPAL24P1912A	0.62	(0.07)	500	-	EA16C1911A	0.35	0.02	81,912	-
CBG41P1908A	-	-	-	-	CPAL27C1912A	0.63	0.10	36,003	-	EA19C1908A	-	-	-	-
CBG41P1909A	0.10	(0.01)	58	-	CPAL28C1910A	-	-	-	-	EA19C2001A	0.24	0.01	41,408	-
CBG41P1910A	-	-	-	-	CPAL28C1912A	0.42	0.06	41,516	-	EA19P1910A	0.19	(0.02)	32,960	-
CBG41P2001A	0.79	(0.05)	450	-	CPAL28C2001A	0.31	0.05	53,990	-	EA23C1909A	0.10	-	6,500	-
CBG41P2002A	1.31	(0.07)	3,720	1.00	CPAL41C1910A	0.46	0.10	88,892	-	EA24C1910A	-	-	-	-
CBG42C1910A	0.85	0.08	5,000	-	CPAL41C1910B	-	-	-	-	EA27C1908A	0.06	-	23,040	-
CENT01C1909A	-	-	-	-	CPAL41C2001A	0.35	0.06	47,960	-	EA27P1908A	-	-	-	-
CENT01C1909B	0.01	-	1,000	-	CPAL41P1908A	-	-	-	-	EA28C1909A	-	-	-	-
CENT01C1911A	0.25	0.07	149,319	-	CPAL41P1911A	-	-	-	-	EA28C1909B	-	-	-	-
CENT01C1911B	0.13	0.03	146,432	-	CPAL41P1912A	-	-	-	-	EA28C1910A	0.06	-	2,128	-
CENT01P1909A	1.18	(0.19)	32,599	1.00	CPAL41P1912B	-	-	-	-	EA41C1910A	-	-	-	-
CENT01P1911A	0.41	(0.09)	72,174	-	CPAL42C1910A	0.37	0.03	1,000	-	EA41C1910B	-	-	-	-
CENT06C1908A	-	-	-	-	CPF01C1908A	0.21	0.01	34,133	-	EA41C1912A	0.26	(0.01)	30,000	-
CENT06C1912A	0.11	0.05	36,000	-	CPF01C1908B	0.04	0.02	88,798	-	EA41P1912A	0.83	(0.05)	1,350	-
CENT08C1911A	-	-	-	-	CPF01C2001A	0.27	0.01	69,396	-	EA42C1910A	0.06	(0.02)	550	-
CENT11C1909A	-	-	-	-	CPF01C2001B	0.16	0.01	146,385	-	EGCO01C1909A	1.12	0.09	24,860	1.00
CENT11C2004A	0.21	0.04	42,768	-	CPF01P1908A	0.07	-	14,400	-	EGCO01C1909B	0.79	0.12	44,356	-
CENT13C1911A	0.08	0.03	32,034	-	CPF01P1908B	-	-	-	-	EGCO01C2001A	0.64	0.04	65,409	-
CENT13C1912A	0.14	0.03	57,118	-	CPF01P2001A	0.39	(0.01)	33,888	-	EGCO01C2001B	0.38	0.03	84,173	-
CENT16C2001A	0.12	0.03	28,130	-	CPF01P2001B	0.25	(0.01)	56,478	-	EGCO13C1910A	0.52	0.03	1,496	-
CENT19C1908A	-	-	-	-	CPF08C1911A	0.13	-	8,200	-	EGCO13C1912A	0.37	0.04	173,775	-
CENT19C1910A	0.02	-	12,000	-	CPF11C1910A	-	-	-	-	EGCO16C2001A	-	-	-	-
CENT19C2001A	0.20	0.04	65,794	-	CPF13C1908A	-	-	-	-	EGCO19C1908A	0.14	0.03	45,790	-
CENT23C1908A	-	-	-	-	CPF13C1910A	0.11	0.02	6,400	-	EGCO24C1908A	1.12	0.13	600	1.00
CENT24C1908A	-	-	-	-	CPF13C1911A	0.19	-	19,885	-	EGCO27C1910A	0.69	0.09	3,139	-
CENT24C1910A	-	-	-	-	CPF13P1910A	0.11	(0.01)	28,802	-	EGCO41C1911A	0.32	0.05	30,660	-
CENT27C1912A	0.17	0.03	26,352	-	CPF16C2001A	0.13	0.01	13,421	-	EGCO41C2001A	0.40	0.04	39,980	-
CENT41C1912A	-	-	-	-	CPF19C1910A	0.13	0.01	72,867	-	EGCO41P1911A	0.12	(0.01)	15	-
CENT41C2001A	0.23	0.06	30,760	-	CPF19C2001A	0.12	-	8,050	-	EGCO41P2001A	0.66	(0.08)	6,052	-
CENT41P1910A	0.64	(0.08)	455	-	CPF19P1910A	-	-	-	-	EPG13C1912A	0.18	0.04	80,521	-
CHG01C2001A	0.35	-	31,679	-	CPF24C1912A	0.16	-	2,120	-	EPG19C1908A	-	-	-	-
CHG01C2001B	0.23	-	45,529	-	CPF24P1909A	-	-	-	-	EPG19C1910A	0.16	0.04	88,154	-
CHG01P2001A	0.34	-	35,696	-	CPF27C2001A	0.21	0.01	4,200	-	EPG19P1911A	0.11	(0.03)	77,180	-
CHG06C1911A	0.27	-	13,380	-	CPF28C1912A	0.13	0.01	36,524	-	EPG24C1908A	-	-	-	-
CHG08C1912A	0.25	-	26,430	-	CPF28P1911A	0.12	(0.01)	2,428	-	EPG24C1911A	0.37	0.07	32,914	-
CHG11C1911A	0.25	-	2,800	-	CPF41C1908A	-	-	-	-	ERW06C1911A	0.03	-	6,329	-
CHG13C1911A	0.22	-	86,952	-	CPF41C2001A	0.16	-	6,000	-	ERW06C2001A	0.29	0.08	18,680	-
CHG16C2002A	0.22	-	12,000	-	CPF41P1910A	-	-	-	-	ERW06P2001A	0.27	(0.14)	4,151	-
CHG19C1911A	0.13	-	16,789	-	CPF41P1912A	-	-	-	-	ERW11C2001A	0.10	0.02	33,670	-
CHG24C1911A	-	-	-	-	CPN01C1908A	0.02	-	7,788	-	ERW13C1911A	0.06	0.03	18,386	-
CHG41C1912A	0.18	-	24,000	-	CPN01C1908B	-	-	-	-	ERW13C2001A	0.23	0.05	260,244	-
CK01C2001A	0.15	(0.01)	93,080	-	CPN01C2001A	0.45	0.03	193,183	-	ERW19C1908A	-	-	-	-
CK01C2001B	0.09	-	41,128	-	CPN01C2001B	0.27	0.04	134,585	-	ERW19C1911A	0.06	0.03	3,520	-
CK01P2001A	0.49	(0.01)	44,810	-	CPN01P1908A	0.96	(0.10)	29,025	1.00	ERW19C2001A	0.24	0.05	39,503	-
CK06C1911A	-	-	-	-	CPN01P2001A	1.15	(0.06)	65,460	1.00	ERW24C1909A	-	-	-	-
CK08C1911A	0.07	(0.01)	19,800	-	CPN06C1908A	-	-	-	-	ERW27C1910A	-	-	-	-
CK11C1911A	0.10	(0.01)	822	-	CPN11C1910A	-	-	-	-	ESSO01C1911A	0.29	-	105,816	-
CK13C1910A	0.07	(0.04)	16,200	-	CPN13C1908A	-	-	-	-	ESSO01C1911B	0.07	-	26,269	-
CK16C1912A	0.19	(0.01)	62,574	-	CPN13C1912A	0.21	0.04	170,856	-	ESSO01P1911A	0.52	(0.03)	6,048	-
CK19C1912A	-	-	-	-	CPN16C2001A	-	-	-	-	ESSO06C1911A	0.07	-	8,167	-
CK24C1910A	0.08	-	1,000	-	CPN19C1911A	0.09	0.02	49,901	-	ESSO08C1908A	-	-	-	-
CK41C1911A	0.08	(0.01)	6,000	-	CPN24C1909A	-	-	-	-	ESSO08C1911A	0.05	-	4,501	-
CKP01C1911A	0.37	0.02	81,804	-	CPN24P1911A	0.88	(0.01)	340	-	ESSO11C2002A	0.11	0.01	23,243	-
CKP01C1911B	0.25	0.02	143,317	-	CPN41C1910A	0.06	0.01	17,000	-	ESSO13C1910A	-	-	-	-
CKP06C1910A	0.29	0.01	7,700	-	CPN41C2001A	0.32	0.02	41,760	-	ESSO13C1911A	0.24	0.01	84,508	-
CKP08C1910A	0.17	0.02	26,920	-	CPN41P1908A	0.03	(0.05)	1,802	-	ESSO13C1912A	-	-	-	-
CKP11C1910A	0.23	-	5,600	-	CPN41P1912A	0.72	(0.04)	12,000	-	ESSO19C1910A	-	-	-	-
CKP13C1908A	-	-	-	-	DTAC01C1910A	0.86	0.14	69,289	-	ESSO19C2001A	0.26	0.01	60,914	-
CKP13C1910A	0.18	0.02	32,798	-	DTAC01C1910B	0.75	0.16	116,204	-	ESSO23C1908A	-	-	-	-
CKP13C1912A	0.14	0.02	3,500	-	DTAC01C2001A	0.82	0.13	118,847	-	ESSO24C1910A	-	-	-	-
CKP16C2001A	0.13	0.01	1,000	-	DTAC01C2001B	0.54	0.10	139,057	-	ESSO27C1912A	0.05	(0.01)	8,000	-
CKP19C1910A	0.19	0.02	30,898	-	DTAC01P1910A	0.38	(0.11)	48,706	-	ESSO41C1911A	-	-	-	-
CKP19C1911A	0.06	-	7,802	-	DTAC01P1910B	0.08	(0.03)	11,439	-	ESSO42C1910A	0.03	-	250	-
CKP24C1912A	0.38	0.03	200	-	DTAC01P2001A	0.80	(0.12)	50,255	-	GFPT08C1912A	0.40	-	8,190	-
CKP24P1912A	0.13	(0.01)	966	-	DTAC01P2001B	0.51	(0.10)	75,524	-	GFPT13C1912A	0.37	0.01	100	-
CKP28C1910A	0.10	0.01	8,460	-	DTAC06C1908A	0.31	0.14	26,524	-	GFPT19C1912A	0.28	0.01	4,685	-
CKP28C1912A	0.09	-	15,120	-	DTAC06P1908A	-	-	-	-	GFPT19P1912A	0.20	(0.01)	8,885	-
CKP41C1909A	0.15	0.02	14,500	-	DTAC07C1909A	0.59	(0.01)	546	-	GFPT23C1909A	-	-	-	-
COM708C1911A	1.19	0.06	118	1.00	DTAC08C1911A	0.73	0.15	27,050	-	GFPT24C1912A	-	-	-	-
COM711C1909A	0.66	0.09	5,422	-	DTAC08P1911A	0.21	(0.06)	17,604	-	GFPT42C1911A	-	-	-	-
COM713C1912A	0.82	0.05	5,689	-	DTAC11C2002A	0.82	0.10	56,039	-	GGC13C1908A	-	-	-	-
COM713C2001A	0.23	0.02	162,337	-	DTAC13C1908A	-	-	-	-					

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC01C1910B	0.72	0.09	66,887	-	HMPR41C1911A	-	-	-	-	JAS16C2002A	0.33	0.05	60,599	-
GPSC01C1912A	0.62	0.06	182,129	-	HMPR41P1911A	0.20	(0.02)	32	-	JAS16C2002B	0.19	0.01	25,140	-
GPSC01C1912B	0.37	0.04	73,568	-	HSI28C1910A	0.94	0.15	133,739	-	JAS19C1912A	0.15	0.04	31,903	-
GPSC01P1910A	0.15	(0.03)	68,241	-	HSI28C1910B	0.59	0.11	131,223	-	JAS19P2001A	0.19	(0.02)	34,228	-
GPSC01P1912A	0.84	(0.10)	37,395	-	HSI28C1910C	-	-	-	-	JAS41C1912A	0.16	0.01	9,705	-
GPSC06C1912A	0.51	0.07	45,518	-	HSI28C1910D	-	-	-	-	JAS41C2001A	0.34	0.02	12,000	-
GPSC08C2001A	0.57	0.05	54,473	-	HSI28P1910A	0.72	(0.08)	56,470	-	JAS41P1912A	0.61	(0.02)	239	-
GPSC11C1909A	0.30	0.06	25,652	-	HSI28P1910B	1.06	(0.16)	105,490	1.00	JAS41P2001A	-	-	-	-
GPSC13C1908A	0.24	0.04	2,001	-	HSI28P1910C	1.53	(0.17)	24,188	1.00	KBAN01C1911A	0.21	0.01	303,730	-
GPSC13C1911A	-	-	-	-	HSI28P1910D	-	-	-	-	KBAN01C1911B	0.07	0.02	8,104	-
GPSC13C1912A	0.47	0.04	150,197	-	INTU01C1912A	0.48	0.03	147,170	-	KBAN01C2002A	0.46	0.03	219,063	-
GPSC13P1911A	0.60	(0.08)	154,524	-	INTU01C1912B	0.32	0.03	184,718	-	KBAN01C2002B	0.23	0.01	92,285	-
GPSC19C1910A	0.63	0.07	43,342	-	INTU01P1912A	0.73	(0.04)	54,509	-	KBAN01P1911A	1.92	(0.08)	33,490	1.00
GPSC19C2001A	0.35	0.04	127,806	-	INTU01P1912B	0.45	(0.05)	73,435	-	KBAN01P1911B	1.48	(0.09)	41,566	1.00
GPSC19P1911A	0.13	(0.03)	48,712	-	INTU11C2001A	0.54	0.04	80,558	-	KBAN01P2002A	1.65	(0.09)	45,623	1.00
GPSC24C1909A	-	-	-	-	INTU13C1908A	-	-	-	-	KBAN01P2002B	1.27	(0.09)	59,810	1.00
GPSC27C1909A	0.27	0.05	19,600	-	INTU13C1912A	0.36	0.05	211,052	-	KBAN07C1908A	-	-	-	-
GPSC41C1911A	0.69	0.08	9,250	-	INTU16C2001A	0.45	0.04	87,900	-	KBAN08C1908A	-	-	-	-
GPSC41C1912A	0.42	0.05	45,590	-	INTU19C1912A	0.23	0.02	75,669	-	KBAN08C2001A	0.16	0.01	18,061	-
GPSC41P1912A	-	-	-	-	INTU19P1910A	0.01	(0.01)	2,939	-	KBAN08P1912A	1.26	(0.10)	19,000	1.00
GULF01C1909A	1.97	0.16	30,380	1.00	INTU23C1908A	0.06	0.02	3,322	-	KBAN13C1910A	0.07	0.01	670	-
GULF01C1909B	0.56	0.09	87,904	-	INTU24C1909A	0.22	0.05	1	-	KBAN13C1912A	0.20	0.03	153,179	-
GULF01C1912A	0.51	0.05	175,758	-	INTU41C1908A	-	-	-	-	KBAN13P1908A	0.55	(0.14)	210	-
GULF01C1912B	0.30	0.02	244,483	-	INTU41C1912A	0.32	0.04	40,700	-	KBAN13P1911A	1.37	(0.07)	2,153	1.00
GULF01P1909A	0.02	(0.01)	18,720	-	INTU41P1910A	0.07	(0.01)	136	-	KBAN13P2001A	0.72	(0.06)	225,711	-
GULF01P1912A	0.66	(0.07)	130,077	-	INTU41P2001A	0.54	(0.05)	707	-	KBAN16C2001A	0.11	0.01	2,408	-
GULF06C1909A	2.52	0.42	400	2.00	INTU42C1910A	0.18	(0.08)	6,040	-	KBAN19C1911A	0.03	0.01	20,200	-
GULF06C1912A	0.44	0.06	24,300	-	IRPC01C1911A	0.15	0.01	318,666	-	KBAN19C2001A	0.33	0.02	90,280	-
GULF07C1910A	-	-	-	-	IRPC01C1911B	0.01	(0.01)	2	-	KBAN19P1910A	0.42	(0.07)	11,050	-
GULF08C1910A	0.64	0.08	24,281	-	IRPC01P1911A	0.55	(0.02)	228,425	-	KBAN24C1908A	-	-	-	-
GULF11C1908A	-	-	-	-	IRPC06C1911A	-	-	-	-	KBAN24C1912A	0.08	0.01	3,790	-
GULF11C2003A	0.70	0.05	47,048	-	IRPC11C2001A	0.04	-	67	-	KBAN24P1909A	-	-	-	-
GULF13C1909A	0.45	0.09	109,306	-	IRPC11C2005A	0.18	0.01	32,027	-	KBAN27P2001A	0.92	(0.06)	10,782	-
GULF13C1910A	1.54	0.16	1	1.00	IRPC13C1909A	-	-	-	-	KBAN28C1911A	-	-	-	-
GULF13C1912A	0.42	0.05	399,895	-	IRPC13C1911A	-	-	-	-	KBAN28C2001A	-	-	-	-
GULF13P1910A	0.03	(0.01)	710	-	IRPC13C1912A	-	-	-	-	KBAN28C2002A	0.21	0.01	97,051	-
GULF13P1911A	0.35	(0.05)	265,304	-	IRPC19C1910A	-	-	-	-	KBAN28P1909A	-	-	-	-
GULF16C2001A	0.69	0.01	1,000	-	IRPC19C1910B	-	-	-	-	KBAN28P1912A	1.11	(0.08)	38,504	1.00
GULF19C1908A	-	-	-	-	IRPC19C2001A	0.22	0.01	49,794	-	KBAN41C1910A	-	-	-	-
GULF19C1910A	0.53	0.06	30,488	-	IRPC23C1908A	-	-	-	-	KBAN41C2001A	0.20	0.02	24,380	-
GULF19C1912A	0.24	0.03	117,846	-	IRPC24C1909A	-	-	-	-	KBAN41P1912A	1.29	(0.10)	14,400	1.00
GULF19P1911A	0.05	(0.01)	29,150	-	IRPC24C1911A	-	-	-	-	KBAN42C1911A	-	-	-	-
GULF19P2001A	0.42	(0.06)	22,668	-	IRPC27C1911A	-	-	-	-	KCE01C1911A	0.35	0.03	97,323	-
GULF24C1908A	-	-	-	-	IRPC41C1910A	-	-	-	-	KCE01C1911B	0.17	0.03	98,512	-
GULF24C1909A	0.54	0.08	10,800	-	IRPC41C1911A	-	-	-	-	KCE06C1911A	0.10	0.02	4,354	-
GULF24C2001A	-	-	-	-	IRPC41C1911B	0.04	(0.01)	1	-	KCE08C1911A	-	-	-	-
GULF24P2001A	0.50	(0.07)	16,673	-	IRPC41C1912A	-	-	-	-	KCE11C2004A	0.38	0.04	45,003	-
GULF27C2004A	0.46	0.04	16,000	-	IRPC41P1909A	0.67	(0.03)	22	-	KCE13C1908A	-	-	-	-
GULF28C1909A	-	-	-	-	IRPC41P1912A	-	-	-	-	KCE13C1911A	0.09	0.01	9,866	-
GULF28C1910A	-	-	-	-	IRPC42C1911A	-	-	-	-	KCE13C2001A	0.31	0.05	148,588	-
GULF28C2001A	0.30	0.04	44,589	-	ITD13C1908A	-	-	-	-	KCE16C2001A	0.14	0.02	33,010	-
GULF41C1909A	0.53	0.08	3,600	-	IVL01C1908A	0.02	-	12,704	-	KCE19C1910A	-	-	-	-
GULF41C1909B	-	-	-	-	IVL01C1908B	0.01	(0.01)	11,408	-	KCE19C1910B	0.07	0.02	16,880	-
GULF41C1910A	-	-	-	-	IVL01C1911A	0.23	0.02	265,032	-	KCE23C1911A	0.09	0.01	9,480	-
GULF41C1910B	-	-	-	-	IVL01C1911B	0.09	0.01	52,873	-	KCE24C1911A	-	-	-	-
GULF41C1911A	0.46	0.06	19,960	-	IVL01C2002A	0.40	0.03	190,133	-	KCE28C1911A	0.13	0.02	10,060	-
GULF41C2001A	0.51	0.04	14,400	-	IVL01C2002B	0.24	0.02	203,992	-	KCE41C1911A	0.16	0.03	30,000	-
GULF41C2001B	-	-	-	-	IVL01P1908A	0.94	(0.02)	26,934	-	KCE42C1910A	-	-	-	-
GULF41P1908A	-	-	-	-	IVL01P1908B	0.31	(0.08)	50,621	-	KKP01C2001A	0.64	0.04	103,163	-
GULF41P1909A	-	-	-	-	IVL01P1911A	0.70	(0.05)	68,727	-	KKP01C2001B	0.42	0.03	106,167	-
GULF41P1911A	-	-	-	-	IVL01P1911B	0.69	(0.02)	55,826	-	KKP01P2001A	0.79	(0.05)	66,027	-
GULF41P1911B	-	-	-	-	IVL01P2002A	0.66	(0.02)	59,789	-	KKP11C1911A	0.32	0.02	42,000	-
GULF41P1912A	0.43	(0.03)	10,000	-	IVL01P2002B	0.48	(0.04)	73,756	-	KKP13C1910A	0.28	0.04	246,682	-
GULF41P1912B	-	-	-	-	IVL06C1910A	0.02	-	40	-	KKP16C2002A	0.64	0.04	36,000	-
GULF42C1910A	0.47	0.09	262	-	IVL06P1910A	0.45	(0.06)	14,920	-	KKP19C1911A	0.32	0.03	110,183	-
GUNK01C1912A	0.30	-	33,193	-	IVL08C1911A	0.07	-	6,050	-	KKP24C1909A	0.25	0.01	420	-
GUNK01C1912B	0.19	0.01	46,146	-	IVL08P1910A	0.56	-	30	-	KKP27P1908A	-	-	-	-
GUNK01P1912A	0.46	(0.02)	47,216	-	IVL11C1911A	0.07	0.01	2,223	-	KKP27P2002A	0.40	(0.02)	10,672	-
GUNK08C1912A	0.35	0.02	69,200	-	IVL11C2005A	0.35	0.02	62,650	-	KKP41C1910A	0.21	0.03	9,980	-
GUNK11C1911A	0.36	0.01	30,000	-	IVL13C1908A	-	-	-	-	KTBO1C1909A	0.21	0.05	222,839	-
GUNK13C1909A	0.18	0.01	602	-	IVL13C1909A	0.03	-	7,940	-	KTBO1C1909B	0.03	(0.02)	4,300	-
GUNK13C1912A	0.17	0.01	64,694	-	IVL13C1912A	0.11	0.01	36,222	-	KTBO1P1909A	0.38	(0.06)	100,794	-
GUNK16C2002A	-	-	-	-	IVL13C2001A	0.23	0.03	141,836	-	KTB11C1909A	-	-	-	-
GUNK19C1910A	0.18	0.01	25,045	-	IVL13P1908A	-	-	-	-	KTB11C2004A	0.17	0.03	56,460	-
GUNK19C1911A	0.09	-	10,836	-	IVL13P1911A	0.41	(0.02)	77,484	-	KTB13C1908A	-	-	-	-
GUNK24C1909A	-	-	-	-	IVL13P1912A	-	-	-	-	KTB13C1912A	0.11	0.01	20,400	-
GUNK24C2001A	0.20	0.02	100	-	IVL16C2001A	0.08	-	2,000	-	KTB19C1912A	0.08	0.01	88,010	-
GUNK42C1910A	0.19	0.01	10,000	-	IVL19C1908A	-	-	-	-	KTB19P1910A	-	-	-	-
HANA01C1909A	0.10	(0.01)	52,760	-	IVL19C1911A	0.04	-	5,665	-	KTB24C1908A	-	-	-	-
HANA01C1909B	-	-	-	-	IVL19C2001A	0.18	0.02	33,055	-	KTB41C1910A	-	-	-	-
HANA01C1911A	0.95	(0.03)	6,082	-	IVL19P1908A	-	-	-	-	KTC01C1910A	0.60	0.07	177,870	-
HANA01C2001A	0.29	-	34,572	-	IVL19P1910A	0.23	(0.03)	20,928	-	KTC01C1910B	0.34	0.06	237,838	-
HANA01C2001B	0.19	(0.01)	1,894	-	IVL23P1909A	-	-	-	-	KTC01C2001A	0.60	0.07	143,054	-
HANA11C1911A	-	-	-	-	IVL24C1910A	0.10	0.02	40,550	-	KTC01C2001B	0.35	0.04	166,549	-
HANA13C1910A	-	-	-	-	IVL24C2001A	0.22	0.03	100	-	KTC01P1910A	0.13	(0.01)	134,603	-
HANA13C1911A	-	-	-	-	IVL24P1911A	-	-	-	-	KTC01P2001A	0.46	(0.07)	104,717	-
HANA13C1912A	0.24	(0.01)	154,427	-	IVL27C1912A	0.14	0.01	9,065	-	KTC06C1911A	0.5			

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC41C1910A	0.35	0.01	2,600	-	PLAN19C1911A	0.37	0.05	33,497	-	PTTE13C1908A	-	-	-	-
KTC41C2001A	0.45	0.02	6,000	-	PLAN19C2001A	0.22	0.03	38,704	-	PTTE13C1911A	0.38	0.04	259,280	-
KTC41P1910A	0.19	(0.02)	3	-	PLAN23C1909A	0.36	0.03	2,320	-	PTTE13P1908A	-	-	-	-
KTC41P2001A	0.71	(0.03)	11,900	-	PLAN24C1912A	0.37	0.06	4,175	-	PTTE13P1911A	-	-	-	-
KTC42C1911A	0.36	0.02	6,848	-	PLAN27C1908A	0.58	0.08	20,000	-	PTTE13P1912A	0.38	(0.05)	63,874	-
LH01C1909A	0.22	0.04	160,177	-	PLAN41C1910A	0.37	0.03	77,000	-	PTTE16C1911A	0.26	0.02	5,100	-
LH01C1909B	0.09	0.03	145,805	-	PRM13C1912A	0.58	0.11	138,291	-	PTTE19C1908A	0.02	(0.01)	260	-
LH01P1909A	0.15	(0.05)	165,170	-	PRM19C1910A	0.51	0.12	20,581	-	PTTE19C2001A	0.24	0.03	154,877	-
LH07C1908A	-	-	-	-	PRM19C2001A	0.36	0.08	46,807	-	PTTE19P1908A	-	-	-	-
LH11C1911A	0.14	0.02	11,300	-	PRM23C1909A	0.58	0.13	400	-	PTTE19P1911A	0.14	(0.03)	83,462	-
LH13C1910A	0.10	0.01	119,489	-	PRM27C2002A	0.62	0.12	20,550	-	PTTE23P1909A	0.15	(0.04)	26,000	-
LH16C2002A	-	-	-	-	PSH13C1910A	0.22	0.06	26,779	-	PTTE24C1910A	0.44	0.01	300	-
LH19C1911A	0.07	0.01	2,000	-	PSH13C2001A	-	-	-	-	PTTE24P1909A	-	-	-	-
LH19P1910A	-	-	-	-	PSH19C1908A	-	-	-	-	PTTE27C1912A	0.29	0.03	9,624	-
LH24C1912A	0.11	0.02	942	-	PSH19C2001A	0.18	0.03	37,870	-	PTTE28C1909A	0.06	0.01	14,903	-
LH41C1911A	-	-	-	-	PSL06C1911A	0.68	0.14	34,419	-	PTTE28C2001A	0.26	0.03	15,336	-
LH41P1911A	-	-	-	-	PSL13C1912A	0.25	0.05	68,979	-	PTTE28P1911A	0.29	(0.04)	38,456	-
LPN08C1908A	-	-	-	-	PSL19C1912A	0.22	0.06	51,156	-	PTTE41C1910A	-	-	-	-
LPN13C1908A	0.07	0.02	27,136	-	PSL27C2002A	0.39	0.08	51,771	-	PTTE41C1910B	-	-	-	-
LPN24C1908A	0.01	-	100	-	PTG01C1908A	1.67	0.17	48,268	1.00	PTTE41C2001A	0.30	0.02	6,000	-
MAJO06C1909A	-	-	-	-	PTG01C1908B	1.80	0.23	9,784	1.00	PTTE41C2001B	-	-	-	-
MAJO13C1909A	0.03	(0.01)	4,100	-	PTG01C1911A	1.22	0.13	221,362	1.00	PTTE41P1910A	0.34	(0.07)	320	-
MAJO19C1912A	0.07	(0.01)	7,186	-	PTG01C1911B	1.07	0.15	124,027	1.00	PTTE42C1910A	-	-	-	-
MAJO24C2002A	0.20	(0.02)	12,811	-	PTG01C2001A	0.71	0.09	233,264	-	PTTG01C1910A	0.07	0.01	41,400	-
MAJO27C1912A	0.09	(0.01)	3,000	-	PTG01C2001B	0.50	0.06	283,983	-	PTTG01C1910B	0.05	-	1,468	-
MBK13C1912A	0.31	0.05	39,964	-	PTG01P1908A	0.01	-	73,745	-	PTTG01C1912A	0.29	0.01	112,749	-
MBK19C1911A	0.21	0.03	19,126	-	PTG01P1911A	0.09	(0.03)	47,345	-	PTTG01C1912B	0.16	-	222,974	-
MBK24C1910A	0.33	0.05	11,054	-	PTG01P2001A	0.57	(0.08)	123,314	-	PTTG01P1910A	1.88	-	49,401	1.00
MEGA11C1910A	0.11	0.01	33,134	-	PTG06C1910A	1.88	0.20	15,020	1.00	PTTG01P1910B	0.84	(0.01)	118,751	-
MEGA13C1912A	0.14	0.01	52,499	-	PTG08C1912A	0.63	0.11	61,657	-	PTTG01P1912A	1.30	-	59,011	1.00
MEGA19C1910A	0.03	(0.03)	2,000	-	PTG11C2003A	1.02	0.11	25,600	-	PTTG01P1912B	1.00	(0.01)	97,655	1.00
MEGA19C2001A	0.17	0.02	78,895	-	PTG11C2005A	0.64	0.08	35,000	-	PTTG06C1911A	0.04	-	13,597	-
MINT01C1911A	0.33	0.06	292,974	-	PTG13C1910A	-	-	-	-	PTTG06P1908A	-	-	-	-
MINT01C1911B	0.21	0.03	249,745	-	PTG13C1911A	-	-	-	-	PTTG07C1908A	-	-	-	-
MINT01P1911A	0.39	(0.06)	147,023	-	PTG13C1912A	0.52	0.09	268,700	-	PTTG08C1911A	-	-	-	-
MINT06C1908A	0.02	0.01	8,201	-	PTG13C1912B	0.31	0.05	168,845	-	PTTG08C2001A	0.21	-	26,843	-
MINT06C2001A	0.22	0.04	44,050	-	PTG13P1911A	0.27	(0.07)	241,870	-	PTTG08P1912A	0.81	0.01	25,600	-
MINT08C1908A	-	-	-	-	PTG16C1911A	1.31	0.17	8,800	1.00	PTTG11C1909A	-	-	-	-
MINT11C1910A	0.19	0.04	69,600	-	PTG19C1910A	1.11	0.17	30,906	1.00	PTTG11C2004A	0.22	-	13,000	-
MINT13C1908A	0.02	0.01	1,503	-	PTG19C1910B	0.45	0.11	89,018	-	PTTG13C1908A	-	-	-	-
MINT13C1911A	0.21	0.04	186,002	-	PTG19C1911A	0.28	0.05	213,998	-	PTTG13C1911A	-	-	-	-
MINT13C1912A	0.15	0.01	531	-	PTG19P1908A	-	-	-	-	PTTG13C1912A	0.15	-	10,010	-
MINT16C1911A	0.22	0.03	54,500	-	PTG19P1910A	-	-	-	-	PTTG13C2001A	0.41	0.01	454,613	-
MINT16C2001A	0.24	0.03	28,065	-	PTG19P2001A	0.45	(0.07)	105,324	-	PTTG13P1909A	-	-	-	-
MINT19C1908A	-	-	-	-	PTG24C1909A	1.40	0.09	1,000	1.00	PTTG13P1910A	0.63	(0.02)	1,605	-
MINT19C2001A	0.15	0.02	97,277	-	PTG27P1910A	0.01	(0.01)	3,000	-	PTTG13P2001A	0.43	(0.01)	284,438	-
MINT19P1910A	-	-	-	-	PTG27P2001A	0.24	(0.05)	37,691	-	PTTG16C2001A	0.07	-	23	-
MINT23C2001A	-	-	-	-	PTG28C1910A	-	-	-	-	PTTG19C1910A	-	-	-	-
MINT24C1908A	0.12	0.05	2,702	-	PTG28C1910B	-	-	-	-	PTTG19C2001A	0.17	(0.01)	44,839	-
MINT27C1912A	0.22	0.03	17,208	-	PTG28C1911A	0.52	(0.03)	117	-	PTTG19P1910A	0.57	(0.02)	15,952	-
MINT27P1912A	0.22	(0.03)	7,780	-	PTG28C1912A	0.38	0.08	33,830	-	PTTG23C1908A	-	-	-	-
MINT41C1910A	0.13	-	16,580	-	PTG41C1910A	-	-	-	-	PTTG24C1911A	-	-	-	-
MINT41C2001A	0.24	0.03	43,390	-	PTG41C1912A	0.55	0.10	23,348	-	PTTG27C2001A	0.15	0.01	7,858	-
MINT41P1912A	-	-	-	-	PTG41P1911A	-	-	-	-	PTTG28C1911A	-	-	-	-
MTC01C1912A	0.46	0.05	342,515	-	PTG41P1912A	0.54	(0.08)	5,488	-	PTTG28C2001A	0.12	(0.01)	24,240	-
MTC01C1912B	0.31	0.05	243,788	-	PTG42C1910A	1.17	0.32	51	1.00	PTTG41C1909A	-	-	-	-
MTC01P1912A	0.66	(0.09)	73,693	-	PTT01C1910A	0.12	0.01	258,095	-	PTTG41C1911A	-	-	-	-
MTC06C1908A	0.41	0.14	31,538	-	PTT01C1910B	0.07	-	70,100	-	PTTG41C1911B	-	-	-	-
MTC06C1912A	0.30	0.06	40,367	-	PTT01C2001A	0.26	0.01	65,587	-	PTTG41C2001A	0.28	-	6,000	-
MTC07C1909A	0.37	0.09	8,071	-	PTT01C2001B	0.13	-	162,658	-	PTTG41P1908A	-	-	-	-
MTC08C1911A	0.37	0.06	82,253	-	PTT01P1910A	0.87	(0.02)	106,426	-	PTTG41P1912A	-	-	-	-
MTC11C2002A	0.68	0.09	23,711	-	PTT01P1910B	0.39	(0.02)	165,882	-	PTTG41P2001A	0.74	(0.26)	2,000	-
MTC13C1910A	0.35	0.06	33,400	-	PTT01P2001A	0.83	(0.04)	32,990	-	PTTG42C1910A	-	-	-	-
MTC13C1912A	0.30	0.05	417,230	-	PTT01P2001B	0.64	(0.03)	45,116	-	QH01C1908A	0.25	0.02	48,694	-
MTC16C1911A	0.53	0.09	104,446	-	PTT06C1912A	0.06	-	41,000	-	QH01C1908B	0.04	(0.02)	12,292	-
MTC19C1911A	0.18	0.03	152,018	-	PTT08C1912A	0.25	0.02	5,484	-	QH01C2001A	0.36	0.02	55,251	-
MTC19P1911A	0.26	(0.06)	28,669	-	PTT08P1911A	0.46	(0.03)	9,112	-	QH01C2001B	0.24	0.01	74,915	-
MTC23C1911A	0.41	0.05	400	-	PTT11C1909A	-	-	-	-	QH01P1908A	0.07	(0.01)	32,322	-
MTC24C1910A	0.25	0.06	26,141	-	PTT11C2004A	0.18	-	34,215	-	QH01P2001A	0.45	(0.02)	18,269	-
MTC24C1912A	0.83	0.06	7,428	-	PTT13C1909A	0.01	(0.01)	603	-	QH11C1910A	0.15	(0.02)	14,790	-
MTC27C1911A	0.47	0.07	25,644	-	PTT13C1911A	0.11	0.01	158,428	-	QH13C1909A	0.11	-	51,782	-
MTC27P1911A	0.19	(0.04)	56,819	-	PTT13P1909A	0.19	(0.03)	161,864	-	QH19C1909A	-	-	-	-
MTC28C1910A	0.23	0.05	3,042	-	PTT13P1911A	0.50	(0.03)	1,049	-	QH24C1908A	-	-	-	-
MTC28C1912A	0.21	0.04	20,500	-	PTT16C1912A	0.24	0.01	5,108	-	RATC13C1911A	0.42	0.05	88,014	-
MTC41C1911A	0.30	0.06	11,981	-	PTT16C2001A	0.08	-	3,640	-	RATC16C2001A	0.38	0.03	9,500	-
MTC41P1911A	0.46	(0.11)	525	-	PTT19C1911A	0.05	(0.01)	26,501	-	RATC19C1908A	0.32	0.09	20,255	-
MTC42C1910A	0.33	0.06	20,420	-	PTT19P1908A	-	-	-	-	RATC19C1910A	0.11	0.02	48,395	-
ORI08C2001A	0.29	0.01	24,220	-	PTT19P1911A	0.24	(0.01)	33,600	-	RATC24C2001A	0.31	0.04	2,015	-
ORI11C1909A	0.28	0.03	6,918	-	PTT23C1911A	0.07	(0.01)	7,000	-	RATC41C1911A	-	-	-	-
ORI13C1912A	0.37	0.04	113,069	-	PTT24C1911A	-	-	-	-	ROBI01C1909A	0.35	0.01	54,689	-
ORI19C1910A	0.22	0.01	5,722	-	PTT24P2001A	-	-	-	-	ROBI01C1909B	0.05	-	1,000	-
ORI19C2001A	0.10	-	9,687	-	PTT28C1911A	-	-	-	-	ROBI01C1912A	0.72	-	17,556	-
ORI23C1911A	0.46	0.03	17,348	-	PTT28C1912A	0.08	0.01	10,020	-	ROBI01C1912B	0.51	0.01	20,562	-
ORI24C1908A	0.19	0.03	4,004	-	PTT28P1912A	0.43	(0.03)	10,180	-	ROBI06C1910A	0.36	(0.01)	13,300	-
ORI24C2001A	0.21	0.04	4,000	-	PTT41C1910A	0.01	(0.03)	1	-	ROBI08C2001A	0.57	0.01	13,000	-
ORI41C1911A	0.33	0.02	20,740	-	PTT41C1910B	0.01	(0.02)</							

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PLAN16C2002A	0.48	0.03	53,330	-	PTTE11C1910A	0.34	0.04	87,615	-	RS16C2001A	0.35	0.08	7,000	-

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RS19C1908A	-	-	-	-	SAWA41P1912A	0.65	(0.11)	4,127	-	STA06C1911A	0.11	0.03	9,760	-
RS19C1911A	0.20	0.07	76,777	-	SAWA42C1910A	-	-	-	-	STA08C1908A	-	-	-	-
RS23C1909A	0.06	0.02	3,001	-	RSB01C1911A	0.40	0.06	318,620	-	STA11C1909A	-	-	-	-
RS24C1910A	0.11	0.01	2,000	-	SCB01C1911B	0.23	0.04	298,615	-	STA11C2005A	0.23	0.02	23,160	-
RS41C1908A	-	-	-	-	SCB01C2002A	0.39	0.05	125,739	-	STA13C1908A	-	-	-	-
RS41C1912A	-	-	-	-	SCB01C2002B	0.21	0.03	187,670	-	STA13C1912A	0.07	0.02	630	-
RS42C1911A	0.41	0.12	3,179	-	SCB01P1911A	0.79	(0.09)	81,529	-	STA19C1909A	-	-	-	-
S10001C1911A	0.44	0.06	3,746	-	SCB01P1911B	0.52	(0.09)	142,630	-	STA19C2001A	0.08	0.02	25,921	-
S5001C1908A	0.29	0.12	750,189	-	SCB01P2002A	1.31	(0.10)	77,162	1.00	STA23C1911A	0.07	0.01	4,700	-
S5001C1909F	0.33	0.13	5,538,421	-	SCB01P2002B	1.05	(0.09)	64,238	1.00	STA24C1909A	0.01	(0.05)	779	-
S5001C1909G	0.18	0.09	1,805,297	-	SCB06C1912A	0.10	0.02	28,860	-	STA24C1911A	0.08	0.02	1,420	-
S5001C1909H	0.05	0.02	370,989	-	SCB08C1908A	-	-	-	-	STA27C1911A	-	-	-	-
S5001C1909I	0.02	(0.01)	73,303	-	SCB11C1910A	-	-	-	-	STB41C1910A	-	-	-	-
S5001C1909J	0.21	0.09	727,468	-	SCB11C2005A	0.28	0.04	100,929	-	STB41C1912A	-	-	-	-
S5001C1910A	0.32	0.09	1,267,293	-	SCB11P1910A	0.23	(0.07)	26,400	-	STA42C1911A	0.09	0.02	31,063	-
S5001P1908A	0.49	(0.26)	491,358	-	SCB11P2005A	1.01	(0.10)	47,440	1.00	STEC01C1911A	0.05	(0.02)	188,470	-
S5001P1909F	0.30	(0.23)	3,047,582	-	SCB13C1911A	0.25	0.05	313,282	-	STEC01C1911B	0.02	(0.01)	58,230	-
S5001P1909G	0.72	(0.38)	2,516,487	-	SCB16C2001A	0.19	0.02	4,000	-	STEC01P1911A	0.55	0.08	598,016	-
S5001P1909H	1.92	(0.60)	752,248	2.00	SCB19C1910A	0.07	0.01	50,040	-	STEC06C1908A	-	-	-	-
S5001P1909I	2.54	(0.54)	456,435	2.00	SCB19P1911A	0.15	(0.06)	77,060	-	STEC06C1912A	0.02	(0.05)	12,555	-
S5001P1909J	1.69	(0.45)	1,732,517	1.00	SCB24C1910A	0.08	0.02	320	-	STEC08C1908A	-	-	-	-
S5001P1910A	1.45	(0.23)	745,438	1.00	SCB24P1909A	0.26	(0.08)	9,800	-	STEC08C2001A	0.07	(0.07)	23,582	-
S5006C1909A	0.05	-	58,904	-	SCB28C1911A	0.16	0.02	90,326	-	STEC11C2001A	0.21	(0.06)	194,640	-
S5006C1909B	0.21	0.12	33,035	-	SCB28C2001A	0.08	-	5,048	-	STEC13C1909A	0.03	(0.01)	4,010	-
S5006C1909C	0.45	0.18	463,240	-	SCB28P1909A	-	-	-	-	STEC16C1911A	0.03	(0.02)	25,768	-
S5006C1909D	0.02	-	50	-	SCB28P1912A	0.32	(0.07)	30,420	-	STEC16C1911B	0.10	(0.06)	37,039	-
S5006P1909A	0.48	(0.35)	126,407	-	SCB41C1910A	0.08	0.02	14,400	-	STEC19C1908A	-	-	-	-
S5006P1909B	0.25	(0.22)	306,174	-	SCB41P1912A	-	-	-	-	STEC19C1910A	-	-	-	-
S5006P1909C	0.59	(0.31)	184,481	-	SCB42C1911A	-	-	-	-	STEC19P1911A	0.49	0.09	251,006	-
S5006P1909D	2.28	(0.68)	27,466	2.00	SCC01C2001A	0.33	0.03	273,081	-	STEC24C1911A	0.04	(0.10)	1,000	-
S5008C1909A	0.02	-	12,928	-	SCC01C2001B	0.16	0.02	197,662	-	STEC27C1908A	-	-	-	-
S5008C1909B	0.01	-	41,397	-	SCC01P2001A	0.66	(0.05)	65,438	-	STEC27C2002A	0.05	(0.02)	1,560	-
S5008P1909A	0.33	(0.24)	420,097	-	SCC07C1909A	-	-	-	-	STEC27P1910A	0.27	0.07	133,660	-
S5008P1909B	1.51	(0.95)	20,905	1.00	SCC08C1908A	-	-	-	-	STEC41C1910A	-	-	-	-
S5013C1909A	0.22	0.09	13,314,480	-	SCC11C2003A	0.15	0.01	43,281	-	STEC41C2001A	0.19	(0.07)	39,395	-
S5013C1909B	0.16	0.08	2,857,870	-	SCC13C1908A	-	-	-	-	STEC41P1911A	0.60	0.15	78,620	-
S5013C1909C	0.07	0.04	2,161,978	-	SCC13C1911A	0.08	0.01	43,522	-	STEC42C1910A	-	-	-	-
S5013C1909D	0.03	0.01	556,335	-	SCC13C2001A	0.29	0.04	237,410	-	SUPE19C1910A	0.04	0.01	3,480	-
S5013C1909E	0.19	0.08	5,535,683	-	SCC13P1911A	0.49	(0.06)	920	-	TASC01C1909A	0.42	0.05	220,860	-
S5013C1909F	0.11	0.05	130,584	-	SCC13P2001A	0.36	(0.04)	10,824	-	TASC01C1909B	0.17	0.02	43,864	-
S5013P1909A	0.25	(0.19)	9,081,338	-	SCC16C2002A	0.12	-	3	-	TASC01C1912A	0.26	0.02	71,624	-
S5013P1909B	0.63	(0.37)	9,847,047	-	SCC19C1911A	0.07	-	16,000	-	TASC01C1912B	0.14	0.01	106,781	-
S5013P1909C	0.98	(0.42)	252,933	1.00	SCC19P1911A	0.19	(0.04)	44,338	-	TASC01P1909A	0.17	(0.03)	32,800	-
S5013P1909D	1.56	(0.56)	87,715	1.00	SCC24C1910A	-	-	-	-	TASC01P1912A	0.86	(0.07)	40,201	-
S5013P1909E	1.71	(0.37)	441	1.00	SCC24C1912A	0.22	0.02	4,200	-	TASC06C1909A	0.15	0.03	26,186	-
S5013P1909F	1.52	(0.30)	46,972	1.00	SCC24P1909A	-	-	-	-	TASC06P1909A	0.01	(0.01)	4	-
S5024C1909A	0.06	0.03	162,316	-	SCC24P1910A	-	-	-	-	TASC08C1910A	0.22	0.03	54,246	-
S5024C1909B	0.23	0.11	59,225	-	SCC27C2001A	0.15	0.02	16,148	-	TASC11C2002A	0.51	0.05	62,360	-
S5024C1909C	0.01	-	10,702	-	SCC28C1910A	-	-	-	-	TASC13C1911A	0.24	0.03	334,212	-
S5024C1912A	1.19	0.19	99,941	1.00	SCC28C2001A	0.12	0.01	66,535	-	TASC16C2001A	0.21	0.02	12,001	-
S5024P1909A	1.21	(0.78)	57,716	1.00	SCC28C2002A	0.19	0.02	7,280	-	TASC19C1910A	0.08	0.01	11,620	-
S5024P1909B	1.14	(0.35)	53,350	1.00	SCC41C1908A	-	-	-	-	TASC19P1911A	0.37	(0.04)	13,276	-
S5024P1909C	2.78	(0.96)	12,173	3.00	SCC41C1908B	-	-	-	-	TASC24C1908A	0.14	0.04	7,952	-
S5028C1908A	0.05	0.03	4,407	-	SCC41C2001A	0.13	(0.03)	6,000	-	TASC24C2001A	0.18	0.01	500	-
S5028C1909A	0.05	0.03	27,811	-	SCC41P2001A	-	-	-	-	TASC28C1910A	0.18	0.01	16,168	-
S5028C1912A	0.07	0.01	32,876	-	SCC42C1911A	-	-	-	-	TASC28C1912A	0.12	0.01	4,245	-
S5028P1912B	0.16	0.03	198,715	-	SGP11C1911A	0.07	0.01	8,740	-	TASC28C2001A	0.23	0.02	49,503	-
S5028P1908A	0.14	(0.16)	2,469	-	SGP13C1908A	-	-	-	-	TASC41C1909A	-	-	-	-
S5028P1909A	1.11	(0.45)	18,895	1.00	SGP13C1912A	0.06	-	171	-	TASC41C1912A	0.20	0.04	12,200	-
S5028P1912A	0.68	(0.14)	1,450,835	-	SGP19C1910A	-	-	-	-	TASC42C1910A	-	-	-	-
S5041C1909A	0.77	0.27	21,820,767	-	SGP19C2001A	0.07	-	45,064	-	TCAP01C2001A	0.36	0.07	153,643	-
S5041C1909B	0.48	0.19	9,074,781	-	SGP23C1908A	-	-	-	-	TCAP01C2001B	0.21	0.05	207,166	-
S5041C1909C	0.03	0.01	10,185	-	SGP24C1910A	0.05	(0.07)	1	-	TCAP01P2001A	0.61	(0.12)	64,843	-
S5041C1909D	0.06	0.03	9,590	-	SGP41C2001A	0.17	(0.01)	18,150	-	TCAP11C1909A	-	-	-	-
S5041C1909F	0.21	0.10	1,437	-	SGP42C1911A	0.14	-	1,940	-	TCAP13C1910A	0.09	0.02	91,926	-
S5041C1909G	0.12	0.06	17	-	SIRI11C1911A	0.21	-	8,860	-	TCAP19C1908A	-	-	-	-
S5041C1912A	0.20	0.05	36,301	-	SIRI19C1910A	0.06	-	23,308	-	TCAP19C2001A	0.15	0.04	28,794	-
S5041P1909A	0.69	(0.38)	159,706	-	SIRI24C1911A	0.13	0.01	8,000	-	TCAP24C2001A	0.20	0.04	5,000	-
S5041P1909B	0.40	(0.25)	16,811,825	-	SPAL01C1911A	0.23	0.03	455,205	-	TCAP41C1911A	0.12	(0.04)	26,660	-
S5041P1909C	1.83	(0.17)	40,043	1.00	SPAL01C1911B	0.08	-	67,178	-	THAI08C1911A	-	-	-	-
S5041P1909D	1.39	(0.65)	38,768	1.00	SPAL11C1910A	0.25	0.02	42,027	-	THAI11C2003A	0.10	0.01	5,000	-
S5041P1909F	0.97	(0.04)	20	-	SPAL13C1909A	0.05	0.01	13,054	-	THAI13C1910A	-	-	-	-
S5041P1909G	0.46	(0.22)	11,141,102	-	SPAL16C2002A	0.25	0.01	20,585	-	THAI13C1911A	0.31	0.04	35,052	-
S5041P1912A	0.76	(0.19)	1,710	-	SPAL19C1910A	0.07	-	270	-	THAI13C1912A	-	-	-	-
SAWA01C1911A	0.58	0.10	356,652	-	SPAL24C1912A	-	-	-	-	THAI19C1910A	-	-	-	-
SAWA01C1911B	0.31	0.07	367,691	-	SPAL41C1912A	0.19	-	3,000	-	THAI19C1910B	0.07	0.01	1,464	-
SAWA01P1911A	0.49	(0.10)	298,348	-	SPAL41C2001A	0.29	0.02	5,200	-	THAI19C1911A	-	-	-	-
SAWA06C1908A	0.25	0.09	114,185	-	SPRC01C1911A	0.18	0.01	50,474	-	THAI24C1911A	-	-	-	-
SAWA08C1908A	0.13	0.03	6,000	-	SPRC01C1911B	0.04	0.01	1,000	-	THAI42C1911A	-	-	-	-
SAWA08C2001A	0.48	0.07	93,864	-	SPRC11C1909A	-	-	-	-	THAN01C2001A	0.38	0.01	59,518	-
SAWA11C2003A	0.70	0.08	80,500	-	SPRC11C2005A	-	-	-	-	THAN01C2001B	0.23	0.01	28,696	-
SAWA13C1908A	-	-	-	-	SPRC13C1910A	-	-	-	-	THAN06C1910A	0.30	0.01	28,032	-
SAWA13C1911A	0.41	0.08	178,997	-	SPRC13C1911A	0.08	-	54,077	-	THAN13C1909A	-	-	-	-
SAWA16C2001A	0.57	0.05	16,000	-	SPRC13C1912A	0.05	0.01	355	-	THAN13C1912A	0.19	0.01	34,957	-
SAWA19C1908A	0.10	0.04	90,85											

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA28C1909A	0.22	0.04	3,596	-	STA01C1908A	0.02	0.01	2,011	-	TISC01C2001A	1.37	0.17	40,020	1.00
SAWA28C1910A	0.23	0.06	146,262	-	STA01C1908B	-	-	-	-	TISC01C2001B	0.99	0.14	63,528	-
SAWA28C2001A	0.38	0.07	71,631	-	STA01C1912A	0.15	0.02	96,686	-	TISC01P1908A	-	-	-	-
SAWA41C1911A	0.55	0.11	83,700	-	STA01C1912B	0.08	0.02	59,394	-	TISC01P2001A	0.45	(0.09)	135,227	-
SAWA41P1911A	0.18	(0.06)	7,800	-	STA01P1912A	0.50	(0.07)	41,864	-	TISC08C2001A	0.83	0.16	50	-

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC11C1910A	1.33	0.06	3,600	1.00	TRUE08C2001A	0.23	0.05	53,500	-	B52-W1	-	-	-	-
TISC11C2005A	0.43	0.05	9,600	-	TRUE08P1911A	0.15	(0.02)	2,500	-	B52-W2	-	-	-	-
TISC13C1908A	-	-	-	-	TRUE11C1911A	-	-	-	-	BKD-W2	0.14	-	10,086	-
TISC13C1912A	1.03	0.16	54,131	-	TRUE11C2005A	0.34	0.07	95,800	-	BTS-W4	1.96	0.04	251,577	1.00
TISC13C2001A	0.32	0.06	36,846	-	TRUE11P2002A	0.23	(0.05)	18,282	-	CGD-W4	0.13	-	10,722	-
TISC16C2001A	1.17	0.17	28,390	1.00	TRUE13C1911A	-	-	-	-	CGH-W3	0.03	(0.01)	38,229	-
TISC19C1908A	0.81	0.24	9,096	-	TRUE13C1912A	0.45	0.03	100	-	CI-W1	0.10	-	2,383	-
TISC19C1912A	0.32	0.06	69,546	-	TRUE13C1912B	0.25	0.06	142,960	-	CKP-W1	1.01	0.11	744,689	-
TISC24C1908A	1.26	0.27	1,100	1.00	TRUE13P1909A	0.02	(0.01)	1,450	-	CRANE-W1	1.67	0.04	61,647	1.00
TISC41C1911A	-	-	-	-	TRUE16C1912A	0.40	0.03	11,000	-	DCC-W1	0.67	0.02	19,465	-
TISC41C2001A	0.38	0.06	34,010	-	TRUE16C2002A	0.32	0.04	78,272	-	EARTH-W4	-	-	-	-
TISC42C1910A	-	-	-	-	TRUE19C1910A	0.27	0.07	79,956	-	ECL-W3	0.49	0.07	80,688	-
TKN01C1909A	0.14	0.05	211,756	-	TRUE19P1908A	-	-	-	-	EIC-W2	-	-	-	-
TKN01C1909B	0.04	0.02	7,480	-	TRUE19P1911A	-	-	-	-	EIC-W3	0.02	-	2	-
TKN01C1911A	0.66	0.14	139,327	-	TRUE28C1911A	-	-	-	-	EMC-W6	0.13	0.01	16,075	-
TKN06C1909A	0.12	0.06	8,595	-	TRUE28C1911B	-	-	-	-	EPCO-W3	0.71	0.04	54,656	-
TKN08C1908A	0.04	0.02	25,050	-	TRUE28C2001A	0.28	0.05	45,531	-	GJS-W3	-	-	-	-
TKN13C1909A	0.17	0.08	71,232	-	TRUE41C1908A	0.35	0.14	500	-	GSTEEL-W1	-	-	-	-
TKN13C1911A	0.60	0.15	71,500	-	TRUE41C1909A	1.18	0.14	100	1.00	GSTEEL-W2	-	-	-	-
TKN13C1912A	0.21	0.06	133,207	-	TRUE41C1910A	-	-	-	-	IHL-W1	1.38	0.03	114,789	1.00
TKN16C2001A	0.56	0.13	76,979	-	TRUE41C1910B	-	-	-	-	J-W1	0.53	0.11	30,097	-
TKN19C1910A	0.23	0.08	39,517	-	TRUE41C1911A	-	-	-	-	JAS-W3	3.70	0.06	83,211	3.00
TKN19C2001A	0.19	0.04	26,066	-	TRUE41C2001A	0.22	0.04	24,000	-	JCK-W5	0.20	-	77	-
TKN23C1911A	-	-	-	-	TRUE41C2001B	-	-	-	-	JMT-W2	3.34	(0.08)	10,246	3.00
TKN24C1908A	0.01	(0.01)	2,700	-	TRUE41P1908A	-	-	-	-	MACO-W2	0.23	-	166,697	-
TKN28C1910A	0.09	0.03	9,966	-	TRUE41P1910A	-	-	-	-	MILL-W3	0.01	-	12	-
TKN28C1911A	0.52	0.08	503	-	TRUE41P1911A	-	-	-	-	MILL-W4	0.06	(0.01)	14,513	-
TKN41C1908A	-	-	-	-	TRUE42C1910A	0.36	0.10	6,510	-	MILL-W5	0.04	0.01	36,077	-
TKN41C1912A	0.60	0.14	5,680	-	TU01C2001A	0.39	-	57,969	-	MINT-W6	4.22	0.18	73,521	4.00
TKN41C2001A	0.28	0.05	9,200	-	TU01C2001B	0.24	-	82,266	-	MONO-W1	0.04	-	234,308	-
TKN42C1911A	0.77	0.28	9,100	-	TU01P2001A	0.53	(0.01)	75,411	-	NEP-W3	0.01	-	11	-
TMB01C1909A	0.02	0.01	1,353	-	TU11C2003A	0.23	-	11,860	-	NFC-W1	1.68	0.08	5,237	1.00
TMB08C1908A	-	-	-	-	TU13C1909A	0.06	-	1,918	-	NOK-W1	0.15	0.01	1,178	-
TMB13C1908A	-	-	-	-	TU13C1912A	0.19	-	43,121	-	NPPG-W4	0.56	(0.01)	55,503	-
TMB19C1910A	-	-	-	-	TU19C1908A	-	-	-	-	NUSA-W3	0.15	-	264	-
TMB19C2001A	0.10	0.01	38,730	-	TU19C2001A	0.13	-	44,783	-	NVD-W1	0.15	-	11,930	-
TMB24C1911A	0.04	-	500	-	TU24C1909A	-	-	-	-	ORI-W1	0.84	0.04	211,719	-
TMB28C1911A	-	-	-	-	TU41C1911A	0.21	(0.03)	11,980	-	PACE-W2	0.02	-	4,001	-
TMB28C1912A	0.04	-	527	-	TU41C2001A	-	-	-	-	PDI-W1	0.90	0.07	41,369	-
TMB41C1911A	0.01	(0.02)	4	-	TU41P1911A	-	-	-	-	PDJ-W3	0.50	0.03	1	-
TMB41C1912A	-	-	-	-	TU41P2001A	-	-	-	-	PDJ-W4	0.55	(0.01)	60	-
TMB41P1911A	0.84	(0.05)	3,483	-	TVO11C2001A	0.18	0.02	11,888	-	PERM-W1	0.34	0.02	54,486	-
TOA01C2001A	0.33	0.03	63,478	-	TVO19C1911A	0.17	0.02	34,532	-	RICHY-W2	0.07	0.02	4,053	-
TOA01C2001B	0.23	0.04	121,705	-	UV13C1908A	-	-	-	-	RS-W3	4.98	0.36	7,867	4.00
TOA01P2001A	0.50	(0.05)	42,446	-	VGI23C1911A	-	-	-	-	SAMART-W2	0.75	0.06	51,967	-
TOA11C1911A	0.21	0.02	17,400	-	WHA01C1911A	0.67	0.04	116,797	-	SAWAD-W1	7.65	0.35	1,786	7.00
TOA13C1909A	0.27	0.05	20,124	-	WHA01C1911B	0.45	0.04	117,752	-	SDC-W1	0.14	-	2,000	-
TOA16C2001A	0.27	0.02	18,000	-	WHA01P1911A	0.47	(0.02)	55,750	-	SINGER-W1	2.64	0.12	1,451	2.00
TOA19C1910A	0.31	0.06	9,180	-	WHA06C1908A	0.23	0.04	2,000	-	SINGER-W2	2.00	0.07	9,533	1.00
TOA19C1911A	0.14	0.02	34,766	-	WHA08C1908A	0.15	0.03	24,500	-	SMT-W2	-	-	-	-
TOA24C1911A	0.27	(0.01)	1	-	WHA11C2001A	0.44	-	66,701	-	SPORT-W7	-	-	-	-
TOP01C1910A	0.25	0.01	172,296	-	WHA13C1909A	0.37	0.01	5,002	-	SST-W2	1.45	0.08	3,087	1.00
TOP01C1910B	0.24	0.01	179,000	-	WHA13C1912A	0.42	0.04	328,397	-	SUPER-W4	0.05	-	24,737	-
TOP01C1912A	0.55	0.02	107,181	-	WHA16C1911A	0.51	0.03	42,150	-	SVI-W3	0.99	0.10	19,187	1.00
TOP01C1912B	0.32	0.01	157,479	-	WHA19C1911A	0.21	0.02	80,137	-	TCC-W3	0.08	-	1,081	-
TOP01P1910A	0.65	(0.04)	37,219	-	WHA24C1911A	0.19	0.02	2,700	-	TCC-W4	0.08	0.01	5	-
TOP01P1912A	0.58	(0.03)	40,711	-	WHA24P1908A	-	-	-	-	TCC-W5	0.19	0.01	1	-
TOP06C1908A	0.01	-	120	-	WHA27C1910A	0.32	0.02	13,200	-	TCJ-W2	0.43	0.02	5,421	-
TOP06C1911A	0.43	0.05	18,965	-	WHA28C1910A	0.35	0.03	54,955	-	TCMC-W2	0.08	-	65,432	-
TOP06P1912A	0.81	(0.06)	18,880	-	WHA28C1912A	0.27	0.02	18,760	-	TFG-W2	0.85	0.07	88,651	-
TOP07C1908A	-	-	-	-	WHA41C1911A	-	-	-	-	TGPRO-W3	0.01	-	65,310	-
TOP08C1911A	0.20	-	18,760	-	WHA41P1912A	0.45	(0.03)	20	-	TH-W2	0.16	-	50	-
TOP08P1912A	0.24	(0.02)	14,660	-	WHA42C1911A	0.38	0.02	1,000	-	THE-W2	-	-	-	-
TOP11C2002A	0.25	0.01	16,001	-	WHAU13C1910A	0.26	0.03	1	-	THNY-W1	0.41	0.01	8,321	-
TOP11P2002A	0.92	(0.03)	32,000	-	WHAU13C1912A	0.29	0.05	57,941	-	TRITN-W3	0.20	0.01	4,321	-
TOP13C1909A	-	-	-	-	WHAU27C2002A	0.38	0.05	15,720	-	TTCL-W1	0.95	0.03	14,805	-
TOP13C1910A	0.20	0.01	18,138	-	WORK01C1910A	0.46	(0.04)	99,800	-	TWZ-W5	0.02	-	2,000	-
TOP13C1911A	0.39	-	68,212	-	WORK01C1910B	0.03	(0.01)	40,860	-	U-W1	-	-	-	-
TOP13P1909A	0.25	(0.03)	38,225	-	WORK08C1912A	0.63	(0.02)	938	-	U-W4	-	-	-	-
TOP13P1911A	0.16	(0.01)	34,467	-	WORK13C1909A	0.14	-	69,815	-	VGI-W2	1.40	0.16	1,264,408	1.00
TOP16C1911A	0.12	-	8,020	-	WORK13C1911A	0.50	(0.02)	248,167	-	VIBHA-W1	1.12	0.01	781	1.00
TOP16C2001A	0.35	0.01	32,671	-	WORK19C1908A	-	-	-	-	VIBHA-W3	0.27	0.01	106,295	-
TOP19C1910A	0.13	-	57,770	-	WORK19C1910A	0.38	(0.02)	85,254	-	WAVE-W1	0.33	0.02	9,175	-
TOP19P1911A	0.07	-	34,050	-	WORK23C1909A	-	-	-	-	WHA-W1	12.30	0.50	6,157	12.00
TOP23C2001A	0.40	0.05	1,000	-	WORK24C1910A	0.28	(0.03)	2,264	-	WIIK-W2	0.16	0.01	7,285	-
TOP24C1911A	-	-	-	-	WORK28C1911A	0.57	(0.03)	1,000	-	WORK-W1	6.75	(0.05)	2,705	7.00
TOP24P1910A	0.73	(0.02)	3	-	Preferred/Foreign	-	-	-	-	ZMICO-W4	0.11	0.01	1,078	-
TOP28C1911A	0.26	0.01	23,528	-	BH-Q	-	-	-	-	Preferred Shares	-	-	-	-
TOP41C1909A	0.18	0.01	25,900	-	CSC-Q	-	-	-	-	BH-P	-	-	-	-
TOP41C1910A	-	-	-	-	JUTHA-Q	-	-	-	-	CSC-P	-	-	-	-
TOP41C1910B	-	-	-	-	KTB-Q	-	-	-	-	JUTHA-P	-	-	-	-
TOP41P1910A	-	-	-	-	SCB-Q	-	-	-	-	KTB-P	-	-	-	-
TOP42C1911A	-	-	-	-	TCAP-Q	-	-	-	-	SCB-P	-	-	-	-
TPI19C1911A	0.09	-	9,200	-	TISCO-Q	-	-	-	-	TCAP-P	-	-	-	-
TIPI11C1909A	-	-	-	-	U-Q	-	-	-	-	TISCO-P	-	-	-	-
TIPI13C1908A	-	-	-	-	Warrant	-	-	-	-	U-P	2.80	0.12	8,555	2.00
TRUE01C1911A	0.48	0.07	182,015	-	AJA-W1	0.04	0.01	27,332	-	Warrant (MAI)	-	-	-	-
TRUE01C1911B	0.41	0.08	275,634	-	AKR-W1	0.18	-	62,002	-	BM-W1	0.16	-	-	-

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE01C2002A	0.31	0.04	125,912	-	ALT-W1	0.54	0.04	644	-	BROOK-W5	0.24	0.01	89,790	-
TRUE01C2002B	0.19	0.03	89,320	-	APEX-W1	0.02	-	1,206	-	CHEWA-W1	0.02	-	11,761	-
TRUE01P1911A	0.14	(0.04)	120,066	-	APURE-W2	0.12	-	2,292	-	CHO-W2	0.18	0.01	127,764	-
TRUE01P1911B	0.06	(0.03)	2	-	AS-W1	0.08	0.01	1,144	-	DOD-W1	2.22	0.18	63,999	2.00
TRUE01P2002A	0.71	(0.07)	36,927	-	AYUD-W1	3.40	0.22	8,422	3.00	ECF-W3	0.94	0.03	3,802	-
TRUE01P2002B	0.49	(0.09)	69,046	-	B-W3	0.01	-	16	-	EFORL-W3	-	-	-	-
TRUE06C1911A	0.49	0.10	25,422	-	B-W4	0.08	-	8,180	-	EFORL-W4	-	-	-	-

Main Board Quotation

Issue Date :

Friday August 16, 2019

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-