

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DIF	17.60	-	116,302	17.61	MPIC	-	-	-	-
POMPI	-	-	-	-	DTAC	60.00	0.75	65,679	60.02	NMG	-	-	-	-
SAFARI	-	-	-	-	FORTH	5.95	(0.05)	976	5.99	PLANB	8.95	0.25	346,876	8.91
VI	-	-	-	-	HUMAN	8.25	0.05	4,274	8.16	POST	-	-	-	-
WORLD	-	-	-	-	ILINK	5.10	0.10	2,687	5.07	PRAKIT	11.00	-	60	11.00
WR	-	-	-	-	INET	3.50	0.18	15,004	3.44	SE-ED	2.70	0.02	670	2.69
Agribusiness	-	-	-	-	INTUCH	61.75	0.50	209,156	61.50	SPORT	0.12	(0.01)	1,075	0.13
CHOTI	-	-	-	-	JAS	6.60	0.05	782,594	6.60	TBSP	13.70	(0.40)	13	13.85
EE	0.52	(0.02)	40,360	0.53	JASIF	11.30	(0.10)	144,937	11.29	TH	0.69	0.02	862	0.70
GFPT	18.00	-	12,273	18.01	JMART	11.40	0.60	65,740	11.23	TKS	7.65	(0.20)	3,546	7.65
LEE	2.18	-	532	2.18	JTS	1.34	-	486	1.34	VGI	9.85	0.25	223,205	9.74
NER	2.64	(0.04)	449,675	2.66	MFEK	3.72	0.04	336	3.71	WAVE	1.91	0.02	7	1.90
PPPM	1.43	0.21	687,110	1.42	MSC	6.60	(0.05)	876	6.63	WORK	23.60	0.50	88,021	23.48
STA	10.70	0.50	164,633	10.62	PT	5.85	(0.05)	3,399	5.86	Finance & Securities	-	-	-	-
TRUBB	1.32	(0.01)	405	1.33	SAMART	9.25	0.20	21,776	9.17	AEC	0.28	(0.01)	31,754	0.29
TWPC	6.30	(0.15)	1,286	6.35	SAMTEL	9.65	(0.10)	5,186	9.72	AEONTS	219.00	5.00	3,708	217.80
UPOIC	3.78	-	111	3.76	SDC	0.29	-	5,189	0.29	AMANAHAH	2.34	0.04	57,489	2.34
UVAN	5.40	(0.20)	3,193	5.40	SIS	8.90	(0.05)	1,546	9.01	ASAP	2.72	(0.04)	12,668	2.74
VPO	0.60	(0.04)	312,903	0.61	SVOA	1.09	(0.02)	821	1.09	ASK	25.00	0.10	2,680	24.95
Banking	-	-	-	-	SYMC	3.88	-	16	3.94	ASP	2.52	-	27,009	2.51
BAY	34.75	(0.75)	5,017	34.91	SYNEX	9.75	-	1,230	9.69	BFIT	17.30	0.20	51	17.24
BBL	170.00	1.00	66,385	169.38	THCOM	4.88	0.02	7,623	4.90	CGH	0.86	(0.01)	20,639	0.85
CIMBT	0.70	0.01	6,539	0.70	TRUE	6.25	0.15	2,046,698	6.15	CNS	-	-	-	-
KBANK	155.50	(2.50)	131,680	156.54	TWZ	0.08	-	206,429	0.09	ECL	1.60	0.01	24,161	1.60
KKP	71.00	0.25	19,207	70.75	Electronic Componen	-	-	-	-	FNS	2.90	(0.02)	217	2.94
KTB	17.50	-	223,437	17.42	CCET	1.81	(0.01)	5,322	1.80	FSS	1.75	0.04	132	1.72
LHFG	1.39	-	29,983	1.39	DELTA	53.75	3.50	6,549	52.67	GBX	0.53	-	5,692	0.53
SCB	123.50	(0.50)	92,150	124.00	EIC	0.04	(0.01)	12,682	0.04	GL	5.85	0.15	30,766	5.79
TCAP	52.00	0.50	39,834	51.59	HANA	28.50	0.50	13,149	28.44	IFS	3.50	0.06	2,873	3.50
TISCO	99.00	(1.00)	28,972	99.30	KCE	16.40	0.60	88,150	16.24	JMT	18.80	0.20	54,216	18.72
TMB	1.54	0.01	714,364	1.53	METCO	-	-	-	-	KCAR	11.70	(0.10)	180	11.70
Construction Materia	-	-	-	-	NEX	3.90	0.02	13,326	3.89	KGI	4.68	0.06	14,962	4.65
CCP	0.35	(0.01)	2,053	0.35	SMT	1.58	0.02	910	1.58	KTC	44.00	0.25	87,398	43.86
COTTO	1.81	0.01	3,719	1.80	SVI	3.42	0.04	7,830	3.41	MBKET	8.60	-	704	8.62
DCC	2.02	-	8,386	2.02	TEAM	0.98	0.01	852	0.97	MFC	17.70	-	409	17.43
DCON	0.37	-	34,642	0.37	Energy & Utilities	-	-	-	-	ML	0.99	(0.02)	1,081	0.99
DRT	6.05	0.05	6,687	6.06	7UP	0.51	0.02	446,891	0.49	MTC	53.75	0.75	53,222	53.88
EPG	6.60	0.10	39,737	6.54	ABPIF	6.20	(0.05)	862	6.20	PE	0.08	0.01	112	0.07
GEL	0.20	0.01	24,225	0.19	AI	1.21	(0.01)	11,538	1.22	PL	2.90	-	2,081	2.89
PPP	2.70	0.02	105	2.69	AKR	0.76	-	11,600	0.76	S11	8.70	0.05	2,632	8.69
Q-CON	5.75	0.10	391	5.70	BAFS	33.50	(0.25)	1,043	33.48	SAWAD	54.75	1.25	43,252	54.29
RCI	3.72	-	7,170	3.72	BANPU	11.90	0.30	266,694	11.81	THANI	7.05	0.35	350,702	6.95
SCC	410.00	2.00	21,894	410.24	BCP	26.50	0.25	58,104	26.75	TK	9.90	-	685	9.96
SCCC	234.00	(2.00)	847	233.65	BCPG	18.40	0.10	91,527	18.41	TNITY	4.26	-	40	4.26
SCP	7.05	0.05	2,553	7.03	BGRIM	36.75	1.25	147,865	36.35	UOBKH	3.60	(0.12)	3	3.59
SKN	1.93	(0.01)	17,950	1.92	BPP	19.70	0.30	37,135	19.62	ZMICO	0.86	-	2,693	0.85
TASCO	18.70	0.50	203,541	18.55	BRRGIF	9.50	(0.30)	2,574	9.55	Food & Beverage	-	-	-	-
TCMC	2.26	0.02	12,357	2.25	CKP	6.25	0.20	275,443	6.18	APURE	0.95	0.01	1,171	0.95
TOA	38.25	0.50	6,604	37.95	DEMCO	3.02	0.02	5,159	3.03	ASIAN	5.85	(0.05)	859	5.88
TIPL	1.67	(0.02)	60,265	1.68	EA	48.75	1.00	173,230	48.20	BR	2.94	(0.02)	6,313	2.94
UMI	1.01	-	723	1.01	EARTH	-	-	-	-	BRR	5.60	(0.15)	2,524	5.55
VNG	4.90	0.04	997	4.90	EASTW	12.50	0.20	14,660	12.43	CBG	76.50	1.50	27,249	76.43
WHK	1.42	-	2,452	1.41	EGATIF	13.60	0.10	28,490	13.51	CFRESH	2.04	(0.14)	7,402	2.03
Petrochemicals & Che	-	-	-	-	EGCO	325.00	3.00	9,560	323.87	CM	3.24	(0.02)	216	3.26
BCT	43.00	(0.25)	35	43.00	ESSO	8.45	0.05	91,403	8.44	CPF	29.50	0.25	331,609	29.43
CMAN	2.10	-	1,600	2.10	GLOW	89.75	0.25	222	89.65	CPI	1.60	0.08	102,882	1.57
GC	5.50	-	4,124	5.48	GPSC	71.50	1.25	81,397	70.96	F&D	18.10	(1.60)	16	18.01
GGC	10.80	-	10,510	10.78	GULF	133.00	8.00	184,858	129.73	HTC	22.40	0.90	7,029	22.16
GIFT	3.16	-	43	3.16	GUNKUL	3.06	0.06	516,443	3.04	ICHI	7.45	0.15	33,936	7.42
IVL	37.50	0.25	164,760	37.54	IFEC	-	-	-	-	KBS	3.82	0.04	799	3.80
NFC	-	-	-	-	IRPC	3.94	(0.02)	763,343	3.96	KSL	2.50	-	3,643	2.49
PATO	12.20	(0.20)	2,794	12.27	LANNA	9.40	(0.05)	1,851	9.38	KTIS	4.98	-	1,188	4.96
PMTA	8.15	(0.05)	31	8.17	MDX	3.66	(0.02)	1,109	3.66	LST	4.58	0.08	98	4.53
PTTGC	53.25	0.50	126,963	53.39	PTG	20.90	1.10	330,278	20.49	M	78.00	1.00	2,504	77.31
SUTHA	3.80	0.02	231	3.82	PTT	43.00	0.25	297,808	43.15	MALEE	7.85	0.15	1,186	7.77
TCCC	22.10	0.10	233	22.03	PTTEP	122.00	0.50	85,579	122.40	MINT	38.75	0.50	129,016	38.74
TPA	5.45	(0.20)	35	5.46	RATCH	69.00	1.00	84,558	68.61	OISHI	118.50	(0.50)	112	119.38
UP	-	-	-	-	RPC	0.57	0.03	32,135	0.56	OSP	36.75	-	78,914	36.74
VNT	24.60	0.40	8,253	24.54	SCG	3.98	-	165	3.98	PB	61.50	-	104	61.61
WG	-	-	-	-	SCI	1.88	0.02	22,879	1.91	PM	9.00	0.05	2,596	8.95
YCI	-	-	-	-	SCN	2.78	-	3,759	2.77	PRG	13.30	-	8	13.30
Commerce	-	-	-	-	SGP	8.15	-	13,603	8.15	SAPPE	22.90	0.40	6,252	22.78
BEAUTY	3.04	0.06	428,227	3.03	SKE	1.10	(0.01)	4,522	1.11	SAUCE	22.60	-	709	22.58
BIG	0.89	-	44,378	0.89	SOLAR	1.95	0.02	679	1.95	SFP	-	-	-	-
BJC	54.25	1.75	126,319	54.24	SPCG	19.00	0.30	9,872	18.90	SNP	16.90	(0.10)	90	16.90
COL	20.10	-	657	20.12	SPRC	8.35	(0.05)	204,807	8.28	SORKON	57.75	-	29	57.75
COM7	26.25	(0.25)	25,270	26.33	SSP	7.95	(0.05)	12,343	7.95	SSC	33.00	(0.25)	6	33.00
CPALL	86.50	1.75	269,551	85.90	SUPER	0.63	-	465,964	0.63	SSF	7.70	(0.20)	1	7.70
CSS	1.51	-	8,374	1.52	SUPEREIF	11.40	1.40	385,469	11.45	SST	4.56	0.02	43	4.56
DOHOME	10.70	0.30	369,468	10.46	SUSCO	3.26	0.06	39,136	3.23	TC	3.22	(0.04)	270	3.22
FN	1.74	0.07	62,709	1.74	TAE	3.96	0.02	17,960	3.96	TFG	4.86	0.04	57,821	4.86
FTE	2.10	(0.04)	2,343	2.10	TCC	0.30	-	5,594	0.30	TFMAMA	180.50	(1.00)	3	180.33
GLOBAL	15.40	0.30	106,521	15.32	TOP	65.00	0.75	69,029	65.16	TIPCO	9.80	0.20	24,989	9.70
HMPRO	17.30	0.10	149,289	17.33	TPIPP	5.75	-	74,935	5.75	TKN	10.60	0.65	507,327	10.48
ILM	22.60	(0.20)	92,644	22.54	TSE	2.58	0.02	36,850	2.57	TU	18.00	0.10	74,957	17.97
IT	2.46	-	1,527	2.45	TTW	14.20	0.20	72,942	14.09	TVO	28.00	-	9,859	28.00
KAMART	4.98	-	3,370	4.99	WHAP	6.60	0.10	93,314	6.51	ZEN	16.70	0.50	4,713	16.52
LOXLEY	1.87	-	7,222	1.87	WP	6.10	-	1,128	6.12	Health Care Services	-	-	-	-
MAKRO	37.00	0.25	2,377	36.87	Media & Publishing	-	-	-	-	AHC	15.40	-	165	15.29
MC	7.30	0.05	2,998	7.29	AMARIN	4.94	0.04	42	4.88	BCH	16.00	0.20	141,424	15.97
MEGA	29.50	(0.25)	19,285	29.47	AQUA	0.55	(0.01)	264,096	0.55	BDMS	23.10	-	375,017	23.23
MIDA	0.59	(0.01)	3,177	0.60	AS	0.84	0.04	1,276	0.81	BH	143.00	2.00	17,166	142.72
ROBINS														

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
RJH	24.50	-	8,145	24.56	FPT	18.70	0.30	3,898	18.47	STANLY	198.00	(1.00)	125	197.13
RPH	6.40	0.15	1,884	6.30	GLAND	2.76	-	609	2.77	TKT	1.26	0.01	14	1.26
SKR	4.74	(0.04)	381	4.75	GOLD	8.40	0.15	4,728	8.38	TNPC	1.03	(0.01)	400	1.03
SVH	450.00	-	5	450.00	GREEN	0.95	0.01	2,842	0.95	TRU	4.66	-	43	4.66
THG	24.00	-	9,492	23.86	J	0.95	-	1,940	0.93	TSC	12.00	-	111	12.05
VIBHA	2.06	-	33,792	2.08	JCK	1.30	(0.03)	7,876	1.32	Industrial Materials	-	-	-	-
VIH	5.30	-	1,741	5.35	KC	-	-	-	-	ALLA	1.31	0.05	25,359	1.30
WPH	2.24	-	697	2.26	KWG	1.65	-	333	1.66	ASEFA	4.74	-	856	4.71
Tourism & Leisure	-	-	-	-	LALIN	5.45	-	4,648	5.40	CPT	1.00	0.12	198,553	0.96
ASIA	6.85	0.25	841	6.62	LH	10.80	-	426,108	10.85	CRANE	2.22	(0.02)	14,584	2.25
CENTEL	31.75	-	75,963	31.81	LPN	6.50	0.05	6,985	6.46	CTW	6.85	0.10	25	6.85
CSR	-	-	-	-	MBK	22.40	0.10	4,881	22.38	FGT	-	-	-	-
DTC	9.90	0.10	174	9.81	MJD	3.14	(0.06)	1,040	3.14	HTECH	3.30	0.08	1,432	3.30
ERW	5.80	(0.05)	68,999	5.87	MK	3.22	0.02	4,334	3.20	KKC	0.92	0.02	1,681	0.90
GRAND	0.77	-	3,469	0.76	NCH	1.02	0.01	310	1.00	PK	1.84	0.01	1,765	1.86
LRH	-	-	-	-	NNCL	1.96	0.03	9,652	1.97	SNC	13.40	-	1,518	13.37
MANRIN	-	-	-	-	NOBLE	22.30	0.50	6,626	21.96	STARK	2.40	-	6,900	2.39
OHTL	432.00	(20.00)	5	443.56	NUSA	0.33	-	12,273	0.33	TCJ	4.78	0.06	4	4.72
ROH	-	-	-	-	NVD	2.34	0.04	1,647	2.30	VARO	-	-	-	-
SHANG	72.00	-	40	71.05	ORI	8.20	(0.10)	188,978	8.19	Property Fund & REIT	-	-	-	-
VRANDA	9.30	0.05	476	9.30	PACE	0.18	-	27,175	0.17	AIMCG	9.70	-	5,588	9.70
Home & Office Produ	-	-	-	-	PF	0.76	(0.01)	54,109	0.76	AIMIRT	13.60	0.30	16,042	13.47
ACC	0.68	0.01	102,183	0.68	PLAT	5.60	-	4,525	5.58	AMATAR	12.40	0.10	162	12.30
AJA	0.20	0.01	17,625	0.20	POLAR	-	-	-	-	B-WORK	12.10	-	210	12.09
DTCI	-	-	-	-	PRECHA	1.48	0.02	438	1.48	BKKCP	14.00	-	26	13.97
FANCY	0.63	(0.05)	40,530	0.63	PRIN	1.55	-	240	1.55	BOFFICE	16.20	(0.20)	66	16.20
KYE	341.00	-	24	340.33	PSH	20.10	(0.10)	20,050	20.14	CPNCG	15.30	-	2,859	15.24
L&E	2.36	-	1	2.36	QH	3.00	0.02	252,254	2.99	CPNREIT	34.25	(0.25)	5,107	34.22
MODERN	2.80	-	2,247	2.79	RICHY	1.15	-	4,670	1.14	CPTGF	13.20	(0.10)	17,859	13.20
OGC	31.00	(1.75)	6	31.75	RML	1.09	-	5,549	1.08	CRYSTAL	8.85	-	488	8.84
ROCK	19.50	-	50	19.50	ROJNA	6.65	0.15	93,992	6.65	CTARAF	-	-	-	-
SIAM	1.98	0.03	42	1.98	S	3.46	0.02	152,114	3.46	DREIT	6.00	-	1,201	6.04
TSR	1.92	0.02	616	1.91	SAMCO	1.64	0.01	590	1.63	ERWPF	5.30	-	5	5.32
Insurance	-	-	-	-	SC	2.66	(0.04)	13,276	2.67	FTREIT	15.70	0.10	2,036	15.65
AYUD	40.75	0.75	63	40.49	SENA	3.34	0.02	5,824	3.31	FUTUREPF	25.50	-	837	25.52
BKI	326.00	1.00	55	325.02	SF	6.00	0.05	25,052	6.00	GAHREIT	9.35	-	1,600	9.35
BLA	20.50	(0.10)	6,216	20.54	SIRI	1.39	0.01	112,174	1.38	GLANDRT	13.40	(0.30)	25	13.40
BUI	-	-	-	-	SPALI	20.50	0.10	48,962	20.50	GOLDPF	7.50	-	25	7.50
CHARAN	-	-	-	-	U	1.94	0.16	750,422	1.91	GVREIT	16.30	(0.10)	768	16.26
INSURE	-	-	-	-	UV	6.15	0.10	7,570	6.07	HPF	4.96	-	256	4.96
MTI	90.00	2.00	15	88.85	WHA	4.66	0.02	564,298	4.66	HREIT	9.00	0.10	3,658	8.96
NKI	-	-	-	-	WIN	0.48	(0.01)	220	0.48	IMPACT	25.50	0.25	4,883	25.38
NSI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	8.70	-	20	8.70
SEG	36.50	-	832	36.49	UTP	11.20	0.20	8,975	11.22	LHHOTEL	19.60	(0.10)	417	19.60
SMK	35.50	-	7	35.46	Fashion	-	-	-	-	LHPF	9.15	-	1,568	9.13
THRE	0.73	(0.01)	11,818	0.72	AFC	7.55	0.10	7	7.46	LHSC	18.80	(0.10)	474	18.80
THREL	4.48	0.06	2,919	4.45	B52	0.20	-	3,888	0.20	LUXF	9.00	-	600	8.95
TIP	24.60	-	3,201	24.62	BTNC	17.60	0.50	1	17.60	M-II	-	-	-	-
TQM	47.75	0.25	7,764	47.25	CPH	-	-	-	-	M-PAT	5.00	-	151	4.99
TSI	0.46	-	4,523	0.45	CPL	1.32	0.02	37	1.32	M-STOR	-	-	-	-
TVI	4.62	-	1,273	4.67	ICC	40.00	-	1	40.00	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
PDI	8.80	(0.20)	1,749	8.86	PAF	0.79	-	11	0.79	MJLF	12.60	-	1,336	12.50
THL	-	-	-	-	PDJ	1.53	0.02	1,387	1.51	MINIT	1.53	(0.03)	29	1.52
Packaging	-	-	-	-	PG	5.65	(0.05)	1	5.65	MINIT2	-	-	-	-
AJ	8.90	0.15	385	8.87	SABINA	31.00	0.50	16,087	31.16	MNRF	3.60	0.08	44	3.56
ALUCON	167.50	0.50	19	167.66	SAWANG	-	-	-	-	MONTRI	6.35	0.05	2	6.35
BGC	13.70	0.10	52,523	13.75	SUC	42.50	-	294	42.50	POPF	13.70	-	2,777	13.68
CSC	49.25	0.25	6	49.29	TNL	-	-	-	-	PPF	11.70	0.10	7	11.70
NEP	0.30	0.01	19	0.30	TPCORP	11.60	(0.50)	3	11.87	QHHR	10.10	-	597	10.10
NPPG	1.01	0.01	31,967	0.99	TR	32.75	-	5	32.75	QHOP	3.72	-	119	3.68
PTL	15.00	(0.10)	2,478	15.05	TTI	19.00	(0.50)	6	19.00	QHPF	15.40	-	6,283	15.33
SITHAI	0.93	0.02	3,828	0.92	TTT	-	-	-	-	SBPF	2.70	0.02	33	2.70
SLP	0.65	-	1,172	0.65	UPF	45.00	-	1	45.00	SHREIT	7.15	0.05	448	7.12
SMPC	7.80	(0.20)	3,356	7.81	UT	15.80	-	31	15.80	SIRIP	11.20	-	65	11.20
SPACK	1.51	(0.05)	825	1.52	WACOAL	-	-	-	-	SPF	23.50	-	331	23.43
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	14.00	0.10	76	14.00
TFI	0.11	-	1,659	0.11	AAV	3.22	-	106,317	3.23	SRIPANWA	11.60	-	1	11.60
THIP	17.20	-	459	17.07	AOT	70.25	-	202,580	70.55	SSPF	10.00	-	90	10.00
TMD	-	-	-	-	ASIMAR	1.57	0.06	3,560	1.54	SSTPF	6.85	0.05	138	6.84
TOPP	-	-	-	-	B	0.33	-	39,724	0.33	SSTRT	6.35	-	610	6.30
TPBI	4.92	(0.02)	30	4.93	BA	9.00	(0.10)	5,837	8.98	TIF1	9.15	-	174	9.10
TPP	16.10	-	8	16.10	BEM	11.00	0.10	454,767	10.96	TLGF	22.30	-	2,146	22.27
Personal Products &	-	-	-	-	BTS	12.70	(0.10)	419,206	12.74	TLHPF	11.40	-	3	11.40
APCO	3.42	(0.02)	771	3.37	BTSGIF	11.20	0.10	7,701	11.12	TNPF	3.12	(0.12)	313	3.12
DDD	26.75	1.75	22,245	26.46	III	6.55	0.15	8,568	6.50	TPRIME	15.60	(0.40)	1,777	15.69
JCT	83.50	0.25	6	83.50	JUTHA	0.71	0.05	835	0.67	TTLPF	22.00	0.10	50	21.91
OCC	13.00	(0.10)	10	13.02	JWD	8.55	-	39,795	8.57	TU-PF	-	-	-	-
S & J	-	-	-	-	KWC	-	-	-	-	URBNPF	-	-	-	-
STHAI	-	-	-	-	NOK	2.14	-	422	2.14	WHABT	9.65	-	827	9.65
TNR	9.20	-	96	9.13	NYT	4.66	-	3,675	4.66	WHART	17.40	0.10	8,838	17.46
TOG	5.35	-	407	5.36	PRM	8.55	0.25	113,288	8.47	Steel	-	-	-	-
Professional Service	-	-	-	-	PSL	7.85	0.30	44,488	7.73	AMC	1.94	(0.01)	3,095	1.93
BWG	0.72	(0.01)	37,533	0.72	RCL	4.14	0.02	1,684	4.14	BSBM	0.90	(0.01)	2,360	0.91
GENCO	0.60	(0.01)	2,548	0.60	TFIF	12.90	0.10	91,362	12.90	CEN	0.95	(0.02)	1,026	0.95
PRO	-	-	-	-	THAI	9.35	0.05	22,097	9.34	CITY	2.04	0.04	88	2.02
SISB	7.90	0.05	12,704	7.87	TSTE	-	-	-	-	CSP	1.04	-	157	1.03
TEAMG	2.04	0.04	13,242	2.04	TTA	5.35	-	15,810	5.34	GJS	0.14	0.01	62,741	0.13
Property Developer	-	-	-	-	WICE	3.00	-	32,592	3.01	GSTEEL	-	-	-	-
A	6.25	-	119	6.23	Automotive	-	-	-	-	INOX	0.77	-	388	0.77
AMATA	25.25	0.95	140,274	24.71	AH	17.80	0.30	2,178	17.72	LHK	3.54	(0.04)	2,615	3.56
AMATAV	4.52	-	1,328	4.52	APCS	4.28	0.14	1,298	4.22	MAX	0.02	-	74,398	0.01
ANAN	3.32	0.04	28,576	3.31	BAT-3K	-	-	-	-	MCS	8.60	(0.05)	6,797	8.64
AP	7.40	(0.15)	49,733	7.43	CWT	2.92	(0.02)	1,824	2.92	M				

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	PSTC	0.76	0.03	1,593,549	-	ADVA01C1908A	2.10	0.12	15,503	2.00
ABICO	4.22	0.02	887	4.00	QTC	4.94	-	5,069	4.00	ADVA01C1908B	1.77	0.18	9,749	1.00
AU	14.20	0.10	26,274	14.00	SAAM	1.30	(0.01)	376	1.00	ADVA01C1912A	0.67	0.04	114,450	-
JCKH	0.55	(0.01)	4,479	-	SEAOIL	5.40	-	2,296	5.00	ADVA01C1912B	0.49	0.05	147,256	-
KASET	1.80	0.02	156	1.00	SR	1.18	0.02	5	1.00	ADVA01P1908A	0.02	0.01	542	-
MM	2.68	-	1	2.00	TAKUNI	0.53	-	6,479	-	ADVA01P1908B	-	-	-	-
PRIME	0.36	-	9,731	-	TPCH	11.90	0.10	9,163	11.00	ADVA01P1912A	0.40	(0.03)	169,473	-
SUN	1.68	(0.01)	12,439	1.00	TRT	1.88	-	1,191	1.00	ADVA01P1912B	0.23	(0.03)	118,978	-
TACC	4.80	0.04	11,471	4.00	UMS	-	-	-	-	ADVA06C1912A	0.63	0.08	20,735	-
TMILL	2.80	(0.04)	4,343	2.00	UWC	0.04	-	11,117	-	ADVA07C1908A	-	-	-	-
XO	6.15	(0.05)	2,321	6.00	Services (MAI)	-	-	-	-	ADVA08C1911A	-	-	-	-
Consumer Products					A5	-	-	-	-	ADVA08C2001A	0.39	0.04	9,425	-
BGT	1.00	0.01	562	-	AKP	1.38	0.01	1,617	1.00	ADVA11C1910A	1.31	0.10	1,000	1.00
BIZ	2.60	0.02	266	2.00	AMA	7.70	0.20	18,141	7.00	ADVA11P1910A	0.01	(0.03)	1	-
DOD	11.90	0.20	12,015	11.00	ARIP	0.46	(0.01)	17,043	-	ADVA11P2005A	0.27	(0.04)	19,200	-
ECF	2.36	0.02	19,412	2.00	ATP30	1.39	-	5,496	1.00	ADVA13C1912A	0.60	0.05	292,857	-
HPT	0.69	-	664	-	AUCT	7.80	0.20	26,661	7.00	ADVA13P1908A	-	-	-	-
JUBILE	17.90	(0.10)	6,653	17.00	BOL	2.70	0.04	739	2.00	ADVA13P1912A	0.20	(0.04)	74,013	-
MOONG	4.78	0.02	3,323	4.00	CHUO	-	-	-	-	ADVA16C1911A	1.25	0.05	8,800	1.00
NPK	-	-	-	-	CMO	1.19	(0.01)	139	1.00	ADVA16C1912A	0.81	0.11	37,015	-
OCEAN	1.18	0.01	19,608	1.00	D	5.95	-	538	5.00	ADVA16C2002A	0.42	0.04	5,000	-
TM	2.64	0.10	3,644	2.00	DCORP	0.49	-	14,758	-	ADVA19C1908A	0.53	0.08	2,400	-
Financials (MAI)					EFORL	0.04	-	235,991	-	ADVA19C1911A	0.39	0.04	13,126	-
ACAP	2.36	0.12	88,039	2.00	ETE	0.91	0.02	1,708	-	ADVA19P1908A	-	-	-	-
AF	0.66	-	159	-	FSMART	7.50	(0.20)	10,892	7.00	ADVA19P1911A	0.06	(0.02)	14,900	-
AIRA	1.30	-	3	1.00	FVC	0.47	0.01	18,696	-	ADVA23C2001A	-	-	-	-
ASN	5.10	(0.85)	237	5.00	GSC	0.97	0.03	11,904	-	ADVA23P1908A	-	-	-	-
BROOK	0.48	-	10,275	-	HARN	2.28	0.02	650	2.00	ADVA24C1908A	-	-	-	-
CHAYO	4.82	0.04	17,433	4.00	JKN	8.10	0.05	55,753	8.00	ADVA24C2001A	0.49	0.08	1	-
GCAP	2.40	-	6,571	2.00	KIAT	0.40	-	2,083	-	ADVA24P1908A	-	-	-	-
LIT	5.70	0.15	9,830	5.00	KOOL	1.20	(0.01)	3,068	1.00	ADVA24P2001A	0.18	(0.03)	7,415	-
MTSIB	2.30	0.04	32,019	2.00	LDC	0.99	0.01	3,883	-	ADVA27C1912A	0.93	0.06	1,564	-
SGF	1.17	(0.01)	27,368	1.00	MORE	0.15	-	464,034	-	ADVA28C2001A	0.46	0.03	44,617	-
Industrials (MAI)					MPG	0.39	0.03	296	-	ADVA28P1911A	-	-	-	-
2S	2.42	-	3,499	2.00	MVP	1.85	(0.08)	9,652	1.00	ADVA28P2001A	0.22	(0.01)	16,284	-
ACG	1.50	0.02	2,722	1.00	NBC	0.80	0.02	7,850	-	ADVA41C1910A	0.93	0.10	10,360	-
ADB	0.67	0.01	435	-	NCL	1.22	(0.02)	10,416	1.00	ADVA41C1910B	-	-	-	-
BM	2.06	-	37	2.00	NEWS	0.01	-	2,981	-	ADVA41C1912A	0.50	0.06	9,980	-
CHO	0.87	-	2,391	-	NINE	2.50	(0.02)	47	2.00	ADVA41C1912B	-	-	-	-
CHOW	2.02	0.02	2,622	2.00	OTO	3.26	(0.02)	8	3.00	ADVA41P1911A	0.04	(0.04)	5,000	-
CIG	0.21	(0.01)	2,820	-	PHOL	1.85	(0.01)	232	1.00	ADVA41P1912A	-	-	-	-
COLOR	1.20	(0.01)	1,216	1.00	PICO	4.08	(0.02)	2	4.00	ADVA42C1910A	-	-	-	-
CPR	4.86	0.02	25	4.00	PORT	4.44	-	3,280	4.00	AEON01C1911A	1.40	0.09	21,391	1.00
FPI	2.44	-	21,603	2.00	QLT	3.86	-	300	3.00	AEON01C1911B	0.40	0.03	64,226	-
GTB	0.60	0.02	1,732	-	RP	2.00	0.02	601	2.00	AEON13C1910A	-	-	-	-
KCM	0.71	-	4,533	-	SE	1.79	(0.02)	190	1.00	AEON13C1911A	0.37	0.04	3,460	-
KUMWEL	1.05	0.03	38,618	1.00	SONIC	1.25	(0.01)	817	1.00	AEON19C1911A	0.27	0.03	32,467	-
KWM	0.93	0.01	2,702	-	SPA	12.70	0.20	2,806	12.00	AEON24C1912A	0.28	0.03	2	-
MBAX	3.94	-	699	3.00	THMUI	0.85	0.01	1,496	-	AEON41C1912A	0.31	0.03	59,730	-
MGT	1.87	(0.02)	6,530	1.00	TNDT	4.42	0.04	347	4.00	AMAT01C1909A	0.85	0.12	77,307	-
NDR	1.41	0.03	226	1.00	TNH	35.50	0.25	178	35.00	AMAT01C1909B	0.41	0.10	177,961	-
PDG	3.20	(0.04)	853	3.00	TNP	1.97	0.07	9,048	1.00	AMAT01C2001A	0.60	0.09	95,928	-
PIMO	1.21	0.01	4,235	1.00	TSF	-	-	-	-	AMAT01C2001B	0.16	0.02	102,265	-
PJW	1.53	0.02	949	1.00	TVD	1.27	0.01	509	1.00	AMAT01P1909A	0.08	(0.03)	80,662	-
PPM	1.18	0.02	100	1.00	TVT	0.80	(0.02)	2,027	-	AMAT01P2001A	0.58	(0.08)	64,870	-
RWI	1.34	0.02	6,266	1.00	VL	1.54	-	11,963	1.00	AMAT06C1909A	0.39	0.12	10,312	-
SALEE	0.94	-	3,465	-	WINNER	2.80	(0.06)	3,568	2.00	AMAT08C1908A	0.15	0.04	32,503	-
SANKO	1.01	(0.01)	707	1.00	Technology (MAI)	-	-	-	-	AMAT08C2001A	0.47	0.07	23,239	-
SELIC	2.84	0.06	14,597	2.00	COMAN	2.86	(0.02)	636	2.00	AMAT11C2001A	0.62	0.07	41,624	-
SWC	4.70	(0.06)	1,277	4.00	ICN	1.74	(0.01)	17,652	1.00	AMAT13C1908A	0.28	0.11	267,369	-
TMC	0.63	0.01	5,582	-	IRCP	0.59	(0.01)	1,770	-	AMAT13C1912A	0.53	0.09	309,733	-
TMI	0.77	-	2,953	-	ITEL	3.46	0.04	5,318	3.00	AMAT16C1911A	0.59	0.12	243,824	-
TMW	48.25	-	400	47.00	NETBAY	31.25	(0.25)	4,785	31.00	AMAT19C1912A	0.17	0.01	25,764	-
TPAC	11.10	(0.30)	278	11.00	PLANET	1.28	0.01	80	1.00	AMAT24C2001A	0.59	0.11	2,318	-
TPLAS	1.40	(0.02)	223	1.00	SIMAT	1.43	(0.01)	25,194	1.00	AMAT27C1908A	0.10	(0.04)	2	-
UAC	3.06	0.04	698	3.00	SKY	15.10	-	6,530	15.00	AMAT41C1912A	0.50	0.01	12,364	-
UBIS	6.00	0.05	959	5.00	SPVI	1.54	0.02	8,171	1.00	AMAT42C1910A	0.53	0.10	15,104	-
UEC	1.05	-	60	1.00	UPA	0.27	-	4,078	-	ANAN08C1911A	0.12	-	2,902	-
UKEM	0.53	0.01	19,980	-	VCOM	3.12	-	937	3.00	ANAN13C1912A	0.13	-	9,762	-
UREKA	1.00	0.03	4,111	1.00	Unit Trust	-	-	-	-	ANAN19C1910A	-	-	-	-
YUASA	13.50	0.20	71	13.00	MGE	-	-	-	-	ANAN19C2001A	0.27	0.01	13,399	-
ZIGA	1.57	0.01	1,507	1.00	SCBSET	-	-	-	-	ANAN24C1912A	0.10	-	2,600	-
Property & Construc					ETF	-	-	-	-	AOT01C1908A	0.41	0.03	32,801	-
ALL	4.24	0.06	5,755	4.00	1DIV	10.68	(0.07)	241	10.00	AOT01C1908B	-	-	-	-
ARIN	0.80	-	20,179	-	ABFTH	-	-	-	-	AOT01C1911A	0.69	-	152,724	-
ARROW	8.40	(0.05)	793	8.00	BMSCG	8.28	0.05	91	8.00	AOT01C1911B	0.42	0.01	166,789	-
BSM	0.38	0.01	4,694	-	BMSCITH	11.94	0.10	4,847	11.00	AOT01P1908A	0.18	(0.04)	110,327	-
BTW	1.25	0.01	657	1.00	BSET100	10.54	0.10	4,342	10.00	AOT01P1908B	0.01	(0.01)	2,002	-
CAZ	2.38	0.04	2,736	2.00	CHINA	5.29	0.01	1,732	5.00	AOT01P1911A	0.43	(0.02)	37,144	-
CHEWA	0.73	(0.01)	11,037	-	EBANK	5.08	(0.11)	6	5.00	AOT01P1911B	0.23	(0.02)	78,356	-
CMC	1.11	0.01	1,602	1.00	ECOMM	-	-	-	-	AOT06C1908A	-	-	-	-
CRD	0.98	-	68	-	EFOOD	-	-	-	-	AOT06C1911A	0.55	0.01	16,350	-
DIMET	0.79	(0.03)	37,765	-	EICT	5.42	0.05	30	5.00	AOT06P1908A	0.01	-	5,618	-
FLOYD	1.65	-	768	1.00	ENGY	6.04	0.01	1	6.00	AOT07C1910A	-	-	-	-
HYDRO	0.40	(0.01)	328	-	ENY	7.07	(0.03)	1	7.00	AOT08C1911A	0.23	-	21,800	-
JSP	0.34	0.02	32,999	-	ESET50	5.67	(0.01)	1	5.00	AOT11C2004A	0.58	0.02	69,936	-
K	1.11	0.01	22,637	1.00	GLD	1.94	-	2,927	1.00	AOT11P2004A	0.33	(0.02)	37,440	-
META	1.40	0.01	1,574	1.00	TDEX	10.72	0.08	956	10.00	AOT13C1908A	-	-	-	-
PPS	0.71	-	3,218	-	TGOLDEF	4.25	0.02	455	4.00	AOT13C1911A	0.37	0.01	417,886	-
PROUD	1.42	-	1,890	1.00	TH100	-	-	-	-	AOT13P1912A	0.19	-	18,006	-
SMART	1.12	0.01	769	1.00	Warrant Foreign	-	-	-	-	AOT13P1912B	0.48	(0.01)	121,261	-
STAR	2.20	0.25	35,150	2.00	AAV01C1908A	0.01	-	200	-	AOT16C1910A	0.79	0.03	10,000	-
STI	4.94	0.04	901	4.00	AAV0									

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C1909A	-	-	-	-	BCP11C1909A	-	-	-	-	BEM28C2002A	0.19	0.01	95,873	-
AOT28C1912A	0.35	0.01	14,596	-	BCP11C2004A	0.10	0.01	23,001	-	BEM41C1910A	-	-	-	-
AOT28C1912B	0.17	-	16,196	-	BCP13C1910A	-	-	-	-	BEM41C2001A	0.20	(0.01)	140	-
AOT28C2002A	0.30	-	39,896	-	BCP13C1912A	0.05	-	15,932	-	BEM41P1911A	-	-	-	-
AOT28P1909A	-	-	-	-	BCP19C1910A	-	-	-	-	BEM42C1910A	-	-	-	-
AOT28P1912A	0.36	(0.03)	40,222	-	BCP19C2001A	0.07	0.01	8,962	-	BGRI01C1909A	0.60	0.05	69,701	-
AOT41C1909A	-	-	-	-	BPC24C1912A	-	-	-	-	BGRI01C1909B	0.30	0.05	115,001	-
AOT41C1912A	0.41	0.02	24,720	-	BPCG01C1908A	0.45	0.03	8,470	-	BGRI01C2001A	0.41	0.04	186,819	-
AOT41C1912B	0.35	(0.06)	4,002	-	BPCG01C1908B	-	-	-	-	BGRI01C2001B	0.27	0.03	180,744	-
AOT41P1909A	-	-	-	-	BPCG01C1912A	0.29	0.01	100,232	-	BGRI01P1909A	0.03	-	20	-
AOT41P1911A	-	-	-	-	BPCG01C1912B	0.17	-	59,022	-	BGRI01P2001A	0.37	(0.04)	53,846	-
AOT41P1911B	0.15	(0.01)	6,102	-	BPCG01P1912A	0.78	(0.03)	31,921	-	BGRI06C1912A	0.27	0.03	27,450	-
AOT41P1912A	-	-	-	-	BPCG08C1910A	0.22	0.01	20,020	-	BGRI08C1911A	0.31	0.06	20,503	-
AOT42C1912A	-	-	-	-	BPCG11C1910A	0.23	0.01	22,952	-	BGRI11C1909A	0.36	0.04	23,204	-
AP01C1908A	0.40	(0.01)	20,128	-	BPCG13C1908A	0.03	(0.01)	17,200	-	BGRI13C1912A	0.30	0.05	230,813	-
AP01C1908B	0.10	(0.04)	41,020	-	BPCG13C1912A	0.20	0.01	82,707	-	BGRI16C2001A	0.22	0.03	2,000	-
AP01C2001A	0.31	(0.02)	72,441	-	BPCG13C2001A	0.36	0.01	288,021	-	BGRI19C1908A	0.09	0.02	96,464	-
AP01C2001B	0.18	(0.02)	91,681	-	BPCG19C1911A	0.22	-	26,697	-	BGRI19C1911A	0.14	0.01	8,593	-
AP06C1909A	0.18	(0.04)	31,900	-	BPCG19P1911A	0.27	(0.02)	25,466	-	BGRI24C1912A	0.25	0.05	5,631	-
AP08C1912A	0.16	(0.01)	19,600	-	BPCG24C1912A	-	-	-	-	BGRI27C1912A	0.38	0.03	14,400	-
AP11C2001A	0.28	(0.02)	13,850	-	BPCG27P1909A	-	-	-	-	BGRI27P1911A	0.12	-	13,477	-
AP16C2002A	0.14	(0.02)	7,000	-	BPCG28C1910A	0.13	-	9,126	-	BGRI41C1911A	0.28	0.07	8,002	-
AP19C1910A	0.07	(0.02)	5,000	-	BPCG28C1912A	0.16	0.01	8,084	-	BGRI41C2001A	0.28	0.04	62,812	-
AP24C1912A	0.14	(0.02)	4,850	-	BPCG41C1910A	0.21	0.01	22,250	-	BGRI41P1912A	-	-	-	-
BANP01C1909A	-	-	-	-	BDM501C1908A	0.17	0.01	101	-	BGRI42C1910A	-	-	-	-
BANP01C1909B	0.01	-	543	-	BDM501C1908B	0.01	(0.02)	130	-	BH01C1908A	0.01	-	30,599	-
BANP01C1912A	0.09	-	48,001	-	BDM501C1911A	0.10	-	198,236	-	BH01C1908B	0.01	-	185	-
BANP01C1912B	-	-	-	-	BDM501C1911B	-	-	-	-	BH01C2001A	0.30	0.02	56,842	-
BANP01P1909A	1.04	(0.02)	78,434	1.00	BDM501P1908A	0.15	(0.03)	47,026	-	BH01C2001B	0.12	0.01	36,252	-
BANP01P1909B	0.72	(0.03)	46,608	-	BDM501P1911A	0.44	(0.01)	39,960	-	BH01P1908A	1.83	(0.02)	7,478	1.00
BANP01P1912A	0.76	(0.03)	83,686	-	BDM508C1911A	-	-	-	-	BH01P2001A	1.84	(0.08)	23,953	1.00
BANP01P1912B	0.66	(0.02)	86,085	-	BDM511C2001A	0.34	0.01	43,100	-	BH07C1910A	-	-	-	-
BANP06C1912A	-	-	-	-	BDM511P2002A	0.55	(0.02)	28,000	-	BH11C2002A	0.11	0.01	16,022	-
BANP07C1909A	-	-	-	-	BDM513C1909A	-	-	-	-	BH13C1909A	-	-	-	-
BANP08C1912A	-	-	-	-	BDM513C1912A	0.06	-	92,626	-	BH13C1912A	0.09	-	47,698	-
BANP08P1912A	0.60	(0.01)	5,000	-	BDM513C1912B	0.25	0.01	429,689	-	BH19C1912A	0.10	0.01	114,782	-
BANP11C1909A	-	-	-	-	BDM516C1912A	-	-	-	-	BH24C1910A	-	-	-	-
BANP11C2004A	0.08	-	20,347	-	BDM519C1910A	-	-	-	-	BH41C1911A	-	-	-	-
BANP13C1910A	-	-	-	-	BDM519C2001A	0.24	-	47,086	-	BH41C2002A	0.49	(0.51)	12,380	-
BANP13C1912A	0.02	(0.01)	36,002	-	BDM523P1908A	-	-	-	-	BH41P1911A	-	-	-	-
BANP13P1908A	-	-	-	-	BDM524C1909A	-	-	-	-	BJC01C1911A	0.80	0.10	61,003	-
BANP16C1912A	-	-	-	-	BDM524C1912A	0.05	(0.03)	7	-	BJC01C1911B	0.59	0.09	88,489	-
BANP19C1910A	-	-	-	-	BDM524P1908A	-	-	-	-	BJC01P1911A	0.14	(0.04)	178,466	-
BANP19P1910A	0.28	(0.06)	27,504	-	BDM527C2002A	0.10	-	40,624	-	BJC06C1912A	0.49	0.10	33,496	-
BANP23P1908A	-	-	-	-	BDM541C1911A	-	-	-	-	BJC11C2001A	0.42	0.06	45,297	-
BANP24C1911A	-	-	-	-	BDM541C2001A	0.25	-	200	-	BJC13C1911A	0.43	0.08	141,021	-
BANP24P1908A	-	-	-	-	BDM541P1911A	-	-	-	-	BJC16C2002A	0.47	0.05	68,454	-
BANP28C1911A	0.02	(0.01)	320	-	BEAU01C1911A	0.09	-	141,366	-	BJC19C1910A	0.38	0.09	41,188	-
BANP28C2001A	0.04	0.01	200	-	BEAU01P1909A	2.72	-	62	2.00	BJC23C2001A	0.49	0.09	21,002	-
BANP28C2002A	0.18	0.01	57,533	-	BEAU01P2001A	1.06	(0.05)	43,765	1.00	BJC24C1910A	0.50	0.09	2,014	-
BANP28P1909A	-	-	-	-	BEAU06C1909A	-	-	-	-	BJC27P1908A	-	-	-	-
BANP41C1909A	-	-	-	-	BEAU06C1911A	0.03	-	3,856	-	BJC41C1910A	0.20	0.04	7,982	-
BANP41C1911A	-	-	-	-	BEAU08C1910A	-	-	-	-	BJC41C1912A	-	-	-	-
BANP41C2002A	0.21	(0.79)	17,760	-	BEAU11C1911A	-	-	-	-	BJC41P1908A	-	-	-	-
BANP41P1909A	0.36	(0.04)	32	-	BEAU13C1910A	0.01	-	991	-	BJC41P1912A	0.24	(0.05)	31,096	-
BANP41P1912A	-	-	-	-	BEAU13C1910B	0.01	(0.01)	952	-	BJC42C1912A	0.41	0.05	2,000	-
BANP41P2002A	0.25	(0.75)	11,980	-	BEAU13C1912A	0.12	0.01	281,770	-	BLA11C1909A	-	-	-	-
BBL07C1909A	-	-	-	-	BEAU13P1909A	0.28	(0.02)	8,746	-	BLA13C1908A	-	-	-	-
BBL08C1908A	-	-	-	-	BEAU19C1910A	0.02	-	500	-	BLAN19C1910A	-	-	-	-
BBL08C2001A	0.05	(0.01)	1,000	-	BEAU19P1908A	0.58	(0.06)	3,449	-	BLAN19C1912A	0.06	-	12,005	-
BBL08P1912A	1.01	(0.03)	4,565	1.00	BEAU24C1909A	0.13	0.02	3,002	-	BPP01C1912A	0.26	0.02	55,770	-
BBL11C2001A	0.06	0.01	2,270	-	BEAU27C1910A	-	-	-	-	BPP01C1912B	0.13	0.01	46,780	-
BBL11C2005A	0.32	0.01	103,479	-	BEAU28C1910A	-	-	-	-	BPP01P1912A	0.97	(0.05)	23,900	-
BBL11P2001A	0.66	(0.02)	73,101	-	BEAU28C1910B	-	-	-	-	BPP11C1910A	-	-	-	-
BBL13C1908A	-	-	-	-	BEAU41C1910A	-	-	-	-	BPP13C1911A	0.13	-	163,318	-
BBL13C1911A	0.11	0.01	188,037	-	BEAU41C1910B	-	-	-	-	BPP13C2001A	0.35	0.01	58,957	-
BBL13C2001A	0.44	0.01	193,620	-	BEAU41C1911A	-	-	-	-	BPP16C2001A	0.15	0.01	6,402	-
BBL13P1911A	1.03	0.05	4	1.00	BEAU41P1909A	1.13	0.01	10	1.00	BPP19C1908A	-	-	-	-
BBL13P2001A	0.52	(0.03)	100,866	-	BEAU41P1911A	-	-	-	-	BPP19C1910A	0.10	-	19,790	-
BBL19C1911A	0.03	-	40	-	BEAU42C1910A	-	-	-	-	BPP24C1908A	-	-	-	-
BBL19C2001A	0.28	-	91,924	-	BEAU42C1911A	-	-	-	-	BPP24C1911A	0.24	0.01	14,966	-
BBL19P1909A	0.05	-	2,402	-	BEC01C2001A	0.39	0.02	41,282	-	BTS01C1908A	0.46	(0.02)	4,234	-
BBL24C1910A	-	-	-	-	BEC01C2001B	0.12	0.01	62,162	-	BTS01C1908B	0.33	(0.02)	33,864	-
BBL24C1912A	0.09	-	862	-	BEC01P2001A	0.61	(0.01)	26,672	-	BTS01C2001A	0.35	(0.02)	49,843	-
BBL27C2002A	0.12	-	15,846	-	BEC16C2002A	0.39	0.02	15,466	-	BTS01C2001B	0.24	(0.02)	91,678	-
BBL41C1908A	-	-	-	-	BEC27C2002A	0.11	(0.02)	23,204	-	BTS01P1908A	0.01	-	28	-
BBL41C1912A	-	-	-	-	BEC41C1912A	0.31	0.01	67,760	-	BTS01P2001A	0.33	-	128,045	-
BBL41C2001A	0.41	(0.04)	30,911	-	BEC41C2001A	0.12	(0.01)	12,000	-	BTS06C1908A	0.29	(0.03)	10,300	-
BBL41P2001A	1.29	(0.12)	5,614	1.00	BEM01C1911A	0.22	-	310,890	-	BTS06P1908A	-	-	-	-
BCH01C2001A	0.39	(0.01)	127,950	-	BEM01C1911B	0.14	0.01	201,325	-	BTS08C1911A	0.28	(0.01)	16,940	-
BCH01C2001B	0.25	0.02	160,688	-	BEM01P1911A	0.29	(0.02)	193,156	-	BTS11C1910A	-	-	-	-
BCH01P2001A	0.51	(0.02)	76,883	-	BEM06C1912A	0.09	0.01	11,621	-	BTS11C2003A	0.34	-	6,703	-
BCH06C1909A	-	-	-	-	BEM06P1912A	0.27	(0.03)	53,452	-	BTS13C1912A	0.26	(0.01)	225,516	-
BCH06C2001A	0.33	0.02	24,110	-	BEM08C2001A	0.19	0.01	53,700	-	BTS16C2001A	0.25	(0.01)	25,000	-
BCH08C1910A	-	-	-	-	BEM11C2001A	0.17	0.01	17,030	-	BTS16C2001B	0.30	(0.02)	14	-
BCH11C2001A	0.21	-	35,940	-	BEM11C2003A	0.20	-	81,200	-	BTS19C1910A	0.14	(0.01)	28,444	-
BCH13C1909A	-	-	-	-	BEM13C1909A	0.06	-	45,944	-	BTS19P1910A	-	-	-	-
BCH13C1911A	0.15	-	70	-	BEM13C1912A	0.18	0.01	870,074	-	BTS24C2001A	0.34	0.04	802	-
BCH13C1912A	0.30	0.01	114,037	-	BEM13P1911A	0.20	(0.02)	270,288	-	BTS24P2001A	0.08	(0.03)	1	-
BCH16C2001A	0.16	0.01	1,001	-										

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
CBG11C1911A	2.18	0.10	24,302	2.00	CPAL01P1911B	0.28	(0.05)	62,166	-	DTAC28C1911A	-	-	-	-
CBG11C2002A	0.77	0.06	28,643	-	CPAL01P2002A	1.01	(0.08)	26,393	1.00	DTAC28C2001A	0.47	0.03	45,523	-
CBG13C1908A	0.58	0.11	1,163	-	CPAL01P2002B	0.81	(0.06)	48,044	-	DTAC41C1908A	-	-	-	-
CBG13C1912A	0.79	0.05	126,427	-	CPAL06C1908A	-	-	-	-	DTAC41C1912A	0.75	0.04	32,300	-
CBG13P1909A	-	-	-	-	CPAL06P1912A	0.59	(0.06)	6,450	-	DTAC41P1908A	-	-	-	-
CBG13P1911A	0.31	(0.04)	44,560	-	CPAL08C1908A	0.13	0.03	6,002	-	DTAC41P2001A	-	-	-	-
CBG16C1912A	2.02	0.09	16,124	1.00	CPAL08C2001A	0.51	0.07	14,251	-	DTAC42C1911A	-	-	-	-
CBG16C2001A	1.18	0.07	5,106	1.00	CPAL08P1908A	-	-	-	-	EA06C1910A	0.10	-	29,970	-
CBG19C1911A	0.57	0.04	52,837	-	CPAL11C1909A	0.40	0.06	34,422	-	EA07C1910A	-	-	-	-
CBG19P1911A	0.08	(0.01)	14,447	-	CPAL13C1911A	0.65	0.08	384,060	-	EA08C1908A	0.04	(0.01)	9,610	-
CBG23C1908A	-	-	-	-	CPAL13P1911A	0.27	(0.04)	76,901	-	EA08C2001A	0.31	0.02	42,890	-
CBG24C1909A	0.68	0.06	43,546	-	CPAL16C1912A	1.42	0.07	26,932	1.00	EA11C1911A	0.43	0.02	73,550	-
CBG27C1912A	0.95	0.06	2,202	-	CPAL16C2001A	0.63	0.08	46,906	-	EA13C1908A	0.02	-	5,761	-
CBG28C1910A	0.61	0.07	14,405	-	CPAL19C1911A	0.28	0.04	46,376	-	EA13C1910A	0.06	0.01	36,156	-
CBG28C1912A	0.59	0.05	30,609	-	CPAL19P1910A	-	-	-	-	EA13C1912A	0.28	0.01	654,485	-
CBG41C1908B	-	-	-	-	CPAL24C1912A	-	-	-	-	EA13P1909A	0.09	(0.04)	54,936	-
CBG41C1910A	0.74	0.05	106	-	CPAL24P1909A	-	-	-	-	EA13P1910A	0.49	(0.06)	101,821	-
CBG41C1910B	-	-	-	-	CPAL24P1912A	0.48	(0.08)	2,600	-	EA16C1911A	0.36	0.03	57,473	-
CBG41C2001A	0.84	0.05	10,200	-	CPAL27C1912A	0.68	0.07	13,249	-	EA19C1908A	-	-	-	-
CBG41C2001B	0.80	(0.20)	5,100	-	CPAL28C1910A	-	-	-	-	EA19C2001A	0.24	0.02	132,411	-
CBG41P1909A	-	-	-	-	CPAL28C1912A	0.48	0.05	25,552	-	EA19P1910A	0.16	(0.02)	64,203	-
CBG41P1910A	-	-	-	-	CPAL28C2001A	0.35	0.03	32,262	-	EA23C1909A	0.10	0.01	21,120	-
CBG41P2001A	0.73	(0.05)	2,410	-	CPAL41C1910A	0.52	0.04	17,280	-	EA24C1910A	0.16	0.01	3,200	-
CBG41P2002A	1.21	(0.08)	6,250	1.00	CPAL41C1910B	-	-	-	-	EA27C1908A	-	-	-	-
CBG42C1910A	-	-	-	-	CPAL41C2001A	0.40	0.05	50,620	-	EA27P1908A	-	-	-	-
CENT01C1909A	0.01	-	228	-	CPAL41P1911A	-	-	-	-	EA28C1909A	-	-	-	-
CENT01C1909B	-	-	-	-	CPAL41P1912A	-	-	-	-	EA28C1909B	-	-	-	-
CENT01C1911A	0.21	(0.01)	212,733	-	CPAL41P1912B	-	-	-	-	EA28C1910A	0.05	-	100	-
CENT01C1911B	0.12	-	97,678	-	CPAL42C1910A	-	-	-	-	EA28C2002A	0.41	0.02	97,372	-
CENT01P1909A	1.23	0.02	55,692	1.00	CPF01C1908A	0.25	0.04	20,051	-	EA41C1910A	-	-	-	-
CENT01P1911A	0.42	(0.01)	489,113	-	CPF01C1908B	-	-	-	-	EA41C1910B	0.12	(0.03)	100	-
CENT06C1908A	-	-	-	-	CPF01C2001A	0.30	0.02	113,154	-	EA41C1912A	0.27	0.01	18,050	-
CENT06C1912A	0.08	(0.01)	32,450	-	CPF01C2001B	0.18	0.01	144,625	-	EA41P1912A	0.83	-	49	-
CENT08C1911A	-	-	-	-	CPF01P1908A	0.03	(0.02)	59,756	-	EA42C1910A	-	-	-	-
CENT11C1909A	-	-	-	-	CPF01P1908B	-	-	-	-	EGCO01C1909A	1.19	0.09	35,965	1.00
CENT11C2004A	0.19	(0.01)	50,460	-	CPF01P2001A	0.37	(0.01)	77,933	-	EGCO01C1909B	0.87	0.07	55,665	-
CENT13C1911A	0.07	(0.02)	11,450	-	CPF01P2001B	0.23	(0.01)	106,248	-	EGCO01C2001A	0.70	0.06	85,578	-
CENT13C1912A	0.14	-	174,243	-	CPF08C1911A	0.15	0.03	13,430	-	EGCO01C2001B	0.42	0.03	49,682	-
CENT16C2001A	0.10	(0.01)	38,002	-	CPF11C1910A	0.48	(0.01)	2,000	-	EGCO13C1910A	0.61	-	1	-
CENT19C1908A	-	-	-	-	CPF13C1908A	-	-	-	-	EGCO13C1912A	0.40	0.03	210,999	-
CENT19C1910A	-	-	-	-	CPF13C1910A	-	-	-	-	EGCO16C2001A	0.52	0.09	20,000	-
CENT19C2001A	0.19	-	119,756	-	CPF13C1911A	0.21	0.01	65,027	-	EGCO19C1908A	0.14	0.03	11,850	-
CENT23C1908A	-	-	-	-	CPF13P1910A	0.09	(0.01)	16,200	-	EGCO24C1908A	-	-	-	-
CENT24C1908A	-	-	-	-	CPF16C2001A	0.16	0.03	13,835	-	EGCO27C1910A	0.75	0.07	6,263	-
CENT24C1910A	-	-	-	-	CPF19C1910A	0.14	0.02	61,968	-	EGCO41C1911A	0.35	0.05	31,580	-
CENT27C1912A	0.15	(0.01)	26,165	-	CPF19C2001A	0.14	0.01	25,472	-	EGCO41C2001A	0.45	0.05	60,000	-
CENT41C1912A	-	-	-	-	CPF19P1910A	0.02	(0.03)	90	-	EGCO41P1911A	0.09	(0.02)	19	-
CENT41C2001A	0.20	(0.01)	37,502	-	CPF24C1912A	-	-	-	-	EGCO41P2001A	-	-	-	-
CENT41P1910A	-	-	-	-	CPF24P1909A	-	-	-	-	EPG13C1912A	0.20	0.01	11,416	-
CHG01C2001A	0.42	0.04	59,667	-	CPF27C2001A	0.23	0.01	4,200	-	EPG19C1908A	-	-	-	-
CHG01C2001B	0.28	0.03	99,083	-	CPF28C1912A	0.14	-	12,168	-	EPG19C1910A	0.19	0.01	9,347	-
CHG01P2001A	0.26	(0.04)	36,800	-	CPF28P1911A	0.09	(0.01)	5,070	-	EPG19P1911A	0.08	(0.01)	16,000	-
CHG06C1911A	0.37	0.05	16,158	-	CPF41C1908A	-	-	-	-	EPG24C1908A	-	-	-	-
CHG08C1912A	0.32	0.05	40,200	-	CPF41C2001A	0.19	0.02	19,980	-	EPG24C1911A	0.42	0.02	9,501	-
CHG11C1911A	0.32	0.05	10,800	-	CPF41P1910A	-	-	-	-	ERW06C1911A	0.06	0.01	674	-
CHG13C1911A	0.29	0.04	159,088	-	CPF41P1912A	-	-	-	-	ERW06C2001A	0.30	0.01	17,149	-
CHG16C2002A	0.29	0.03	18,002	-	CPN01C1908A	-	-	-	-	ERW06P2001A	0.26	-	34,120	-
CHG19C1911A	0.18	0.03	28,238	-	CPN01C1908B	0.01	-	1,100	-	ERW11C2001A	0.11	(0.02)	2,000	-
CHG24C1911A	0.95	0.06	2,000	-	CPN01C2001A	0.39	0.02	228,654	-	ERW13C1911A	0.06	-	7,302	-
CHG41C1912A	0.24	0.04	12,000	-	CPN01C2001B	0.21	0.02	212,360	-	ERW13C2001A	0.24	(0.01)	147,197	-
CK01C2001A	0.12	(0.03)	41,590	-	CPN01P1908A	1.08	(0.10)	29,673	1.00	ERW19C1908A	-	-	-	-
CK01C2001B	0.06	(0.02)	28,801	-	CPN01P2001A	1.20	(0.05)	75,862	1.00	ERW19C1911A	0.07	(0.02)	400	-
CK01P2001A	0.57	0.06	120,182	-	CPN06C1908A	-	-	-	-	ERW19C2001A	0.26	-	20,060	-
CK06C1911A	-	-	-	-	CPN11C1910A	-	-	-	-	ERW24C1909A	-	-	-	-
CK08C1911A	-	-	-	-	CPN13C1908A	-	-	-	-	ERW27C1910A	-	-	-	-
CK11C1911A	0.08	(0.01)	6,000	-	CPN13C1912A	0.16	0.02	137,085	-	ESSO01C1911A	0.25	-	34,436	-
CK13C1910A	0.05	(0.01)	1,000	-	CPN16C2001A	0.14	0.02	4,342	-	ESSO01C1911B	0.06	(0.01)	14,150	-
CK16C1912A	0.15	(0.03)	20,305	-	CPN19C1911A	0.06	-	400	-	ESSO01P1911A	0.56	(0.02)	499	-
CK19C1912A	0.03	(0.02)	52	-	CPN24C1909A	0.01	(0.03)	1	-	ESSO06C1911A	0.06	(0.01)	7,800	-
CK24C1910A	-	-	-	-	CPN24P1911A	0.88	(0.06)	5,762	-	ESSO08C1908A	-	-	-	-
CK41C1911A	-	-	-	-	CPN41C1910A	-	-	-	-	ESSO08C1911A	-	-	-	-
CKP01C1911A	0.38	0.04	176,227	-	CPN41C2001A	0.29	0.03	27,007	-	ESSO11C2002A	0.09	(0.01)	2,109	-
CKP01C1911B	0.25	0.03	245,662	-	CPN41C2002A	0.36	(0.64)	4,404	-	ESSO13C1910A	-	-	-	-
CKP06C1910A	0.31	0.03	10,180	-	CPN41P1908A	-	-	-	-	ESSO13C1911A	0.19	(0.01)	46,876	-
CKP08C1910A	0.15	0.01	31,897	-	CPN41P1912A	0.74	(0.07)	4,687	-	ESSO13C1912A	0.08	(0.01)	2,700	-
CKP11C1910A	0.25	0.03	34,000	-	DTAC01C1910A	0.83	0.05	55,534	-	ESSO19C1910A	0.01	-	1	-
CKP13C1908A	-	-	-	-	DTAC01C1910B	0.70	0.05	99,221	-	ESSO19C2001A	0.22	-	4,910	-
CKP13C1910A	0.17	0.02	101,636	-	DTAC01C2001A	0.77	0.03	115,375	-	ESSO23C1908A	-	-	-	-
CKP13C1912A	0.14	0.02	1,840	-	DTAC01C2001B	0.52	0.04	152,656	-	ESSO24C1910A	0.21	-	3,559	-
CKP16C2001A	0.13	0.01	3,100	-	DTAC01P1910A	0.38	(0.04)	213,027	-	ESSO27C1912A	-	-	-	-
CKP19C1910A	0.20	0.03	14,147	-	DTAC01P1910B	0.08	(0.01)	25,482	-	ESSO41C1911A	-	-	-	-
CKP19C1911A	0.06	0.01	17,148	-	DTAC01P2001A	0.81	(0.04)	100,770	-	ESSO42C1910A	-	-	-	-
CKP24C1912A	-	-	-	-	DTAC01P2001B	0.52	(0.03)	137,889	-	GFPT08C1912A	0.41	-	10,047	-
CKP24P1912A	-	-	-	-	DTAC06C1908A	0.17	0.02	130	-	GFPT13C1912A	0.34	(0.01)	54,706	-
CKP28C1910A	0.11	0.02	21,330	-	DTAC06P1908A	-	-	-	-	GFPT19C1912A	0.29	-	9,185	-
CKP28C1912A	0.09	(0.01)	16,965	-	DTAC07C1909A	-	-	-	-	GFPT19P1912A	0.19	-	14,062	-
CKP41C1909A	0.14	0.02	21,600	-	DTAC08C1911A	0.67	0.05	20,164	-	GFPT23C1909A	-	-	-	-
COM708C1911A	-	-	-	-	DTAC08P1911A	0.21	(0.03)	11,600	-	GFPT24C1912A	0.32	-	1,150	-
COM711C1909A	0.67	-	3,113	-	DTAC11C2002A	0.80	0.04	56,000	-					

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities					Securities					Securities				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GLOW13C1912A	-	-	-	-	HMPR27P2001A	0.26	(0.02)	6,787	-	IVL41P1912A	-	-	-	-
GPSC01C1910A	0.99	0.07	201,616	-	HMPR41C1911A	0.19	(0.06)	24,440	-	IVL41P2001A	-	-	-	-
GPSC01C1910B	0.84	0.08	193,208	-	HMPR41P1911A	0.18	(0.02)	430	-	IVL42C1910A	0.03	-	200	-
GPSC01C1912A	0.70	0.04	17,096	-	HSI28C1910A	1.14	-	87,606	1.00	JAS06C1912A	0.19	-	22,210	-
GPSC01C1912B	0.45	0.04	100,611	-	HSI28C1910B	0.74	0.02	73,484	-	JAS08C1912A	0.29	-	33,600	-
GPSC01P1910A	0.11	(0.01)	15,034	-	HSI28C1910C	0.44	(0.02)	19	-	JAS13C1912A	0.21	-	215,363	-
GPSC01P1912A	0.72	(0.07)	24,697	-	HSI28C1910D	0.28	(0.02)	101	-	JAS16C2002A	0.33	0.01	58,308	-
GPSC06C1912A	0.61	0.06	23,902	-	HSI28P1910A	0.52	(0.02)	3,292	-	JAS16C2002B	0.23	0.02	4,000	-
GPSC08C2001A	0.64	0.03	23,002	-	HSI28P1910B	0.79	(0.03)	87,218	-	JAS19C1912A	0.14	0.01	47,009	-
GPSC11C1909A	0.39	0.05	23,081	-	HSI28P1910C	1.17	(0.03)	17,164	1.00	JAS19P2001A	0.16	(0.01)	21,625	-
GPSC13C1908A	0.32	0.04	6,312	-	HSI28P1910D	-	-	-	-	JAS41C1912A	-	-	-	-
GPSC13C1911A	1.02	0.09	100	1.00	INTU01C1912A	0.52	0.03	114,790	-	JAS41C2001A	0.37	-	6,236	-
GPSC13C1912A	0.55	0.05	235,987	-	INTU01C1912B	0.35	0.02	299,141	-	JAS41P1912A	-	-	-	-
GPSC13P1911A	0.46	(0.07)	53,302	-	INTU01P1912A	0.67	(0.04)	23,186	-	JAS41P2001A	-	-	-	-
GPSC19C1910A	0.74	0.06	5,842	-	INTU01P1912B	0.41	(0.02)	37,608	-	KBAN01C1911A	0.18	(0.03)	166,029	-
GPSC19C2001A	0.41	0.03	83,411	-	INTU11C2001A	0.58	0.03	24,050	-	KBAN01C1911B	0.05	(0.02)	111,320	-
GPSC19P1911A	0.10	(0.02)	11,142	-	INTU13C1908A	0.42	(0.05)	40	-	KBAN01C2002A	0.43	(0.03)	193,033	-
GPSC24C1909A	0.95	0.07	5,500	-	INTU13C1912A	0.38	0.03	339,263	-	KBAN01C2002B	0.21	(0.03)	172,878	-
GPSC27C1909A	0.33	0.04	11,701	-	INTU16C2001A	0.48	0.01	20,612	-	KBAN01P1911A	1.97	0.08	87,517	1.00
GPSC41C1911A	0.81	0.07	7,200	-	INTU19C1912A	0.25	0.01	117,004	-	KBAN01P1911B	1.51	0.08	132,776	1.00
GPSC41C1912A	0.49	0.04	24,740	-	INTU19P1910A	-	-	-	-	KBAN01P2002A	1.68	0.08	81,043	1.00
GPSC41P1912A	-	-	-	-	INTU23C1908A	0.06	-	600	-	KBAN01P2002B	1.30	0.07	114,238	1.00
GULF01C1909A	2.64	0.58	63,721	2.00	INTU24C1909A	0.25	0.04	528	-	KBAN07C1908A	-	-	-	-
GULF01C1909B	0.84	0.26	201,651	-	INTU41C1912A	0.35	0.02	77,700	-	KBAN08C1908A	-	-	-	-
GULF01C1912A	0.68	0.15	302,415	-	INTU41P1910A	0.04	(0.02)	117	-	KBAN08C2001A	0.15	(0.02)	54,778	-
GULF01C1912B	0.45	0.13	470,533	-	INTU41P2001A	-	-	-	-	KBAN08P1912A	-	-	-	-
GULF01P1909A	0.02	-	33,350	-	INTU42C1910A	-	-	-	-	KBAN13C1910A	0.06	(0.02)	20	-
GULF01P1912A	0.47	(0.16)	202,445	-	IRPC01C1911A	0.14	(0.01)	55,791	-	KBAN13C1912A	0.16	(0.03)	110,028	-
GULF06C1909A	3.96	1.24	500	3.00	IRPC01C1911B	0.02	-	815	-	KBAN13P1908A	-	-	-	-
GULF06C1912A	0.66	0.20	40,695	-	IRPC01P1911A	0.54	-	136,338	-	KBAN13P1911A	-	-	-	-
GULF07C1910A	2.96	0.70	1	2.00	IRPC06C1911A	-	-	-	-	KBAN13P2001A	0.75	0.05	521,916	-
GULF08C1910A	0.95	0.27	11,422	-	IRPC11C2001A	0.03	-	146	-	KBAN16C2001A	0.09	(0.02)	3,520	-
GULF11C1908A	-	-	-	-	IRPC11C2005A	0.17	(0.02)	85,339	-	KBAN19C1911A	0.02	(0.01)	1,000	-
GULF11C2003A	0.90	0.17	102,524	-	IRPC13C1909A	-	-	-	-	KBAN19C2001A	0.31	(0.03)	65,659	-
GULF13C1909A	0.79	0.31	187,210	-	IRPC13C1911A	0.02	(0.02)	70	-	KBAN19P1910A	0.43	0.04	78,544	-
GULF13C1910A	2.38	0.66	356	2.00	IRPC13C1912A	0.05	-	12	-	KBAN24C1908A	-	-	-	-
GULF13C1912A	0.57	0.15	1,024,157	-	IRPC13C2001A	0.34	(0.01)	497,509	-	KBAN24C1912A	0.07	(0.01)	4,003	-
GULF13P1910A	0.01	-	26,380	-	IRPC19C1910A	-	-	-	-	KBAN24P1909A	-	-	-	-
GULF13P1911A	0.21	(0.11)	546,060	-	IRPC19C1910B	-	-	-	-	KBAN27P2001A	0.93	0.05	8,756	-
GULF16C2001A	0.96	0.21	102,842	-	IRPC19C2001A	0.21	(0.01)	46,448	-	KBAN28C1911A	-	-	-	-
GULF19C1908A	-	-	-	-	IRPC23C1908A	-	-	-	-	KBAN28C2001A	0.09	(0.02)	15	-
GULF19C1910A	0.80	0.25	54,566	-	IRPC24C1909A	-	-	-	-	KBAN28C2002A	0.20	(0.02)	113,557	-
GULF19C1912A	0.36	0.11	132,348	-	IRPC24C1911A	0.04	(0.01)	440	-	KBAN28P1909A	-	-	-	-
GULF19P1911A	0.02	(0.02)	21,150	-	IRPC27C1911A	-	-	-	-	KBAN28P1912A	1.14	0.07	28,358	1.00
GULF19P2001A	0.30	(0.10)	51,665	-	IRPC41C1910A	-	-	-	-	KBAN41C1910A	-	-	-	-
GULF24C1908A	3.76	0.50	1	3.00	IRPC41C1911A	-	-	-	-	KBAN41C2001A	0.17	(0.04)	19,851	-
GULF24C1909A	0.95	0.41	9,500	-	IRPC41C1911B	-	-	-	-	KBAN41P1912A	-	-	-	-
GULF24C2001A	0.48	0.14	8,002	-	IRPC41C1912A	-	-	-	-	KBAN42C1911A	-	-	-	-
GULF24P2001A	0.33	(0.13)	10,631	-	IRPC41C2002A	0.37	(0.63)	20,980	-	KCE01C1911A	0.41	0.03	80,037	-
GULF27C2004A	0.62	0.14	34,392	-	IRPC41C2002B	-	-	-	-	KCE01C1911B	0.22	0.04	145,298	-
GULF28C1909A	-	-	-	-	IRPC41P1909A	-	-	-	-	KCE06C1911A	0.14	0.02	13,900	-
GULF28C1910A	0.67	0.19	5	-	IRPC41P1912A	-	-	-	-	KCE08C1911A	-	-	-	-
GULF28C2001A	0.42	0.12	67,497	-	IRPC41P2002A	-	-	-	-	KCE11C2004A	0.44	0.04	44,012	-
GULF41C1909A	0.81	0.26	20,500	-	IRPC42C1911A	-	-	-	-	KCE13C1908A	-	-	-	-
GULF41C1909B	-	-	-	-	ITD13C1908A	-	-	-	-	KCE13C1911A	0.12	0.02	29,982	-
GULF41C1910A	-	-	-	-	IVL01C1908A	0.01	(0.01)	12,100	-	KCE13C2001A	0.38	0.05	148,603	-
GULF41C1910B	2.00	0.25	2,060	1.00	IVL01C1908B	0.01	-	1,309	-	KCE16C2001A	0.19	0.02	32,044	-
GULF41C1911A	0.61	0.14	19,964	-	IVL01C1911A	0.16	-	255,582	-	KCE19C1910A	-	-	-	-
GULF41C2001A	0.71	0.19	102,179	-	IVL01C1911B	0.06	0.01	1,351	-	KCE19C1911A	0.09	0.01	22,960	-
GULF41C2001B	-	-	-	-	IVL01C2002A	0.31	0.01	84,399	-	KCE23C1910A	0.12	0.03	15,440	-
GULF41P1909A	-	-	-	-	IVL01C2002B	0.17	-	225,163	-	KCE24C1911A	0.19	0.01	1,000	-
GULF41P1911A	-	-	-	-	IVL01P1908A	1.08	(0.05)	8,102	1.00	KCE28C1911A	0.17	0.03	37,234	-
GULF41P1911B	-	-	-	-	IVL01P1908B	0.50	(0.07)	31,919	-	KCE41C1911A	0.20	0.03	26,000	-
GULF41P1912A	0.29	(0.14)	83	-	IVL01P1911A	0.82	(0.03)	69,541	-	KCE42C1910A	-	-	-	-
GULF41P1912B	-	-	-	-	IVL01P1911B	0.78	(0.04)	46,151	-	KKP01C2001A	0.62	-	46,597	-
GULF42C1910A	0.68	0.18	110	-	IVL01P2002A	0.73	(0.03)	45,964	-	KKP01C2001B	0.40	(0.01)	42,690	-
GUNK01C1912A	0.34	0.03	99,396	-	IVL01P2002B	0.57	(0.03)	53,743	-	KKP01P2001A	0.79	(0.02)	25,166	-
GUNK01C1912B	0.21	0.01	58,711	-	IVL06C1910A	0.01	(0.01)	780	-	KKP11C1911A	0.30	-	24,010	-
GUNK01P1912A	0.41	(0.03)	28,506	-	IVL06P1910A	0.63	(0.03)	10,320	-	KKP13C1910A	0.26	-	76,849	-
GUNK08C1912A	0.38	0.02	46,900	-	IVL08C1911A	0.05	-	9,172	-	KKP13C2001A	0.42	(0.58)	93,216	-
GUNK11C1911A	0.40	0.02	20,000	-	IVL08P1910A	-	-	-	-	KKP16C2002A	0.62	0.01	20,022	-
GUNK13C1909A	-	-	-	-	IVL11C1911A	0.05	-	170	-	KKP19C1911A	0.31	-	26,234	-
GUNK13C1912A	0.17	-	73,574	-	IVL11C2005A	0.27	-	39,330	-	KKP24C1909A	-	-	-	-
GUNK16C2002A	0.24	0.04	200	-	IVL13C1908A	-	-	-	-	KKP27P1908A	-	-	-	-
GUNK19C1910A	0.21	0.02	23,308	-	IVL13C1909A	0.02	-	10	-	KKP27P2002A	0.38	(0.01)	8,672	-
GUNK19C1911A	0.11	0.01	34,480	-	IVL13C1912A	0.07	-	12,526	-	KKP41C1910A	-	-	-	-
GUNK24C1909A	0.55	0.05	4,394	-	IVL13C2001A	0.15	-	87,839	-	KTB01C1909A	0.16	-	90,677	-
GUNK24C2001A	0.22	0.01	12,800	-	IVL13P1908A	-	-	-	-	KTB01C1909B	-	-	-	-
GUNK42C1910A	0.22	0.02	152,540	-	IVL13P1911A	0.50	(0.03)	75,028	-	KTB01P1909A	0.41	(0.02)	74,154	-
HANA01C1909A	0.11	0.01	29,662	-	IVL13P1912A	-	-	-	-	KTB11C1909A	-	-	-	-
HANA01C1909B	-	-	-	-	IVL16C2001A	-	-	-	-	KTB11C2004A	0.14	(0.02)	14,628	-
HANA01C1911A	0.99	0.05	11,834	-	IVL19C1908A	-	-	-	-	KTB13C1908A	-	-	-	-
HANA01C2001A	0.29	0.01	22,560	-	IVL19C1911A	0.02	(0.02)	125	-	KTB13C1912A	0.09	-	3,965	-
HANA01C2001B	0.20	-	28,958	-	IVL19C2001A	0.12	(0.04)	36,400	-	KTB19C1912A	-	-	-	-
HANA11C1911A	-	-	-	-	IVL19P1908A	-	-	-	-	KTB19P1910A	0.08	(0.01)	700	-
HANA13C1910A	-	-	-	-	IVL19P1910A	0.30	(0.02)	4,726	-	KTB24C1908A	-	-	-	-
HANA13C1911A	-	-	-	-	IVL23P1909A	-	-	-	-	KTB41C1910A	-	-	-	-
HANA13C1912A	0.25	0.01	150,98											

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC19C1910A	0.17	-	92,353	-	OSP19C1912A	0.25	-	9,463	-	PTTE01C2001A	0.51	0.01	49,392	-
KTC19P1911A	0.13	-	13,600	-	OSP24C1912A	-	-	-	-	PTTE01C2001B	0.28	(0.01)	91,979	-
KTC19P2001A	0.25	(0.01)	29,602	-	OSP28C2001A	0.28	0.01	7,098	-	PTTE01P1910A	0.96	(0.03)	118,388	-
KTC23C1908A	-	-	-	-	OSP41C1912A	0.33	(0.01)	17,760	-	PTTE01P1910B	0.30	(0.02)	93,703	-
KTC24C2001A	0.52	0.01	650	-	OSP41P1912A	-	-	-	-	PTTE01P2001A	1.24	(0.01)	39,401	1.00
KTC27C1911A	0.45	0.02	15,600	-	OSP42C2001A	0.36	(0.01)	100	-	PTTE01P2001B	0.77	(0.03)	71,461	-
KTC27P1911A	0.23	-	19,856	-	PLAN13C1912A	0.65	0.08	6,560	-	PTTE06C2001A	0.20	-	19,575	-
KTC28C1909A	0.11	0.01	17,476	-	PLAN13C1912B	0.36	0.03	255,286	-	PTTE06P1910A	0.26	(0.02)	16,376	-
KTC28C2002A	0.42	0.02	40,046	-	PLAN16C2002A	0.61	0.05	54,502	-	PTTE08C1910A	0.10	(0.01)	6,637	-
KTC41C1910A	0.33	(0.02)	22,600	-	PLAN19C1911A	0.47	0.04	15,023	-	PTTE08P1911A	0.44	(0.02)	6,332	-
KTC41C2001A	0.43	-	6,000	-	PLAN19C2001A	0.30	0.04	20,745	-	PTTE11C1910A	0.27	-	45,100	-
KTC41P1910A	-	-	-	-	PLAN23C1909A	0.51	0.08	19,002	-	PTTE13C1908A	0.01	(0.03)	537	-
KTC41P2001A	-	-	-	-	PLAN24C1912A	0.49	0.05	4,253	-	PTTE13C1911A	0.31	0.01	109,826	-
KTC42C1911A	0.32	(0.02)	1,102	-	PLAN27C1908A	0.74	0.05	1,500	-	PTTE13P1908A	-	-	-	-
LH01C1909A	0.22	0.01	107,302	-	PLAN41C1910A	0.50	0.06	22,380	-	PTTE13P1911A	-	-	-	-
LH01C1909B	0.08	0.01	96,120	-	PRM13C1912A	0.50	0.06	171,511	-	PTTE13P1912A	0.42	(0.01)	231,523	-
LH01P1909A	0.14	(0.02)	94,006	-	PRM19C1910A	0.41	0.04	14,520	-	PTTE16C1911A	0.21	(0.02)	9,002	-
LH07C1908A	-	-	-	-	PRM19C2001A	0.31	0.04	34,691	-	PTTE19C1908A	-	-	-	-
LH11C1911A	0.13	-	28,000	-	PRM23C1909A	0.46	-	1,000	-	PTTE19C2001A	0.19	-	19,601	-
LH13C1910A	0.10	-	40,264	-	PRM27C2002A	0.54	0.04	16,260	-	PTTE19P1908A	-	-	-	-
LH16C2002A	-	-	-	-	PRM41C2002A	0.53	(0.47)	2,602	-	PTTE19P1911A	0.15	(0.02)	42,904	-
LH19C1911A	0.07	-	8,000	-	PSH13C1910A	0.22	(0.01)	91,874	-	PTTE23P1909A	0.16	(0.02)	14,002	-
LH19P1910A	-	-	-	-	PSH13C2001A	-	-	-	-	PTTE24C1910A	0.41	0.01	3,124	-
LH24C1912A	0.10	(0.01)	1,000	-	PSH19C1908A	0.04	-	5,002	-	PTTE24P1909A	-	-	-	-
LH41C1911A	-	-	-	-	PSH19C2001A	0.19	-	21,072	-	PTTE27C1912A	0.26	-	30,948	-
LH41P1911A	-	-	-	-	PSL06C1911A	0.63	0.08	20,782	-	PTTE28C1909A	0.02	(0.02)	1,330	-
LPN08C1908A	0.02	-	300	-	PSL13C1912A	0.23	0.02	48,772	-	PTTE28C2001A	0.22	0.01	10,912	-
LPN13C1908A	-	-	-	-	PSL19C1912A	0.19	0.03	14,508	-	PTTE28P1911A	0.31	(0.02)	32,312	-
LPN24C1908A	-	-	-	-	PSL27C2002A	0.35	0.03	16,640	-	PTTE41C1910A	-	-	-	-
MAJO06C1909A	0.01	-	200	-	PTG01C1908A	1.75	0.15	5,153	1.00	PTTE41C1910B	-	-	-	-
MAJO13C1909A	0.04	-	2,300	-	PTG01C1908B	1.93	0.22	7,326	1.00	PTTE41C2001A	0.26	-	6,200	-
MAJO19C1912A	0.08	0.01	1,000	-	PTG01C1911A	1.32	0.16	305,640	1.00	PTTE41C2001B	-	-	-	-
MAJO24C2002A	0.21	-	2,270	-	PTG01C1911B	1.17	0.19	221,218	1.00	PTTE41P1910A	-	-	-	-
MAJO27C1912A	0.09	-	43,571	-	PTG01C2001A	0.78	0.11	317,595	-	PTTE42C1910A	-	-	-	-
MBK13C1912A	0.30	(0.01)	7,545	-	PTG01C2001B	0.56	0.09	206,578	-	PTTGO1C1910A	0.07	-	76,043	-
MBK19C1911A	0.21	-	6,796	-	PTG01P1908A	0.02	-	10,002	-	PTTGO1C1910B	0.06	-	60,428	-
MBK24C1910A	0.33	0.01	8,860	-	PTG01P1911A	0.08	(0.02)	123,655	-	PTTGO1C1912A	0.30	-	216,858	-
MEGA11C1910A	0.10	(0.01)	5,000	-	PTG01P2001A	0.50	(0.09)	92,177	-	PTTGO1C1912B	0.17	-	453,353	-
MEGA13C1912A	0.12	(0.01)	931	-	PTG06C1910A	2.02	0.24	15,670	1.00	PTTGO1P1910A	1.77	(0.05)	31,768	1.00
MEGA19C1910A	0.02	(0.01)	123,582	-	PTG08C1912A	0.70	0.12	34,800	-	PTTGO1P1910B	0.73	(0.04)	92,881	-
MEGA19C2001A	0.15	(0.01)	8,240	-	PTG11C2003A	1.09	0.12	27,020	1.00	PTTGO1P1912A	1.22	(0.04)	39,325	1.00
MINT01C1911A	0.33	0.02	267,231	-	PTG11C2005A	0.68	0.09	72,718	-	PTTGO1P1912B	0.90	(0.04)	49,896	-
MINT01C1911B	0.22	0.01	134,180	-	PTG13C1910A	1.69	0.09	1	1.00	PTTGO6C1911A	0.05	0.01	520	-
MINT01P1911A	0.37	(0.03)	149,920	-	PTG13C1911A	1.00	(0.02)	3	-	PTTGO7C1908A	-	-	-	-
MINT06C1908A	-	-	-	-	PTG13C1912A	0.59	0.12	698,867	-	PTTGO8C1911A	-	-	-	-
MINT06C2001A	0.23	0.02	21,901	-	PTG13C1912B	0.35	0.07	351,831	-	PTTGO8C2001A	0.23	0.01	17,520	-
MINT08C1908A	0.02	-	6,002	-	PTG13P1911A	0.21	(0.06)	159,275	-	PTTGO8P1912A	0.70	(0.04)	18,600	-
MINT11C1910A	0.19	0.01	49,900	-	PTG16C1911A	1.47	0.22	20,402	1.00	PTTGG11C1909A	-	-	-	-
MINT13C1908A	0.01	-	1,300	-	PTG19C1910A	1.19	0.19	20,460	1.00	PTTGG11C2004A	0.23	-	60,102	-
MINT13C1911A	0.22	0.02	130,256	-	PTG19C1910B	0.52	0.13	53,078	-	PTTGG13C1908A	-	-	-	-
MINT13C1912A	0.16	0.01	322	-	PTG19C1911A	0.33	0.08	131,178	-	PTTGG13C1911A	0.09	0.01	11	-
MINT16C1911A	0.24	0.02	36,002	-	PTG19P1908A	-	-	-	-	PTTGG13C1912A	0.15	(0.01)	202	-
MINT16C2001A	0.26	0.03	35,499	-	PTG19P1910A	-	-	-	-	PTTGG13C2001A	0.43	0.02	465,721	-
MINT19C1908A	-	-	-	-	PTG19P2001A	0.40	(0.07)	47,126	-	PTTGG13P1909A	-	-	-	-
MINT19C2001A	0.16	0.01	17,758	-	PTG24C1909A	1.44	0.06	15,240	1.00	PTTGG13P1910A	-	-	-	-
MINT19P1910A	-	-	-	-	PTG27P1910A	0.01	-	4,010	-	PTTGG13P2001A	0.37	(0.03)	102,826	-
MINT23C2001A	-	-	-	-	PTG27P2001A	0.21	(0.05)	31,154	-	PTTGG16C2001A	0.07	(0.01)	103	-
MINT24C1908A	0.11	0.03	17,300	-	PTG28C1910A	-	-	-	-	PTTGG19C1910A	-	-	-	-
MINT27C1912A	0.22	0.01	17,496	-	PTG28C1910B	-	-	-	-	PTTGG19C2001A	0.19	(0.01)	27,000	-
MINT27P1912A	0.20	(0.01)	8,672	-	PTG28C1911A	-	-	-	-	PTTGG19P1910A	0.49	(0.05)	18,300	-
MINT41C1910A	0.14	0.01	17,762	-	PTG28C1912A	0.41	0.08	31,602	-	PTTGG23C1908A	-	-	-	-
MINT41C2001A	0.25	0.02	300	-	PTG41C1910A	-	-	-	-	PTTGG24C1911A	-	-	-	-
MINT41P1912A	-	-	-	-	PTG41C1912A	0.57	0.06	21,170	-	PTTGG27C2001A	0.16	-	54,548	-
MTC01C1912A	0.45	0.03	127,213	-	PTG41P1911A	0.17	(0.04)	700	-	PTTGG28C1911A	-	-	-	-
MTC01C1912B	0.29	0.02	100,559	-	PTG41P1912A	0.45	(0.09)	4,957	-	PTTGG28C2001A	0.14	0.01	28,280	-
MTC01P1912A	0.65	(0.04)	56,476	-	PTG42C1910A	1.27	0.14	4,904	1.00	PTTGG41C1909A	-	-	-	-
MTC06C1908A	0.36	0.06	8,185	-	PTT01C1910A	0.13	0.01	111,134	-	PTTGG41C1911A	-	-	-	-
MTC06C1912A	0.27	0.02	23,871	-	PTT01C1910B	0.08	-	20	-	PTTGG41C1911B	-	-	-	-
MTC07C1909A	0.32	0.04	2,303	-	PTT01C2001A	0.27	0.01	29,838	-	PTTGG41C2001A	0.31	-	26,682	-
MTC08C1911A	0.35	0.03	22,517	-	PTT01C2001B	0.14	0.01	49,722	-	PTTGG41P1912A	-	-	-	-
MTC11C2002A	0.66	0.04	17,500	-	PTT01P1910A	0.83	(0.04)	32,128	-	PTTGG41P2001A	-	-	-	-
MTC13C1910A	0.34	0.04	8,257	-	PTT01P1910B	0.36	(0.03)	65,430	-	PTTGG42C1910A	-	-	-	-
MTC13C1912A	0.28	0.02	163,792	-	PTT01P2001A	0.81	(0.03)	12,904	-	QH01C1908A	0.26	-	16,970	-
MTC16C1911A	0.50	0.03	28,004	-	PTT01P2001B	0.61	(0.03)	16,870	-	QH01C1908B	-	-	-	-
MTC19C1911A	0.16	0.01	62,805	-	PTT06C1912A	0.07	-	16,000	-	QH01C2001A	0.37	-	16,758	-
MTC19P1911A	0.26	(0.02)	10,987	-	PTT08C1912A	0.25	0.01	14,100	-	QH01C2001B	0.25	-	16,254	-
MTC23C1911A	-	-	-	-	PTT08P1911A	0.43	(0.03)	2,000	-	QH01P1908A	0.04	(0.01)	17,644	-
MTC24C1910A	0.22	0.03	1,003	-	PTT11C1909A	-	-	-	-	QH01P2001A	0.44	(0.01)	13,208	-
MTC24C1912A	0.83	0.08	2,354	-	PTT11C2004A	0.18	-	22,801	-	QH11C1910A	0.16	-	22,400	-
MTC27C1911A	0.46	0.04	15,002	-	PTT13C1909A	0.01	-	320	-	QH13C1909A	0.12	0.01	41,136	-
MTC27P1911A	0.18	(0.02)	16,927	-	PTT13C1911A	0.11	0.01	55,377	-	QH19C1909A	-	-	-	-
MTC28C1910A	-	-	-	-	PTT13C2001A	0.24	0.01	103,580	-	QH24C1908A	-	-	-	-
MTC28C1912A	0.19	0.01	13,026	-	PTT13P1909A	0.14	(0.03)	40,381	-	RATC13C1911A	0.52	0.06	191,075	-
MTC41C1911A	-	-	-	-	PTT13P1911A	0.47	(0.01)	10	-	RATC16C2001A	0.47	0.04	5,255	-
MTC41P1911A	0.45	(0.08)	24,102	-	PTT16C1912A	0.24	0.01	1,000	-	RATC19C1908A	0.50	0.07	2,620	-
MTC42C1910A	-	-	-	-	PTT16C2001A	-	-	-	-	RATC19C1910A	0.16	0.02	101,246	-
ORI08C2001A	0.30	(0.02)												

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price
OSP16C2001A	0.31	0.01	12,000	-

Securities	Close	Change	Volume (Lot)	Average Price
PTTE01C1910B	0.18	0.01	371,725	-

Securities	Close	Change	Volume (Lot)	Average Price
ROBI41C2001A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ROBI41P2001A	-	-	-	-	SAWA08C1908A	0.12	-	6,623	-	SPAL41C2001A	0.27	-	23,984	-
RS06C2001A	0.52	(0.02)	28,252	-	SAWA08C2001A	0.49	0.04	25,208	-	SPRC01C1911A	0.17	-	77,197	-
RS08C1911A	0.20	(0.01)	36,500	-	SAWA11C2003A	0.69	0.02	26,050	-	SPRC01C1911B	-	-	-	-
RS08C2001A	0.37	(0.03)	38,113	-	SAWA13C1908A	0.40	0.12	2	-	SPRC11C1909A	-	-	-	-
RS11C1911A	0.37	-	35,010	-	SAWA13C1911A	0.41	0.04	75,859	-	SPRC11C2005A	-	-	-	-
RS13C1909A	0.05	-	600	-	SAWA16C2001A	0.58	(0.02)	6,000	-	SPRC13C1910A	0.02	0.01	1	-
RS13C1912A	0.37	(0.01)	241,310	-	SAWA19C1908A	0.06	-	13,800	-	SPRC13C1911A	0.09	0.02	12,365	-
RS16C2001A	0.38	0.02	9,002	-	SAWA19C1912A	0.23	0.01	91,734	-	SPRC13C1912A	-	-	-	-
RS19C1908A	-	-	-	-	SAWA23C1911A	-	-	-	-	SPRC13C2001A	0.27	(0.73)	88,086	-
RS19C1911A	0.19	(0.01)	82,284	-	SAWA24C1910A	-	-	-	-	SPRC19C1910A	-	-	-	-
RS23C1909A	0.06	0.01	4,000	-	SAWA24C1912A	0.38	0.05	1	-	SPRC19C2001A	0.12	0.01	41,448	-
RS24C1910A	0.13	0.02	5,200	-	SAWA27C1910A	0.54	0.05	9,600	-	SPRC24C1909A	-	-	-	-
RS41C1908A	-	-	-	-	SAWA28C1909A	-	-	-	-	SPRC41C1911A	-	-	-	-
RS41C1912A	0.35	(0.03)	1,101	-	SAWA28C1910A	0.22	0.03	42,860	-	SPRC41C1912A	0.13	-	7,230	-
RS42C1911A	0.39	(0.02)	31,607	-	SAWA28C2001A	0.37	0.02	54,870	-	SPRC41C2001A	-	-	-	-
S10001C1911A	0.47	0.05	2,708	-	SAWA28C2002A	0.59	0.04	21,286	-	STA01C1908A	-	-	-	-
S5001C1908A	0.31	0.09	693,908	-	SAWA41C1911A	0.53	0.03	121,460	-	STA01C1908B	-	-	-	-
S5001C1909F	0.37	0.10	3,765,136	-	SAWA41P1911A	0.16	(0.03)	10,430	-	STA01C1912A	0.18	0.03	425,414	-
S5001C1909G	0.19	0.06	1,668,036	-	SAWA41P1912A	0.64	(0.03)	1,654	-	STA01C1912B	0.10	0.03	153,670	-
S5001C1909H	0.05	0.02	88,980	-	SAWA42C1910A	0.28	0.02	202	-	STA01P1912A	0.40	(0.09)	169,827	-
S5001C1909I	0.03	0.01	50,112	-	SCB01C1911A	0.38	(0.01)	153,285	-	STA06C1911A	0.15	0.05	33,440	-
S5001C1909J	0.23	0.06	518,617	-	SCB01C1911B	0.22	(0.01)	148,586	-	STA08C1908A	-	-	-	-
S5001C1910A	0.33	0.06	921,634	-	SCB01C2002A	0.37	(0.02)	99,598	-	STA11C1909A	-	-	-	-
S5001P1908A	0.42	(0.13)	398,186	-	SCB01C2002B	0.19	(0.01)	129,269	-	STA11C2005A	0.27	0.05	49,210	-
S5001P1909F	0.22	(0.10)	2,126,740	-	SCB01P1911A	0.79	(0.01)	81,913	-	STA13C1908A	-	-	-	-
S5001P1909G	0.58	(0.20)	1,890,774	-	SCB01P1911B	0.52	-	105,900	-	STA13C1912A	0.07	-	7	-
S5001P1909H	1.71	(0.35)	944,376	1.00	SCB01P2002A	1.31	(0.01)	41,060	1.00	STA19C1909A	-	-	-	-
S5001P1909I	2.34	(0.34)	187,378	2.00	SCB01P2002B	1.04	(0.01)	38,688	1.00	STA19C2001A	0.09	0.01	49,873	-
S5001P1909J	1.56	(0.25)	1,350,857	1.00	SCB06C1912A	0.09	(0.01)	26,180	-	STA23C1911A	0.11	0.02	14,881	-
S5001P1910A	1.37	(0.14)	539,649	1.00	SCB08C1908A	-	-	-	-	STA24C1909A	-	-	-	-
S5006C1909A	0.07	(0.01)	4,986	-	SCB11C1910A	0.05	(0.02)	41	-	STA24C1911A	0.10	0.02	17,501	-
S5006C1909B	0.22	0.07	302,024	-	SCB11C2005A	0.27	-	69,000	-	STA27C1911A	-	-	-	-
S5006C1909C	0.51	0.13	482,679	-	SCB11P1910A	0.23	0.01	16,800	-	STA41C1910A	-	-	-	-
S5006C1909D	0.02	-	15,726	-	SCB11P2005A	1.02	0.02	37,670	1.00	STA41C1912A	0.16	0.04	13,000	-
S5006P1909A	0.37	(0.16)	214,496	-	SCB13C1911A	0.23	(0.01)	105,552	-	STA42C1911A	-	-	-	-
S5006P1909B	0.17	(0.11)	344,551	-	SCB16C2001A	0.19	(0.05)	37,603	-	STEC01C1911A	0.04	-	160,947	-
S5006P1909C	0.48	(0.16)	202,260	-	SCB19C1910A	0.06	(0.02)	23,102	-	STEC01C1911B	0.02	-	11,055	-
S5006P1909D	1.83	(0.45)	243,227	1.00	SCB19P1911A	0.15	-	41,311	-	STEC01P1911A	0.60	0.01	201,439	-
S5008C1909A	0.02	-	3,181	-	SCB24C1910A	-	-	-	-	STEC06C1908A	0.03	0.02	27,400	-
S5008C1909B	0.01	-	42,724	-	SCB24P1909A	0.24	0.01	3,205	-	STEC06C1912A	0.02	-	376	-
S5008P1909A	0.24	(0.11)	213,888	-	SCB28C1911A	0.14	(0.01)	20,880	-	STEC08C1908A	-	-	-	-
S5008P1909B	1.10	(0.56)	9,074	1.00	SCB28C2001A	-	-	-	-	STEC08C2001A	0.05	(0.01)	33,056	-
S5013C1909A	0.24	0.07	12,696,117	-	SCB28P1909A	-	-	-	-	STEC11C2001A	0.17	-	156,123	-
S5013C1909B	0.17	0.06	3,584,064	-	SCB28P1912A	0.32	(0.01)	25,866	-	STEC13C1909A	-	-	-	-
S5013C1909C	0.06	0.01	704,381	-	SCB41C1910A	-	-	-	-	STEC16C1911A	0.02	(0.01)	46,600	-
S5013C1909D	0.03	0.01	519,735	-	SCB41P1912A	-	-	-	-	STEC16C1911B	0.07	(0.01)	35,028	-
S5013C1909E	0.20	0.06	6,773,207	-	SCB42C1911A	0.11	(0.22)	20	-	STEC19C1908A	-	-	-	-
S5013C1909F	0.13	0.04	86,236	-	SCC01C2001A	0.32	-	109,243	-	STEC19C1910A	-	-	-	-
S5013C1912A	0.83	0.11	13,965,411	-	SCC01C2001B	0.14	(0.01)	216,196	-	STEC19P1911A	0.55	0.03	98,642	-
S5013P1909A	0.18	(0.09)	5,655,223	-	SCC01P2001A	0.66	(0.03)	71,031	-	STEC24C1911A	0.03	(0.01)	1,000	-
S5013P1909B	0.50	(0.18)	3,070,358	-	SCC07C1909A	-	-	-	-	STEC27C1908A	-	-	-	-
S5013P1909C	0.82	(0.22)	236,902	-	SCC08C1908A	0.01	-	2,800	-	STEC27C2002A	0.04	-	33,000	-
S5013P1909D	1.36	(0.31)	29,675	1.00	SCC11C2003A	0.14	-	14,003	-	STEC27P1910A	0.32	0.03	43,054	-
S5013P1909E	1.60	(0.19)	11	1.00	SCC13C1908A	-	-	-	-	STEC41C1910A	-	-	-	-
S5013P1909F	1.41	(0.19)	2,793	1.00	SCC13C1911A	0.07	(0.01)	124,068	-	STEC41C2001A	0.15	(0.02)	119,723	-
S5013P1912A	0.79	(0.12)	6,432,667	-	SCC13C2001A	0.26	0.01	322,477	-	STEC41P1911A	0.67	0.03	39,087	-
S5016C1912A	0.74	(0.26)	296,294	-	SCC13P1911A	0.48	(0.06)	5	-	STEC42C1910A	-	-	-	-
S5016P1912A	1.03	0.03	440,731	1.00	SCC13P2001A	0.36	(0.02)	70,230	-	SUPE19C1910A	0.04	0.01	2,500	-
S5024C1909A	0.06	0.02	119,169	-	SCC16C2002A	-	-	-	-	TASCO1C1909A	0.52	0.05	120,299	-
S5024C1909B	0.26	0.07	45,290	-	SCC19C1911A	0.06	-	17,000	-	TASCO1C1909B	0.22	0.03	171,612	-
S5024C1909C	0.01	-	460	-	SCC19P1911A	0.19	(0.02)	47,949	-	TASCO1C1912A	0.32	0.04	126,382	-
S5024C1912A	1.29	0.18	67,449	1.00	SCC24C1910A	-	-	-	-	TASCO1C1912B	0.17	0.01	157,300	-
S5024P1909A	0.92	(0.38)	120,337	1.00	SCC24C1912A	0.22	0.02	3	-	TASCO1P1909A	0.11	(0.03)	69,454	-
S5024P1909B	1.03	(0.19)	12,049	1.00	SCC24P1909A	-	-	-	-	TASCO1P1912A	0.75	(0.06)	88,029	-
S5024P1909C	2.48	(0.54)	7,505	2.00	SCC24P1910A	-	-	-	-	TASCO6C1909A	0.20	0.05	25,052	-
S5024P1912A	0.67	(0.33)	84,653	-	SCC27C2001A	0.14	(0.01)	3,958	-	TASCO6P1909A	-	-	-	-
S5028C1908A	-	-	-	-	SCC28C1910A	-	-	-	-	TASCO8C1910A	0.27	0.05	23,902	-
S5028C1909A	0.04	0.01	12,431	-	SCC28C2001A	0.12	0.01	10,180	-	TASC11C2002A	0.57	0.04	64,519	-
S5028C1910A	0.78	0.13	1,060,281	-	SCC28C2002A	0.18	0.01	6,036	-	TASC13C1911A	0.28	0.04	277,976	-
S5028C1912A	0.07	-	24,093	-	SCC41C1908A	0.01	-	5,000	-	TASC16C2001A	0.26	0.04	36,003	-
S5028C1912B	0.17	0.03	365,557	-	SCC41C1908B	-	-	-	-	TASC19C1910A	0.10	0.02	51,554	-
S5028C1912C	0.36	0.05	527,910	-	SCC41C2001A	0.12	-	6,000	-	TASC19P1911A	0.28	(0.06)	7,021	-
S5028P1908A	0.04	(0.08)	1,741	-	SCC41P2001A	-	-	-	-	TASC24C1908A	0.19	0.06	662	-
S5028P1909A	0.97	(0.24)	701	1.00	SCC42C1911A	-	-	-	-	TASC24C2001A	-	-	-	-
S5028P1910A	0.47	(0.10)	959,418	-	SGP11C1911A	-	-	-	-	TASC28C1910A	0.24	0.05	40,560	-
S5028P1912A	0.63	(0.08)	464,806	-	SGP13C1908A	-	-	-	-	TASC28C1912A	0.15	0.03	12,216	-
S5028P1912B	0.24	(0.03)	405,677	-	SGP13C1912A	0.06	-	4	-	TASC28C2001A	0.28	0.02	42,802	-
S5041C1909A	0.81	0.16	8,259,621	-	SGP13C2001A	0.31	(0.69)	40,983	-	TASC41C1909A	-	-	-	-
S5041C1909B	0.51	0.13	21,839,101	-	SGP19C1910A	-	-	-	-	TASC41C1912A	0.23	0.03	18,000	-
S5041C1909C	0.03	-	1,000	-	SGP19C2001A	-	-	-	-	TASC42C1910A	-	-	-	-
S5041C1909D	0.06	0.01	10,095	-	SGP23C1908A	-	-	-	-	TCAP01C2001A	0.30	0.02	148,133	-
S5041C1909F	0.24	0.07	1,733	-	SGP24C1910A	-	-	-	-	TCAP01C2001B	0.16	0.01	126,382	-
S5041C1909G	0.10	0.02	20,786	-	SGP41C2001A	0.18	0.01	50	-	TCAP01P2001A	0.68	(0.02)	65,015	-
S5041C1912A	0.22	0.05	9,998	-	SGP42C1911A	0.14	0.02	100	-	TCAP11C1909A	-	-	-	-
S5041P1909A	0.56	(0.19)	203,831	-	SIRI11C1911A	0.21	-	21,720	-	TCAP13C1910A	0.05	(0.01)	6,046	-
S5041P1909B	0.32	(0.12)	7,238,6											

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5041P1912A	0.70	(0.09)	3,041,924	-	SPAL13C1909A	-	-	-	-	THAI11C2003A	0.10	(0.01)	11,000	-
SAWA01C1911A	0.57	0.02	155,495	-	SPAL16C2002A	-	-	-	-	THAI13C1910A	-	-	-	-
SAWA01C1911B	0.29	0.01	145,508	-	SPAL19C1910A	0.06	0.01	500	-	THAI13C1911A	0.32	0.02	173,952	-
SAWA01P1911A	0.47	(0.04)	99,116	-	SPAL24C1912A	-	-	-	-	THAI13C1912A	-	-	-	-
SAWA06C1908A	0.20	0.02	19,950	-	SPAL41C1912A	-	-	-	-	THAI19C1910A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAI19C1910B	0.07	(0.01)	4,000	-	TOP19P1911A	-	-	-	-	WORK19C1908A	-	-	-	-
THAI19C1911A	0.05	-	140	-	TOP23C2001A	0.40	-	500	-	WORK19C1910A	0.43	0.05	94,995	-
THAI24C1911A	-	-	-	-	TOP24C1911A	0.48	(0.01)	150	-	WORK23C1909A	-	-	-	-
THAI42C1911A	0.24	(0.02)	1,200	-	TOP24P1910A	0.64	(0.04)	2,020	-	WORK24C1910A	0.32	0.04	13,824	-
THAN01C2001A	0.41	0.06	93,985	-	TOP28C1911A	0.27	0.02	48,970	-	WORK28C1911A	0.61	(0.07)	11,343	-
THAN01C2001B	0.26	0.06	94,704	-	TOP41C1909A	0.18	0.02	54,222	-	Preferred/Foreign	-	-	-	-
THAN06C1910A	0.33	0.07	52,010	-	TOP41C1910A	-	-	-	-	BH-Q	-	-	-	-
THAN13C1909A	0.32	0.11	1,440	-	TOP41C1910B	-	-	-	-	CSC-Q	-	-	-	-
THAN13C1912A	0.22	0.05	84,286	-	TOP41C2002A	0.50	(0.50)	15,542	-	JUTHA-Q	-	-	-	-
THAN19C1908A	0.07	0.04	21,010	-	TOP41C2002B	-	-	-	-	KTB-Q	-	-	-	-
THAN19C2001A	0.19	0.05	45,457	-	TOP41P1910A	-	-	-	-	SCB-Q	-	-	-	-
THAN24C2001A	0.36	0.06	5,200	-	TOP42C1911A	-	-	-	-	TCAP-Q	-	-	-	-
THAN27C1910A	0.37	0.08	44,449	-	TPI19C1911A	-	-	-	-	TISCO-Q	-	-	-	-
TISCO1C1908A	1.69	(0.05)	12,472	1.00	TPI19C1911A	-	-	-	-	U-Q	-	-	-	-
TISCO1C1908B	1.00	(0.05)	12,668	1.00	TPI13C1908A	-	-	-	-	Warrant	-	-	-	-
TISCO1C2001A	1.26	(0.03)	50,972	1.00	TRUE01C1911A	0.46	0.04	131,322	-	7UP-W4	0.21	0.16	5,618,751	-
TISCO1C2001B	0.90	(0.04)	153,601	-	TRUE01C1911B	0.38	0.04	217,067	-	AJA-W1	0.04	-	25,350	-
TISCO1P1908A	0.01	-	1	-	TRUE01C2002A	0.29	0.02	165,805	-	AKR-W1	0.17	-	46,626	-
TISCO1P2001A	0.49	0.01	59,335	-	TRUE01C2002B	0.18	0.02	215,039	-	ALT-W1	0.55	0.01	450	-
TISCO08C2001A	0.71	(0.12)	18,150	-	TRUE01P1911A	0.15	(0.01)	210,294	-	APEX-W1	0.02	-	20,000	-
TISC11C1910A	1.20	(0.08)	804	1.00	TRUE01P1911B	0.06	(0.01)	117,426	-	APURE-W2	0.13	(0.01)	5,791	-
TISC11C2005A	0.40	(0.01)	14,000	-	TRUE01P2002A	0.73	(0.02)	64,449	-	AS-W1	0.08	-	548	-
TISC13C1908A	-	-	-	-	TRUE01P2002B	0.50	(0.04)	90,615	-	AYUD-W1	3.52	(0.02)	5,870	3.00
TISC13C1912A	0.92	(0.07)	9,287	-	TRUE06C1911A	0.46	0.05	26,650	-	B-W3	-	-	-	-
TISC13C2001A	0.27	(0.01)	24,036	-	TRUE08C2001A	0.21	0.02	24,599	-	B-W4	0.08	0.02	7,269	-
TISC16C2001A	1.06	(0.02)	24,488	1.00	TRUE08P1911A	0.13	(0.02)	9,117	-	B52-W1	-	-	-	-
TISC19C1908A	0.58	(0.14)	4,000	-	TRUE11C1911A	0.91	0.09	13,000	-	B52-W2	-	-	-	-
TISC19C1912A	0.28	(0.01)	6,575	-	TRUE11C2005A	0.31	0.02	59,400	-	BKD-W2	0.15	0.01	2,468	-
TISC24C1908A	-	-	-	-	TRUE11P2002A	0.23	(0.03)	29,101	-	BTS-W4	2.26	0.04	258,186	2.00
TISC41C1911A	-	-	-	-	TRUE13C1911A	-	-	-	-	CGD-W4	0.13	0.01	11,237	-
TISC41C2001A	0.32	(0.02)	12,570	-	TRUE13C1912A	0.41	0.04	420	-	CGH-W3	0.03	-	2,482	-
TISC42C1910A	0.81	0.07	1,002	-	TRUE13C1912B	0.23	0.03	371,116	-	CI-W1	0.11	0.02	12,493	-
TKN01C1909A	0.16	0.05	378,596	-	TRUE13P1909A	-	-	-	-	CKP-W1	1.07	0.11	805,585	1.00
TKN01C1909B	0.05	0.02	41,610	-	TRUE16C1912A	0.40	(0.02)	2,000	-	CRANE-W1	1.91	(0.05)	139,855	1.00
TKN01C1911A	0.79	0.16	123,623	-	TRUE16C2002A	0.29	0.01	23,486	-	DCC-W1	0.68	0.01	30,349	-
TKN06C1909A	0.15	0.07	49,496	-	TRUE19C1910A	0.24	0.04	65,057	-	EARTH-W4	-	-	-	-
TKN08C1908A	0.05	0.01	1,001	-	TRUE19P1908A	-	-	-	-	ECL-W3	0.52	0.01	53,042	-
TKN13C1909A	0.29	0.15	4,499	-	TRUE19P1911A	0.07	0.01	50	-	EIC-W2	-	-	-	-
TKN13C1911A	0.71	0.17	20,215	-	TRUE28C1911A	-	-	-	-	EIC-W3	0.02	-	44	-
TKN13C1912A	0.25	0.06	232,312	-	TRUE28C1911B	-	-	-	-	EMC-W6	0.13	-	15,526	-
TKN16C2001A	0.68	0.19	17,255	-	TRUE28C2001A	0.26	0.02	35,398	-	EPCO-W3	0.86	0.04	209,047	-
TKN19C1910A	0.29	0.09	71,088	-	TRUE41C1908A	-	-	-	-	GJS-W3	-	-	-	-
TKN19C2001A	0.23	0.04	82,151	-	TRUE41C1909A	-	-	-	-	GSTEEL-W1	-	-	-	-
TKN23C1911A	-	-	-	-	TRUE41C1910A	-	-	-	-	GSTEEL-W2	-	-	-	-
TKN24C1908A	-	-	-	-	TRUE41C1910B	-	-	-	-	IHL-W1	1.43	(0.08)	104,969	1.00
TKN28C1910A	0.11	0.03	19,024	-	TRUE41C1911A	-	-	-	-	J-W1	0.49	(0.02)	2,481	-
TKN28C1911A	0.61	0.09	6	-	TRUE41C2001A	0.21	0.02	18,000	-	JAS-W3	3.68	0.02	34,850	3.00
TKN41C1912A	0.70	0.16	14,820	-	TRUE41C2001B	-	-	-	-	JCK-W5	0.21	(0.02)	1,809	-
TKN41C2001A	0.34	0.08	23,600	-	TRUE41P1908A	-	-	-	-	JMT-W2	3.34	0.08	821	3.00
TKN42C1911A	0.80	0.14	1,500	-	TRUE41P1910A	-	-	-	-	MACO-W1	0.22	(0.01)	119,111	-
TMB01C1909A	-	-	-	-	TRUE41P1911A	-	-	-	-	MILL-W3	-	-	-	-
TMB08C1908A	-	-	-	-	TRUE42C1910A	0.31	0.04	3,852	-	MILL-W4	0.06	-	5,247	-
TMB13C1908A	-	-	-	-	TU01C2001A	0.41	0.01	103,340	-	MILL-W5	0.04	-	2,652	-
TMB19C1910A	-	-	-	-	TU01C2001B	0.26	0.01	159,164	-	MINT-W6	4.22	0.14	32,042	4.00
TMB19C2001A	0.09	-	28,054	-	TU01P2001A	0.51	(0.02)	74,116	-	MONO-W1	0.03	-	289,025	-
TMB24C1911A	-	-	-	-	TU11C2003A	0.24	-	21,000	-	NEP-W3	-	-	-	-
TMB28C1911A	-	-	-	-	TU13C1909A	0.05	(0.02)	600	-	NFC-W1	1.68	0.02	1,073	1.00
TMB28C1912A	0.04	-	2,070	-	TU13C1912A	0.20	-	15,927	-	NOK-W1	0.15	-	722	-
TMB28C2002A	0.25	0.01	42,387	-	TU19C1908A	-	-	-	-	NPPG-W4	0.52	0.01	83,127	-
TMB41C1911A	-	-	-	-	TU19C2001A	0.13	-	29,369	-	NUSA-W3	0.15	-	3,001	-
TMB41C1912A	0.03	-	2	-	TU24C1909A	0.24	-	602	-	NVD-W1	0.13	-	3,803	-
TMB41C2002A	0.24	(0.76)	33,300	-	TU41C1911A	-	-	-	-	ORI-W1	0.90	0.01	129,327	-
TMB41P1911A	0.86	(0.01)	4,300	-	TU41C2001A	-	-	-	-	PACE-W2	0.02	0.01	1,379	-
TMB41P2002A	-	-	-	-	TU41P1911A	-	-	-	-	PDI-W1	0.91	0.03	31,946	-
TOAO1C2001A	0.34	-	11,932	-	TU41P2001A	-	-	-	-	PDJ-W3	-	-	-	-
TOAO1C2001B	0.24	0.01	42,017	-	TVO1C2001A	0.18	(0.01)	1,931	-	PDJ-W4	-	-	-	-
TOAO1P2001A	0.46	(0.03)	17,138	-	TVO19C1911A	0.18	-	21,605	-	PERM-W1	0.33	-	17,154	-
TOA11C1911A	0.22	-	1,800	-	UV13C1908A	-	-	-	-	RICHY-W2	0.07	0.01	470	-
TOA13C1909A	0.28	-	10,745	-	VGI23C1911A	1.75	0.01	1,500	1.00	RS-W3	5.30	(0.10)	19,099	5.00
TOA16C2001A	0.28	0.01	7,002	-	WHA01C1911A	0.67	0.03	153,667	-	SAMART-W2	0.74	0.03	16,440	-
TOA19C1910A	0.31	-	8,000	-	WHA01C1911B	0.43	0.01	108,676	-	SAWAD-W1	7.45	0.05	311	7.00
TOA19C1911A	0.14	-	9,941	-	WHA01P1911A	0.43	(0.02)	90,644	-	SDC-W1	0.14	-	4,309	-
TOA24C1911A	0.31	0.01	1,000	-	WHA06C1908A	0.17	(0.02)	5,150	-	SINGER-W1	2.56	0.02	300	2.00
TOP01C1910A	0.26	0.01	218,022	-	WHA08C1908A	0.11	(0.02)	2,382	-	SINGER-W2	2.00	0.06	7,305	1.00
TOP01C1910B	0.25	0.02	201,815	-	WHA11C2001A	0.45	0.01	29,082	-	SMT-W2	0.30	-	2,209	-
TOP01C1912A	0.57	0.03	142,990	-	WHA13C1909A	-	-	-	-	SPORT-W7	-	-	-	-
TOP01C1912B	0.34	0.02	141,243	-	WHA13C1912A	0.40	0.01	164,772	-	SST-W2	1.40	(0.01)	372	1.00
TOP01P1910A	0.58	(0.07)	81,055	-	WHA16C1911A	0.47	(0.02)	6,000	-	SUPER-W4	0.05	-	24,012	-
TOP01P1912A	0.55	(0.04)	62,378	-	WHA19C1911A	0.19	-	25,700	-	SVI-W3	0.98	(0.02)	17,358	1.00
TOP06C1908A	0.01	(0.01)	200	-	WHA24C1911A	-	-	-	-	TCC-W3	0.08	-	1,881	-
TOP06C1911A	0.44	0.05	22,829	-	WHA24P1908A	-	-	-	-	TCC-W4	0.08	-	3	-
TOP06P1912A	0.71	(0.09)	12,800	-	WHA27C1910A	0.32	0.02	14,400	-	TCC-W5	0.19	-	299	-
TOP07C1908A	-	-	-	-	WHA28C1910A	0.34	0.02	33,522	-	TCJ-W2	0.45	(0.01)	3,430	-
TOP08C1911A	0.22	0.03	39,738	-	WHA28C1912A	0.26	0.01	4,484	-	TCMC-W2	0.07	-	23,218	-
TOP08P1912A	0.21	(0.02)	23,540	-	WHA41C1911A	0.31	(0.02)	1,000	-	TFG-W2	0.83	-	58,171	-
TOP11C2002A	0.26	0.02	56,002	-	WHA41P1912A	0.44	(0.02)	10	-	TGPRO-W3	-	-	-	-
TOP1P2002A	0.87	(0.05)	54,000	-	WHA42C1911A	-	-	-	-	TH-W2	0.16	0.01	552	-
TOP13C1909A	0.03	0.01	1	-	WHAU13C1910A	-	-	-	-	THE-W2	0.02	0.01	2,656	-

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP13C1910A	0.21	0.03	61,510	-	WHAU13C1912A	0.31	0.03	68,030	-	TNITY-W1	0.43	-	2,279	-
TOP13C1911A	0.42	0.04	113,014	-	WHAU27C2002A	0.40	0.02	7,200	-	TRITN-W3	0.20	0.01	8,195	-
TOP13P1909A	0.17	(0.05)	55,604	-	WORK01C1910A	0.52	0.04	131,072	-	TTCL-W1	0.92	0.03	15,444	-
TOP13P1911A	0.14	(0.02)	36,644	-	WORK01C1910B	0.04	0.01	15,453	-	TWZ-W5	0.01	(0.01)	402	-
TOP16C1911A	0.14	0.01	36,002	-	WORK08C1912A	0.69	0.04	231	-	U-W1	-	-	-	-
TOP16C2001A	0.38	0.04	43,397	-	WORK13C1909A	0.14	0.02	60,399	-	U-W4	0.01	-	211,167	-
TOP19C1910A	0.14	0.02	45,504	-	WORK13C1911A	0.57	0.06	125,422	-	VGI-W2	1.50	0.12	1,904,275	1.00

Main Board Quotation

Issue Date :

Wednesday August 21, 2019

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-