

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DIF	17.80	0.20	93,914	17.67	MPIC	1.53	-	1	1.53
POMPUI	-	-	-	-	DTAC	60.25	0.25	83,760	60.38	NMG	-	-	-	-
SAFARI	-	-	-	-	FORTH	6.00	0.05	2,846	6.01	PLANB	8.75	(0.20)	161,669	8.81
VI	-	-	-	-	HUMAN	8.30	0.05	3,065	8.33	POST	2.08	-	9	1.89
WORLD	-	-	-	-	ILINK	5.05	(0.05)	340	5.06	PRAKIT	11.00	-	50	11.00
WR	-	-	-	-	INET	3.50	-	6,186	3.51	SE-ED	-	-	-	-
Agribusiness	-	-	-	-	INTUCH	63.25	1.50	248,038	62.90	SPORT	-	-	-	-
CHOTI	-	-	-	-	JAS	6.70	0.10	1,679,310	6.72	TBSP	13.80	0.10	8	13.73
EE	0.52	-	18,507	0.52	JASIF	11.30	-	214,491	11.30	TH	0.72	0.03	578	0.70
GFPT	18.00	-	23,037	18.02	JMART	11.60	0.20	130,908	11.68	TKS	7.60	(0.05)	2,845	7.65
LEE	2.22	0.04	650	2.18	JTS	1.31	(0.03)	774	1.31	VGI	9.80	(0.05)	155,833	9.80
NER	2.56	(0.08)	263,626	2.60	MFEC	3.74	0.02	1,413	3.72	WAVE	1.85	(0.06)	91	1.85
PPPM	1.56	0.13	452,791	1.58	MSC	6.60	-	464	6.60	WORK	22.50	(1.10)	81,275	23.03
STA	10.50	(0.20)	61,564	10.50	PT	5.75	(0.10)	4,757	5.72	Finance & Securities	-	-	-	-
TRUBB	1.30	(0.02)	731	1.32	SAMART	9.20	(0.05)	15,986	9.23	AEC	0.27	(0.01)	8,439	0.28
TWPC	6.20	(0.10)	819	6.29	SAMTEL	9.60	(0.05)	4,147	9.58	AEGONTS	218.00	(1.00)	1,383	218.49
UPOIC	3.70	(0.08)	73	3.75	SDC	0.29	-	8,856	0.29	AMANAHA	2.32	(0.02)	42,465	2.33
UVAN	5.30	(0.10)	2,196	5.35	SIS	9.05	0.15	286	8.99	ASAP	2.76	0.04	8,751	2.71
VPO	0.59	(0.01)	191,587	0.62	SVOA	1.10	0.01	1,543	1.10	ASK	25.25	0.25	1,610	24.97
Banking	-	-	-	-	SYMC	3.94	0.06	70	3.94	ASP	2.52	-	11,422	2.52
BAY	34.50	(0.25)	3,797	34.60	SYNEX	9.70	(0.05)	207	9.69	BFIT	17.20	(0.10)	1,024	17.01
BBL	171.00	1.00	63,550	170.37	THCOM	5.20	0.32	38,240	5.15	CGH	0.87	0.01	15,356	0.87
CIMBT	0.69	(0.01)	3,484	0.68	TRUE	6.35	0.10	1,930,476	6.29	CNS	1.66	(0.01)	217	1.66
KBANK	156.00	0.50	107,404	155.84	TWZ	0.08	-	52,857	0.08	ECL	1.59	(0.01)	13,651	1.61
KKP	70.25	(0.75)	36,014	70.53	Electronic Componer	-	-	-	-	FNS	3.00	0.10	4,598	3.11
KTB	17.20	(0.30)	337,226	17.25	CCET	1.80	(0.01)	15,794	1.81	FSS	1.70	(0.05)	497	1.70
LHFG	1.39	-	24,462	1.38	DELTA	51.50	(2.25)	12,120	51.55	GBX	0.53	-	5,691	0.52
SCB	123.50	-	80,637	123.11	EIC	0.04	-	24,615	0.04	GL	5.70	(0.15)	14,433	5.75
TCAP	51.50	(0.50)	25,396	51.67	HANA	28.50	-	15,407	28.84	IFS	3.56	0.06	3,760	3.54
TISCO	100.50	1.50	34,273	99.44	KCE	16.10	(0.30)	127,720	16.47	JMT	18.70	(0.10)	103,782	18.97
TMB	1.50	(0.04)	1,085,215	1.51	METCO	165.50	-	2	165.50	KCAR	11.80	0.10	477	11.74
Construction Materia	-	-	-	-	NEX	3.88	(0.02)	12,520	3.88	KGI	4.60	(0.08)	41,181	4.61
CCP	0.35	-	5,013	0.35	SMT	1.56	(0.02)	974	1.56	KTC	43.75	(0.25)	84,438	43.69
COTTO	1.80	(0.01)	5,990	1.80	SVI	3.40	(0.02)	11,971	3.41	MBKET	8.65	0.05	617	8.60
DCC	2.02	-	4,748	2.03	TEAM	0.98	-	782	0.97	MFC	17.70	-	6	17.62
DCON	0.37	-	27,698	0.38	Energy & Utilities	-	-	-	-	ML	0.99	-	4,453	0.99
DRT	6.05	-	9,999	6.05	7UP	0.48	(0.03)	429,621	0.50	MTC	53.00	(0.75)	94,845	52.84
EPG	6.70	0.10	87,453	6.69	ABPIF	6.20	-	1,512	6.20	PE	0.08	-	250	0.07
GEL	0.19	(0.01)	37,619	0.20	AI	1.19	(0.02)	18,563	1.20	PL	2.90	-	134	2.90
PPP	2.70	-	103	2.70	AKR	0.77	0.01	27,951	0.78	S11	8.60	(0.10)	1,781	8.66
Q-CON	5.75	-	263	5.76	BAFS	33.50	-	327	33.53	SAWAD	55.00	0.25	81,315	54.77
RCI	3.72	-	3,726	3.73	BANPU	11.50	(0.40)	389,109	11.69	THANI	7.15	0.10	520,507	7.18
SCC	406.00	(4.00)	27,261	407.58	BCP	26.75	0.25	48,868	26.62	TK	9.90	-	109	9.90
SCCC	235.00	1.00	328	233.89	BCPG	18.40	-	41,573	18.40	TNITY	4.16	(0.10)	190	4.20
SCP	6.95	(0.10)	2,177	6.97	BGRIM	37.25	0.50	213,138	37.23	UOBKH	3.54	(0.06)	8	3.54
SKN	1.90	(0.03)	2,582	1.91	BPP	19.40	(0.30)	37,072	19.51	ZMICO	0.86	-	2,933	0.86
TASCO	18.50	(0.20)	92,486	18.59	BRRGIF	9.55	0.05	736	9.55	Food & Beverage	-	-	-	-
TCMC	2.20	(0.06)	21,678	2.21	CKP	6.15	(0.10)	254,890	6.22	APURE	0.95	-	1,768	0.95
TOA	41.00	2.75	68,588	39.86	DEMCO	2.96	(0.06)	8,184	2.99	ASIAN	5.75	(0.10)	3,489	5.81
TPIPL	1.66	(0.01)	79,755	1.66	EA	48.00	(0.75)	223,161	48.56	BR	2.92	(0.02)	3,328	2.94
UMI	1.00	(0.01)	2,796	1.01	EARTH	-	-	-	-	BRR	5.45	(0.15)	3,970	5.49
VNG	4.88	(0.02)	1,384	4.89	EASTW	12.30	(0.20)	23,559	12.34	CBG	77.00	0.50	38,876	76.28
WIHK	1.42	-	1,800	1.41	EGATIF	13.70	0.10	27,166	13.58	CFRESH	2.00	(0.04)	4,265	2.01
Petrochemicals & Ch	-	-	-	-	EGCO	332.00	7.00	11,285	328.68	CM	3.24	-	260	3.24
BCT	43.00	-	136	42.10	ESSO	8.20	(0.25)	262,322	8.41	CPF	29.75	0.25	299,882	29.49
CMAN	2.06	(0.04)	2,061	2.08	GLOW	89.50	(0.25)	827	89.54	CPI	1.55	(0.05)	35,540	1.59
GC	5.25	(0.25)	4,080	5.23	GPSC	72.25	0.75	97,358	72.00	F&D	18.00	(0.10)	7	18.03
GGC	10.60	(0.20)	35,639	10.63	GULF	136.50	3.50	229,371	135.13	HTC	22.50	0.10	4,280	22.50
GIFT	3.16	-	10	3.14	GUNKUL	3.08	0.02	668,947	3.08	ICHI	7.40	(0.05)	29,298	7.41
IVL	34.50	(3.00)	501,389	35.74	IFEC	-	-	-	-	KBS	3.78	(0.04)	396	3.80
NFC	3.62	-	37	3.62	IRPC	3.78	(0.16)	1,530,382	3.85	KSL	2.50	-	2,652	2.49
PATO	12.20	-	1,781	12.09	LANNA	9.00	(0.40)	4,617	9.10	KTIS	4.96	(0.02)	70	4.95
PMTA	8.20	0.05	14	8.16	MDX	3.64	(0.02)	604	3.62	LST	4.54	(0.04)	785	4.54
PTTGC	52.00	(1.25)	162,773	52.63	PTG	20.80	(0.10)	263,321	20.99	M	75.25	(2.75)	17,467	75.29
SUTHA	3.82	0.02	14	3.82	PTT	42.25	(0.75)	836,161	42.38	MALEE	7.90	0.05	3,225	7.90
TCCC	22.10	-	1	22.10	PTTEP	121.00	(1.00)	120,067	120.85	MINT	38.25	(0.50)	80,815	38.36
TPA	5.55	0.10	105	5.41	RATCH	69.25	0.25	108,446	69.41	OISHI	120.50	2.00	495	119.54
UP	20.00	(3.00)	103	17.65	RPC	0.55	(0.02)	10,323	0.56	OSP	36.75	-	110,594	36.86
VNT	24.50	(0.10)	2,307	24.44	SCG	4.00	0.02	5	4.02	PB	62.00	0.50	51	61.51
WG	-	-	-	-	SCI	1.80	(0.08)	13,475	1.90	PM	8.90	(0.10)	2,854	8.89
YCI	-	-	-	-	SCN	2.76	(0.02)	1,798	2.76	PRG	-	-	-	-
Commerce	-	-	-	-	SGP	8.00	(0.15)	40,825	8.01	SAPPE	22.50	(0.40)	2,472	22.62
BEAUTY	2.90	(0.14)	794,872	2.97	SKE	1.11	0.01	3,015	1.11	SAUCE	-	-	-	-
BIG	0.88	(0.01)	56,807	0.89	SOLAR	1.95	-	1,178	1.97	SFP	-	-	-	-
BJC	55.25	1.00	136,706	54.65	SPCG	18.90	(0.10)	8,207	18.90	SNP	16.70	(0.20)	25	16.74
COL	20.00	(0.10)	1,179	19.96	SPRC	8.15	(0.20)	249,879	8.24	SORKON	58.00	0.25	3	58.00
COM7	26.25	-	27,887	26.28	SSP	7.95	-	11,960	7.96	SSC	-	-	-	-
CPALL	85.50	(1.00)	236,440	85.52	SUPER	0.65	0.02	1,084,662	0.65	SSF	-	-	-	-
CSS	1.50	(0.01)	7,436	1.50	SUPEREIF	11.60	0.20	56,957	11.52	SST	4.56	-	130	4.56
DOHOME	10.20	(0.50)	1,152,390	10.69	SUSCO	3.26	-	20,005	3.24	TC	3.16	(0.06)	436	3.20
FN	1.72	(0.02)	21,856	1.73	TAE	4.02	0.06	32,530	4.00	TFG	4.84	(0.02)	24,502	4.82
FTE	2.12	0.02	1,688	2.11	TCC	0.30	-	1,881	0.30	TFMAMA	180.00	(0.50)	16	179.78
GLOBAL	15.30	(0.10)	88,509	15.25	TOP	64.75	(0.25)	37,429	64.69	TIPCO	9.60	(0.20)	14,640	9.68
HMPRO	17.50	0.20	208,361	17.30	TPIPP	5.75	-	143,810	5.72	TKN	10.50	(0.10)	307,370	10.42
ILM	21.90	(0.70)	100,968	22.27	TSE	2.52	(0.06)	28,339	2.53	TU	17.70	(0.30)	121,507	17.70
IT	2.48	0.02	338	2.48	TTW	14.40	0.20	77,797	14.36	TVO	27.00	(1.00)	11,434	27.14
KAMART	4.96	(0.02)	9,521	4.96	WHAUP	6.65	0.05	189,902	6.67	ZEN	16.40	(0.30)	4,698	16.59
LOXLEY	1.90	0.03	32,682	1.91	WP	6.05	(0.05)	5,027	6.07	Health Care Services	-	-	-	-
MAKRO	36.25	(0.75)	2,476	36.05	Media & Publishing	-	-	-	-	AHC	15.40	-	93	15.45
MC	7.20	(0.10)	4,987	7.25	AMARIN	4.82	(0.12)	499	4.85	BCH	15.80	(0.20)	167,377	15.86
MEGA	29.50	-	32,374	30.02	AQUA	0.55	-	451,222	0.55	BDMS	23.10	-	313,828	23.11
MIDA	0.59	-	6,897	0.59	AS	0.84	-	293	0.83	BH	140.50	(2.50)	20,179	140.81
ROBINS	6													

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RJH	24.90	0.40	8,303	24.91	FPT	18.30	(0.40)	2,365	18.45	STANLY	192.00	(6.00)	243	194.59
RPH	6.35	(0.05)	609	6.35	GLAND	2.76	-	2,693	2.80	TKT	1.27	0.01	60	1.27
SKR	4.74	-	1,137	4.72	GOLD	8.40	-	3,216	8.40	TNPC	1.04	0.01	1	1.04
SVH	448.00	(2.00)	1	448.00	GREEN	0.97	0.02	2,500	0.96	TRU	4.66	-	121	4.64
THG	24.10	0.10	23,737	24.19	J	0.97	0.02	4,330	0.95	TSC	11.90	(0.10)	82	11.95
VIBHA	2.06	-	12,893	2.06	JCK	1.31	0.01	2,122	1.31	Industrial Materials	-	-	-	-
VIH	5.50	0.20	6,098	5.41	KC	-	-	-	-	ALLA	1.28	(0.03)	20,455	1.33
WPH	2.24	-	465	2.25	KWG	1.66	0.01	325	1.66	ASEFA	4.70	(0.04)	379	4.69
Tourism & Leisure	-	-	-	-	LALIN	5.45	-	2,557	5.40	CPT	1.00	-	99,615	1.02
ASIA	6.85	-	5	6.85	LH	10.90	0.10	405,451	10.90	CRANE	2.16	(0.06)	8,148	2.21
CENTEL	31.50	(0.25)	20,821	31.50	LPN	6.40	(0.10)	24,611	6.43	CTW	6.85	-	41	6.81
CSR	-	-	-	-	MBK	22.70	0.30	16,930	22.62	FMT	-	-	-	-
DTC	9.85	(0.05)	307	9.80	MJD	3.10	(0.04)	1,278	3.11	HTECH	3.26	(0.04)	1,267	3.28
ERW	5.70	(0.10)	86,336	5.72	MK	3.22	-	1,806	3.22	KKC	0.91	(0.01)	241	0.92
GRAND	0.76	(0.01)	2,727	0.75	NCH	1.02	-	135	1.00	PK	1.81	(0.03)	1,333	1.81
LRH	-	-	-	-	NNCL	1.96	-	2,663	1.96	SNC	13.40	-	1,037	13.41
MANRIN	29.75	(4.00)	1	29.75	NOBLE	23.40	1.10	49,257	23.31	STARX	2.38	(0.02)	2,713	2.38
OHTL	-	-	-	-	NUSA	0.33	-	13,201	0.33	TCJ	4.64	(0.14)	1	4.64
ROH	-	-	-	-	NVD	2.30	(0.04)	818	2.31	VARO	-	-	-	-
SHANG	71.00	(1.00)	187	70.69	ORI	8.35	0.15	96,201	8.31	Property Fund & REI	-	-	-	-
VRANDA	9.20	(0.10)	949	9.21	PACE	0.17	(0.01)	88,816	0.17	AIMCG	9.80	0.10	8,974	9.74
Home & Office Prod.	-	-	-	-	PF	0.76	-	95,401	0.76	AIMIRT	13.60	-	11,344	13.45
ACC	0.66	(0.02)	2,666	0.67	PLAT	5.50	(0.10)	2,577	5.55	AMATAR	12.50	0.10	118	12.33
AJA	0.19	(0.01)	24,981	0.20	POLAR	-	-	-	-	B-WORK	12.10	-	206	12.07
DTCI	26.00	0.25	1	26.00	PRECHA	1.46	(0.02)	1,231	1.46	BKKCP	13.90	(0.10)	303	13.88
FANCY	0.70	0.07	147,004	0.69	PRIN	1.54	(0.01)	682	1.54	BOFFICE	16.40	0.20	607	16.31
KYE	346.00	5.00	6	343.67	PSH	20.20	0.10	37,584	20.17	CPNCG	15.40	0.10	7,192	15.30
L&E	-	-	-	-	QH	2.98	(0.02)	260,699	2.99	CPNREIT	34.50	0.25	30,096	34.11
MODERN	2.80	-	2,460	2.81	RICHY	1.10	(0.05)	12,526	1.12	CPTGF	13.30	0.10	5,160	13.31
OGC	31.00	-	15	31.00	RML	1.10	0.01	4,233	1.09	CRYSTAL	8.85	-	320	8.85
ROCK	19.50	-	20	19.50	ROJNA	6.60	(0.05)	34,676	6.63	CTARAF	6.00	0.05	6,511	5.97
SIAM	1.98	-	339	1.98	S	3.44	(0.02)	92,336	3.46	DREIT	6.00	-	711	6.04
TSR	1.93	0.01	50	1.93	SAMCO	1.65	0.01	1,410	1.64	ERWPF	5.25	(0.05)	11	5.26
Insurance	-	-	-	-	SC	2.66	-	18,315	2.66	FTREIT	16.00	0.30	3,509	15.93
AYUD	41.00	0.25	9	40.81	SENA	3.34	-	1,578	3.34	FUTUREPF	25.50	-	277	25.41
BKI	324.00	(2.00)	45	323.07	SF	6.00	-	14,169	6.04	GAHREIT	9.35	-	2,692	9.35
BLA	20.10	(0.40)	14,453	20.27	SIRI	1.38	(0.01)	189,929	1.38	GLANDRT	13.20	(0.20)	2,028	13.50
BUI	-	-	-	-	SPALI	20.20	(0.30)	49,160	20.32	GOLDFP	7.65	0.15	65	7.65
CHARAN	-	-	-	-	U	2.10	0.16	765,609	2.04	GVREIT	16.30	-	984	16.35
INSURE	-	-	-	-	UV	6.05	(0.10)	10,496	6.08	HPF	4.96	-	1,340	4.96
MTI	-	-	-	-	WHA	4.66	-	506,292	4.67	HREIT	8.95	(0.05)	8,806	8.95
NKI	60.00	-	9	60.00	WIN	0.49	0.01	458	0.49	IMPACT	25.25	(0.25)	1,823	25.50
NSI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	8.70	-	10	8.70
SEG	36.50	-	1,004	36.50	UTP	11.10	(0.10)	3,148	11.17	LHHOTEL	19.70	0.10	391	19.54
SMK	36.00	0.50	26	35.81	Fashion	-	-	-	-	LHPF	9.15	-	630	9.15
THRE	0.73	-	1,914	0.72	AFC	-	-	-	-	LHSC	18.80	-	193	18.78
THREL	4.46	(0.02)	6,299	4.47	B52	0.21	0.01	5,961	0.20	LUXF	8.95	(0.05)	103	8.95
TIP	24.90	0.30	3,882	24.84	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	48.00	0.25	7,126	47.73	CPH	4.36	(0.44)	268	4.18	M-PAT	5.60	0.60	218	5.40
TSI	0.46	-	105	0.45	CPL	1.32	-	51	1.32	M-STOR	-	-	-	-
TVI	4.66	0.04	1,820	4.69	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	3.58	-	5	3.58
PDI	8.65	(0.15)	1,624	8.71	PAF	0.76	(0.03)	611	0.77	MJLF	12.60	-	510	12.50
THL	-	-	-	-	PDJ	1.53	-	517	1.51	MNIT	1.53	-	14	1.53
Packaging	-	-	-	-	PG	5.60	(0.05)	3	5.60	MNIT2	-	-	-	-
AJ	8.90	-	395	8.92	SABINA	30.75	(0.25)	23,356	30.94	MNRF	3.58	(0.02)	664	3.51
ALUCON	167.50	-	5	167.50	SAWANG	-	-	-	-	MONTRI	-	-	-	-
BGC	13.60	(0.10)	22,135	13.71	SUC	42.25	(0.25)	694	42.53	POPF	13.60	(0.10)	5,813	13.63
CSC	-	-	-	-	TNL	19.90	0.90	1	19.90	PPF	11.70	-	98	11.70
NEP	0.29	(0.01)	2,001	0.29	TPCORP	11.80	0.20	21	11.80	QHHR	10.10	-	179	10.10
NPPG	1.01	-	34,991	1.01	TR	32.75	-	10	32.80	QHOP	3.70	(0.02)	42	3.63
PTL	15.00	-	2,955	15.02	TTI	19.70	0.70	7	19.31	QHPF	15.30	(0.10)	2,858	15.30
SITHAI	0.93	-	916	0.93	TTT	65.00	(0.75)	17	65.21	SBPF	3.34	0.64	61	2.67
SLP	0.67	0.02	2,741	0.65	UPF	-	-	-	-	SHREIT	7.15	-	255	7.15
SMPC	7.80	-	3,120	7.86	UT	15.00	(0.80)	17	15.37	SIRIP	11.20	-	19	11.20
SPACK	1.53	0.02	84	1.51	WACOAL	-	-	-	-	SPF	23.60	0.10	7,311	23.57
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	14.00	-	706	13.90
TFI	0.11	-	5,743	0.11	AAV	3.14	(0.08)	137,009	3.19	SRIPANWA	11.60	-	75	11.60
THIP	17.00	(0.20)	300	16.94	AOT	70.25	-	196,880	69.97	SSPF	10.10	0.10	104	10.06
TMD	23.90	(0.10)	225	23.50	ASIMAR	1.56	(0.01)	1,226	1.58	SSTPF	6.85	-	1,377	6.79
TOPP	-	-	-	-	B	0.34	0.01	16,695	0.33	SSTRT	6.35	-	537	6.30
TPBI	4.92	-	20	4.92	BA	8.90	(0.10)	6,744	8.93	TIF1	9.15	-	130	9.10
TPP	16.20	0.10	2	16.20	BEM	11.10	0.10	644,039	11.05	TLGF	22.50	0.20	2,980	22.40
Personal Products &	-	-	-	-	BTS	13.30	0.60	1,427,332	13.02	TLHPF	11.40	-	51	11.40
APCO	3.44	0.02	24	3.43	BTSGIF	11.20	-	17,695	11.18	TNPF	3.18	0.06	2	3.18
DDD	27.25	0.50	9,389	26.91	III	6.65	0.10	20,322	6.61	TPRIME	15.60	-	526	15.54
JCT	83.50	-	28	83.54	JUTHA	0.66	(0.05)	12	0.66	TTLPF	-	-	-	-
OCC	13.40	0.40	2	13.25	JWD	8.40	(0.15)	34,185	8.46	TU-PF	1.70	0.10	1	1.70
S & J	-	-	-	-	KWC	322.00	23.00	1	322.00	URBNPF	-	-	-	-
STHAI	-	-	-	-	NOK	2.14	-	14,525	2.14	WHABT	9.65	-	378	9.65
TNR	9.05	(0.15)	88	9.07	NYT	4.68	0.02	2,694	4.68	WHART	17.40	-	2,314	17.41
TOG	5.30	(0.05)	156	5.32	PRM	8.60	0.05	117,554	8.63	Steel	-	-	-	-
Professional Service	-	-	-	-	PSL	7.90	0.05	26,662	7.87	AMC	1.88	(0.06)	6,407	1.89
BWG	0.70	(0.02)	55,306	0.72	RCL	4.14	-	5,730	4.12	BSBM	0.90	-	2,215	0.90
GENCO	0.61	0.01	7,729	0.61	TFFIF	13.10	0.20	134,632	13.00	CEN	0.96	0.01	401	0.96
PRO	-	-	-	-	THAI	9.10	(0.25)	17,936	9.19	CITY	2.04	-	49	2.03
SISB	8.10	0.20	59,182	8.02	TSTE	-	-	-	-	CSP	1.03	(0.01)	34	1.03
TEAMG	2.04	-	3,334	2.04	TTA	5.35	-	15,149	5.37	GJS	0.14	-	30,504	0.13
Property Developme	-	-	-	-	WICE	2.98	(0.02)	7,275	2.99	GSTEEL	-	-	-	-
A	6.25	-	100	6.23	Automotive	-	-	-	-	INOX	0.78	0.01	24	0.78
AMATA	25.00	(0.25)	65,010	25.10	AH	17.90	0.10	1,593	17.93	LHK	3.40	(0.14)	7,883	3.47
AMATAV	4.54	0.02	814	4.54	APCS	4.28	-	67	4.27	MAX	0.01	(0.01)	57,824	0.01
ANAN	3.40	0.08	140,444	3.39	BAT-3K	250.00	25.00	1	250.00	MCS	8.45	(0.15)	29,097	8.50
AP	7.40	-	54,742	7.45	CWT	2.86	(0.06)	2,214	2.87	MILL				

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	PSTC	0.78	0.02	482,021	-	ADVA01C1908A	2.18	0.08	8,060	2.00
ABICO	4.18	(0.04)	1,072	4.00	QTC	4.94	-	4,936	4.00	ADVA01C1908B	1.86	0.09	12,420	1.00
AU	14.00	(0.20)	8,505	14.00	SAAM	1.30	-	19	1.00	ADVA01C1912A	0.70	0.03	139,613	-
JCKH	0.54	(0.01)	595	-	SEAOIL	5.30	(0.10)	2,014	5.00	ADVA01C1912B	0.51	0.02	247,213	-
KASET	1.78	(0.02)	580	1.00	SR	1.18	-	32	1.00	ADVA01P1908A	0.01	(0.01)	6,050	-
MM	2.64	(0.04)	223	2.00	TAKUNI	0.51	(0.02)	7,093	-	ADVA01P1908B	0.01	-	1,001	-
PRIME	0.35	(0.01)	24,916	-	TPCH	12.20	0.30	16,989	11.00	ADVA01P1912A	0.38	(0.02)	265,547	-
SUN	1.63	(0.05)	6,894	1.00	TRT	-	-	-	-	ADVA01P1912B	0.21	(0.02)	232,782	-
TACC	4.80	-	14,669	4.00	UMS	0.50	0.01	15	-	ADVA06C1912A	0.65	0.02	13,071	-
TMILL	2.80	-	1,473	2.00	UWC	0.04	-	1,550	-	ADVA07C1908A	-	-	-	-
XO	6.20	0.05	4,105	6.00	Services (MAI)	-	-	-	-	ADVA08C1911A	-	-	-	-
Consumer Products														
BGT	1.00	-	140	1.00	A5	-	-	-	-	ADVA08C2001A	0.41	0.02	10,815	-
BIZ	2.64	0.04	3,602	2.00	AKP	1.37	(0.01)	628	1.00	ADVA11C1910A	1.43	0.12	4,000	1.00
DOD	11.50	(0.40)	11,783	11.00	AMA	7.50	(0.20)	17,643	7.00	ADVA11P1910A	0.01	-	1,900	-
ECF	2.36	-	22,173	2.00	ARIP	0.46	-	3,894	-	ADVA11P2005A	0.26	(0.01)	48,060	-
HPT	0.68	(0.01)	2,225	-	ATP30	1.38	(0.01)	2,919	1.00	ADVA13C1912A	0.63	0.03	379,947	-
JUBILE	17.80	(0.10)	2,130	17.00	AUCT	7.65	(0.15)	15,217	7.00	ADVA13P1908A	-	-	-	-
MOONG	4.76	(0.02)	1,812	4.00	BOL	2.72	0.02	189	2.00	ADVA13P1912A	0.19	(0.01)	35,029	-
NPK	23.60	0.10	2	23.00	CHUO	-	-	-	-	ADVA16C1911A	1.42	0.17	56,820	1.00
OCEAN	1.16	(0.02)	5,025	1.00	CMO	1.20	0.01	60	1.00	ADVA16C1912A	0.83	0.02	104,146	-
TM	2.60	(0.04)	5,165	2.00	D	6.00	0.05	1,069	5.00	ADVA16C2002A	0.47	0.05	24,948	-
Financials (MAI)														
ACAP	2.30	(0.06)	31,589	2.00	DCORP	0.48	(0.01)	13,575	-	ADVA19C1908A	0.63	0.10	400	-
AF	0.67	0.01	311	-	EFORL	0.04	-	137,453	-	ADVA19C1911A	0.41	0.02	25,924	-
AIRA	1.30	-	8	1.00	ETE	0.90	(0.01)	3,451	-	ADVA19P1908A	-	-	-	-
ASN	5.25	0.15	666	5.00	FSMART	7.55	0.05	7,592	7.00	ADVA19P1911A	0.05	(0.01)	12	-
BROOK	0.49	0.01	2,795	-	FVC	0.45	(0.02)	9,851	-	ADVA23C2001A	-	-	-	-
CHAYO	4.84	0.02	14,811	4.00	GSC	0.92	(0.05)	8,434	-	ADVA23P1908A	-	-	-	-
GCAP	2.38	(0.02)	3,852	2.00	HARN	2.26	(0.02)	1,551	2.00	ADVA24C1908A	-	-	-	-
LIT	5.55	(0.15)	5,971	5.00	JKN	8.10	-	45,752	8.00	ADVA24C2001A	-	-	-	-
MITSIB	2.32	0.02	30,183	2.00	KIAT	0.41	0.01	9,066	-	ADVA24P1908A	-	-	-	-
SGF	1.17	-	17,766	1.00	KOOL	1.19	(0.01)	4,830	1.00	ADVA24P2001A	0.17	(0.01)	3,171	-
Industrials (MAI)														
2S	2.40	(0.02)	2,553	2.00	LDC	0.96	(0.03)	4,844	-	ADVA27C1912A	0.95	0.02	5,226	-
ACG	1.49	(0.01)	2,996	1.00	MORE	0.15	-	109,770	-	ADVA28C2001A	0.49	0.03	52,185	-
ADB	0.63	(0.04)	3,419	-	MPG	0.37	(0.02)	1,241	-	ADVA28P1911A	0.03	(0.01)	1,431	-
BM	2.06	-	172	2.00	MVP	1.85	-	1,217	1.00	ADVA28P2001A	0.19	(0.03)	52,616	-
CHO	0.86	(0.01)	3,606	-	NBC	0.79	(0.01)	2,300	-	ADVA41C1910A	0.97	0.04	12,440	-
CHOW	2.02	-	219	2.00	NCL	1.19	(0.03)	16,245	1.00	ADVA41C1910B	-	-	-	-
CIG	0.25	0.04	168,201	-	NEWS	0.01	-	457,620	-	ADVA41C1912A	0.57	0.07	20	-
COLOR	1.23	0.03	2	1.00	NINE	2.46	(0.04)	639	2.00	ADVA41C1912B	-	-	-	-
CPR	4.80	(0.06)	245	4.00	OTO	3.22	(0.04)	76	3.00	ADVA41P1911A	0.03	(0.01)	11	-
FPI	2.46	0.02	671	2.00	PHOL	1.84	(0.01)	376	1.00	ADVA41P1912A	-	-	-	-
GTB	0.63	0.03	97,919	-	PICO	4.06	(0.02)	4	4.00	ADVA42C1910A	-	-	-	-
KCM	0.71	-	4,364	-	PORT	4.40	(0.04)	1,050	4.00	AEON01C1911A	1.39	(0.01)	9,116	1.00
KUMWEL	1.02	(0.03)	37,620	1.00	QLT	3.86	-	593	3.00	AEON01C1911B	0.40	-	32,374	-
KWM	0.94	0.01	1,385	-	RP	2.00	-	685	2.00	AEON13C1910A	-	-	-	-
MBAX	3.86	(0.08)	1,406	3.00	SE	1.81	0.02	595	1.00	AEON13C1911A	0.35	(0.02)	4,360	-
MGT	1.88	0.01	1,370	1.00	SONIC	1.25	-	1,693	1.00	AEON19C1911A	0.26	(0.01)	3,838	-
NDR	1.36	(0.05)	180	1.00	SPA	12.90	0.20	5,348	12.00	AEON24C1912A	0.27	(0.01)	5	-
PDG	3.16	(0.04)	401	3.00	THMUJ	0.86	0.01	152	-	AEON41C1912A	0.30	(0.01)	14,920	-
PIMO	1.20	(0.01)	5,218	1.00	TNDT	4.30	(0.12)	1,008	4.00	AMAT01C1909A	0.85	-	11,656	-
PJW	1.57	0.04	13,872	1.00	TNH	35.25	(0.25)	170	35.00	AMAT01C1909B	0.40	(0.01)	52,694	-
PPM	1.16	(0.02)	311	1.00	TNP	1.92	(0.05)	6,175	1.00	AMAT01C2001A	0.57	(0.03)	37,036	-
RWI	1.34	-	614	1.00	TSF	-	-	-	-	AMAT01C2001B	0.16	-	72,687	-
SALEE	0.97	0.03	2,227	-	TVD	1.28	0.01	507	1.00	AMAT01P1909A	0.07	(0.01)	41,524	-
SANKO	1.01	-	376	1.00	TVT	0.80	-	270	-	AMAT01P2001A	0.57	(0.01)	25,835	-
SELIC	2.78	(0.06)	6,814	2.00	VL	1.52	(0.02)	16,157	1.00	AMAT06C1909A	0.42	0.03	1,200	-
SWC	4.56	(0.14)	1,540	4.00	WINNER	2.84	0.04	608	2.00	AMAT08C1908A	0.13	(0.02)	19,000	-
TMC	0.63	-	3,176	-	Technology (MAI)	-	-	-	-	AMAT08C2001A	0.50	0.03	7,110	-
TMI	0.77	-	13,420	-	COMAN	2.84	(0.02)	376	2.00	AMAT11C2001A	0.64	0.02	16,001	-
TMW	48.75	0.50	239	47.00	ICN	1.74	-	12,115	1.00	AMAT13C1908A	0.23	(0.05)	31,471	-
TPAC	11.50	0.40	127	11.00	IRCP	0.58	(0.01)	2,315	-	AMAT13C1912A	0.50	(0.03)	31,560	-
TPLAS	1.44	0.04	20	1.00	ITEL	3.40	(0.06)	11,373	3.00	AMAT16C1911A	0.55	(0.04)	59,565	-
UAC	3.08	0.02	558	3.00	NETBAY	30.50	(0.75)	4,618	30.00	AMAT19C1912A	0.16	(0.01)	20,510	-
UBIS	5.95	(0.05)	492	5.00	PLANET	1.28	-	16	1.00	AMAT24C2001A	-	-	-	-
UEC	1.05	-	51	1.00	SIMAT	1.44	0.01	356	1.00	AMAT27C1908A	-	-	-	-
UKEM	0.51	(0.02)	43,112	-	SKY	15.20	0.10	7,223	15.00	AMAT41C1912A	0.51	0.01	12,442	-
UREKA	1.00	-	533	1.00	SPVI	1.56	0.02	8,842	1.00	AMAT42C1910A	-	-	-	-
YUASA	13.30	(0.20)	70	13.00	UPA	0.27	-	3,286	-	ANAN08C1911A	0.14	0.02	15,604	-
ZIGA	1.54	(0.03)	1,133	1.00	VCOM	3.06	(0.06)	216	3.00	ANAN13C1912A	0.15	0.02	20,393	-
Property & Construc														
ALL	4.16	(0.08)	5,383	4.00	Unit Trust	-	-	-	-	ANAN19C1910A	-	-	-	-
ARIN	0.77	(0.03)	54,280	-	ETP	-	-	-	-	ANAN19C2001A	0.30	0.03	23,113	-
ARROW	8.35	(0.05)	696	8.00	1DIV	10.67	(0.01)	174	10.00	ANAN24C1912A	0.12	0.02	8	-
BSM	0.39	0.01	5,534	-	ABFTH	1,378.00	8.00	1	1,378.00	AOT01C1908A	0.37	(0.04)	77,114	-
BTW	1.24	(0.01)	156	1.00	BMSCG	8.32	0.04	209	8.00	AOT01C1911A	0.67	(0.02)	274,023	-
CAZ	2.36	(0.02)	4,676	2.00	BMSCITH	11.90	(0.04)	3,327	11.00	AOT01C1911B	0.41	(0.01)	143,178	-
CHEWA	0.74	0.01	40,118	-	BSET100	10.51	(0.03)	322	10.00	AOT01P1908A	0.21	0.03	102,834	-
CMC	1.10	(0.01)	12,475	1.00	CHINA	5.29	-	166	5.00	AOT01P1908B	0.01	-	1,077	-
CRD	0.98	-	1	-	EBANK	5.09	0.01	10	5.00	AOT01P1911B	0.24	0.01	128,804	-
DIMET	0.77	(0.02)	23,558	-	ECOMM	-	-	-	-	AOT06C1908A	-	-	-	-
FLOYD	1.65	-	802	1.00	EFOOD	-	-	-	-	AOT06C1911A	0.53	(0.02)	10,020	-
HYDRO	0.40	-	100	-	EICT	5.52	0.10	26	5.00	AOT06P				

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C1909A	-	-	-	-	BOP01C2001B	0.05	(0.02)	20,619	-	BEM27P1912A	0.19	(0.01)	12,050	-
AOT28C1912A	0.33	(0.02)	35,690	-	BOPG1P1908A	0.61	0.02	16,906	-	BEM28C1909A	0.06	0.01	1,100	-
AOT28C1912B	0.16	(0.01)	14,296	-	BOPG1P2001A	0.53	-	49,714	-	BEM28C1910A	0.05	-	4,500	-
AOT28C2002A	0.29	(0.01)	42,734	-	BOP11C1909A	-	-	-	-	BEM28C2001A	0.11	0.01	8,653	-
AOT28P1909A	-	-	-	-	BOP11C2004A	0.10	-	13,700	-	BEM28C2002A	0.20	0.01	50,253	-
AOT28P1912A	0.39	0.03	15,356	-	BOP13C1910A	-	-	-	-	BEM41C1910A	-	-	-	-
AOT41C1909A	-	-	-	-	BOP13C1912A	0.05	-	10,827	-	BEM41C2001A	0.23	0.03	34,775	-
AOT41C1912A	0.39	(0.02)	10,362	-	BOP19C1910A	-	-	-	-	BEM41P1911A	-	-	-	-
AOT41C1912B	-	-	-	-	BOP19C2001A	0.07	-	7,288	-	BEM42C1910A	-	-	-	-
AOT41P1909A	-	-	-	-	BOP24C1912A	-	-	-	-	BEM42C2001A	0.16	(0.84)	1,000	-
AOT41P1911A	-	-	-	-	BOPG01C1908A	0.45	-	600	-	BGR101C1909A	0.64	0.04	52,382	-
AOT41P1911B	-	-	-	-	BOPG01C1908B	-	-	-	-	BGR101C1909B	0.34	0.04	70,429	-
AOT41P1912A	-	-	-	-	BOPG01C1912A	0.29	-	64,376	-	BGR101C2001A	0.45	0.04	122,966	-
AOT42C1912A	-	-	-	-	BOPG01C1912B	0.17	-	700	-	BGR101C2001B	0.30	0.03	208,764	-
AOT42P2003A	0.48	(0.52)	161	-	BOPG01P1912A	0.78	-	23,214	-	BGR101P1909A	-	-	-	-
AP01C1908A	0.40	-	1	-	BOPG08C1910A	0.22	-	12,600	-	BGR101P2001A	0.34	(0.03)	104,932	-
AP01C1908B	0.09	(0.01)	1,148	-	BOPG11C1910A	0.23	-	7,802	-	BGR106C1912A	0.30	0.03	23,625	-
AP01C2001A	0.31	-	24,417	-	BOPG13C1908A	0.05	0.02	62,702	-	BGR108C1911A	0.32	0.01	41,551	-
AP01C2001B	0.19	0.01	10,584	-	BOPG13C1912A	0.20	-	67,197	-	BGR111C1909A	0.40	0.04	31,720	-
AP06C1909A	0.17	(0.01)	10,556	-	BOPG13C2001A	0.36	-	156,669	-	BGR113C1912A	0.32	0.02	260,048	-
AP08C1912A	0.16	-	6,000	-	BOPG19C1911A	0.22	-	20,442	-	BGR116C2001A	0.24	0.02	76,402	-
AP11C2001A	0.27	(0.01)	7,925	-	BOPG19P1911A	-	-	-	-	BGR119C1908A	0.11	0.02	15,322	-
AP16C2002A	0.15	0.01	9,240	-	BOPG24C1912A	-	-	-	-	BGR119C1911A	0.16	0.02	178,394	-
AP19C1910A	-	-	-	-	BOPG27P1909A	-	-	-	-	BGR124C1912A	0.25	-	17,785	-
AP24C1912A	-	-	-	-	BOPG28C1910A	0.13	-	15,210	-	BGR127C1912A	0.41	0.03	23,600	-
BANP01C1909A	-	-	-	-	BOPG28C1912A	-	-	-	-	BGR127P1911A	0.10	(0.02)	47,591	-
BANP01C1909B	0.01	-	7,572	-	BOPG41C1910A	0.21	-	14,490	-	BGR141C1911A	0.28	-	29,989	-
BANP01C1912A	0.08	(0.01)	82,885	-	BOPG42C2001A	0.28	(0.72)	460	-	BGR141C2001A	0.30	0.02	32,170	-
BANP01C1912B	0.03	(0.01)	2,003	-	BDM01C1908A	0.16	(0.01)	325	-	BGR141P1912A	0.32	(0.08)	13	-
BANP01P1909A	1.09	0.05	55,911	1.00	BDM01C1908B	-	-	-	-	BGR142C1910A	-	-	-	-
BANP01P1909B	0.79	0.07	47,572	-	BDM01C1911A	0.09	(0.01)	46,107	-	BH01C1908A	0.01	-	13,300	-
BANP01P1912A	0.81	0.05	125,851	-	BDM01C1911B	0.04	-	1,200	-	BH01C1908B	-	-	-	-
BANP01P1912B	0.72	0.06	112,525	-	BDM01P1908A	0.14	(0.01)	41,288	-	BH01C2001A	0.28	(0.02)	139,043	-
BANP06C1912A	-	-	-	-	BDM01P1911A	0.45	0.01	67,202	-	BH01C2001B	0.11	(0.01)	89,053	-
BANP07C1909A	-	-	-	-	BDM08C1911A	-	-	-	-	BH01P1908A	1.82	(0.01)	5,878	1.00
BANP08C1912A	-	-	-	-	BDM08C1911A	-	-	-	-	BH01P2001A	1.90	0.06	34,752	1.00
BANP08P1912A	0.60	-	1,000	-	BDM01C2001A	0.33	(0.01)	21,170	-	BH07C1910A	-	-	-	-
BANP11C1909A	-	-	-	-	BDM01P2002A	0.56	0.01	14,000	-	BH11C2002A	0.10	(0.01)	6,022	-
BANP11C2004A	0.08	-	7,225	-	BDM01C1912A	0.01	-	8,060	-	BH13C1909A	-	-	-	-
BANP13C1910A	-	-	-	-	BDM01C1912A	0.05	(0.01)	8,208	-	BH13C1912A	0.09	-	21,338	-
BANP13C1912A	0.03	0.01	100	-	BDM01C1912B	0.24	(0.01)	208,275	-	BH19C1912A	0.09	(0.01)	61,493	-
BANP13P1908A	-	-	-	-	BDM01C1912A	0.14	(0.01)	28,224	-	BH24C1910A	-	-	-	-
BANP16C1912A	-	-	-	-	BDM01C1910A	0.24	-	18,171	-	BH41C1911A	-	-	-	-
BANP19C1910A	-	-	-	-	BDM01C1910A	-	-	-	-	BH41C2002A	0.44	(0.05)	46,005	-
BANP19C2002A	0.12	(0.88)	14,146	-	BDM02C1909A	-	-	-	-	BH41P1911A	-	-	-	-
BANP19P1910A	0.35	0.07	10,819	-	BDM02C1912A	-	-	-	-	BJC01C1911A	0.82	0.02	85,655	-
BANP23P1908A	-	-	-	-	BDM02C1912A	-	-	-	-	BJC01C1911B	0.63	0.04	97,311	-
BANP24C1911A	0.02	-	100	-	BDM02C2002A	0.11	0.01	4,000	-	BJC01P1911A	0.12	(0.02)	59,051	-
BANP24P1908A	-	-	-	-	BDM04C1911A	-	-	-	-	BJC06C1912A	0.52	0.03	24,370	-
BANP28C1911A	-	-	-	-	BDM04C2001A	0.23	(0.02)	18,000	-	BJC1C2001A	0.45	0.03	53,610	-
BANP28C2001A	-	-	-	-	BDM04P1911A	0.16	0.01	1	-	BJC13C1911A	0.46	0.03	118,035	-
BANP28C2002A	0.15	(0.03)	52,661	-	BEAU01C1911A	0.07	(0.02)	115,362	-	BJC16C2002A	0.51	0.04	67,146	-
BANP28P1909A	-	-	-	-	BEAU01P1909A	2.88	0.16	52	2.00	BJC19C1910A	0.40	0.02	19,878	-
BANP41C1909A	-	-	-	-	BEAU01P2001A	1.16	0.10	168,705	1.00	BJC23C2001A	0.51	0.02	22,000	-
BANP41C1911A	-	-	-	-	BEAU06C1909A	0.01	(0.01)	10,001	-	BJC24C1910A	-	-	-	-
BANP41C2002A	0.18	(0.03)	2,000	-	BEAU06C1911A	-	-	-	-	BJC27P1908A	-	-	-	-
BANP41P1909A	0.43	0.07	27	-	BEAU08C1910A	-	-	-	-	BJC41C1910A	-	-	-	-
BANP41P1912A	-	-	-	-	BEAU11C1911A	-	-	-	-	BJC41C1912A	-	-	-	-
BANP41P2002A	-	-	-	-	BEAU13C1910A	-	-	-	-	BJC41P1908A	-	-	-	-
BANP42P2005A	0.35	(0.65)	1,302	-	BEAU13C1910B	0.01	-	12,970	-	BJC41P1912A	0.22	(0.02)	6,350	-
BBL07C1909A	-	-	-	-	BEAU13C1912A	0.10	(0.02)	276,561	-	BJC42C1912A	-	-	-	-
BBL08C1908A	-	-	-	-	BEAU13P1909A	0.35	0.07	20,614	-	BLA11C1909A	-	-	-	-
BBL08C2001A	0.06	0.01	1,460	-	BEAU19C1910A	0.01	(0.01)	1,500	-	BLA13C1908A	-	-	-	-
BBL08P1912A	1.00	(0.01)	5,800	1.00	BEAU19P1908A	0.60	0.02	7,388	-	BLAN19C1910A	0.05	(0.01)	1,000	-
BBL11C2001A	0.06	-	105	-	BEAU24C1909A	0.10	(0.03)	12,158	-	BLAN19C1912A	0.06	-	10,001	-
BBL11C2005A	0.34	0.02	92,237	-	BEAU27C1910A	-	-	-	-	BPP01C1912A	0.24	(0.02)	32,802	-
BBL11P2001A	0.66	-	55,071	-	BEAU28C1910A	-	-	-	-	BPP01C1912B	-	-	-	-
BBL13C1908A	-	-	-	-	BEAU28C1910B	-	-	-	-	BPP01P1912A	1.00	0.03	26,397	1.00
BBL13C1911A	0.10	(0.01)	34,180	-	BEAU41C1910A	-	-	-	-	BPP11C1910A	-	-	-	-
BBL13C2001A	0.46	0.02	82,576	-	BEAU41C1910B	-	-	-	-	BPP13C1911A	0.12	(0.01)	64,550	-
BBL13P1911A	1.01	(0.02)	20	1.00	BEAU41C1911A	0.02	(0.01)	509	-	BPP13C2001A	0.33	(0.02)	159,230	-
BBL13P2001A	0.51	(0.01)	54,869	-	BEAU41P1909A	-	-	-	-	BPP16C2001A	0.13	(0.02)	14,036	-
BBL19C1911A	0.03	-	500	-	BEAU41P1911A	-	-	-	-	BPP19C1908A	-	-	-	-
BBL19C2001A	0.29	0.01	34,097	-	BEAU42C1910A	-	-	-	-	BPP19C1910A	0.10	-	19,384	-
BBL19P1909A	0.05	-	500	-	BEAU42C1911A	-	-	-	-	BPP24C1908A	-	-	-	-
BBL24C1910A	0.01	-	1,000	-	BEC01C2001A	0.38	(0.01)	13,516	-	BPP24C1911A	0.22	(0.02)	19,083	-
BBL24C1912A	-	-	-	-	BEC01C2001B	0.10	(0.02)	18,203	-	BTS01C1908A	0.54	0.08	14,146	-
BBL27C2002A	-	-	-	-	BEC01P2001A	0.62	0.01	24,526	-	BTS01C1908B	0.44	0.11	34,583	-
BBL41C1908A	-	-	-	-	BEC16C2002A	0.36	(0.03)	32,006	-	BTS01C2001A	0.41	0.06	273,568	-
BBL41C1912A	-	-	-	-	BEC27C2002A	0.11	-	17,543	-	BTS01C2001B	0.30	0.06	150,825	-
BBL41C2001A	0.41	-	8,600	-	BEC41C1912A	0.29	(0.02)	28,760	-	BTS01P1908A	-	-	-	-
BBL41P2001A	1.27	(0.02)	16,402	1.00	BEC41C2001A	0.11	(0.01)	12,000	-	BTS01P2001A	0.29	(0.04)	99,305	-
BCH01C2001A	0.37	(0.02)	133,055	-	BEM01C1911A	0.23	0.01	211,705	-	BTS06C1908A	0.43	0.14	19,400	-
BCH01C2001B	0.23	(0.02)	65,028	-	BEM01C1911B	0.15	0.01	208,126	-	BTS06P1908A	-	-	-	-
BCH01P2001A	0.53	0.02	113,356	-	BEM01P1911A	0.27	(0.02)	59,234	-	BTS08C1911A	0.34	0.06	31,301	-
BCH06C1909A	0.01	(0.01)	5	-	BEM06C1912A	0.10	0.01	12,821	-	BTS11C1910A	-	-	-	-
BCH06C2001A	0.30	(0.03)	33,583	-	BEM06P1912A	0.24	(0.03)	32,386	-	BTS11C2003A	0.38	0.04	134,669	-
BCH08C1910A	-	-	-	-	BEM08C2001A	0.22	0.03	36,920	-	BTS13C1912A	0.33	0.07	500,794	-
BCH11C2001A	0.19	(0.02)	35,940	-	BEM11C2001A	0.18	0.01	36,200	-	BTS16C2001A	0.31	0.06	106,506	-
BCH13C1909A	-	-	-	-	BEM11C2003A	0.22	0.02	36,600	-	BTS16C2001B	0.35	0.05	113,249	-
BCH13C1911A	0.15	-	2,051	-										

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2001B	0.53	0.01	96,078	-	COM741C1911A	-	-	-	-	DTAC13P1912A	0.37	(0.01)	49,445	-
CBG01P1909A	0.02	-	5,881	-	COM741C2001A	0.26	0.01	91	-	DTAC16C2001A	0.82	0.01	75,146	-
CBG01P1911A	0.07	(0.01)	63,261	-	CPAL01C1911A	0.81	(0.05)	61,015	-	DTAC19C1908A	0.12	-	57,053	-
CBG01P2001A	0.68	(0.04)	118,794	-	CPAL01C1911B	0.55	(0.05)	175,353	-	DTAC19C2001A	0.50	-	56,857	-
CBG08C1910A	0.89	0.04	8,002	-	CPAL01C2002A	0.69	(0.03)	22,782	-	DTAC19P1910A	-	-	-	-
CBG11C1911A	2.24	0.06	33,004	2.00	CPAL01C2002B	0.38	(0.05)	82,192	-	DTAC23P1908A	-	-	-	-
CBG11C2002A	0.78	0.01	39,498	-	CPAL01P1911A	0.59	0.03	116,878	-	DTAC24C1910A	0.87	0.02	600	-
CBG13C1908A	0.64	0.06	318	-	CPAL01P1911B	0.31	0.03	127,895	-	DTAC24P1909A	0.20	(0.02)	2,000	-
CBG13C1912A	0.82	0.03	287,955	-	CPAL01P2002A	1.04	0.03	76,814	1.00	DTAC27C2002A	0.82	0.01	12,174	-
CBG13P1909A	-	-	-	-	CPAL01P2002B	0.85	0.04	69,783	-	DTAC27P2002A	0.25	(0.01)	103,554	-
CBG13P1911A	0.29	(0.02)	72,887	-	CPAL06C1908A	-	-	-	-	DTAC28C1911A	-	-	-	-
CBG16C1912A	2.08	0.06	64,660	2.00	CPAL06P1912A	0.62	0.03	14,530	-	DTAC28C2001A	0.48	0.01	90,993	-
CBG16C2001A	1.21	0.03	56,122	1.00	CPAL08C1908A	0.08	(0.05)	15,002	-	DTAC41C1908A	-	-	-	-
CBG19C1911A	0.60	0.03	94,136	-	CPAL08C2001A	0.45	(0.06)	81,600	-	DTAC41C1912A	0.76	0.01	74,844	-
CBG19P1911A	0.07	(0.01)	1,780	-	CPAL08P1908A	-	-	-	-	DTAC41P1908A	-	-	-	-
CBG23C1908A	-	-	-	-	CPAL11C1909A	0.35	(0.05)	28,186	-	DTAC41P2001A	0.52	(0.12)	40	-
CBG24C1909A	0.72	0.04	13,129	-	CPAL13C1911A	0.59	(0.06)	386,513	-	DTAC42C1911A	-	-	-	-
CBG27C1912A	0.98	0.03	2,990	-	CPAL13P1911A	0.29	0.02	42,540	-	EA06C1910A	0.09	(0.01)	35,890	-
CBG28C1910A	0.63	0.02	16,400	-	CPAL16C1912A	1.37	(0.05)	88,139	1.00	EA07C1910A	-	-	-	-
CBG28C1912A	0.59	-	26,380	-	CPAL16C2001A	0.56	(0.07)	30,954	-	EA08C1908A	0.04	-	550	-
CBG41C1908B	-	-	-	-	CPAL19C1911A	0.25	(0.03)	10,016	-	EA08C2001A	0.30	(0.01)	90,100	-
CBG41C1910A	0.77	0.03	20	-	CPAL19P1910A	-	-	-	-	EA11C1911A	0.40	(0.03)	65,788	-
CBG41C1910B	-	-	-	-	CPAL24C1912A	-	-	-	-	EA13C1908A	0.01	(0.01)	400	-
CBG41C2001A	0.85	0.01	22,403	-	CPAL24P1909A	-	-	-	-	EA13C1910A	0.05	(0.01)	16,590	-
CBG41C2001B	0.82	0.02	5,100	-	CPAL24P1912A	0.51	0.03	102	-	EA13C1912A	0.26	(0.02)	659,461	-
CBG41P1909A	-	-	-	-	CPAL27C1912A	0.63	(0.05)	31,123	-	EA13P1909A	0.11	0.02	11,432	-
CBG41P1910A	-	-	-	-	CPAL28C1910A	0.42	(0.15)	100	-	EA13P1910A	0.51	0.02	68,101	-
CBG41P2001A	0.71	(0.02)	2,010	-	CPAL28C1912A	0.44	(0.04)	28,364	-	EA16C1911A	0.32	(0.04)	147,823	-
CBG41P2002A	1.19	(0.02)	482	1.00	CPAL28C2001A	0.33	(0.02)	40,888	-	EA19C1908A	-	-	-	-
CBG42C1910A	-	-	-	-	CPAL41C1910A	0.49	(0.03)	70,462	-	EA19C2001A	0.22	(0.02)	89,767	-
CENT01C1909A	-	-	-	-	CPAL41C1910B	-	-	-	-	EA19P1910A	0.17	0.01	20,501	-
CENT01C1909B	0.01	-	100	-	CPAL41C2001A	0.37	(0.03)	24,000	-	EA23C1909A	0.08	(0.02)	12,000	-
CENT01C1911A	0.21	-	63,308	-	CPAL41P1911A	-	-	-	-	EA24C1910A	-	-	-	-
CENT01C1911B	0.12	-	2,200	-	CPAL41P1912A	0.65	(0.03)	12,000	-	EA27C1908A	-	-	-	-
CENT01P1909A	1.23	-	21,450	1.00	CPAL41P1912B	-	-	-	-	EA27P1908A	-	-	-	-
CENT01P1911A	0.43	0.01	157,209	-	CPAL42C1910A	0.44	0.07	1,082	-	EA28C1909A	-	-	-	-
CENT06C1908A	-	-	-	-	CPFO1C1908A	0.25	-	12,296	-	EA28C1909B	-	-	-	-
CENT06C1912A	0.08	-	14,980	-	CPFO1C1908B	0.03	-	20,102	-	EA28C1910A	-	-	-	-
CENT08C1911A	-	-	-	-	CPFO1C2001A	0.29	(0.01)	83,602	-	EA28C2002A	0.38	(0.03)	84,686	-
CENT11C1909A	-	-	-	-	CPFO1C2001B	0.18	-	120,939	-	EA41C1910A	-	-	-	-
CENT11C2004A	0.19	-	18,000	-	CPFO1P1908A	0.03	-	8,000	-	EA41C1910B	-	-	-	-
CENT13C1911A	-	-	-	-	CPFO1P1908B	-	-	-	-	EA41C1912A	0.25	(0.02)	20,619	-
CENT13C1912A	0.12	(0.02)	18	-	CPFO1P2001A	0.36	(0.01)	29,590	-	EA41P1912A	0.81	(0.02)	5,206	-
CENT13C2001A	0.21	(0.79)	77,263	-	CPFO1P2001B	0.22	(0.01)	44,529	-	EA42C1910A	-	-	-	-
CENT16C2001A	-	-	-	-	CPFO8C1911A	0.14	(0.01)	4,070	-	EA42C2001A	0.37	(0.63)	1,000	-
CENT19C1908A	-	-	-	-	CPF11C1910A	-	-	-	-	EGCO01C1909A	1.23	0.04	27,485	1.00
CENT19C1910A	-	-	-	-	CPF13C1908A	0.12	0.02	601	-	EGCO01C1909B	0.93	0.06	32,946	-
CENT19C2001A	0.18	(0.01)	25,564	-	CPF13C1910A	0.12	(0.01)	1,900	-	EGCO01C2001A	0.73	0.03	56,925	-
CENT23C1908A	-	-	-	-	CPF13C1911A	0.22	0.01	58,474	-	EGCO01C2001B	0.45	0.03	64,865	-
CENT24C1908A	-	-	-	-	CPF13P1910A	0.08	(0.01)	17,772	-	EGCO13C1910A	0.64	0.03	100	-
CENT24C1910A	-	-	-	-	CPF16C2001A	0.17	0.01	15,154	-	EGCO13C1912A	0.43	0.03	199,839	-
CENT27C1912A	0.15	-	8,455	-	CPF19C1910A	0.15	0.01	29,665	-	EGCO16C2001A	0.59	0.07	77,450	-
CENT41C1912A	-	-	-	-	CPF19C2001A	0.14	-	18,420	-	EGCO19C1908A	0.18	0.04	7,762	-
CENT41C2001A	0.20	-	6,000	-	CPF19P1910A	-	-	-	-	EGCO24C1908A	-	-	-	-
CENT41P1910A	-	-	-	-	CPF24C1912A	0.18	0.03	2	-	EGCO27C1910A	0.81	0.06	7,456	-
CHG01C2001A	0.43	0.01	46,747	-	CPF24P1909A	-	-	-	-	EGCO41C1911A	0.37	0.02	52,402	-
CHG01C2001B	0.30	0.02	63,245	-	CPF27C2001A	0.23	-	3,600	-	EGCO41C2001A	0.47	0.02	36,004	-
CHG01P2001A	0.25	(0.01)	39,207	-	CPF28C1912A	0.15	0.01	10,140	-	EGCO41P1911A	0.08	(0.01)	13	-
CHG06C1911A	0.39	0.02	6,818	-	CPF28P1911A	0.09	-	4,056	-	EGCO41P2001A	0.55	(0.10)	6,011	-
CHG08C1912A	0.33	0.01	23,882	-	CPF41C1908A	-	-	-	-	EPG13C1912A	0.21	0.01	44,294	-
CHG11C1911A	0.31	(0.01)	20,198	-	CPF41C2001A	0.19	-	21,980	-	EPG19C1908A	-	-	-	-
CHG13C1911A	0.31	0.02	147,165	-	CPF41P1910A	-	-	-	-	EPG19C1910A	0.21	0.02	38,171	-
CHG16C2002A	0.30	0.01	26,199	-	CPF41P1912A	-	-	-	-	EPG19P1911A	-	-	-	-
CHG19C1911A	0.19	0.01	5,558	-	CPF42C2001A	0.19	(0.81)	300	-	EPG24C1908A	-	-	-	-
CHG24C1911A	-	-	-	-	CPN01C1908A	0.02	-	11,121	-	EPG24C1911A	0.45	0.03	8,701	-
CHG41C1912A	0.24	-	24,052	-	CPN01C1908B	-	-	-	-	ERW06C1911A	-	-	-	-
CK01C2001A	0.09	(0.03)	49,189	-	CPN01C2001A	0.40	0.01	133,033	-	ERW06C2001A	0.25	(0.05)	18,831	-
CK01C2001B	0.04	(0.02)	20,016	-	CPN01C2001B	0.23	0.02	86,046	-	ERW06P2001A	0.28	0.02	50,537	-
CK01P2001A	0.63	0.06	120,109	-	CPN01P1908A	1.05	(0.03)	22,102	1.00	ERW11C2001A	0.10	(0.01)	150	-
CK06C1911A	0.02	(0.02)	20,120	-	CPN01P2001A	1.18	(0.02)	48,230	1.00	ERW13C1911A	0.04	(0.02)	9,268	-
CK08C1911A	-	-	-	-	CPN06C1908A	-	-	-	-	ERW13C2001A	0.22	(0.02)	149,404	-
CK11C1911A	0.06	(0.02)	3,011	-	CPN11C1910A	-	-	-	-	ERW19C1908A	-	-	-	-
CK13C1910A	0.03	(0.02)	5,990	-	CPN13C1908A	-	-	-	-	ERW19C1911A	-	-	-	-
CK16C1912A	0.12	(0.03)	33,574	-	CPN13C1912A	0.16	-	26,116	-	ERW19C2001A	0.22	(0.04)	31,520	-
CK19C1912A	0.03	-	300	-	CPN13C2001A	0.46	(0.54)	157,394	-	ERW24C1909A	-	-	-	-
CK19C2002A	0.10	(0.90)	13,662	-	CPN16C2001A	0.14	-	54,750	-	ERW27C1910A	-	-	-	-
CK24C1910A	-	-	-	-	CPN19C1911A	0.07	0.01	61,335	-	ESSO01C1911A	0.21	(0.04)	109,167	-
CK41C1911A	-	-	-	-	CPN19C2002A	0.32	(0.68)	18,076	-	ESSO01C1911B	0.05	(0.01)	15,677	-
CKP01C1911A	0.36	(0.02)	78,572	-	CPN24C1909A	-	-	-	-	ESSO01P1911A	0.63	0.07	19,411	-
CKP01C1911B	0.23	(0.02)	110,334	-	CPN24P1911A	0.93	0.05	1	-	ESSO06C1911A	0.06	-	2,802	-
CKP06C1910A	0.29	(0.02)	7,400	-	CPN41C1910A	-	-	-	-	ESSO08C1908A	-	-	-	-
CKP08C1910A	0.15	-	16,000	-	CPN41C2001A	0.31	0.02	21,972	-	ESSO08C1911A	-	-	-	-
CKP11C1910A	0.23	(0.02)	26,010	-	CPN41C2002A	0.38	0.02	29,600	-	ESSO11C2002A	0.08	(0.01)	13,367	-
CKP13C1908A	-	-	-	-	CPN41P1908A	-	-	-	-	ESSO13C1910A	-	-	-	-
CKP13C1910A	0.15	(0.02)	107,847	-	CPN41P1912A	0.70	(0.04)	450	-	ESSO13C1911A	0.16	(0.03)	168,272	-
CKP13C1912A	0.12	(0.02)	1,103	-	DTAC01C1910A	0.83	-	71,654	-	ESSO13C1912A	0.06	(0.02)	10,100	-
CKP16C2001A	0.12	(0.01)	36,336	-	DTAC01C1910B	0.71	0.01	102,253	-	ESSO19C1910A	-	-	-	-
CKP19C1910A	0.18	(0.02)	22,171	-	DTAC01C2001A	0.78	0.01	124,426	-	ESSO19C2001A	0.19	(0.03)	24,023	-
CKP19C1														

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GLOB01C1909B	-	-	-	-	HMPR01C1908B	0.21	0.01	12,486	-	IVL27C1912A	0.07	(0.02)	14,332	-
GLOB01P1909A	0.67	0.05	35,857	-	HMPR01C2001A	0.41	0.01	28,545	-	IVL27P1912A	0.53	0.10	12,788	-
GLOB06C1911A	0.08	(0.01)	5,482	-	HMPR01C2001B	0.24	-0.01	55,620	-	IVL28C1910A	-	-	-	-
GLOB11C2002A	0.27	(0.02)	29,100	-	HMPR01P1908A	-	-	-	-	IVL28C2001A	0.10	(0.03)	34,622	-
GLOB13C1910A	0.07	(0.01)	19,054	-	HMPR01P2001A	0.51	-	14,764	-	IVL28C2002A	0.15	(0.05)	33,473	-
GLOB16C2001A	0.16	-	19,690	-	HMPR06C1910A	0.29	(0.01)	10,775	-	IVL28P1909A	-	-	-	-
GLOB19C1912A	0.09	(0.01)	9,000	-	HMPR08C1912A	0.29	-	31,200	-	IVL28P1912A	0.62	0.15	46,681	-
GLOB24C1908A	0.01	(0.13)	3,579	-	HMPR11C2003A	0.36	(0.01)	42,000	-	IVL41C1909A	-	-	-	-
GLOB24C1911A	0.24	(0.01)	25,897	-	HMPR13C1908A	-	-	-	-	IVL41C1910A	-	-	-	-
GLOB41C1910A	-	-	-	-	HMPR13C1912A	0.21	0.02	90,080	-	IVL41C1910B	-	-	-	-
GLOB41C2001A	0.16	(0.02)	18,000	-	HMPR19C1911A	0.15	0.01	41,054	-	IVL41C2001A	0.11	(0.05)	24,000	-
GLOB41P2001A	-	-	-	-	HMPR24C1912A	-	-	-	-	IVL41C2002A	0.17	(0.83)	18,002	-
GLOW13C1912A	-	-	-	-	HMPR27P2001A	0.26	-	14,494	-	IVL41C2002B	-	-	-	-
GPSCO1C1910A	1.03	0.04	45,347	1.00	HMPR41C1911A	-	-	-	-	IVL41P1912A	1.00	0.07	3,000	-
GPSCO1C1910B	0.88	0.04	36,537	-	HMPR41P1911A	0.17	(0.01)	1,245	-	IVL41P2001A	0.60	(0.40)	2,002	-
GPSCO1C1912A	0.73	0.03	103,621	-	HSI28C1910A	0.99	(0.15)	106,980	1.00	IVL42C1910A	0.01	(0.02)	3,001	-
GPSCO1C1912B	0.47	0.02	64,529	-	HSI28C1910B	0.58	(0.16)	73,092	-	IVL42C2001A	-	-	-	-
GPSCO1P1910A	0.09	(0.02)	46,709	-	HSI28C1910C	0.40	(0.04)	50	-	JAS06C1912A	0.21	0.02	90,395	-
GPSCO1P1912A	0.68	(0.04)	44,689	-	HSI28C1910D	0.24	(0.04)	236	-	JAS08C1912A	0.32	0.03	137,523	-
GPSCO6C1912A	0.65	0.04	24,832	-	HSI28P1910A	0.60	0.08	23,018	-	JAS13C1912A	0.23	0.02	831,583	-
GPSCO8C2001A	0.68	0.04	28,624	-	HSI28P1910B	0.91	0.12	58,070	-	JAS16C2002A	0.34	0.01	204,137	-
GPSC11C1909A	0.40	0.01	38,793	-	HSI28P1910C	1.34	0.17	12,354	1.00	JAS16C2002B	0.23	-	62,354	-
GPSC13C1908A	-	-	-	-	HSI28P1910D	1.80	(0.64)	50	1.00	JAS19C1912A	0.14	-	198,638	-
GPSC13C1911A	1.06	0.04	80	1.00	INTU01C1912A	0.58	0.06	165,358	-	JAS19P2001A	0.15	(0.01)	29,935	-
GPSC13C1912A	0.57	0.02	209,610	-	INTU01C1912B	0.41	0.06	285,035	-	JAS41C1912A	0.19	-	28,982	-
GPSC13P1911A	0.43	(0.03)	53,372	-	INTU01P1912A	0.61	(0.06)	56,018	-	JAS41C2001A	0.39	0.02	111,702	-
GPSC19C1910A	0.81	0.07	12,992	-	INTU01P1912B	0.36	(0.05)	64,814	-	JAS41P1912A	0.49	(0.05)	12	-
GPSC19C2001A	0.43	0.02	84,621	-	INTU11C2001A	0.63	0.05	40,050	-	JAS41P2001A	-	-	-	-
GPSC19P1911A	0.09	(0.01)	31,649	-	INTU13C1908A	-	-	-	-	KBAN01C1911A	0.18	-	145,507	-
GPSC24C1909A	0.99	0.04	342	-	INTU13C1912A	0.43	0.05	579,784	-	KBAN01C1911B	0.05	-	10,162	-
GPSC27C1909A	0.35	0.02	22,304	-	INTU16C2001A	0.56	0.08	68,584	-	KBAN01C2002A	0.43	-	77,925	-
GPSC41C1911A	0.86	0.05	38,200	-	INTU19C1912A	0.30	0.05	111,988	-	KBAN01C2002B	0.21	-	100,946	-
GPSC41C1912A	0.52	0.03	66,770	-	INTU19P1910A	-	-	-	-	KBAN01P1911A	1.98	0.01	27,171	1.00
GPSC41P1912A	-	-	-	-	INTU23C1908A	-	-	-	-	KBAN01P1911B	1.53	0.02	30,906	1.00
GULF01C1909A	2.86	0.22	90,114	2.00	INTU24C1909A	0.32	0.07	4,234	-	KBAN01P2002A	1.70	0.02	26,668	1.00
GULF01C1909B	0.94	0.10	229,773	-	INTU41C1912A	0.40	0.05	28,765	-	KBAN01P2002B	1.31	0.01	62,706	1.00
GULF01C1912A	0.75	0.07	492,280	-	INTU41P1910A	-	-	-	-	KBAN07C1908A	-	-	-	-
GULF01C1912B	0.50	0.05	630,618	-	INTU41P2001A	-	-	-	-	KBAN08C1908A	-	-	-	-
GULF01P1909A	0.02	-	6,532	-	INTU42C1910A	0.26	0.08	39	-	KBAN08C2001A	0.14	(0.01)	21,325	-
GULF01P1912A	0.41	(0.06)	710,077	-	IRPC01C1911A	0.11	(0.03)	120,658	-	KBAN08P1912A	1.29	0.08	1,000	1.00
GULF06C1909A	4.52	0.56	409	4.00	IRPC01C1911B	0.02	-	2,285	-	KBAN13C1910A	0.06	-	10	-
GULF06C1912A	0.74	0.08	48,742	-	IRPC01P1911A	0.61	0.07	125,158	-	KBAN13C1912A	0.18	0.02	1,233	-
GULF07C1910A	3.42	0.46	6,326	3.00	IRPC06C1911A	-	-	-	-	KBAN13C2001A	0.45	(0.55)	92,504	-
GULF08C1910A	1.07	0.12	29,544	-	IRPC11C2001A	0.02	(0.01)	292	-	KBAN13P1908A	-	-	-	-
GULF11C1908A	-	-	-	-	IRPC11C2005A	0.15	(0.02)	15,746	-	KBAN13P1911A	1.40	0.13	28	1.00
GULF11C2003A	0.97	0.07	164,313	-	IRPC13C1909A	-	-	-	-	KBAN13P2001A	0.74	(0.01)	173,562	-
GULF13C1909A	0.94	0.15	363,215	-	IRPC13C1911A	-	-	-	-	KBAN16C2001A	0.10	0.01	15,244	-
GULF13C1910A	2.68	0.30	212	2.00	IRPC13C1912A	-	-	-	-	KBAN19C1911A	-	-	-	-
GULF13C1912A	0.64	0.07	1,836,121	-	IRPC13C2001A	0.27	(0.07)	268,733	-	KBAN19C2001A	0.30	(0.01)	52,235	-
GULF13P1910A	0.02	0.01	1,222	-	IRPC19C1910A	-	-	-	-	KBAN19P1910A	0.43	-	8,468	-
GULF13P1911A	0.17	(0.04)	1,018,798	-	IRPC19C1910B	-	-	-	-	KBAN24C1908A	-	-	-	-
GULF16C2001A	1.05	0.09	213,674	1.00	IRPC19C2001A	0.17	(0.04)	32,221	-	KBAN24C1912A	0.06	(0.01)	999	-
GULF19C1908A	2.56	1.50	600	2.00	IRPC23C1908A	-	-	-	-	KBAN24P1909A	-	-	-	-
GULF19C1910A	0.89	0.09	72,753	-	IRPC24C1909A	-	-	-	-	KBAN27P2001A	0.93	-	4,610	-
GULF19C1912A	0.41	0.05	59,358	-	IRPC24C1911A	0.03	(0.01)	800	-	KBAN28C1911A	-	-	-	-
GULF19P1911A	0.02	-	39,701	-	IRPC27C1911A	-	-	-	-	KBAN28C2001A	0.07	(0.02)	26	-
GULF19P2001A	0.26	(0.04)	50,248	-	IRPC41C1910A	-	-	-	-	KBAN28C2002A	0.18	(0.02)	52,715	-
GULF24C1908A	-	-	-	-	IRPC41C1911A	-	-	-	-	KBAN28P1909A	-	-	-	-
GULF24C1909A	1.06	0.11	17,235	1.00	IRPC41C1911B	0.03	(0.01)	1	-	KBAN28P1912A	1.15	0.01	12,096	1.00
GULF24C2001A	0.55	0.07	15,718	-	IRPC41C1912A	0.02	(0.07)	1	-	KBAN41C1910A	-	-	-	-
GULF24P2001A	0.28	(0.05)	14,329	-	IRPC41C2002A	0.30	(0.07)	75,322	-	KBAN41C2001A	0.17	-	22,365	-
GULF27C2004A	0.67	0.05	55,680	-	IRPC41C2002B	0.22	(0.78)	2,530	-	KBAN41P1912A	-	-	-	-
GULF28C1909A	-	-	-	-	IRPC41P1909A	0.78	0.11	1,003	-	KBAN42C1911A	-	-	-	-
GULF28C1910A	0.78	0.11	4,200	-	IRPC41P1912A	-	-	-	-	KBAN42C2003A	-	-	-	-
GULF28C2001A	0.48	0.06	187,508	-	IRPC41P2002A	0.82	(0.18)	200	-	KCE01C1911A	0.39	(0.02)	80,045	-
GULF41C1909A	0.91	0.10	55,988	-	IRPC42C1911A	-	-	-	-	KCE01C1911B	0.21	(0.01)	77,096	-
GULF41C1909B	-	-	-	-	IRPC42C2002A	-	-	-	-	KCE06C1911A	0.15	0.01	1,250	-
GULF41C1910A	-	-	-	-	ITD13C1908A	-	-	-	-	KCE08C1911A	0.03	0.01	500	-
GULF41C1910B	2.34	0.34	2,100	2.00	IVL01C1908A	0.01	-	16,186	-	KCE11C2004A	0.46	0.02	13,048	-
GULF41C1911A	0.74	0.13	21,220	-	IVL01C1908B	0.01	-	4,450	-	KCE13C1908A	-	-	-	-
GULF41C2001A	0.75	0.04	113,190	-	IVL01C1911A	0.11	(0.05)	449,283	-	KCE13C1911A	0.12	-	7,600	-
GULF41C2001B	-	-	-	-	IVL01C1911B	0.03	(0.03)	88,671	-	KCE13C2001A	0.35	(0.03)	75,837	-
GULF41P1909A	0.02	-	10	-	IVL01C2002A	0.23	(0.08)	74,087	-	KCE16C2001A	0.18	(0.01)	16,288	-
GULF41P1911A	0.03	(0.03)	2,566	-	IVL01C2002B	0.12	(0.05)	138,161	-	KCE19C1910A	0.02	-	100	-
GULF41P1911B	-	-	-	-	IVL01P1908A	1.29	0.21	25,104	1.00	KCE19C1910B	0.09	-	8,882	-
GULF41P1912A	0.23	(0.06)	1,865	-	IVL01P1908B	0.78	0.28	32,044	-	KCE23C1911A	0.12	-	16,240	-
GULF41P1912B	0.15	(0.14)	4,945	-	IVL01P1911A	0.96	0.14	95,932	-	KCE24C1911A	0.22	0.03	11,900	-
GULF42C1910A	0.90	0.22	12,549	-	IVL01P1911B	0.94	0.16	116,738	-	KCE28C1911A	0.16	(0.01)	7,018	-
GUNK01C1912A	0.34	-	137,286	-	IVL01P2002A	0.88	0.15	92,134	-	KCE41C1911A	0.21	0.01	6,000	-
GUNK01C1912B	0.21	-	114,465	-	IVL01P2002B	0.70	0.13	98,531	-	KCE42C1910A	-	-	-	-
GUNK01P1912A	0.40	(0.01)	79,748	-	IVL06C1910A	-	-	-	-	KCE42C2001A	-	-	-	-
GUNK08C1912A	0.37	(0.01)	59,500	-	IVL06P1910A	0.84	0.21	29,130	-	KKP01C2001A	0.60	(0.02)	73,636	-
GUNK11C1911A	0.41	0.01	40,080	-	IVL08C1911A	0.04	(0.01)	2,390	-	KKP01C2001B	0.39	(0.01)	78,183	-
GUNK13C1909A	0.22	0.03	3,103	-	IVL08P1910A	0.70	0.14	9,920	-	KKP01P2001A	0.81	0.02	51,503	-
GUNK13C1912A	0.19	0.02	110,187	-	IVL11C1911A	0.04	(0.01)	450	-	KKP11C1911A	0.29	(0.01)	43,499	-
GUNK16C2002A	0.26	0.02	36,722	-	IVL11C2005A	0.21	(0.06)	51,515	-	KKP13C1910A	0.24	(0.02)	149,006	-
GUNK19C1910A	0													

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KT841C1910A	-	-	-	-	ORI08C2001A	0.32	0.02	25,732	-	PTT16C2001A	0.07	(0.02)	3,033	-
KT841C2002A	0.23	(0.03)	4,004	-	ORI11C1909A	0.30	0.03	2,600	-	PTT19C1911A	0.05	(0.01)	4,000	-
KT001C1910A	0.56	(0.01)	66,247	-	ORI13C1912A	0.39	0.02	55,082	-	PTT19C2002A	0.22	(0.78)	26,800	-
KTC01C1910B	0.28	(0.03)	153,970	-	ORI19C1910A	0.25	0.01	18,185	-	PTT19P1908A	-	-	-	-
KT001C2001A	0.55	(0.02)	65,448	-	ORI19C2001A	0.11	-	50	-	PTT19P1911A	0.25	0.04	18,152	-
KT001C2001B	0.30	(0.02)	131,721	-	ORI23C1911A	0.49	0.02	18,984	-	PTT23C1911A	0.05	(0.03)	3,000	-
KT001P1910A	0.12	-	56,510	-	ORI24C1908A	0.20	0.01	2,100	-	PTT24C1911A	-	-	-	-
KT001P2001A	0.47	0.01	79,518	-	ORI24C2001A	-	-	-	-	PTT24P2001A	-	-	-	-
KTC06C1911A	0.42	(0.03)	16,195	-	ORI41C1911A	0.37	0.03	26,180	-	PTT28C1911A	-	-	-	-
KTC08C1910A	0.30	(0.02)	3,610	-	OSP01C1912A	0.39	-	82,068	-	PTT28C1912A	0.07	(0.01)	15,031	-
KTC11C1911A	0.76	(0.03)	22,018	-	OSP01C1912B	0.23	(0.01)	37,902	-	PTT28C2002A	0.20	(0.03)	30,420	-
KTC13C1909A	0.14	(0.02)	35,966	-	OSP01P1912A	0.29	-	78,363	-	PTT28P1912A	0.43	0.03	24,752	-
KTC13C1912A	0.46	(0.01)	231,737	-	OSP06C1912A	0.27	-	8,650	-	PTT41C1910A	-	-	-	-
KTC13P1909A	0.03	-	680	-	OSP08C2001A	0.30	-	15,500	-	PTT41C1910B	-	-	-	-
KTC13P1911A	0.36	-	184,032	-	OSP11C2005A	0.32	-	14,000	-	PTT41C2001A	0.12	(0.02)	19,401	-
KTC16C1911A	0.53	(0.02)	54,878	-	OSP13C1912A	0.34	-	52,616	-	PTT41P1911A	0.43	-	565	-
KTC19C1908A	0.14	(0.02)	40,224	-	OSP16C2001A	0.31	-	21,712	-	PTT42C1911A	-	-	-	-
KTC19C1910A	0.16	(0.01)	28,200	-	OSP19C1912A	0.25	-	8,198	-	PTT42C2003A	0.23	(0.77)	150	-
KTC19P1911A	0.13	-	27,200	-	OSP24C1912A	0.31	(0.01)	40	-	PTTE01C1910A	0.23	(0.02)	58,604	-
KTC19P2001A	-	-	-	-	OSP28C2001A	0.28	-	8,112	-	PTTE01C1910B	0.16	(0.02)	160,325	-
KTC23C1908A	-	-	-	-	OSP41C1912A	0.34	0.01	11,980	-	PTTE01C2001A	0.47	(0.04)	122,194	-
KTC24C2001A	-	-	-	-	OSP41P1912A	-	-	-	-	PTTE01C2001B	0.26	(0.02)	51,962	-
KTC27C1911A	0.43	(0.02)	10,800	-	OSP42C2001A	-	-	-	-	PTTE01P1910A	1.02	0.06	136,418	1.00
KTC27P1911A	0.23	-	35,182	-	PLAN13C1912A	-	-	-	-	PTTE01P1910B	0.34	0.04	306,269	-
KTC28C1909A	0.09	(0.02)	16,846	-	PLAN13C1912B	0.33	(0.03)	194,299	-	PTTE01P2001A	1.27	0.03	75,448	1.00
KTC28C2002A	0.40	(0.02)	30,920	-	PLAN16C2002A	0.58	(0.03)	32,041	-	PTTE01P2001B	0.81	0.04	113,864	-
KTC41C1910A	-	-	-	-	PLAN19C1911A	0.44	(0.03)	6,700	-	PTTE06C2001A	0.17	(0.03)	15,500	-
KTC41C2001A	0.41	(0.02)	1,600	-	PLAN19C2001A	0.25	(0.05)	19,102	-	PTTE06P1910A	0.30	0.04	29,198	-
KTC41P1910A	0.19	-	5	-	PLAN23C1909A	0.44	(0.07)	36,690	-	PTTE08C1910A	0.09	(0.01)	15,801	-
KTC41P2001A	-	-	-	-	PLAN24C1912A	-	-	-	-	PTTE08P1911A	0.48	0.04	22,999	-
KTC42C1911A	0.30	(0.02)	2,973	-	PLAN27C1908A	-	-	-	-	PTTE11C1910A	0.25	(0.02)	89,530	-
LH01C1909A	0.23	0.01	80,162	-	PLAN41C1910A	0.46	(0.04)	37,400	-	PTTE13C1908A	-	-	-	-
LH01C1909B	0.09	0.01	10,931	-	PRM13C1912A	0.51	0.01	256,973	-	PTTE13C1911A	0.29	(0.02)	433,157	-
LH01P1909A	0.14	-	92,498	-	PRM19C1912A	0.42	0.01	21,612	-	PTTE13P1908A	0.02	0.01	2,010	-
LH07C1908A	-	-	-	-	PRM19C2001A	0.30	(0.01)	59,368	-	PTTE13P1911A	-	-	-	-
LH11C1911A	0.14	0.01	32,000	-	PRM23C1909A	0.50	0.04	1,500	-	PTTE13P1912A	0.44	0.02	265,470	-
LH13C1910A	0.10	-	66,450	-	PRM27C2002A	0.54	-	33,571	-	PTTE16C1911A	0.19	(0.02)	45,760	-
LH16C2002A	0.22	(0.01)	40,292	-	PRM41C2002A	0.54	0.01	46,980	-	PTTE19C1908A	-	-	-	-
LH19C1911A	-	-	-	-	PSH13C1910A	0.22	-	24,671	-	PTTE19C2001A	0.17	(0.02)	45,790	-
LH19P1910A	-	-	-	-	PSH13C2001A	0.27	-	1,201	-	PTTE19P1908A	-	-	-	-
LH24C1912A	0.10	-	1,000	-	PSH19C1908A	0.03	(0.01)	4	-	PTTE19P1911A	0.17	0.02	43,201	-
LH41C1911A	-	-	-	-	PSH19C2001A	0.19	-	32,898	-	PTTE23P1909A	0.18	0.02	16,000	-
LH41P1911A	-	-	-	-	PSL06C1911A	0.66	0.03	17,919	-	PTTE24C1910A	0.37	(0.04)	49,689	-
LPN08C1908A	0.02	-	8	-	PSL13C1912A	0.24	0.01	42,342	-	PTTE24P1909A	0.29	0.01	2,211	-
LPN13C1908A	-	-	-	-	PSL19C1912A	0.19	-	11,674	-	PTTE27C1912A	0.24	(0.02)	42,272	-
LPN24C1908A	-	-	-	-	PSL27C2002A	0.36	0.01	16,080	-	PTTE28C1909A	-	-	-	-
MAJ006C1909A	0.01	-	1,720	-	PTG01C1908A	1.76	0.01	67,167	1.00	PTTE28C2001A	0.20	(0.02)	18,294	-
MAJ013C1909A	0.03	(0.01)	1	-	PTG01C1908B	1.96	0.03	11,951	1.00	PTTE28P1911A	0.34	0.03	46,576	-
MAJ019C1912A	-	-	-	-	PTG01C1911A	1.32	-	231,612	1.00	PTTE41C1910A	-	-	-	-
MAJ024C2002A	0.20	(0.01)	1,062	-	PTG01C1911B	1.15	(0.02)	237,125	1.00	PTTE41C1910B	-	-	-	-
MAJ027C1912A	0.08	(0.01)	3,732	-	PTG01C2001A	0.77	(0.01)	278,588	-	PTTE41C2001A	0.23	(0.03)	18,200	-
MBK13C1912A	0.33	0.03	31,385	-	PTG01C2001B	0.56	-	221,315	-	PTTE41C2001B	0.16	(0.84)	2,342	-
MBK19C1911A	0.23	0.02	1,258	-	PTG01P1908A	-	-	-	-	PTTE41P1910A	0.40	0.06	7,100	-
MBK24C1910A	0.37	0.04	4,562	-	PTG01P1911A	0.07	(0.01)	207,428	-	PTTE42C1910A	-	-	-	-
MEGA11C1910A	0.10	-	40,002	-	PTG01P2001A	0.51	0.01	124,302	-	PTTE42C2001A	0.30	(0.70)	6,601	-
MEGA13C1912A	0.12	-	54,814	-	PTG06C1910A	2.02	-	15,242	2.00	PTTG01C1910A	0.05	(0.02)	11,800	-
MEGA19C1910A	0.02	-	50	-	PTG08C1912A	0.70	-	26,939	-	PTTG01C1910B	-	-	-	-
MEGA19C2001A	0.15	-	22,991	-	PTG11C2003A	1.09	-	40,200	1.00	PTTG01C1912A	0.27	(0.03)	114,652	-
MINT01C1911A	0.31	(0.02)	156,220	-	PTG11C2005A	0.68	-	73,757	-	PTTG01C1912B	0.15	(0.02)	71,081	-
MINT01C1911B	0.20	(0.02)	219,464	-	PTG13C1910A	-	-	-	-	PTTG01P1910A	1.88	0.11	49,337	1.00
MINT01P1911A	0.38	0.01	143,826	-	PTG13C1911A	1.10	0.10	2	1.00	PTTG01P1910B	0.81	0.08	111,654	-
MINT06C1908A	0.02	-	1,001	-	PTG13C1912A	0.57	(0.02)	335,856	-	PTTG01P1912A	1.29	0.07	69,433	1.00
MINT06C2001A	0.20	(0.03)	24,370	-	PTG13C1912B	0.34	(0.01)	680,875	-	PTTG01P1912B	0.98	0.08	94,040	-
MINT08C1908A	-	-	-	-	PTG13P1911A	0.21	-	134,357	-	PTTG06C1911A	0.04	(0.01)	3,411	-
MINT11C1910A	0.17	(0.02)	32,390	-	PTG16C1911A	1.47	-	10,720	1.00	PTTG07C1908A	-	-	-	-
MINT13C1908A	-	-	-	-	PTG19C1910A	1.19	-	28,754	1.00	PTTG08C1911A	0.04	(0.02)	900	-
MINT13C1911A	0.19	(0.03)	218,100	-	PTG19C1910B	0.50	(0.02)	69,486	-	PTTG08C2001A	0.21	(0.02)	516	-
MINT13C1912A	0.14	(0.02)	505	-	PTG19C1911A	0.32	(0.01)	101,040	-	PTTG08P1912A	0.77	0.07	10,600	-
MINT16C1911A	0.21	(0.03)	50,566	-	PTG19P1908A	-	-	-	-	PTTG11C1909A	-	-	-	-
MINT16C2001A	0.23	(0.03)	66,310	-	PTG19P1910A	0.02	-	1,450	-	PTTG11C2004A	0.22	(0.01)	32,270	-
MINT19C1908A	-	-	-	-	PTG19P2001A	0.39	(0.01)	54,223	-	PTTG13C1908A	-	-	-	-
MINT19C2001A	0.14	(0.02)	54,296	-	PTG24C1909A	1.56	0.12	760	1.00	PTTG13C1911A	0.07	(0.02)	4,770	-
MINT19P1910A	-	-	-	-	PTG27P1910A	0.01	-	3,200	-	PTTG13C1912A	0.14	(0.01)	460	-
MINT23C2001A	-	-	-	-	PTG27P2001A	0.21	-	90,647	-	PTTG13C2001A	0.39	(0.04)	234,922	-
MINT24C1908A	0.07	(0.04)	50	-	PTG28C1910A	-	-	-	-	PTTG13P1909A	1.06	0.06	1,300	1.00
MINT27C1912A	0.21	(0.01)	4,400	-	PTG28C1910B	0.58	(0.11)	10	-	PTTG13P1910A	-	-	-	-
MINT27P1912A	0.21	0.01	15,399	-	PTG28C1911A	-	-	-	-	PTTG13P2001A	0.41	0.04	179,914	-
MINT41C1910A	-	-	-	-	PTG28C1912A	0.40	(0.01)	81,464	-	PTTG16C2001A	0.08	0.01	1	-
MINT41C2001A	-	-	-	-	PTG41C1910A	-	-	-	-	PTTG19C1910A	0.01	-	2,000	-
MINT41P1912A	-	-	-	-	PTG41C1912A	0.62	0.05	11,988	-	PTTG19C2001A	0.17	(0.02)	2,672	-
MTC01C1912A	0.41	(0.04)	117,582	-	PTG41P1911A	-	-	-	-	PTTG19P1910A	0.55	0.06	1,440	-
MTC01C1912B	0.26	(0.03)	88,146	-	PTG41P1912A	0.45	-	5,222	-	PTTG23C1908A	-	-	-	-
MTC01P1912A	0.68	0.03	121,443	-	PTG42C1910A	1.22	(0.05)	134	1.00	PTTG24C1911A	0.07	(0.03)	14	-
MTC06C1908A	0.27	(0.09)	23,100	-	PTG42C2001A	0.48	(0.52)	706	-	PTTG27C2001A	0.15	(0.01)	9,234	-
MTC06C1912A	0.25	(0.02)	21,802	-	PTT01C1910A	0.11	(0.02)	356,964	-	PTTG28C1911A	-	-	-	-
MTC07C1909A	0.26	(0.06)	302	-	PTT01C1910B	0.05	(0.03)	56,516	-	PTTG28C2001A	-	-	-	-
MTC08C1911A	0.31	(0.04)	34,300	-	PTT01C2001A	0.23	(0.04)	250						

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH24C1908A	-	-	-	-	S5028P1909A	1.04	0.07	3,514	1.00	SCC41P2001A	-	-	-	-
RATC13C1911A	0.52	-	319,200	-	S5028P1910A	0.51	0.04	1,109,492	-	SCC42C1911A	-	-	-	-
RATC16C2001A	0.46	(0.01)	106,982	-	S5028P1912A	0.67	0.04	598,573	-	SCC42C2002A	-	-	-	-
RATC19C1908A	0.49	(0.01)	10,369	-	S5028P1912B	0.24	-	381,895	-	SGP11C1911A	-	-	-	-
RATC19C1910A	0.16	-	145,363	-	S5041C1909A	0.70	(0.11)	851,410	-	SGP13C1908A	-	-	-	-
RATC24C2001A	0.40	(0.01)	5,164	-	S5041C1909B	0.41	(0.10)	4,237,171	-	SGP13C1912A	0.06	-	1	-
RATC41C1911A	0.24	0.05	10,044	-	S5041C1909C	-	-	-	-	SGP13C2001A	0.28	(0.03)	160,094	-
ROBI01C1909A	0.34	-	33,702	-	S5041C1909D	0.05	(0.01)	300	-	SGP19C1910A	0.01	(0.01)	810	-
ROBI01C1909B	-	-	-	-	S5041C1909F	0.17	(0.07)	4,152,970	-	SGP19C2001A	0.07	-	700	-
ROBI01C1912A	0.73	(0.01)	3,818	-	S5041C1909G	0.08	(0.02)	21,057	-	SGP19C2002A	0.31	(0.69)	6,972	-
ROBI01C1912B	0.51	-	3,726	-	S5041C1912A	0.19	(0.03)	32,044	-	SGP23C1908A	-	-	-	-
ROBI06C1910A	0.35	(0.02)	6,500	-	S5041P1909A	0.65	0.09	191,618	-	SGP24C1910A	-	-	-	-
ROBI08C2001A	0.57	(0.02)	4,050	-	S5041P1909B	0.36	0.04	5,569,665	-	SGP41C2001A	0.16	(0.02)	6,200	-
ROBI11C2003A	0.55	(0.01)	4,000	-	S5041P1909C	1.50	0.14	14,187	1.00	SGP42C1911A	-	-	-	-
ROBI13C1908A	-	-	-	-	S5041P1909D	1.34	0.15	19,200	1.00	SGP42C2001A	-	-	-	-
ROBI13C1912A	0.52	-	22,470	-	S5041P1909F	0.69	0.09	5,067	-	SIRI11C1911A	0.20	(0.01)	10,920	-
ROBI19C1910A	-	-	-	-	S5041P1909G	0.43	0.06	444,438	-	SIRI19C1910A	-	-	-	-
ROBI23C1909A	0.20	(0.02)	7,000	-	S5041P1912A	0.73	0.03	3,480,700	-	SIRI19C2002A	-	-	-	-
ROBI24C1909A	-	-	-	-	SAWA01C1911A	0.60	0.03	170,582	-	SIRI24C1911A	-	-	-	-
ROBI24C1912A	-	-	-	-	SAWA01C1911B	0.30	0.01	208,401	-	SPAL01C1911A	0.19	(0.02)	146,202	-
ROBI41C1912A	-	-	-	-	SAWA01P1911A	0.45	(0.02)	80,716	-	SPAL01C1911B	0.06	(0.02)	43,482	-
ROBI41C2001A	0.71	-	6,000	-	SAWA06C1908A	0.22	0.02	4,904	-	SPAL11C1910A	0.20	(0.02)	11,002	-
ROBI41P2001A	-	-	-	-	SAWA08C1908A	0.14	0.02	2,000	-	SPAL13C1909A	-	-	-	-
RS06C2001A	0.45	(0.07)	28,093	-	SAWA08C2001A	0.49	-	28,836	-	SPAL13C2001A	0.30	(0.70)	59,890	-
RS08C1911A	0.17	(0.03)	30,624	-	SAWA11C2003A	0.72	0.03	43,000	-	SPAL16C2002A	0.22	(0.01)	17,974	-
RS08C2001A	0.33	(0.04)	72,286	-	SAWA13C1908A	-	-	-	-	SPAL19C1910A	-	-	-	-
RS11C1911A	0.32	(0.05)	42,162	-	SAWA13C1911A	0.42	0.01	114,698	-	SPAL19C2002A	0.28	(0.72)	15,925	-
RS13C1909A	-	-	-	-	SAWA16C2001A	0.59	0.01	65,622	-	SPAL24C1912A	-	-	-	-
RS13C1912A	0.32	(0.05)	277,595	-	SAWA19C1908A	0.07	0.01	8,721	-	SPAL41C1912A	-	-	-	-
RS16C2001A	0.33	(0.05)	80,236	-	SAWA19C1912A	0.25	0.02	29,316	-	SPAL41C2001A	0.26	(0.01)	12,014	-
RS19C1908A	-	-	-	-	SAWA23C1911A	0.43	(0.03)	500	-	SPRC01C1911A	0.15	(0.02)	78,269	-
RS19C1911A	0.15	(0.04)	75,541	-	SAWA24C1910A	-	-	-	-	SPRC01C1911B	-	-	-	-
RS23C1909A	0.04	(0.02)	8,000	-	SAWA24C1912A	0.40	0.02	1,602	-	SPRC11C1909A	-	-	-	-
RS24C1910A	0.10	(0.03)	3,000	-	SAWA27C1910A	0.57	0.03	5,878	-	SPRC11C2005A	-	-	-	-
RS41C1908A	-	-	-	-	SAWA28C1909A	-	-	-	-	SPRC13C1910A	-	-	-	-
RS41C1912A	0.30	(0.05)	100	-	SAWA28C1910A	0.23	0.01	33,211	-	SPRC13C1911A	0.07	(0.02)	32,233	-
RS42C1911A	0.33	(0.06)	31,474	-	SAWA28C2001A	0.39	0.02	34,151	-	SPRC13C1912A	0.04	(0.02)	100	-
S10001C1911A	0.44	(0.03)	2,624	-	SAWA28C2002A	0.60	0.01	20,674	-	SPRC13C2001A	0.25	(0.02)	293,490	-
S5001C1908A	0.26	(0.05)	437,333	-	SAWA41C1911A	0.57	0.04	134,860	-	SPRC19C1910A	-	-	-	-
S5001C1909F	0.29	(0.08)	3,942,206	-	SAWA41P1911A	0.15	(0.01)	530	-	SPRC19C2001A	0.11	(0.01)	17,705	-
S5001C1909G	0.14	(0.05)	1,927,768	-	SAWA41P1912A	0.62	(0.02)	4,800	-	SPRC24C1909A	-	-	-	-
S5001C1909H	0.04	(0.01)	13,926	-	SAWA42C1910A	-	-	-	-	SPRC41C1911A	-	-	-	-
S5001C1909I	0.02	(0.01)	57,241	-	SCB01C1911A	0.38	-	245,736	-	SPRC41C1912A	0.11	(0.02)	14,412	-
S5001C1909J	0.18	(0.05)	668,881	-	SCB01C1911B	0.21	(0.01)	144,762	-	SPRC41C2001A	-	-	-	-
S5001C1910A	0.30	(0.03)	868,260	-	SCB01C2002A	0.37	-	107,040	-	STA01C1908A	0.01	-	3,435	-
S5001P1908A	0.44	0.02	638,381	-	SCB01C2002B	0.20	0.01	79,406	-	STA01C1908B	0.01	-	15	-
S5001P1909F	0.25	0.03	2,260,702	-	SCB01P1911A	0.80	0.01	85,972	-	STA01C1912A	0.16	(0.02)	186,516	-
S5001P1909G	0.65	0.07	2,088,465	-	SCB01P1911B	0.53	0.01	88,762	-	STA01C1912B	0.08	(0.02)	78,651	-
S5001P1909H	1.86	0.15	1,274,770	1.00	SCB01P2002A	1.33	0.02	47,301	1.00	STA01P1912A	0.44	0.04	40,526	-
S5001P1909I	2.52	0.18	252,581	2.00	SCB01P2002B	1.05	0.01	51,058	1.00	STA06C1911A	0.11	(0.04)	15,090	-
S5001P1909J	1.68	0.12	2,086,405	1.00	SCB06C1912A	0.09	-	27,550	-	STA08C1908A	-	-	-	-
S5001P1910A	1.43	0.06	1,679,953	1.00	SCB08C1908A	-	-	-	-	STA11C1909A	-	-	-	-
S5006C1909A	0.07	-	4,022	-	SCB11C1910A	0.05	-	10	-	STA11C2005A	0.23	(0.04)	24,100	-
S5006C1909B	0.16	(0.06)	296,475	-	SCB11C2005A	0.26	(0.01)	36,400	-	STA13C1908A	-	-	-	-
S5006C1909C	0.42	(0.09)	314,937	-	SCB11P1910A	0.22	(0.01)	25,192	-	STA13C1912A	0.07	-	600	-
S5006C1909D	0.04	0.02	260	-	SCB11P2005A	1.02	-	48,150	1.00	STA13C2001A	0.22	(0.78)	87,340	-
S5006P1909A	0.43	0.06	228,862	-	SCB13C1911A	0.23	-	202,869	-	STA19C1909A	-	-	-	-
S5006P1909B	0.20	0.03	350,596	-	SCB16C2001A	0.18	(0.01)	39,355	-	STA19C2001A	0.08	(0.01)	470	-
S5006P1909C	0.55	0.07	168,397	-	SCB19C1910A	0.06	-	19,320	-	STA23C1911A	0.09	(0.02)	15,401	-
S5006P1909D	2.04	0.21	167,900	2.00	SCB19C2002A	0.34	(0.66)	21,550	-	STA24C1909A	-	-	-	-
S5008C1909A	0.02	-	17,742	-	SCB19P1911A	0.15	-	38,224	-	STA24C1911A	0.09	(0.01)	1,075	-
S5008C1909B	0.01	-	7,304	-	SCB24C1910A	-	-	-	-	STA27C1911A	-	-	-	-
S5008P1909A	0.27	0.03	209,876	-	SCB24P1909A	0.23	(0.01)	3,200	-	STA41C1910A	-	-	-	-
S5008P1909B	1.33	0.23	2,781	1.00	SCB28C1911A	0.14	-	34,616	-	STA41C1912A	-	-	-	-
S5013C1909A	0.18	(0.06)	8,202,830	-	SCB28C2001A	-	-	-	-	STA42C1911A	-	-	-	-
S5013C1909B	0.12	(0.05)	3,940,819	-	SCB28P1909A	-	-	-	-	STA42C2001A	0.24	(0.76)	18,130	-
S5013C1909C	0.05	(0.01)	410,561	-	SCB28P1912A	0.33	0.01	10,240	-	STEC01C1911A	0.02	(0.02)	185,895	-
S5013C1909D	0.03	-	15,715	-	SCB41C1910A	-	-	-	-	STEC01C1911B	0.02	-	61,701	-
S5013C1909E	0.16	(0.04)	6,604,106	-	SCB41P1912A	0.53	(0.08)	6,000	-	STEC01P1911A	0.69	0.09	267,173	-
S5013C1909F	0.10	(0.03)	431,275	-	SCB42C1911A	0.10	(0.01)	53	-	STEC06C1908A	-	-	-	-
S5013C1912A	0.77	(0.06)	7,981,638	-	SCC01C2001A	0.30	(0.02)	169,663	-	STEC06C1912A	0.02	-	11	-
S5013P1909A	0.21	0.03	10,967,268	-	SCC01C2001B	0.14	-	224,285	-	STEC08C1908A	-	-	-	-
S5013P1909B	0.56	0.06	3,748,782	-	SCC01P2001A	0.69	0.03	86,179	-	STEC08C2001A	0.05	-	21,892	-
S5013P1909C	0.89	0.07	302,272	-	SCC07C1909A	-	-	-	-	STEC11C2001A	0.12	(0.05)	169,056	-
S5013P1909D	1.48	0.12	39,676	1.00	SCC08C1908A	-	-	-	-	STEC13C1909A	0.01	(0.01)	2,290	-
S5013P1909E	1.66	0.06	8	1.00	SCC11C2003A	0.13	(0.01)	4,524	-	STEC16C1911A	0.02	-	22,000	-
S5013P1909F	1.50	0.09	5,948	1.00	SCC13C1908A	-	-	-	-	STEC16C1911B	0.05	(0.02)	40,330	-
S5013P1912A	0.84	0.05	7,307,731	-	SCC13C1911A	0.07	-	118,903	-	STEC19C1908A	-	-	-	-
S5016C1912A	0.67	(0.07)	414,796	-	SCC13C2001A	0.24	(0.02)	278,129	-	STEC19C1910A	-	-	-	-
S5016P1912A	1.10	0.07	584,870	1.00	SCC13P1911A	0.52	0.04	2,000	-	STEC19C2002A	0.22	(0.78)	70,561	-
S5024C1909A	0.04	(0.02)	17,994	-	SCC13P2001A	0.37	0.01	30,142	-	STEC19P1911A	0.69	0.14	99,371	-
S5024C1909B	0.21	(0.05)	61,080	-	SCC16C2002A	-	-	-	-	STEC24C1911A	0.02	(0.01)	1,000	-
S5024C1909C	0.01	-	1,540	-	SCC19C1911A	0.06	-	16,990	-	STEC27C1908A	-	-	-	-
S5024C1912A	1.19	(0.10)	129,146	1.00	SCC19P1911A	0.20	0.01	11,076	-	STEC27C2002A	0.03	(0.01)	300	-
S5024P1909A	1.07	0.15	167,930	1.00	SCC24C1910A	-	-	-	-	STEC27P1910A	0.44	0.12	60,054	-
S5024P1909B	1.13	0.10	30,049	1.00	SCC24C1912A	0.20	(0.02)	1	-	STEC41C1910				

Main Board Quotation

Issue Date :

Thursday August 22, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC01C1912B	0.17	-	67,640	-	TMB41C2002A	-	-	-	-	TU41C1911A	-	-	-	-
TASC01P1909A	0.11	-	56,467	-	TMB41P1911A	0.90	0.04	3,003	-	TU41C2001A	0.15	(0.02)	6,000	-
TASC01P1912A	0.76	0.01	26,993	-	TMB41P2002A	0.43	(0.57)	2,000	-	TU41P1911A	0.19	-	1	-
TASC06C1909A	0.17	(0.03)	5,847	-	TOA01C2001A	0.47	0.13	149,509	-	TU41P2001A	-	-	-	-
TASC06P1909A	0.01	-	150	-	TOA01C2001B	0.32	0.08	213,758	-	TVO11C2001A	0.18	-	10,122	-
TASC08C1910A	0.26	(0.01)	30,600	-	TOA01P2001A	0.37	(0.09)	100,608	-	TVO19C1911A	0.17	(0.01)	3,068	-
TASC11C2002A	0.57	-	26,200	-	TOA11C1911A	0.31	0.09	57,051	-	UV13C1908A	-	-	-	-
TASC13C1911A	0.26	(0.02)	138,234	-	TOA13C1909A	0.46	0.18	43,817	-	VGI23C1911A	1.76	0.01	4,912	1.00
TASC16C2001A	0.23	(0.03)	25,176	-	TOA16C2001A	0.37	0.09	89,008	-	WHA01C1911A	0.64	(0.03)	61,165	-
TASC19C1910A	0.09	(0.01)	1,503	-	TOA19C1910A	0.50	0.19	24,991	-	WHA01C1911B	0.42	(0.01)	78,853	-
TASC19P1911A	0.30	0.02	8,631	-	TOA19C1911A	0.24	0.10	48,774	-	WHA01P1911A	0.44	0.01	6,787	-
TASC24C1908A	-	-	-	-	TOA24C1911A	0.44	0.13	3,304	-	WHA06C1908A	0.15	(0.02)	5,172	-
TASC24C2001A	-	-	-	-	TOP01C1910A	0.25	(0.01)	93,180	-	WHA08C1908A	0.09	(0.02)	4,750	-
TASC28C1910A	0.22	(0.02)	36,478	-	TOP01C1910B	0.22	(0.03)	93,338	-	WHA11C2001A	0.45	-	16,000	-
TASC28C1912A	0.15	-	34,576	-	TOP01C1912A	0.56	(0.01)	61,403	-	WHA13C1909A	0.34	(0.03)	302	-
TASC28C2001A	0.27	(0.01)	26,780	-	TOP01C1912B	0.31	(0.03)	72,489	-	WHA13C1912A	0.39	(0.01)	130,279	-
TASC41C1909A	-	-	-	-	TOP01P1910A	0.61	0.03	50,464	-	WHA16C1911A	0.49	0.02	17,548	-
TASC41C1912A	0.23	-	12,000	-	TOP01P1912A	0.56	0.01	70,681	-	WHA19C1911A	0.19	-	9,000	-
TASC42C1910A	-	-	-	-	TOP06C1908A	-	-	-	-	WHA24C1911A	-	-	-	-
TCAP01C2001A	0.29	(0.01)	106,348	-	TOP06C1911A	0.41	(0.03)	11,345	-	WHA24P1908A	-	-	-	-
TCAP01C2001B	0.17	0.01	48,450	-	TOP06P1912A	0.75	0.04	7,150	-	WHA27C1910A	0.31	(0.01)	7,200	-
TCAP01P2001A	0.70	0.02	39,419	-	TOP07C1908A	-	-	-	-	WHA28C1910A	0.32	(0.02)	21,407	-
TCAP11C1909A	-	-	-	-	TOP08C1911A	0.20	(0.02)	40,800	-	WHA28C1912A	0.25	(0.01)	7,330	-
TCAP13C1910A	0.06	0.01	11,878	-	TOP08P1912A	0.22	0.01	25,002	-	WHA41C1911A	-	-	-	-
TCAP19C1908A	-	-	-	-	TOP11C2002A	0.25	(0.01)	43,002	-	WHA41P1912A	0.44	-	40	-
TCAP19C2001A	0.11	-	23,904	-	TOP11P2002A	0.89	0.02	53,002	-	WHA42C1911A	-	-	-	-
TCAP24C2001A	0.16	-	1,570	-	TOP13C1909A	-	-	-	-	WHAU13C1910A	0.31	0.03	66	-
TCAP41C1911A	-	-	-	-	TOP13C1910A	0.19	(0.02)	14,035	-	WHAU13C1912A	0.32	0.01	169,758	-
THAI08C1911A	-	-	-	-	TOP13C1911A	0.39	(0.03)	62,589	-	WHAU27C2002A	0.43	0.03	19,204	-
THAI11C2003A	0.10	-	5,000	-	TOP13P1909A	0.18	0.01	58,872	-	WORK01C1910A	0.42	(0.10)	134,491	-
THAI13C1910A	-	-	-	-	TOP13P1911A	0.15	0.01	44,272	-	WORK01C1910B	0.03	(0.01)	36,469	-
THAI13C1911A	0.28	(0.04)	44,406	-	TOP16C1911A	0.12	(0.02)	4,000	-	WORK08C1912A	0.59	(0.10)	1,188	-
THAI13C1912A	-	-	-	-	TOP16C2001A	0.35	(0.03)	88,368	-	WORK13C1909A	0.08	(0.06)	103,735	-
THAI19C1910A	-	-	-	-	TOP19C1910A	0.12	(0.02)	1,574	-	WORK13C1911A	0.45	(0.12)	146,450	-
THAI19C1910B	0.05	(0.02)	2,000	-	TOP19P1911A	0.06	-	7,500	-	WORK19C1908A	-	-	-	-
THAI19C1911A	0.04	(0.01)	140	-	TOP23C2001A	-	-	-	-	WORK19C1910A	0.32	(0.11)	51,277	-
THAI24C1911A	-	-	-	-	TOP24C1911A	-	-	-	-	WORK23C1909A	0.17	(0.05)	3,500	-
THAI42C1911A	0.22	(0.02)	11,900	-	TOP24P1910A	0.65	0.01	4,004	-	WORK24C1910A	0.22	(0.10)	7,635	-
THAN01C2001A	0.44	0.03	150,898	-	TOP28C1911A	0.26	(0.01)	48,034	-	WORK28C1911A	0.59	(0.02)	1,340	-
THAN01C2001B	0.27	0.01	151,460	-	TOP41C1909A	0.16	(0.02)	30,720	-	Preferred/Foreign	-	-	-	-
THAN06C1910A	0.36	0.03	38,226	-	TOP41C1910A	-	-	-	-	BH-Q	-	-	-	-
THAN13C1909A	0.35	0.03	2,000	-	TOP41C1910B	-	-	-	-	CSC-Q	-	-	-	-
THAN13C1912A	0.23	0.01	109,942	-	TOP41C2002A	0.46	(0.04)	6,000	-	JUTHA-Q	-	-	-	-
THAN19C1908A	0.09	0.02	10	-	TOP41C2002B	-	-	-	-	KTB-Q	-	-	-	-
THAN19C2001A	0.20	0.01	46,206	-	TOP41P1910A	-	-	-	-	SCB-Q	-	-	-	-
THAN24C2001A	0.37	0.01	5,000	-	TOP42C1911A	-	-	-	-	TCAP-Q	-	-	-	-
THAN27C1910A	0.39	0.02	25,780	-	TPI19C1911A	-	-	-	-	TISCO-Q	-	-	-	-
TISCO1C1908A	1.74	0.05	18,069	1.00	TPIP11C1909A	-	-	-	-	U-Q	-	-	-	-
TISCO1C1908B	1.08	0.08	18,105	1.00	TPIP13C1908A	-	-	-	-	Warrant	-	-	-	-
TISCO1C2001A	1.29	0.03	92,137	1.00	TRUE01C1911A	0.50	0.04	176,580	-	7UP-W4	0.18	(0.03)	2,418,456	-
TISCO1C2001B	0.93	0.03	181,828	-	TRUE01C1911B	0.42	0.04	227,161	-	AJA-W1	0.04	-	5,774	-
TISCO1P1908A	-	-	-	-	TRUE01C2002A	0.32	0.03	246,421	-	AKR-W1	0.17	-	192,136	-
TISCO1P2001A	0.46	(0.03)	60,109	-	TRUE01C2002B	0.19	0.01	249,108	-	ALT-W1	0.53	(0.02)	49	-
TISC08C2001A	0.72	0.01	2,500	-	TRUE01P1911A	0.13	(0.02)	230,046	-	APEX-W1	0.02	-	32,000	-
TISC11C1910A	1.27	0.07	5,004	1.00	TRUE01P1911B	0.06	-	250	-	APURE-W2	0.12	(0.01)	3,316	-
TISC11C2005A	0.40	-	28,050	-	TRUE01P2002A	0.68	(0.05)	49,227	-	AS-W1	0.08	-	38	-
TISC13C1908A	-	-	-	-	TRUE01P2002B	0.48	(0.02)	68,079	-	AYUD-W1	3.60	0.08	16,303	3.00
TISC13C1912A	0.96	0.04	108,776	-	TRUE06C1911A	0.51	0.05	35,376	-	B-W3	-	-	-	-
TISC13C2001A	0.28	0.01	54,425	-	TRUE08C2001A	0.23	0.02	74,286	-	B-W4	0.08	-	784	-
TISC16C2001A	1.07	0.01	61,722	1.00	TRUE08P1911A	0.11	(0.02)	8,910	-	B52-W1	-	-	-	-
TISC19C1908A	0.61	0.03	2,190	-	TRUE11C1911A	1.00	0.09	13,000	-	B52-W2	-	-	-	-
TISC19C1912A	0.29	0.01	17,965	-	TRUE11C2005A	0.35	0.04	97,900	-	BKD-W2	0.15	-	7,487	-
TISC24C1908A	-	-	-	-	TRUE11P2002A	0.21	(0.02)	12,113	-	BTS-W4	2.80	0.54	2,068,477	2.00
TISC41C1911A	-	-	-	-	TRUE13C1911A	-	-	-	-	CGD-W4	0.12	(0.01)	9,012	-
TISC41C2001A	0.34	0.02	6,000	-	TRUE13C1912A	0.44	0.03	310	-	CGH-W3	0.04	0.01	10,551	-
TISC42C1910A	0.82	0.01	10,005	-	TRUE13C1912B	0.24	0.01	217,480	-	CI-W1	0.09	(0.02)	15,562	-
TKN01C1909A	0.15	(0.01)	329,790	-	TRUE13P1909A	0.01	(0.01)	8,000	-	CKP-W1	1.02	(0.05)	632,864	1.00
TKN01C1909B	0.04	(0.01)	3,314	-	TRUE16C1912A	0.43	0.03	102,795	-	CRANE-W1	1.65	(0.26)	68,366	1.00
TKN01C1911A	0.73	(0.06)	91,463	-	TRUE16C2002A	0.34	0.05	75,126	-	DCC-W1	0.67	(0.01)	9,197	-
TKN06C1909A	0.13	(0.02)	30,388	-	TRUE19C1910A	0.26	0.02	55,315	-	EARTH-W4	-	-	-	-
TKN08C1908A	-	-	-	-	TRUE19P1908A	-	-	-	-	ECL-W3	0.49	(0.03)	55,314	-
TKN13C1909A	0.20	(0.09)	5,423	-	TRUE19P1911A	-	-	-	-	EIC-W2	-	-	-	-
TKN13C1911A	0.63	(0.08)	3,000	-	TRUE28C1911A	-	-	-	-	EIC-W3	0.02	-	1,327	-
TKN13C1912A	0.23	(0.02)	223,788	-	TRUE28C1911B	-	-	-	-	EMC-W3	0.13	-	8,115	-
TKN16C2001A	0.63	(0.05)	18,125	-	TRUE28C2001A	0.28	0.02	56,997	-	EPCO-W6	0.84	(0.02)	62,182	-
TKN19C1910A	0.26	(0.03)	56,972	-	TRUE41C1908A	-	-	-	-	GJS-W3	-	-	-	-
TKN19C2001A	0.23	-	38,380	-	TRUE41C1909A	1.37	0.26	200	1.00	GSTEEL-W1	-	-	-	-
TKN23C1911A	-	-	-	-	TRUE41C1910A	-	-	-	-	GSTEEL-W2	-	-	-	-
TKN24C1908A	-	-	-	-	TRUE41C1910B	-	-	-	-	IHL-W1	1.33	(0.10)	10,996	1.00
TKN28C1910A	0.10	(0.01)	34,014	-	TRUE41C1911A	-	-	-	-	J-W1	0.56	0.07	39,601	-
TKN28C1911A	0.59	(0.02)	8	-	TRUE41C2001A	0.23	0.02	12,000	-	JAS-W3	3.66	(0.02)	148,068	3.00
TKN41C1912A	0.65	(0.05)	15,460	-	TRUE41C2001B	-	-	-	-	JCK-W5	0.23	0.02	8,006	-
TKN41C2001A	0.32	(0.02)	25,600	-	TRUE41P1908A	-	-	-	-	JMT-W2	3.30	(0.04)	1,666	3.00
TKN42C1911A	0.80	-	8,300	-	TRUE41P1910A	-	-	-	-	MACO-W2	0.23	0.01	66,903	-
TMB01C1909A	-	-	-	-	TRUE41P1911A	-	-	-	-	MILL-W3	0.01	-	1	-
TMB08C1908A	-	-	-	-	TRUE42C1910A	0.34	0.03	2,100	-	MILL-W4	0.07	0.01	2,901	-
TMB13C1908A	-	-	-	-	TU01C2001A	0.38	(0.03)	99,721	-	MILL-W5	0.04	-	6	-
TMB19C1910A	-	-	-	-	TU01C2001B	0.22	(0.04)	176,596	-	MINI-W6	4.14	(0.08)	18,142	4.00
TMB19C2001A	0.08	(0.01)	2,000	-	TU01P2001A	0.56	0.05	68,046	-	MONO-W1	0.02	(0.01)	63,775	-
TMB24C1911A	-	-	-	-	TU11C2003A	0.21	(0.03)	27,700	-	NEP-W3	-	-	-	-
TMB28C1911A	-	-	-	-	TU13C1909A	-	-	-	-	NFC-W1	1.64</			

