

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Thursday August 29, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DIF	16.90	(0.20)	248,802	16.95	MPIC	-	-	-	-
POMPUI	-	-	-	-	DTAC	62.50	0.50	33,036	62.06	MMG	-	-	-	-
SAFARI	-	-	-	-	FORTH	5.80	-	1,126	5.85	PLANB	8.70	(0.10)	176,003	8.77
VI	-	-	-	-	HUMAN	8.55	0.15	1,853	8.53	POST	-	-	-	-
WORLD	-	-	-	-	ILINK	5.05	(0.05)	1,576	5.05	PRAKIT	11.00	0.10	51	10.95
WR	-	-	-	-	INET	3.46	-	8,151	3.50	SE-ED	2.68	-	38	2.68
Agribusiness	-	-	-	-	INTOUCH	63.50	(0.75)	104,159	63.38	SPORT	0.14	0.01	10	0.14
CHOTI	95.75	0.75	8	95.22	JAS	6.50	(0.05)	277,827	6.49	TBSP	13.80	0.20	25	13.71
EE	0.52	-	9,627	0.53	JASIF	11.30	(0.20)	468,546	11.33	TH	0.71	(0.01)	362	0.71
GFPT	18.20	(0.30)	34,420	18.23	JMART	11.90	0.80	144,007	11.70	TKS	7.75	0.05	2,845	7.71
LEE	2.20	0.02	603	2.16	JTS	1.34	0.02	615	1.33	VGI	9.85	-	102,924	9.82
NER	2.54	0.12	149,746	2.48	MFEC	3.66	-	1,747	3.67	WAVE	1.86	(0.04)	3	1.86
PPPM	1.35	0.15	247,134	1.34	MSC	6.55	0.05	218	6.56	WORK	22.50	0.30	30,405	22.46
STA	10.80	0.40	69,366	10.69	PT	5.65	0.05	2,410	5.59	Finance & Securities	-	-	-	-
TRUBB	1.33	0.03	198	1.32	SAMART	9.10	0.20	8,724	9.08	AEC	0.27	(0.01)	29,901	0.27
TWPC	6.00	0.05	453	5.99	SAMTEL	10.20	-	4,894	10.34	AEONTS	220.00	-	2,001	220.03
UPOIC	3.76	(0.20)	478	3.76	SDC	0.27	(0.01)	47,175	0.27	AMANAHA	2.40	(0.08)	365,927	2.41
UVAN	5.35	-	428	5.37	SIS	9.15	0.15	334	9.08	ASAP	2.70	0.06	17,446	2.70
VPO	0.58	(0.02)	104,968	0.59	SVOA	1.10	0.02	988	1.09	ASK	25.50	0.25	1,851	25.20
Banking	-	-	-	-	SYMC	3.82	(0.08)	180	3.83	ASP	2.32	(0.06)	54,962	2.32
BAY	34.75	0.75	1,475	34.61	SYNEX	9.35	-	3,158	9.30	BFIT	16.40	(0.30)	964	16.41
BBL	168.50	1.50	33,349	168.07	THCOM	5.05	0.07	9,660	5.02	CGH	0.85	(0.01)	24,965	0.84
CIMBT	0.67	-	3,873	0.67	TRUE	6.20	0.05	881,872	6.18	CNS	1.64	-	86	1.63
KBANK	158.00	2.50	38,324	157.21	TWZ	0.09	0.01	117,950	0.08	ECL	1.60	0.02	22,987	1.60
KKP	71.75	0.75	32,505	71.53	Electronic Componer	-	-	-	-	FNS	2.94	(0.02)	77	2.92
KTB	16.90	0.40	213,972	16.78	CCET	1.83	0.03	19,654	1.83	FSS	1.69	-	216	1.69
LHFG	1.38	0.02	22,057	1.37	DELTA	49.00	2.50	6,895	48.67	GBX	0.54	0.01	525	0.53
SCB	122.00	1.50	60,844	121.62	EIC	0.05	-	136,974	0.04	GL	5.55	0.15	38,990	5.54
TCAP	54.00	0.25	16,815	53.95	HANA	27.75	0.50	11,271	27.75	IFS	3.56	0.08	2,211	3.52
TISCO	100.00	1.50	23,464	100.02	KCE	16.50	0.50	56,462	16.22	JMT	18.30	0.40	72,995	18.23
TMB	1.52	0.08	2,346,795	1.51	METCO	160.00	(4.00)	7	160.86	KCAR	11.60	-	462	11.60
Construction Materia	-	-	-	-	NEX	3.58	(0.18)	39,612	3.62	KGI	4.54	(0.04)	59,597	4.54
CCP	0.35	0.01	7,691	0.34	SMT	1.53	(0.01)	3,104	1.51	KTC	46.00	1.50	131,948	45.56
COTTO	1.79	0.03	937	1.79	SVI	3.54	0.28	32,713	3.43	MBKET	8.50	0.10	556	8.46
DCC	2.08	0.08	34,082	2.08	TEAM	0.95	(0.01)	1,449	0.95	MFC	17.60	-	74	17.42
DCON	0.38	0.01	5,261	0.37	Energy & Utilities	-	-	-	-	ML	0.99	(0.01)	6,339	0.98
DRT	6.20	-	9,016	6.21	7UP	0.66	0.04	1,519,592	0.64	MTC	54.25	2.00	95,053	53.83
EPG	7.35	0.05	69,854	7.34	ABPIF	5.95	(0.05)	4,735	5.97	PE	0.07	(0.01)	116	0.08
GEL	0.19	-	256	0.19	AI	1.24	(0.02)	143,603	1.24	PL	2.82	-	958	2.80
PPP	2.70	0.06	467	2.65	AKR	0.77	0.01	38,348	0.77	S11	8.40	0.05	5,118	8.34
Q-CON	5.70	0.05	322	5.63	BAFS	33.50	-	1,266	33.46	SAWAD	55.75	1.00	49,553	55.36
RCI	3.92	0.18	52,395	3.92	BANPU	11.50	0.30	362,006	11.46	THANI	7.15	0.15	206,091	7.11
SCC	408.00	6.00	18,786	407.55	BCP	27.50	1.75	132,663	26.47	TK	9.90	0.10	97	9.85
SCCC	231.00	3.00	981	230.18	BCPG	18.60	0.10	64,189	18.48	TNITY	4.22	(0.02)	293	4.22
SCP	7.00	0.15	419	6.94	BGRIM	39.50	0.75	111,724	39.10	UOBKH	3.70	0.16	107	3.67
SKN	1.92	0.05	7,040	1.91	BPP	19.50	0.30	37,981	19.37	ZMICO	0.82	0.01	2,954	0.82
TASCO	20.30	(0.20)	85,077	20.28	BRGGIF	9.50	-	1,267	9.41	Food & Beverage	-	-	-	-
TCMC	2.34	0.10	44,732	2.34	CKP	6.15	0.10	321,041	6.13	APURE	0.93	-	728	0.93
TOA	41.00	(1.00)	9,313	41.33	DEMCO	3.02	0.04	4,336	3.03	ASIAN	5.65	0.05	1,203	5.61
TPIPL	1.62	0.04	120,395	1.61	EA	46.25	-	188,650	46.14	BR	2.88	0.06	1,062	2.87
UMI	0.99	(0.01)	2,629	0.99	EARTH	-	-	-	-	BRR	5.05	0.13	1,258	4.97
VNG	4.86	-	3,758	4.89	EASTW	12.30	(0.10)	13,120	12.34	CBG	76.25	(1.00)	32,893	76.29
WIHK	1.35	(0.02)	6,132	1.36	EGATIF	13.50	(0.20)	26,170	13.51	CFRESH	1.95	-	836	1.96
Petrochemicals & Ch	-	-	-	-	EGCO	334.00	6.00	8,328	332.54	CM	3.20	0.04	312	3.20
BCT	42.25	(0.50)	334	41.67	ESSO	8.75	0.95	542,094	8.49	CPF	29.50	(0.25)	195,592	29.37
CMAN	2.10	0.02	4,536	2.11	GLOW	89.50	-	86	89.51	CPI	1.53	(0.03)	12,516	1.54
GC	5.15	-	6	5.15	GPSC	73.50	-	106,174	72.65	F&D	18.10	1.10	1	18.10
GGC	11.10	0.80	17,787	10.89	GULF	141.50	(4.00)	273,814	142.15	HTC	22.90	-	3,111	22.98
GIFT	3.00	0.02	1,842	2.98	GUNKUL	3.14	-	167,348	3.14	ICHI	7.85	0.35	100,343	7.83
IVL	34.25	2.50	709,448	33.72	IFEC	-	-	-	-	KBS	3.68	(0.02)	328	3.69
NFC	3.52	(0.06)	1	3.52	IRPC	3.88	0.34	3,222,535	3.81	KSL	2.24	-	28,837	2.26
PATO	12.20	-	370	12.09	LANNA	9.05	0.20	927	9.00	KTIS	4.90	-	1,486	4.89
PMTA	8.15	-	3	8.15	MDX	3.58	0.06	931	3.52	LST	4.56	0.04	1,315	4.54
PTTGC	53.25	2.00	308,296	52.77	PTG	21.40	(0.20)	364,818	21.48	M	71.75	0.25	1,833	71.41
SUTHA	3.72	-	171	3.70	PTT	43.25	2.25	1,097,031	42.46	MALEE	8.20	0.05	1,801	8.19
TCCC	22.00	0.10	118	22.00	PTTEP	121.00	5.00	188,512	118.75	MINT	38.00	0.25	107,573	37.87
TPA	5.60	(0.10)	164	5.60	RATCH	71.50	(1.25)	101,774	72.51	OISHI	118.00	-	144	118.88
UP	18.00	(0.70)	8	16.95	RPC	0.58	-	14,648	0.59	OSP	37.75	-	36,051	37.59
VNT	24.30	0.60	5,181	24.00	SCG	3.96	(0.02)	209	3.98	PB	62.00	0.50	153	61.58
WG	-	-	-	-	SCI	1.79	(0.01)	15,250	1.83	PM	8.80	0.05	2,677	8.76
YCI	-	-	-	-	SCN	2.66	-	6,075	2.65	PRG	-	-	-	-
Commerce	-	-	-	-	SGP	8.60	0.55	89,806	8.07	SAPPE	22.30	(0.10)	1,568	22.26
BEAUTY	2.88	0.04	414,601	2.89	SKE	1.09	-	783	1.09	SAUCE	22.90	-	2	22.90
BIG	0.85	-	47,451	0.86	SOLAR	1.93	0.01	1,759	1.94	SFP	-	-	-	-
BJC	53.50	0.25	117,261	53.72	SPCG	18.60	-	7,861	18.57	SNP	16.80	0.10	19	16.75
COL	20.10	0.10	969	19.89	SPRC	8.80	0.95	837,255	8.60	SORKON	57.00	-	15	57.23
COM7	26.00	0.25	26,854	25.95	SSP	7.90	0.15	3,494	7.82	SSC	32.75	0.25	21	32.51
CPALL	83.75	0.50	211,987	83.53	SUPER	0.64	0.01	588,652	0.64	SSF	6.45	0.10	22	6.60
CSS	1.46	0.01	5,409	1.45	SUPEREIF	12.40	(0.30)	63,048	12.51	SST	-	-	-	-
DOHOME	9.50	(0.35)	274,746	9.61	SUSCO	3.12	0.02	9,801	3.13	TC	3.18	0.04	347	3.14
FN	1.77	0.01	17,120	1.77	TAE	3.84	0.02	15,565	3.81	TFG	5.00	(0.05)	58,108	4.99
FTE	2.14	0.04	246	2.12	TCC	0.29	(0.01)	14,401	0.29	TFMAMA	180.00	(0.50)	27	180.04
GLOBAL	15.30	0.30	43,641	15.22	TOP	68.00	5.75	396,230	67.64	TIPCO	9.85	(0.15)	28,244	9.87
HMPRO	17.80	0.50	241,025	17.58	TPIPP	5.40	0.15	196,494	5.38	TKN	10.30	-	193,521	10.39
ILM	22.00	0.10	24,272	21.99	TSE	2.56	0.06	22,468	2.55	TU	17.30	0.10	52,434	17.26
IT	2.60	0.04	134	2.58	TTW	14.10	0.20	63,484	13.89	TVO	26.00	-	3,528	25.95
KAMART	4.90	(0.02)	4,974	4.92	WHAUP	7.00	(0.10)	60,732	7.05	ZEN	16.80	(0.30)	16,544	16.80
LOXLEY	1.90	0.02	15,795	1.91	WP	6.05	-	3,448	6.05	Health Care Services	-	-	-	-
MAKRO	35.25	(0.25)	522	35.36	Media & Publishing	-	-	-	-	AHC	15.60	0.10	130	15.57
MC	7.15	0.05	4,834	7.19	AMARIN	4.88	0.04	62	4.84	BCH	16.20	0.30	137,549	16.07
MEGA	30.50	1.00	17,452	30.17	AQUA	0.52	(0.01)	201,560	0.52	BDMS	23.40	-	229,943	23.41
MIDA	0.59	-	3,041	0.59	AS	0.84	-	292	0.81					

## Main Board Quotation

Issue Date :

Thursday August 29, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RJH	25.50	(0.25)	1,674	25.61	FPT	19.10	0.10	2,099	19.09	STANLY	182.50	(1.50)	101	182.05
RPH	6.25	(0.05)	4,626	6.22	GLAND	2.72	-	53	2.78	TKT	1.27	0.01	13	1.27
SKR	4.74	0.02	90	4.74	GOLD	8.35	-	286	8.35	TNPC	1.01	0.01	43	1.00
SVH	450.00	-	4	450.00	GREEN	0.94	-	72	0.95	TRU	4.64	(0.02)	275	4.60
THG	23.70	0.20	7,455	23.68	J	0.99	0.01	2,791	0.99	TSC	-	-	-	-
VIBHA	2.06	-	19,827	2.05	JCK	1.28	0.02	3,564	1.28	Industrial Materials	-	-	-	-
VIH	5.60	0.10	1,395	5.56	KC	-	-	-	-	ALLA	1.29	0.01	1,725	1.28
WPH	2.20	-	649	2.21	KWG	1.66	(0.02)	156	1.67	ASEFA	4.70	0.06	269	4.66
Tourism & Leisure	-	-	-	-	LALIN	5.20	(0.30)	4,695	5.20	CPT	0.98	0.01	39,357	0.99
ASIA	6.95	0.05	35	6.88	LH	10.80	0.10	240,896	10.75	CRANE	2.14	(0.04)	2,083	2.15
CENTEL	32.00	0.75	40,329	31.79	LPN	6.10	0.10	95,843	6.04	CTW	6.75	-	346	6.74
CSR	-	-	-	-	MBK	22.90	(0.40)	13,335	23.04	FMT	24.00	0.20	12	24.00
DTC	9.65	(0.10)	60	9.68	MJD	3.20	-	230	3.19	HTECH	3.12	(0.08)	2,243	3.12
ERW	5.95	0.35	229,395	5.83	MK	3.24	0.02	2,102	3.24	KKC	0.87	0.03	1,739	0.87
GRAND	0.77	0.04	22,180	0.75	NCH	1.01	0.01	1,002	1.00	PK	1.81	0.01	688	1.80
LRH	-	-	-	-	NNCL	2.02	-	8,369	2.02	SNC	13.50	0.10	6,517	13.40
MANRIN	32.75	1.75	2	32.75	NOBLE	23.80	(0.10)	2,967	23.84	STARX	2.36	-	4,406	2.34
OHTL	442.00	(6.00)	1	442.00	NUSA	0.33	-	30,014	0.33	TCJ	4.56	(0.10)	224	4.61
ROH	47.00	4.25	7	46.96	NVD	2.38	0.14	2,101	2.58	VARO	-	-	-	-
SHANG	-	-	-	-	ORI	7.80	0.15	86,758	7.81	Property Fund & REI	-	-	-	-
VRANDA	9.45	0.05	2,260	9.32	PACE	0.17	-	9,668	0.17	AIMCG	10.20	-	17,126	10.20
Home & Office Prod.	-	-	-	-	PF	0.77	(0.01)	62,846	0.77	AIMIRT	14.40	0.10	3,865	14.39
ACC	0.67	-	2,914	0.67	PLAT	5.30	-	14,670	5.27	AMATAR	12.30	-	95	12.21
AJA	0.19	-	126,701	0.19	POLAR	-	-	-	-	B-WORK	12.30	0.10	1,594	12.29
DTCI	27.75	1.75	1	27.75	PRECHA	1.49	(0.01)	102	1.49	BKKCP	14.10	-	13	14.02
FANCY	0.77	(0.01)	128,007	0.78	PRIN	1.56	0.02	5,281	1.55	BOFFICE	16.40	(0.10)	306	16.46
KYE	341.00	2.00	3	341.00	PSH	20.00	1.40	14,290	19.32	CPNCG	15.20	(0.10)	8,915	15.11
L&E	2.28	-	511	2.31	OH	2.92	0.02	260,544	2.90	CPNREIT	13.40	-	8,729	34.73
MODERN	2.80	0.04	4,132	2.78	RICHY	1.11	0.01	469	1.10	CPTGF	13.40	0.10	5,680	13.30
OGC	30.00	(0.50)	15	30.43	RML	1.12	0.03	46,414	1.11	CRYSTAL	8.90	-	1,159	8.83
ROCK	-	-	-	-	ROJNA	7.00	0.05	75,900	7.00	CTARAF	6.00	0.05	6,994	5.94
SIAM	1.98	0.02	1,190	1.97	S	3.38	0.06	156,392	3.42	DREIT	6.25	-	7,595	6.21
TSR	1.86	-	1,987	1.84	SAMCO	1.63	-	1,514	1.62	ERWPF	5.30	0.05	256	5.29
Insurance	-	-	-	-	SC	2.62	0.02	15,300	2.62	FTREIT	16.80	0.20	31,290	16.91
AYUD	40.50	0.25	38	40.38	SENA	3.24	(0.08)	7,944	3.25	FUTUREPF	25.75	0.25	111	25.73
BKI	321.00	-	32	321.38	SF	6.00	-	29,621	6.01	GAHREIT	9.45	-	1,512	9.46
BLA	20.00	(0.10)	13,399	19.95	SIRI	1.37	0.02	109,153	1.36	GLANDRT	13.50	-	2,459	13.50
BUI	-	-	-	-	SPALI	19.20	0.10	52,192	19.16	GOLDFP	7.45	(0.20)	805	7.42
CHARAN	-	-	-	-	U	2.32	0.08	534,259	2.30	GVREIT	17.10	0.50	2,239	16.96
INSURE	-	-	-	-	UV	6.05	0.20	25,062	5.96	HPF	4.92	0.02	88	4.92
MTI	92.00	3.00	17	90.44	WHA	4.92	0.02	649,135	4.89	HREIT	9.15	0.10	10,401	9.08
NKI	-	-	-	-	WIN	0.48	-	60	0.48	IMPACT	27.50	0.50	7,312	26.93
NSI	60.50	0.50	13	60.33	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
SEG	36.50	-	367	36.39	UTP	10.70	(0.30)	23,515	10.87	LHHOTEL	20.00	-	100	20.00
SMK	36.00	-	1	36.00	Fashion	-	-	-	-	LHPF	9.15	0.05	21	9.15
THRE	0.71	-	21,212	0.70	AFC	-	-	-	-	LHSC	18.80	0.10	215	18.71
THREL	4.40	0.02	15,136	4.39	B52	0.21	0.02	2,588	0.21	LUXF	9.35	0.15	737	9.26
TIP	24.90	(0.10)	2,218	24.92	BTNC	16.60	(1.00)	1	16.60	M-II	8.30	(0.30)	5	8.30
TQM	49.00	1.50	35,162	48.88	CPH	4.40	-	362	4.40	M-PAT	-	-	-	-
TSI	0.47	-	2,242	0.46	CPL	1.22	(0.08)	590	1.25	M-STOR	7.15	0.15	40	7.15
TVI	4.88	0.06	3,217	4.85	ICC	40.75	-	33	40.75	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	3.20	-	102	3.26
PDI	8.45	0.10	1,680	8.44	PAF	0.71	-	853	0.71	MJLF	12.50	-	189	12.47
THL	-	-	-	-	PDJ	1.52	-	1,064	1.52	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	-	-	-	-	MNIT2	4.86	(0.10)	45	4.74
AJ	8.80	-	160	8.81	SABINA	30.00	(0.50)	38,381	29.65	MNRF	3.06	-	47	3.06
ALUCON	163.00	(4.50)	6	163.50	SAWANG	-	-	-	-	MONTRI	-	-	-	-
BGC	15.40	0.30	106,364	15.37	SUC	42.25	-	22	42.32	POPF	13.40	(0.10)	362	13.40
CSC	49.25	1.25	23	49.23	TNL	20.90	0.90	1	20.90	PPF	11.70	0.10	6	11.70
NEP	-	-	-	-	TPCORP	10.90	(0.10)	15	10.90	QHHR	10.10	(0.10)	1,021	10.10
NPPG	0.99	-	38,277	1.00	TR	31.50	(0.25)	40	31.50	QHOP	3.78	(0.04)	44	3.78
PTL	14.40	0.10	7,127	14.34	TTI	-	-	-	-	QHPF	15.20	(0.10)	853	15.15
SITHAI	0.89	0.02	6,544	0.88	TTT	62.25	(0.75)	24	62.52	SBPF	-	-	-	-
SLP	0.62	-	1,749	0.62	UPF	-	-	-	-	SHREIT	7.00	0.05	203	7.00
SMPC	8.00	0.15	1,979	7.97	UT	15.00	0.80	31	14.84	SIRIP	11.10	-	385	11.10
SPACK	1.50	(0.01)	142	1.49	WACOAL	47.00	-	1	47.00	SPF	24.10	0.40	19,245	23.90
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	14.00	(0.40)	2,615	14.08
TFI	0.11	0.01	42	0.11	AAV	3.18	0.12	134,842	3.13	SRIPANWA	11.60	0.10	1	11.60
THIP	17.80	1.00	457	16.98	AOT	71.25	-	110,723	71.32	SSPF	10.20	(0.10)	455	10.28
TMD	24.00	-	82	23.94	ASIMAR	1.54	0.03	2,547	1.54	SSTPF	6.80	0.05	31	6.80
TOPP	-	-	-	-	B	0.34	-	137,482	0.35	SSTRT	6.00	(0.10)	408	6.05
TPBI	4.96	(0.02)	590	4.95	BA	9.40	0.20	9,890	9.33	TIF1	9.05	-	54	9.05
TPP	16.50	0.30	1	16.50	BEM	10.90	(0.10)	562,796	10.94	TLGF	22.70	0.10	3,813	22.68
Personal Products &	-	-	-	-	BTS	13.50	-	326,979	13.42	TLHPF	11.20	(0.10)	92	11.24
APCO	3.30	(0.06)	721	3.31	BTSGIF	10.90	(0.20)	16,038	10.99	TNPF	3.20	0.10	482	3.12
DDD	27.50	0.25	7,676	27.21	III	6.65	(0.05)	30,153	6.68	TPRIME	15.90	-	800	15.90
JCT	-	-	-	-	JUTHA	0.62	0.01	446	0.62	TTLPF	-	-	-	-
OCC	-	-	-	-	JWD	9.10	0.15	75,763	9.09	TU-PF	1.60	(0.10)	1	1.60
S & J	-	-	-	-	KWC	-	-	-	-	URBNPF	4.16	(0.14)	41	4.16
STHAI	-	-	-	-	NOK	2.16	0.02	410	2.16	WHABT	9.65	-	111	9.65
TNR	8.85	-	1,734	8.78	NYT	4.60	0.08	5,631	4.56	WHART	18.50	-	8,787	18.51
TOG	5.20	0.10	100	5.20	PRM	9.10	0.05	197,202	9.15	Steel	-	-	-	-
Professional Service	-	-	-	-	PSL	8.75	0.35	218,769	8.72	AMC	1.85	0.03	1,120	1.83
BWG	0.70	0.01	26,004	0.70	RCL	4.38	0.18	7,672	4.35	BSBM	0.90	-	3	0.90
GENCO	0.59	0.02	3,282	0.59	TFFIF	13.20	-	78,077	13.14	CEN	0.93	0.02	714	0.91
PRO	-	-	-	-	THAI	9.00	0.35	26,642	8.85	CITY	2.02	0.02	211	2.00
SISB	8.05	0.10	25,627	7.98	TSTE	7.65	0.15	76	7.65	CSP	1.05	0.02	12	1.05
TEAMG	2.02	-	8,323	2.03	TTA	5.80	0.30	115,936	5.69	GJS	0.13	-	11,190	0.14
Property Developme	-	-	-	-	WICE	2.96	0.06	4,115	2.95	GSTEEL	-	-	-	-
A	6.25	-	150	6.25	Automotive	-	-	-	-	INOX	0.76	-	496	0.76
AMATA	26.50	-	85,629	26.23	AH	17.70	0.30	1,496	17.66	LHK	3.36	0.08	822	3.35
AMATAV	4.56	0.02	569	4.54	APCS	4.20	0.06	3,216	4.18	MAX	0.02	-	34,626	0.02
ANAN	3.12	0.06	74,153	3.12	BAT-3K	250.00	-	3	250.00	MCS	8.10	0.05	22,238	8.16
AP	7.25	0.25	60,478	7.16	CWT	2.88	0.02	674	2.85	MILL	0.82	0.01	124	0.82
APEX	0.17	0.01	19,052	0.17	EASON	1.67	0.03	415	1.64	PAP	2.62	0.06	538	2.59
AQ	0.02	-	193,002	0.02	GYT	336.00	(4.00)	2	336.00	PERM	1.04	0.03	28,661	1.05
BLAND	1.51	0.02	82,080	1.50	HFT	2.68	-	1,595	2.66	RICH	-	-		

## Main Board Quotation

Issue Date :

Thursday August 29, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	PSTC	0.76	0.01	390,871	-	ADVA01C1908A	2.20	-	6,372	2.00
ABICO	4.26	0.02	168	4.00	QTC	4.90	(0.02)	3,282	4.00	ADVA01C1908B	1.90	-	1,744	1.00
AU	15.00	0.60	36,010	14.00	SAAM	1.29	0.01	54	1.00	ADVA01C1912A	0.71	0.02	58,548	-
JCKH	0.48	(0.02)	1,913	-	SEAOIL	5.30	-	463	5.00	ADVA01C1912B	0.49	(0.01)	97,843	-
KASET	1.80	-	358	1.00	SR	1.13	(0.04)	90	1.00	ADVA01P1908A	0.01	-	1,002	-
MM	2.48	0.02	36	2.00	TAKUNI	0.52	-	11,454	-	ADVA01P1908B	0.01	-	1	-
PRIME	0.38	-	8,631	-	TPCH	12.70	0.10	27,485	12.00	ADVA01P1912A	0.36	-	153,358	-
SUN	1.63	0.01	689	1.00	TRT	1.85	(0.04)	672	1.00	ADVA01P1912B	0.20	-	88,060	-
TACC	4.64	-	5,137	4.00	UMS	-	-	-	-	ADVA06C1912A	0.64	-	11,745	-
TMILL	2.86	-	1,119	2.00	UWC	0.04	0.01	44,089	-	ADVA08C1911A	-	-	-	-
XO	6.25	(0.10)	11,607	6.00	Services (MAI)	-	-	-	-	ADVA08C2001A	0.42	0.01	17,000	-
<b>Consumer Products</b>														
BGT	1.03	0.02	1,230	1.00	A5	-	-	-	-	ADVA11C1910A	1.41	(0.07)	6,000	1.00
BIZ	2.60	(0.02)	12,239	2.00	AKP	1.38	0.02	7,192	1.00	ADVA11P1910A	-	-	-	-
DOD	11.50	(0.40)	62,515	11.00	AMA	7.90	0.15	41,557	7.00	ADVA11P2005A	0.26	-	17,150	-
ECF	2.36	-	16,734	2.00	ARIP	0.45	0.01	6,097	-	ADVA13C1912A	0.63	0.01	161,605	-
HPT	0.67	-	1,687	-	ATP30	1.40	0.03	6,400	1.00	ADVA13P1908A	-	-	-	-
JUBILE	17.20	0.20	1,695	17.00	AUCT	7.50	0.30	11,191	7.00	ADVA13P1912A	0.18	-	18,941	-
MOONG	4.62	(0.02)	2,360	4.00	BOL	2.68	-	1,336	2.00	ADVA16C1911A	1.43	-	62,360	1.00
NPK	23.60	-	1	23.00	CHUO	-	-	-	-	ADVA16C1912A	0.84	-	25,890	-
OCEAN	1.13	0.01	5,518	1.00	CMO	1.17	-	1,310	1.00	ADVA16C2002A	0.46	(0.01)	54,745	-
TM	2.56	0.04	1,280	2.00	D	6.00	(0.05)	1,477	5.00	ADVA19C1908A	0.46	(0.04)	5	-
<b>Financials (MAI)</b>														
ACAP	2.18	(0.02)	4,300	2.00	DCORP	0.47	-	5,290	-	ADVA19C1911A	0.41	-	5,405	-
AF	0.66	(0.01)	231	-	EFORL	0.04	-	22,396	-	ADVA19P1908A	-	-	-	-
AIRA	-	-	-	-	ETE	0.87	-	1,508	-	ADVA19P1911A	-	-	-	-
ASN	-	-	-	-	FSMART	7.65	0.10	29,134	7.00	ADVA23C2001A	-	-	-	-
BROOK	0.48	-	8,483	-	FVC	0.51	0.01	16,361	-	ADVA23P1908A	-	-	-	-
CHAYO	4.84	-	10,623	4.00	GSC	0.90	0.02	17,207	-	ADVA24C1908A	-	-	-	-
GCAP	2.38	-	8,284	2.00	HARN	2.30	0.04	2,784	2.00	ADVA24C2001A	-	-	-	-
LIT	5.60	(0.05)	2,969	5.00	JKN	8.10	0.15	35,695	8.00	ADVA24P1908A	-	-	-	-
MITSIB	2.30	(0.02)	49,924	2.00	KIAT	0.38	(0.01)	888	-	ADVA24P2001A	0.16	-	125	-
SGF	1.18	0.01	14,647	1.00	KOOL	1.17	(0.01)	2,076	1.00	ADVA27C1912A	0.96	0.01	2,875	-
<b>Industrials (MAI)</b>														
2S	2.32	-	17,096	2.00	LDC	0.98	0.02	18,429	-	ADVA28C2001A	0.50	0.01	25,635	-
ACG	1.48	0.01	5,150	1.00	MORE	0.15	-	149,950	-	ADVA28P1911A	-	-	-	-
ADB	0.63	0.02	2,825	-	MPG	0.36	-	5,774	-	ADVA28P2001A	0.18	-	16,224	-
BM	2.04	-	168	2.00	MVP	1.85	-	120	1.00	ADVA41C1910A	-	-	-	-
CHO	0.86	-	12,361	-	NBC	0.77	(0.01)	1,586	-	ADVA41C1910B	-	-	-	-
CHOW	1.91	0.02	585	1.00	NCL	1.14	-	724	1.00	ADVA41C1912A	-	-	-	-
CIG	0.25	-	44,238	-	NEWS	0.01	-	34,660	-	ADVA41C1912B	-	-	-	-
COLOR	1.20	-	4,300	1.00	NINE	2.54	0.08	250	2.00	ADVA41P1911A	-	-	-	-
CPR	4.76	-	198	4.00	OTO	3.20	(0.02)	81	3.00	ADVA41P1912A	-	-	-	-
FPI	2.48	0.06	415	2.00	PHOL	1.80	0.01	528	1.00	ADVA42C1910A	-	-	-	-
GTB	0.66	0.05	15,845	-	PICO	-	-	-	-	ADVA42C2003A	0.32	(0.68)	12,480	-
KCM	0.69	-	2,066	-	PORT	3.82	(0.28)	36,190	3.00	AEON01C1911A	1.39	(0.03)	10,329	1.00
KUMWEL	0.99	0.01	9,910	-	QLT	3.82	-	411	3.00	AEON01C1911B	0.39	-	45,763	-
KWM	0.93	-	622	-	RP	2.00	-	461	2.00	AEON13C1910A	0.81	0.06	700	-
MBAX	3.82	-	392	3.00	SE	-	-	-	-	AEON13C1911A	0.35	-	1,940	-
MGT	1.90	0.02	1,284	1.00	SONIC	1.26	0.03	4,983	1.00	AEON19C1911A	0.26	-	15,646	-
NDR	1.44	0.02	109	1.00	SPA	12.70	0.10	7,687	12.00	AEON24C1912A	0.27	-	211	-
PDG	3.10	-	591	3.00	THMUJ	0.80	0.01	525	-	AEON41C1912A	0.30	0.01	14,920	-
PIMO	1.17	0.02	3,913	1.00	TNDT	4.16	0.04	2,273	4.00	AMAT01C1909A	1.06	(0.03)	18,321	1.00
PJW	1.51	-	1,573	1.00	TNH	34.50	-	209	34.00	AMAT01C1909B	0.60	0.03	18,352	-
PPM	1.23	0.08	231	1.00	TNP	1.90	0.03	1,939	1.00	AMAT01C2001A	0.77	0.03	14,720	-
RWI	1.31	0.01	2,366	1.00	TSF	-	-	-	-	AMAT01C2001B	0.20	-	178,834	-
SALEE	0.98	-	8,317	-	TVD	1.25	0.01	1,318	1.00	AMAT01P1909A	0.02	(0.01)	27,199	-
SANKO	1.00	0.01	421	1.00	TVT	0.80	0.02	2,027	-	AMAT01P2001A	0.43	(0.02)	53,103	-
SELIC	2.68	0.02	1,199	2.00	VL	1.59	0.08	248,707	1.00	AMAT06C1909A	-	-	-	-
SWC	4.46	(0.02)	305	4.00	WINNER	2.86	0.10	2,525	2.00	AMAT08C1908A	-	-	-	-
TMC	0.62	(0.02)	38,337	-	Technology (MAI)	-	-	-	-	AMAT08C2001A	0.61	-	400	-
TMI	0.77	-	33,104	-	COMAN	2.88	(0.04)	270	2.00	AMAT08C2002A	0.23	(0.01)	41,519	-
TMW	47.50	(0.25)	119	47.00	ICN	1.68	0.01	8,304	1.00	AMAT11C2001A	0.72	(0.04)	6,400	-
TPAC	11.20	(0.20)	157	11.00	IRCP	0.61	-	52,849	-	AMAT13C1908A	-	-	-	-
TPLAS	1.48	0.08	3,426	1.00	ITEL	3.36	(0.02)	1,945	3.00	AMAT13C1912A	0.63	(0.04)	6,420	-
UAC	3.02	(0.06)	3,222	3.00	NETBAY	34.25	1.50	6,579	33.00	AMAT13C2001A	0.20	(0.80)	296,366	-
UBIS	5.95	-	515	5.00	PLANET	1.27	-	28	1.00	AMAT16C1911A	0.71	(0.04)	43,030	-
UEC	1.10	0.05	1,308	1.00	SIMAT	1.45	0.01	3,539	1.00	AMAT19C1912A	0.22	0.01	22,598	-
UKEM	0.50	0.01	11,065	-	SKY	15.90	0.40	15,245	15.00	AMAT24C2001A	0.75	0.02	3,100	-
UREKA	0.99	-	220	-	SPVI	1.65	0.03	8,611	1.00	AMAT27C1908A	-	-	-	-
YUASA	14.00	0.30	557	13.00	UPA	0.28	0.01	57,929	-	AMAT41C1912A	0.63	(0.03)	14,850	-
ZIGA	1.51	(0.02)	2,184	1.00	VCOM	3.08	0.02	668	3.00	AMAT42C1910A	-	-	-	-
<b>Property &amp; Construc</b>														
ALL	4.18	(0.02)	14,344	4.00	Unit Trust	-	-	-	-	ANAN08C1911A	0.09	0.01	13,620	-
ARIN	0.75	0.01	24,191	-	ETP	-	-	-	-	ANAN13C1912A	0.10	0.01	37,802	-
ARROW	8.30	0.15	443	8.00	1DIV	10.59	0.04	67	10.00	ANAN19C1910A	-	-	-	-
BSM	0.36	(0.01)	9,407	-	ABFTH	-	-	-	-	ANAN19C2001A	0.22	0.02	79,276	-
BTW	1.19	(0.02)	1,656	1.00	BMSCG	8.30	0.10	1,550	8.00	ANAN24C1912A	-	-	-	-
CAZ	2.36	0.02	3,740	2.00	BMSCG	11.95	0.19	3,497	11.00	AOT01C1908A	0.46	0.04	13,703	-
CHEWA	0.73	-	21,566	-	BSET100	10.58	0.17	1,050	10.00	AOT01C1908B	0.01	(0.01)	282	-
CMC	1.10	0.01	594	1.00	CHINA	5.22	-	50	5.00	AOT01C1911A	0.71	-	146,060	-
CRD	0.98	0.01	232	-	EBANK	5.08	0.03	30	5.00	AOT01C1911B	0.43	-	124,689	-
DIMET	0.77	(0.01)	20,512	-	ECOMM	-	-	-	-	AOT01P1908A	0.05	(0.03)	21,797	-
FLOYD	1.63	-	644	1.00	EFOOD	-	-	-	-	AOT01P1911A	0.01	-	7,050	-
HYDRO	0.38	0.01	467	-	EICT	5.51	0.01	1	5.00	AOT01P1911B	0.39	-	49,737	-
JSP	0.31	-	23,142	-	ENY	6.07	0.14	14	5.00	AOT06C1911A	0.19	(0.01)	41,407	-
K	1.12	-	938	1.00	ESET									

## Main Board Quotation

Issue Date :

Thursday August 28, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C1909A	-	-	-	-	BCH27C1908A	-	-	-	-	BEM13P1911A	0.19	-	75,339	-
AOT28C1912A	0.36	-	8,598	-	BCH27C2003A	0.41	0.01	50,800	-	BEM16C1912A	0.17	(0.02)	12,300	-
AOT28C1912B	-	-	-	-	BCH27P1908A	-	-	-	-	BEM16C2001A	0.06	(0.03)	10,662	-
AOT28C2002A	0.30	(0.01)	6,564	-	BCH41C2001A	0.33	0.02	33,050	-	BEM19C1911A	0.07	(0.02)	20,401	-
AOT28P1909A	-	-	-	-	BCPO1C1908A	-	-	-	-	BEM19C2001A	0.19	(0.01)	1,920	-
AOT28P1912A	0.32	(0.01)	3,036	-	BCPO1C1908B	-	-	-	-	BEM19P1910A	-	-	-	-
AOT41C1909A	-	-	-	-	BCPO1C2001A	0.16	0.05	574,530	-	BEM19P1911A	0.16	0.02	8,146	-
AOT41C1912A	0.40	-	30,430	-	BCPO1C2001B	0.07	0.01	183,456	-	BEM23C2001A	0.12	(0.01)	1,100	-
AOT41C1912B	-	-	-	-	BCPO1P1908A	0.50	(0.13)	28,816	-	BEM24C1909A	0.03	(0.01)	21,834	-
AOT41P1909A	-	-	-	-	BCF01P2001A	0.44	(0.13)	95,642	-	BEM24P1909A	-	-	-	-
AOT41P1911A	-	-	-	-	BCP11C1909A	-	-	-	-	BEM27C1908A	-	-	-	-
AOT41P1911B	-	-	-	-	BCP11C2004A	0.11	0.03	43,200	-	BEM27P1912A	0.19	-	5,200	-
AOT41P1912A	-	-	-	-	BCP13C1910A	0.02	0.01	7,286	-	BEM28C1909A	0.02	(0.01)	25,760	-
AOT42C1912A	-	-	-	-	BCP13C1912A	0.06	0.02	30,587	-	BEM28C1910A	0.05	0.01	101	-
AOT42P2003A	-	-	-	-	BCP19C1910A	-	-	-	-	BEM28C2001A	0.10	(0.01)	1,014	-
AP01C1908A	0.27	(0.02)	2,012	-	BCP19C2001A	0.08	0.02	10,000	-	BEM28C2002A	0.19	(0.01)	11,214	-
AP01C1908B	0.01	-	2,189	-	BCP24C1912A	0.03	0.01	1,000	-	BEM41C1910A	-	-	-	-
AP01C2001A	0.27	0.03	272,553	-	BCPG01C1908A	0.44	-	5,262	-	BEM41C2001A	0.21	(0.01)	32,660	-
AP01C2001B	0.15	0.02	306,218	-	BCPG01C1908B	0.01	(0.02)	72,503	-	BEM41P1911A	0.19	-	1,736	-
AP06C1909A	0.00	0.02	19,980	-	BCPG01C1912A	0.28	-	37,748	-	BEM42C1910A	-	-	-	-
AP08C1912A	0.12	0.01	39,832	-	BCPG01C1912B	0.16	-	30,983	-	BEM42C2001A	0.14	(0.02)	220	-
AP11C2001A	0.23	0.01	66,220	-	BCPG01P1912A	0.75	(0.01)	34,073	-	BGR101C1909A	0.77	0.01	30,820	-
AP16C2002A	0.11	0.02	51,940	-	BCPG08C1910A	0.21	0.01	16,200	-	BGR101C1909B	0.49	0.04	51,406	-
AP19C1910A	0.05	0.01	10,502	-	BCPG11C1910A	0.22	0.01	46,450	-	BGR101C2001A	0.53	0.04	152,669	-
AP19C2002A	0.27	(0.73)	47,801	-	BCPG13C1908A	-	-	-	-	BGR101C2001B	0.37	0.02	115,857	-
AP24C1912A	-	-	-	-	BCPG13C1912A	0.19	-	136,200	-	BGR101P1909A	-	-	-	-
BANP01C1909A	-	-	-	-	BCPG13C2001A	0.35	-	145,202	-	BGR101P2001A	0.27	(0.01)	60,889	-
BANP01C1909B	-	-	-	-	BCPG19C1911A	0.21	-	37,036	-	BGR106C1912A	0.41	0.02	23,885	-
BANP01C1912A	0.07	0.01	230,251	-	BCPG19P1911A	0.24	(0.01)	11,898	-	BGR108C1911A	0.41	0.02	23,728	-
BANP01C1912B	-	-	-	-	BCPG24C1912A	-	-	-	-	BGR111C1909A	0.53	0.03	22,180	-
BANP01C2002A	0.26	0.03	71,001	-	BCPG27P1909A	-	-	-	-	BGR113C1912A	0.42	0.03	161,656	-
BANP01P1909A	1.11	(0.04)	89,483	1.00	BCPG28C1910A	0.13	0.02	76,777	-	BGR116C2001A	0.33	0.02	87,894	-
BANP01P1909B	0.79	(0.07)	42,413	-	BCPG28C1912A	0.15	0.01	50,470	-	BGR119C1908A	0.17	(0.01)	4	-
BANP01P1912A	0.82	(0.04)	122,754	-	BCPG28C2002A	0.32	-	33,908	-	BGR119C1911A	0.22	0.01	24,381	-
BANP01P1912B	0.71	(0.05)	63,418	-	BCPG41C1910A	-	-	-	-	BGR124C1912A	0.36	0.03	785	-
BANP06C1912A	0.01	(0.01)	11	-	BCPG42C2001A	0.28	0.01	5,600	-	BGR127C1912A	0.51	0.03	10,790	-
BANP07C1909A	-	-	-	-	BDMS01C1908A	0.11	(0.04)	410	-	BGR127P1911A	0.07	(0.01)	7,500	-
BANP08C1912A	-	-	-	-	BDMS01C1908B	-	-	-	-	BGR128C2002A	0.39	0.02	45,108	-
BANP08P1912A	-	-	-	-	BDMS01C1911A	0.09	(0.01)	133,652	-	BGR141C1911A	0.39	0.03	15,540	-
BANP11C1909A	-	-	-	-	BDMS01C1911B	-	-	-	-	BGR141C2001A	0.39	0.02	29,760	-
BANP11C2004A	0.06	(0.01)	40,580	-	BDMS01C2002A	0.49	(0.01)	53,839	-	BGR141P1912A	0.25	(0.01)	1,100	-
BANP13C1910A	-	-	-	-	BDMS01P1908A	-	-	-	-	BGR142C1910A	-	-	-	-
BANP13C1912A	0.02	-	4,584	-	BDMS01P1911A	0.42	-	1,468	-	BH01C1908A	0.01	-	80	-
BANP13P1908A	-	-	-	-	BDMS08C1911A	-	-	-	-	BH01C1908B	0.01	-	1,037	-
BANP16C1912A	-	-	-	-	BDMS11C2001A	0.33	-	4,531	-	BH01C2001A	0.26	0.03	34,451	-
BANP19C1910A	-	-	-	-	BDMS11P2002A	0.52	-	22,600	-	BH01C2001B	0.10	0.01	19,741	-
BANP19C2002A	0.11	0.01	50	-	BDMS13C1909A	-	-	-	-	BH01P1908A	1.93	(0.06)	1,124	1.00
BANP19P1910A	0.33	(0.06)	3,400	-	BDMS13C1912A	0.06	-	64,000	-	BH01P2001A	1.92	(0.07)	11,739	1.00
BANP23P1908A	-	-	-	-	BDMS13C1912B	0.25	(0.01)	219,406	-	BH07C1910A	-	-	-	-
BANP24C1911A	-	-	-	-	BDMS16C1912A	-	-	-	-	BH11C2002A	-	-	-	-
BANP24P1908A	-	-	-	-	BDMS19C1910A	-	-	-	-	BH13C1909A	-	-	-	-
BANP28C1911A	-	-	-	-	BDMS19C2001A	0.24	(0.01)	8,500	-	BH13C1912A	0.07	0.01	12,125	-
BANP28C2001A	-	-	-	-	BDMS23P1908A	-	-	-	-	BH13C2001A	0.36	0.04	36,992	-
BANP28C2002A	0.14	0.02	50,595	-	BDMS24C1909A	-	-	-	-	BH19C1912A	0.08	0.01	300	-
BANP28P1909A	-	-	-	-	BDMS24C1912A	-	-	-	-	BH19C2002A	0.43	(0.57)	2,400	-
BANP41C1909A	-	-	-	-	BDMS24C2001A	0.37	(0.01)	1,560	-	BH24C1910A	-	-	-	-
BANP41C1911A	-	-	-	-	BDMS24P1908A	-	-	-	-	BH24C2001A	0.38	0.03	6,260	-
BANP41C2002A	0.16	0.01	6,000	-	BDMS27C2002A	-	-	-	-	BH41C1911A	-	-	-	-
BANP41P1909A	-	-	-	-	BDMS41C1911A	-	-	-	-	BH41C2002A	0.40	0.03	18,080	-
BANP41P1912A	-	-	-	-	BDMS41C2001A	-	-	-	-	BH41P1911A	-	-	-	-
BANP41P2002A	0.27	(0.06)	1	-	BDMS41P1911A	-	-	-	-	BJC01C1911A	0.74	0.02	108,463	-
BANP42C2004A	0.25	(0.75)	11,340	-	BEAU01C1911A	0.07	0.01	84,793	-	BJC01C1911B	0.54	0.02	179,636	-
BANP42P2005A	-	-	-	-	BEAU01C2001A	0.36	-	36,125	-	BJC01P1911A	0.13	(0.01)	129,293	-
BBL07C1909A	-	-	-	-	BEAU01P1909A	2.88	0.04	4	2.00	BJC06C1912A	0.44	0.03	35,900	-
BBL08C1908A	0.01	-	1,050	-	BEAU01P2001A	1.11	(0.04)	7,912	1.00	BJC11C2001A	0.38	-	68,950	-
BBL08C2001A	0.05	-	220	-	BEAU06C1909A	-	-	-	-	BJC13C1911A	0.37	-	178,680	-
BBL08C2002A	0.39	0.01	13,010	-	BEAU06C1911A	0.02	(0.01)	4	-	BJC16C2002A	0.42	-	260,413	-
BBL08P1912A	-	-	-	-	BEAU08C1910A	-	-	-	-	BJC19C1910A	0.31	(0.01)	41,018	-
BBL08P2002A	0.72	(0.02)	2,135	-	BEAU11C1911A	0.01	(0.02)	520	-	BJC23C2001A	0.44	0.01	41,850	-
BBL11C2001A	0.05	-	702	-	BEAU13C1910A	-	-	-	-	BJC24C1910A	-	-	-	-
BBL11C2005A	0.28	0.01	21,541	-	BEAU13C1910B	-	-	-	-	BJC27P1908A	-	-	-	-
BBL11P2001A	0.67	(0.03)	7,909	-	BEAU13C1912A	0.09	0.01	107,111	-	BJC41C1910A	0.17	0.02	11,520	-
BBL13C1908A	-	-	-	-	BEAU13P1909A	0.22	(0.15)	3,411	-	BJC41C1912A	-	-	-	-
BBL13C1911A	0.08	-	24,658	-	BEAU19C1910A	-	-	-	-	BJC41P1912A	0.24	(0.01)	110	-
BBL13C2001A	0.39	0.02	43,129	-	BEAU19P1908A	0.33	(0.25)	2,643	-	BJC42C1912A	0.36	(0.06)	420	-
BBL13P1911A	-	-	-	-	BEAU24C1909A	0.08	-	450	-	BLA11C1909A	-	-	-	-
BBL13P2001A	0.52	(0.03)	29,094	-	BEAU27C1910A	-	-	-	-	BLA13C1908A	-	-	-	-
BBL19C1911A	-	-	-	-	BEAU28C1910A	-	-	-	-	BLAN19C1910A	0.05	-	2,011	-
BBL19C2001A	0.25	0.01	56,104	-	BEAU28C1910B	-	-	-	-	BLAN19C1912A	0.06	0.01	3,002	-
BBL19P1909A	-	-	-	-	BEAU41C1910A	-	-	-	-	BPP01C1912A	0.22	0.01	44,278	-
BBL24C1910A	-	-	-	-	BEAU41C1910B	-	-	-	-	BPP01C1912B	0.10	0.01	95,522	-
BBL24C1912A	0.06	-	75	-	BEAU41C1911A	-	-	-	-	BPP01P1912A	0.99	(0.03)	25,065	1.00
BBL24C2001A	0.34	0.01	170	-	BEAU41P1909A	-	-	-	-	BPP11C1910A	-	-	-	-
BBL27C2002A	0.11	(0.01)	1,606	-	BEAU41P1911A	-	-	-	-	BPP13C1911A	0.10	0.01	112,564	-
BBL41C1912A	0.12	(0.01)	4	-	BEAU42C1910A	-	-	-	-	BPP13C2001A	0.32	0.03	156,110	-
BBL41C2001A	0.36	(0.03)	19,340	-	BEAU42C1911A	-	-	-	-	BPP16C2001A	0.12	0.01	22,514	-
BBL41P2001A	-	-	-	-	BEC01C2001A	0.35	0.02	44,437	-	BPP19C1908A	-	-	-	-
BBL42C2003A	0.40	(0.60)	5,460	-	BEC01C2001B	-	-	-	-	BPP19C1910A	0.07	-	1,320	-
BCH01C2001A	0.42	0.03	116,353	-	BEC01P2001A	0.62	(0.02)	6,444	-	BPP24C1908A	-	-	-	-
BCH01C2001B	0.25	0.01	112,017	-	BEC16C2002A	0.34	0.02	34,300	-	BPP24C1911A	0.21	0.02	31,144	-
BCH01P2001A	0.46	(0.04)	32,691	-	BEC27C2002A	-	-	-	-	BTS01C1908A	0.57	(0.02)	16,678	-

## Main Board Quotation

Issue Date :

Thursday August 28, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS16C2001B	0.37	(0.01)	89,090	-	CKP19C1911A	-	-	-	-	DTAC01C2001A	0.85	0.02	62,625	-
BTS19C1910A	0.22	-	8,345	-	CKP24C1912A	0.36	(0.02)	7,000	-	DTAC01C2001B	0.57	0.02	84,253	-
BTS19C2002A	0.22	(0.78)	31,425	-	CKP24P1912A	0.11	(0.01)	4,000	-	DTAC01P1910A	0.29	(0.03)	55,712	-
BTS19P1910A	-	-	-	-	CKP28C1910A	0.08	0.01	5,000	-	DTAC01P1910B	-	-	-	-
BTS24C2001A	0.45	-	50	-	CKP28C1912A	0.08	-	9,072	-	DTAC01P2001A	0.71	(0.03)	41,592	-
BTS24P2001A	0.05	-	10,000	-	CKP41C1909A	0.10	0.01	15,300	-	DTAC01P2001B	0.43	(0.02)	48,402	-
BTS27P1911A	0.04	(0.01)	4,000	-	COM708C1911A	-	-	-	-	DTAC07C1909A	-	-	-	-
BTS41C1912A	-	-	-	-	COM708C2002A	0.27	0.01	2,173	-	DTAC08C1911A	0.75	0.02	15,510	-
BTS41P1910A	-	-	-	-	COM711C1909A	0.59	0.01	2,237	-	DTAC08P1911A	0.17	-	1,500	-
BTS41P1912A	-	-	-	-	COM713C1912A	0.78	(0.02)	1,470	-	DTAC08P2002A	0.71	(0.04)	13,020	-
CBG01C1909A	1.26	(0.08)	55,154	1.00	COM713C2001A	0.21	-	27,208	-	DTAC11C2002A	0.88	0.02	22,000	-
CBG01C1911A	1.45	(0.07)	39,147	1.00	COM716C2001A	0.87	0.02	6,092	-	DTAC13C1908A	-	-	-	-
CBG01C1911B	0.89	(0.05)	49,105	-	COM719C1910A	0.81	(0.01)	1,009	-	DTAC13C1911A	-	-	-	-
CBG01C2001A	0.85	(0.05)	67,126	-	COM719C2001A	0.23	0.01	27,108	-	DTAC13C1912A	0.55	-	56,967	-
CBG01C2001B	0.48	(0.03)	70,087	-	COM719P1911A	0.09	(0.01)	20,555	-	DTAC13P1909A	-	-	-	-
CBG01P1909A	0.02	-	400	-	COM724C1908A	-	-	-	-	DTAC13P1912A	0.30	(0.02)	20,616	-
CBG01P1911A	0.07	0.01	39,974	-	COM724C2001A	-	-	-	-	DTAC16C2001A	0.92	0.03	85,388	-
CBG01P2001A	0.65	0.01	78,289	-	COM741C1911A	-	-	-	-	DTAC19C1908A	0.07	-	7,022	-
CBG08C1910A	0.79	(0.08)	9,960	-	COM741C2001A	-	-	-	-	DTAC19C2001A	0.56	0.01	27,357	-
CBG11C1911A	2.16	(0.10)	22,557	2.00	CPAL01C1911A	0.71	0.01	94,553	-	DTAC19P1910A	-	-	-	-
CBG11C2002A	0.72	(0.06)	28,369	-	CPAL01C1911B	0.46	0.01	203,080	-	DTAC23P1908A	-	-	-	-
CBG13C1908A	-	-	-	-	CPAL01C2002A	0.61	0.01	116,493	-	DTAC24C1910A	1.00	0.04	760	-
CBG13C1912A	0.77	(0.04)	126,627	-	CPAL01C2002B	0.32	-	123,543	-	DTAC24P1909A	-	-	-	-
CBG13P1909A	0.01	-	2,000	-	CPAL01P1911A	0.64	-	74,720	-	DTAC27C2002A	0.89	0.02	4,118	-
CBG13P1911A	0.27	0.01	56,713	-	CPAL01P1911B	0.33	-	159,105	-	DTAC27P2002A	0.21	(0.01)	9,966	-
CBG16C1912A	2.00	(0.10)	40,218	2.00	CPAL01P2002A	1.10	(0.02)	38,338	1.00	DTAC28C1911A	-	-	-	-
CBG16C2001A	1.14	(0.09)	119,587	1.00	CPAL01P2002B	0.91	-	47,769	-	DTAC28C2001A	0.53	0.03	21,306	-
CBG19C1911A	0.54	(0.04)	28,350	-	CPAL06P1912A	0.68	0.01	8,660	-	DTAC41C1912A	0.84	0.03	76,090	-
CBG19P1911A	0.06	-	9,485	-	CPAL08C1908A	-	-	-	-	DTAC41P2001A	-	-	-	-
CBG23C1908A	-	-	-	-	CPAL08C2001A	0.38	(0.01)	38,161	-	DTAC42C1911A	-	-	-	-
CBG24C1909A	0.64	(0.07)	18,570	-	CPAL08P1908A	-	-	-	-	EA06C1910A	0.05	-	1,639	-
CBG27C1912A	-	-	-	-	CPAL08P2002A	0.64	(0.02)	15,767	-	EA07C1910A	0.15	(0.02)	798	-
CBG28C1910A	0.54	(0.07)	4,400	-	CPAL11C1909A	0.24	(0.02)	28,810	-	EA08C1908A	0.01	-	300	-
CBG28C1912A	0.55	(0.05)	10,662	-	CPAL13C1911A	0.50	0.02	365,348	-	EA08C2001A	0.23	(0.01)	29,674	-
CBG41C1910A	-	-	-	-	CPAL13P1911A	0.31	(0.01)	82,840	-	EA11C1911A	0.34	(0.01)	72,460	-
CBG41C1910B	0.73	(0.03)	500	-	CPAL16C1912A	1.28	(0.01)	80,590	1.00	EA13C1908A	-	-	-	-
CBG41C2001A	0.79	(0.03)	5,200	-	CPAL16C2001A	0.48	0.01	77,940	-	EA13C1910A	0.03	-	12,956	-
CBG41C2001B	0.75	(0.07)	10,000	-	CPAL19C1911A	0.19	(0.01)	9,810	-	EA13C1912A	0.21	0.01	344,530	-
CBG41P1909A	0.04	(0.01)	2	-	CPAL19P1910A	-	-	-	-	EA13P1909A	0.07	(0.02)	35,476	-
CBG41P1910A	-	-	-	-	CPAL24C1912A	0.27	(0.01)	1,620	-	EA13P1910A	0.56	(0.01)	142,566	-
CBG41P2001A	0.72	0.01	3,105	-	CPAL24P1909A	-	-	-	-	EA16C1911A	0.27	0.01	73,462	-
CBG41P2002A	1.17	0.01	5,974	1.00	CPAL24P1912A	0.57	0.01	200	-	EA19C1908A	-	-	-	-
CBG42C1910A	0.82	(0.04)	4,000	-	CPAL27C1912A	0.53	(0.01)	12,435	-	EA19C2001A	0.18	-	11,124	-
CENT01C1909A	-	-	-	-	CPAL28C1910A	-	-	-	-	EA19P1910A	0.18	-	92,577	-
CENT01C1909B	-	-	-	-	CPAL28C1912A	0.36	(0.01)	23,322	-	EA23C1909A	-	-	-	-
CENT01C1911A	0.21	0.02	132,700	-	CPAL28C2001A	0.27	-	18,399	-	EA24C1910A	0.10	-	10,000	-
CENT01C1911B	0.11	0.01	47,178	-	CPAL41C1910A	0.36	(0.02)	44,180	-	EA27C1908A	-	-	-	-
CENT01P1909A	1.20	(0.09)	23,653	1.00	CPAL41C1910B	-	-	-	-	EA27P1908A	-	-	-	-
CENT01P1911A	0.40	(0.04)	50,732	-	CPAL41C2001A	0.28	(0.02)	7,100	-	EA28C1909A	-	-	-	-
CENT06C1908A	-	-	-	-	CPAL41P1911A	-	-	-	-	EA28C1909B	0.01	(0.01)	100	-
CENT06C1912A	0.08	0.01	10,200	-	CPAL41P1912A	-	-	-	-	EA28C1910A	-	-	-	-
CENT08C1911A	-	-	-	-	CPAL41P1912B	0.56	(0.03)	220	-	EA28C2002A	0.32	(0.01)	31,327	-
CENT11C1909A	-	-	-	-	CPAL42C1910A	0.33	(0.01)	1,000	-	EA41C1910A	-	-	-	-
CENT11C2004A	0.19	0.01	37,000	-	CPF01C1908A	0.24	(0.05)	12,067	-	EA41C1910B	0.07	(0.04)	200	-
CENT13C1911A	0.07	0.01	2,000	-	CPF01C1908B	0.01	(0.01)	45,021	-	EA41C1912A	0.19	(0.01)	27,510	-
CENT13C1912A	-	-	-	-	CPF01C2001A	0.29	(0.01)	45,737	-	EA41P1912A	0.87	-	20,176	-
CENT13C2001A	0.21	0.02	131,754	-	CPF01C2001B	0.17	(0.01)	91,185	-	EA42C1910A	-	-	-	-
CENT16C2001A	0.10	0.01	16,536	-	CPF01P1908A	0.01	-	9,933	-	EA42C2001A	0.27	-	2,400	-
CENT19C1908A	-	-	-	-	CPF01P1908B	-	-	-	-	EGC001C1909A	1.29	0.09	25,279	1.00
CENT19C1910A	-	-	-	-	CPF01P2001A	0.35	0.01	52,086	-	EGC001C1909B	0.96	0.07	31,281	-
CENT19C2001A	0.18	0.02	13,424	-	CPF01P2001B	0.20	-	60,584	-	EGC001C2001A	0.74	0.04	51,195	-
CENT23C1908A	-	-	-	-	CPF08C1911A	0.14	(0.02)	6,000	-	EGC001C2001B	0.46	0.05	83,450	-
CENT24C1908A	-	-	-	-	CPF11C1910A	0.52	-	2,000	-	EGC013C1910A	0.67	0.04	100	-
CENT24C1910A	-	-	-	-	CPF13C1908A	-	-	-	-	EGC013C1912A	0.45	0.05	146,426	-
CENT24C2003A	0.26	0.03	12,271	-	CPF13C1910A	0.11	(0.01)	5,106	-	EGC016C2001A	0.57	0.05	71,694	-
CENT27C1912A	0.15	0.02	16,015	-	CPF13C1911A	0.20	(0.02)	16,483	-	EGC019C1908A	-	-	-	-
CENT41C1912A	-	-	-	-	CPF13P1910A	0.07	-	10,300	-	EGC024C1908A	-	-	-	-
CENT41C2001A	0.20	0.02	39,390	-	CPF16C2001A	0.13	(0.03)	54,400	-	EGC027C1910A	0.82	0.07	3,679	-
CENT41P1910A	0.63	(0.10)	400	-	CPF19C1910A	0.14	(0.01)	20,804	-	EGC041C1911A	0.38	0.03	13,580	-
CENT41P2001A	-	-	-	-	CPF19C2001A	0.14	(0.01)	4,395	-	EGC041C2001A	0.48	0.03	6,000	-
CHG01C2001A	0.42	(0.02)	14,884	-	CPF19P1910A	-	-	-	-	EGC041P1911A	0.05	(0.02)	6,185	-
CHG01C2001B	0.28	(0.01)	19,421	-	CPF24C1912A	0.16	(0.02)	110	-	EGC041P2001A	0.49	(0.04)	8,000	-
CHG01P2001A	0.25	-	56,940	-	CPF24P1909A	-	-	-	-	EPG13C1912A	0.32	0.01	11,261	-
CHG06C1911A	0.34	(0.03)	3,165	-	CPF27C2001A	0.23	(0.02)	3,600	-	EPG19C1908A	-	-	-	-
CHG08C1912A	0.30	(0.03)	14,220	-	CPF28C1912A	0.14	(0.02)	4,056	-	EPG19C1910A	0.33	0.01	20,030	-
CHG11C1911A	0.29	(0.03)	4,520	-	CPF28P1911A	0.08	0.01	4,056	-	EPG19P1911A	-	-	-	-
CHG13C1911A	0.29	-	31,510	-	CPF41C2001A	0.18	(0.02)	6,000	-	EPG24C1908A	-	-	-	-
CHG16C2002A	0.28	(0.01)	21,698	-	CPF41P1910A	-	-	-	-	EPG24C1911A	0.62	0.01	60	-
CHG19C1911A	0.17	(0.01)	3,000	-	CPF41P1912A	-	-	-	-	ERW06C1911A	0.02	0.01	12	-
CHG24C1911A	0.97	(0.03)	10	-	CPF42C2001A	0.18	(0.01)	21,800	-	ERW06C2001A	0.31	0.07	8,353	-
CHG41C1912A	-	-	-	-	CPN01C1908A	0.01	-	1,306	-	ERW06P2001A	0.23	(0.06)	40,482	-
CK01C2001A	0.10	-	144,018	-	CPN01C1908B	0.01	-	40	-	ERW11C2001A	0.09	0.02	1,080	-
CK01C2001B	0.05	-	14,666	-	CPN01C2001A	0.35	-	238,930	-	ERW13C1911A	0.05	0.01	5,000	-
CK01P2001A	0.58	(0.02)	44,405	-	CPN01C2001B	0.18	-	131,704	-	ERW13C2001A	0.26	0.07	193,516	-
CK06C1911A	-	-	-	-	CPN01P1908A	1.21	0.05	6,716	1.00	ERW19C1908A	-	-	-	-
CK08C1911A	-	-	-	-	CPN01P2001A	1.25	0.01	78,122	1.00	ERW19C1911A	0.06	0.03	4,140	-
CK11C1911A	0.06	-	2,000	-	CPN06C1908A	-	-	-	-	ERW19C2001A	0.25	0.04	21,717	-
CK13C1910A	-	-	-	-	CPN06C2001A	0.41	(0.59)	43,780	-	ERW24C1909A	0.01	-		



## Main Board Quotation

Issue Date :

Thursday August 29, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO27C1912A	-	-	-	-	GUNK24C1909A	0.62	(0.03)	8,040	-	IVL08P1910A	0.88	(0.27)	1,000	-
ESSO41C1911A	0.02	0.01	100	-	GUNK24C2001A	0.24	(0.01)	3	-	IVL11C1911A	0.02	(0.01)	357	-
ESSO42C1910A	0.02	(0.01)	250	-	GUNK28C2002A	0.29	-	26,072	-	IVL11C2005A	0.19	0.05	136,388	-
ESSO42C2001A	0.37	0.16	18,160	-	GUNK42C1910A	-	-	-	-	IVL13C1908A	-	-	-	-
GFPT08C1912A	0.41	(0.04)	13,103	-	HANA01C1909A	0.08	0.02	24,434	-	IVL13C1909A	-	-	-	-
GFPT13C1912A	0.34	(0.04)	31,168	-	HANA01C1909B	-	-	-	-	IVL13C1912A	0.03	-	56,596	-
GFPT19C1912A	0.29	(0.03)	24,053	-	HANA01C1911A	0.90	0.08	11,146	-	IVL13C2001A	0.08	0.03	165,222	-
GFPT19P1912A	0.16	0.01	3,500	-	HANA01C2001A	0.27	0.02	48,855	-	IVL13C2002A	0.24	0.08	760,370	-
GFPT23C1909A	-	-	-	-	HANA01C2001B	0.17	0.02	13,993	-	IVL13P1908A	-	-	-	-
GFPT24C1912A	0.33	(0.02)	1,800	-	HANA11C1911A	-	-	-	-	IVL13P1911A	0.72	(0.18)	3,928	-
GFPT42C1911A	0.50	(0.05)	5,920	-	HANA13C1910A	-	-	-	-	IVL13P1912A	-	-	-	-
GGC13C1908A	-	-	-	-	HANA13C1911A	-	-	-	-	IVL13P2001A	0.27	(0.13)	190,578	-
GLOB01C1909A	0.09	0.01	18,556	-	HANA13C1912A	0.21	0.02	64,671	-	IVL16C2001A	0.03	0.01	7,350	-
GLOB01C1909B	-	-	-	-	HANA19C1910A	0.08	0.01	4,200	-	IVL19C1908A	-	-	-	-
GLOB01P1909A	0.64	(0.04)	18,699	-	HANA23C2001A	0.30	0.03	11,800	-	IVL19C1911A	0.02	-	1,000	-
GLOB06C1911A	0.07	-	2,256	-	HMPRO1C1908A	0.56	0.04	9,193	-	IVL19C2001A	0.06	0.02	44,533	-
GLOB11C2002A	0.27	0.01	44,835	-	HMPRO1C1908B	0.22	0.06	15,770	-	IVL19C2002A	0.39	(0.61)	52,974	-
GLOB13C1910A	0.06	0.01	10,651	-	HMPRO1C2001A	0.43	0.05	30,078	-	IVL19P1908A	-	-	-	-
GLOB16C2001A	0.15	0.01	31,338	-	HMPRO1C2001B	0.24	0.03	38,506	-	IVL19P1910A	0.45	(0.22)	4,585	-
GLOB19C1912A	-	-	-	-	HMPRO1P1908A	0.01	(0.03)	4,730	-	IVL23P1909A	-	-	-	-
GLOB19C2002A	0.23	(0.77)	24,971	-	HMPRO1P2001A	0.46	(0.05)	7,868	-	IVL24C1910A	0.03	-	14,972	-
GLOB24C1908A	-	-	-	-	HMPRO6C1910A	0.33	0.07	17,720	-	IVL24C2001A	0.08	0.03	1,240	-
GLOB24C1911A	0.23	0.02	610	-	HMPRO8C1912A	0.29	0.03	21,600	-	IVL24P1911A	1.08	(0.22)	3,059	1.00
GLOB41C1910A	-	-	-	-	HMPR11C2003A	0.38	0.03	11,040	-	IVL27C1912A	-	-	-	-
GLOB41C2001A	-	-	-	-	HMPR13C1908A	-	-	-	-	IVL27P1912A	0.58	(0.15)	5,312	-
GLOB41P2001A	0.49	(0.03)	400	-	HMPR13C1912A	0.22	0.04	66,399	-	IVL28C1910A	0.02	0.01	30	-
GLW13C1912A	-	-	-	-	HMPR19C1911A	0.15	0.02	41,868	-	IVL28C2001A	0.07	0.02	23,728	-
GPS001C1910A	1.11	0.01	76,664	1.00	HMPR24C1912A	0.21	0.03	775	-	IVL28C2002A	0.11	0.03	44,657	-
GPS001C1910B	0.94	-	35,672	-	HMPR27P2001A	0.23	(0.03)	7,969	-	IVL28P1909A	-	-	-	-
GPS001C1912A	0.79	-	246,472	-	HMPR41C1911A	0.20	(0.01)	27,730	-	IVL28P1912A	-	-	-	-
GPS001C1912B	0.50	0.01	186,885	-	HMPR41P1911A	-	-	-	-	IVL41C1909A	-	-	-	-
GPS001P1910A	0.07	-	9,085	-	HSI28C1910A	0.86	0.07	168,635	-	IVL41C1910A	-	-	-	-
GPS001P1912A	0.60	(0.03)	53,990	-	HSI28C1910B	0.48	-	8,230	-	IVL41C1910B	0.03	0.02	1	-
GPS006C1912A	0.69	0.01	27,120	-	HSI28C1910C	0.28	0.02	2,000	-	IVL41C2001A	-	-	-	-
GPS008C2001A	0.72	0.01	44,595	-	HSI28C1910D	0.16	(0.02)	101	-	IVL41C2002A	0.15	0.08	1,399	-
GPS011C1909A	0.44	0.01	23,592	-	HSI28P1910A	0.58	(0.04)	356	-	IVL41C2002B	-	-	-	-
GPS013C1908A	-	-	-	-	HSI28P1910B	0.91	(0.01)	123,340	-	IVL41P1912A	-	-	-	-
GPS013C1911A	-	-	-	-	HSI28P1910C	-	-	-	-	IVL41P2001A	-	-	-	-
GPS013C1912A	0.61	0.01	18,971	-	HSI28P1910D	1.85	0.05	120	1.00	IVL42C1910A	0.01	-	3,200	-
GPS013P1911A	0.36	-	8,639	-	INTU01C1912A	0.57	(0.04)	75,377	-	IVL42C2001A	-	-	-	-
GPS019C1910A	0.87	(0.02)	13,580	-	INTU01C1912B	0.39	(0.03)	89,457	-	JAS06C1912A	0.16	(0.01)	8,849	-
GPS019C2001A	0.46	0.01	83,315	-	INTU01P1912A	0.60	0.03	80,200	-	JAS08C1912A	0.26	(0.01)	36,011	-
GPS019P1911A	0.07	-	34,866	-	INTU01P1912B	0.35	0.03	84,883	-	JAS13C1912A	0.19	-	409,519	-
GPS024C1909A	1.06	-	9,720	1.00	INTU11C2001A	0.63	(0.02)	6,060	-	JAS16C2002A	0.30	(0.01)	109,404	-
GPS027C1909A	0.40	0.02	19,570	-	INTU13C1908A	-	-	-	-	JAS16C2002B	0.19	(0.01)	22,589	-
GPS041C1911A	0.92	0.01	5,160	-	INTU13C1912A	0.42	(0.04)	102,510	-	JAS19C1912A	0.11	(0.01)	32,531	-
GPS041C1912A	0.57	0.01	57,700	-	INTU16C2001A	0.55	(0.04)	74,098	-	JAS19P2001A	0.16	0.01	32,002	-
GPS041P1912A	0.65	0.02	8	-	INTU19C1912A	0.29	(0.01)	69,287	-	JAS28C2002A	0.26	(0.01)	30,891	-
GULF01C1909A	3.20	(0.34)	49,703	3.00	INTU19P1910A	-	-	-	-	JAS41C1912A	-	-	-	-
GULF01C1909B	1.11	(0.19)	107,449	1.00	INTU23C1908A	-	-	-	-	JAS42C2001A	0.34	(0.02)	51,700	-
GULF01C1912A	0.84	(0.10)	517,502	-	INTU24C1909A	0.29	(0.06)	6,030	-	JAS41P1912A	-	-	-	-
GULF01C1912B	0.59	(0.09)	478,837	-	INTU41C1912A	-	-	-	-	JAS41P2001A	-	-	-	-
GULF01P1909A	0.02	0.01	8,427	-	INTU41P1910A	0.03	0.01	300	-	KBAN01C1911A	0.18	0.01	79,209	-
GULF01P1912A	0.33	0.04	1,222,480	-	INTU41P2001A	-	-	-	-	KBAN01C1911B	0.05	-	3,641	-
GULF06C1909A	-	-	-	-	INTU42C1910A	0.21	(0.04)	210	-	KBAN01C2002A	0.44	0.03	35,657	-
GULF06C1912A	0.90	(0.13)	38,140	-	IRPC01C1911A	0.12	0.07	334,404	-	KBAN01C2002B	0.21	0.01	43,280	-
GULF07C1910A	-	-	-	-	IRPC01C1911B	0.03	0.01	20,832	-	KBAN01P1911A	1.90	(0.06)	15,075	1.00
GULF08C1910A	1.25	(0.20)	2,837	1.00	IRPC01C2002A	0.41	0.13	409,642	-	KBAN01P1911B	1.41	(0.07)	15,286	1.00
GULF11C1908A	-	-	-	-	IRPC01P1911A	0.57	(0.12)	179,967	-	KBAN01P2002A	1.59	(0.07)	8,522	1.00
GULF11C2003A	1.11	(0.09)	132,729	1.00	IRPC06C1911A	0.02	-	1	-	KBAN01P2002B	1.19	(0.07)	28,171	1.00
GULF13C1909A	1.17	(0.20)	14,910	1.00	IRPC11C2001A	0.02	-	87	-	KBAN08C1908A	0.01	-	2	-
GULF13C1910A	3.22	(0.34)	308	3.00	IRPC11C2005A	0.16	0.06	62,168	-	KBAN08C2001A	0.15	0.01	7,740	-
GULF13C1912A	0.73	(0.10)	1,862,128	-	IRPC13C1909A	-	-	-	-	KBAN08C2002A	0.46	0.04	16,970	-
GULF13P1910A	0.02	0.01	2,600	-	IRPC13C1911A	0.02	(0.01)	520	-	KBAN08P1912A	1.26	(0.02)	4	1.00
GULF13P1911A	0.12	0.02	431,188	-	IRPC13C1912A	0.02	-	4,524	-	KBAN08P2002A	0.72	(0.03)	12,080	-
GULF16C2001A	1.21	(0.13)	131,940	1.00	IRPC13C2001A	0.30	0.13	1,094,266	-	KBAN13C1910A	0.04	-	6,753	-
GULF19C1908A	-	-	-	-	IRPC19C1910A	-	-	-	-	KBAN13C1912A	0.18	0.03	13,582	-
GULF19C1910A	1.07	(0.16)	63,780	1.00	IRPC19C1910B	-	-	-	-	KBAN13C2001A	0.47	0.04	85,298	-
GULF19C1912A	0.48	(0.09)	400,224	-	IRPC19C2001A	0.18	0.07	77,718	-	KBAN13P1908A	-	-	-	-
GULF19P1911A	0.01	-	2,223	-	IRPC23C1908A	-	-	-	-	KBAN13P1911A	1.36	-	5	1.00
GULF19P2001A	0.20	0.02	146,229	-	IRPC24C1909A	-	-	-	-	KBAN13P2001A	0.66	(0.05)	56,211	-
GULF24C1908A	-	-	-	-	IRPC24C1911A	-	-	-	-	KBAN16C2001A	0.09	-	2,255	-
GULF24C1909A	1.35	(0.25)	2,937	1.00	IRPC24C2002A	0.30	0.11	11,583	-	KBAN19C1911A	-	-	-	-
GULF24C2001A	0.66	(0.13)	16,954	-	IRPC27C1911A	-	-	-	-	KBAN19C2001A	0.30	0.01	9,890	-
GULF24P2001A	0.21	0.02	73,302	-	IRPC41C1910A	-	-	-	-	KBAN19P1910A	0.32	(0.06)	9,774	-
GULF27C2004A	0.77	(0.10)	51,019	-	IRPC41C1911A	0.03	(0.09)	1	-	KBAN24C1908A	-	-	-	-
GULF28C1909A	1.12	0.68	32	1.00	IRPC41C1911B	0.03	0.01	1	-	KBAN24C1912A	0.06	-	1,870	-
GULF28C1910A	0.89	0.01	300	-	IRPC41C1912A	-	-	-	-	KBAN24C2001A	0.43	0.04	6,895	-
GULF28C2001A	0.55	(0.07)	151,947	-	IRPC41C2002A	0.31	0.10	32,190	-	KBAN24P1909A	-	-	-	-
GULF41C1909A	1.12	(0.14)	13,800	1.00	IRPC41C2002B	0.23	0.09	3,580	-	KBAN27P2001A	0.85	(0.04)	2,230	-
GULF41C1909B	-	-	-	-	IRPC41P1909A	0.74	(0.20)	11,990	-	KBAN28C1911A	0.03	-	160	-
GULF41C1910A	-	-	-	-	IRPC41P1912A	1.20	(0.35)	16	1.00	KBAN28C2001A	0.09	0.02	50	-
GULF41C1910B	2.66	0.32	40	2.00	IRPC41P2002A	0.72	(0.26)	2,265	-	KBAN28C2002A	0.19	-	405,757	-
GULF41C1911A	-	-	-	-	IRPC42C1911A	0.02	(0.01)	30	-	KBAN28P1909A	-	-	-	-
GULF41C2001A	0.91	(0.03)	141,600	-	IRPC42C2002A	0.30	0.11	8,860	-	KBAN28P1912A	-	-	-	-
GULF41C2001B	0.85	(0.08)	309	-	ITD13C1908A	-	-	-	-	KBAN41C1910A	-	-	-	-
GULF41P1909A	0.02	0.01	50	-	IVL01C1908A	0.01	-	55,631	-	KBAN41C2001A	-	-	-	-
GULF41P1														

## Main Board Quotation

Issue Date :

Thursday August 28, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE23C1911A	0.12	0.01	6,740	-	MINT19P1910A	-	-	-	-	PTG19C1911A	0.34	(0.02)	209,372	-
KCE24C1911A	-	-	-	-	MINT23C2001A	-	-	-	-	PTG19P1908A	-	-	-	-
KCE28C1911A	0.17	0.02	7,545	-	MINT24C1908A	-	-	-	-	PTG19P1910A	-	-	-	-
KCE41C1911A	0.19	0.01	6,000	-	MINT24C2001A	0.23	-	650	-	PTG19P2001A	0.34	-	33,794	-
KCE42C1910A	-	-	-	-	MINT27C1912A	0.19	(0.01)	17,249	-	PTG24C1909A	1.62	0.17	1	1.00
KCE42C2001A	-	-	-	-	MINT27P1912A	0.21	-	19,444	-	PTG27P1910A	0.01	-	10,000	-
KKP01C2001A	0.64	0.03	30,200	-	MINT28C2002A	0.18	(0.01)	29,877	-	PTG27P2001A	0.18	-	137,356	-
KKP01C2001B	0.41	0.02	44,904	-	MINT41C1910A	0.08	(0.02)	1,200	-	PTG28C1910A	-	-	-	-
KKP01P2001A	0.75	(0.04)	10,922	-	MINT41C2001A	0.21	-	17,760	-	PTG28C1910B	-	-	-	-
KKP11C1911A	0.30	0.02	14,500	-	MINT41P1912A	-	-	-	-	PTG28C1911A	-	-	-	-
KKP13C1910A	0.24	0.02	105,702	-	MTC01C1912A	0.44	0.06	144,421	-	PTG28C1912A	0.44	(0.02)	63,456	-
KKP13C2001A	0.41	0.02	74,355	-	MTC01C1912B	0.27	0.03	77,208	-	PTG41C1910A	-	-	-	-
KKP16C2002A	0.63	0.03	48,574	-	MTC01P1912A	0.60	(0.08)	41,416	-	PTG41C1912A	0.69	0.04	25,374	-
KKP19C1911A	0.31	0.02	23,022	-	MTC06C1908A	0.27	0.11	7,451	-	PTG41P1911A	0.13	(0.01)	200	-
KKP24C1909A	0.24	0.03	135	-	MTC06C1912A	0.27	0.06	31,923	-	PTG41P1912A	0.39	0.02	2,679	-
KKP27P1908A	-	-	-	-	MTC07C1909A	0.29	0.08	7,010	-	PTG42C1910A	-	-	-	-
KKP27P2002A	0.35	(0.03)	1,960	-	MTC08C1911A	0.34	0.06	25,060	-	PTG42C2001A	0.51	(0.02)	27,056	-
KKP41C1910A	0.19	0.02	31,540	-	MTC11C2002A	0.67	0.08	25,402	-	PTT01C1910A	0.12	0.05	145,631	-
KTB01C1909A	0.09	0.01	45,916	-	MTC13C1910A	0.32	0.06	7,821	-	PTT01C1910B	0.06	0.02	70,433	-
KTB01C1909B	-	-	-	-	MTC13C1912A	0.28	0.06	217,083	-	PTT01C2001A	0.27	0.08	455,232	-
KTB01P1909A	0.52	(0.04)	32,390	-	MTC16C1911A	0.50	0.08	48,264	-	PTT01C2001B	0.13	0.04	260,984	-
KTB11C1909A	-	-	-	-	MTC19C1911A	0.15	0.03	48,058	-	PTT01P1910A	0.82	(0.16)	219,966	-
KTB11C2004A	0.11	0.01	31,240	-	MTC19P1911A	0.21	(0.06)	16,990	-	PTT01P1910B	0.33	(0.13)	352,403	-
KTB13C1908A	-	-	-	-	MTC23C1911A	-	-	-	-	PTT01P2001A	0.80	(0.13)	80,317	-
KTB13C1912A	0.06	0.01	52,990	-	MTC24C1910A	0.20	0.05	201	-	PTT01P2001B	0.59	(0.14)	123,797	-
KTB19C1912A	0.05	(0.01)	2,000	-	MTC24C1912A	0.82	0.08	1,363	-	PTT06C1912A	0.06	0.02	5,510	-
KTB19C2002A	0.20	(0.80)	9,000	-	MTC27C1911A	0.44	0.06	24,860	-	PTT08C1912A	0.25	0.07	37,039	-
KTB19P1910A	0.08	(0.02)	8,345	-	MTC27P1911A	0.16	(0.03)	20,877	-	PTT08P1911A	0.41	(0.13)	13,800	-
KTB24C1908A	-	-	-	-	MTC28C1910A	0.17	0.04	2,028	-	PTT11C1909A	-	-	-	-
KTB24C2004A	0.19	0.03	624	-	MTC28C1912A	0.20	0.05	11,024	-	PTT11C2004A	0.18	0.04	98,103	-
KTB41C1910A	-	-	-	-	MTC28C2002A	0.43	0.05	72,181	-	PTT13C1909A	0.01	-	3	-
KTB41C2002A	0.19	0.02	2,380	-	MTC41C1911A	0.25	(0.05)	17,780	-	PTT13C1911A	0.10	0.04	154,713	-
KT001C1910A	0.65	0.07	96,920	-	MTC41P1911A	0.42	(0.09)	200	-	PTT13C2001A	0.23	0.07	538,861	-
KT001C1910B	0.35	0.05	222,235	-	MTC42C1910A	-	-	-	-	PTT13P1909A	0.10	(0.11)	309,067	-
KT001C2001A	0.63	0.05	102,535	-	ORI08C2001A	0.26	-	26,111	-	PTT13P1911A	0.49	(0.07)	62	-
KT001C2001B	0.36	0.05	146,373	-	ORI11C1909A	0.21	(0.02)	21,744	-	PTT16C1912A	0.23	0.05	137,415	-
KT001P1910A	0.08	(0.01)	57,468	-	ORI13C1912A	0.32	0.02	91,852	-	PTT16C2001A	0.08	0.03	5,780	-
KT001P2001A	0.38	(0.05)	61,119	-	ORI19C1910A	0.18	0.02	63,494	-	PTT19C1911A	0.05	0.02	3,860	-
KT06C1911A	0.50	0.03	28,850	-	ORI19C2001A	0.09	-	7,858	-	PTT19C2002A	0.24	0.06	90,916	-
KT08C1910A	0.35	0.05	24,012	-	ORI23C1911A	0.41	0.01	23,974	-	PTT19P1908A	-	-	-	-
KT0C11C1911A	0.84	0.03	47,263	-	ORI24C1908A	-	-	-	-	PTT19P1911A	0.19	(0.08)	15,109	-
KT0C13C1909A	0.18	0.04	219,367	-	ORI24C2001A	-	-	-	-	PTT23C1911A	0.07	0.03	3,000	-
KT0C13C1912A	0.54	0.06	490,165	-	ORI41C1911A	0.30	-	28,880	-	PTT24C1911A	-	-	-	-
KT0C13P1909A	0.02	-	605	-	OSP01C1912A	0.43	(0.02)	30,559	-	PTT24P2001A	-	-	-	-
KT0C13P1911A	0.28	(0.03)	42,337	-	OSP01C1912B	0.27	(0.01)	24,700	-	PTT28C1911A	-	-	-	-
KT0C16C1911A	0.61	0.05	101,748	-	OSP01P1912A	0.25	0.01	973	-	PTT28C1912A	0.07	-	12,024	-
KT0C19C1908A	0.11	(0.05)	100	-	OSP06C1912A	0.32	-	19,520	-	PTT28C2002A	0.22	0.06	95,436	-
KT0C19P1910A	0.20	0.03	51,692	-	OSP08C2001A	0.35	-	11,300	-	PTT28P1912A	0.37	(0.14)	31,849	-
KT0C19P1911A	0.09	(0.01)	8,000	-	OSP11C2005A	0.35	(0.01)	13,100	-	PTT41C1910A	-	-	-	-
KT0C19P2001A	-	-	-	-	OSP13C1912A	0.37	(0.02)	19,221	-	PTT41C1910B	-	-	-	-
KT0C23C1908A	-	-	-	-	OSP16C2001A	0.36	-	21,480	-	PTT41C2001A	0.13	0.03	37,703	-
KT0C24C2001A	0.58	0.04	3,152	-	OSP19C1912A	0.28	(0.01)	6,995	-	PTT41P1911A	0.46	(0.04)	600	-
KT0C27C1911A	0.48	0.02	16,800	-	OSP24C1912A	0.36	(0.02)	9,939	-	PTT42C1911A	-	-	-	-
KT0C27P1911A	0.18	(0.01)	8,466	-	OSP28C2001A	0.32	-	9,168	-	PTT42C2003A	0.26	0.08	28,255	-
KT0C28C1909A	0.10	0.02	10,908	-	OSP41C1912A	-	-	-	-	PTTE01C1910A	0.22	0.06	354,517	-
KT0C28C2002A	0.46	0.03	36,602	-	OSP41P1912A	-	-	-	-	PTTE01C1910B	0.14	0.04	343,988	-
KT0C41C1910A	0.37	0.02	25,740	-	OSP42C2001A	0.43	-	7,500	-	PTTE01C2001A	0.47	0.08	314,062	-
KT0C41C2001A	0.47	0.03	18,320	-	PLAN13C1912A	-	-	-	-	PTTE01C2001B	0.24	0.04	97,630	-
KT0C41P1910A	-	-	-	-	PLAN13C1912B	0.31	(0.02)	127,083	-	PTTE01P1910A	1.00	(0.17)	94,870	1.00
KT0C41P2001A	-	-	-	-	PLAN16C2002A	0.58	(0.03)	50,516	-	PTTE01P1910B	0.30	(0.10)	215,934	-
KT0C42C1911A	0.36	0.03	4,318	-	PLAN19C1911A	0.45	-	2,740	-	PTTE01P2001A	1.25	(0.16)	48,172	1.00
LH01C1909A	0.24	0.01	20,861	-	PLAN19C2001A	0.26	(0.01)	9,859	-	PTTE1P2001B	0.77	(0.16)	119,105	-
LH01C1909B	0.08	-	24,560	-	PLAN23C1909A	0.47	(0.02)	8,000	-	PTTE06C2001A	0.16	0.05	51,472	-
LH01P1909A	0.12	-	8,332	-	PLAN24C1912A	0.45	(0.01)	70	-	PTTE06P1910A	0.26	(0.18)	33,380	-
LH11C1911A	0.14	-	6,000	-	PLAN27C1908A	-	-	-	-	PTTE08C1910A	0.07	0.02	8,635	-
LH13C1910A	0.11	0.01	17,000	-	PLAN28C2002A	0.35	(0.01)	36,452	-	PTTE08C2002A	0.38	0.07	21,845	-
LH16C2002A	0.23	-	11,684	-	PLAN41C1910A	0.45	(0.04)	3,740	-	PTTE08P1911A	0.46	(0.12)	13,950	-
LH19C1911A	0.08	0.01	15,000	-	PRM13C1912A	0.61	0.01	186,990	-	PTTE11C1910A	0.22	0.05	76,180	-
LH19P1910A	-	-	-	-	PRM19C1910A	0.51	-	9,152	-	PTTE13C1908A	-	-	-	-
LH24C1912A	-	-	-	-	PRM19C2001A	0.36	-	33,284	-	PTTE13C1911A	0.27	0.07	538,128	-
LH41C1911A	-	-	-	-	PRM23C1909A	0.62	0.03	266	-	PTTE13P1908A	-	-	-	-
LH41P1911A	0.14	(0.01)	18	-	PRM27C2002A	0.63	-	28,647	-	PTTE13P1911A	-	-	-	-
LPN08C1908A	0.01	-	949	-	PRM41C2002A	0.60	(0.02)	142,000	-	PTTE13P1912A	0.41	(0.12)	140,574	-
LPN13C1908A	-	-	-	-	PSH13C1910A	0.16	0.03	26,216	-	PTTE16C1911A	0.18	0.05	145,209	-
LPN24C1908A	-	-	-	-	PSH13C2001A	-	-	-	-	PTTE19C1908A	-	-	-	-
MAJ006C1909A	-	-	-	-	PSH19C1908A	-	-	-	-	PTTE19C2001A	0.16	0.04	122,661	-
MAJ006C2001A	0.24	(0.76)	4,900	-	PSH19C2001A	0.21	0.08	12,030	-	PTTE19C2002A	0.47	(0.53)	32,166	-
MAJ013C1909A	-	-	-	-	PSL06C1911A	0.92	0.13	65,243	-	PTTE19P1908A	-	-	-	-
MAJ019C1912A	-	-	-	-	PSL13C1912A	0.35	0.05	204,599	-	PTTE19P1911A	0.18	(0.03)	200	-
MAJ019C2002A	-	-	-	-	PSL19C1912A	0.28	0.04	50,041	-	PTTE23P1909A	0.15	(0.09)	13,050	-
MAJ024C2002A	-	-	-	-	PSL27C2002A	0.51	0.06	79,654	-	PTTE24C1910A	0.36	0.08	16,790	-
MAJ027C1912A	0.09	0.01	4,000	-	PTG01C1908A	1.82	(0.02)	10,652	1.00	PTTE24P1909A	0.25	(0.14)	8,635	-
MBK13C1912A	0.34	(0.03)	17,498	-	PTG01C1908B	2.04	(0.02)	10,420	2.00	PTTE27C1912A	0.23	0.05	24,515	-
MBK19C1911A	0.24	(0.02)	11,500	-	PTG01C1911A	1.37	(0.03)	305,224	1.00	PTTE28C1909A	-	-	-	-
MBK24C1910A	0.37	(0.03)	3,450	-	PTG01C1911B	1.24	(0.05)	50,842	1.00	PTTE28C2001A	0.19	0.05	70,437	-
MEGA11C1910A	0.11	0.02	58,020	-	PTG01C2001A	0.83	(0.01)	238,681	-	PTTE28P1911A	0.32	(0.11)	46,480	-
MEGA13C1912A														

## Main Board Quotation

Issue Date :

Thursday August 29, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG06C1911A	0.04	0.01	4	-	S5006C1909B	0.15	0.07	60,620	-	SCB01P2002A	1.31	(0.03)	38,806	1.00
PTTG06C2001A	0.40	(0.60)	51,724	-	S5006C1909C	0.44	0.15	637,594	-	SCB01P2002B	1.03	(0.04)	26,982	1.00
PTTG08C1911A	-	-	-	-	S5006C1909D	0.15	0.13	2	-	SCB06C1912A	0.08	-	15,920	-
PTTG08C2001A	0.21	0.04	30,242	-	S5006P1909A	0.30	(0.21)	339,954	-	SCB08C1908A	-	-	-	-
PTTG08P1912A	0.68	(0.11)	12,130	-	S5006P1909B	0.21	(0.05)	6,008	-	SCB08C2002A	0.36	0.01	8,990	-
PTTG11C1909A	-	-	-	-	S5006P1909C	0.42	(0.20)	300,870	-	SCB11C1910A	0.04	(0.01)	150	-
PTTG11C2004A	0.22	0.03	63,600	-	S5006P1909D	1.74	(0.60)	91,194	1.00	SCB11C2005A	0.25	-	31,400	-
PTTG13C1908A	-	-	-	-	S5008C1909A	0.01	-	51,742	-	SCB11P1910A	0.19	(0.03)	16,600	-
PTTG13C1911A	0.07	0.01	200	-	S5008C1909B	0.01	-	1	-	SCB11P2005A	1.00	(0.03)	29,900	1.00
PTTG13C1912A	-	-	-	-	S5008P1909A	0.17	(0.11)	245,024	-	SCB13C1911A	0.21	0.02	50,271	-
PTTG13C2001A	0.41	0.06	410,344	-	S5008P1909B	0.94	(0.56)	12,261	1.00	SCB16C2001A	0.17	-	60,109	-
PTTG13P1909A	-	-	-	-	S5013C1909A	0.17	0.07	10,734,587	-	SCB19C1910A	0.05	-	1,210	-
PTTG13P1910A	-	-	-	-	S5013C1909B	0.10	0.04	1,521,105	-	SCB19C2002A	0.32	0.01	54,916	-
PTTG13P2001A	0.36	(0.07)	150,649	-	S5013C1909C	0.04	0.02	1,049,322	-	SCB19P1911A	0.13	(0.01)	15,600	-
PTTG16C2001A	0.08	0.02	31	-	S5013C1909D	0.02	0.01	99,048	-	SCB24C1910A	0.05	(0.04)	2,000	-
PTTG19C1910A	-	-	-	-	S5013C1909E	0.15	0.06	3,954,511	-	SCB24C2001A	0.33	0.03	2,180	-
PTTG19C2001A	0.18	0.03	34,196	-	S5013C1909F	0.09	0.04	71,015	-	SCB24P1909A	0.19	(0.05)	1,020	-
PTTG19P1910A	0.47	(0.10)	2,030	-	S5013C1912A	0.78	0.13	13,525,538	-	SCB28C1911A	0.12	-	28,401	-
PTTG23C1908A	-	-	-	-	S5013C1912B	0.90	0.13	1,957,247	-	SCB28C2001A	0.09	(0.03)	36	-
PTTG24C1911A	0.07	0.01	1	-	S5013P1909A	0.14	(0.09)	6,427,593	-	SCB28P1909A	-	-	-	-
PTTG27C2001A	0.14	0.02	28,656	-	S5013P1909B	0.41	(0.22)	1,861,992	-	SCB28P1912A	0.31	(0.02)	18,762	-
PTTG28C1911A	-	-	-	-	S5013P1909C	0.72	(0.30)	87,496	-	SCB41C1910A	-	-	-	-
PTTG28C2001A	0.13	0.03	9,090	-	S5013P1909D	1.29	(0.41)	4,350	1.00	SCB41C2001A	-	-	-	-
PTTG28C2002A	0.30	0.05	73,538	-	S5013P1909E	1.75	(0.05)	10	1.00	SCB41P1912A	0.47	(0.03)	667	-
PTTG41C1909A	-	-	-	-	S5013P1909F	1.44	(0.21)	18,396	1.00	SCB42C1911A	0.09	(0.01)	136	-
PTTG41C1911A	-	-	-	-	S5013P1912A	0.75	(0.15)	7,372,577	-	SCB42C2003A	0.39	(0.61)	10,485	-
PTTG41C1911B	-	-	-	-	S5013P1912B	0.73	(0.15)	5,790,250	-	SCC01C2001A	0.31	0.03	39,620	-
PTTG41C2001A	0.29	0.04	122,340	-	S5016C1912A	0.67	0.13	503,221	-	SCC01C2001B	0.13	0.01	203,551	-
PTTG41P1912A	-	-	-	-	S5016P1912A	0.99	(0.19)	428,938	1.00	SCC01P2001A	0.68	(0.03)	45,650	-
PTTG41P2001A	-	-	-	-	S5024C1909A	0.04	0.02	110,820	-	SCC07C1909A	-	-	-	-
PTTG42C1910A	-	-	-	-	S5024C1909B	0.23	0.08	83,760	-	SCC08C1908A	0.01	-	500	-
PTTG42C2003A	0.33	0.06	42,787	-	S5024C1909C	0.01	-	5,010	-	SCC11C2003A	0.13	0.01	53,602	-
QH01C1908A	0.25	-	16,820	-	S5024C1912A	1.23	0.21	98,714	1.00	SCC13C1908A	-	-	-	-
QH01C1908B	-	-	-	-	S5024C1912B	0.71	0.15	10,889	-	SCC13C1911A	0.06	-	17,309	-
QH01C2001A	0.35	(0.01)	10,486	-	S5024P1909A	1.23	(0.53)	58,901	1.00	SCC13C2001A	0.24	0.02	236,574	-
QH01C2001B	0.23	-	21,816	-	S5024P1909B	1.08	(0.22)	56,445	1.00	SCC13P1911A	-	-	-	-
QH01P1908A	-	-	-	-	S5024P1909C	2.62	(0.66)	3,457	2.00	SCC13P2001A	0.36	(0.02)	20,793	-
QH01P2001A	0.44	0.01	4,406	-	S5024P1912A	0.63	(0.15)	97,016	-	SCC16C2002A	0.12	0.01	10,405	-
QH11C1910A	0.14	(0.01)	6,000	-	S5028C1908A	0.01	(0.01)	70	-	SCC19C1911A	0.05	(0.01)	990	-
QH13C1909A	-	-	-	-	S5028C1909A	0.03	-	12	-	SCC19C2002A	0.24	(0.76)	32,797	-
QH19C1909A	-	-	-	-	S5028C1910A	0.68	0.13	519,823	-	SCC19P1911A	-	-	-	-
QH24C1908A	-	-	-	-	S5028C1912A	0.07	-	16,431	-	SCC24C1910A	-	-	-	-
RATC13C1911A	0.63	(0.07)	331,050	-	S5028C1912B	0.15	0.03	110,906	-	SCC24C1912A	0.20	0.02	273	-
RATC16C2001A	0.57	(0.07)	125,556	-	S5028C1912C	0.33	0.05	425,880	-	SCC24P1909A	-	-	-	-
RATC19C1908A	-	-	-	-	S5028P1908A	-	-	-	-	SCC24P1910A	0.51	(0.04)	90	-
RATC19C1910A	0.23	(0.06)	107,641	-	S5028P1909A	-	-	-	-	SCC27C2001A	0.13	0.01	29,315	-
RATC24C2001A	0.50	(0.06)	3,316	-	S5028P1910A	0.43	(0.11)	239,068	-	SCC28C1910A	-	-	-	-
RATC41C1911A	0.33	(0.04)	5,120	-	S5028P1912A	0.61	(0.10)	264,320	-	SCC28C2001A	0.10	0.01	45,811	-
ROBIO1C1909A	0.36	0.01	15,878	-	S5028P1912B	0.21	(0.04)	182,570	-	SCC28C2002A	0.16	0.01	2,012	-
ROBIO1C1909B	-	-	-	-	S5041C1909A	0.76	0.21	486,106	-	SCC41C1908A	-	-	-	-
ROBIO1C1912A	0.76	(0.02)	2,972	-	S5041C1909B	0.44	0.14	3,571,164	-	SCC41C1908B	-	-	-	-
ROBIO1C1912B	0.55	0.01	3,678	-	S5041C1909C	-	-	-	-	SCC41C2001A	-	-	-	-
ROBIO6C1910A	0.38	-	5,400	-	S5041C1909D	-	-	-	-	SCC41P2001A	-	-	-	-
ROBIO8C2001A	0.61	(0.01)	1,020	-	S5041C1909F	0.21	0.06	46	-	SCC42C1911A	-	-	-	-
ROB11C2003A	0.58	0.01	1,700	-	S5041C1909G	0.09	0.05	30,369	-	SCC42C2002A	0.23	0.02	1,803	-
ROB13C1908A	-	-	-	-	S5041C1912A	0.19	0.04	26,458	-	SGP11C1911A	0.06	0.01	13,580	-
ROB13C1912A	0.54	(0.01)	12,668	-	S5041C1912B	0.87	0.14	2,455,915	-	SGP13C1908A	-	-	-	-
ROB19C1910A	0.28	(0.01)	4,000	-	S5041P1909A	0.49	(0.22)	30,673	-	SGP13C1912A	0.05	0.01	13,352	-
ROB123C1909A	0.21	-	1,000	-	S5041P1909B	0.24	(0.14)	52,986	-	SGP13C2001A	0.32	0.08	218,200	-
ROB124C1909A	-	-	-	-	S5041P1909C	1.27	(0.38)	1,300	1.00	SGP19C1910A	0.01	-	50	-
ROB124C1912A	-	-	-	-	S5041P1909D	1.19	(0.29)	400	1.00	SGP19C2001A	0.07	0.02	27,506	-
ROB141C1912A	-	-	-	-	S5041P1909F	-	-	-	-	SGP19C2002A	0.35	0.08	54,628	-
ROB141C2001A	-	-	-	-	S5041P1909G	0.31	(0.16)	3,549,379	-	SGP23C1908A	-	-	-	-
ROB141P2001A	-	-	-	-	S5041P1912A	0.68	(0.13)	3,594	-	SGP24C1910A	0.04	-	1,000	-
RS06C2001A	0.52	0.01	31,900	-	S5041P1912B	0.68	(0.13)	7,332,973	-	SGP41C2001A	0.17	0.05	6,320	-
RS08C1911A	0.19	-	28,900	-	SAWA01C1911A	0.61	0.04	75,138	-	SGP42C1911A	0.13	(0.01)	700	-
RS08C2001A	0.37	-	34,722	-	SAWA01C1911B	0.30	0.02	77,421	-	SGP42C2001A	0.32	(0.68)	220	-
RS11C1911A	0.35	(0.01)	41,395	-	SAWA01P1911A	0.41	(0.02)	56,938	-	SIR11C1911A	0.20	0.01	5,110	-
RS13C1909A	0.04	-	10,088	-	SAWA06C1908A	0.06	(0.01)	40,000	-	SIR19C1910A	-	-	-	-
RS13C1912A	0.37	-	284,091	-	SAWA08C1908A	-	-	-	-	SIR19C2002A	0.19	-	20,989	-
RS16C2001A	0.38	0.01	72,278	-	SAWA08C2001A	0.49	0.03	14,160	-	SIR24C1911A	-	-	-	-
RS19C1908A	-	-	-	-	SAWA11C2003A	0.72	0.03	29,221	-	SPAL01C1911A	0.13	(0.01)	23,988	-
RS19C1911A	0.18	-	95,913	-	SAWA13C1908A	-	-	-	-	SPAL01C1911B	-	-	-	-
RS23C1909A	-	-	-	-	SAWA13C1911A	0.42	0.03	52,915	-	SPAL11C1910A	0.14	-	8,575	-
RS24C1910A	0.12	0.01	627	-	SAWA16C2001A	0.61	0.05	80,406	-	SPAL13C1909A	-	-	-	-
RS41C1912A	0.35	0.01	4,420	-	SAWA19C1908A	0.01	(0.02)	5	-	SPAL13C2001A	0.23	-	47,356	-
RS42C1911A	0.39	0.01	66,883	-	SAWA19C1912A	0.25	0.02	18,713	-	SPAL16C2002A	0.17	(0.01)	33,168	-
S10001C1911A	0.45	0.06	1,091	-	SAWA23C1911A	-	-	-	-	SPAL19C1910A	-	-	-	-
S5001C1908A	0.25	0.15	378,038	-	SAWA24C1910A	-	-	-	-	SPAL19C2002A	0.23	-	37,800	-
S5001C1909F	0.27	0.10	2,992,504	-	SAWA24C1912A	0.40	0.04	585	-	SPAL24C1912A	-	-	-	-
S5001C1909G	0.12	0.05	1,734,405	-	SAWA27C1910A	0.55	0.04	4,364	-	SPAL41C1912A	-	-	-	-
S5001C1909H	0.03	-	51,314	-	SAWA28C1909A	-	-	-	-	SPAL41C2001A	0.19	-	12,000	-
S5001C1909I	0.02	-	9,500	-	SAWA28C1910A	0.22	0.02	8,940	-	SPRC01C1911A	0.23	0.12	235,884	-
S5001C1909J	0.17	0.06	725,894	-	SAWA28C2001A	0.39	0.02	44,660	-	SPRC01C1911B	0.04	0.02	6,985	-
S5001C1910A	0.29	0.06	999,964	-	SAWA28C2002A	0.61	0.04	8,960	-	SPRC11C1909A	-	-	-	-
S5001C1912F	1.04	0.14	3,890,492	-	SAWA41C1911A	0.57	0.06	15,292	-	SPRC41C2005A	0.11	0.04	28,456	-
S5001P1908A	0.33	(0.26)	223,69											



## Main Board Quotation

Issue Date :

Thursday August 29, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC41C1912A	0.17	0.10	21,770	-	THAN01C2001B	0.26	0.02	59,026	-	TOP28C1911A	0.33	0.15	31,640	-
SPRC41C2001A	0.05	0.04	750	-	THAN06C1910A	0.34	0.02	40,799	-	TOP41C1909A	0.24	0.18	42,156	-
STA01C1908A	0.01	-	5,812	-	THAN13C1909A	-	-	-	-	TOP41C1910A	0.09	0.01	21	-
STA01C1908B	-	-	-	-	THAN13C1912A	0.22	0.02	46,060	-	TOP41C1910B	0.10	0.03	21	-
STA01C1912A	0.18	0.03	203,182	-	THAN19C1908A	0.02	(0.01)	7,000	-	TOP41C2002A	0.56	0.20	101,300	-
STA01C1912B	0.09	0.01	38,584	-	THAN19C2001A	0.19	0.01	51,697	-	TOP41C2002B	-	-	-	-
STA01P1912A	0.38	(0.06)	123,862	-	THAN24C2001A	0.36	0.01	4,330	-	TOP41P1910A	-	-	-	-
STA06C1911A	0.12	0.02	16,810	-	THAN27C1910A	0.37	0.02	36,746	-	TOP42C1911A	-	-	-	-
STA08C1908A	0.01	-	100	-	TISC01C1908A	1.74	0.07	5,837	1.00	TPI19C1911A	-	-	-	-
STA11C1909A	-	-	-	-	TISC01C1908B	1.11	0.15	13,492	1.00	TPIPI1C1909A	-	-	-	-
STA11C2005A	0.25	0.02	22,560	-	TISC01C2001A	1.27	0.08	67,755	1.00	TPIPI3C1908A	-	-	-	-
STA13C1908A	-	-	-	-	TISC01C2001B	0.90	0.08	208,866	-	TRUE01C1911A	0.46	0.02	160,839	-
STA13C1912A	0.06	0.01	19,620	-	TISC01P1908A	0.01	-	32,200	-	TRUE01C1911B	0.37	0.03	268,872	-
STA13C2001A	0.24	0.03	128,883	-	TISC01P2001A	0.43	(0.05)	32,440	-	TRUE01C2002A	0.29	0.02	130,294	-
STA19C1909A	-	-	-	-	TISC08C2001A	0.69	0.01	7,000	-	TRUE01C2002B	0.17	0.02	254,715	-
STA19C2001A	0.09	0.01	5,050	-	TISC08C2002A	0.32	0.01	23,956	-	TRUE01P1911A	0.14	-	82,696	-
STA23C1911A	0.10	0.02	7,503	-	TISC11C1910A	1.24	0.04	8,030	1.00	TRUE01P1911B	0.05	(0.01)	4,671	-
STA24C1909A	0.01	-	900	-	TISC11C2005A	0.40	0.02	24,000	-	TRUE01P2002A	0.72	(0.01)	55,256	-
STA24C1911A	0.10	0.02	14,520	-	TISC13C1908A	-	-	-	-	TRUE01P2002B	0.49	(0.02)	85,132	-
STA27C1911A	-	-	-	-	TISC13C1912A	-	-	-	-	TRUE06C1911A	0.44	0.01	14,990	-
STA41C1910A	-	-	-	-	TISC13C2001A	0.28	0.03	38,679	-	TRUE08C2001A	0.20	-	17,451	-
STA41C1912A	0.14	0.02	600	-	TISC16C2001A	1.06	0.06	66,466	1.00	TRUE08P1911A	0.11	(0.01)	5,000	-
STA42C1911A	0.11	0.02	1,000	-	TISC19C1908A	-	-	-	-	TRUE11C1911A	0.88	0.03	11,050	-
STA42C2001A	0.26	0.05	1,170	-	TISC19C1912A	0.27	0.01	31,090	-	TRUE11C2005A	0.30	(0.01)	42,500	-
STEC01C1911A	0.03	-	52,948	-	TISC24C1908A	-	-	-	-	TRUE11P2002A	0.21	(0.02)	31,002	-
STEC01C1911B	0.02	0.01	1,896	-	TISC41C1911A	0.86	(0.24)	2	-	TRUE13C1911A	-	-	-	-
STEC01P1911A	0.60	(0.08)	85,221	-	TISC41C2001A	0.32	-	14,880	-	TRUE13C1912A	-	-	-	-
STEC06C1908A	-	-	-	-	TISC42C1910A	0.80	0.07	3,840	-	TRUE13C1912B	0.21	0.01	261,298	-
STEC06C1912A	0.02	0.01	1	-	TKN01C1909A	0.12	(0.01)	84,391	-	TRUE13P1909A	0.01	-	10,070	-
STEC08C1908A	-	-	-	-	TKN01C1909B	0.02	(0.01)	15,439	-	TRUE16C1912A	0.40	0.01	91,532	-
STEC08C2001A	0.05	0.01	1,001	-	TKN01C1911A	0.70	-	16,586	-	TRUE16C2002A	0.29	0.02	88,450	-
STEC11C2001A	0.15	0.04	151,625	-	TKN06C1909A	0.07	(0.01)	35,200	-	TRUE19C1910A	0.21	0.02	28,113	-
STEC13C1909A	-	-	-	-	TKN08C1908A	0.01	-	19,973	-	TRUE19P1908A	-	-	-	-
STEC16C1911A	0.02	0.01	29,384	-	TKN13C1909A	0.14	(0.01)	8,000	-	TRUE19P1911A	0.04	(0.01)	90	-
STEC16C1911B	0.06	0.02	11,004	-	TKN13C1911A	0.60	(0.09)	6,012	-	TRUE28C1911A	-	-	-	-
STEC19C1908A	-	-	-	-	TKN13C1912A	0.21	(0.01)	310,161	-	TRUE28C1911B	-	-	-	-
STEC19C1910A	0.02	0.01	100	-	TKN16C2001A	0.59	(0.01)	23,185	-	TRUE28C2001A	0.24	0.01	13,473	-
STEC19C2002A	0.28	0.06	104,924	-	TKN19C1910A	0.22	(0.01)	27,520	-	TRUE41C1909A	-	-	-	-
STEC19P1911A	0.54	(0.14)	25,332	-	TKN19C2001A	0.21	-	39,880	-	TRUE41C1910A	-	-	-	-
STEC24C1911A	-	-	-	-	TKN23C1911A	-	-	-	-	TRUE41C1910B	-	-	-	-
STEC27C1908A	-	-	-	-	TKN24C1908A	-	-	-	-	TRUE41C1911A	-	-	-	-
STEC27C2002A	0.03	-	200	-	TKN28C1910A	0.09	-	8,144	-	TRUE41C2001A	0.20	0.01	41,540	-
STEC27P1910A	0.28	(0.12)	42,928	-	TKN28C1911A	-	-	-	-	TRUE41C2001B	-	-	-	-
STEC28C2002A	0.32	0.07	135,343	-	TKN41C1912A	0.61	(0.05)	5,000	-	TRUE41P1910A	-	-	-	-
STEC41C1910A	-	-	-	-	TKN41C2001A	0.30	-	75,170	-	TRUE41P1911A	-	-	-	-
STEC41C1912A	0.26	(0.74)	57,300	-	TKN42C1911A	-	-	-	-	TRUE41P2001A	0.25	(0.01)	10,000	-
STEC41C2001A	0.13	0.04	26,066	-	TMB01C1909A	0.01	(0.01)	124	-	TRUE42C1910A	0.27	0.01	2,000	-
STEC41P1911A	-	-	-	-	TMB08C1908A	0.01	-	1,000	-	TU01C2001A	0.32	-	71,028	-
STEC42C1910A	-	-	-	-	TMB13C1908A	-	-	-	-	TU01C2001B	0.19	-	84,100	-
STEC42C2001A	0.29	0.08	141,961	-	TMB19C1910A	-	-	-	-	TU01P2001A	0.58	-	45,780	-
SUPE19C1910A	0.03	-	2,251	-	TMB19C2001A	0.08	0.01	14,136	-	TU11C2003A	0.19	0.01	12,150	-
SUPE19C2002A	0.19	-	3,402	-	TMB24C1911A	0.03	0.01	2,527	-	TU13C1909A	0.03	(0.02)	95	-
TASCO1C1909A	0.78	(0.02)	16,320	-	TMB28C1911A	-	-	-	-	TU13C1912A	0.13	0.01	21,914	-
TASCO1C1909B	0.44	(0.04)	23,506	-	TMB28C1912A	-	-	-	-	TU19C1908A	-	-	-	-
TASCO1C1912A	0.47	(0.03)	43,558	-	TMB28C2002A	0.23	0.06	77,450	-	TU19C2001A	0.09	0.02	1,352	-
TASCO1C1912B	0.29	(0.01)	38,924	-	TMB41C1911A	-	-	-	-	TU19C2002A	0.26	(0.74)	6,522	-
TASCO1P1909A	0.03	-	3,970	-	TMB41C1912A	0.03	0.01	265	-	TU24C1909A	0.16	-	50	-
TASCO1P1912A	0.50	-	63,738	-	TMB41C2002A	0.21	0.04	50,220	-	TU41C1911A	-	-	-	-
TASCO6C1909A	0.51	(0.03)	835	-	TMB41P1911A	0.84	(0.18)	3,468	-	TU41C2001A	-	-	-	-
TASCO6P1909A	-	-	-	-	TMB41P2002A	0.41	(0.08)	1	-	TU41P1911A	0.22	-	545	-
TASCO8C1910A	0.46	(0.02)	12,120	-	TOA01C2001A	0.47	(0.04)	10,324	-	TU41P2001A	-	-	-	-
TASC11C2002A	0.82	-	6,000	-	TOA01C2001B	0.34	(0.03)	8,194	-	TVO11C2001A	0.14	-	4,468	-
TASC13C1911A	0.47	(0.02)	76,500	-	TOA01P2001A	0.33	0.01	32,363	-	TVO19C1911A	0.12	(0.01)	17,733	-
TASC16C2001A	0.38	(0.03)	39,042	-	TOA11C1911A	0.33	(0.02)	3,240	-	UV13C1908A	-	-	-	-
TASC19C1910A	0.18	(0.03)	62,137	-	TOA13C1909A	0.47	(0.06)	8,869	-	VG123C1911A	1.78	(0.01)	1,023	1.00
TASC19P1911A	0.14	-	7,729	-	TOA16C2001A	0.40	(0.02)	23,764	-	WHA01C1911A	0.78	(0.01)	49,615	-
TASC24C1908A	-	-	-	-	TOA19C1910A	0.53	(0.05)	3,000	-	WHA01C1911B	0.53	0.01	28,421	-
TASC24C2001A	0.37	-	8,164	-	TOA19C1911A	0.24	(0.04)	1,800	-	WHA01P1911A	0.33	-	29,053	-
TASC28C1910A	-	-	-	-	TOA24C1911A	-	-	-	-	WHA06C1908A	-	-	-	-
TASC28C1912A	0.25	(0.02)	5,090	-	TOP01C1910A	0.32	0.15	383,297	-	WHA08C1908A	0.17	(0.04)	100	-
TASC28C2001A	0.42	(0.04)	18,360	-	TOP01C1910B	0.33	0.19	341,518	-	WHA08C2002A	0.49	(0.01)	47,239	-
TASC41C1909A	-	-	-	-	TOP01C1912A	0.67	0.22	243,502	-	WHA11C2001A	0.53	(0.01)	23,016	-
TASC41C1912A	0.36	(0.02)	18,000	-	TOP01C1912B	0.40	0.17	241,203	-	WHA13C1909A	0.51	(0.03)	260	-
TASC42C1910A	-	-	-	-	TOP01P1910A	0.42	(0.30)	311,849	-	WHA13C1912A	0.50	-	314,802	-
TCAP01C2001A	0.35	-	5,227	-	TOP01P1912A	0.43	(0.22)	313,207	-	WHA16C1911A	0.61	-	48,546	-
TCAP01C2001B	0.21	-	3,948	-	TOP06C1908A	0.01	-	4,311	-	WHA19C1911A	0.26	0.01	103,613	-
TCAP01P2001A	0.58	-	7,440	-	TOP06C1911A	0.58	0.32	56,124	-	WHA24C1911A	0.26	0.01	8,616	-
TCAP11C1909A	-	-	-	-	TOP06P1912A	0.51	(0.40)	24,840	-	WHA24P1908A	-	-	-	-
TCAP13C1910A	0.08	-	13,971	-	TOP08C1911A	0.26	0.13	49,091	-	WHA27C1910A	0.40	(0.01)	7,200	-
TCAP19C1908A	-	-	-	-	TOP08P1912A	0.15	(0.11)	20,662	-	WHA28C1910A	0.43	(0.02)	2,240	-
TCAP19C2001A	-	-	-	-	TOP11C2002A	0.32	0.13	46,143	-	WHA28C1912A	0.32	(0.02)	23,406	-
TCAP24C2001A	0.21	(0.01)	101	-	TOP11P2002A	0.76	(0.23)	106,963	-	WHA41C1911A	0.41	0.01	16,060	-
TCAP41C1911A	0.13	(0.01)	1,050	-	TOP13C1909A	0.01	(0.02)	4,302	-	WHA41P1912A	0.32	(0.01)	11,860	-
THAI08C1911A	-	-	-	-	TOP13C1910A	0.27	0.15	108,706	-	WHA42C1911A	0.51	0.01	2,440	-
THAI11C2003A	0.08	0.01	1,000	-	TOP13C1911A	0.51	0.23	287,543	-	WHAU13C1910A	0.37	(0.03)	781	-
THAI13C1910A	-	-	-	-	TOP13P1909A	0.05	(0.17)	46,524	-	WHAU13C1912A	0.39	(0.03)	21,333	-
THAI13C1911A	0.22	0.04	19,478	-	TOP13P1911A	0.09	(0.08)	90,759	-	WHAU27C2002A	0.49	(0.03)	9,066	-
THAI13C1912A	-	-	-	-	TOP16C1911A	0.16	0.09	63,874	-	WORK01C1910A	0.39	0.02</		

Main Board Quotation

Issue Date :

Thursday August 29, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WORK24C1910A	0.19	(0.01)	2,050	-	WHA-W1	14.10	0.20	11,862	13.00					
WORK28C1911A	-	-	-	-	WIJK-W2	0.15	(0.01)	603	-					
Preferred/Foreign					WORK-W1	-	-	-	-					
BH-Q	-	-	-	-	ZMICO-W4	0.10	-	13,275	-					
CSC-Q	-	-	-	-	Preferred Shares									
JUTHA-Q	-	-	-	-	BH-P	-	-	-	-					
KTB-Q	-	-	-	-	CSC-P	-	-	-	-					
SCB-Q	-	-	-	-	JUTHA-P	-	-	-	-					
TCAP-Q	-	-	-	-	KTB-P	-	-	-	-					
TISCO-Q	-	-	-	-	SCB-P	-	-	-	-					
U-Q	-	-	-	-	TCAP-P	-	-	-	-					
Warrant					TISCO-P	-	-	-	-					
7UP-W4	0.25	0.01	993,289	-	U-P	3.12	(0.04)	22,483	3.00					
AJA-W1	0.02	-	5,120	-	Warrant (MAI)	-	-	-	-					
AKR-W1	0.17	0.01	131,508	-	BM-W1	0.16	-	2,320	-					
ALT-W1	0.50	0.01	1,260	-	BROOK-W5	0.24	-	18,567	-					
APEX-W1	0.02	(0.01)	300	-	CHEWA-W1	0.01	-	200	-					
APURE-W2	0.12	-	3,592	-	CHO-W2	0.17	0.01	8,692	-					
AS-W1	0.07	-	200	-	DOD-W1	2.30	(0.06)	58,493	2.00					
AYUD-W1	3.60	0.10	2,906	3.00	ECF-W3	1.00	0.03	11,711	1.00					
B-W3	0.01	-	490	-	EFORL-W3	-	-	-	-					
B-W4	0.10	0.01	95,873	-	EFORL-W4	-	-	-	-					
B52-W1	-	-	-	-	FVC-W2	0.22	-	11,081	-					
B52-W2	-	-	-	-	HPT-W1	0.32	0.01	3,591	-					
BKD-W2	0.14	-	30,956	-	ITEL-W1	0.51	-	4,364	-					
BTS-W4	2.94	(0.10)	370,747	2.00	JKN-W1	1.67	0.01	430	1.00					
CGD-W4	0.14	-	1,431	-	LIT-W1	1.36	0.02	8,667	1.00					
CGH-W3	0.04	0.01	67,563	-	META-W4	0.19	0.01	298,149	-					
CI-W1	0.09	(0.01)	2,764	-	NCL-W3	0.08	0.01	3,525	-					
CKP-W1	1.14	0.07	722,285	1.00	NEWS-W6	-	-	-	-					
CRANE-W1	1.91	0.01	17,660	1.00	OCEAN-W3	0.48	-	26,070	-					
DCC-W1	0.68	0.03	66,045	-	PORT-W1	0.84	0.01	18,381	-					
EARTH-W4	-	-	-	-	PRIME-W1	-	-	-	-					
ECL-W3	0.49	0.01	70,281	-	PRIME-W2	-	-	-	-					
EIC-W2	-	-	-	-	PROUD-W2	0.49	(0.02)	860	-					
EIC-W3	-	-	-	-	SANKO-W1	0.19	-	33	-					
EMC-W6	0.14	-	7,560	-	SIMAT-W2	0.21	(0.01)	9,027	-					
EPCO-W3	0.79	(0.01)	57,694	-	SIMAT-W3	0.22	-	1,910	-					
GJS-W3	-	-	-	-	SIMAT-W4	0.57	0.03	6	-					
GSTEEL-W1	-	-	-	-	STAR-W3	0.48	0.02	243,954	-					
GSTEEL-W2	-	-	-	-	SWC-W1	3.20	-	936	3.00					
IHL-W1	1.28	0.27	162,692	1.00	TAKUNI-W	0.09	(0.01)	7,611	-					
J-W1	0.54	0.02	65,483	-	TVD-W2	0.40	(0.01)	922	-					
JAS-W3	3.52	(0.02)	17,498	3.00	UAC-W2	0.49	0.01	2,969	-					
JCK-W5	0.22	0.01	212	-	UKEM-W2	0.43	(0.01)	1,941	-					
JMT-W2	3.26	0.06	2,500	3.00	Preferred Shares									
MACO-W2	0.24	-	128,962	-	SGF-P1	-	-	-	-					
MILL-W3	-	-	-	-										
MILL-W4	0.07	-	531	-										
MILL-W5	0.03	-	2,891	-										
MINT-W6	4.06	0.06	11,772	4.00										
MONO-W1	0.02	(0.01)	13,412	-										
NEP-W3	-	-	-	-										
NFC-W1	1.82	0.08	19,813	1.00										
NOK-W1	0.13	(0.02)	259	-										
NPPG-W4	0.49	(0.01)	12,532	-										
NUSA-W3	0.16	0.01	5,881	-										
NVD-W1	0.14	0.01	38,046	-										
ORI-W1	0.83	0.04	161,585	-										
PACE-W2	-	-	-	-										
PDI-W1	0.88	0.04	24,196	-										
PDJ-W3	0.53	-	21	-										
PDJ-W4	0.50	(0.04)	18	-										
PERM-W1	0.32	0.02	120,721	-										
RICHY-W2	0.07	-	3,760	-										
RS-W3	5.30	0.10	10,573	5.00										
SAMART-W2	0.71	0.04	66,933	-										
SAWAD-W1	7.35	0.20	235	7.00										
SDC-W1	0.14	-	1,420	-										
SINGER-W1	2.70	0.16	4,174	2.00										
SINGER-W2	1.99	0.07	19,533	1.00										
SMT-W2	0.29	-	3,653	-										
SPORT-W7	-	-	-	-										
SST-W2	1.39	0.03	12,951	1.00										
SUPER-W4	0.05	-	30,945	-										
SVI-W3	1.14	0.24	113,393	1.00										
TCC-W3	0.08	-	1,121	-										
TCC-W4	0.08	-	803	-										
TCC-W5	0.18	(0.01)	109	-										
TCJ-W2	0.41	-	4,111	-										
TCMC-W2	0.09	0.01	86,665	-										
TFG-W2	0.87	-	26,276	-										
TGPRO-W3	0.01	-	100	-										
TH-W2	0.16	-	52	-										
THE-W2	0.02	-	225	-										
TNITY-W1	0.42	0.01	2,037	-										
TRITN-W3	0.16	(0.01)	53,637	-										
TTCL-W1	0.85	0.03	9,372	-										
TWZ-W5	0.01	-	2,380	-										
U-W1	-	-	-	-										
U-W4	0.01	-	3,738	-										
VGI-W2	1.59	0.01	841,228	1.00										
VIBHA-W2	1.08	0.02	346	1.00										
VIBHA-W3	0.26	0.01	41,403	-										
WAVE-W1	0.32	-	3,859	-										