















## Main Board Quotation

Issue Date :

Tuesday September 03, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT41P1912A	0.22	(0.05)	17,762	-	PTG28C1911A	-	-	-	-	PTTG08P1912A	0.70	0.06	5,902	-



## Main Board Quotation

Issue Date :

Tuesday September 03, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG11C1909A	-	-	-	-	S5006P1909C	0.35	0.07	350,963	-	SCB01P2002B	1.11	0.10	68,051	1.00
PTTG11C2004A	-	-	-	-	S5006P1909D	1.54	0.26	129,572	1.00	SCB06C1912A	0.06	(0.03)	19,900	-
PTTG13C1911A	-	-	-	-	S5008C1909A	0.01	(0.01)	11,290	-	SCB08C1908A	-	-	-	-
PTTG13C1912A	0.13	(0.02)	1,405	-	S5008C1909B	0.01	-	10	-	SCB08C2002A	0.29	(0.08)	18,832	-
PTTG13C2001A	0.37	(0.04)	5,229	-	S5008P1909A	0.11	0.02	75,665	-	SCB11C1910A	0.05	0.02	1	-
PTTG13P1909A	-	-	-	-	S5008P1909B	0.71	0.16	9,271	-	SCB11C2005A	0.22	(0.04)	29,082	-
PTTG13P1910A	-	-	-	-	S5013C1909A	0.15	(0.07)	12,038,735	-	SCB11P1910A	0.23	0.05	54,172	-
PTTG13P2001A	0.37	0.03	60,928	-	S5013C1909B	0.09	(0.04)	1,592,477	-	SCB11P2005A	1.09	0.11	34,412	1.00
PTTG16C2001A	0.06	(0.01)	6,001	-	S5013C1909C	0.03	(0.01)	229,363	-	SCB13C1911A	0.15	(0.05)	109,348	-
PTTG19C1910A	-	-	-	-	S5013C1909D	0.01	(0.01)	16,815	-	SCB13C2001A	0.32	(0.05)	212,752	-
PTTG19C2001A	-	-	-	-	S5013C1909E	0.14	(0.05)	5,507,663	-	SCB16C2001A	0.14	(0.02)	28,924	-
PTTG19C2002A	-	-	-	-	S5013C1909F	0.08	(0.04)	1,280,208	-	SCB19C1910A	-	-	-	-
PTTG19P1910A	0.48	0.04	20,886	-	S5013C1912A	0.79	(0.09)	8,572,242	-	SCB19C2002A	0.28	(0.05)	46,760	-
PTTG23C1908A	-	-	-	-	S5013C1912B	0.91	(0.09)	3,572,452	-	SCB19P1911A	0.15	0.02	15,950	-
PTTG24C1911A	0.08	-	400	-	S5013P1909A	0.09	0.02	4,237,093	-	SCB24C1910A	0.04	(0.01)	12,250	-
PTTG27C2001A	0.14	(0.02)	12,600	-	S5013P1909B	0.31	0.06	7,231,118	-	SCB24C2001A	0.27	(0.06)	2,502	-
PTTG28C1911A	-	-	-	-	S5013P1909C	0.61	0.11	1,492,382	-	SCB24P1909A	0.23	0.08	2,201	-
PTTG28C2001A	0.11	(0.02)	1,010	-	S5013P1909D	1.14	0.18	5,160	1.00	SCB28C1911A	0.09	(0.04)	3,600	-
PTTG28C2002A	0.27	(0.04)	2,066	-	S5013P1909E	1.44	0.16	129	1.00	SCB28C2001A	0.08	-	15	-
PTTG41C1909A	0.01	-	3	-	S5013P1909F	1.33	0.10	1,350	1.00	SCB28C2003A	0.27	(0.05)	32,733	-
PTTG41C1911A	-	-	-	-	S5013P1912A	0.69	0.05	5,325,396	-	SCB28P1909A	-	-	-	-
PTTG41C1911B	0.07	(0.93)	235	-	S5013P1912B	0.67	0.05	5,375,374	-	SCB28P1912A	0.35	0.05	12,952	-
PTTG41C2001A	0.26	(0.05)	6,000	-	S5016C1912A	0.65	(0.10)	449,693	-	SCB41C1910A	-	-	-	-
PTTG41P1912A	-	-	-	-	S5016P1912A	0.92	0.08	500,763	-	SCB41C2001A	0.28	(0.06)	16,000	-
PTTG41P2001A	-	-	-	-	S5024C1909A	0.04	(0.02)	38,632	-	SCB41P1912A	-	-	-	-
PTTG42C1910A	-	-	-	-	S5024C1909B	0.30	(0.09)	58,813	-	SCB42C1911A	0.06	(0.05)	280	-
PTTG42C2003A	0.31	(0.02)	1	-	S5024C1909C	-	-	-	-	SCB42C2003A	0.30	(0.08)	21,535	-
QH01C1908A	-	-	-	-	S5024C1912A	1.27	(0.13)	83,000	1.00	SCC01C2001A	0.29	(0.03)	28,092	-
QH01C1908B	-	-	-	-	S5024C1912B	0.70	(0.10)	29,853	-	SCC01C2001B	0.12	(0.02)	18,704	-
QH01C2001A	0.35	(0.01)	34,945	-	S5024P1909A	1.00	0.18	76,405	-	SCC01P2001A	0.67	0.02	40,641	-
QH01C2001B	0.23	(0.01)	17,730	-	S5024P1909B	1.00	0.12	19,769	-	SCC07C1909A	-	-	-	-
QH01P1908A	-	-	-	-	S5024P1909C	2.34	0.26	10,799	2.00	SCC08C1908A	-	-	-	-
QH01P2001A	0.42	0.01	6,616	-	S5024P1912A	0.58	0.06	32,797	-	SCC11C2003A	0.13	(0.01)	361	-
QH11C1910A	0.14	(0.01)	8,000	-	S5028C1908A	-	-	-	-	SCC13C1908A	-	-	-	-
QH13C1909A	0.08	(0.01)	14,572	-	S5028C1909A	0.03	(0.01)	5,727	-	SCC13C1911A	0.06	(0.01)	3,010	-
QH19C1909A	-	-	-	-	S5028C1910A	0.68	(0.10)	486,216	-	SCC13C2001A	0.22	(0.04)	15,905	-
QH24C1908A	-	-	-	-	S5028C1912A	0.07	-	7,890	-	SCC13P1911A	-	-	-	-
RATC13C1911A	0.85	0.17	372,658	-	S5028C1912B	0.16	(0.02)	156,402	-	SCC13P2001A	0.36	0.02	8,771	-
RATC16C2001A	0.78	0.17	188,135	-	S5028C1912C	0.33	(0.05)	308,665	-	SCC16C2002A	0.11	(0.01)	6,000	-
RATC19C1908A	-	-	-	-	S5028P1908A	-	-	-	-	SCC19C1911A	-	-	-	-
RATC19C1910A	0.41	0.15	100,104	-	S5028P1909A	0.76	0.03	65	-	SCC19C2002A	0.24	(0.04)	2,745	-
RATC24C2001A	0.73	0.19	2,031	-	S5028P1910A	0.38	0.04	267,380	-	SCC19P1911A	0.17	(0.04)	15,015	-
RATC41C1911A	0.48	0.13	40,934	-	S5028P1912A	0.58	0.05	436,546	-	SCC24C1910A	-	-	-	-
ROBI01C1909A	0.37	-	21,274	-	S5028P1912B	0.20	0.02	267,858	-	SCC24C1912A	0.19	(0.01)	100	-
ROBI01C1909B	-	-	-	-	S5041C1909A	0.75	(0.17)	127,985	-	SCC24P1909A	-	-	-	-
ROBI01C1912A	0.78	-	8,196	-	S5041C1909B	0.43	(0.12)	98,433	-	SCC24P1910A	-	-	-	-
ROBI01C1912B	0.55	-	9,296	-	S5041C1909C	0.03	(0.02)	450	-	SCC27C2001A	-	-	-	-
ROBI06C1910A	0.37	(0.03)	1,000	-	S5041C1909D	-	-	-	-	SCC28C1910A	-	-	-	-
ROBI08C2001A	0.62	(0.01)	1,000	-	S5041C1909F	0.19	(0.10)	1,417,294	-	SCC28C2001A	0.09	(0.02)	5,093	-
ROBI11C2003A	0.58	(0.01)	5,000	-	S5041C1909G	0.12	(0.03)	50	-	SCC28C2002A	0.15	(0.03)	2,013	-
ROBI13C1912A	0.55	(0.01)	39,594	-	S5041C1912A	0.21	(0.03)	6,972	-	SCC41C1908A	-	-	-	-
ROBI19C1910A	0.29	(0.01)	5,758	-	S5041C1912B	0.87	(0.12)	2,071,350	-	SCC41C1908B	-	-	-	-
ROBI23C1909A	0.20	(0.01)	5,502	-	S5041C1912C	-	-	-	-	SCC41C2001A	-	-	-	-
ROBI24C1909A	-	-	-	-	S5041C1912D	-	-	-	-	SCC41P2001A	-	-	-	-
ROBI24C1912A	-	-	-	-	S5041P1909A	0.42	0.08	1,944,972	-	SCC42C1911A	-	-	-	-
ROBI41C1912A	-	-	-	-	S5041P1909B	0.19	0.04	25,732	-	SCC42C2002A	0.21	(0.03)	307	-
ROBI41C2001A	0.76	(0.01)	11,000	-	S5041P1909C	-	-	-	-	SGP11C1911A	0.06	-	11,652	-
ROBI41P2001A	-	-	-	-	S5041P1909D	1.00	0.20	1,001	1.00	SGP13C1908A	-	-	-	-
RS06C2001A	0.46	(0.04)	8,140	-	S5041P1909F	0.49	0.06	1,675	-	SGP13C1912A	0.05	0.01	5,490	-
RS08C1911A	0.16	(0.03)	13,400	-	S5041P1909G	0.25	0.04	36,802	-	SGP13C2001A	0.32	(0.01)	12,457	-
RS08C2001A	0.33	(0.04)	70,124	-	S5041P1912A	0.66	0.09	18,773	-	SGP19C1910A	0.01	-	420	-
RS11C1911A	0.31	(0.03)	26,000	-	S5041P1912B	0.65	0.07	2,774,976	-	SGP19C2001A	-	-	-	-
RS13C1909A	-	-	-	-	S5041P1912C	0.80	(0.26)	2	-	SGP19C2002A	0.36	0.01	2,538	-
RS13C1912A	0.32	(0.04)	177,625	-	S5041P1912D	0.55	(0.45)	1,572	-	SGP23C1908A	-	-	-	-
RS16C2001A	0.33	(0.04)	73,942	-	SAWA01C1911A	0.61	(0.03)	61,544	-	SGP24C1910A	-	-	-	-
RS19C1908A	-	-	-	-	SAWA01C1911B	0.30	(0.03)	58,971	-	SGP41C2001A	-	-	-	-
RS19C1911A	0.15	(0.02)	23,325	-	SAWA01P1911A	0.38	0.01	95,481	-	SGP42C1911A	0.12	(0.01)	79	-
RS19C2002A	0.32	(0.68)	36,536	-	SAWA06C1908A	-	-	-	-	SGP42C2001A	-	-	-	-
RS23C1909A	-	-	-	-	SAWA08C1908A	-	-	-	-	SIRI11C1911A	0.16	(0.03)	24,000	-
RS24C1910A	0.08	(0.04)	2,680	-	SAWA08C2001A	0.49	(0.03)	23,602	-	SIRI19C1910A	-	-	-	-
RS41C1912A	0.30	(0.04)	500	-	SAWA11C2003A	0.73	(0.02)	51,513	-	SIRI19C2002A	0.16	(0.02)	17,484	-
RS42C1911A	0.32	(0.04)	25,982	-	SAWA13C1911A	0.41	(0.02)	57,614	-	SIRI24C1911A	-	-	-	-
S10001C1911A	0.45	(0.05)	1,401	-	SAWA16C2001A	0.60	(0.03)	82,838	-	SPALO1C1911A	0.14	(0.01)	131,321	-
S5001C1908A	-	-	-	-	SAWA19C1908A	-	-	-	-	SPALO1C1911B	-	-	-	-
S5001C1909F	0.26	(0.09)	2,749,223	-	SAWA19C1912A	0.24	(0.01)	22,378	-	SPAL11C1910A	0.15	(0.01)	18,188	-
S5001C1909G	0.12	(0.06)	1,800,656	-	SAWA19C2002A	0.49	(0.51)	2,453	-	SPAL13C1909A	-	-	-	-
S5001C1909H	0.03	(0.01)	12,957	-	SAWA23C1911A	0.48	(0.02)	25,000	-	SPAL13C2001A	0.25	-	21,289	-
S5001C1909I	0.01	(0.01)	226,719	-	SAWA24C1910A	-	-	-	-	SPAL16C2002A	0.19	-	20,432	-
S5001C1909J	0.18	(0.06)	1,000,041	-	SAWA24C1912A	0.40	(0.02)	72	-	SPAL19C1910A	-	-	-	-
S5001C1910A	0.29	(0.06)	1,246,850	-	SAWA27C1910A	0.55	(0.03)	3,922	-	SPAL19C2002A	0.24	(0.01)	23,267	-
S5001C1912F	1.03	(0.12)	3,652,086	1.00	SAWA28C1909A	-	-	-	-	SPAL24C1912A	-	-	-	-
S5001P1908A	-	-	-	-	SAWA28C1910A	0.21	(0.02)	12,200	-	SPAL41C1912A	-	-	-	-
S5001P1909F	0.11	-	920,772	-	SAWA28C2001A	0.40	(0.01)	47,780	-	SPAL41C2001A	0.21	(0.01)	12,000	-
S5001P1909G	0.40	0.08	2,148,543	-	SAWA28C2002A	0.62	(0.02)	13,440	-	SPRC01C1911A	0.19	(0.02)	54,890	-
S5001P1909H	1.53	0.22	1,269,340	1.00	SAWA41C1911A	0.55	(0.04)	77,470	-	SPRC01C1911B	-	-	-	-
S5001P1909I	2.26	0.18	193,624	2.00	SAWA41P1911A	-	-	-	-	SPRC11C1909A	-	-	-	-
S5001P1909J	1.49	0.17	1,776,591	1.00	SAWA41P1912A	0.52	0.02	4,051	-	SPRC11C2005A				

## Main Board Quotation

Issue Date :

Tuesday September 03, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006C1909B	0.14	(0.08)	382,573	-	SCB01C2002A	0.32	(0.04)	35,171	-	SPRC13C2001A	0.30	(0.01)	176,707	-
S5006C1909C	0.45	(0.11)	429,269	-	SCB01C2002B	0.15	(0.04)	62,957	-	SPRC19C1910A	-	-	-	-
S5006C1909D	0.02	(0.01)	5	-	SCB01P1911A	0.86	0.09	66,237	-	SPRC19C2001A	0.14	-	10,907	-
S5006P1909A	0.22	0.05	402,527	-	SCB01P1911B	0.55	0.07	101,125	-	SPRC19C2002A	0.50	(0.06)	8,010	-
S5006P1909B	0.07	0.01	153,931	-	SCB01P2002A	1.39	0.10	42,935	1.00	SPRC24C1909A	-	-	-	-

## Main Board Quotation

Issue Date :

Tuesday September 03, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC41C1911A	-	-	-	-	THAN06C1910A	0.33	(0.01)	11,730	-	TOP41C1910A	0.07	(0.02)	4	-
SPRC41C1912A	-	-	-	-	THAN13C1909A	0.32	(0.02)	900	-	TOP41C1910B	0.08	(0.02)	4	-
SPRC41C2001A	0.05	-	10,000	-	THAN13C1912A	0.22	-	27,394	-	TOP41C2002A	0.54	0.03	150,200	-
STA01C1908A	-	-	-	-	THAN19C1908A	-	-	-	-	TOP41C2002B	-	-	-	-
STA01C1908B	-	-	-	-	THAN19C2001A	0.19	-	969	-	TOP41P1910A	-	-	-	-
STA01C1912A	0.24	0.02	134,312	-	THAN24C2001A	0.37	-	7,660	-	TOP42C1911A	-	-	-	-
STA01C1912B	0.12	0.01	142,476	-	THAN27C1910A	0.37	(0.01)	5,686	-	TP19C1911A	0.04	(0.01)	21,900	-
STA01P1912A	0.29	(0.03)	235,008	-	TISCO01C1908A	-	-	-	-	TP1P1C1909A	-	-	-	-
STA06C1911A	0.16	0.01	33,460	-	TISCO01C1908B	-	-	-	-	TRUE01C1911A	0.48	(0.01)	184,000	-
STA08C1908A	-	-	-	-	TISCO01C2001A	1.34	-	21,146	1.00	TRUE01C1911B	0.39	(0.02)	309,366	-
STA11C1909A	-	-	-	-	TISCO01C2001B	0.95	(0.01)	63,029	-	TRUE01C2002A	0.30	(0.02)	244,747	-
STA11C2005A	0.31	0.03	44,330	-	TISCO01P1908A	-	-	-	-	TRUE01C2002B	0.18	-	82,341	-
STA13C1912A	0.08	0.01	47,519	-	TISCO01P2001A	0.40	-	76,396	-	TRUE01P1911A	0.12	-	218,260	-
STA13C2001A	0.30	0.02	240,786	-	TISCO08C2001A	0.76	0.07	1,000	-	TRUE01P1911B	-	-	-	-
STA19C1909A	0.01	-	80	-	TISCO08C2002A	0.35	0.02	38,803	-	TRUE01P2002A	0.67	0.01	92,637	-
STA19C2001A	0.11	-	90,339	-	TISC11C1910A	-	-	-	-	TRUE01P2002B	0.46	0.01	137,722	-
STA23C1911A	0.14	0.02	15,711	-	TISC11C2005A	0.42	0.01	83,012	-	TRUE06C1911A	0.47	(0.02)	37,824	-
STA24C1909A	0.02	0.01	290	-	TISC13C1912A	0.96	(0.04)	6	-	TRUE08C2001A	0.22	(0.01)	64,228	-
STA24C1911A	0.13	0.01	2,647	-	TISC13C2001A	0.28	(0.01)	61,643	-	TRUE08P1911A	0.08	(0.01)	1,404	-
STA27C1911A	-	-	-	-	TISC16C2001A	1.10	(0.03)	31,400	1.00	TRUE11C1911A	0.92	(0.04)	24,150	-
STA41C1910A	0.03	-	3,000	-	TISC19C1908A	-	-	-	-	TRUE11C2005A	0.32	(0.01)	115,700	-
STA41C1912A	0.18	0.02	12,000	-	TISC19C1912A	0.29	(0.01)	534,250	-	TRUE11P2002A	0.19	(0.01)	60,077	-
STA42C1911A	-	-	-	-	TISC24C1908A	-	-	-	-	TRUE13C1911A	-	-	-	-
STA42C2001A	0.32	0.03	770	-	TISC41C1911A	-	-	-	-	TRUE13C1912A	0.41	(0.02)	11,673	-
STEC01C1911A	0.03	-	2,659	-	TISC41C2001A	0.35	-	36,000	-	TRUE13C1912B	0.22	(0.02)	732,522	-
STEC01C1911B	0.01	-	403	-	TISC42C1910A	0.87	(0.01)	4,200	-	TRUE13P1909A	-	-	-	-
STEC01P1911A	0.64	0.02	131,292	-	TKN01C1909A	0.12	(0.01)	92,214	-	TRUE16C1912A	0.41	(0.02)	113,093	-
STEC06C1912A	-	-	-	-	TKN01C1909B	0.03	0.01	3,410	-	TRUE16C2002A	0.33	0.01	66,764	-
STEC08C1908A	-	-	-	-	TKN01C1911A	0.68	(0.05)	32,111	-	TRUE19C1910A	0.22	(0.02)	55,415	-
STEC08C2001A	0.05	-	1,501	-	TKN06C1909A	0.03	(0.02)	34,442	-	TRUE19P1908A	-	-	-	-
STEC11C2001A	0.14	-	29,255	-	TKN08C1908A	-	-	-	-	TRUE19P1911A	-	-	-	-
STEC13C1909A	-	-	-	-	TKN13C1909A	0.08	(0.02)	961	-	TRUE28C1911A	0.34	0.03	150	-
STEC16C1911A	-	-	-	-	TKN13C1911A	0.61	(0.03)	1	-	TRUE28C1911B	-	-	-	-
STEC16C1911B	0.04	(0.02)	10,014	-	TKN13C1912A	0.21	(0.01)	90,203	-	TRUE28C2001A	0.25	(0.02)	70,962	-
STEC19C1908A	-	-	-	-	TKN16C2001A	0.58	(0.04)	46,189	-	TRUE41C1909A	-	-	-	-
STEC19C1910A	0.01	(0.01)	3,700	-	TKN19C1910A	0.21	(0.03)	16,267	-	TRUE41C1910A	-	-	-	-
STEC19C2002A	0.24	(0.01)	91,448	-	TKN19C2001A	0.21	(0.01)	21,316	-	TRUE41C1910B	-	-	-	-
STEC19P1911A	0.58	0.01	24,740	-	TKN23C1911A	-	-	-	-	TRUE41C1911A	0.34	0.04	12,000	-
STEC24C1911A	-	-	-	-	TKN24C1908A	-	-	-	-	TRUE41C2001A	0.21	(0.01)	24,000	-
STEC27C2002A	-	-	-	-	TKN28C1910A	0.08	(0.01)	6,662	-	TRUE41C2001B	-	-	-	-
STEC27P1910A	0.29	-	24,562	-	TKN28C1911A	0.62	-	1	-	TRUE41P1910A	-	-	-	-
STEC28C2002A	0.28	-	71,533	-	TKN28C2002A	0.20	-	29,519	-	TRUE41P1911A	-	-	-	-
STEC41C1910A	-	-	-	-	TKN41C1912A	0.61	(0.01)	2,050	-	TRUE41P2001A	0.22	(0.03)	20,002	-
STEC41C1912A	0.24	(0.01)	2,560	-	TKN41C2001A	0.30	-	120,890	-	TRUE42C1910A	0.29	(0.03)	12,612	-
STEC41C2001A	0.11	(0.01)	5,700	-	TKN42C1911A	-	-	-	-	TU01C2001A	0.30	(0.01)	26,695	-
STEC41P1911A	-	-	-	-	TMB01C1909A	-	-	-	-	TU01C2001B	0.17	(0.01)	40,151	-
STEC41P2001A	0.37	(0.63)	5	-	TMB08C1908A	-	-	-	-	TU01P2001A	0.60	0.01	22,866	-
STEC42C1910A	-	-	-	-	TMB19C1910A	-	-	-	-	TU11C2003A	0.17	-	13,500	-
STEC42C2001A	0.24	(0.01)	107,749	-	TMB19C2001A	0.08	(0.01)	12,512	-	TU13C1909A	-	-	-	-
SUPE19C1910A	0.03	-	27,432	-	TMB24C1911A	-	-	-	-	TU13C1912A	0.10	(0.02)	2,644	-
SUPE19C2002A	0.21	-	49,846	-	TMB28C1911A	-	-	-	-	TU19C1908A	-	-	-	-
TASCO1C1909A	0.87	(0.02)	37,967	-	TMB28C1912A	-	-	-	-	TU19C2001A	0.08	(0.01)	9,700	-
TASCO1C1909B	0.53	(0.01)	22,298	-	TMB28C2002A	0.23	(0.02)	11,654	-	TU19C2002A	0.24	(0.01)	1,100	-
TASCO1C1912A	0.52	(0.02)	75,916	-	TMB41C1911A	0.02	-	1	-	TU24C1909A	-	-	-	-
TASCO1C1912B	0.32	(0.02)	71,005	-	TMB41C1912A	-	-	-	-	TU41C1911A	-	-	-	-
TASCO1P1909A	0.01	(0.01)	1,174	-	TMB41C2002A	-	-	-	-	TU41C2001A	-	-	-	-
TASCO1P1912A	0.45	0.01	49,983	-	TMB41P1911A	-	-	-	-	TU41P1911A	0.23	0.01	1	-
TASCO6C1909A	0.64	(0.06)	18,984	-	TMB41P2002A	-	-	-	-	TU41P2001A	-	-	-	-
TASCO6P1909A	0.01	-	10,154	-	TOA01C2001A	0.45	(0.01)	19,803	-	TVO11C2001A	0.13	(0.01)	4,948	-
TASCO8C1910A	0.55	-	16,800	-	TOA01C2001B	0.31	(0.03)	25,123	-	TVO19C1911A	0.12	-	1,421	-
TASCO11C2002A	0.90	(0.01)	10,000	-	TOA01P2001A	0.34	-	24,744	-	VGI23C1911A	1.75	-	140	1.00
TASC13C1911A	0.50	(0.04)	124,421	-	TOA11C1911A	0.29	(0.03)	6,510	-	WHA01C1911A	0.87	0.02	46,183	-
TASC16C2001A	0.46	-	54,124	-	TOA13C1909A	0.42	(0.04)	13,047	-	WHA01C1911B	0.60	0.02	192,573	-
TASC19C1910A	0.21	(0.02)	24,328	-	TOA16C2001A	0.37	(0.03)	145,512	-	WHA01P1911A	0.29	(0.01)	159,245	-
TASC19P1911A	0.11	-	13,331	-	TOA19C1910A	0.46	(0.06)	1,200	-	WHA06C1908A	-	-	-	-
TASC24C1908A	-	-	-	-	TOA19C1911A	0.21	(0.01)	7,877	-	WHA08C1908A	-	-	-	-
TASC24C2001A	0.42	-	2,704	-	TOA24C1911A	0.47	0.02	10	-	WHA08C2002A	0.53	0.01	17,422	-
TASC28C1910A	0.46	(0.04)	3	-	TOP01C1910A	0.27	-	172,384	-	WHA11C2001A	0.58	0.01	25,411	-
TASC28C1912A	0.28	-	11,707	-	TOP01C1910B	0.24	-	243,040	-	WHA13C1909A	0.58	-	2,121	-
TASC28C2001A	0.47	(0.03)	99,906	-	TOP01C1912A	0.61	-	124,950	-	WHA13C1912A	0.54	0.01	142,133	-
TASC41C1909A	0.28	(0.03)	43	-	TOP01C1912B	0.37	0.02	107,197	-	WHA16C1911A	0.67	0.01	43,333	-
TASC41C1912A	0.41	(0.02)	18,040	-	TOP01P1910A	0.45	(0.02)	137,784	-	WHA19C1911A	0.28	-	18,011	-
TASC42C1910A	0.36	(0.03)	404	-	TOP01P1912A	0.45	(0.01)	168,031	-	WHA24C1911A	0.28	0.01	15,687	-
TCAP01C2001A	0.46	(0.04)	57,747	-	TOP06C1908A	-	-	-	-	WHA24P1908A	-	-	-	-
TCAP01C2001B	0.29	(0.05)	82,723	-	TOP06C1911A	0.47	0.01	20,659	-	WHA27C1910A	0.44	-	5,000	-
TCAP01P2001A	0.45	0.04	71,750	-	TOP06P1912A	0.56	-	28,535	-	WHA28C1910A	0.48	(0.01)	270	-
TCAP11C1909A	-	-	-	-	TOP08C1911A	0.23	0.02	28,967	-	WHA28C1912A	0.36	-	1,853	-
TCAP13C1910A	0.13	(0.06)	97,156	-	TOP08P1912A	0.15	(0.01)	14,180	-	WHA41C1911A	0.44	-	1,000	-
TCAP19C1908A	-	-	-	-	TOP11C2002A	0.29	0.02	36,001	-	WHA41P1912A	0.29	-	60	-
TCAP19C2001A	0.21	(0.03)	21,988	-	TOP11P2002A	0.78	(0.01)	55,959	-	WHA42C1911A	-	-	-	-
TCAP24C2001A	0.32	(0.02)	1,002	-	TOP13C1909A	-	-	-	-	WHAU13C1910A	-	-	-	-
TCAP41C1911A	-	-	-	-	TOP13C1910A	0.21	-	34,025	-	WHAU13C1912A	0.47	-	86,545	-
THAI08C1911A	-	-	-	-	TOP13C1911A	0.43	(0.01)	92,576	-	WHAU27C2002A	0.56	(0.01)	15,533	-
THAI11C2003A	0.12	-	12,849	-	TOP13P1909A	0.03	-	8,092	-	WORK01C1910A	0.39	(0.03)	51,111	-
THAI13C1910A	0.02	-	1,000	-	TOP13P1911A	0.09	0.01	25,496	-	WORK01C1910B	0.02	-	10,112	-
THAI13C1911A	0.38	-	129,790	-	TOP16C1911A	0.14	0.01	68,424	-	WORK08C1912A	0.55	(0.03)	30,492	-
THAI13C1912A	0.15	0.01	7,610	-	TOP16C2001A	0.39	-	137,223	-	WORK13C1909A	0.01	(0.01)	14,567	-
THAI19C1910A	-	-	-	-	TOP19C1910A	0.13	-	9,538	-	WORK13C1911A	0.41	(0.02)	138,417	-

## Main Board Quotation

Issue Date :

Tuesday September 03, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAI19C1910B	0.08	(0.01)	5,690	-	TOP19C2002A	0.54	(0.01)	21,558	-	WORK19C1908A	-	-	-	-
THAI19C1911A	0.06	-	2,620	-	TOP19P1911A	0.03	-	40,000	-	WORK19C1910A	0.29	(0.02)	53,231	-
THAI19C2002A	0.53	0.01	27,502	-	TOP23C2001A	-	-	-	-	WORK23C1909A	-	-	-	-
THAI24C1911A	0.13	-	200	-	TOP24C1911A	0.51	0.02	1,447	-	WORK24C1910A	0.19	(0.01)	1,105	-
THAI42C1911A	0.30	-	13,503	-	TOP24P1910A	0.48	(0.02)	11,817	-	WORK28C1911A	0.51	(0.04)	250	-
THAN01C2001A	0.43	0.01	30,062	-	TOP28C1911A	0.30	0.03	26,530	-	Preferred/Foreign	-	-	-	-
THAN01C2001B	0.25	-	42,536	-	TOP41C1909A	-	-	-	-	BH-Q	-	-	-	-

## Main Board Quotation

Issue Date :

Tuesday September 03, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CSC-Q	-	-	-	-	BH-P	-	-	-	-					
JUTHA-Q	-	-	-	-	CSC-P	-	-	-	-					
KTB-Q	-	-	-	-	JUTHA-P	-	-	-	-					
SCB-Q	-	-	-	-	KTB-P	-	-	-	-					
TCAP-Q	-	-	-	-	SCB-P	-	-	-	-					
TISCO-Q	-	-	-	-	TCAP-P	-	-	-	-					
U-Q	-	-	-	-	TISCO-P	-	-	-	-					
Warrant					U-P	3.06	(0.06)	7,295	3.00					
7UP-W4	0.21	0.01	573,629	-	Warrant (MAI)	-	-	-	-					
AJA-W1	0.02	-	44,383	-	BM-W1	0.21	0.06	40,392	-					
AKR-W1	0.17	-	12,623	-	BROOK-W5	0.25	-	82,467	-					
ALT-W1	0.49	(0.05)	297	-	CHEWA-W1	0.02	-	19,672	-					
APEX-W1	-	-	-	-	CHO-W2	0.17	-	76,961	-					
APURE-W2	0.11	(0.01)	6,063	-	DOD-W1	2.54	0.02	40,658	2.00					
AS-W1	0.09	0.03	1,142	-	ECF-W3	0.99	-	132	-					
AYUD-W1	3.58	(0.06)	4,971	3.00	EFORL-W3	-	-	-	-					
B-W3	-	-	-	-	EFORL-W4	-	-	-	-					
B-W4	0.08	(0.01)	21,080	-	FVC-W2	0.22	(0.01)	1,065	-					
B52-W1	-	-	-	-	HPT-W1	0.29	(0.02)	3,471	-					
B52-W2	0.01	-	100	-	ITEL-W1	0.49	(0.02)	3,523	-					
BKD-W2	0.15	-	17,981	-	JKN-W1	1.82	0.04	58,407	1.00					
BTS-W4	3.06	0.10	978,200	3.00	LIT-W1	1.30	(0.06)	5,391	1.00					
CGD-W4	0.12	(0.02)	33,783	-	META-W4	0.15	(0.01)	86,747	-					
CGH-W3	0.04	-	24,643	-	NCL-W3	0.07	-	7,198	-					
CI-W1	0.10	-	90	-	NEWS-W6	-	-	-	-					
CKP-W1	1.31	0.12	2,104,205	1.00	OCEAN-W3	0.47	-	156,748	-					
CRANE-W1	1.34	(0.51)	125,294	1.00	PORT-W1	0.81	(0.04)	27,796	-					
DCC-W1	0.69	-	66,772	-	PRIME-W1	-	-	-	-					
EARTH-W4	-	-	-	-	PRIME-W2	-	-	-	-					
ECL-W3	0.45	(0.03)	61,816	-	PROUD-W2	0.47	(0.02)	1	-					
EIC-W2	-	-	-	-	SANKO-W1	0.16	(0.01)	22,387	-					
EIC-W3	0.03	-	400	-	SIMAT-W2	0.19	(0.02)	4,866	-					
EMC-W6	0.14	-	151,088	-	SIMAT-W3	0.21	(0.01)	113	-					
EPCO-W3	0.86	0.08	182,987	-	SIMAT-W4	0.51	(0.05)	1,002	-					
GJS-W3	-	-	-	-	STAR-W3	0.39	(0.05)	32,680	-					
GSTEEL-W1	-	-	-	-	SWC-W1	3.00	(0.08)	1,331	3.00					
GSTEEL-W2	-	-	-	-	TAKUNI-W	0.10	0.01	21,457	-					
IHL-W1	1.01	(0.04)	29,983	1.00	TVD-W2	0.37	(0.01)	1,213	-					
J-W1	0.49	(0.03)	9,176	-	UAC-W2	0.53	0.02	35,037	-					
JAS-W3	3.52	(0.02)	24,081	3.00	UKEM-W2	0.40	(0.01)	324	-					
JCK-W5	0.21	0.01	1,050	-	Preferred Shares	-	-	-	-					
JMT-W2	3.16	(0.02)	2,192	3.00	SGF-P1	-	-	-	-					
MACO-W2	0.26	0.01	450,796	-		-	-	-	-					
MILL-W3	-	-	-	-		-	-	-	-					
MILL-W4	0.07	-	1,202	-		-	-	-	-					
MILL-W5	0.03	-	3,709	-		-	-	-	-					
MINT-W6	4.14	(0.10)	30,967	4.00		-	-	-	-					
MONO-W1	0.03	0.01	33,308	-		-	-	-	-					
NEP-W3	-	-	-	-		-	-	-	-					
NFC-W1	1.75	(0.01)	2,005	1.00		-	-	-	-					
NOK-W1	0.15	0.01	1,716	-		-	-	-	-					
NPPG-W4	0.46	-	166,161	-		-	-	-	-					
NUSA-W3	0.15	(0.01)	4,656	-		-	-	-	-					
NVD-W1	0.14	-	12,169	-		-	-	-	-					
ORI-W1	0.84	(0.03)	57,498	-		-	-	-	-					
PACE-W2	0.02	(0.01)	9,705	-		-	-	-	-					
PDI-W1	0.81	(0.06)	5,851	-		-	-	-	-					
PDJ-W3	0.50	(0.01)	20	-		-	-	-	-					
PDJ-W4	0.58	0.02	181	-		-	-	-	-					
PERM-W1	0.29	(0.01)	35,890	-		-	-	-	-					
RICHY-W2	0.06	(0.01)	471	-		-	-	-	-					
RS-W3	4.86	(0.24)	11,201	4.00		-	-	-	-					
SAMART-W2	0.69	(0.02)	12,780	-		-	-	-	-					
SAWAD-W1	7.25	(0.30)	461	7.00		-	-	-	-					
SDC-W1	0.14	-	4,894	-		-	-	-	-					
SINGER-W1	2.52	(0.08)	450	2.00		-	-	-	-					
SINGER-W2	1.96	(0.01)	3,154	1.00		-	-	-	-					
SMT-W2	0.30	-	1,642	-		-	-	-	-					
SST-W2	1.34	(0.02)	887	1.00		-	-	-	-					
SUPER-W4	0.05	-	79,414	-		-	-	-	-					
SVI-W3	0.99	(0.05)	11,866	1.00		-	-	-	-					
TCC-W3	0.08	-	4,090	-		-	-	-	-					
TCC-W4	0.08	-	5,001	-		-	-	-	-					
TCC-W5	0.18	0.01	1,012	-		-	-	-	-					
TCJ-W2	0.37	(0.03)	3,409	-		-	-	-	-					
TCMC-W2	0.06	(0.01)	45,327	-		-	-	-	-					
TFG-W2	0.72	(0.08)	21,427	-		-	-	-	-					
TGPRO-W3	-	-	-	-		-	-	-	-					
TH-W2	0.16	-	4,593	-		-	-	-	-					
THE-W2	0.01	-	50,191	-		-	-	-	-					
TNITY-W1	0.41	(0.02)	3,075	-		-	-	-	-					
TRITN-W3	0.16	(0.01)	10,559	-		-	-	-	-					
TTCL-W1	0.82	(0.02)	5,790	-		-	-	-	-					
TWZ-W5	0.01	-	50,010	-		-	-	-	-					
U-W1	-	-	-	-		-	-	-	-					
U-W4	-	-	-	-		-	-	-	-					
VGI-W2	1.62	(0.10)	1,711,933	1.00		-	-	-	-					
VIBHA-W2	1.07	(0.02)	186	1.00		-	-	-	-					

## Main Board Quotation

Issue Date :

Tuesday September 03, 2019

Securities	Close	Change	Volume (Lot)	Average Price
VIBHA-W3	0.27	-	74,928	-
WAVE-W1	0.30	(0.02)	7,986	-
WHA-W1	15.40	0.50	25,792	15.00
WIJK-W2	0.16	-	1,526	-
WORK-W1	-	-	-	-
ZMICO-W4	0.10	-	8,227	-
Preferred Shares	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------