

## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DIF	17.30	(0.20)	144,830	17.44	MPIC	-	-	-	-
POMPUI	-	-	-	-	DTAC	60.00	(2.00)	113,169	60.68	NMG	-	-	-	-
SAFARI	-	-	-	-	FORTH	5.80	0.05	171	5.75	PLANB	8.75	-	94,504	8.82
VI	-	-	-	-	HUMAN	8.50	-	4,722	8.50	POST	2.10	0.02	18	1.92
WORLD	-	-	-	-	ILINK	5.05	-	1,361	5.10	PRAKIT	10.90	-	52	10.90
WR	-	-	-	-	INET	3.14	(0.06)	7,036	3.16	SE-ED	2.68	-	30	2.68
Agribusiness	-	-	-	-	INTUCH	68.00	0.75	132,046	67.67	SPORT	0.16	0.03	49,702	0.16
CHOTI	-	-	-	-	JAS	6.55	(0.05)	195,643	6.56	TBSP	-	-	-	-
EE	0.56	0.01	26,641	0.55	JASIF	11.60	0.10	157,136	11.55	TH	0.69	-	209	0.69
GPPT	16.70	(0.40)	27,089	16.86	JMART	11.50	0.30	86,123	11.55	TKS	7.70	(0.05)	6,677	7.75
LEE	2.16	-	418	2.16	JTS	1.32	-	10	1.32	VGI	10.30	0.30	218,472	10.23
NER	2.60	-	294,364	2.63	MFEC	3.58	(0.02)	1,209	3.58	WAVE	1.77	(0.04)	5	1.77
PPPM	1.67	(0.05)	140,630	1.71	MSC	6.45	(0.05)	1,220	6.47	WORK	22.40	(0.20)	20,311	22.45
STA	11.10	0.10	44,428	10.96	PT	5.60	-	366	5.57	Finance & Securities	-	-	-	-
TRUBB	1.32	(0.02)	302	1.32	SAMART	8.75	0.05	13,164	8.76	AEC	0.29	(0.01)	2,715	0.30
TWPC	5.90	0.05	1,965	5.91	SAMTEL	10.10	0.50	8,372	9.91	AEONTS	220.00	-	6,568	219.53
UPOIC	3.64	(0.08)	62	3.65	SDC	0.27	-	3,314	0.26	AMANAHA	2.72	(0.08)	475,882	2.83
UVAN	5.40	0.05	1,584	5.38	SIS	9.00	(0.05)	853	9.00	ASAP	2.72	-	2,150	2.75
VPO	0.57	(0.01)	24,328	0.57	SVOA	1.09	-	566	1.09	ASK	26.75	0.25	1,339	26.54
Banking	-	-	-	-	SYMC	3.90	0.06	9	3.89	ASP	2.32	(0.04)	42,218	2.32
BAY	34.50	0.25	1,931	34.42	SYNEX	9.50	0.05	1,089	9.49	BFIT	15.90	-	122	15.75
BBL	168.50	0.50	16,160	168.29	THCOM	4.92	(0.06)	5,499	4.94	CGH	0.85	(0.01)	9,804	0.85
CIMBT	0.67	0.01	3,285	0.66	TRUE	5.80	(0.25)	4,639,824	5.84	CNS	1.70	0.02	10	1.70
KBANK	160.50	2.00	47,370	159.86	TWZ	0.08	-	6,947	0.08	ECL	1.67	-	98,488	1.68
KKP	67.75	1.00	59,608	67.21	Electronic Componer	-	-	-	-	FNS	2.96	-	36	2.95
KTB	17.30	-	118,645	17.24	CCET	1.83	(0.01)	890	1.83	FSS	1.68	(0.01)	257	1.67
LHFG	1.37	(0.01)	17,218	1.36	DELTA	48.25	(2.25)	12,963	48.73	GBX	0.53	-	242	0.53
SCB	115.50	(0.50)	146,269	115.72	EIC	0.04	-	4,510	0.04	GL	5.40	(0.05)	12,419	5.43
TCAP	55.75	-	29,704	56.01	HANA	28.50	-	7,691	28.66	IFS	3.48	-	1,542	3.50
TISCO	103.50	0.50	25,321	102.40	KCE	18.00	(0.20)	81,318	18.10	JMT	17.90	(0.50)	55,363	18.21
TMB	1.55	(0.02)	383,106	1.55	METCO	160.00	0.50	2	160.25	KCAR	11.50	-	388	11.53
Construction Materia	-	-	-	-	NEX	2.50	0.06	8,621	2.48	KGI	4.58	(0.04)	12,664	4.60
CCP	0.33	-	833	0.33	SMT	1.50	(0.02)	3,748	1.51	KTC	44.25	(0.75)	108,701	44.34
COTTO	1.76	(0.04)	1,112	1.77	SVI	3.86	0.04	22,289	3.85	MBKET	8.55	0.05	426	8.57
DCC	2.04	0.02	21,287	2.04	TEAM	1.00	-	7,787	1.02	MFC	17.40	-	122	17.43
DCON	0.39	0.01	50,720	0.39	Energy & Utilities	-	-	-	-	ML	0.98	-	2,561	0.97
DRT	6.00	(0.05)	4,527	6.05	7UP	0.60	(0.02)	255,838	0.60	MTC	57.25	(0.50)	36,545	57.50
EPG	7.45	(0.10)	31,689	7.54	ABPIF	6.25	(0.10)	8,733	6.26	PE	0.07	-	11,266	0.06
GEL	0.20	-	27,297	0.20	AI	1.21	-	26,539	1.22	PL	2.84	-	9,422	2.82
PPP	2.64	-	288	2.62	AKR	0.76	(0.01)	856	0.77	S11	8.40	0.05	3,133	8.36
Q-CON	5.60	(0.05)	57	5.60	BAFS	33.25	(0.50)	1,285	33.43	SAWAD	57.25	(0.50)	15,769	57.38
RCI	3.90	(0.02)	6,890	3.90	BANPU	12.70	-	409,006	12.86	THANI	7.30	0.05	197,642	7.30
SCC	424.00	6.00	40,888	425.60	BCP	26.75	-	40,213	26.85	TK	10.00	-	593	9.90
SCCC	227.00	1.00	812	227.12	BCPG	19.70	0.70	123,074	19.46	TNITY	4.20	0.04	15	4.21
SCP	7.15	-	405	7.15	BGRIM	43.50	1.75	204,233	42.76	UOBKH	3.54	(0.14)	50	3.54
SKN	2.20	0.12	88,471	2.21	BPP	20.40	0.10	26,951	20.31	ZMICO	0.83	-	730	0.82
TASCO	20.90	(0.30)	51,487	21.06	BRGGIF	9.40	(0.05)	1,122	9.45	Food & Beverage	-	-	-	-
TCMC	2.38	0.04	46,429	2.43	CKP	6.35	0.05	234,701	6.36	APURE	0.92	-	426	0.92
TOA	39.75	(1.50)	17,442	40.40	DEMCO	3.20	0.04	8,023	3.20	ASIAN	6.10	(0.05)	8,136	6.01
TPIPL	1.61	(0.02)	56,892	1.62	EA	50.00	-	120,034	49.83	BR	2.94	-	2,280	2.96
UMI	0.98	(0.01)	1,205	0.97	EARTH	-	-	-	-	BRR	5.00	0.02	940	4.97
VNG	4.84	-	1,941	4.84	EASTW	12.70	0.10	9,769	12.70	CBG	81.25	(0.50)	12,147	81.10
WIJK	1.28	0.01	8,425	1.26	EGATIF	13.60	-	2,970	13.60	CFRESH	2.00	(0.04)	311	2.03
Petrochemicals & Ch	-	-	-	-	EGCO	355.00	(1.00)	9,005	355.11	CM	3.18	(0.02)	252	3.19
BCT	41.75	(0.25)	25	41.94	ESSO	8.35	(0.05)	110,503	8.38	CPF	29.00	(0.25)	227,240	28.96
CMAN	2.00	-	2,049	2.00	GLOW	89.75	-	239	89.75	CPI	1.44	(0.02)	6,927	1.44
GC	5.15	-	145	5.16	GPSC	71.50	1.50	358,287	71.71	F&D	-	-	-	-
GGC	11.70	-	28,034	11.89	GULF	159.00	1.00	107,278	158.58	HTC	22.90	-	965	22.92
GIFT	2.42	-	2,789	2.43	GUNKUL	3.14	(0.02)	205,533	3.16	ICHI	7.30	(0.30)	46,075	7.41
IVL	35.25	(0.25)	95,802	35.40	IFEC	-	-	-	-	KBS	3.70	(0.02)	171	3.70
NFC	3.58	(0.04)	36	3.62	IRPC	3.84	-	766,094	3.87	KSL	2.30	0.02	17,773	2.29
PATO	12.00	-	298	11.95	LANNA	9.20	-	507	9.20	KTIS	4.80	(0.04)	971	4.76
PMTA	8.40	-	5	8.40	MDX	3.52	(0.02)	1,958	3.54	LST	4.56	(0.04)	99	4.56
PTTGC	52.50	(0.25)	66,894	52.68	PTG	20.00	(0.20)	139,426	20.02	M	76.50	3.00	25,832	77.14
SUTHA	3.72	(0.04)	200	3.72	PTT	45.00	0.50	330,944	44.73	MALEE	7.95	-	3,385	7.98
TCCC	22.50	(0.10)	192	22.79	PTTEP	124.00	-	77,396	124.27	MINT	38.50	(0.25)	44,569	38.66
TPA	5.55	(0.10)	75	5.40	RATCH	75.25	(0.25)	43,365	74.99	OISHI	117.00	(0.50)	35	117.20
UP	19.00	1.00	4	19.00	RPC	0.61	-	8,086	0.61	OSP	38.00	(0.25)	43,021	37.97
VNT	24.20	0.10	5,214	24.38	SCG	4.06	0.04	228	4.07	PB	60.50	-	7	60.50
WG	-	-	-	-	SCI	1.76	(0.01)	235	1.77	PM	8.80	-	1,408	8.80
YCI	-	-	-	-	SCN	2.48	-	20,100	2.45	PRG	13.00	(0.40)	3	13.00
Commerce	-	-	-	-	SGP	8.80	0.05	39,534	8.79	SAPPE	24.40	(1.35)	15,314	24.99
BEAUTY	2.80	(0.02)	159,227	2.80	SKE	1.16	0.07	18,266	1.13	SAUCE	22.70	-	9	22.61
BIG	0.83	(0.01)	48,994	0.83	SOLAR	1.88	(0.02)	2,905	1.89	SFP	-	-	-	-
BJC	54.50	(0.50)	21,350	54.54	SPGC	19.00	(0.20)	6,235	19.14	SNP	16.90	(0.10)	42	16.95
COL	20.10	(0.10)	323	20.18	SPRC	8.85	0.05	119,376	8.87	SORKON	57.00	-	20	57.00
COM7	25.25	(0.50)	21,946	25.45	SSP	7.70	(0.15)	23,975	7.71	SSC	-	-	-	-
CPALL	84.25	(0.25)	137,456	84.38	SUPER	0.65	(0.01)	616,915	0.65	SSF	-	-	-	-
CSS	1.61	(0.03)	10,732	1.62	SUPEREIF	12.60	-	12,328	12.68	SST	4.52	(0.04)	3,378	4.55
DOHOME	9.70	(0.30)	545,751	9.82	SUSCO	3.02	(0.04)	14,324	3.00	TC	3.10	(0.02)	2,096	3.08
FN	1.72	(0.01)	3,644	1.73	TAE	3.78	-	9,398	3.78	TFG	4.44	(0.10)	82,313	4.46
FTE	2.14	-	4,332	2.14	TCC	0.28	-	34,290	0.29	TFMAMA	179.00	(0.50)	32	179.19
GLOBAL	16.60	(0.10)	53,667	16.73	TOP	68.75	(0.25)	45,059	68.90	TIPCO	9.95	(0.25)	17,534	10.06
HMPRO	18.60	0.10	207,972	18.62	TPIPP	5.40	0.05	162,230	5.40	TKN	10.30	0.10	40,120	10.24
ILM	22.00	-	19,098	21.98	TSE	2.62	0.02	67,585	2.63	TU	17.30	-	108,961	17.22
IT	3.06	-	1,144	3.08	TTW	13.90	-	33,771	13.90	TVO	26.00	0.25	4,757	25.92
KAMART	4.78	(0.02)	5,180	4.80	WHAUP	7.10	(0.05)	59,899	7.15	ZEN	16.30	-	26,198	16.49
LOXLEY	1.90	0.01	44,780	1.92	WP	5.80	(0.05)	6,589	5.85	Health Care Services	-	-	-	-
MAKRO	35.00	(0.25)	1,085	35.17	Media & Publishing	-	-	-	-	AHC	15.60	(0.10)	103	15.74
MC	7.60	0.05	6,683	7.58	AMARIN	4.90	-	85	4.93	BCH	16.20	-	39,085	16.17
MEGA	33.25	(0.75)	17,377	33.11	AQUA	0.50	(0.02)	509,058	0.51	BDMS	24.50	0.80	513,244	24.35
MIDA	0.58	-	9,513	0.57	AS	0.83	(0.02)	291	0.84	BH	140.00	3.50	25,929	140.00
ROBINS	64.25	(0.25)	11,454	64.51	BEC	8.10	(0.25)	74,097	8.14					

## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RJH	25.25	0.25	6,967	25.45	FPT	19.20	0.10	6,808	19.11	STANLY	185.00	1.00	133	184.48
RPH	6.80	0.10	5,553	6.75	GLAND	2.72	(0.02)	52	2.72	TKT	1.29	0.03	30	1.28
SKR	4.80	-	1,153	4.77	GOLD	8.40	-	4,618	8.39	TNPC	0.97	(0.01)	168	0.97
SVH	450.00	(4.00)	21	452.10	GREEN	0.87	-	1,395	0.86	TRU	4.56	(0.04)	1,227	4.51
THG	25.00	0.10	16,651	24.94	J	1.00	0.01	7,981	0.99	TSC	12.20	0.20	33	12.20
VIBHA	2.02	(0.02)	37,843	2.03	JCK	1.22	(0.02)	7,642	1.21	Industrial Materials	-	-	-	-
VIH	5.55	(0.05)	4,826	5.50	KC	-	-	-	-	ALLA	1.24	0.03	13,967	1.21
WPH	2.16	-	1,759	2.14	KWG	1.64	(0.01)	90	1.63	ASEFA	4.70	0.04	377	4.68
Tourism & Leisure	-	-	-	-	LALIN	5.45	0.10	1,288	5.35	CPT	0.96	(0.01)	50,703	0.98
ASIA	6.65	-	40	6.68	LH	10.60	(0.10)	369,823	10.63	CRANE	2.12	-	1,500	2.08
CENTEL	34.25	(0.25)	22,796	34.32	LPN	6.10	(0.05)	13,722	6.13	CTW	6.40	(0.10)	799	6.41
CSR	-	-	-	-	MBK	23.30	(0.30)	2,525	23.39	FMT	-	-	-	-
DTC	9.85	(0.05)	765	9.85	MJD	3.22	(0.04)	392	3.21	HTECH	3.20	(0.02)	1,659	3.20
ERW	6.25	0.05	117,848	6.20	MK	3.28	-	3,957	3.29	KKC	0.91	-	2,268	0.91
GRAND	0.91	(0.01)	13,723	0.91	NCH	1.01	(0.01)	1,056	1.00	PK	1.87	(0.01)	151	1.87
LRH	45.50	0.50	14	45.25	NNCL	2.20	0.12	134,495	2.16	SNC	13.50	-	638	13.45
MANRIN	-	-	-	-	NOBLE	27.25	1.75	20,734	26.42	STARK	2.40	0.20	23,841	2.35
OHTL	-	-	-	-	NUSA	0.39	0.01	87,798	0.39	TCJ	4.64	0.10	12	4.58
ROH	42.50	(2.25)	13	42.58	NVD	2.28	-	1,205	2.25	VARO	6.90	(0.10)	17	6.93
SHANG	-	-	-	-	ORI	8.05	(0.10)	104,920	8.14	Property Fund & REI	-	-	-	-
VRANDA	9.55	0.05	1,288	9.50	PACE	0.17	-	179,099	0.17	AIMCG	10.00	(0.10)	13,005	9.99
Home & Office Prodt.	-	-	-	-	PF	0.88	0.02	298,859	0.87	AIMIRT	14.60	0.30	10,069	14.49
ACC	0.65	(0.01)	530	0.65	PLAT	5.25	(0.05)	22,906	5.26	AMATAR	12.50	0.30	873	12.44
AJA	0.19	-	5,200	0.19	POLAR	-	-	-	-	B-WORK	12.70	0.20	4,103	12.60
DTCI	-	-	-	-	PRECHA	-	-	-	-	BKCCP	14.00	-	515	13.90
FANCY	0.74	-	20,835	0.75	PRIN	1.59	-	8,504	1.59	BOFFICE	17.50	0.10	16,496	17.42
KYE	340.00	(1.00)	9	340.00	PSH	19.30	(0.20)	9,094	19.38	CPNCG	15.00	(0.10)	10,147	15.00
L&E	2.28	(0.04)	101	2.27	QH	2.86	(0.04)	1,082,990	2.87	CPNREIT	35.00	(0.50)	17,366	35.17
MODERN	2.80	-	755	2.79	RICHY	1.10	(0.02)	5,796	1.10	CPTGF	13.40	-	2,322	13.40
OGC	30.00	(1.00)	7	30.00	RML	1.09	-	1,364	1.08	CRYSTAL	8.90	-	778	8.90
ROCK	19.50	-	35	19.50	ROJNA	7.00	(0.10)	23,705	7.03	CTARAF	5.85	(0.05)	754	5.82
SIAM	1.95	-	523	1.93	S	3.28	(0.02)	11,726	3.29	DREIT	6.05	(0.15)	14,831	6.04
TSR	1.82	-	3,514	1.83	SAMCO	1.65	(0.01)	1,741	1.65	ERWPF	5.20	(0.05)	1,795	5.20
Insurance	-	-	-	-	SC	2.64	0.02	6,918	2.63	FTREIT	17.90	0.20	33,565	17.78
AYUD	41.00	-	110	41.00	SENA	3.26	0.02	1,964	3.24	FUTUREPF	25.75	(0.25)	131	25.75
BKI	320.00	(2.00)	5	321.00	SF	6.10	(0.10)	28,471	6.16	GAHREIT	9.05	-	114	9.06
BLA	20.20	(0.30)	2,132	20.30	SIRI	1.33	-	68,285	1.34	GLANDRT	13.80	0.30	2,613	13.79
BUI	-	-	-	-	SPALI	18.90	(0.50)	121,764	18.96	GOLDPF	-	-	-	-
CHARAN	-	-	-	-	U	2.22	-	92,075	2.23	GVREIT	17.60	0.20	1,806	17.52
INSURE	-	-	-	-	UV	6.15	0.10	21,033	6.15	HPF	4.92	(0.02)	988	4.93
MTI	-	-	-	-	WHA	4.88	(0.04)	905,266	4.91	HREIT	10.10	0.25	43,702	10.04
NKI	-	-	-	-	WIN	0.48	(0.01)	2,054	0.46	IMPACT	28.00	-	820	28.15
NSI	62.00	(3.00)	112	62.00	Paper & Printing Mat	-	-	-	-	KPNPF	8.70	0.05	7	8.70
SEG	36.50	0.25	125	36.86	UTP	10.60	-	3,043	10.62	LHHOTEL	19.70	0.10	1,283	19.61
SMK	35.50	(0.50)	10	35.50	Fashion	-	-	-	-	LHPF	9.10	-	407	9.10
THRE	0.67	(0.02)	36,598	0.66	AFC	7.40	-	1	7.40	LHSC	19.00	-	90	19.00
THREL	3.94	(0.02)	11,830	3.93	B52	0.24	0.01	993	0.23	LUXF	9.40	(0.05)	1,808	9.40
TIP	25.25	(0.25)	2,962	25.23	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	50.75	(0.25)	19,183	51.17	CPH	-	-	-	-	M-PAT	5.15	-	73	5.16
TSI	0.51	-	2,770	0.51	CPL	1.21	(0.03)	22	1.22	M-STOR	7.00	(0.15)	62	7.00
TVI	4.84	-	204	4.86	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	3.20	0.02	380	3.20
PDI	8.75	(0.05)	1,521	8.82	PAF	0.76	-	1,014	0.75	MLF	12.30	(0.10)	3,222	12.24
THL	-	-	-	-	PDJ	1.57	-	1,324	1.57	MNIT	1.42	(0.14)	26	1.43
Packaging	-	-	-	-	PG	5.30	-	12	5.34	MNIT2	4.98	0.02	7	4.98
AJ	8.50	(0.15)	210	8.55	SABINA	31.75	(0.25)	17,827	31.92	MNRF	3.02	(0.04)	152	3.04
ALUCON	167.00	1.00	2	166.75	SAWANG	-	-	-	-	MONTRI	-	-	-	-
BGC	15.70	0.30	98,287	15.66	SUC	42.50	0.25	455	42.50	POPF	13.50	-	807	13.54
CSC	-	-	-	-	TNL	-	-	-	-	PPF	11.80	0.10	1	11.80
NEP	0.26	(0.01)	3,927	0.26	TPCORP	9.55	-	27	9.63	QHHR	10.10	(0.10)	465	10.17
NPPG	1.03	0.01	126,413	1.02	TR	32.50	-	10	32.50	QHOP	3.80	-	18	3.73
PTL	14.50	(0.10)	2,110	14.52	TTI	20.00	-	10	20.00	QHPF	15.10	0.10	4,315	15.10
SITHAI	0.89	-	3,654	0.88	TTT	62.00	-	8	62.00	SBPF	-	-	-	-
SLP	0.63	-	117	0.62	UPF	-	-	-	-	SHREIT	6.95	(0.05)	129	6.95
SMPC	8.10	-	1,916	8.15	UT	-	-	-	-	SIRIP	11.10	-	34	11.10
SPACK	1.40	0.02	1,343	1.38	WACOAL	47.00	(0.75)	43	47.00	SPF	26.25	0.25	4,318	26.24
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	15.50	0.10	3,166	15.47
TFI	0.10	(0.01)	684	0.10	AAV	3.20	-	35,485	3.20	SRIPANWA	-	-	-	-
THIP	17.00	-	96	16.84	AOT	74.25	-	93,580	74.09	SSPF	9.95	-	56	9.95
TMD	-	-	-	-	ASIMAR	1.52	(0.03)	454	1.54	SSTPF	6.90	-	1,014	6.90
TOPP	-	-	-	-	B	0.33	0.01	638	0.32	SSTRT	6.10	-	209	6.10
TPBI	4.86	(0.08)	564	4.80	BA	9.75	-	4,245	9.78	TIF1	9.10	0.10	469	9.05
TPP	16.50	-	13	16.19	BEM	11.30	-	372,996	11.29	TLGF	25.00	(0.50)	26,948	25.27
Personal Products &	-	-	-	-	BTS	13.90	-	266,897	13.83	TLHPF	11.40	-	1	11.40
APCO	3.34	-	759	3.31	BTSGIF	11.00	-	12,274	11.09	TNPF	3.24	0.06	117	3.22
DDD	29.50	(0.25)	8,352	29.52	III	6.35	(0.10)	18,077	6.37	TPRIME	15.80	0.10	345	15.71
JCT	-	-	-	-	JUTHA	0.70	-	100	0.70	TTLPF	21.70	-	30	21.70
OCC	-	-	-	-	JWD	9.65	0.20	117,667	9.61	TU-PF	1.58	-	71	1.58
S & J	25.50	-	51	25.51	KWC	-	-	-	-	URBNPF	4.30	0.30	180	4.30
STHAI	-	-	-	-	NOK	2.14	(0.02)	202	2.16	WHABT	9.70	-	274	9.70
TNR	9.20	(0.05)	317	9.03	NYT	4.70	0.16	26,278	4.68	WHART	19.40	(0.10)	20,769	19.51
TOG	5.20	-	302	5.20	PRM	8.95	0.30	133,580	8.85	Steel	-	-	-	-
Professional Service	-	-	-	-	PSL	8.50	(0.25)	87,242	8.59	AMC	1.81	(0.01)	717	1.82
BWG	0.69	(0.01)	47,184	0.69	RCL	4.26	(0.08)	3,901	4.29	BSBM	0.90	-	1	0.90
GENCO	0.59	(0.01)	2,550	0.60	TFFIF	13.00	(0.10)	117,595	13.06	CEN	0.92	(0.01)	250	0.92
PRO	-	-	-	-	THAI	9.70	-	19,563	9.70	CITY	2.02	-	212	2.02
SISB	8.95	0.20	95,331	8.79	TSTE	7.40	(0.05)	250	7.43	CSP	1.04	(0.01)	241	1.04
TEAMG	2.10	-	13,277	2.11	TTA	5.60	(0.10)	18,361	5.66	GJS	0.13	-	3,944	0.14
Property Developmei	-	-	-	-	WICE	3.04	0.06	15,358	3.02	GSTEEL	-	-	-	-
A	6.25	-	81	6.25	Automotive	-	-	-	-	INOX	0.77	0.01	217	0.77
AMATA	27.00	0.25	63,288	26.97	AH	17.90	-	535	17.86	LHK	3.32	-	2,259	3.32
AMATAV	4.86	-	8,720	4.85	APCS	4.20	0.02	1,178	4.15	MAX	0.02	-	46,155	0.01
ANAN	3.50	0.06	84,496	3.47	BAT-3K	-	-	-	-	MCS	9.15	-	6,958	9.20
AP	7.10	-	28,695	7.11	CWT	2.86	-	845	2.83	MILL	0.79	(0.01)	2,605	0.79
APEX	0.18	-	26,653	0.17	EASON	1.69	0.04	2,034	1.67	PAP	2.66	(0.02)	639	2.68
AQ	0.02	(0.01)	510,119	0.02	GYT	-	-	-	-	PERM	1.04	(0.01)	5,400	1.03
BLAND	1.52	(0.02)	40,810	1.53	HFT	2.72	(0.04)	541	2.73	RICH	-	-	-	-
BROCK	1.90	(0.02)	1,000	1.90	IHL	4.44	(0.02)	3,062	4.46					

## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	PSTC	0.79	-	201,217	-	ADVA01C1912B	0.52	(0.02)	120,646	-
ABICO	4.26	0.02	108	4.00	QTC	4.86	(0.02)	1,750	4.00	ADVA01P1912A	0.31	-	14,110	-
AU	14.30	(0.10)	7,701	14.00	SAAM	1.32	-	67	1.00	ADVA01P1912B	0.16	-	102,194	-
JCKH	0.48	-	291	-	SEAOL	5.30	0.05	631	5.00	ADVA06C1912A	0.68	(0.07)	14,305	-
KASET	1.77	(0.06)	24,063	1.00	SR	1.06	(0.07)	1,180	1.00	ADVA08C1911A	-	-	-	-
MM	2.40	(0.04)	630	2.00	TAKUNI	0.51	-	24,110	-	ADVA08C2001A	0.44	(0.02)	16,500	-
PRIME	0.37	(0.02)	23,221	-	TPCH	13.10	(0.20)	12,537	13.00	ADVA11C1910A	1.59	(0.04)	9,000	1.00
SUN	1.66	-	941	1.00	TRT	1.87	-	418	1.00	ADVA11P1910A	-	-	-	-
TACC	4.88	-	19,414	4.00	UMS	0.44	0.01	312	-	ADVA11P2005A	0.21	(0.01)	3,600	-
TMILL	2.82	(0.04)	5,000	2.00	UWC	0.03	-	674,934	-	ADVA13C1912A	0.67	-	116,510	-
XO	5.85	(0.20)	8,442	5.00	Services (MAI)	-	-	-	-	ADVA13P1912A	0.14	-	47,028	-
Consumer Products	-	-	-	-	A5	-	-	-	-	ADVA16C1911A	1.54	(0.09)	34,295	1.00
BGT	1.00	-	1,556	-	AKP	1.38	(0.02)	7,435	1.00	ADVA16C1912A	0.88	(0.01)	49,963	-
BIZ	2.60	0.02	1,211	2.00	AMA	8.35	0.55	96,490	8.00	ADVA16C2002A	0.52	0.01	4,268	-
DOD	12.20	-	25,628	12.00	ARIP	0.44	-	3,226	-	ADVA19C1911A	0.46	-	300	-
ECF	2.38	0.02	8,846	2.00	ATP30	1.43	(0.01)	1,942	1.00	ADVA19P1911A	-	-	-	-
HPT	0.69	-	2,534	-	AUCT	8.95	0.10	31,554	8.00	ADVA23C2001A	-	-	-	-
JUBILE	17.80	-	653	17.00	BOL	2.90	(0.10)	1,089	2.00	ADVA24C2001A	-	-	-	-
MOONG	4.50	(0.02)	1,978	4.00	CHUO	-	-	-	-	ADVA24P2001A	0.11	-	10	-
NPK	-	-	-	-	CMO	1.18	0.01	419	1.00	ADVA27C1912A	1.02	(0.04)	3,724	1.00
OCEAN	1.15	-	32,112	1.00	D	5.65	(0.05)	1,926	5.00	ADVA28C2001A	0.55	(0.01)	2	-
TM	2.50	(0.02)	9,327	2.00	DCORP	0.47	-	690	-	ADVA28C2002A	0.29	(0.01)	22,622	-
Financials (MAI)	-	-	-	-	EFORL	0.04	(0.01)	116,590	-	ADVA28P1911A	0.02	0.01	1	-
ACAP	2.00	(0.06)	42,054	2.00	ETE	0.88	(0.01)	2,718	-	ADVA28P2001A	0.13	-	2,243	-
AF	0.66	0.01	584	-	FSMART	6.60	(0.10)	24,407	6.00	ADVA41C1910A	-	-	-	-
AIRA	1.31	-	505	1.00	FVC	0.49	(0.01)	3,212	-	ADVA41C1910B	-	-	-	-
ASN	5.95	(0.05)	50	5.00	GSC	0.91	-	2,247	-	ADVA41C1912A	-	-	-	-
BROOK	0.48	(0.01)	2,041	-	HARN	2.30	-	683	2.00	ADVA41C1912B	-	-	-	-
CHAYO	4.96	(0.04)	19,498	5.00	JKN	8.30	-	28,721	8.00	ADVA41C2001A	0.36	(0.03)	17,960	-
GCAP	2.34	(0.02)	2,768	2.00	KIAT	0.39	-	9,145	-	ADVA41P1911A	-	-	-	-
LIT	5.55	0.05	5,183	5.00	KOOL	1.19	(0.01)	2,152	1.00	ADVA41P1912A	-	-	-	-
MITTSIB	2.36	(0.04)	12,252	2.00	LDC	0.99	0.02	4,583	-	ADVA41P2001A	0.28	0.01	300	-
SGF	1.16	(0.01)	56,875	1.00	MORE	0.15	(0.01)	13,897	-	ADVA42C1910A	-	-	-	-
Industrials (MAI)	-	-	-	-	MPG	0.35	0.01	2,584	-	ADVA42C2003A	0.36	(0.02)	210	-
2S	2.24	-	1,682	2.00	MVP	1.83	-	248	1.00	AEON01C1911A	1.41	0.02	28,987	1.00
ACG	1.44	(0.03)	16,123	1.00	NBC	0.77	-	50	-	AEON01C1911B	0.37	-	82,969	-
ADB	0.59	(0.02)	1,416	-	NCL	1.18	0.03	1,089	1.00	AEON13C1910A	0.76	-	24	-
BM	2.08	(0.02)	407	2.00	NEWS	0.01	-	2,094	-	AEON13C1911A	0.31	(0.01)	76,448	-
CHO	0.87	(0.01)	15,826	-	NINE	2.46	(0.08)	849	2.00	AEON19C1911A	0.23	-	80,417	-
CHOW	1.92	(0.04)	754	1.00	OTO	3.00	0.02	1,016	3.00	AEON24C1912A	0.23	(0.03)	7,491	-
CIG	0.24	-	3,108	-	PHOL	1.78	(0.04)	606	1.00	AEON41C1912A	0.28	-	566	-
COLOR	1.15	(0.04)	1,866	1.00	PICO	4.08	(0.02)	409	4.00	AMAT01C1909A	1.16	0.03	15,904	1.00
CPR	4.70	0.04	188	4.00	PORT	3.78	0.04	10,156	3.00	AMAT01C1909B	0.62	0.03	13,031	-
FPI	2.48	(0.02)	480	2.00	QLT	3.84	0.02	120	3.00	AMAT01C2001A	0.77	-	25,695	-
GTB	0.61	(0.01)	1,325	-	RP	2.06	0.04	3	2.00	AMAT01C2001B	0.21	-	120,998	-
KCM	0.73	-	1,247	-	SE	1.85	(0.03)	240	1.00	AMAT01P1909A	0.01	(0.01)	40	-
KUMWEL	1.03	0.05	103,570	1.00	SONIC	1.26	(0.01)	3,298	1.00	AMAT01P2001A	0.38	(0.01)	40,805	-
KWM	0.90	0.01	335	-	SPA	14.10	-	7,173	13.00	AMAT06C1909A	-	-	-	-
MBAX	3.80	-	38	3.00	THMUI	0.80	(0.02)	1,050	-	AMAT08C2001A	-	-	-	-
MGT	1.85	(0.01)	1,895	1.00	TNDT	4.22	(0.04)	4,820	4.00	AMAT08C2002A	0.25	0.01	48,132	-
NDR	1.46	-	389	1.00	TNH	35.00	0.25	29	34.00	AMAT11C2001A	0.80	(0.03)	9,600	-
PDG	3.20	0.04	1,349	3.00	TNP	1.88	0.02	2,191	1.00	AMAT13C1912A	-	-	-	-
PIMO	1.53	0.01	156,512	1.00	TSF	-	-	-	-	AMAT13C2001A	0.21	0.01	587,474	-
PJW	1.56	(0.01)	362	1.00	TVD	1.30	-	862	1.00	AMAT16C1911A	0.75	(0.01)	58,476	-
PPM	1.19	(0.01)	4	1.00	TVT	0.81	-	116	-	AMAT19C1912A	0.21	(0.02)	58,002	-
RWI	1.31	-	2,017	1.00	VL	1.58	0.02	189,600	1.00	AMAT24C2001A	0.82	0.03	902	-
SALEE	0.99	-	1,316	-	WINNER	2.90	(0.02)	906	2.00	AMAT41C1912A	-	-	-	-
SANKO	0.96	-	4,135	-	Technology (MAI)	-	-	-	-	AMAT42C1910A	0.67	(0.07)	6	-
SELIC	2.78	-	2,264	2.00	COMAN	3.04	0.06	206	3.00	ANAN08C1911A	0.15	-	8,000	-
SWC	4.20	(0.02)	503	4.00	ICN	1.68	(0.02)	4,476	1.00	ANAN13C1912A	0.17	0.02	9,738	-
TMC	0.64	0.01	865	-	IRCP	0.59	0.01	3,267	-	ANAN19C1910A	-	-	-	-
TMI	0.77	-	478	-	ITEL	3.36	(0.04)	2,160	3.00	ANAN19C2001A	0.35	0.02	2,968	-
TMW	48.50	(0.25)	44	48.00	NETBAY	34.75	(0.50)	2,398	34.00	ANAN24C1912A	-	-	-	-
TPAC	10.80	-	9	10.00	PLANET	1.22	(0.11)	5,963	1.00	AOT01C1911A	0.86	0.01	62,803	-
TPLAS	1.42	0.02	726	1.00	SIMAT	1.42	(0.01)	3,735	1.00	AOT01C1911B	0.53	-	85,656	-
UAC	3.08	-	2,778	3.00	SKY	16.10	0.40	35,033	16.00	AOT01P1911A	0.28	-	21,824	-
UBIS	5.95	-	137	5.00	SPVI	1.64	0.02	4,479	1.00	AOT01P1911B	-	-	-	-
UEC	1.07	0.01	130	1.00	UPA	0.26	-	6,421	-	AOT06C1911A	0.75	(0.01)	1,900	-
UKEM	0.54	0.01	19,259	-	VCOM	3.04	-	221	3.00	AOT07C1910A	-	-	-	-
UREKA	0.99	0.01	3,808	-	Unit Trust	-	-	-	-	AOT08C1911A	0.30	(0.01)	5	-
YUASA	14.20	(0.30)	30	14.00	MGE	-	-	-	-	AOT11C2004A	0.71	0.01	34,151	-
ZIGA	1.50	-	696	1.00	SCBSET	-	-	-	-	AOT11P2004A	0.23	-	5,141	-
Property & Construc	-	-	-	-	ETF	-	-	-	-	AOT13C1911A	0.48	(0.01)	20,578	-
ALL	4.12	(0.02)	12,911	4.00	1DIV	10.76	(0.03)	373	10.00	AOT13P1912A	0.09	-	6,416	-
ARIN	0.72	(0.01)	29,253	-	ABFTH	-	-	-	-	AOT13P1912B	0.27	-	42,348	-
ARROW	9.40	0.25	6,352	9.00	BMSCG	8.31	(0.03)	92	8.00	AOT16C1912A	0.92	-	24,200	-
BSM	0.36	(0.02)	6,392	-	BMSCITH	12.26	0.04	3,685	12.00	AOT16C2001A	0.45	-	22,011	-
BTW	1.14	(0.01)	516	1.00	BSET100	10.84	0.01	868	10.00	AOT16C2002A	0.37	(0.01)	20,150	-
CAZ	2.34	(0.02)	722	2.00	CHINA	5.59	0.12	670	5.00	AOT19C1911A	0.45	-	120	-
CHEWA	0.72	0.01	2,695	-	EBANK	5.05	0.01	21	5.00	AOT19P1910A	-	-	-	-
CMC	1.07	0.01	5,985	1.00	ECOMM	-	-	-	-	AOT19P1912A	-	-	-	-
CRD	0.96	-	906	-	EFOOD	-	-	-	-	AOT24C1910A	-	-	-	-
DIMET	0.69	(0.02)	81,779	-	EICT	5.60	(0.06)	2	5.00	AOT24P1912A	0.			

## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP16C2002A	0.09	-	6,020	-	BCPG28C1912A	0.20	0.02	47,122	-	BGR141C1911A	-	-	-	-
AP19C1910A	-	-	-	-	BCPG28C2002A	0.41	0.04	39,182	-	BGR141C2001A	0.58	0.09	30,410	-
AP19C2002A	0.25	(0.01)	6,870	-	BCPG41C1910A	0.24	0.01	11,100	-	BGR141P1912A	0.14	(0.04)	100	-
AP24C1912A	-	-	-	-	BCPG42C2001A	0.37	0.04	220	-	BGR142C1910A	0.52	0.13	3,036	-
BANP01C1909A	-	-	-	-	BDMS01C1911A	0.12	0.02	167,122	-	BH01C2001A	0.25	0.03	205,108	-
BANP01C1909B	-	-	-	-	BDMS01C1911B	-	-	-	-	BH01C2001B	0.08	-	10,352	-
BANP01C1912A	0.13	-	333,487	-	BDMS01C2002A	0.58	0.06	139,227	-	BH01P2001A	1.85	(0.15)	40,552	1.00
BANP01C1912B	0.05	-	1,390	-	BDMS01P1911A	0.36	(0.03)	108,273	-	BH07C1910A	0.02	-	9	-
BANP01C2002A	0.36	0.01	160,936	-	BDMS08C1911A	0.09	0.02	8,020	-	BH11C2002A	0.09	0.02	6,700	-
BANP01P1909A	0.81	(0.02)	8,818	-	BDMS11C2001A	0.39	0.05	36,118	-	BH13C1909A	-	-	-	-
BANP01P1909B	0.38	(0.01)	86,560	-	BDMS11P2002A	0.41	(0.06)	26,500	-	BH13C1912A	0.06	0.01	5,549	-
BANP01P1912A	0.60	(0.01)	96,166	-	BDMS13C1909A	-	-	-	-	BH13C2001A	0.32	0.04	121,745	-
BANP01P1912B	0.45	-	146,160	-	BDMS13C1912A	0.08	0.02	1,951	-	BH19C1912A	0.07	0.01	9,075	-
BANP01P2002A	0.41	-	106,630	-	BDMS13C1912B	0.34	0.08	732,415	-	BH19C2002A	0.43	0.07	99,349	-
BANP06C1912A	0.05	0.01	2	-	BDMS16C1912A	0.17	0.03	100,060	-	BH24C1910A	0.03	-	50	-
BANP07C1909A	-	-	-	-	BDMS19C1910A	0.02	-	29,601	-	BH24C1910A	0.37	0.08	7,100	-
BANP08C1912A	-	-	-	-	BDMS19C2001A	0.31	0.06	44,144	-	BH41C1911A	-	-	-	-
BANP08P1912A	0.38	(0.36)	50	-	BDMS24C1909A	-	-	-	-	BH41C2002A	0.39	0.06	16,808	-
BANP11C1909A	-	-	-	-	BDMS24C1912A	0.07	0.02	1,349	-	BH41P1911A	0.75	(0.06)	400	-
BANP11C2004A	0.11	(0.01)	57,069	-	BDMS24C2001A	0.47	0.07	2,300	-	BJC01C1911A	0.79	(0.02)	13,416	-
BANP13C1910A	0.01	-	1,000	-	BDMS27C2002A	0.13	0.03	20,866	-	BJC01C1911B	0.58	(0.03)	15,017	-
BANP13C1912A	0.03	(0.01)	5,605	-	BDMS41C1911A	0.04	-	2,000	-	BJC01P1911A	0.10	-	31,812	-
BANP13C2001A	-	-	-	-	BDMS41C2001A	0.29	0.04	14,380	-	BJC06C1912A	0.45	(0.02)	1,580	-
BANP16C1912A	-	-	-	-	BDMS41P1911A	-	-	-	-	BJC11C2001A	0.40	(0.01)	5,512	-
BANP19C1910A	-	-	-	-	BEAU01C1911A	0.05	0.01	14,154	-	BJC13C1911A	0.39	(0.03)	508	-
BANP19C2002A	0.20	-	57,563	-	BEAU01C2001A	0.33	(0.01)	43,162	-	BJC13C2001A	0.34	(0.03)	16,523	-
BANP19P1910A	0.12	(0.01)	9,121	-	BEAU01P1909A	2.96	0.02	1	2.00	BJC16C2002A	0.46	-	1,600	-
BANP24C1911A	0.03	-	500	-	BEAU01P2001A	1.12	-	40,170	1.00	BJC19C1910A	0.32	(0.03)	3,870	-
BANP28C1911A	-	-	-	-	BEAU06C1909A	0.01	(0.01)	110,001	-	BJC23C2001A	-	-	-	-
BANP28C2001A	-	-	-	-	BEAU06C1911A	-	-	-	-	BJC24C1910A	0.47	(0.04)	2,000	-
BANP28C2002A	0.24	-	9,262	-	BEAU08C1910A	-	-	-	-	BJC41C1910A	-	-	-	-
BANP28C2003A	0.18	(0.82)	26,356	-	BEAU11C1911A	-	-	-	-	BJC41C1912A	-	-	-	-
BANP28P1909A	-	-	-	-	BEAU13C1910A	-	-	-	-	BJC41P1912A	-	-	-	-
BANP41C1909A	-	-	-	-	BEAU13C1910B	-	-	-	-	BJC42C1912A	-	-	-	-
BANP41C1911A	-	-	-	-	BEAU13C1912A	0.06	(0.01)	13,471	-	BLA11C1909A	-	-	-	-
BANP41C2002A	0.28	0.02	16,940	-	BEAU13C2001A	0.34	(0.04)	181,076	-	BLAN19C1910A	-	-	-	-
BANP41P1909A	-	-	-	-	BEAU19C1910A	-	-	-	-	BLAN19C1912A	-	-	-	-
BANP41P1912A	-	-	-	-	BEAU24C1909A	0.04	(0.01)	118	-	BPP01C1912A	0.26	(0.01)	22,314	-
BANP41P2002A	0.15	(0.03)	110	-	BEAU27C1910A	-	-	-	-	BPP01C1912B	0.12	-	4,456	-
BANP42C2004A	0.41	-	502	-	BEAU28C1910A	-	-	-	-	BPP01P1912A	0.86	0.01	10,357	-
BANP42P2005A	-	-	-	-	BEAU28C1910B	-	-	-	-	BPP11C1910A	-	-	-	-
BBL07C1909A	0.01	-	1,506	-	BEAU41C1910A	-	-	-	-	BPP13C1911A	0.11	(0.01)	30,144	-
BBL08C2001A	-	-	-	-	BEAU41C1910B	-	-	-	-	BPP13C2001A	0.38	0.01	47,460	-
BBL08C2002A	0.39	-	11,800	-	BEAU41C1911A	-	-	-	-	BPP16C2001A	0.16	0.01	3,582	-
BBL08P1912A	-	-	-	-	BEAU41P1909A	-	-	-	-	BPP19C1910A	0.09	-	2,400	-
BBL08P2002A	0.64	(0.01)	11,800	-	BEAU41P1911A	-	-	-	-	BPP24C1911A	0.25	(0.02)	9,214	-
BBL11C2001A	0.05	-	5	-	BEAU42C1910A	-	-	-	-	BTS01C2001A	0.47	(0.01)	125,827	-
BBL11C2005A	0.29	-	10,000	-	BEAU42C1911A	0.07	(0.01)	1,000	-	BTS01C2001B	0.35	(0.01)	35,198	-
BBL11P2001A	0.62	(0.01)	28,090	-	BEC01C2001A	0.30	(0.04)	78,283	-	BTS01P2001A	0.22	0.01	72,791	-
BBL13C1911A	0.07	-	5	-	BEC01C2001B	0.08	(0.01)	19,750	-	BTS08C1911A	0.40	(0.02)	6,047	-
BBL13C2001A	0.38	-	31,287	-	BEC01P2001A	0.64	0.04	57,247	-	BTS11C1910A	-	-	-	-
BBL13P1911A	0.97	(0.01)	6	-	BEC16C2002A	0.28	(0.04)	55,990	-	BTS11C2003A	0.45	-	2,601	-
BBL13P2001A	0.45	(0.02)	30,470	-	BEC27C2002A	0.08	(0.02)	25,830	-	BTS13C1912A	0.38	(0.01)	92,051	-
BBL19C1911A	-	-	-	-	BEC41C1912A	-	-	-	-	BTS13C2001A	0.22	-	204,899	-
BBL19C2001A	-	-	-	-	BEC41C2001A	-	-	-	-	BTS16C2001A	0.38	-	13,676	-
BBL19P1909A	-	-	-	-	BEM01C1911A	0.23	(0.01)	47,137	-	BTS16C2001B	0.43	-	10,056	-
BBL24C1910A	-	-	-	-	BEM01C1911B	0.13	(0.02)	49,981	-	BTS19C1910A	-	-	-	-
BBL24C1912A	0.06	-	1,198	-	BEM01P1911A	0.24	0.01	31,864	-	BTS19C2002A	0.25	(0.01)	5,925	-
BBL24C2001A	-	-	-	-	BEM06C1912A	0.09	(0.01)	86	-	BTS19P1910A	-	-	-	-
BBL27C2002A	0.11	-	4,428	-	BEM06P1912A	0.19	-	24,816	-	BTS24C2001A	-	-	-	-
BBL41C1912A	0.11	0.01	108	-	BEM08C2001A	0.22	(0.02)	8,045	-	BTS24P2001A	-	-	-	-
BBL41C2001A	-	-	-	-	BEM11C2001A	0.18	(0.01)	10,400	-	BTS27P1911A	-	-	-	-
BBL41P2001A	-	-	-	-	BEM11C2003A	0.22	(0.01)	5,620	-	BTS41C1912A	-	-	-	-
BBL42C2003A	0.39	-	20	-	BEM13C1909A	0.05	(0.01)	3,750	-	BTS41P1910A	-	-	-	-
BCH01C2001A	0.41	(0.01)	17,136	-	BEM13C1912A	0.19	-	52,926	-	BTS41P1912A	-	-	-	-
BCH01C2001B	0.23	(0.02)	16,341	-	BEM13P1911A	-	-	-	-	BTS41P2001A	-	-	-	-
BCH01P2001A	0.44	-	14,272	-	BEM16C1912A	0.19	(0.02)	7,914	-	CBG01C1909A	1.53	(0.03)	20,442	1.00
BCH06C1909A	0.02	-	68,777	-	BEM16C2001A	0.08	-	33,653	-	CBG01C1911A	1.70	(0.04)	19,388	1.00
BCH06C2001A	0.33	-	2,250	-	BEM19C1911A	-	-	-	-	CBG01C1911B	1.07	(0.06)	41,438	1.00
BCH08C1910A	-	-	-	-	BEM19C2001A	0.21	-	4,931	-	CBG01C2001A	1.01	(0.01)	34,540	1.00
BCH11C2001A	0.21	-	2,000	-	BEM19P1910A	-	-	-	-	CBG01C2001B	0.57	(0.03)	25,535	-
BCH13C1909A	-	-	-	-	BEM19P1911A	-	-	-	-	CBG01P1909A	0.02	0.01	1,001	-
BCH13C1911A	0.13	(0.02)	1,125	-	BEM23C2001A	0.14	(0.02)	3,310	-	CBG01P1911A	0.03	0.01	15,945	-
BCH13C1912A	0.30	(0.01)	34,018	-	BEM24C1909A	-	-	-	-	CBG01P2001A	0.44	-	68,164	-
BCH16C2001A	0.15	-	12,590	-	BEM24P1909A	-	-	-	-	CBG06C2002A	1.08	(0.06)	6,600	1.00
BCH19C1910A	-	-	-	-	BEM27P1912A	-	-	-	-	CBG08C1910A	0.98	(0.05)	6,400	-
BCH19C2001A	0.28	-	2,900	-	BEM28C1909A	-	-	-	-	CBG11C1911A	2.48	(0.06)	12,994	2.00
BCH24C2003A	0.33	(0.01)	1,700	-	BEM28C1910A	-	-	-	-	CBG11C2002A	0.85	(0.03)	15,681	-
BCH27C2003A	0.41	-	2,400	-	BEM28C2001A	0.11	-	12,814	-	CBG13C1912A	0.92	(0.03)	79,811	-
BCH41C2001A	0.32	0.01	8,000	-	BEM28C2002A	0.21	(0.02)	2,282	-	CBG13P1909A	-	-	-	-
BCH42C2002A	-	-	-	-	BEM41C1910A	-	-	-	-	CBG13P1911A	0.16	-	39,619	-
BCP01C2001A	0.14	-	136,597	-	BEM41C2001A	0.23	(0.02)	328	-	CBG16C1912A	2.28	(0.06)	12,949	2.00
BCP01C2001B	-	-	-	-	BEM41P1911A	-	-	-	-	CBG16C2001A	1.39	(0.05)	53,113	1.00
BCP01P2001A	0.48	0.01	21,574	-	BEM42C1910A	-	-	-	-	CBG19C1911A	0.66	(0.02)	18,368	-
BCP11C1909A	-	-	-	-	BEM42C2001A	0.15	(0.03)	3,361	-	CBG19P1911A	0.02	-	1	-
BCP11C2004A	0.10	(0.01)	32,150	-	BGR101C1909A	1.03	0.10	60,614	-	CBG24C1909A	-	-	-	-
BCP13C1910A	0.01	(0.01)	1,001	-	BGR101C1909B	0.78	0.12	70,304	-	CBG27C1912A	-	-	-	-
BCP13C1912A	-	-	-	-	BGR101C2001A	0.70	0.07	540,148	-	CBG28C1910A	-	-	-	-
BCP19C1910A	-	-	-	-	BGR101C2001B	0.55	0.09	247,846	-	CBG28C1912A	0.66	(0.03)	10,020	-
BCP19C2001A	-	-	-	-	BGR101P1909A	-	-	-	-	CBG41C1910A	-	-	-	-
BCP24C1912A	-	-	-	-	BGR101P2001A	0.17	(0.03)	131,875	-	CBG41C1910B	-	-	-	

## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENT01P1911A	0.28	0.01	55,706	-	CPAL42C1910A	0.30	(0.04)	10,400	-	EGCO41C1911A	-	-	-	-
CENT06C1912A	0.13	(0.01)	26,548	-	CPFO1C2001A	0.27	(0.02)	20,307	-	EGCO41C2001A	0.75	(0.02)	47,110	-
CENT08C1911A	-	-	-	-	CPFO1C2001B	0.15	(0.01)	158,137	-	EGCO41P1911A	0.02	-	104	-
CENT11C1909A	-	-	-	-	CPFO1P2001A	0.37	0.03	26,781	-	EGCO41P2001A	0.29	-	6,932	-
CENT11C2004A	0.25	(0.01)	9,311	-	CPFO1P2001B	0.22	0.01	41,801	-	EPG13C1912A	0.32	(0.02)	41,227	-
CENT13C1911A	-	-	-	-	CPFO8C1911A	0.11	(0.02)	2,000	-	EPG19C1910A	0.32	(0.03)	6,020	-
CENT13C1912A	-	-	-	-	CPF11C1910A	-	-	-	-	EPG19P1911A	0.02	(0.01)	106	-
CENT13C2001A	0.29	(0.01)	84,812	-	CPF13C1910A	0.08	(0.02)	7,660	-	EPG24C1911A	0.63	(0.02)	3,030	-
CENT16C2001A	0.15	-	19,770	-	CPF13C1911A	0.17	(0.02)	15,702	-	ERW06C1911A	-	-	-	-
CENT19C1910A	0.02	(0.01)	1,083	-	CPF13P1910A	0.07	-	340	-	ERW06C2001A	0.39	0.03	16,331	-
CENT19C2001A	0.25	-	1,209	-	CPF16C2001A	0.11	(0.02)	17,049	-	ERW06P2001A	0.17	(0.01)	13,789	-
CENT24C1910A	0.07	(0.02)	8	-	CPF19C1910A	0.10	(0.01)	16,502	-	ERW11C2001A	0.11	-	29,000	-
CENT24C2003A	0.34	(0.02)	410	-	CPF19C2001A	-	-	-	-	ERW13C1911A	0.06	(0.01)	5,800	-
CENT27C1912A	0.20	(0.01)	17,190	-	CPF19P1910A	-	-	-	-	ERW13C2001A	0.31	0.01	214,844	-
CENT41C1912A	-	-	-	-	CPF24C1912A	0.13	(0.01)	1	-	ERW19C1911A	0.08	0.01	5,200	-
CENT41C2001A	0.28	(0.03)	7,500	-	CPF24P1909A	-	-	-	-	ERW19C2001A	0.33	0.02	36,130	-
CENT41P1910A	-	-	-	-	CPF27C2001A	0.20	(0.02)	600	-	ERW24C1909A	-	-	-	-
CENT41P2001A	-	-	-	-	CPF28C1912A	0.11	(0.02)	2,028	-	ERW27C1910A	-	-	-	-
CENT42C2002A	0.30	(0.02)	1,600	-	CPF28P1911A	-	-	-	-	ESS001C1911A	0.20	-	43,098	-
CHG01C2001A	0.41	0.02	51,949	-	CPF41C2001A	-	-	-	-	ESS001C1911B	0.04	-	280	-
CHG01C2001B	0.25	-	44,612	-	CPF41P1910A	-	-	-	-	ESS001P1911A	0.59	(0.01)	190	-
CHG01P2001A	0.24	(0.01)	17,879	-	CPF41P1912A	-	-	-	-	ESS006C1911A	0.04	-	1,100	-
CHG06C1911A	0.30	0.02	7,745	-	CPF42C2001A	0.14	(0.02)	1,997	-	ESS008C1911A	-	-	-	-
CHG08C1912A	0.28	0.01	35,036	-	CPN01C2001A	0.38	(0.04)	48,053	-	ESS011C2002A	0.08	-	15,204	-
CHG11C1911A	0.28	0.02	15,600	-	CPN01C2001B	0.20	(0.02)	40,610	-	ESS013C1910A	-	-	-	-
CHG13C1911A	0.25	(0.01)	71,873	-	CPN01P2001A	1.13	0.04	52,592	1.00	ESS013C1911A	0.14	(0.01)	58,158	-
CHG16C2002A	0.25	(0.02)	42,580	-	CPN06C2001A	0.45	(0.05)	22,745	-	ESS013C1912A	-	-	-	-
CHG19C1911A	0.16	0.02	9,563	-	CPN11C1910A	-	-	-	-	ESS019C1910A	-	-	-	-
CHG24C1911A	-	-	-	-	CPN13C1912A	-	-	-	-	ESS019C2001A	0.18	-	8,904	-
CHG41C1912A	-	-	-	-	CPN13C2001A	0.42	(0.04)	114,119	-	ESS024C1910A	0.15	(0.03)	212	-
CK01C2001A	0.11	0.02	38,859	-	CPN16C2001A	0.12	(0.01)	300	-	ESS027C1912A	-	-	-	-
CK01C2001B	0.05	-	4,518	-	CPN19C1911A	0.05	(0.01)	97,155	-	ESS041C1911A	-	-	-	-
CK01P2001A	0.56	(0.01)	91,533	-	CPN19C2002A	0.30	(0.02)	9,114	-	ESS042C1910A	-	-	-	-
CK06C1911A	-	-	-	-	CPN24C1909A	-	-	-	-	ESS042C2001A	0.27	-	11,502	-
CK08C1911A	-	-	-	-	CPN24P1911A	0.74	0.05	220	-	GFPT08C1912A	0.27	(0.02)	4,800	-
CK11C1911A	-	-	-	-	CPN41C1910A	-	-	-	-	GFPT13C1912A	-	-	-	-
CK13C1910A	-	-	-	-	CPN41C2001A	0.26	(0.06)	10	-	GFPT19C1912A	0.17	(0.02)	4,450	-
CK16C1912A	0.14	0.02	87,581	-	CPN41C2002A	-	-	-	-	GFPT19P1912A	0.22	0.02	200	-
CK19C1912A	0.03	-	133	-	CPN41P1912A	0.62	0.04	2,820	-	GFPT23C1909A	0.13	(0.06)	101	-
CK19C2002A	0.11	0.01	4,961	-	DTAC01C1910A	0.78	(0.10)	49,251	-	GFPT24C1912A	-	-	-	-
CK24C1910A	0.04	(0.04)	13	-	DTAC01C1910B	0.59	(0.13)	97,593	-	GFPT42C1911A	-	-	-	-
CK41C1911A	-	-	-	-	DTAC01C2001A	0.74	(0.08)	87,995	-	GLOB01C1909A	0.15	(0.02)	111,010	-
CK41C2001A	0.40	0.02	4,564	-	DTAC01C2001B	0.44	(0.09)	96,240	-	GLOB01C1909B	-	-	-	-
CKP01C1911A	0.39	0.01	91,392	-	DTAC01P1910A	0.33	0.06	240,853	-	GLOB01C2003A	0.43	-	83,868	-
CKP01C1911B	0.25	0.01	110,976	-	DTAC01P1910B	0.03	(0.01)	1	-	GLOB01P1909A	0.38	0.01	32,306	-
CKP06C1910A	0.31	0.01	8,140	-	DTAC01P2001A	0.75	0.06	115,749	-	GLOB06C1911A	0.13	(0.01)	10,557	-
CKP08C1910A	0.14	(0.01)	25,749	-	DTAC01P2001B	0.44	0.04	92,841	-	GLOB11C2002A	0.36	(0.01)	17,001	-
CKP11C1910A	0.25	0.01	26,481	-	DTAC07C1909A	0.65	(0.07)	460	-	GLOB13C1910A	0.09	(0.01)	65,264	-
CKP13C1910A	0.14	(0.01)	94,805	-	DTAC08C1911A	0.61	(0.09)	47,147	-	GLOB16C2001A	0.21	(0.02)	50,304	-
CKP13C1912A	0.13	(0.01)	12,365	-	DTAC08P1911A	0.15	0.01	16,000	-	GLOB19C1912A	0.13	-	29,000	-
CKP16C2001A	0.13	-	40,480	-	DTAC08P2002A	0.74	0.05	37,108	-	GLOB19C2002A	0.35	(0.01)	36,454	-
CKP19C1910A	0.19	0.01	26,366	-	DTAC11C2002A	0.76	(0.09)	48,129	-	GLOB24C1911A	-	-	-	-
CKP19C1911A	0.06	-	800	-	DTAC13C1911A	-	-	-	-	GLOB41C1910A	-	-	-	-
CKP24C1912A	0.40	0.02	10,982	-	DTAC13C1912A	0.42	(0.08)	100,087	-	GLOB41C2001A	0.24	(0.04)	14,096	-
CKP24P1912A	0.07	-	500	-	DTAC13P1909A	-	-	-	-	GLOB41P2001A	0.34	-	574	-
CKP28C1910A	-	-	-	-	DTAC13P1912A	0.33	0.04	61,764	-	GLOW13C1912A	-	-	-	-
CKP28C1912A	0.09	(0.01)	1,008	-	DTAC16C2001A	0.74	(0.12)	128,054	-	GPSCO1C1910A	1.49	0.10	67,444	1.00
CKP28C2003A	0.26	0.01	40,989	-	DTAC19C2001A	0.46	(0.07)	12,180	-	GPSCO1C1910B	1.38	0.11	120,251	1.00
CKP41C1909A	-	-	-	-	DTAC19P1910A	-	-	-	-	GPSCO1C1912A	1.09	0.08	375,328	1.00
COM708C1911A	-	-	-	-	DTAC24C1910A	0.83	(0.13)	4,275	-	GPSCO1C1912B	0.73	0.07	285,085	-
COM708C2002A	0.24	(0.01)	2,020	-	DTAC24P1909A	-	-	-	-	GPSCO1P1910A	0.03	-	9,693	-
COM711C1909A	0.46	(0.05)	2,201	-	DTAC27C2002A	0.79	(0.08)	13,896	-	GPSCO1P1912A	0.38	(0.05)	122,359	-
COM713C1912A	0.69	(0.04)	500	-	DTAC27P2002A	0.22	0.02	62,874	-	GPSCO6C1912A	1.01	0.06	67,540	1.00
COM713C2001A	0.20	-	12,406	-	DTAC28C1911A	0.61	(0.13)	128	-	GPSCO8C2001A	0.98	0.06	110,700	-
COM716C2001A	0.77	(0.04)	3,546	-	DTAC28C2001A	0.42	(0.07)	16,040	-	GPSC11C1909A	0.86	0.19	2,001	-
COM719C1910A	0.68	(0.05)	11	-	DTAC41C1912A	-	-	-	-	GPSC13C1911A	1.62	0.16	240	1.00
COM719C2001A	0.19	(0.02)	260	-	DTAC41P2001A	-	-	-	-	GPSC13C1912A	0.85	0.06	917,627	-
COM719P1911A	0.10	0.02	48,720	-	DTAC42C1911A	0.85	(0.13)	447	-	GPSC13P1911A	0.16	(0.02)	30,968	-
COM724C2001A	-	-	-	-	DTAC42C2001A	0.40	(0.14)	5,010	-	GPSC19C1910A	1.35	0.14	330	1.00
COM741C1911A	-	-	-	-	EA06C1910A	0.07	-	9,368	-	GPSC19C2001A	0.67	0.06	341,006	-
COM741C2001A	-	-	-	-	EA07C1910A	0.23	(0.03)	1,442	-	GPSC19P1911A	0.02	(0.01)	76,234	-
CPAL01C1911A	0.72	-	38,669	-	EA08C2001A	0.32	0.01	41,750	-	GPSC24C1909A	-	-	-	-
CPAL01C1911B	0.45	-	51,094	-	EA11C1911A	0.42	0.01	30,560	-	GPSC27C1909A	0.64	0.05	47,820	-
CPAL01C2002A	0.62	-	48,311	-	EA13C1910A	0.02	(0.02)	15,115	-	GPSC41C1911A	1.43	0.19	25	1.00
CPAL01C2002B	0.32	0.01	58,384	-	EA13C1912A	0.28	-	153,943	-	GPSC41C1912A	0.83	0.07	52,686	-
CPAL01P1911A	0.58	0.01	78,342	-	EA13C2001A	0.42	(0.58)	298,514	-	GPSC41P1912A	0.38	(0.02)	270	-
CPAL01P1911B	0.27	-	51,444	-	EA13P1909A	-	-	-	-	GPSC42C2002A	0.59	0.04	8,857	-
CPAL01P2002A	1.05	(0.01)	38,814	1.00	EA13P1910A	0.28	(0.02)	46,703	-	GULF01C1909A	4.48	0.06	10,251	4.00
CPAL01P2002B	0.84	-	42,612	-	EA13P2001A	0.51	(0.49)	67,315	-	GULF01C1909B	1.80	0.02	14,098	1.00
CPAL06P1912A	0.59	(0.03)	7,620	-	EA16C1911A	0.36	-	70,744	-	GULF01C1912A	1.26	0.04	151,355	1.00
CPAL08C2001A	0.38	0.01	28,700	-	EA19C2001A	0.25	-	15,603	-	GULF01C1912B	0.98	0.02	197,784	-
CPAL08P2002A	0.57	(0.01)	16,025	-	EA19C2002A	0.50	-	32,729	-	GULF01P1909A	0.02	0.01	4,310	-
CPAL11C1909A	0.20	-	30,010	-	EA19P1910A	-	-	-	-	GULF01P1912A	0.15	(0.02)	122,339	-
CPAL13C1911A	0.48	(0.02)	285,711	-	EA23C1909A	-	-	-	-	GULF01P2003A	0.83	(0.02)	119,952	-
CPAL13P1911A	0.24	(0.01)	48,541	-	EA24C1910A	0.14	-	202	-	GULF06C1909A	-	-	-	-
CPAL16C1912A	1.31	(0.02)	68,780	1.00	EA28C1909A	-	-	-	-	GULF06C1912A	1.54	0.06	23,978	1.00
CPAL16C2001A	0.46	(0.02)	36,537	-	EA28C1909B	-	-	-	-	GULF07C1910A	-	-	-	-
CPAL19C1911A	0.20	0.02</												



## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF24P2001A	0.09	(0.01)	4,247	-	IRPC41C1912A	-	-	-	-	KBAN28C2002B	0.39	0.01	49,923	-
GULF27C2004A	1.15	0.01	13,476	1.00	IRPC41C2002A	0.31	-	39,980	-	KBAN28P1909A	-	-	-	-
GULF28C1909A	-	-	-	-	IRPC41C2002B	-	-	-	-	KBAN28P1912A	-	-	-	-
GULF28C1910A	-	-	-	-	IRPC41P1909A	-	-	-	-	KBAN28P2003A	0.33	(0.01)	4,056	-
GULF28C2001A	0.90	0.02	19,958	-	IRPC41P1912A	-	-	-	-	KBAN41C1910A	-	-	-	-
GULF28C2003A	0.34	(0.66)	27,951	-	IRPC41P2001A	-	-	-	-	KBAN41C2001A	-	-	-	-
GULF41C1909A	-	-	-	-	IRPC41P2002A	-	-	-	-	KBAN41P1912A	-	-	-	-
GULF41C1909B	-	-	-	-	IRPC42C1911A	-	-	-	-	KBAN42C1911A	-	-	-	-
GULF41C1910A	-	-	-	-	IRPC42C2002A	-	-	-	-	KBAN42C2003A	0.46	(0.04)	56	-
GULF41C1910B	-	-	-	-	IVL01C1911A	0.09	(0.01)	1,571	-	KCE01C1911A	0.57	(0.01)	119,047	-
GULF41C1911A	-	-	-	-	IVL01C1911B	0.02	-	3,790	-	KCE01C1911B	0.28	(0.02)	71,091	-
GULF41C2001A	-	-	-	-	IVL01C2002A	0.24	(0.01)	103,951	-	KCE06C1911A	0.21	(0.02)	30,802	-
GULF41C2001B	-	-	-	-	IVL01C2002B	0.11	(0.01)	120,827	-	KCE08C1911A	-	-	-	-
GULF41P1909A	-	-	-	-	IVL01P1911A	0.92	0.02	18,693	-	KCE08C2002A	0.65	-	45,700	-
GULF41P1911A	-	-	-	-	IVL01P1911B	0.88	0.03	21,024	-	KCE11C2004A	0.59	(0.01)	39,115	-
GULF41P1911B	-	-	-	-	IVL01P2002A	0.83	0.02	48,907	-	KCE13C1911A	0.18	(0.01)	47,349	-
GULF41P1912A	-	-	-	-	IVL01P2002B	0.63	0.01	20,128	-	KCE13C2001A	0.54	(0.02)	144,124	-
GULF41P1912B	-	-	-	-	IVL06C1910A	0.01	(0.01)	70	-	KCE16C2001A	0.28	(0.01)	50,055	-
GULF41P2001A	0.28	(0.01)	44	-	IVL06C2001A	0.32	(0.02)	28,605	-	KCE19C1910A	-	-	-	-
GULF42C1910A	2.10	(0.04)	443	2.00	IVL06P1910A	0.79	0.03	10,526	-	KCE19C1910B	0.14	-	14,350	-
GULF42C2002A	0.87	0.02	45,778	-	IVL08C1911A	-	-	-	-	KCE19C2002A	0.56	(0.03)	12,447	-
GUNK01C1912A	0.36	(0.01)	40,306	-	IVL08C2002A	0.19	-	23,602	-	KCE23C1911A	0.18	(0.01)	24,000	-
GUNK01C1912B	0.22	(0.01)	36,186	-	IVL08P1910A	-	-	-	-	KCE24C1911A	0.31	(0.02)	13,771	-
GUNK01P1912A	0.34	-	46,672	-	IVL11C1911A	0.02	-	160	-	KCE28C1911A	0.25	-	19,717	-
GUNK08C1912A	0.38	(0.01)	32,000	-	IVL11C2005A	0.21	(0.01)	10,501	-	KCE41C1911A	-	-	-	-
GUNK11C1911A	-	-	-	-	IVL13C1909A	-	-	-	-	KCE42C1910A	-	-	-	-
GUNK13C1909A	-	-	-	-	IVL13C1912A	0.03	(0.01)	1,826	-	KCE42C2001A	0.60	-	8,217	-
GUNK13C1912A	0.19	-	48,285	-	IVL13C2001A	0.09	(0.01)	65,669	-	KKP01C2001A	0.52	0.02	71,513	-
GUNK16C2002A	0.27	-	28,117	-	IVL13C2002A	0.27	(0.01)	215,792	-	KKP01C2001B	0.31	0.02	127,604	-
GUNK19C1910A	0.21	-	29,877	-	IVL13P1911A	0.57	0.01	8	-	KKP01P2001A	0.84	(0.03)	43,667	-
GUNK19C1911A	0.11	-	5,000	-	IVL13P1912A	-	-	-	-	KKP11C1911A	0.21	0.01	20,000	-
GUNK24C1909A	-	-	-	-	IVL13P2001A	0.22	-	80,894	-	KKP13C1910A	0.13	0.02	98,877	-
GUNK24C2001A	0.24	(0.01)	90	-	IVL16C2001A	-	-	-	-	KKP13C2001A	0.31	0.02	87,430	-
GUNK28C2002A	-	-	-	-	IVL19C1911A	-	-	-	-	KKP16C2002A	0.53	0.03	59,113	-
GUNK42C1910A	-	-	-	-	IVL19C2001A	0.07	(0.01)	30	-	KKP19C1911A	0.22	0.03	23,417	-
HANA01C1909A	0.07	-	13,290	-	IVL19C2002A	0.42	(0.03)	4,112	-	KKP24C1909A	0.09	-	103,320	-
HANA01C1909B	-	-	-	-	IVL19P1910A	0.32	0.01	1,531	-	KKP27P2002A	0.41	(0.02)	12,036	-
HANA01C1911A	0.91	(0.01)	9,888	-	IVL23P1909A	-	-	-	-	KKP41C1910A	0.09	-	1	-
HANA01C2001A	0.28	(0.01)	89,442	-	IVL24C1910A	-	-	-	-	KTB01C1909A	0.10	(0.01)	75,473	-
HANA01C2001B	0.17	-	215,766	-	IVL24C2001A	0.09	(0.01)	1,200	-	KTB01C1909B	-	-	-	-
HANA11C1911A	-	-	-	-	IVL24P1911A	-	-	-	-	KTB01C2003A	0.40	-	53,286	-
HANA13C1910A	-	-	-	-	IVL27C1912A	-	-	-	-	KTB01P1909A	0.41	(0.01)	27,189	-
HANA13C1911A	-	-	-	-	IVL27P1912A	0.48	(0.01)	5,830	-	KTB11C1909A	-	-	-	-
HANA13C1912A	0.22	(0.01)	85,552	-	IVL28C1910A	-	-	-	-	KTB11C2004A	0.12	-	28,600	-
HANA19C1910A	0.08	0.01	8,410	-	IVL28C2001A	-	-	-	-	KTB13C1912A	-	-	-	-
HANA27C2001A	0.31	-	9,600	-	IVL28C2002A	0.14	(0.01)	18,743	-	KTB19C1912A	-	-	-	-
HMPR01C2001A	0.50	-	32,339	-	IVL28C2003A	0.33	(0.02)	119,149	-	KTB19C2002A	0.23	-	41	-
HMPR01C2001B	0.30	0.01	70,732	-	IVL28P1909A	-	-	-	-	KTB19P1910A	-	-	-	-
HMPR01P2001A	0.38	0.01	46,679	-	IVL28P1912A	-	-	-	-	KTB24C2004A	-	-	-	-
HMPR06C1910A	0.42	(0.02)	19,890	-	IVL28P2003A	0.10	-	17,738	-	KTB41C1910A	-	-	-	-
HMPR08C1912A	0.38	(0.01)	16,400	-	IVL41C1909A	-	-	-	-	KTB41C2002A	-	-	-	-
HMPR11C2003A	0.46	-	32,027	-	IVL41C1910A	-	-	-	-	KTC01C1910A	0.55	(0.04)	61,936	-
HMPR13C1912A	0.27	0.01	176,692	-	IVL41C1910B	-	-	-	-	KTC01C1910B	0.24	(0.04)	120,799	-
HMPR19C1911A	0.20	(0.01)	19,738	-	IVL41C1912A	0.39	(0.01)	26,660	-	KTC01C2001A	0.55	(0.03)	43,152	-
HMPR24C1912A	0.29	-	958	-	IVL41C2001A	-	-	-	-	KTC01C2001B	0.29	(0.02)	50,660	-
HMPR27P2001A	0.18	-	37,044	-	IVL41C2002A	-	-	-	-	KTC01P1910A	0.07	0.01	600	-
HMPR41C1911A	0.28	-	21,400	-	IVL41C2002B	-	-	-	-	KTC01P2001A	0.39	0.01	90,251	-
HMPR41P1911A	-	-	-	-	IVL41P1912A	-	-	-	-	KTC06C1911A	0.39	(0.04)	10,226	-
HSI28C1910A	1.19	(0.03)	64,070	1.00	IVL41P2001A	-	-	-	-	KTC08C1910A	0.27	(0.03)	11,566	-
HSI28C1910B	0.72	(0.04)	38,235	-	IVL41P2002A	-	-	-	-	KTC11C1911A	0.75	(0.04)	18,810	-
HSI28C1910C	0.42	(0.04)	7,180	-	IVL42C1910A	-	-	-	-	KTC13C1909A	0.07	(0.03)	100,255	-
HSI28C1910D	0.24	(0.03)	2,050	-	IVL42C2001A	-	-	-	-	KTC13C1912A	0.43	(0.04)	212,810	-
HSI28P1910A	0.34	(0.02)	4,051	-	JAS06C1912A	0.15	(0.02)	18,127	-	KTC13P1909A	-	-	-	-
HSI28P1910B	0.49	(0.04)	2,615	-	JAS08C1912A	0.25	(0.02)	8,900	-	KTC13P1911A	0.29	0.03	78,206	-
HSI28P1910C	0.76	(0.05)	2,002	-	JAS13C1912A	0.18	(0.01)	35,033	-	KTC16C1911A	0.53	(0.03)	27,492	-
HSI28P1910D	1.20	(0.04)	12,891	1.00	JAS16C2002A	0.29	(0.02)	20,724	-	KTC19C1910A	0.13	(0.02)	6,127	-
INTU01C1912A	0.76	0.02	90,423	-	JAS16C2002B	0.19	(0.01)	100	-	KTC19P1911A	-	-	-	-
INTU01C1912B	0.56	0.02	95,436	-	JAS19C1912A	0.11	(0.01)	28,086	-	KTC19P2001A	0.20	0.01	6,173	-
INTU01P1912A	0.43	(0.01)	111,079	-	JAS19C2002A	0.30	(0.01)	58	-	KTC24C2001A	0.49	(0.05)	801	-
INTU01P1912B	0.22	-	71,673	-	JAS19P2001A	0.13	-	316	-	KTC27C1911A	0.41	(0.03)	10,000	-
INTU11C2001A	0.82	0.02	23,627	-	JAS28C2002A	0.25	(0.02)	4,156	-	KTC27P1911A	0.17	0.01	14,571	-
INTU13C1912A	0.61	0.04	104,614	-	JAS41C1912A	-	-	-	-	KTC28C1909A	-	-	-	-
INTU16C2001A	0.80	0.04	53,548	-	JAS41C2001A	0.33	(0.04)	1,600	-	KTC28C2002A	0.39	(0.02)	21,267	-
INTU19C1912A	0.44	0.02	10,340	-	JAS41P1912A	-	-	-	-	KTC41C1910A	-	-	-	-
INTU19P1910A	-	-	-	-	JAS41P2001A	-	-	-	-	KTC41C2001A	0.40	(0.03)	100	-
INTU24C1909A	0.53	(0.02)	2	-	KBAN01C1911A	0.19	0.01	268,109	-	KTC41P1910A	-	-	-	-
INTU41C1912A	0.59	0.04	11,300	-	KBAN01C1911B	0.04	-	2,501	-	KTC41P2001A	0.60	0.02	15,445	-
INTU41P1910A	-	-	-	-	KBAN01C2002A	0.45	0.02	61,634	-	KTC42C1911A	0.27	(0.03)	7,240	-
INTU41P2001A	0.24	(0.01)	10	-	KBAN01C2002B	0.21	-	18,638	-	LH01C1909A	0.22	-	41,372	-
INTU42C1910A	0.42	0.03	607	-	KBAN01P1911A	1.80	(0.02)	45,114	1.00	LH01C1909B	0.05	(0.01)	56,587	-
IRPC01C1911A	0.09	(0.01)	83,483	-	KBAN01P1911B	1.29	(0.03)	60,462	1.00	LH01C2003A	0.26	-	59,227	-
IRPC01C1911B	0.02	-	100	-	KBAN01P2002A	1.48	(0.04)	59,771	1.00	LH01P1909A	0.11	0.01	87,548	-
IRPC01C2002A	0.39	(0.01)	56,602	-	KBAN01P2002B	1.08	(0.04)	52,999	1.00	LH11C1911A	0.12	-	8,000	-
IRPC01P1911A	0.57	(0.01)	52,224	-	KBAN08C2001A	0.15	0.01	28,082	-	LH13C1910A	0.07	(0.02)	9,328	-
IRPC01P2002A	0.61	(0.01)	72,114	-	KBAN08C2002A	0.47	-	25,950	-	LH16C2002A	0.21	(0.01)	10,220	-
IRPC06C1911A	-	-	-	-	KBAN08P1912A	-	-	-	-	LH19C1911A	-	-	-	-
IRPC11C2001A	-	-	-	-	KBAN08P2002A	0.63	(0.02)	28,200	-	LH19P1910A	-	-	-	-
IRPC11C2005A	0.14	-	21,000	-	KBAN13C1910A	0.04	-	2,501	-	LH24C1912A	0.09	(0.02)	500	-
IRPC13C1909A	-	-	-	-	KBAN13C1912A	-	-	-	-	LH41C1911A	-	-	-	-
IRPC13C1911A	0.01	-	18,369	-	KBAN13C2001A	0.48	0.02	161,557	-	LH41P1911A	-	-	-	-

## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MEGA19C2001A	0.24	(0.02)	5,800	-	PTG13C1912B	0.24	(0.02)	141,872	-	PTTG01P1910A	1.73	(0.01)	7,027	1.00
MINT01C1911A	0.29	(0.01)	90,466	-	PTG13P1911A	0.18	-	109,270	-	PTTG01P1910B	0.60	(0.01)	25,128	-
MINT01C1911B	0.18	(0.01)	109,955	-	PTG16C1911A	1.27	(0.02)	52,216	1.00	PTTG01P1912A	1.17	(0.02)	8,713	1.00
MINT01P1911A	0.34	-	61,612	-	PTG19C1910A	-	-	-	-	PTTG01P1912B	0.80	-	17,626	-
MINT06C2001A	0.19	-	6,600	-	PTG19C1910B	0.33	(0.02)	23,570	-	PTTG01P2002A	0.80	(0.01)	18,383	-
MINT11C1910A	0.13	(0.04)	15,250	-	PTG19C1911A	0.21	(0.02)	58,706	-	PTTG01P2002B	0.47	(0.01)	25,266	-
MINT13C1911A	0.17	(0.01)	33,941	-	PTG19P1910A	-	-	-	-	PTTG06C1911A	-	-	-	-
MINT13C1912A	0.12	(0.03)	10	-	PTG19P2001A	0.39	-	27,912	-	PTTG06C2001A	0.39	(0.01)	14,000	-
MINT16C1911A	0.19	(0.02)	9,644	-	PTG24C1909A	-	(0.02)	-	-	PTTG08C1911A	-	-	-	-
MINT16C2001A	0.23	-	10,751	-	PTG27P1910A	-	-	-	-	PTTG08C2001A	0.20	-	10,600	-
MINT19C2001A	-	-	-	-	PTG27P2001A	0.21	-	52,458	-	PTTG08P1912A	0.62	(0.02)	3,000	-
MINT19P1910A	-	-	-	-	PTG28C1910A	-	-	-	-	PTTG11C1909A	-	-	-	-
MINT23C2001A	-	-	-	-	PTG28C1910B	-	-	-	-	PTTG11C2004A	-	-	-	-
MINT24C2001A	0.24	-	46,440	-	PTG28C1911A	-	-	-	-	PTTG13C1911A	-	-	-	-
MINT27C1912A	0.19	(0.02)	12,900	-	PTG28C1912A	0.30	(0.02)	9,360	-	PTTG13C1912A	0.12	(0.01)	4,400	-
MINT27P1912A	0.18	-	1,558	-	PTG41C1910A	-	-	-	-	PTTG13C2001A	0.39	(0.02)	41,539	-
MINT28C2002A	0.19	(0.01)	6,284	-	PTG41C1912A	0.47	(0.06)	46,860	-	PTTG13P1909A	-	-	-	-
MINT41C1910A	-	-	-	-	PTG41P1911A	-	-	-	-	PTTG13P1910A	-	-	-	-
MINT41C2001A	-	-	-	-	PTG41P1912A	0.44	-	27,360	-	PTTG13P2001A	0.32	-	58,813	-
MINT41P1912A	-	-	-	-	PTG42C1910A	1.00	(0.37)	20	1.00	PTTG16C2001A	0.06	-	31	-
MTC01C1912A	0.55	(0.01)	34,782	-	PTG42C2001A	0.34	(0.01)	8,762	-	PTTG19C1910A	-	-	-	-
MTC01C1912B	0.35	(0.02)	40,318	-	PTT01C1910A	0.14	-	176,088	-	PTTG19C2001A	-	-	-	-
MTC01P1912A	0.45	0.01	31,364	-	PTT01C1910B	0.08	0.01	2,818	-	PTTG19C2002A	0.36	0.01	1,173	-
MTC06C1912A	0.35	(0.02)	8,110	-	PTT01C2001A	0.31	0.01	136,739	-	PTTG19P1910A	-	-	-	-
MTC07C1909A	-	-	-	-	PTT01C2001B	0.15	-	120,506	-	PTTG24C1911A	-	-	-	-
MTC08C1911A	0.42	(0.02)	17,165	-	PTT01P1910A	0.69	(0.03)	120,934	-	PTTG27C2001A	0.15	-	10,281	-
MTC11C2002A	0.78	(0.03)	9,150	-	PTT01P1910B	0.22	(0.02)	219,255	-	PTTG28C1911A	-	-	-	-
MTC13C1910A	0.42	(0.04)	130,166	-	PTT01P2001A	0.70	(0.02)	31,702	-	PTTG28C2001A	-	-	-	-
MTC13C1912A	0.35	(0.02)	79,676	-	PTT01P2001B	0.48	(0.03)	48,513	-	PTTG28C2002A	0.30	-	12,216	-
MTC16C1911A	0.62	(0.01)	27,396	-	PTT06C1912A	0.07	-	1,000	-	PTTG41C1911A	-	-	-	-
MTC19C1911A	0.20	(0.01)	2,536	-	PTT08C1912A	0.30	0.01	18,421	-	PTTG41C1911B	-	-	-	-
MTC19C2002A	0.56	(0.01)	6,707	-	PTT08P1911A	0.30	(0.01)	10,880	-	PTTG41C2001A	-	-	-	-
MTC19P1911A	0.13	0.01	3,367	-	PTT11C1909A	-	-	-	-	PTTG41P1912A	-	-	-	-
MTC23C1911A	0.49	(0.04)	7,201	-	PTT11C2004A	0.21	-	40,792	-	PTTG41P2001A	-	-	-	-
MTC24C1910A	-	-	-	-	PTT13C1909A	-	-	-	-	PTTG42C1910A	-	-	-	-
MTC24C1912A	-	-	-	-	PTT13C1911A	0.12	0.01	41,358	-	PTTG42C2003A	-	-	-	-
MTC27C1911A	0.54	(0.03)	9,162	-	PTT13C2001A	0.28	0.01	194,924	-	QH01C2001A	0.32	(0.03)	18,490	-
MTC27P1911A	-	-	-	-	PTT13P1909A	-	-	-	-	QH01C2001B	0.19	(0.03)	20,313	-
MTC28C1910A	-	-	-	-	PTT13P1911A	0.30	(0.03)	93,200	-	QH01P2001A	0.44	0.03	65,565	-
MTC28C1912A	0.25	(0.01)	3,850	-	PTT16C1912A	0.27	-	61,232	-	QH11C1910A	0.11	(0.03)	4,000	-
MTC28C2002A	0.51	(0.02)	16,209	-	PTT16C2001A	0.08	-	10	-	QH13C1909A	0.05	(0.02)	10,000	-
MTC41C1911A	0.31	(0.04)	29,060	-	PTT19C1911A	0.05	(0.01)	200	-	QH19C1909A	-	-	-	-
MTC41P1911A	0.27	0.01	100	-	PTT19C2002A	0.29	0.01	9,280	-	RATC13C1911A	0.91	(0.03)	129,234	-
MTC42C1910A	0.35	(0.02)	1,050	-	PTT19P1911A	0.12	(0.01)	8,565	-	RATC16C2001A	0.83	(0.02)	66,410	-
ORI08C2001A	0.28	(0.02)	12,884	-	PTT23C1911A	0.08	0.02	10,000	-	RATC19C1910A	0.46	(0.02)	18,257	-
ORI11C1909A	0.22	(0.02)	2,150	-	PTT24C1911A	-	-	-	-	RATC24C2001A	0.76	(0.04)	4,076	-
ORI13C1912A	0.34	(0.03)	62,301	-	PTT24P2001A	0.35	(0.04)	212	-	RATC41C1911A	0.52	(0.03)	31,506	-
ORI19C1910A	0.19	(0.01)	7,443	-	PTT28C1911A	-	-	-	-	ROBI01C1909A	-	-	-	-
ORI19C2001A	0.10	(0.01)	12,849	-	PTT28C1912A	-	-	-	-	ROBI01C1909B	-	-	-	-
ORI23C1911A	0.43	(0.05)	4,904	-	PTT28C2002A	0.27	0.01	41,023	-	ROBI01C1912A	0.77	(0.02)	419	-
ORI24C2001A	0.19	(0.03)	5,100	-	PTT28P1912A	0.27	(0.03)	19,624	-	ROBI01C1912B	0.53	-	567	-
ORI41C1911A	-	-	-	-	PTT41C1910A	-	-	-	-	ROBI06C1910A	-	-	-	-
OSP01C1912A	0.45	(0.01)	42,578	-	PTT41C1910B	-	-	-	-	ROBI08C2001A	-	-	-	-
OSP01C1912B	0.27	(0.01)	68,482	-	PTT41C1912A	-	-	-	-	ROBI11C2003A	-	-	-	-
OSP01P1912A	0.23	0.01	43,169	-	PTT41C2001A	-	-	-	-	ROBI13C1912A	0.54	(0.01)	84	-
OSP06C1912A	0.31	-	910	-	PTT41P1911A	-	-	-	-	ROBI19C1910A	0.26	(0.01)	5	-
OSP08C2001A	0.34	(0.01)	14,000	-	PTT41P2001A	-	-	-	-	ROBI23C1909A	-	-	-	-
OSP11C2005A	0.36	(0.01)	20,103	-	PTT42C1911A	-	-	-	-	ROBI24C1909A	-	-	-	-
OSP13C1912A	0.38	(0.01)	33,917	-	PTT42C2003A	0.31	0.01	20,020	-	ROBI24C1912A	-	-	-	-
OSP16C2001A	0.36	(0.01)	150	-	PTTE01C1910A	0.23	-	162,320	-	ROBI41C1912A	-	-	-	-
OSP19C1912A	0.28	(0.01)	24,191	-	PTTE01C1910B	0.14	-	85,718	-	ROBI41C2001A	-	-	-	-
OSP24C1912A	0.35	(0.02)	10	-	PTTE01C2001A	0.51	-	115,012	-	ROBI41P2001A	0.16	(0.04)	1	-
OSP28C2001A	0.31	(0.01)	20,280	-	PTTE01C2001B	0.27	0.01	60,133	-	RS06C2001A	0.49	0.01	3,320	-
OSP41C1912A	0.37	-	200	-	PTTE01P1910A	0.88	(0.02)	87,655	-	RS08C1911A	0.17	-	8,613	-
OSP41P1912A	-	-	-	-	PTTE01P1910B	0.21	-	170,442	-	RS08C2001A	0.35	-	15,830	-
OSP42C2001A	0.42	(0.02)	220	-	PTTE01P2001A	1.17	-	35,903	1.00	RS11C1911A	0.33	-	12,540	-
PLAN13C1912A	0.62	(0.02)	1	-	PTTE01P2001B	0.66	(0.02)	73,649	-	RS13C1909A	0.01	(0.01)	10,000	-
PLAN13C1912B	0.30	-	54,348	-	PTTE06C2001A	0.18	-	34,926	-	RS13C1912A	0.35	-	67,616	-
PLAN16C2002A	0.59	(0.01)	24,138	-	PTTE06P1910A	0.14	(0.01)	58,741	-	RS16C2001A	0.35	-	35,310	-
PLAN19C1911A	0.46	-	1,200	-	PTTE08C1910A	0.07	(0.01)	14,140	-	RS19C1911A	0.16	-	12,067	-
PLAN19C2001A	0.25	(0.01)	17,564	-	PTTE08C2002A	0.41	-	24,400	-	RS19C2002A	0.35	0.01	15,725	-
PLAN23C1909A	-	-	-	-	PTTE08P1911A	0.35	-	7,800	-	RS23C1909A	-	-	-	-
PLAN24C1912A	-	-	-	-	PTTE11C1910A	0.23	-	48,720	-	RS24C1910A	-	-	-	-
PLAN28C2002A	0.33	(0.02)	27,288	-	PTTE13C1911A	0.28	(0.01)	77,814	-	RS41C1912A	0.32	(0.03)	469	-
PLAN41C1910A	0.48	0.02	17,760	-	PTTE13C2001A	0.57	-	388,233	-	RS42C1911A	0.35	-	11,300	-
PRM13C1912A	0.55	0.06	95,623	-	PTTE13P1911A	-	-	-	-	S10001C1911A	0.53	-	355	-
PRM19C1910A	0.44	0.07	24,173	-	PTTE13P1912A	0.31	(0.02)	28,810	-	S5001C1909F	0.46	(0.03)	2,127,180	-
PRM19C2001A	0.32	0.04	34,673	-	PTTE13P2001A	0.32	(0.01)	25,814	-	S5001C1909G	0.22	(0.02)	1,113,963	-
PRM23C1909A	0.53	0.05	18,000	-	PTTE16C1911A	0.19	-	24,488	-	S5001C1909H	0.04	(0.02)	24,396	-
PRM27C2002A	0.58	0.04	30,100	-	PTTE19C2001A	0.18	0.01	9,090	-	S5001C1909I	0.01	-	159,363	-
PRM41C2002A	0.54	0.01	71,481	-	PTTE19C2002A	0.52	0.01	56,560	-	S5001C1909J	0.30	(0.01)	995,670	-
PRM42C2001A	0.42	(0.02)	9,700	-	PTTE19P1911A	0.10	-	300	-	S5001C1910A	0.40	-	266,293	-
PSH13C1910A	0.13	(0.03)	11,700	-	PTTE23P1909A	-	-	-	-	S5001C1912F	1.31	(0.02)	4,145,854	1.00
PSH13C2001A	0.22	(0.01)	400	-	PTTE24C1910A	0.40	-	2,742	-	S5001C2001A	1.12	0.01	344,732	1.00
PSH19C2001A	0.15	(0.02)	14,988	-	PTTE24P1909A	0.12	(0.02)	3,000	-	S5001P1909F	0.03	(0.01)	178,787	-
PSL06C1911A	0.81	(0.09)	27,449	-	PTTE27C1912A	0.25	-	41,476	-	S5001P1909G	0.12	(0.01)	1,289,110	-
PSL13C1912A	0.29	(0.04)	92,033	-	PTTE28C1909A	-	-	-	-	S5001P1909H	0.85	-	986,535	-
PSL19C1912A	0.22	(0.04)	12,022	-	PTTE28C2001A	0.20	-	1,780	-	S5001P1909I	1.65	0.02	410,779	1.00
PSL27C2002A	0.46	(0.05)	60,											

**Main Board Quotation**

**Issue Date :**

*Monday September 09, 2019*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------



## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006P1912B	0.58	0.01	130,448	-	SCB11P2005A	1.16	0.04	26,710	1.00	STA23C1911A	0.11	(0.01)	3,002	-
S5008C1909A	0.01	(0.01)	24	-	SCB13C1911A	0.10	(0.01)	31,470	-	STA24C1909A	-	-	-	-
S5008C1909B	-	-	-	-	SCB13C2001A	0.24	(0.03)	203,186	-	STA24C1911A	0.10	(0.01)	1,500	-
S5008P1909A	0.03	-	516	-	SCB16C2001A	0.10	(0.01)	8,470	-	STA27C1911A	-	-	-	-
S5008P1909B	0.17	(0.02)	431,879	-	SCB19C1910A	-	-	-	-	STA19C1910A	-	-	-	-
S5013C1909A	0.27	(0.04)	7,711,545	-	SCB19C2002A	0.22	(0.02)	53,424	-	STA41C1912A	-	-	-	-
S5013C1909B	0.16	(0.03)	2,468,773	-	SCB19P1911A	0.18	0.02	26,400	-	STA42C1911A	-	-	-	-
S5013C1909C	0.05	(0.02)	349,876	-	SCB24C1910A	-	-	-	-	STA42C2001A	0.26	(0.02)	400	-
S5013C1909D	0.02	-	3,814	-	SCB24C2001A	0.21	(0.02)	1,692	-	STEC01C1911A	0.02	(0.01)	14,750	-
S5013C1909E	0.25	(0.03)	5,558,308	-	SCB24P1909A	0.31	0.04	3	-	STEC01C1911B	0.02	-	6,301	-
S5013C1909F	0.14	(0.02)	1,843,849	-	SCB28C1911A	0.06	(0.01)	180	-	STEC01P1911A	0.65	(0.02)	156,931	-
S5013C1912A	1.02	(0.02)	6,268,720	1.00	SCB28C2001A	0.05	(0.01)	703	-	STEC06C1912A	0.01	(0.01)	3,880	-
S5013C1912B	1.14	(0.01)	3,448,404	1.00	SCB28C2003A	0.22	(0.02)	20,360	-	STEC08C2001A	-	-	-	-
S5013P1909A	0.03	-	1,029,627	-	SCB28P1909A	-	-	-	-	STEC11C2001A	0.12	0.01	11,857	-
S5013P1909B	0.09	(0.01)	5,127,809	-	SCB28P1912A	0.39	0.02	12,715	-	STEC13C1909A	-	-	-	-
S5013P1909C	0.22	(0.03)	5,084,038	-	SCB41C1910A	-	-	-	-	STEC13C2001A	0.34	-	204,649	-
S5013P1909D	0.54	(0.04)	17,518	-	SCB41C2001A	0.22	(0.03)	26,860	-	STEC16C1911A	0.01	(0.01)	1,890	-
S5013P1909E	0.98	(0.03)	54	1.00	SCB41P1912A	-	-	-	-	STEC16C1911B	-	-	-	-
S5013P1909F	1.01	(0.02)	200	1.00	SCB42C1911A	-	-	-	-	STEC19C1910A	-	-	-	-
S5013P1912A	0.49	(0.01)	5,633,532	-	SCB42C2003A	0.23	(0.02)	57,087	-	STEC19C2002A	0.21	-	14,472	-
S5013P1912B	0.46	(0.01)	5,440,276	-	SCC01C2001A	0.36	0.02	142,646	-	STEC19P1911A	0.60	(0.01)	11,370	-
S5016C1912A	0.87	(0.02)	439,588	-	SCC01C2001B	0.16	0.02	71,944	-	STEC24C1911A	-	-	-	-
S5016P1912A	0.65	-	378,825	-	SCC01P2001A	0.54	(0.06)	40,940	-	STEC27C2002A	-	-	-	-
S5024C1909A	0.07	(0.03)	69,414	-	SCC07C1909A	0.02	0.01	5,000	-	STEC27P1910A	0.29	(0.03)	24,730	-
S5024C1909B	0.47	(0.02)	27,328	-	SCC11C2003A	0.16	0.02	38,844	-	STEC28C2002A	0.25	-	13,115	-
S5024C1909C	0.01	-	4,000	-	SCC13C1911A	0.07	-	52,109	-	STEC41C1910A	-	-	-	-
S5024C1912A	1.64	(0.03)	29,849	1.00	SCC13C2001A	0.29	0.02	218,508	-	STEC41C1912A	0.20	(0.01)	2,000	-
S5024C1912B	0.96	(0.01)	19,371	-	SCC13P1911A	0.37	(0.04)	3,540	-	STEC41C2001A	0.10	-	20	-
S5024P1909A	0.34	(0.06)	118,576	-	SCC13P2001A	0.26	(0.05)	15,720	-	STEC41P1911A	-	-	-	-
S5024P1909B	0.63	(0.04)	43,626	-	SCC16C2002A	0.14	0.02	39,098	-	STEC41P2001A	-	-	-	-
S5024P1909C	1.35	(0.04)	21,397	1.00	SCC19C1911A	0.07	0.01	81	-	STEC42C1910A	-	-	-	-
S5024P1912A	0.38	-	24,287	-	SCC19C2002A	0.32	0.03	46,641	-	STEC42C2001A	0.21	-	71,505	-
S5028C1909A	0.03	-	150	-	SCC19P1911A	-	-	-	-	SUPE19C1910A	0.02	-	15,936	-
S5028C1910A	0.91	(0.03)	445,578	-	SCC24C1910A	0.01	-	870	-	SUPE19C2002A	0.19	(0.01)	23,650	-
S5028C1912A	0.08	(0.01)	15,869	-	SCC24C1912A	0.25	0.03	540	-	TASC01C1909A	0.89	(0.04)	20,464	-
S5028C1912B	0.20	-	155,422	-	SCC24P1909A	-	-	-	-	TASC01C1909B	0.52	(0.05)	15,505	-
S5028C1912C	0.42	(0.02)	342,662	-	SCC24P1910A	0.34	(0.12)	61	-	TASC01C1912A	0.53	(0.03)	32,009	-
S5028P1909A	-	-	-	-	SCC27C2001A	0.15	0.02	13,319	-	TASC01C1912B	0.32	(0.03)	36,894	-
S5028P1910A	0.23	(0.02)	145,390	-	SCC28C1910A	-	-	-	-	TASC01P1909A	-	-	-	-
S5028P1912A	0.43	(0.01)	347,444	-	SCC28C2001A	0.12	0.01	18,301	-	TASC01P1912A	0.41	0.01	34,091	-
S5028P1912B	0.15	-	124,138	-	SCC28C2002A	0.20	0.02	7,242	-	TASC06C1909A	-	-	-	-
S5041C1909A	1.21	-	25,811	1.00	SCC41C2001A	-	-	-	-	TASC06P1909A	-	-	-	-
S5041C1909B	0.74	-	61,197	-	SCC41P2001A	-	-	-	-	TASC08C1910A	0.59	0.01	1,600	-
S5041C1909C	0.06	-	1	-	SCC42C1911A	-	-	-	-	TASC11C2002A	0.90	(0.03)	21,850	-
S5041C1909D	0.10	(0.02)	14,120	-	SCC42C2002A	0.29	0.04	6,510	-	TASC13C1911A	0.51	(0.04)	75,310	-
S5041C1909F	0.32	(0.02)	2,363,240	-	SGP11C1911A	-	-	-	-	TASC16C2001A	0.45	(0.03)	44,090	-
S5041C1909G	0.16	(0.02)	1,038,160	-	SGP13C1912A	0.06	-	7,202	-	TASC19C1910A	0.21	(0.03)	2,100	-
S5041C1912A	0.30	-	259,652	-	SGP13C2001A	0.40	0.01	142,220	-	TASC19P1911A	-	-	-	-
S5041C1912B	-	-	-	-	SGP19C1910A	-	-	-	-	TASC24C2001A	0.43	(0.01)	200	-
S5041C1912C	0.87	(0.02)	15,126	-	SGP19C2001A	0.09	(0.01)	20,345	-	TASC28C1910A	-	-	-	-
S5041C1912D	0.69	-	3,757,962	-	SGP19C2002A	0.42	-	22,661	-	TASC28C1912A	0.29	(0.01)	11,198	-
S5041P1909A	0.15	-	91,362	-	SGP24C1910A	0.04	(0.01)	230	-	TASC28C2001A	0.48	(0.03)	52,744	-
S5041P1909B	0.05	(0.01)	20,100	-	SGP41C2001A	0.21	-	11,300	-	TASC41C1909A	-	-	-	-
S5041P1909C	0.61	(0.02)	269	-	SGP42C1911A	-	-	-	-	TASC41C1912A	0.44	(0.01)	24,000	-
S5041P1909D	0.44	(0.07)	16,125	-	SGP42C2001A	-	-	-	-	TASC42C1910A	0.38	(0.05)	865	-
S5041P1909F	0.20	(0.03)	1,735,201	-	SIRI11C1911A	0.16	-	8,400	-	TCAP01C2001A	0.41	-	67,626	-
S5041P1909G	0.08	(0.01)	1,059	-	SIRI19C1910A	-	-	-	-	TCAP01C2001B	0.24	-	56,124	-
S5041P1912A	0.46	(0.01)	16,058	-	SIRI19C2002A	0.16	-	3,600	-	TCAP01P2001A	0.47	(0.01)	36,851	-
S5041P1912B	0.46	-	70	-	SIRI24C1911A	-	-	-	-	TCAP11C1909A	-	-	-	-
S5041P1912C	0.61	(0.01)	1,483,960	-	SPAL01C1911A	0.10	(0.04)	100,926	-	TCAP13C1910A	0.09	(0.01)	15,647	-
S5041P1912D	0.38	(0.01)	137,820	-	SPAL01C1911B	-	-	-	-	TCAP19C2001A	0.18	0.01	18,446	-
SAWA01C1911A	0.65	(0.03)	15,316	-	SPAL11C1910A	0.09	(0.04)	15,042	-	TCAP24C2001A	0.26	(0.06)	8,065	-
SAWA01C1911B	0.32	(0.03)	27,252	-	SPAL13C1909A	-	-	-	-	TCAP41C1911A	-	-	-	-
SAWA01P1911A	0.32	0.01	34,058	-	SPAL13C2001A	0.19	(0.05)	39,199	-	THAI08C1911A	-	-	-	-
SAWA08C2001A	0.54	(0.03)	18,603	-	SPAL16C2002A	0.15	(0.03)	51,073	-	THAI11C2003A	0.10	(0.01)	4,411	-
SAWA11C2003A	0.77	(0.03)	6,018	-	SPAL19C1910A	-	-	-	-	THAI13C1910A	-	-	-	-
SAWA13C1911A	0.44	(0.04)	35,904	-	SPAL19C2002A	0.20	(0.03)	14,769	-	THAI13C1911A	0.33	(0.02)	53,370	-
SAWA16C2001A	0.64	(0.03)	44,134	-	SPAL24C1912A	-	-	-	-	THAI13C1912A	-	-	-	-
SAWA19C1912A	0.26	(0.02)	11,314	-	SPAL41C1912A	-	-	-	-	THAI19C1910A	-	-	-	-
SAWA19C2002A	0.52	(0.02)	8,290	-	SPAL41C2001A	-	-	-	-	THAI19C1910B	-	-	-	-
SAWA23C1911A	0.51	(0.04)	11,000	-	SPRC01C1911A	0.22	0.01	51,718	-	THAI19C1911A	-	-	-	-
SAWA24C1910A	-	-	-	-	SPRC01C1911B	0.03	(0.01)	10	-	THAI19C2002A	0.47	-	28,041	-
SAWA24C1912A	0.43	(0.05)	20	-	SPRC11C1909A	-	-	-	-	THAI24C1911A	-	-	-	-
SAWA27C1910A	0.59	(0.05)	5,280	-	SPRC11C2005A	-	-	-	-	THAI42C1911A	-	-	-	-
SAWA28C1909A	-	-	-	-	SPRC13C1910A	-	-	-	-	THAN01C2001A	0.45	-	46,182	-
SAWA28C1910A	0.23	(0.03)	23,930	-	SPRC13C1911A	0.09	-	23,280	-	THAN01C2001B	0.27	0.02	59,236	-
SAWA28C2001A	0.42	(0.04)	22,288	-	SPRC13C1912A	0.05	(0.01)	2,075	-	THAN06C1910A	0.35	0.01	20,954	-
SAWA28C2002A	0.67	(0.02)	4,200	-	SPRC13C2001A	0.34	0.01	126,551	-	THAN13C1909A	0.33	-	180	-
SAWA41C1911A	0.61	(0.03)	5,490	-	SPRC19C1910A	-	-	-	-	THAN13C1912A	0.22	-	34,850	-
SAWA41P1911A	-	-	-	-	SPRC19C2001A	0.15	0.01	14,640	-	THAN19C2001A	0.19	(0.01)	25,884	-
SAWA41P1912A	0.45	0.02	101	-	SPRC19C2002A	0.57	0.01	4,668	-	THAN24C2001A	0.38	0.01	13,732	-
SAWA42C1910A	0.29	(0.04)	400	-	SPRC24C1909A	-	-	-	-	THAN27C1910A	0.38	-	11,220	-
SCB01C1911A	0.23	(0.02)	109,351	-	SPRC41C1911A	-	-	-	-	TISCO1C2001A	1.40	(0.03)	9,529	1.00
SCB01C1911B	0.11	(0.01)	41,388	-	SPRC41C1912A	-	-	-	-	TISCO1C2001B	1.00	(0.01)	10,457	-
SCB01C2002A	0.26	(0.02)	262,325	-	SPRC41C2001A	-	-	-	-	TISCO1P2001A	0.34	(0.01)	35,986	-
SCB01C2002B	0.12	(0.01)	40,903	-	STA01C1912A	0.19	(0.01)	60,701	-	TISCO8C2001A	-	-	-	-
SCB01P1911A	0.93	0.01	40,454	-	STA01C1912B	0.09	(0.01)	18,812	-	TISCO8C2002A	0.36	(0.01)	17,025	-

Securities	Close	Change	Volume (Lot)	Average Price
SCB08C2002A	0.24	(0.02)	15,714	-
SCB11C1910A	-	-	-	-
SCB11C2005A	0.18	(0.01)	7,278	-
SCB11P1910A	0.28	0.02	9,260	-

Securities	Close	Change	Volume (Lot)	Average Price
STA13C1912A	0.06	-	18,473	-
STA13C2001A	0.26	0.01	92,209	-
STA19C1909A	-	-	-	-
STA19C2001A	0.10	-	111	-

Securities	Close	Change	Volume (Lot)	Average Price
TISC16C2001A	1.16	(0.03)	30,772	1.00
TISC19C1912A	0.31	-	56,859	-
TISC41C1911A	-	-	-	-
TISC41C2001A	-	-	-	-

## Main Board Quotation

Issue Date :

Monday September 09, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC42C1910A	0.78	(0.21)	6,200	-	TRUE19P1911A	0.06	0.02	41,240	-	EPCO-W3	0.87	(0.12)	444,919	-
TKN01C1909A	0.10	0.01	20,688	-	TRUE28C1911A	-	-	-	-	GJS-W3	-	-	-	-
TKN01C1909B	0.01	(0.01)	385	-	TRUE28C1911B	-	-	-	-	GSTEEL-W1	-	-	-	-
TKN01C1911A	0.65	-	12,419	-	TRUE28C2001A	0.17	(0.04)	26,918	-	GSTEEL-W2	-	-	-	-
TKN06C1909A	0.02	-	2,829	-	TRUE41C1909A	-	-	-	-	IHL-W1	0.92	(0.09)	9,914	-
TKN13C1909A	-	-	-	-	TRUE41C1910A	-	-	-	-	J-W1	0.52	-	3,123	-
TKN13C1911A	0.58	0.03	500	-	TRUE41C1910B	-	-	-	-	JAS-W3	3.48	(0.06)	7,601	3.00
TKN13C1912A	0.20	0.01	103,169	-	TRUE41C1911A	0.19	(0.09)	10,400	-	JCK-W5	0.22	-	1,623	-
TKN16C2001A	0.54	(0.01)	18,705	-	TRUE41C2001A	-	-	-	-	JMT-W2	3.26	0.02	3,623	3.00
TKN19C1910A	0.18	-	29,994	-	TRUE41C2001B	-	-	-	-	MACO-W2	0.29	0.04	1,022,494	-
TKN19C2001A	0.19	-	5,238	-	TRUE41P1910A	-	-	-	-	MILL-W3	-	-	-	-
TKN23C1911A	-	-	-	-	TRUE41P1911A	-	-	-	-	MILL-W4	0.07	-	8,367	-
TKN28C1910A	0.06	(0.01)	251	-	TRUE41P2001A	0.30	0.04	16,520	-	MILL-W5	0.04	0.01	2,911	-
TKN28C1911A	-	-	-	-	TRUE42C1910A	0.15	(0.05)	66,801	-	MINT-W6	4.24	(0.06)	9,606	4.00
TKN28C2002A	0.18	0.01	15,688	-	TU01C2001A	0.31	-	112,914	-	MONO-W1	0.01	(0.01)	172,653	-
TKN41C1912A	-	-	-	-	TU01C2001B	0.17	-	71,309	-	NEP-W3	-	-	-	-
TKN41C2001A	0.29	0.01	60,411	-	TU01P2001A	0.59	0.02	71,103	-	NFC-W1	1.74	(0.02)	1,509	1.00
TKN42C1911A	-	-	-	-	TU11C2003A	0.17	-	27,850	-	NOK-W1	0.14	(0.05)	2,036	-
TMB01C1909A	0.01	-	1,281	-	TU13C1909A	-	-	-	-	NPPG-W4	0.51	-	112,722	-
TMB19C1910A	-	-	-	-	TU13C1912A	0.11	(0.01)	65,382	-	NUSA-W3	0.18	-	3,600	-
TMB19C2001A	-	-	-	-	TU19C2001A	0.09	-	376	-	NVD-W1	0.15	-	1,574	-
TMB24C1911A	0.03	(0.01)	2,500	-	TU19C2002A	0.26	-	8,608	-	ORT-W1	0.93	(0.01)	443,914	-
TMB28C1911A	-	-	-	-	TU24C1909A	0.13	(0.02)	3,120	-	PACE-W2	0.02	-	16,594	-
TMB28C1912A	-	-	-	-	TU41C1911A	-	-	-	-	PDI-W1	0.96	(0.03)	99,091	-
TMB28C2002A	0.24	(0.02)	6,094	-	TU41C2001A	-	-	-	-	PDJ-W3	0.50	(0.02)	10	-
TMB41C1911A	-	-	-	-	TU41P1911A	0.19	(0.01)	11,100	-	PDJ-W4	0.60	0.03	108	-
TMB41C1912A	-	-	-	-	TU41P2001A	-	-	-	-	PERM-W1	0.30	-	7,372	-
TMB41C2002A	-	-	-	-	TVO11C2001A	-	-	-	-	RICHY-W2	-	-	-	-
TMB41P1911A	-	-	-	-	TVO19C1911A	-	-	-	-	RS-W3	5.05	0.05	1,559	5.00
TMB41P2002A	-	-	-	-	VGI23C1911A	1.90	0.11	32	1.00	SAMART-W2	0.70	0.03	33,175	-
TOA01C2001A	0.41	(0.06)	52,328	-	WHA01C1911A	0.75	(0.04)	101,645	-	SAWAD-W1	8.40	(0.20)	1,633	8.00
TOA01C2001B	0.27	(0.07)	93,711	-	WHA01C1911B	0.50	(0.02)	133,699	-	SDC-W1	0.13	-	530	-
TOA01P2001A	0.35	0.04	34,561	-	WHA01P1911A	0.31	0.02	115,109	-	SINGER-W1	2.64	(0.12)	3,434	2.00
TOA11C1911A	0.25	(0.06)	13,548	-	WHA08C2002A	0.45	(0.04)	58,673	-	SINGER-W2	2.06	(0.06)	6,758	2.00
TOA13C1909A	0.35	(0.11)	23,858	-	WHA11C2001A	0.50	(0.04)	61,145	-	SMT-W2	0.32	(0.01)	5,121	-
TOA16C2001A	0.33	(0.06)	126,058	-	WHA13C1909A	-	-	-	-	SST-W2	1.38	(0.05)	1,852	1.00
TOA19C1910A	-	-	-	-	WHA13C1912A	0.45	(0.03)	630,185	-	SUPER-W4	0.05	0.01	30,385	-
TOA19C1911A	0.17	(0.06)	13,050	-	WHA13C2001A	0.15	(0.02)	104,926	-	SVI-W3	1.32	0.01	39,958	1.00
TOA24C1911A	0.39	(0.09)	250	-	WHA16C1911A	0.57	(0.03)	17,164	-	TCC-W3	0.08	-	3,000	-
TOP01C1910A	0.32	(0.02)	54,502	-	WHA19C1911A	0.22	(0.02)	116,146	-	TCC-W4	0.08	-	4,641	-
TOP01C1910B	0.28	(0.05)	67,490	-	WHA24C1911A	0.21	(0.02)	3,990	-	TCC-W5	0.19	(0.02)	3,427	-
TOP01C1912A	0.68	(0.04)	61,246	-	WHA27C1910A	0.35	(0.03)	9,778	-	TCJ-W2	0.40	0.02	5,979	-
TOP01C1912B	0.41	(0.01)	63,355	-	WHA28C1910A	0.37	(0.06)	49,550	-	TCMC-W2	0.06	-	157,675	-
TOP01P1910A	0.32	-	54,779	-	WHA28C1912A	0.29	(0.02)	13,558	-	TFG-W2	0.80	(0.01)	85,762	-
TOP01P1912A	0.37	0.01	49,541	-	WHA28C2003A	0.12	(0.88)	22,792	-	TGPRO-W3	-	-	-	-
TOP06C1911A	0.59	(0.01)	10,050	-	WHA41C1911A	-	-	-	-	TH-W2	-	-	-	-
TOP06P1912A	0.41	0.02	19,350	-	WHA41P1912A	0.30	-	1,032	-	THE-W2	0.02	0.01	2,897	-
TOP08C1911A	0.24	(0.03)	32,330	-	WHA42C1911A	-	-	-	-	TNITY-W1	0.40	-	703	-
TOP08P1912A	0.12	-	6,800	-	WHAU13C1910A	-	-	-	-	TRITN-W3	0.17	-	2,210	-
TOP11C2002A	0.32	-	22,411	-	WHAU13C1912A	0.40	(0.02)	66,045	-	TTCL-W1	0.83	(0.01)	5,767	-
TOP11P2002A	0.71	0.03	26,920	-	WHAU27C2002A	0.51	(0.01)	11,658	-	TWZ-W5	0.01	-	10	-
TOP13C1909A	-	-	-	-	WORK01C1910A	0.35	(0.02)	20,469	-	U-W1	-	-	-	-
TOP13C1910A	0.25	(0.02)	29,446	-	WORK01C1910B	0.02	-	500	-	U-W4	0.01	-	10,000	-
TOP13C1911A	0.51	(0.02)	40,612	-	WORK08C1912A	0.53	(0.02)	5,640	-	VGI-W2	2.00	0.14	3,185,771	1.00
TOP13P1909A	0.02	-	1	-	WORK13C1909A	-	-	-	-	VIBHA-W2	1.05	(0.05)	1,323	1.00
TOP13P1911A	0.06	-	1,100	-	WORK13C1911A	0.37	(0.03)	25,619	-	VIBHA-W3	0.26	(0.01)	29,491	-
TOP16C1911A	0.16	(0.02)	40,510	-	WORK19C1910A	0.23	(0.03)	10,293	-	WAVE-W1	0.31	(0.01)	3,301	-
TOP16C2001A	0.45	(0.04)	56,983	-	WORK23C1909A	-	-	-	-	WHA-W1	14.40	(0.40)	12,111	14.00
TOP19C1910A	0.15	(0.02)	3,090	-	WORK24C1910A	0.15	(0.03)	2	-	WIK-W2	0.16	(0.01)	2,951	-
TOP19C2002A	0.62	(0.04)	6,320	-	WORK28C1911A	-	-	-	-	WORK-W1	-	-	-	-
TOP19P1911A	-	-	-	-	Preferred/Foreign	-	-	-	-	ZMICO-W4	0.10	-	14,054	-
TOP23C2001A	-	-	-	-	BH-Q	-	-	-	-	Preferred Shares	-	-	-	-
TOP24C1911A	-	-	-	-	CSC-Q	-	-	-	-	BH-P	-	-	-	-
TOP24P1910A	0.35	-	3,707	-	JUTHA-Q	-	-	-	-	CSC-P	-	-	-	-
TOP28C1911A	0.32	(0.03)	16,352	-	KTB-Q	-	-	-	-	JUTHA-P	-	-	-	-
TOP41C1909A	-	-	-	-	SCB-Q	-	-	-	-	KTB-P	-	-	-	-
TOP41C1910A	-	-	-	-	TCAP-Q	-	-	-	-	SCB-P	-	-	-	-
TOP41C1910B	-	-	-	-	TISCO-Q	-	-	-	-	TCAP-P	-	-	-	-
TOP41C2002A	0.58	(0.02)	16,000	-	U-Q	-	-	-	-	TISCO-P	-	-	-	-
TOP41C2002B	-	-	-	-	Warrant	-	-	-	-	U-P	3.04	(0.04)	54,654	3.00
TOP41P1910A	-	-	-	-	7UP-W4	0.23	-	192,428	-	Warrant (MAI)	-	-	-	-
TOP42C1911A	0.50	(0.29)	4,000	-	AJA-W1	0.02	-	19,222	-	BM-W1	0.16	-	912	-
TP119C1911A	-	-	-	-	AKR-W1	0.17	-	2,286	-	BROOK-W5	0.25	0.01	91,349	-
TPIP11C1909A	-	-	-	-	ALT-W1	0.55	-	80,951	-	CHEWA-W1	0.02	-	3,158	-
TRUE01C1911A	0.34	(0.06)	144,919	-	APEX-W1	0.03	0.01	80	-	CHO-W2	0.17	(0.01)	69,024	-
TRUE01C1911B	0.24	(0.06)	293,296	-	APURE-W2	0.11	-	1,470	-	DOD-W1	2.50	-	49,132	2.00
TRUE01C2002A	0.22	(0.03)	115,245	-	AS-W1	0.08	0.02	1	-	ECF-W3	0.98	-	1,144	-
TRUE01C2002B	0.10	(0.04)	225,726	-	AYUD-W1	3.74	(0.02)	6,400	3.00	EFORL-W3	-	-	-	-
TRUE01P1911A	0.18	0.04	248,342	-	B-W3	-	-	-	-	EFORL-W4	-	-	-	-
TRUE01P1911B	-	-	-	-	B-W4	0.08	-	2,710	-	FVC-W2	0.22	-	962	-
TRUE01P2002A	0.80	0.07	186,824	-	B52-W1	-	-	-	-	HPT-W1	0.31	0.01	28,641	-
TRUE01P2002B	0.59	0.07	135,271	-	B52-W2	-	-	-	-	ITEL-W1	0.50	-	5,502	-
TRUE06C1911A	0.28	(0.09)	21,025	-	BKD-W2	0.14	-	9,864	-	JKN-W1	1.89	0.01	12,274	1.00
TRUE08C2001A	0.14	(0.03)	38,740	-	BTS-W4	3.42	(0.02)	350,176	3.00	LIT-W1	1.36	(0.06)	6,714	1.00
TRUE08P1911A	0.13	0.02	13,049	-	CGD-W4	0.13	(0.01)	4,710	-	META-W4	0.14	(0.01)	17,209	-
TRUE11C1911A	0.61	(0.15)	8,400	-	CGH-W3	0.03	-	18,547	-	NCL-W3	0.06	-	95,504	-
TRUE11C2005A	0.23	(0.04)	49,954	-	CI-W1	0.11	0.02	14,765	-	NEWS-W6	-	-	-	-
TRUE11P2002A	0.28	0.05	58,870	-	CKP-W1	1.33	0.03	637,586	1.00	OCEAN-W3	0.49	-	71,755	-
TRUE13C1911A	0.96	(0.29)	90	1.00	CRANE-W1	1.21	(0.10)	16,988	1.00	PORT-W1	1.22	0.06	283	1.00

**Main Board Quotation**

**Issue Date :**

*Monday September 09, 2019*

Securities	Close	Change	Volume (Lot)	Average Price
TRUE13C1912A	0.28	(0.08)	18,343	-
TRUE13C1912B	0.13	(0.04)	121,775	-
TRUE13P1909A	-	-	-	-
TRUE16C1912A	0.31	(0.05)	63,028	-
TRUE16C2002A	0.19	(0.05)	69,017	-
TRUE19C1910A	0.11	(0.05)	76,917	-

Securities	Close	Change	Volume (Lot)	Average Price
DCC-W1	0.78	0.04	144,957	-
EARTH-W4	-	-	-	-
ECL-W3	0.56	(0.01)	254,102	-
EIC-W2	-	-	-	-
EIC-W3	0.03	-	92	-
EMC-W6	0.13	-	27,115	-

Securities	Close	Change	Volume (Lot)	Average Price
PRIME-W1	0.05	0.01	502	-
PRIME-W2	-	-	-	-
PROUD-W2	0.44	-	2,777	-
SANKO-W1	0.18	-	609	-
SIMAT-W2	0.20	(0.01)	1,383	-
SIMAT-W3	0.21	-	482	-



**Main Board Quotation**

**Issue Date :**

*Monday September 09, 2019*

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-