

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	DIF	17.00	(0.20)	253,341	17.04	MPIC	-	-	-	-
POMPUI	-	-	-	-	DTAC	58.25	(0.25)	89,490	58.52	NMG	-	-	-	-
SAFARI	-	-	-	-	FORTH	5.75	(0.05)	1,495	5.74	PLANB	8.70	-	187,697	8.71
VI	-	-	-	-	HUMAN	8.50	-	3,941	8.54	POST	1.88	(0.03)	34	1.87
WORLD	-	-	-	-	ILINK	5.10	-	1,709	5.07	PRAKIT	10.90	0.10	82	10.86
WR	-	-	-	-	INET	3.10	0.02	2,134	3.08	SE-ED	2.70	0.02	560	2.68
Agribusiness					INTUCH	63.75	(1.00)	176,562	64.18	SPORT	0.16	(0.01)	8,215	0.16
CHOTI	93.00	(1.25)	11	93.18	JAS	6.55	(0.05)	302,400	6.62	TBSP	-	-	-	-
EE	0.56	-	17,777	0.55	JASIF	11.20	(0.10)	327,355	11.29	TH	0.69	-	3,670	0.68
GFPT	16.60	(0.30)	14,164	16.68	JMART	11.30	-	52,768	11.42	TKS	7.80	-	1,744	7.75
LEE	2.18	0.02	1,592	2.16	JTS	1.30	(0.03)	764	1.34	VGI	9.70	(0.05)	211,544	9.75
NER	2.58	-	87,692	2.59	MFEC	3.56	(0.02)	1,165	3.56	WAVE	1.84	0.11	1	1.84
PPPM	1.29	(0.08)	58,371	1.32	MSC	6.55	(0.05)	50	6.60	WORK	22.40	(0.20)	69,859	22.71
STA	11.30	0.20	80,639	11.40	PT	5.60	(0.05)	958	5.56	Finance & Securities	-	-	-	-
TRUBB	1.28	(0.03)	2,273	1.30	SAMART	9.25	-	28,375	9.29	AEC	0.37	0.07	164,446	0.37
TPWC	5.80	(0.05)	1,390	5.80	SAMTEL	10.00	-	2,475	9.94	AEONTS	218.00	2.00	3,686	218.71
UPOIC	3.66	(0.02)	190	3.68	SDC	0.26	(0.01)	9,502	0.26	AMANAHA	2.74	(0.02)	111,702	2.77
UVAN	5.40	0.05	2,828	5.39	SIS	8.95	(0.10)	100	9.02	ASAP	2.86	0.02	5,544	2.85
VPO	0.56	-	3,416	0.57	SVOA	1.12	-	662	1.11	ASK	25.25	(1.00)	6,450	25.71
Banking					SYMC	3.76	(0.04)	325	3.71	ASP	2.16	(0.08)	117,198	2.19
BAY	35.00	0.25	18,493	35.42	SYNEX	9.70	(0.05)	11,681	9.81	BFIT	15.70	(0.10)	270	15.73
BBL	180.00	2.50	160,468	180.77	THCOM	4.96	0.02	4,539	4.98	CGH	0.86	-	15,501	0.85
CIMBT	0.67	0.01	36,757	0.68	TRUE	5.60	(0.05)	1,062,508	5.60	CNS	1.66	-	2,002	1.65
KBANK	169.50	0.50	137,220	171.52	TWZ	0.08	(0.01)	49,740	0.08	ECL	1.60	(0.04)	46,002	1.62
KKP	67.00	(0.75)	32,256	67.50	Electronic Componer	-	-	-	-	FNS	3.06	-	464	3.06
KTB	17.70	(0.10)	323,604	17.77	CCET	1.83	-	3,474	1.83	FSS	1.73	0.05	1,646	1.71
LHFG	1.38	0.01	46,487	1.38	DELTA	49.50	(0.50)	14,578	49.95	GBX	0.52	(0.01)	1,307	0.52
SCB	123.50	0.50	242,447	124.91	EIC	0.04	0.01	3,909	0.04	GL	5.20	(0.05)	17,276	5.27
TCAP	56.25	-	41,562	56.67	HANA	29.00	(0.25)	17,737	29.46	IFS	3.52	-	3,123	3.49
TISCO	103.50	0.50	25,823	103.77	KCE	18.10	(0.50)	98,625	18.42	JMT	17.50	(0.50)	70,700	17.70
TMB	1.76	0.06	3,705,095	1.76	METCO	162.00	2.00	3	162.00	KCAR	11.50	-	485	11.47
Construction Materia					NEX	2.46	-	7,495	2.43	KGI	4.56	(0.02)	20,002	4.57
CCP	0.33	-	1,608	0.34	SMT	1.50	0.01	5,211	1.52	KTC	44.50	0.25	87,658	44.87
COTTO	1.88	0.09	6,766	1.86	SVI	4.62	0.70	833,489	4.68	MBKET	8.55	(0.05)	553	8.55
DCC	2.04	(0.02)	7,764	2.05	TEAM	1.00	-	1,787	0.99	MFC	17.50	0.10	139	17.30
DCON	0.39	(0.01)	9,699	0.39	Energy & Utilities	-	-	-	-	ML	1.00	0.02	1,521	0.97
DRT	6.00	(0.10)	2,322	6.06	7UP	0.61	0.01	880,667	0.62	MTC	55.00	(0.25)	58,100	55.32
EPG	7.25	(0.20)	28,623	7.37	ABPIF	6.15	-	7,234	6.12	PE	0.06	-	1,775	0.06
GEL	0.20	-	14,591	0.20	AI	1.20	(0.01)	28,507	1.21	PL	2.88	0.04	1,394	2.83
PPP	-	-	-	-	AKR	0.78	0.02	29,844	0.79	S11	8.30	(0.05)	5,351	8.28
Q-CON	-	-	-	-	BAFS	33.50	-	1,984	33.50	SAWAD	59.75	0.75	40,969	59.59
RCI	3.92	-	5,182	3.92	BANPU	12.70	0.10	539,555	12.83	THANI	7.10	(0.15)	183,841	7.12
SCC	438.00	2.00	63,312	439.69	BCP	27.75	-	51,406	27.99	TK	10.00	0.05	316	9.89
SCCC	226.00	-	770	226.32	BCPG	19.10	(0.20)	34,815	19.26	TNITY	4.22	-	22	4.24
SCP	7.10	(0.05)	513	7.07	BGRIM	40.25	(0.75)	184,812	40.52	UOBKH	-	-	-	-
SKN	2.10	(0.14)	23,952	2.18	BPP	19.70	(0.40)	26,469	19.80	ZMICO	0.85	(0.02)	3,927	0.86
TASCO	20.90	-	51,449	20.95	BRRGIF	-	-	953	9.35	Food & Beverage	-	-	-	-
TCMC	2.44	0.04	22,813	2.46	CKP	6.05	(0.05)	399,458	6.07	APURE	0.92	0.01	1,836	0.91
TOA	38.50	(0.25)	12,534	38.84	DEMCO	3.18	(0.04)	4,516	3.20	ASIAN	6.05	(0.20)	7,997	6.18
TPIPL	1.63	(0.02)	44,800	1.64	EA	50.75	-	334,692	51.45	BR	2.86	(0.04)	11,911	2.88
UMI	0.97	(0.01)	1,351	0.97	EARTH	0.34	0.02	2,196,770	0.29	BRR	4.96	(0.02)	1,373	4.95
VNG	4.84	(0.02)	2,873	4.84	EASTW	12.40	(0.20)	18,854	12.54	CBG	78.50	(0.75)	26,193	79.02
WIHK	1.24	0.01	4,370	1.23	EGATIF	13.60	0.10	11,128	13.55	CFRESH	2.08	0.06	624	2.01
Petrochemicals & Ch					EGCO	347.00	(3.00)	12,247	350.56	CM	3.18	(0.02)	522	3.20
BCT	42.50	0.25	131	42.40	ESSO	8.75	0.05	560,776	8.82	CPF	28.25	(0.25)	111,272	28.21
CMAN	2.00	(0.02)	1,293	2.01	GLOW	89.75	-	1,077	89.77	CPI	1.46	(0.02)	640	1.46
GC	5.15	(0.05)	707	5.15	GPSC	70.75	1.00	118,470	70.69	F&D	-	-	-	-
GGC	12.10	0.10	55,659	12.18	GULF	147.00	(5.50)	233,174	148.67	HTC	23.40	2.20	23,922	23.20
GIFT	2.44	-	1,571	2.44	GUNKUL	3.16	(0.04)	381,452	3.17	ICHI	6.85	0.05	61,686	6.89
IVL	37.00	(0.25)	286,586	37.26	IFEC	-	-	-	-	KBS	3.68	-	1,106	3.64
NFC	3.66	0.08	26	3.68	IRPC	4.12	(0.08)	1,386,666	4.15	KSL	2.32	(0.02)	5,345	2.30
PATO	12.00	-	128	11.98	LANNA	9.15	0.20	1,084	9.12	KTIS	4.80	(0.02)	917	4.79
PMTA	8.40	0.20	27	8.21	MDX	3.52	0.02	2,170	3.48	LST	4.50	(0.06)	1,738	4.51
PTTGC	54.25	(1.00)	367,355	54.95	PTG	20.00	(0.60)	164,605	20.22	M	78.00	2.00	14,092	78.06
SUTHA	3.72	-	150	3.72	PTT	45.50	(0.25)	379,334	45.80	MALEE	8.05	0.05	2,002	8.03
TCCC	22.60	-	43	22.66	PTTEP	121.00	(2.50)	184,211	121.83	MINT	38.50	(0.50)	114,924	38.76
TPA	5.70	0.30	1,712	6.06	RATCH	72.50	-	99,435	73.27	OISHI	115.00	-	69	114.91
UP	-	-	-	-	RPC	0.62	(0.02)	18,755	0.63	OSP	35.75	(0.75)	117,223	36.26
VNT	25.00	(0.25)	9,196	25.11	SCG	4.00	(0.06)	82	4.01	PB	-	-	-	-
WG	-	-	-	-	SCI	1.76	0.04	5,290	1.76	PM	8.80	0.05	3,143	8.81
YCI	-	-	-	-	SCN	2.42	(0.02)	7,603	2.43	PRG	12.90	-	17	12.90
Commerce					SGP	8.70	(0.05)	94,016	8.88	SAPPE	25.50	1.30	14,298	25.05
BEAUTY	2.92	0.10	1,181,379	2.92	SKE	1.14	0.01	4,194	1.14	SAUCE	22.60	(0.10)	131	22.43
BIG	0.82	(0.01)	41,058	0.83	SOLAR	1.86	(0.01)	3,960	1.86	SFP	-	-	-	-
BJC	52.25	(1.25)	69,389	52.49	SPCG	18.70	(0.20)	3,161	18.83	SNP	16.70	(0.20)	8	16.80
COL	20.30	-	1,282	20.47	SPRC	9.75	0.25	614,565	9.71	SORKON	57.00	-	32	57.00
COM7	24.90	(0.35)	60,928	25.12	SSP	7.85	(0.05)	4,912	7.83	SSC	33.00	-	45	33.02
CPALL	83.00	(1.00)	270,834	83.05	SUPER	0.66	0.02	1,723,327	0.66	SSF	-	-	-	-
CSS	1.64	-	9,231	1.65	SUPEREIF	12.50	-	8,009	12.58	SST	4.94	0.02	800	4.96
DOHOME	10.00	0.15	574,746	9.98	SUSCO	2.98	(0.06)	38,896	3.04	TC	3.08	(0.04)	305	3.10
FN	1.70	(0.04)	3,098	1.72	TAE	3.14	(0.26)	155,719	3.23	TFG	4.14	(0.06)	80,602	4.21
FTE	2.12	-	2,412	2.13	TCC	0.28	(0.01)	16,311	0.28	TFMAMA	180.00	1.00	22	179.91
GLOBAL	16.50	(0.20)	71,744	16.59	TOP	70.00	(1.00)	87,984	70.29	TIPCO	9.65	(0.10)	7,067	9.70
HMPRO	17.60	(0.70)	463,330	17.91	TPIPP	5.25	(0.10)	111,317	5.28	TKN	10.30	(0.20)	66,160	10.51
ILM	22.00	-	7,441	22.04	TSE	2.56	(0.04)	32,315	2.57	TU	17.10	-	114,289	17.21
IT	3.16	0.06	1,210	3.12	TTW	13.60	(0.10)	62,787	13.60	TVO	26.25	0.25	10,160	26.15
KAMART	4.56	(0.08)	18,168	4.58	WHAUP	6.90	(0.10)	65,150	6.99	ZEN	16.80	0.50	72,518	16.81
LOXLEY	1.89	(0.01)	5,218	1.89	WP	5.70	(0.10)	3,671	5.75	Health Care Services	-	-	-	-
MAKRO	34.50	-	2,412	34.57	Media & Publishing	-	-	-	-	AHC	15.80	0.10	16	15.81
MC	7.80	0.05	22,662	7.82	AMARIN	4.92	(0.02)	256	4.90	BCH	15.70	(0.30)	133,074	15.76
MEGA	33.00	(0.50)	7,764	33.17	AQUA	0.51	-	45,224	0.51	BDMS	24.30	(0.40)	283,665	24.45
MIDA	0.58	0.01	9,295	0.57	AS	0.86	-	32	0.85	BH	139.00	(3.00)	14,077	140.84

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RJH	26.25	0.75	6,905	25.87	FPT	18.10	(0.20)	21,722	18.23	STANLY	186.50	-	81	186.54
RPH	6.85	-	5,060	6.80	GLAND	2.70	0.04	11	2.68	TKT	1.26	(0.01)	146	1.26
SKR	4.78	(0.02)	900	4.78	GOLD	8.45	(0.05)	722	8.49	TNPC	0.98	0.01	9	0.97
SVH	448.00	-	33	448.67	GREEN	0.84	0.01	2,646	0.85	TRU	-	-	-	-
THG	25.00	(0.25)	16,457	25.08	J	0.99	-	1,106	0.98	TSC	12.10	-	73	12.13
VIBHA	2.00	-	22,859	2.02	JCK	1.23	-	1,450	1.21	Industrial Materials	-	-	-	-
VIH	5.60	-	1,919	5.59	KC	-	-	-	-	ALLA	1.21	(0.01)	2,403	1.22
WPH	2.12	-	2,581	2.11	KWG	1.58	(0.05)	707	1.59	ASEFA	4.78	0.04	1,191	4.74
Tourism & Leisure	-	-	-	-	LALIN	5.35	(0.10)	788	5.43	CPT	0.94	-	3,839	0.94
ASIA	6.50	(0.05)	717	6.46	LH	10.30	(0.20)	1,007,157	10.26	CRANE	2.06	(0.02)	1,098	2.08
CENTEL	33.75	(0.25)	38,803	34.03	LPN	6.20	0.10	89,995	6.20	CTW	6.45	(0.10)	488	6.43
CSR	64.75	(10.25)	8	64.75	MBK	23.40	(0.20)	28,254	23.67	FMT	24.00	-	3	24.00
DTC	9.90	(0.10)	212	9.90	MJD	3.20	(0.08)	251	3.21	HTECH	3.24	0.04	5,644	3.25
ERW	5.85	(0.20)	322,275	5.95	MK	3.30	-	2,078	3.30	KKC	0.94	0.01	2,340	0.93
GRAND	0.89	(0.02)	7,057	0.90	NCH	1.01	-	175	1.01	PK	1.83	(0.02)	73	1.83
LRH	-	-	-	-	NNCL	2.16	0.02	11,214	2.17	SNC	13.50	-	781	13.42
MAMRIN	-	-	-	-	NOBLE	26.25	(0.50)	22,786	26.61	STARK	1.98	(0.01)	18,219	1.98
OHTL	480.00	20.00	1	480.00	NUSA	0.39	-	31,238	0.39	TCJ	4.46	(0.24)	126	4.54
ROH	39.75	(1.00)	29	40.01	NVD	2.16	(0.04)	3,266	2.17	VARO	-	-	-	-
SHANG	-	-	-	-	ORI	8.05	0.05	42,418	8.09	Property Fund & REI	-	-	-	-
VRANDA	9.30	(0.10)	965	9.37	PACE	0.16	-	132,392	0.15	AIMCG	10.00	-	3,825	9.98
Home & Office Prod.	-	-	-	-	PF	0.87	(0.01)	161,546	0.87	AIMIRT	14.80	0.10	6,517	14.70
ACC	0.66	0.03	1,918	0.66	PLAT	5.45	(0.05)	5,881	5.46	AMATAR	12.50	-	381	12.40
AJA	0.19	0.01	178,887	0.18	POLAR	-	-	-	-	B-WORK	12.60	-	7,125	12.60
DTCI	25.00	0.90	1	25.00	PRECHA	-	-	-	-	BKKCP	13.80	(0.10)	221	13.80
FANCY	0.76	(0.02)	64,333	0.78	PRIN	1.60	-	1,658	1.59	BOFFICE	17.50	0.20	422	17.50
KYE	340.00	(1.00)	20	340.20	PSH	19.30	0.10	6,389	19.33	CPNCG	15.00	-	3,637	15.04
L&E	2.32	0.04	2	2.30	QH	2.78	(0.04)	615,634	2.80	CPNREIT	34.75	-	6,835	34.60
MODERN	2.76	(0.02)	2,125	2.76	RICHY	1.10	-	5,339	1.09	CPTGF	13.30	-	1,594	13.30
OGC	30.00	(0.25)	2	30.00	RML	1.06	(0.01)	11,612	1.06	CRYSTAL	8.95	-	943	8.95
ROCK	-	-	-	-	ROJNA	6.75	(0.05)	37,015	6.77	CTARAF	5.90	0.05	1,002	5.90
SIAM	1.97	(0.01)	638	1.97	S	3.28	(0.08)	40,732	3.32	DREIT	6.00	(0.05)	7,358	6.00
TSR	1.85	0.01	1,980	1.82	SAMCO	1.65	-	2,751	1.66	ERWPF	5.25	-	1,048	5.25
Insurance	-	-	-	-	SC	2.64	(0.02)	6,247	2.64	FTREIT	17.90	-	13,705	17.73
AYUD	41.75	0.50	119	41.75	SENA	3.26	0.02	2,265	3.25	FUTUREPF	25.50	0.25	45	25.50
BKI	321.00	(2.00)	23	321.00	SF	6.10	(0.05)	7,758	6.11	GAHREIT	9.10	0.10	2,646	8.99
BLA	21.40	(0.20)	27,026	21.74	SIRI	1.32	0.01	127,505	1.32	GLANDREIT	13.60	(0.30)	2,527	14.00
BUI	-	-	-	-	SPALI	18.30	(0.20)	80,154	18.48	GOLDFP	7.40	-	301	7.40
CHARAN	-	-	-	-	U	2.14	(0.10)	259,470	2.18	GVREIT	17.10	(0.40)	62	17.13
INSURE	-	-	-	-	UV	6.30	0.15	101,343	6.33	HPF	4.96	0.02	1,133	4.94
MTI	88.00	(2.00)	23	88.83	WHA	4.72	(0.06)	1,092,319	4.75	HREIT	10.00	(0.10)	3,977	10.04
NKI	-	-	-	-	WIN	0.49	-	58	0.49	IMPACT	26.75	0.25	2,524	26.49
NSI	63.25	(0.25)	3	63.25	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
SEG	36.50	(0.25)	932	36.72	UTP	10.60	-	5,915	10.61	LHHOTEL	19.70	(0.10)	3,479	19.86
SMK	36.50	1.00	70	36.18	Fashion	-	-	-	-	LHPF	9.10	(0.05)	180	9.11
THRE	0.66	(0.01)	34,637	0.66	AFC	-	-	-	-	LHSC	19.00	-	17	19.06
THREL	3.84	(0.08)	15,751	3.88	B52	0.24	(0.01)	1,280	0.23	LUXF	8.95	-	300	8.96
TIP	24.70	0.10	2,329	24.67	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	47.00	(1.25)	13,429	47.33	CPH	4.32	(0.02)	1	4.32	M-PAT	-	-	-	-
TSI	0.50	-	3,730	0.49	CPL	1.22	(0.01)	100	1.22	M-STOR	-	-	-	-
TVI	4.82	(0.02)	72	4.83	ICC	40.00	(0.50)	20	40.01	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	3.18	(0.02)	106	3.20
PDI	8.60	(0.05)	674	8.63	PAF	0.75	0.02	4,075	0.74	MJLF	12.40	-	384	12.34
THL	-	-	-	-	PDJ	1.55	-	676	1.55	MNIT	1.48	0.02	20	1.48
Packaging	-	-	-	-	PG	5.50	0.25	10	5.50	MNIT2	-	-	-	-
AJ	8.40	0.15	822	8.16	SABINA	31.50	-	22,280	31.79	MNRF	-	-	-	-
ALUCON	166.00	(1.00)	2	166.25	SAWANG	-	-	-	-	MONTRI	6.35	(0.10)	51	6.37
BGC	14.70	-	50,980	14.77	SUC	43.00	-	92	42.93	POPF	13.50	(0.10)	2,154	13.50
CSC	48.75	(0.25)	10	48.75	TNL	-	-	-	-	PPF	11.80	0.10	52	11.75
NEP	0.28	0.02	24,417	0.28	TPCORP	9.90	0.10	4	9.85	QHHR	10.10	(0.10)	459	10.10
NPPG	1.03	(0.01)	83,306	1.02	TR	32.50	-	122	32.50	QHOP	3.80	-	528	3.65
PTL	14.50	-	1,492	14.56	TTI	-	-	-	-	QHPF	15.00	(0.10)	2,715	15.03
SITHAI	0.87	-	1,326	0.87	TTT	62.00	0.50	187	61.14	SBPF	2.80	0.10	16	2.73
SLP	0.62	-	2,042	0.62	UPF	-	-	-	-	SHREIT	6.95	-	211	6.95
SMPC	8.00	(0.20)	2,863	8.12	UT	-	-	-	-	SIRIP	11.10	-	500	11.10
SPACK	1.37	-	96	1.35	WACOAL	47.00	-	40	47.00	SPF	24.50	(0.75)	9,929	24.54
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	15.30	(0.10)	469	15.19
TFI	0.09	-	92	0.09	AAV	3.24	-	64,079	3.24	SRIPANWA	11.50	(0.10)	29	11.50
THIP	17.00	-	344	17.01	AOT	73.00	(1.25)	175,549	73.67	SSPF	10.00	0.05	11	9.97
TMD	24.20	-	203	24.25	ASIMAR	1.53	-	2,031	1.50	SSTPF	6.90	-	5	6.90
TOPP	177.00	-	2	177.00	B	0.33	0.01	1,478	0.32	SSTRT	6.05	-	91	6.07
TPBI	4.82	(0.04)	276	4.83	BA	9.60	(0.05)	5,079	9.58	TIF1	9.10	0.05	11	9.07
TPP	17.00	0.40	13	16.88	BEM	11.10	(0.20)	698,833	11.17	TLGF	23.80	(0.60)	4,107	23.96
Personal Products &	-	-	-	-	BTS	13.10	(0.30)	487,361	13.34	TLHPF	11.30	(0.10)	8	11.38
APCO	3.30	-	262	3.28	BTSGIF	11.00	(0.10)	56,033	11.00	TNPF	3.22	-	36	3.22
DDD	28.50	0.50	3,912	28.80	III	6.25	(0.10)	7,921	6.29	TPRIME	15.80	-	200	15.80
JCT	-	-	-	-	JUTHA	0.67	-	27	0.67	TTLPF	-	-	-	-
OCC	13.50	(0.40)	1	13.50	JWD	9.20	(0.10)	40,887	9.35	TU-PF	1.65	-	45	1.65
S & J	26.25	-	42	26.25	KWC	-	-	-	-	URBNPF	-	-	-	-
STHAI	-	-	-	-	NOK	2.14	-	4,024	2.14	WHABT	9.70	-	589	9.66
TNR	9.20	-	269	9.04	NYT	4.68	(0.04)	9,167	4.70	WHART	19.00	0.10	4,417	18.91
TOG	5.20	(0.05)	231	5.22	PRM	8.65	(0.25)	149,542	8.90	Steel	-	-	-	-
Professional Service	-	-	-	-	PSL	8.50	(0.05)	69,674	8.53	AMC	1.84	0.02	6,085	1.83
BWG	0.71	(0.01)	146,431	0.71	RCL	4.26	(0.02)	1,104	4.27	BSBM	0.90	-	1,812	0.90
GENCO	0.59	0.01	5,613	0.59	TFFIF	12.80	(0.10)	107,707	12.79	CEN	0.92	-	431	0.91
PRO	-	-	-	-	THAI	9.80	0.05	39,418	9.92	CITY	2.04	-	364	2.02
SISB	8.65	(0.25)	37,943	8.76	TSTE	7.40	0.10	20	7.40	CSP	-	-	-	-
TEAMG	2.08	(0.04)	6,981	2.10	TTA	5.60	(0.05)	17,218	5.61	GJS	0.14	0.01	12,850	0.13
Property Developme	-	-	-	-	WICE	3.10	(0.08)	20,059	3.13	GSTEEL	-	-	-	-
A	6.20	(0.05)	130	6.23	Automotive	-	-	-	-	INOX	0.76	(0.01)	432	0.76
AMATA	25.75	0.50	118,784	25.76	AH	18.40	0.70	43,588	18.06	LHK	3.34	-	766	3.34
AMATAV	4.86	-	5,302	4.85	APCS	4.20	0.02	1,929	4.19	MAX	0.02	-	19,476	0.02
ANAN	3.30	(0.08)	90,135	3.33	BAT-3K	-	-	-	-	MCS	8.95	(0.10)	27,443	9.04
AP	7.05	0.10	149,0											

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	PSTC	0.77	(0.01)	522,924	-	ADVA01C1912B	0.36	(0.08)	281,658	-
ABICO	4.20	-	7,708	4.00	QTC	4.88	0.02	1,413	4.00	ADVA01P1912A	0.41	0.06	352,951	-
AU	14.10	(0.10)	10,377	14.00	SAAM	1.27	(0.03)	1,253	1.00	ADVA01P1912B	0.23	0.04	346,372	-
JCKH	0.45	(0.01)	525	-	SEAOIL	5.25	-	1,179	5.00	ADVA06C1912A	0.41	(0.14)	31,140	-
KASET	1.78	(0.01)	433	1.00	SR	1.09	0.03	746	1.00	ADVA08C1911A	-	-	-	-
MM	3.04	-	18,695	3.00	TAKUNI	0.51	-	8,097	-	ADVA08C2001A	0.28	(0.08)	49,115	-
PRIME	0.41	0.01	1,477	-	TPCH	13.70	0.20	99,201	13.00	ADVA11C1910A	1.22	(0.14)	12,000	1.00
SUN	1.67	0.01	10,211	1.00	TRT	1.89	0.02	618	1.00	ADVA11C2006A	0.23	(0.05)	77,876	-
TACC	4.92	(0.13)	46,238	4.00	UMS	0.49	0.06	720	-	ADVA11P1910A	-	-	-	-
TMILL	2.86	0.02	843	2.00	UWC	0.03	(0.01)	49,699	-	ADVA11P2005A	0.28	0.03	72,500	-
XO	6.05	0.25	15,572	6.00	Services (MAI)	-	-	-	-	ADVA13C1912A	0.48	(0.09)	390,115	-
Consumer Products	-	-	-	-	A5	-	-	-	-	ADVA13C2001A	0.26	(0.06)	254,394	-
BGT	1.02	0.02	698	1.00	AKP	1.39	-	7,504	1.00	ADVA13P1912A	0.21	0.04	192,157	-
BIZ	2.62	0.02	1,152	2.00	AMA	7.60	(0.20)	11,802	7.00	ADVA16C1911A	1.00	(0.29)	38,532	1.00
DOD	12.30	0.30	44,306	12.00	ARIP	0.43	(0.01)	1,345	-	ADVA16C1912A	0.73	(0.07)	64,940	-
ECF	2.36	-	8,641	2.00	ATP30	1.45	0.01	1,642	1.00	ADVA16C2002A	0.32	(0.10)	117,910	-
HPT	0.70	0.01	11	-	AUCT	9.20	(0.25)	32,817	9.00	ADVA19C1911A	0.27	(0.08)	48,486	-
JUBILE	18.90	0.20	4,356	19.00	BOL	2.94	(0.02)	275	2.00	ADVA19C2002A	0.21	(0.05)	107,025	-
MOONG	4.50	(0.02)	1,085	4.00	CHUO	-	-	-	-	ADVA19P1911A	-	-	-	-
NPK	-	-	-	-	CMO	1.23	0.04	4,236	1.00	ADVA19P2002A	0.37	0.06	99,831	-
OCEAN	1.13	-	21,691	1.00	D	5.05	(0.15)	2,682	5.00	ADVA23C2001A	1.36	(0.15)	1	1.00
TM	2.50	0.06	8,149	2.00	DCORP	0.45	(0.01)	4,267	-	ADVA24C2001A	0.37	(0.07)	5,826	-
Financials (MAI)	-	-	-	-	EFORL	0.04	-	22,642	-	ADVA24P2001A	-	-	-	-
ACAP	1.95	(0.05)	78,201	2.00	ETE	0.88	0.01	5,807	-	ADVA27C1912A	0.80	(0.11)	6,715	-
AF	0.65	-	176	-	FSMART	6.60	0.10	23,512	6.00	ADVA28C2001A	0.37	(0.09)	600	-
AIRA	1.30	-	1,267	1.00	FVC	0.49	0.01	2,307	-	ADVA28C2002A	0.17	(0.07)	56,909	-
ASN	5.90	0.05	7	5.00	GSC	0.87	0.01	5,139	-	ADVA28P1911A	-	-	-	-
BROOK	0.48	(0.01)	47,308	-	HARN	2.32	0.02	1,532	2.00	ADVA28P2001A	0.20	0.04	51,807	-
CHAYO	5.10	(0.05)	66,945	5.00	JKN	7.90	(0.10)	13,813	7.00	ADVA41C1910A	-	-	-	-
GCAP	2.38	0.02	5,261	2.00	KIAT	0.39	-	27,821	-	ADVA41C1910B	-	-	-	-
LIT	5.45	(0.05)	2,596	5.00	KOOL	1.18	(0.01)	4,155	1.00	ADVA41C1912A	-	-	-	-
MITSI	2.40	-	24,765	2.00	LDC	1.00	-	5,832	1.00	ADVA41C1912B	-	-	-	-
SGF	1.15	-	13,304	1.00	MORE	0.16	0.01	43,010	-	ADVA41C2001A	0.26	(0.04)	41,760	-
Industrials (MAI)	-	-	-	-	MPG	0.34	-	69	-	ADVA41P1911A	-	-	-	-
2S	2.30	0.04	6,507	2.00	MVP	1.82	(0.01)	6,948	1.00	ADVA41P1912A	-	-	-	-
ACG	1.43	0.01	5,339	1.00	NBC	0.77	-	30	-	ADVA41P2001A	0.35	0.03	40,030	-
ADB	0.59	(0.01)	7,398	-	NCL	1.15	(0.01)	154	1.00	ADVA42C1910A	1.10	(0.22)	10	1.00
BM	2.12	-	130	2.00	NEWS	0.01	-	247,311	-	ADVA42C2003A	0.22	(0.06)	58,009	-
CHO	0.85	-	4,014	-	NINE	2.48	0.02	653	2.00	AEON01C1911A	1.34	0.04	59,838	1.00
CHOW	1.90	(0.01)	502	1.00	OTO	2.98	(0.02)	1,842	2.00	AEON01C1911B	0.34	0.03	74,708	-
CIG	0.23	-	8,043	-	PHOL	1.81	(0.01)	202	1.00	AEON13C1910A	-	-	-	-
COLOR	1.17	0.01	533	1.00	PICO	4.04	(0.04)	36	4.00	AEON13C1911A	0.28	0.01	108,783	-
CPR	4.68	(0.04)	451	4.00	PORT	3.68	(0.10)	4,674	3.00	AEON19C1911A	0.21	0.02	87,674	-
FPI	2.46	(0.04)	3,191	2.00	QLT	3.84	0.02	38	3.00	AEON24C1912A	0.21	0.01	4,135	-
GTB	0.60	(0.01)	931	-	RP	2.06	(0.02)	854	2.00	AEON41C1912A	-	-	-	-
KCM	0.73	-	1,350	-	SE	1.83	(0.03)	506	1.00	AMAT01C1909A	0.97	0.08	12,377	-
KUMWEL	1.00	(0.02)	11,975	1.00	SONIC	1.26	-	1,406	1.00	AMAT01C1909B	0.39	0.03	27,518	-
KWM	0.93	0.01	960	-	SPA	14.10	0.10	10,742	14.00	AMAT01C2001A	0.64	0.05	30,878	-
MBAX	3.80	-	81	3.00	THMUJ	0.77	(0.04)	3,013	-	AMAT01C2001B	0.17	0.02	117,267	-
MGT	1.84	(0.03)	7,384	1.00	TNDT	4.24	(0.04)	149	4.00	AMAT01P1909A	0.01	-	13,160	-
NDR	1.41	0.02	229	1.00	TNH	35.00	0.25	34	35.00	AMAT01P2001A	0.44	(0.06)	50,151	-
PDG	3.12	0.02	1,304	3.00	TNP	1.88	(0.01)	10,949	1.00	AMAT08C2001A	0.50	0.03	100	-
PIMO	1.40	(0.10)	45,349	1.00	TSF	-	-	-	-	AMAT08C2002A	0.19	0.02	70,311	-
PJW	1.59	0.01	993	1.00	TVD	1.27	(0.02)	1,220	1.00	AMAT11C2001A	0.68	0.07	5,100	-
PPM	1.19	(0.03)	762	1.00	TVT	0.80	-	1,354	-	AMAT11C2004A	0.22	0.01	49,450	-
RWI	1.30	-	1,010	1.00	VL	1.51	-	18,930	1.00	AMAT13C1912A	-	-	-	-
SALEE	0.98	-	702	-	WINNER	2.86	(0.04)	1,693	2.00	AMAT13C2001A	0.16	-	268,057	-
SANKO	0.96	-	9,476	-	Technology (MAI)	-	-	-	-	AMAT16C1911A	0.60	0.06	18,381	-
SELIC	2.82	0.06	2,965	2.00	COMAN	3.02	0.02	41	3.00	AMAT19C1912A	0.17	-	15,586	-
SWC	4.36	0.14	1,647	4.00	ICN	1.70	-	3,690	1.00	AMAT24C2001A	-	-	-	-
TMC	0.62	(0.02)	5,366	-	IRCP	0.58	0.01	1,336	-	AMAT41C1912A	-	-	-	-
TMI	0.77	-	6,135	-	ITEL	3.30	(0.04)	5,711	3.00	AMAT41C2002A	0.17	(0.83)	13,980	-
TMW	48.50	-	107	48.00	NETBAY	34.75	0.50	2,917	34.00	AMAT42C1910A	0.52	(0.05)	17,500	-
TPAC	10.70	(0.20)	85	10.00	PLANET	1.22	(0.01)	36	10.00	ANAN08C1911A	0.10	(0.02)	1,850	-
TPLAS	1.40	(0.01)	848	1.00	SIMAT	1.40	(0.01)	2,295	1.00	ANAN13C1912A	0.12	(0.02)	9,838	-
UAC	3.10	-	2,117	3.00	SKY	16.30	(0.10)	6,763	16.00	ANAN19C1910A	0.01	(0.02)	3,000	-
UBIS	5.85	(0.10)	224	5.00	SPVI	1.68	(0.05)	50,179	1.00	ANAN19C2001A	0.25	(0.04)	9,301	-
UEC	1.06	-	227	1.00	UPA	0.25	-	31,636	-	ANAN24C1912A	0.10	(0.03)	180	-
UKEM	0.53	-	5,730	-	VCOM	3.00	-	256	3.00	AOT01C1911A	0.79	(0.06)	26,762	-
UREKA	0.94	-	2,247	-	Unit Trust	-	-	-	-	AOT01C1911B	0.48	(0.04)	40,523	-
YUASA	14.10	-	93	14.00	MGE	-	-	-	-	AOT01P1911A	0.29	0.02	58,506	-
ZIGA	1.50	(0.01)	1,048	1.00	SCBSET	-	-	-	-	AOT01P1911B	0.12	0.01	27,386	-
Property & Construc	-	-	-	-	ETF	-	-	-	-	AOT06C1911A	0.68	(0.09)	5,351	-
ALL	4.18	-	6,996	4.00	1DIV	10.79	(0.06)	136	10.00	AOT07C1910A	-	-	-	-
ARIN	0.68	(0.01)	17,812	-	ABFTH	-	-	-	-	AOT08C1911A	0.26	(0.03)	9,995	-
ARROW	9.45	0.05	634	9.00	BMSCG	8.39	0.04	6,296	8.00	AOT11C2004A	0.64	(0.06)	7,606	-
BSM	0.38	0.01	12,503	-	BMSCITH	12.23	(0.13)	3,158	12.00	AOT11P2004A	0.24	0.02	10,960	-
BTW	1.14	-	918	1.00	BSET100	10.79	(0.10)	2,365	10.00	AOT13C1911A	0.41	(0.06)	43,085	-
CAZ	2.32	(0.02)	1,079	2.00	CHINA	5.50	(0.02)	46	5.00	AOT13P1912A	0.09	0.01	4,602	-
CHEWA	0.71	(0.01)	3,414	-	EBANK	5.33	0.06	54	5.00	AOT13P1912B	0.29	0.04	17,414	-
CMC	1.06	(0.02)	5,308	1.00	ECOMM	-	-	-	-	AOT16C1912A	0.87	(0.06)	21,384	-
CRD	0.97													

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP06C1909A	-	-	-	-	BCPG19C1911A	0.24	(0.01)	9,218	-	BGR19C1911A	0.22	(0.03)	33,696	-
AP08C1912A	0.09	-	19,468	-	BCPG19P1911A	0.14	-	8,005	-	BGR124C1912A	0.37	(0.05)	3,981	-
AP11C2001A	0.20	0.01	33,200	-	BCPG24C1912A	-	-	-	-	BGR127C1912A	0.52	(0.03)	6,718	-
AP16C2002A	0.08	-	16,100	-	BCPG27P1909A	-	-	-	-	BGR127P1911A	-	-	-	-
AP19C1910A	-	-	-	-	BCPG28C1910A	0.15	0.01	1	-	BGR128C2002A	0.40	(0.03)	39,606	-
AP19C2002A	0.24	0.02	13,088	-	BCPG28C1912A	0.17	(0.01)	2,028	-	BGR128C2003A	0.27	(0.01)	32,448	-
AP24C1912A	-	-	-	-	BCPG28C2002A	0.37	-	12,168	-	BGR141C1911A	-	-	-	-
BANP01C1909A	0.02	-	4,660	-	BCPG41C1910A	0.22	(0.02)	15,940	-	BGR141C2001A	0.44	(0.08)	150	-
BANP01C1909B	-	-	-	-	BCPG42C2001A	0.33	-	12	-	BGR141P1912A	0.18	0.01	900	-
BANP01C1912A	0.14	0.01	244,521	-	BDM01C1911A	0.12	(0.01)	5,531	-	BGR142C1910A	0.29	(0.04)	2,978	-
BANP01C1912B	0.07	0.02	23,645	-	BDM01C1911B	0.05	(0.01)	1,000	-	BH01C2001A	0.23	(0.03)	80,222	-
BANP01C2002A	0.38	0.01	204,165	-	BDM01C2002A	0.58	(0.04)	60,072	-	BH01C2001B	0.09	0.01	4,000	-
BANP01P1909A	0.75	(0.02)	7,071	-	BDM01P1911A	0.35	0.02	102,755	-	BH01P2001A	1.90	0.05	32,213	1.00
BANP01P1909B	0.30	(0.03)	70,359	-	BDM08C1911A	0.09	-	4,000	-	BH07C1910A	-	-	-	-
BANP01P1912A	0.56	(0.02)	144,008	-	BDM11C2001A	0.40	(0.02)	4,010	-	BH11C2002A	0.08	-	12,360	-
BANP01P1912B	0.41	(0.01)	158,589	-	BDM11P2002A	0.41	0.03	26,000	-	BH13C1909A	-	-	-	-
BANP01P2002A	0.38	(0.02)	51,818	-	BDM13C1909A	-	-	-	-	BH13C1912A	0.06	(0.01)	1,000	-
BANP06C1912A	0.05	-	6	-	BDM13C1912A	0.07	(0.01)	2,050	-	BH13C2001A	0.30	(0.05)	97,584	-
BANP06C2002A	0.25	(0.75)	40,852	-	BDM13C1912B	0.32	(0.05)	206,860	-	BH19C1912A	0.06	(0.01)	9,800	-
BANP07C1909A	0.01	(0.01)	1	-	BDM16C1912A	0.17	(0.01)	44,694	-	BH19C2002A	0.40	(0.04)	55,689	-
BANP08C1912A	0.07	0.01	14,860	-	BDM19C1910A	0.02	0.01	4	-	BH24C1910A	0.02	(0.01)	90	-
BANP08P1912A	-	-	-	-	BDM19C2001A	0.30	(0.04)	1,099	-	BH24C2001A	0.34	(0.04)	6,852	-
BANP11C1909A	-	-	-	-	BDM24C1909A	-	-	-	-	BH41C1911A	-	-	-	-
BANP11C2004A	0.12	-	57,990	-	BDM24C1912A	-	-	-	-	BH41C2002A	0.37	(0.05)	16,750	-
BANP13C1910A	0.01	-	1,860	-	BDM24C2001A	0.47	(0.04)	300	-	BH41P1911A	-	-	-	-
BANP13C1912A	0.05	0.01	77,310	-	BDM27C2002A	0.14	-	40,512	-	BJC01C1911A	0.64	(0.06)	48,888	-
BANP13C2001A	0.23	0.02	535,693	-	BDM41C1911A	-	-	-	-	BJC01C1911B	0.43	(0.07)	79,718	-
BANP16C1912A	0.08	0.02	4,345	-	BDM41C2001A	-	-	-	-	BJC01P1911A	0.13	0.01	276,331	-
BANP19C1910A	0.01	-	3	-	BDM41P1911A	-	-	-	-	BJC06C1912A	0.33	(0.04)	7,340	-
BANP19C2002A	0.23	0.01	54,565	-	BEAU01C1911A	0.05	0.01	138,627	-	BJC11C2001A	0.32	(0.04)	27,274	-
BANP19P1910A	0.08	(0.01)	2,150	-	BEAU01C2001A	0.36	0.03	190,319	-	BJC13C1911A	0.28	(0.06)	7,225	-
BANP24C1911A	-	-	-	-	BEAU01P1909A	2.84	(0.06)	41	2.00	BJC13C2001A	0.26	(0.04)	30,163	-
BANP28C1911A	-	-	-	-	BEAU01P2001A	1.01	(0.08)	47,374	1.00	BJC16C2002A	0.34	(0.03)	36,752	-
BANP28C2001A	-	-	-	-	BEAU06C1909A	-	-	-	-	BJC19C1910A	0.20	(0.06)	65,408	-
BANP28C2002A	0.29	0.03	100	-	BEAU06C1911A	-	-	-	-	BJC23C2001A	-	-	-	-
BANP28C2003A	0.20	0.01	45,780	-	BEAU08C1910A	-	-	-	-	BJC24C1910A	-	-	-	-
BANP41C1909A	-	-	-	-	BEAU11C1911A	-	-	-	-	BJC41C1910A	-	-	-	-
BANP41C1911A	0.06	-	33	-	BEAU13C1910A	-	-	-	-	BJC41C1912A	-	-	-	-
BANP41C2002A	-	-	-	-	BEAU13C1910B	-	-	-	-	BJC41P1912A	0.23	0.04	250	-
BANP41P1909A	-	-	-	-	BEAU13C1912A	0.08	0.02	56,741	-	BJC42C1912A	-	-	-	-
BANP41P1912A	-	-	-	-	BEAU13C2001A	0.39	0.04	281,424	-	BLA11C1909A	-	-	-	-
BANP41P2002A	-	-	-	-	BEAU19C1910A	-	-	-	-	BLAN19C1910A	0.04	-	4,000	-
BANP42C2004A	0.45	0.02	1	-	BEAU19C2002A	0.43	0.04	157,361	-	BLAN19C1912A	-	-	-	-
BANP42P2005A	-	-	-	-	BEAU24C1909A	0.05	0.01	5,287	-	BPP01C1912A	0.24	(0.01)	37,315	-
BBL06C2002A	0.75	(0.25)	30,300	-	BEAU27C1910A	-	-	-	-	BPP01C1912B	0.11	-	39,178	-
BBL07C1909A	0.01	(0.01)	4,003	-	BEAU28C1910A	0.01	-	2,167	-	BPP01P1912A	0.86	(0.01)	18,666	-
BBL08C2001A	0.08	0.02	12,537	-	BEAU28C1910B	-	-	-	-	BPP11C1910A	-	-	-	-
BBL08C2002A	0.62	0.07	64,336	-	BEAU41C1910A	-	-	-	-	BPP13C1911A	0.10	-	11,882	-
BBL08P1912A	0.52	(0.09)	18,999	-	BEAU41C1910B	-	-	-	-	BPP13C2001A	0.33	(0.01)	76,267	-
BBL08P2002A	0.43	(0.05)	31,422	-	BEAU41C1911A	-	-	-	-	BPP16C2001A	0.13	-	9,411	-
BBL11C2001A	0.07	0.01	47,016	-	BEAU41P1909A	0.07	-	-	-	BPP19C1910A	0.07	-	600	-
BBL11C2005A	0.47	0.05	145,201	-	BEAU41P1911A	-	-	-	-	BPP24C1911A	0.24	0.01	1,640	-
BBL11P2001A	0.44	(0.04)	67,254	-	BEAU42C1910A	-	-	-	-	BTS01C2001A	0.38	(0.03)	47,296	-
BBL13C1911A	0.14	0.02	304,575	-	BEAU42C1911A	0.08	0.01	2,000	-	BTS01C2001B	0.27	(0.01)	50,926	-
BBL13C2001A	0.63	0.07	253,632	-	BEC01C2001A	0.33	(0.04)	56,436	-	BTS01P2001A	0.28	0.03	56,369	-
BBL13P1911A	0.57	(0.09)	4,198	-	BEC01C2001B	0.09	(0.01)	46,986	-	BTS08C1911A	0.32	(0.03)	9,000	-
BBL13P2001A	0.28	(0.03)	55,607	-	BEC01P2001A	0.58	0.02	53,121	-	BTS11C1910A	1.23	(0.20)	15	1.00
BBL19C1911A	0.05	0.01	6,015	-	BEC16C2002A	0.31	(0.05)	32,843	-	BTS11C2003A	0.35	(0.03)	10,435	-
BBL19C2001A	0.41	0.04	102,387	-	BEC27C2002A	0.10	(0.01)	38,166	-	BTS13C1912A	0.27	(0.04)	91,878	-
BBL19P1909A	-	-	-	-	BEC41C1912A	0.24	(0.04)	1,550	-	BTS13C2001A	0.16	(0.01)	86,313	-
BBL19P2002A	0.26	(0.03)	24,871	-	BEC41C2001A	-	-	-	-	BTS16C2001A	0.27	(0.03)	16,950	-
BBL24C1910A	-	-	-	-	BEM01C1911A	0.22	(0.02)	135,050	-	BTS16C2001B	0.33	(0.03)	10,056	-
BBL24C1912A	0.13	0.02	21,695	-	BEM01C1911B	0.12	(0.02)	128,013	-	BTS19C1910A	0.14	(0.04)	630	-
BBL24C2001A	0.58	0.06	12,155	-	BEM01P1911A	0.25	0.03	55,146	-	BTS19C2002A	0.19	(0.02)	20,809	-
BBL27C2002A	0.16	0.01	42,507	-	BEM06C1912A	0.07	(0.02)	19,350	-	BTS19P1910A	-	-	-	-
BBL41C1912A	0.22	0.03	42	-	BEM06P1912A	0.21	0.03	39,020	-	BTS19P2002A	0.28	0.02	9,612	-
BBL41C2001A	0.62	0.11	24,940	-	BEM08C2001A	0.20	(0.03)	27,400	-	BTS24C2001A	0.43	0.01	390	-
BBL41P2001A	-	-	-	-	BEM11C2001A	0.16	(0.02)	17,900	-	BTS24P2001A	-	-	-	-
BBL42C2003A	0.70	0.10	3,467	-	BEM11C2003A	0.20	(0.03)	18,130	-	BTS27P1911A	0.03	0.01	2	-
BCH01C2001A	0.36	(0.02)	20,623	-	BEM13C1909A	0.03	(0.01)	11,210	-	BTS41C1912A	-	-	-	-
BCH01C2001B	0.20	(0.01)	43,805	-	BEM13C1912A	0.16	(0.02)	164,748	-	BTS41P1910A	-	-	-	-
BCH01P2001A	0.49	0.03	56,742	-	BEM13P1911A	0.15	0.01	112,026	-	BTS41P1912A	-	-	-	-
BCH06C1909A	-	-	-	-	BEM16C1912A	0.18	(0.02)	34,929	-	BTS41P2001A	-	-	-	-
BCH06C2001A	0.27	(0.03)	1,300	-	BEM16C2001A	0.07	(0.01)	12,401	-	CBG01C1909A	1.37	(0.04)	58,921	1.00
BCH08C1910A	-	-	-	-	BEM19C1911A	0.07	(0.02)	8,400	-	CBG01C1911A	1.52	(0.05)	55,341	1.00
BCH11C2001A	0.17	(0.02)	2,000	-	BEM19C2001A	0.19	(0.02)	8,444	-	CBG01C1911B	0.90	(0.06)	73,137	-
BCH13C1909A	-	-	-	-	BEM19P1910A	-	-	-	-	CBG01C2001A	0.89	(0.02)	95,754	-
BCH13C1911A	-	-	-	-	BEM19P1911A	0.13	0.02	8,837	-	CBG01C2001B	0.48	(0.03)	84,000	-
BCH13C1912A	0.25	(0.03)	26,522	-	BEM23C2001A	0.12	(0.02)	8,000	-	CBG01P1909A	0.02	-	5,614	-
BCH16C2001A	0.12	(0.01)	6,174	-	BEM24C1909A	0.02	(0.01)	17,000	-	CBG01P1911A	0.04	0.01	24,087	-
BCH19C1910A	-	-	-	-	BEM24P1909A	-	-	-	-	CBG01P2001A	0.48	0.01	90,471	-
BCH19C2001A	0.23	(0.03)	6,600	-	BEM27P1912A	0.17	0.02	5,400	-	CBG06C2002A	0.92	(0.07)	20,400	-
BCH24C2003A	0.29	(0.02)	6,550	-	BEM28C1910A	-	-	-	-	CBG08C1910A	0.82	(0.08)	33,183	-
BCH27C2003A	0.36	(0.03)	3,400	-	BEM28C2001A	0.10	(0.02)	8,061	-	CBG11C1911A	2.30	(0.10)	27,212	2.00
BCH41C2001A	-	-	-	-	BEM28C2002A	0.19	(0.03)	10,262	-	CBG11C2002A	0.74	(0.06)	33,629	-
BCH42C2002A	-	-	-	-	BEM41C1910A	-	-	-	-	CBG13C1912A	0.79	(0.03)	341,817	-
BCP01C2001A	0.17	0.01	141,436	-	BEM41C2001A	0.22	(0.02)	18	-	CBG13P1909A	-	-	-	-
BCP01C2001B	0.09	0.01	23,318	-	BEM41P1911A	0.15	0.01	17,760	-	CBG13P1911A	0.17	-	10	-
BCP01P2001A	0.41	(0												

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG41P2001A	-	-	-	-	CPAL24P1912A	-	-	-	-	EA41C1910A	-	-	-	-
CBG41P2002A	1.02	0.04	25,210	-	CPAL27C1912A	0.46	(0.05)	15,002	-	EA41C1910B	0.13	0.03	2,100	-
CBG42C1910A	0.90	-	11,200	-	CPAL28C1910A	-	-	-	-	EA41C1912A	0.29	0.01	50	-
CENT01C1909A	0.01	-	90	-	CPAL28C1912A	0.30	(0.03)	16,434	-	EA41C2002A	0.50	0.04	45,225	-
CENT01C1909B	0.01	-	50	-	CPAL28C2001A	0.23	(0.02)	105,873	-	EA41P1912A	0.58	(0.04)	13,485	-
CENT01C1911A	0.27	-	134,822	-	CPAL41C1910A	0.27	(0.02)	26,380	-	EA42C1910A	-	-	-	-
CENT01C1911B	0.14	-	166,775	-	CPAL41C1910B	-	-	-	-	EA42C2001A	0.39	(0.01)	23,838	-
CENT01P1909A	0.98	-	9,462	-	CPAL41C2001A	0.24	(0.03)	100	-	EGCO01C1909A	1.57	(0.03)	7,874	1.00
CENT01P1911A	0.28	-	103,221	-	CPAL41P1911A	-	-	-	-	EGCO01C1909B	1.38	(0.05)	10,191	1.00
CENT06C1912A	0.12	-	19,510	-	CPAL41P1912A	0.66	0.01	27,060	-	EGCO01C2001A	0.90	(0.05)	19,659	-
CENT08C1911A	-	-	-	-	CPAL41P1912B	-	-	-	-	EGCO01C2001B	0.58	(0.04)	67,155	-
CENT11C1909A	-	-	-	-	CPAL42C1910A	-	-	-	-	EGCO13C1910A	0.98	0.03	1	-
CENT11C2004A	0.24	-	22,031	-	CPF01C2001A	0.23	(0.01)	11,022	-	EGCO13C1912A	0.58	(0.04)	73,760	-
CENT13C1911A	-	-	-	-	CPF01C2001B	0.12	(0.01)	2,081	-	EGCO16C2001A	0.75	(0.03)	82,147	-
CENT13C1912A	-	-	-	-	CPF01P2001A	0.39	-	14,976	-	EGCO19C2002A	0.38	(0.02)	20,671	-
CENT13C2001A	0.26	(0.02)	202,781	-	CPF01P2001B	0.23	(0.02)	24,802	-	EGCO27C1910A	1.06	(0.05)	5,276	1.00
CENT16C2001A	0.14	-	10,387	-	CPF08C1911A	0.09	-	5,680	-	EGCO41C1911A	0.55	(0.01)	54	-
CENT19C1910A	-	-	-	-	CPF11C1910A	-	-	-	-	EGCO41C2001A	0.65	(0.03)	77,515	-
CENT19C2001A	0.24	0.01	36,547	-	CPF11C2004A	0.16	-	3,339	-	EGCO41P1911A	0.02	-	1	-
CENT24C1910A	-	-	-	-	CPF13C1910A	-	-	-	-	EGCO41P2001A	0.32	0.01	68,525	-
CENT24C2003A	-	-	-	-	CPF13C1911A	0.14	(0.01)	5,590	-	EPG13C1912A	0.27	(0.03)	38,320	-
CENT27C1912A	0.19	-	11,518	-	CPF13P1910A	-	-	-	-	EPG19C1910A	0.30	(0.02)	9,626	-
CENT41C1912A	-	-	-	-	CPF16C2001A	-	-	-	-	EPG19C2002A	0.26	(0.03)	16,322	-
CENT41C2001A	0.26	(0.01)	29,260	-	CPF19C1910A	0.07	-	2	-	EPG19P1911A	-	-	-	-
CENT41P1910A	-	-	-	-	CPF19C2001A	-	-	-	-	EPG24C1911A	0.60	(0.03)	250	-
CENT41P2001A	-	-	-	-	CPF19P1910A	-	-	-	-	ERW06C1911A	0.02	(0.04)	4	-
CENT42C2002A	0.28	(0.02)	1,000	-	CPF24C1912A	-	-	-	-	ERW06C2001A	0.27	(0.04)	43,067	-
CHG01C2001A	0.37	(0.01)	53,758	-	CPF24P1909A	-	-	-	-	ERW06P2001A	0.22	0.02	44,928	-
CHG01C2001B	0.21	(0.03)	65,535	-	CPF27C2001A	-	-	-	-	ERW11C2001A	0.10	-	8,600	-
CHG01P2001A	0.27	0.03	49,648	-	CPF28C1912A	0.10	-	5,000	-	ERW13C1911A	0.04	(0.01)	11,702	-
CHG06C1911A	0.25	(0.04)	6,490	-	CPF28P1911A	0.08	-	2,028	-	ERW13C2001A	0.22	(0.04)	265,698	-
CHG08C1912A	0.25	(0.01)	18,152	-	CPF41C2001A	-	-	-	-	ERW19C1911A	-	-	-	-
CHG11C1911A	0.24	(0.01)	11,000	-	CPF41P1910A	-	-	-	-	ERW19C2001A	0.24	(0.03)	25,410	-
CHG13C1911A	0.21	(0.02)	58,878	-	CPF41P1912A	-	-	-	-	ERW24C1909A	-	-	-	-
CHG16C2002A	0.22	(0.02)	42,300	-	CPF42C2001A	0.10	-	4,501	-	ERW27C1910A	-	-	-	-
CHG19C1911A	0.13	(0.01)	12,880	-	CPN01C2001A	0.42	0.01	74,994	-	ESSO01C1911A	0.24	0.01	281,898	-
CHG24C1911A	-	-	-	-	CPN01C2001B	0.23	0.02	254,774	-	ESSO01C1911B	0.05	-	19,260	-
CHG41C1912A	-	-	-	-	CPN01P2001A	1.07	(0.01)	43,189	1.00	ESSO01P1911A	0.48	(0.01)	6,614	-
CK01C2001A	0.11	0.01	71,924	-	CPN06C2001A	0.49	0.03	64,237	-	ESSO06C1911A	0.06	0.01	1,300	-
CK01C2001B	0.05	(0.01)	3,000	-	CPN11C1910A	-	-	-	-	ESSO08C1911A	0.04	0.01	1,000	-
CK01P2001A	0.53	(0.01)	43,029	-	CPN11C2006A	0.54	0.04	25,428	-	ESSO11C2002A	0.10	0.01	16,160	-
CK06C1911A	-	-	-	-	CPN13C1912A	-	-	-	-	ESSO13C1910A	0.01	-	911	-
CK06C2002A	0.51	(0.49)	16,725	-	CPN13C2001A	0.46	0.02	265,633	-	ESSO13C1911A	0.18	-	224,512	-
CK08C1911A	-	-	-	-	CPN16C2001A	0.13	0.01	26,816	-	ESSO13C1912A	0.08	-	539	-
CK11C1911A	-	-	-	-	CPN19C1911A	0.06	0.01	1	-	ESSO19C1910A	-	-	-	-
CK13C1910A	0.03	-	1,044	-	CPN19C2002A	0.33	0.01	44,404	-	ESSO19C2001A	0.23	0.01	39,141	-
CK16C1912A	0.15	0.01	50,836	-	CPN24C1909A	-	-	-	-	ESSO24C1910A	0.20	-	10,700	-
CK19C1912A	0.02	(0.01)	217	-	CPN24P1911A	0.62	(0.09)	2,340	-	ESSO27C1912A	-	-	-	-
CK19C2002A	0.11	-	46,246	-	CPN41C1910A	-	-	-	-	ESSO41C1911A	-	-	-	-
CK24C1910A	-	-	-	-	CPN41C2001A	-	-	-	-	ESSO41C2002A	0.42	0.03	27,050	-
CK41C1911A	-	-	-	-	CPN41C2002A	0.39	0.02	40,880	-	ESSO42C1910A	-	-	-	-
CK41C2001A	0.41	(0.01)	30,681	-	CPN41P1912A	0.51	(0.06)	14,400	-	ESSO42C2001A	0.35	0.02	45,091	-
CKP01C1911A	0.32	(0.01)	62,993	-	CPN42C2002A	0.45	(0.55)	5,360	-	GFPT08C1912A	0.24	(0.01)	6,400	-
CKP01C1911B	0.17	(0.02)	163,137	-	DTAC01C1910A	0.68	(0.02)	34,924	-	GFPT13C1912A	0.20	(0.01)	14,897	-
CKP06C1910A	0.19	(0.02)	10,300	-	DTAC01C1910B	0.49	0.01	70,580	-	GFPT19C1912A	0.15	(0.01)	4,663	-
CKP08C1910A	0.09	(0.01)	18,100	-	DTAC01C2001A	0.66	(0.01)	76,796	-	GFPT19P1912A	0.21	-	4,489	-
CKP11C1910A	0.17	(0.01)	24,700	-	DTAC01C2001B	0.37	(0.01)	110,416	-	GFPT23C1909A	0.10	(0.02)	5	-
CKP13C1910A	0.08	(0.01)	4,077	-	DTAC01P1910A	0.35	-	88,122	-	GFPT24C1912A	0.15	(0.04)	1,800	-
CKP13C1912A	0.09	(0.02)	8,601	-	DTAC01P1910B	-	-	-	-	GFPT42C1911A	0.29	(0.06)	600	-
CKP13C2001A	0.21	(0.79)	56,169	-	DTAC01P2001A	0.80	-	37,213	-	GLOB01C1909A	0.12	(0.02)	64,399	-
CKP16C2001A	0.09	-	34,016	-	DTAC01P2001B	0.49	0.01	64,644	-	GLOB01C1909B	0.01	(0.02)	7,210	-
CKP19C1910A	0.12	(0.01)	32,902	-	DTAC07C1909A	-	-	-	-	GLOB01C2003A	0.41	(0.02)	122,305	-
CKP19C1911A	-	-	-	-	DTAC08C1911A	0.51	(0.01)	23,870	-	GLOB01P1909A	0.40	0.03	23,425	-
CKP24C1912A	0.31	(0.03)	3,230	-	DTAC08P1911A	0.18	0.01	4,100	-	GLOB06C1911A	0.11	(0.02)	16,930	-
CKP24P1912A	0.10	0.01	45,940	-	DTAC08P2002A	0.81	0.01	17,604	-	GLOB11C2002A	0.34	(0.02)	13,303	-
CKP28C1910A	-	-	-	-	DTAC11C2002A	0.68	(0.01)	26,002	-	GLOB13C1910A	0.09	(0.01)	26,920	-
CKP28C1912A	0.06	(0.02)	4,300	-	DTAC13C1911A	-	-	-	-	GLOB16C2001A	0.20	(0.02)	15,870	-
CKP28C2003A	0.21	-	15,789	-	DTAC13C1912A	0.34	(0.02)	70,563	-	GLOB19C1912A	0.12	(0.01)	10,159	-
CKP41C1909A	-	-	-	-	DTAC13P1909A	-	-	-	-	GLOB19C2002A	0.33	(0.03)	16,186	-
COM708C1911A	1.00	-	200	1.00	DTAC13P1912A	0.36	0.01	35,396	-	GLOB24C1911A	0.33	(0.01)	2,730	-
COM708C2002A	0.21	(0.02)	9,212	-	DTAC16C2001A	0.64	(0.03)	80,119	-	GLOB41C1910A	-	-	-	-
COM711C1909A	0.35	(0.06)	10,911	-	DTAC19C2001A	0.39	(0.01)	27,296	-	GLOB41C2001A	0.23	(0.02)	217	-
COM711C2004A	0.24	(0.01)	15,500	-	DTAC19P1910A	-	-	-	-	GLOB41P2001A	-	-	-	-
COM713C1912A	0.62	(0.04)	5,516	-	DTAC19P2002A	0.71	-	29,238	-	GLOW13C1912A	-	-	-	-
COM713C2001A	0.16	(0.01)	34,966	-	DTAC24C1910A	0.66	(0.04)	1,100	-	GPSC01C1910A	1.44	0.07	34,818	1.00
COM716C2001A	0.70	(0.03)	15,318	-	DTAC24P1909A	-	-	-	-	GPSC01C1910B	1.31	0.07	38,619	1.00
COM719C1910A	-	-	-	-	DTAC27C2002A	0.68	(0.01)	14,000	-	GPSC01C1912A	1.01	0.03	42,276	1.00
COM719C2001A	0.18	(0.01)	58,093	-	DTAC27P2002A	0.24	-	20,066	-	GPSC01C1912B	0.67	0.04	111,965	-
COM719P1911A	0.09	0.01	153,355	-	DTAC28C1911A	0.53	-	100	-	GPSC01P1910A	-	-	-	-
COM724C2001A	0.18	(0.01)	830	-	DTAC28C2001A	0.35	(0.01)	11,654	-	GPSC01P1912A	0.38	(0.03)	159,848	-
COM741C1911A	-	-	-	-	DTAC41C1912A	-	-	-	-	GPSC06C1912A	0.95	0.04	21,615	-
COM741C2001A	-	-	-	-	DTAC41P2001A	-	-	-	-	GPSC08C2001A	0.90	-	53,338	-
CPAL01C1911A	0.64	(0.05)	49,652	-	DTAC42C1911A	0.71	(0.01)	250	-	GPSC11C1909A	0.72	0.07	1	-
CPAL01C1911B	0.37	(0.05)	64,344	-	DTAC42C2001A	0.33	(0.02)	6,000	-	GPSC13C1911A	-	-	-	-
CPAL01C2002A	0.57	(0.02)	62,896	-	EA06C1910A	0.07	0.01	20,130	-	GPSC13C1912A	0.80	0.04	95,942	-
CPAL01C2002B	0.27	(0.03)	61,895	-	EA06C2002A	0.57	(0.43)	17,720	-	GPSC13C2001A	0.58	0.03	293,121	-
CPAL01P1911A	0.61	0.02	114,452	-	EA07C1910A	0.26	0.03	51	-	GPSC13P1911A	0.15	(0.02)	19,450	-
CPAL01P1911B	0.29	0.02	130,753	-	EA08C2001A	0.32	-	53,630	-	GPSC19C1910A	1.21	0.04		

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF01P2003A	1.02	0.10	486,190	-	IRPC01C1911A	0.14	(0.03)	240,936	-	KBAN01P1911B	0.94	(0.05)	94,409	-
GULF06C1912A	0.96	(0.33)	39,501	1.00	IRPC01C1911B	0.02	-	1	-	KBAN01P2002A	1.18	(0.03)	79,474	1.00
GULF07C1910A	4.42	(0.68)	700	4.00	IRPC01C2002A	0.50	(0.04)	110,100	-	KBAN01P2002B	0.78	(0.02)	117,096	-
GULF08C1910A	-	-	-	-	IRPC01P1911A	0.48	0.02	79,492	-	KBAN08C2001A	0.24	0.02	26,855	-
GULF11C2003A	1.21	(0.17)	76,787	1.00	IRPC01P2002A	0.49	0.01	121,295	-	KBAN08C2002A	0.70	0.06	27,008	-
GULF13C1909A	-	-	-	-	IRPC06C1911A	-	-	-	-	KBAN08P1912A	-	-	-	-
GULF13C1910A	3.50	(0.80)	411	3.00	IRPC11C2001A	-	-	-	-	KBAN08P2002A	0.46	(0.02)	17,900	-
GULF13C1912A	0.81	(0.17)	81,525	-	IRPC11C2005A	0.19	(0.02)	21,016	-	KBAN13C1910A	0.06	(0.01)	1,751	-
GULF13C2001A	0.38	(0.10)	1,548,485	-	IRPC13C1909A	-	-	-	-	KBAN13C1912A	0.24	-	79,632	-
GULF13P1910A	0.02	0.01	1,670	-	IRPC13C1911A	0.02	0.01	11	-	KBAN13C2001A	0.66	0.01	168,063	-
GULF13P1911A	0.06	0.02	236,403	-	IRPC13C1912A	0.03	-	5	-	KBAN13P1911A	0.83	(0.35)	3,511	-
GULF13P2001A	0.41	0.07	1,136,801	-	IRPC13C2001A	0.38	(0.03)	700,775	-	KBAN13P2001A	0.40	(0.02)	141,721	-
GULF16C2001A	1.30	(0.23)	96,654	1.00	IRPC19C1910A	-	-	-	-	KBAN16C2001A	0.17	0.03	14,920	-
GULF19C1910A	1.26	(0.33)	6,942	1.00	IRPC19C1910B	-	-	-	-	KBAN19C1911A	0.04	0.01	550	-
GULF19C1912A	0.55	(0.12)	241,505	-	IRPC19C2001A	0.23	(0.03)	37,964	-	KBAN19C2001A	0.47	0.04	13,575	-
GULF19P1911A	0.01	-	10	-	IRPC24C1909A	-	-	-	-	KBAN19P1910A	0.09	(0.01)	19,400	-
GULF19P2001A	0.14	0.03	149,637	-	IRPC24C1911A	-	-	-	-	KBAN24C1912A	0.16	0.04	917	-
GULF24C1909A	1.58	(0.50)	56,850	1.00	IRPC24C2002A	0.40	(0.01)	6,600	-	KBAN24C2001A	0.67	0.05	15,221	-
GULF24C2001A	0.78	(0.16)	16,238	-	IRPC27C1911A	-	-	-	-	KBAN24P1909A	0.25	(0.05)	5,053	-
GULF24P2001A	0.14	0.03	102,885	-	IRPC28C2003A	0.48	(0.05)	68,300	-	KBAN28P2001A	0.54	(0.04)	14,800	-
GULF27C2004A	0.86	(0.17)	24,481	-	IRPC41C1910A	-	-	-	-	KBAN28C1911A	0.03	-	1,120	-
GULF28C1910A	-	-	-	-	IRPC41C1911A	-	-	-	-	KBAN28C2001A	0.15	0.01	10	-
GULF28C2001A	0.62	(0.16)	69,836	-	IRPC41C1911B	-	-	-	-	KBAN28C2002A	0.33	0.01	95,876	-
GULF28C2003A	0.23	(0.06)	92,685	-	IRPC41C1912A	-	-	-	-	KBAN28C2002B	0.60	0.06	47,786	-
GULF41C1909A	-	-	-	-	IRPC41C2002A	0.41	(0.02)	60,380	-	KBAN28P1912A	0.70	(0.04)	34,837	-
GULF41C1909B	-	-	-	-	IRPC41C2002B	-	-	-	-	KBAN28P2003A	0.24	(0.01)	10,340	-
GULF41C1910A	-	-	-	-	IRPC41P1909A	-	-	-	-	KBAN41C1910A	0.01	(0.06)	1	-
GULF41C1910B	-	-	-	-	IRPC41P1912A	0.93	-	23	-	KBAN41C2001A	0.31	0.02	620	-
GULF41C1911A	-	-	-	-	IRPC41P2001A	-	-	-	-	KBAN41C2002A	0.66	0.04	700	-
GULF41C2001A	-	-	-	-	IRPC41P2002A	-	-	-	-	KBAN41P1912A	0.69	(0.11)	170	-
GULF41C2001B	0.94	(0.27)	385	-	IRPC42C1911A	-	-	-	-	KBAN41P2002A	-	-	-	-
GULF41C2002A	0.31	(0.12)	9,472	-	IRPC42C2002A	-	-	-	-	KBAN42C1911A	0.03	0.01	1,290	-
GULF41P1909A	-	-	-	-	IVL01C1911A	0.12	(0.01)	152,084	-	KBAN42C2003A	0.71	0.18	449	-
GULF41P1911A	0.02	-	197	-	IVL01C1911B	0.04	-	2	-	KCE01C1911A	0.57	(0.05)	126,936	-
GULF41P1911B	0.03	-	2	-	IVL01C2002A	0.28	(0.01)	252,611	-	KCE01C1911B	0.29	(0.02)	73,270	-
GULF41P1912A	0.10	0.01	1,500	-	IVL01C2002B	0.14	(0.01)	160,607	-	KCE06C1911A	0.20	(0.04)	15,470	-
GULF41P1912B	0.12	0.08	5,289	-	IVL01P1911A	0.80	0.01	58,781	-	KCE08C1911A	0.02	(0.01)	1,500	-
GULF41P2001A	0.41	0.10	4,711	-	IVL01P1911B	0.75	(0.03)	34,112	-	KCE08C2002A	0.66	(0.06)	60,532	-
GULF41P2002A	0.90	0.09	59,915	-	IVL01P2002A	0.72	0.02	41,061	-	KCE11C2004A	0.58	(0.04)	30,541	-
GULF42C1910A	-	-	-	-	IVL01P2002B	0.53	(0.02)	55,189	-	KCE13C1911A	0.16	(0.04)	51,370	-
GULF42C2002A	0.54	(0.15)	170,569	-	IVL06C1910A	-	-	-	-	KCE13C2001A	0.53	(0.06)	61,034	-
GUNK01C1912A	0.36	-	30,635	-	IVL06C2001A	0.38	(0.02)	49,463	-	KCE16C2001A	0.28	(0.03)	58,590	-
GUNK01C1912B	0.22	-	14,886	-	IVL06P1910A	0.56	-	17,492	-	KCE19C1910A	-	-	-	-
GUNK01P1912A	0.33	-	2,632	-	IVL08C1911A	-	-	-	-	KCE19C1910B	0.12	(0.04)	3,706	-
GUNK08C1912A	0.38	-	17,999	-	IVL08C2002A	0.22	(0.02)	38,684	-	KCE19C2002A	0.58	(0.03)	34,986	-
GUNK11C1911A	0.43	(0.01)	12,094	-	IVL08P1910A	-	-	-	-	KCE23C1911A	0.18	(0.03)	1,000	-
GUNK13C1909A	-	-	-	-	IVL11C1911A	0.03	-	60	-	KCE24C1911A	0.31	(0.04)	42,581	-
GUNK13C1912A	0.18	(0.02)	33,971	-	IVL11C2005A	0.25	(0.01)	62,270	-	KCE28C1911A	0.26	(0.02)	10,060	-
GUNK16C2002A	0.26	(0.01)	45,214	-	IVL13C1909A	-	-	-	-	KCE41C1911A	-	-	-	-
GUNK19C1910A	0.21	(0.01)	21,446	-	IVL13C1912A	0.05	0.01	40,051	-	KCE41C2002A	-	-	-	-
GUNK19C1911A	0.11	-	300	-	IVL13C2001A	0.11	(0.01)	21,166	-	KCE42C1910A	-	-	-	-
GUNK24C1909A	0.59	(0.06)	200	-	IVL13C2002A	0.33	-	262,571	-	KCE42C2001A	0.62	(0.03)	560	-
GUNK24C2001A	0.25	0.01	400	-	IVL13P1911A	-	-	-	-	KKP01C2001A	0.50	(0.03)	55,230	-
GUNK28C2002A	0.28	(0.01)	13,703	-	IVL13P1912A	-	-	-	-	KKP01C2001B	0.29	(0.01)	49,002	-
GUNK41C2002A	-	-	-	-	IVL13P2001A	0.16	-	26,907	-	KKP01P2001A	0.85	0.02	26,527	-
GUNK42C1910A	0.19	(0.01)	9,000	-	IVL16C2001A	0.05	-	1,150	-	KKP11C1911A	0.19	(0.01)	12,000	-
HANA01C1909A	0.08	0.01	1,610	-	IVL19C1911A	0.01	(0.01)	110	-	KKP13C1910A	0.10	(0.02)	68,970	-
HANA01C1909B	0.01	(0.01)	598	-	IVL19C2001A	0.10	-	4,582	-	KKP13C2001A	0.28	(0.01)	83,317	-
HANA01C1911A	0.99	0.03	768	1.00	IVL19C2002A	0.49	(0.02)	9,300	-	KKP16C2002A	0.51	-	33,554	-
HANA01C2001A	0.30	-	23,128	-	IVL19P1910A	0.20	-	64,417	-	KKP19C1911A	0.19	(0.01)	4,848	-
HANA01C2001B	0.18	-	10,676	-	IVL23P1909A	-	-	-	-	KKP24C1909A	0.07	(0.02)	1	-
HANA11C1911A	-	-	-	-	IVL24C1910A	0.03	-	40	-	KKP27P2002A	0.40	-	5,710	-
HANA13C1910A	-	-	-	-	IVL24C2001A	-	-	-	-	KKP41C1910A	-	-	-	-
HANA13C1911A	-	-	-	-	IVL24P1911A	-	-	-	-	KTBO1C1909A	0.14	(0.01)	210,490	-
HANA13C1912A	0.23	(0.01)	29,451	-	IVL27C1912A	0.08	0.01	2,180	-	KTBO1C1909B	-	-	-	-
HANA19C1910A	0.07	(0.01)	14,086	-	IVL27P1912A	0.41	0.02	8,765	-	KTBO1C2003A	0.45	-	133,095	-
HANA27C2001A	0.32	-	10,800	-	IVL28C1910A	-	-	-	-	KTBO1P1909A	0.33	(0.03)	100,774	-
HANA41C2002A	-	-	-	-	IVL28C2001A	-	-	-	-	KTBO1P1909A	-	-	-	-
HMPRO1C2001A	0.42	(0.07)	19,869	-	IVL28C2002A	0.17	0.01	18,852	-	KTBO1P1909A	-	-	-	-
HMPRO1C2001B	0.24	(0.04)	7,232	-	IVL28C2003A	0.40	(0.02)	55,581	-	KTBO1C2004A	0.14	0.01	2,600	-
HMPRO1P2001A	0.44	0.07	49,141	-	IVL28P1912A	-	-	-	-	KTBO1C1912A	0.08	-	57,332	-
HMPRO6C1910A	0.29	(0.11)	7,420	-	IVL28P1912A	-	-	-	-	KTBO1C1912A	-	-	-	-
HMPRO8C1912A	0.30	(0.05)	19,400	-	IVL28P2003A	0.09	-	7,864	-	KTBO1C1912A	-	-	-	-
HMPR11C2003A	0.37	(0.06)	18,821	-	IVL41C1909A	-	-	-	-	KTBO1C1910A	0.26	(0.02)	4,335	-
HMPR13C1912A	0.20	(0.05)	43,978	-	IVL41C1910A	-	-	-	-	KTBO1P1910A	-	-	-	-
HMPR19C1911A	0.14	(0.05)	18,996	-	IVL41C1910B	-	-	-	-	KTBO1C2002A	0.25	-	1,069	-
HMPR24C1912A	0.21	(0.07)	775	-	IVL41C1912A	0.46	0.02	53,118	-	KTBO1C1910A	0.24	0.04	31,762	-
HMPR27P2001A	0.21	0.03	17,088	-	IVL41C2001A	-	-	-	-	KTBO1C1910A	0.54	-	65,433	-
HMPR41C1911A	0.21	(0.04)	25,600	-	IVL41C2002A	0.23	0.02	200	-	KTBO1C1910B	0.23	-	135,163	-
HMPR41P1911A	0.08	-	270	-	IVL41C2002B	-	-	-	-	KTBO1C2001A	0.56	0.01	61,031	-
HSI28C1910A	1.41	(0.03)	123,722	1.00	IVL41P1912A	-	-	-	-	KTBO1C2001B	0.28	-	85,408	-
HSI28C1910B	0.88	(0.01)	214,287	-	IVL41P2001A	0.48	(0.12)	310	-	KTBO1P1910A	0.05	(0.01)	700	-
HSI28C1910C	0.53	(0.02)	4,000	-	IVL41P2002A	-	-	-	-	KTBO1P2001A	0.38	(0.02)	45,897	-
HSI28C1910D	0.31	-	450	-	IVL42C1910A	-	-	-	-	KTBO6C1911A	0.38	(0.01)	21,685	-
HSI28P1910A	0.22	(0.01)	118	-	IVL42C2001A	0.15	0.01	2,000	-	KTBO8C1910A	0.25	(0.01)	12,304	-
HSI28P1910B	0.36	(0.01)	20,320	-	JAS06C1912A	0.15	-	39,910	-	KTBO8C1910A	0.25	(0.01)	12,304	-
HSI28P1910C	0.57	(0.01)	14,012	-	JAS08C1912A	0.24	(0.01)	47,200	-	KTC11C1911A	0.76	-	22,800	-
HSI28P1910D	0.95	(0.03)	6,668	-	JAS13C1912A	0.18	-	105,259	-	KTC13C1909A				

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LH01C1909B	0.02	(0.01)	60,001	-	PRM27C2002A	0.52	(0.05)	24,250	-	PTTE16C1911A	0.15	(0.02)	64,001	-
LH01C2003A	0.22	(0.03)	104,303	-	PRM41C2002A	0.54	(0.02)	29,261	-	PTTE19C2001A	0.15	(0.01)	26,021	-
LH01P1909A	0.13	0.02	214,998	-	PRM42C2001A	0.39	(0.04)	48,844	-	PTTE19C2002A	0.46	(0.05)	55,181	-
LH11C1911A	0.09	(0.02)	11,001	-	PSH13C1910A	0.12	-	5,650	-	PTTE19P1911A	0.10	0.01	300	-
LH13C1910A	0.05	(0.03)	4,000	-	PSH13C2001A	-	-	-	-	PTTE23P1909A	-	-	-	-
LH16C2002A	0.18	(0.02)	20,225	-	PSH19C2001A	0.15	0.01	900	-	PTTE24C1910A	0.34	(0.05)	6,861	-
LH19C1911A	0.04	(0.03)	950	-	PSL06C1911A	0.78	(0.02)	42,969	-	PTTE24P1909A	0.13	0.01	8,410	-
LH19P1910A	-	-	-	-	PSL13C1912A	0.29	-	68,764	-	PTTE27C1912A	0.22	(0.02)	10,418	-
LH24C1912A	0.06	(0.03)	1	-	PSL19C1912A	0.22	(0.01)	16,942	-	PTTE28C2001A	0.17	(0.02)	18,171	-
LH41C1911A	-	-	-	-	PSL27C2002A	0.44	(0.02)	55,191	-	PTTE28C2002A	0.41	(0.05)	55,263	-
LH41P1911A	-	-	-	-	PTG01C1911A	1.16	(0.09)	77,020	1.00	PTTE28P1911A	0.25	0.03	34,908	-
MAJ006C2001A	0.20	-	13,560	-	PTG01C1911B	0.95	(0.11)	41,053	1.00	PTTE41C1910A	-	-	-	-
MAJ013C1909A	-	-	-	-	PTG01C2001A	0.64	(0.07)	154,147	-	PTTE41C1910B	-	-	-	-
MAJ019C1912A	-	-	-	-	PTG01C2001B	0.41	(0.07)	226,746	-	PTTE41C2001A	0.20	(0.03)	5,251	-
MAJ019C2002A	0.42	-	2,491	-	PTG01P1911A	0.06	0.01	34,708	-	PTTE41C2001B	0.13	(0.02)	2,900	-
MAJ024C2002A	-	-	-	-	PTG01P2001A	0.51	0.03	53,557	-	PTTE41C2002A	0.48	(0.03)	36,340	-
MAJ027C1912A	-	-	-	-	PTG06C1910A	1.78	(0.14)	5,510	1.00	PTTE41P1910A	0.20	0.02	5,000	-
MBK13C1912A	0.36	-	17,321	-	PTG06C2001A	0.50	(0.05)	17,390	-	PTTE42C1910A	-	-	-	-
MBK19C1911A	0.23	(0.01)	46,707	-	PTG08C1912A	0.54	(0.08)	18,641	-	PTTE42C2001A	0.26	(0.04)	19,110	-
MBK24C1910A	0.35	(0.03)	2,020	-	PTG11C2003A	0.96	(0.05)	6,624	1.00	PTTG01C1910A	0.06	-	8,701	-
MEGA11C1910A	0.16	(0.01)	30,000	-	PTG11C2005A	0.57	(0.07)	28,205	-	PTTG01C1910B	0.05	-	20	-
MEGA13C1912A	0.19	(0.02)	20,410	-	PTG13C1910A	-	-	-	-	PTTG01C1912A	0.33	(0.04)	128,454	-
MEGA19C1910A	-	-	-	-	PTG13C1911A	-	-	-	-	PTTG01C1912B	0.17	(0.03)	122,494	-
MEGA19C2001A	0.22	(0.02)	11,700	-	PTG13C1912A	0.42	(0.07)	60,853	-	PTTG01C2002A	0.58	(0.06)	123,301	-
MINT01C1911A	0.28	(0.02)	73,217	-	PTG13C1912B	0.24	(0.04)	96,112	-	PTTG01C2002B	0.50	(0.03)	109,380	-
MINT01C1911B	0.17	(0.02)	156,654	-	PTG13P1911A	0.17	0.02	45,889	-	PTTG01P1910A	1.60	0.02	48,482	1.00
MINT01P1911A	0.34	0.01	136,975	-	PTG13P2001A	0.47	(0.53)	78,513	-	PTTG01P1910B	0.48	0.04	189,958	-
MINT06C2001A	0.18	(0.02)	20,684	-	PTG16C1911A	1.26	(0.07)	33,789	1.00	PTTG01P1912A	1.07	0.04	52,585	1.00
MINT11C1910A	0.14	-	26,000	-	PTG19C1910A	0.98	(0.12)	1,200	1.00	PTTG01P1912B	0.68	0.03	127,603	-
MINT13C1911A	0.16	(0.02)	77,141	-	PTG19C1910B	0.30	(0.07)	21,348	-	PTTG01P2002A	0.73	0.03	109,318	-
MINT13C1912A	0.12	(0.01)	33,401	-	PTG19C1911A	0.20	(0.04)	39,502	-	PTTG01P2002B	0.41	-	107,675	-
MINT16C1911A	0.18	-	19,288	-	PTG19P1910A	-	-	-	-	PTTG06C1911A	0.04	(0.01)	7,225	-
MINT16C2001A	0.23	(0.01)	18,792	-	PTG19P2001A	0.39	0.03	41,460	-	PTTG06C2001A	0.49	(0.04)	28,090	-
MINT19C2001A	0.12	(0.01)	8,367	-	PTG24C1909A	-	-	-	-	PTTG08C1911A	-	-	-	-
MINT19P1910A	-	-	-	-	PTG27P1910A	-	-	-	-	PTTG08C2001A	0.23	(0.03)	22,108	-
MINT23C2001A	-	-	-	-	PTG27P2001A	0.21	0.02	49,904	-	PTTG08P1912A	0.53	-	23,200	-
MINT24C2001A	0.24	(0.01)	276	-	PTG28C1910A	-	-	-	-	PTTG11C1909A	-	-	-	-
MINT27C1912A	0.19	(0.02)	5,870	-	PTG28C1910B	-	-	-	-	PTTG11C2004A	0.25	(0.02)	51,000	-
MINT27P1912A	0.18	-	7,332	-	PTG28C1911A	-	-	-	-	PTTG13C1911A	0.08	-	23,496	-
MINT28C2002A	0.19	(0.01)	83,187	-	PTG28C1912A	0.29	(0.05)	49,885	-	PTTG13C1912A	0.15	(0.03)	72,352	-
MINT41C1910A	-	-	-	-	PTG41C1910A	-	-	-	-	PTTG13C2001A	0.46	(0.04)	354,420	-
MINT41C2001A	-	-	-	-	PTG41C1912A	0.49	(0.02)	84,800	-	PTTG13P1909A	-	-	-	-
MINT41P1912A	-	-	-	-	PTG41P1911A	-	-	-	-	PTTG13P1910A	0.34	(0.04)	182,025	-
MINT42C2002A	0.24	(0.76)	140	-	PTG41P1912A	0.44	0.05	17,614	-	PTTG13P2001A	0.27	0.02	208,404	-
MTC01C1912A	0.45	(0.02)	68,246	-	PTG42C1910A	-	-	-	-	PTTG16C2001A	0.08	(0.01)	19,370	-
MTC01C1912B	0.28	-	54,884	-	PTG42C2001A	0.32	(0.04)	15,127	-	PTTG19C1910A	-	-	-	-
MTC01P1912A	0.51	-	81,718	-	PTT01C1910A	0.16	(0.01)	50,442	-	PTTG19C2001A	0.19	(0.03)	27,903	-
MTC06C1912A	0.25	(0.02)	13,832	-	PTT01C1910B	0.09	-	16,034	-	PTTG19C2002A	0.41	(0.05)	43,008	-
MTC07C1909A	-	-	-	-	PTT01C2001A	0.34	0.01	86,695	-	PTTG19P1910A	0.31	-	14,296	-
MTC08C1911A	0.33	-	30,100	-	PTT01C2001B	0.17	(0.01)	271,893	-	PTTG24C1911A	-	-	-	-
MTC11C2002A	0.68	(0.01)	17,100	-	PTT01P1910A	0.62	(0.02)	109,752	-	PTTG27C2001A	0.19	-	12,588	-
MTC13C1910A	0.31	(0.01)	170,796	-	PTT01P1910B	0.18	(0.01)	196,480	-	PTTG28C1911A	-	-	-	-
MTC13C1912A	0.27	(0.01)	156,814	-	PTT01P2001A	0.66	-	45,462	-	PTTG28C2001A	0.16	(0.01)	9,818	-
MTC16C1911A	0.50	(0.01)	83,174	-	PTT01P2001B	0.43	(0.01)	146,036	-	PTTG28C2002A	0.33	(0.04)	79,740	-
MTC19C1911A	0.13	(0.01)	30,939	-	PTT06C1912A	0.09	0.01	6,000	-	PTTG41C1911A	-	-	-	-
MTC19C2002A	0.44	(0.01)	26,381	-	PTT08C1912A	0.32	(0.01)	7,961	-	PTTG41C1911B	-	-	-	-
MTC19P1911A	0.15	-	20,414	-	PTT08P1911A	0.24	(0.01)	16,170	-	PTTG41C2001A	0.36	0.03	33,720	-
MTC23C1911A	-	-	-	-	PTT11C1909A	0.01	(0.02)	3,000	-	PTTG41P1912A	-	-	-	-
MTC24C1910A	0.20	(0.01)	1	-	PTT11C2004A	0.24	0.01	22,035	-	PTTG41P2001A	0.48	(0.12)	19,980	-
MTC24C1912A	0.86	(0.11)	2,065	-	PTT13C1909A	-	-	-	-	PTTG42C1910A	-	-	-	-
MTC27C1911A	0.45	(0.01)	24,938	-	PTT13C1911A	0.14	-	22,403	-	PTTG42C2003A	0.38	(0.03)	6,900	-
MTC27P1911A	0.11	-	37,602	-	PTT13C2001A	0.30	(0.01)	155,127	-	QH01C2001A	0.28	(0.01)	54,926	-
MTC28C1910A	0.14	(0.01)	3,549	-	PTT13P1909A	-	-	-	-	QH01C2001B	0.16	(0.01)	125,100	-
MTC28C1912A	0.18	(0.01)	7,380	-	PTT13P1911A	0.25	(0.02)	97,925	-	QH01P2001A	0.48	0.02	50,798	-
MTC28C2002A	0.42	(0.01)	48,168	-	PTT16C1912A	0.30	-	26,196	-	QH11C1910A	0.10	0.01	10,681	-
MTC41C1911A	0.24	(0.07)	17,760	-	PTT16C2001A	0.10	-	16,427	-	QH13C1909A	0.05	-	1	-
MTC41P1911A	-	-	-	-	PTT19C1911A	0.07	0.02	4,010	-	QH19C1909A	-	-	-	-
MTC42C1910A	-	-	-	-	PTT19C2002A	0.31	(0.01)	3,616	-	QH19C2002A	0.18	(0.01)	1,576	-
ORI08C2001A	0.27	0.01	16,750	-	PTT19P1911A	-	-	-	-	RATC13C1911A	0.74	0.02	18,655	-
ORI11C1909A	0.18	-	12,000	-	PTT23C1911A	0.09	-	3,000	-	RATC13C2001A	0.24	-	530,587	-
ORI13C1912A	0.34	0.01	66,818	-	PTT24C1911A	-	-	-	-	RATC16C2001A	0.64	(0.01)	254,786	-
ORI19C1910A	0.17	-	19,088	-	PTT24P2001A	-	-	-	-	RATC19C1910A	0.27	(0.02)	59,718	-
ORI19C2001A	-	-	-	-	PTT28C1911A	-	-	-	-	RATC19C2002A	0.29	(0.01)	151,261	-
ORI23C1911A	0.45	0.02	3,400	-	PTT28C1912A	0.10	-	2,104	-	RATC24C2001A	0.58	-	32,043	-
ORI24C2001A	0.20	0.01	11,950	-	PTT28C2002A	0.28	(0.03)	16,964	-	RATC27C2004A	0.36	-	29,554	-
ORI41C1911A	0.32	-	1,700	-	PTT28P1912A	0.24	-	6,039	-	RATC41C1911A	0.40	0.01	1,550	-
OSP01C1912A	0.34	(0.03)	106,262	-	PTT41C1910A	-	-	-	-	RATC41C2002A	0.29	-	55,200	-
OSP01C1912B	0.18	(0.03)	128,657	-	PTT41C1910B	0.01	(0.01)	4	-	ROBI01C1909A	0.33	-	21,180	-
OSP01P1912A	0.29	0.03	101,518	-	PTT41C1912A	-	-	-	-	ROBI01C1909B	-	-	-	-
OSP06C1912A	0.21	(0.02)	12,465	-	PTT41C2001A	-	-	-	-	ROBI01C1912A	0.75	(0.02)	3,199	-
OSP08C2001A	0.25	(0.02)	17,096	-	PTT41P1911A	0.20	(0.02)	500	-	ROBI01C1912B	0.52	-	5,006	-
OSP11C2005A	0.28	(0.03)	21,320	-	PTT41P2001A	-	-	-	-	ROBI06C1910A	0.32	(0.01)	3,000	-
OSP13C1912A	0.28	(0.03)	38,394	-	PTT42C1911A	-	-	-	-	ROBI08C2001A	-	-	-	-
OSP16C2001A	0.26	(0.02)	26,636	-	PTT42C2003A	0.35	0.02	1,720	-	ROBI11C2003A	0.56	(0.01)	5,000	-
OSP19C1912A	0.21	(0.02)	14,450	-	PTTE01C1910A	0.18	(0.03)	211,477	-	ROBI13C1912A	0.52	(0.02)	54,388	-
OSP24C1912A	0.26	(0.03)	300	-	PTTE01C1910B	0.10	(0.03)	245,318	-	ROBI19C1910A	0.24	-	3,910	-
OSP28C2001A	0.24	(0.02)												

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RS41C1912A	0.28	(0.04)	357	-	SAWA01P1911A	0.34	(0.03)	68,644	-	SPAL19C1910A	-	-	-	-
RS42C1911A	0.28	(0.02)	1,250	-	SAWA08C2001A	0.46	0.01	28,150	-	SPAL19C2002A	0.16	(0.01)	54,792	-
S10001C1911A	0.50	(0.04)	154	-	SAWA11C2003A	0.69	-	57,005	-	SPAL24C1912A	-	-	-	-
S5001C1909F	0.34	(0.16)	4,023,984	-	SAWA13C1911A	0.37	0.02	83,270	-	SPAL41C1912A	-	-	-	-
S5001C1909G	0.13	(0.10)	2,020,475	-	SAWA16C2001A	0.57	0.02	94,828	-	SPAL41C2001A	0.15	-	300	-
S5001C1909H	0.04	(0.01)	11,739	-	SAWA19C1912A	0.21	0.01	14,736	-	SPRC01C1911A	0.39	0.05	256,906	-
S5001C1909I	0.02	-	60,285	-	SAWA19C2002A	0.45	0.02	15,032	-	SPRC01C1911B	0.08	0.03	53,046	-
S5001C1909J	0.24	(0.08)	1,139,838	-	SAWA23C1911A	0.43	0.01	24,000	-	SPRC11C1909A	-	-	-	-
S5001C1910A	0.35	(0.07)	511,075	-	SAWA24C1910A	-	-	-	-	SPRC11C2005A	0.17	0.02	57,271	-
S5001C1912F	1.22	(0.14)	6,258,386	1.00	SAWA24C1912A	0.36	(0.06)	1,100	-	SPRC13C1910A	0.01	-	438	-
S5001C2001A	1.05	(0.10)	219,563	1.00	SAWA27C1910A	0.51	0.03	14,666	-	SPRC13C1911A	0.19	0.03	204,266	-
S5001P1909F	0.01	-	97,371	-	SAWA28C1910A	0.17	0.01	21,685	-	SPRC13C1912A	0.11	0.02	55,061	-
S5001P1909G	0.10	0.02	1,139,795	-	SAWA28C2001A	0.37	0.01	49,662	-	SPRC13C2001A	0.52	0.05	458,837	-
S5001P1909H	0.88	0.20	1,266,541	-	SAWA28C2002A	0.59	0.02	29,174	-	SPRC19C1910A	-	-	-	-
S5001P1909I	1.76	0.26	455,337	1.00	SAWA41C1911A	0.48	-	19,200	-	SPRC19C2001A	0.27	0.05	46,410	-
S5001P1909J	1.06	0.18	1,502,552	-	SAWA41P1911A	-	-	-	-	SPRC19C2002A	0.84	0.09	15,818	-
S5001P1910A	1.06	0.12	1,139,383	-	SAWA41P1912A	0.50	-	12,140	-	SPRC24C1909A	0.10	0.04	3,651	-
S5001P1912F	0.66	0.08	2,972,916	-	SAWA42C1910A	0.23	0.02	1	-	SPRC41C1911A	0.03	(0.05)	660	-
S5001P2001A	0.85	0.08	341,085	-	SCB01C1911A	0.36	-	212,298	-	SPRC41C1912A	0.32	0.07	61,070	-
S5006C1909A	0.05	(0.03)	15,778	-	SCB01C1911B	0.18	-	174,874	-	SPRC41C2001A	0.10	0.06	2,300	-
S5006C1909B	0.20	(0.13)	452,478	-	SCB01C2002A	0.37	0.02	206,123	-	SPRC41C2002A	0.55	0.06	128,960	-
S5006C1909C	0.68	(0.19)	395,001	-	SCB01C2002B	0.19	0.02	126,613	-	STA01C1912A	0.22	0.02	126,758	-
S5006C1909D	0.03	-	28,413	-	SCB01P1911A	0.70	(0.03)	116,783	-	STA01C1912B	0.11	0.01	99,821	-
S5006C1912A	0.64	(0.12)	227,901	-	SCB01P1911B	0.41	(0.01)	171,073	-	STA01P1912A	0.27	(0.03)	112,475	-
S5006C1912B	0.71	(0.11)	177,651	-	SCB01P2002A	1.23	(0.03)	71,795	1.00	STA06C1911A	0.14	-	12,076	-
S5006P1909A	0.03	(0.01)	29,199	-	SCB01P2002B	0.94	(0.02)	79,117	-	STA11C1909A	-	-	-	-
S5006P1909B	0.02	-	3,021	-	SCB06C1912A	0.08	0.01	28,569	-	STA11C2005A	0.28	-	19,700	-
S5006P1909C	0.11	0.04	53,219	-	SCB08C2002A	0.39	0.04	31,522	-	STA13C1912A	0.08	0.01	19	-
S5006P1909D	0.69	0.19	376,165	-	SCB11C1910A	-	-	-	-	STA13C2001A	0.29	0.03	134,773	-
S5006P1912A	0.46	0.06	69,416	-	SCB11C2005A	0.27	0.02	73,140	-	STA19C1909A	-	-	-	-
S5006P1912B	0.58	0.07	100,270	-	SCB11P1910A	0.12	(0.02)	24,460	-	STA19C2001A	0.10	-	24,050	-
S5008C1909A	0.01	-	14,200	-	SCB11P2005A	0.92	(0.03)	48,202	-	STA19C2002A	0.22	0.01	56,226	-
S5008C1909B	-	-	-	-	SCB13C1911A	0.20	0.02	156,125	-	STA23C1911A	0.12	0.01	5,927	-
S5008P1909A	0.02	0.01	6,032	-	SCB13C2001A	0.37	0.01	634,916	-	STA24C1909A	-	-	-	-
S5008P1909B	0.13	0.05	92,261	-	SCB16C2001A	0.16	0.01	26,873	-	STA24C1911A	-	-	-	-
S5013C1909A	0.20	(0.10)	9,661,409	-	SCB19C1910A	-	-	-	-	STA27C1911A	-	-	-	-
S5013C1909B	0.09	(0.08)	3,466,116	-	SCB19C2002A	0.34	-	71,012	-	STA41C1910A	-	-	-	-
S5013C1909C	0.03	(0.03)	500,128	-	SCB19P1911A	0.08	-	600	-	STA41C1912A	-	-	-	-
S5013C1909D	0.01	-	247,125	-	SCB24C1910A	0.04	0.01	46,200	-	STA42C1911A	-	-	-	-
S5013C1909E	0.19	(0.08)	10,128,471	-	SCB24C2001A	0.35	0.04	4,239	-	STA42C2001A	0.29	-	8,945	-
S5013C1909F	0.10	(0.07)	4,368,728	-	SCB24P1909A	0.08	(0.03)	7,666	-	STEC01C1911A	0.03	0.01	63,814	-
S5013C1912A	0.95	(0.12)	5,555,306	1.00	SCB28C1911A	0.13	0.03	26,764	-	STEC01C1911B	0.02	-	701	-
S5013C1912B	1.07	(0.12)	4,100,144	1.00	SCB28C2001A	0.07	0.02	500	-	STEC01P1911A	0.56	(0.03)	41,678	-
S5013P1909A	0.01	-	718,379	-	SCB28C2003A	0.35	0.03	59,589	-	STEC06C1912A	-	-	-	-
S5013P1909B	0.07	0.02	2,892,350	-	SCB28P1912A	0.25	(0.03)	18,659	-	STEC06C2002A	0.54	(0.46)	10,200	-
S5013P1909C	0.21	0.06	3,011,911	-	SCB41C1910A	0.03	-	600	-	STEC08C2001A	0.05	0.01	13,904	-
S5013P1909D	0.56	0.14	47,996	-	SCB41C2001A	0.36	0.04	26,660	-	STEC11C2001A	0.14	-	47,987	-
S5013P1909E	1.07	0.17	5,298	-	SCB41P1912A	0.38	(0.02)	30,902	-	STEC13C1909A	-	-	-	-
S5013P1909F	1.05	0.11	7,920	-	SCB42C1911A	0.08	0.02	543	-	STEC13C2001A	0.42	(0.01)	339,271	-
S5013P1912A	0.50	0.06	4,924,545	-	SCB42C2003A	0.39	0.04	23,234	-	STEC16C1911A	0.02	-	84,000	-
S5013P1912B	0.47	0.05	5,143,032	-	SCC01C2001A	0.42	0.01	125,173	-	STEC16C1911B	0.05	-	770	-
S5016C1912A	0.80	(0.13)	526,763	-	SCC01C2001B	0.20	0.01	123,617	-	STEC19C1910A	0.01	-	50	-
S5016P1912A	0.65	0.08	505,018	-	SCC01P2001A	0.46	(0.02)	116,761	-	STEC19C2002A	0.27	(0.01)	75,729	-
S5024C1909A	0.04	(0.04)	91,083	-	SCC07C1909A	0.03	0.01	600	-	STEC19P1911A	0.47	-	69,081	-
S5024C1909B	0.40	(0.10)	50,948	-	SCC11C2003A	0.19	-	40,383	-	STEC24C1911A	-	-	-	-
S5024C1909C	0.01	-	27,120	-	SCC13C1911A	0.11	0.01	68,540	-	STEC27C2002A	0.03	(0.01)	10,200	-
S5024C1912A	1.55	(0.19)	27,587	1.00	SCC13C2001A	0.36	0.01	163,159	-	STEC27C2002B	0.48	0.02	13,216	-
S5024C1912B	0.88	(0.12)	40,058	-	SCC13P1911A	0.26	(0.01)	51,144	-	STEC27P1910A	0.19	(0.02)	18,800	-
S5024C1912C	0.52	(0.48)	10,721	-	SCC13P2001A	0.21	(0.02)	60,469	-	STEC28C2002A	0.32	-	37,798	-
S5024P1909A	0.31	0.08	174,301	-	SCC16C2002A	0.19	0.01	52,629	-	STEC41C1910A	-	-	-	-
S5024P1909B	0.67	0.11	50,469	-	SCC19C1911A	-	-	-	-	STEC41C1912A	-	-	-	-
S5024P1909C	1.36	0.23	28,002	1.00	SCC19C2002A	0.41	0.03	434	-	STEC41C2001A	0.13	-	8,394	-
S5024P1912A	0.40	0.06	38,740	-	SCC19P1911A	0.07	(0.05)	530	-	STEC41P1911A	-	-	-	-
S5024P1912B	0.78	0.08	62,588	-	SCC24C1910A	-	-	-	-	STEC41P2001A	0.29	(0.04)	530	-
S5028C1909A	0.02	-	9,020	-	SCC24C1912A	0.31	0.02	1,220	-	STEC42C1910A	-	-	-	-
S5028C1910A	0.81	(0.14)	495,703	-	SCC24P1909A	-	-	-	-	STEC42C2001A	0.28	(0.01)	49,290	-
S5028C1912A	0.09	-	17,770	-	SCC24P1910A	0.26	(0.02)	51,951	-	SUPE19C1910A	0.03	0.01	6,001	-
S5028C1912B	0.19	(0.02)	383,442	-	SCC27C2001A	0.20	0.02	7,380	-	SUPE19C2002A	0.20	0.01	28,913	-
S5028C1912C	0.40	(0.04)	285,036	-	SCC28C1910A	-	-	-	-	TASC01C1909A	0.90	-	6,556	-
S5028P1909A	0.35	0.01	1,743	-	SCC28C2001A	0.17	0.02	74,568	-	TASC01C1909B	0.50	(0.01)	8,900	-
S5028P1910A	0.23	0.03	201,784	-	SCC28C2002A	0.25	0.01	26,950	-	TASC01C1912A	0.52	-	15,756	-
S5028P1912A	0.45	0.05	333,568	-	SCCA1C2001A	0.19	0.02	11,420	-	TASC01C1912B	0.31	(0.01)	17,660	-
S5028P1912B	0.15	0.01	376,674	-	SCCA1P2001A	-	-	-	-	TASC01P1909A	-	-	-	-
S5041C1909A	1.06	(0.20)	4,237	1.00	SCCA2C1911A	-	-	-	-	TASC01P1912A	0.41	-	27,848	-
S5041C1909B	0.58	(0.19)	29,513	-	SCCA2C2002A	0.37	0.08	550	-	TASC08C1910A	0.53	0.01	4,800	-
S5041C1909C	-	-	-	-	SGP11C1911A	-	-	-	-	TASC11C2002A	0.87	(0.03)	4,000	-
S5041C1909D	0.10	-	5,000	-	SGP13C1912A	0.05	(0.01)	2,920	-	TASC13C1911A	0.50	-	43,792	-
S5041C1909F	0.24	(0.10)	3,438,194	-	SGP13C2001A	0.37	(0.01)	472,129	-	TASC16C2001A	0.43	-	25,602	-
S5041C1909G	0.10	(0.06)	354,760	-	SGP19C1910A	0.01	-	1,040	-	TASC19C1910A	0.21	0.02	700	-
S5041C1912A	0.25	(0.06)	56,657	-	SGP19C2001A	0.08	(0.01)	19,176	-	TASC19P1911A	0.08	(0.01)	1,727	-
S5041C1912B	1.23	0.03	6,116	1.00	SGP19C2002A	0.39	(0.02)	100,942	-	TASC24C2001A	0.41	0.02	300	-
S5041C1912C	0.80	(0.12)	39,597	-	SGP24C1910A	-	-	-	-	TASC28C1910A	-	-	-	-
S5041C1912D	0.61	(0.11)	3,816,278	-	SGP41C2001A	-	-	-	-	TASC28C1912A	0.26	(0.01)	11,880	-
S5041P1909A	0.13	0.04	2,438	-	SGP42C1911A	0.15	0.01	650	-					

Main Board Quotation

Issue Date :

Thursday September 12, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAI08C1911A	0.03	0.01	272	-	TOP23C2001A	-	-	-	-	WORK19C1910A	0.21	(0.03)	32,420	-
THAI11C2003A	0.10	(0.01)	4,029	-	TOP24C1911A	-	-	-	-	WORK23C1909A	0.09	(0.07)	55	-
THAI13C1910A	-	-	-	-	TOP24P1910A	0.24	(0.04)	1,430	-	WORK24C1910A	0.13	(0.02)	3,066	-
THAI13C1911A	0.33	-	1,100	-	TOP28C1911A	0.40	0.03	75,810	-	WORK28C1911A	0.47	(0.02)	26,725	-
THAI13C1912A	-	-	-	-	TOP41C1909A	-	-	-	-	Preferred/Foreign	-	-	-	-
THAI19C1910A	-	-	-	-	TOP41C1910A	0.08	(0.02)	19	-	BH-Q	-	-	-	-
THAI19C1910B	0.06	-	1,000	-	TOP41C1910B	0.10	(0.01)	19	-	CSC-Q	-	-	-	-
THAI19C1911A	-	-	-	-	TOP41C2002A	0.65	0.03	16,300	-	JUTHA-Q	-	-	-	-
THAI19C2002A	0.48	0.01	28,273	-	TOP41C2002B	-	-	-	-	KTB-Q	-	-	-	-
THAI24C1911A	0.11	(0.02)	61	-	TOP41P1910A	-	-	-	-	SCB-Q	-	-	-	-
THAI42C1911A	-	-	-	-	TOP42C1911A	0.64	0.14	7,000	-	TCAP-Q	-	-	-	-
THAN01C2001A	0.45	0.02	18,452	-	TP119C1911A	-	-	-	-	TISCO-Q	-	-	-	-
THAN01C2001B	0.24	-	28,508	-	TP119C2002A	0.17	-	4,521	-	U-Q	-	-	-	-
THAN06C1910A	0.32	-	6,640	-	TP1P11C1909A	-	-	-	-	Warrant	-	-	-	-
THAN13C1909A	-	-	-	-	TRUE01C1911A	0.28	(0.01)	94,078	-	7UP-W4	0.22	0.02	820,711	-
THAN13C1912A	0.21	-	28,767	-	TRUE01C1911B	0.19	(0.01)	129,190	-	AJA-W1	0.01	(0.01)	2,948	-
THAN19C2001A	0.19	0.01	5,578	-	TRUE01C2002A	0.18	-	112,764	-	AKR-W1	0.17	-	181,828	-
THAN24C2001A	0.36	0.01	572	-	TRUE01C2002B	0.09	-	5,075	-	ALT-W1	0.50	(0.03)	6,813	-
THAN27C1910A	0.38	0.02	3,726	-	TRUE01P1911A	0.20	(0.01)	5,136	-	APEX-W1	0.03	-	227	-
THAN41C2002A	-	-	-	-	TRUE01P1911B	0.08	0.04	150	-	APURE-W2	0.11	(0.01)	2,228	-
TISCO1C2001A	1.39	-	16,623	1.00	TRUE01P2002A	0.87	0.02	27,967	-	AS-W1	0.07	-	434	-
TISCO1C2001B	0.98	(0.01)	16,275	1.00	TRUE01P2002B	0.64	0.01	53,023	-	AYUD-W1	3.62	(0.08)	3,877	3.00
TISCO1P2001A	0.33	(0.01)	63,845	-	TRUE06C1911A	0.21	(0.01)	11,825	-	B-W3	-	-	-	-
TISCO8C2001A	-	-	-	-	TRUE08C2001A	0.11	(0.01)	2,260	-	B-W4	0.08	-	8,587	-
TISCO8C2002A	0.35	-	15,200	-	TRUE08P1911A	0.16	-	500	-	B52-W2	0.01	-	100,305	-
TISCO11C1910A	-	-	-	-	TRUE11C1911A	0.50	-	3,000	-	BKD-W2	0.14	-	4,831	-
TISCO11C2005A	0.43	-	22,410	-	TRUE11C2005A	0.20	-	26,090	-	BTS-W4	2.68	(0.28)	699,992	2.00
TISCO13C1912A	-	-	-	-	TRUE11P2002A	0.29	-	11,323	-	CGD-W4	0.12	(0.01)	66,640	-
TISCO13C2001A	0.30	0.01	51,522	-	TRUE13C1911A	-	-	-	-	CGH-W3	0.03	-	17,780	-
TISCO16C2001A	1.14	-	17,536	1.00	TRUE13C1912A	0.23	(0.01)	23,691	-	CI-W1	0.09	(0.01)	3,579	-
TISCO19C1912A	0.29	-	37,959	-	TRUE13C1912B	0.11	-	18,347	-	CKP-W1	1.01	(0.17)	1,388,948	1.00
TISCO41C1911A	-	-	-	-	TRUE13P1909A	-	-	-	-	CRANE-W1	1.11	(0.03)	47,470	1.00
TISCO41C2001A	0.37	0.01	18,540	-	TRUE13P2001A	0.28	(0.72)	30,256	-	DCC-W1	0.73	(0.03)	32,683	-
TISCO42C1910A	0.94	0.06	850	-	TRUE16C1912A	0.27	-	19,786	-	EARTH-W4	-	-	-	-
TKN01C1909A	0.10	-	15,406	-	TRUE16C2002A	0.15	-	19,826	-	ECL-W3	0.50	(0.03)	114,183	-
TKN01C1909B	0.01	(0.01)	4,000	-	TRUE19C1910A	0.08	(0.01)	20,929	-	EIC-W2	-	-	-	-
TKN01C1911A	0.66	(0.07)	12,485	-	TRUE19P1911A	-	-	-	-	EIC-W3	-	-	-	-
TKN06C1909A	-	-	-	-	TRUE28C1911A	0.14	(0.02)	6,508	-	EMC-W6	0.13	(0.01)	23,932	-
TKN13C1909A	-	-	-	-	TRUE28C1911B	0.55	(0.09)	3	-	EPCO-W3	0.83	(0.06)	95,717	-
TKN13C1911A	-	-	-	-	TRUE28C2001A	0.13	(0.01)	14,136	-	GJS-W3	-	-	-	-
TKN13C1912A	0.19	(0.02)	43,002	-	TRUE41C1909A	0.42	(0.05)	1	-	GSTEEL-W1	-	-	-	-
TKN16C2001A	0.55	(0.05)	25,088	-	TRUE41C1910A	-	-	-	-	GSTEEL-W2	-	-	-	-
TKN19C1910A	0.16	(0.02)	10,595	-	TRUE41C1910B	-	-	-	-	IHL-W1	0.80	(0.11)	24,901	-
TKN19C2001A	0.19	(0.01)	4,654	-	TRUE41C1911A	-	-	-	-	J-W1	0.48	(0.01)	4,571	-
TKN23C1911A	-	-	-	-	TRUE41C2001A	-	-	-	-	JAS-W3	3.44	0.02	29,086	3.00
TKN28C1910A	0.06	(0.01)	1,200	-	TRUE41C2001B	0.10	-	2	-	JCK-W5	0.20	(0.03)	129	-
TKN28C1911A	-	-	-	-	TRUE41P1910A	-	-	-	-	JMT-W2	3.12	(0.06)	239	3.00
TKN28C2002A	0.21	0.01	579	-	TRUE41P1911A	-	-	-	-	MACO-W2	0.28	(0.02)	1,473,383	-
TKN41C1912A	-	-	-	-	TRUE41P2001A	-	-	-	-	MILL-W3	-	-	-	-
TKN41C2001A	0.27	(0.03)	53,202	-	TRUE42C1910A	0.10	(0.01)	23,000	-	MILL-W4	0.06	(0.01)	3,914	-
TKN42C1911A	-	-	-	-	TU01C2001A	0.30	0.01	88,408	-	MILL-W5	0.04	-	6,841	-
TMB01C1909A	0.02	-	100	-	TU01C2001B	0.16	-	74,846	-	MINT-W6	4.16	(0.18)	41,516	4.00
TMB19C1910A	0.02	-	40	-	TU01P2001A	0.58	(0.01)	36,679	-	MONO-W1	0.01	-	1,671	-
TMB19C2001A	0.19	0.04	92,337	-	TU11C2003A	0.17	0.01	11,700	-	NEP-W3	-	-	-	-
TMB24C1911A	0.07	0.01	4,261	-	TU13C1909A	-	-	-	-	NFC-W1	1.77	0.03	19,360	1.00
TMB28C1911A	-	-	-	-	TU13C1912A	0.10	-	35,328	-	NOK-W1	0.13	-	1,586	-
TMB28C1912A	0.08	0.02	3,583	-	TU19C2001A	-	-	-	-	NPPG-W4	0.50	-	21,650	-
TMB28C2002A	0.43	0.06	55,838	-	TU19C2002A	0.24	-	22,596	-	NUSA-W3	0.17	(0.01)	1,370	-
TMB41C1911A	0.03	0.01	415	-	TU24C1909A	0.12	-	6,460	-	NVD-W1	0.14	0.01	2,877	-
TMB41C1912A	0.08	0.03	235	-	TU27C2004A	0.30	0.01	24,172	-	ORI-W1	0.93	(0.03)	277,532	-
TMB41C2002A	0.41	0.07	7,012	-	TU41C1911A	-	-	-	-	PACE-W2	-	-	-	-
TMB41P1911A	0.40	(0.10)	6,592	-	TU41C2001A	-	-	-	-	PACE-W3	0.09	0.01	16,914	-
TMB41P2002A	0.21	(0.04)	8,173	-	TU41P1911A	-	-	-	-	PDI-W1	0.90	(0.05)	11,648	-
TOA01C2001A	0.35	(0.01)	65,064	-	TU41P2001A	-	-	-	-	PDJ-W3	0.50	-	89	-
TOA01C2001B	0.23	(0.01)	103,546	-	TVO11C2001A	0.13	0.01	6,796	-	PDJ-W4	0.55	0.03	37	-
TOA01P2001A	0.38	-	13,371	-	TVO19C1911A	0.11	-	11,234	-	PERM-W1	0.29	-	75,165	-
TOA11C1911A	0.20	(0.01)	7,229	-	VGI23C1911A	1.75	(0.03)	2,020	1.00	RICHY-W2	0.05	(0.01)	9,763	-
TOA13C1909A	0.27	-	16,874	-	WHA01C1911A	0.65	(0.05)	122,058	-	RS-W3	4.84	(0.14)	4,048	4.00
TOA16C2001A	0.28	(0.02)	38,021	-	WHA01C1911B	0.40	(0.03)	62,245	-	SAMART-W2	0.73	(0.04)	59,950	-
TOA19C1910A	-	-	-	-	WHA01P1911A	0.34	0.01	95,013	-	SAWAD-W1	8.10	0.20	1,362	8.00
TOA19C1911A	0.14	-	29,292	-	WHA08C2002A	0.38	(0.03)	27,535	-	SDC-W1	0.13	(0.01)	3,482	-
TOA24C1911A	0.30	(0.02)	2,400	-	WHA11C2001A	0.43	(0.03)	29,367	-	SINGER-W1	2.52	(0.08)	679	2.00
TOP01C1910A	0.39	-	123,204	-	WHA13C1909A	-	-	-	-	SINGER-W2	1.96	(0.10)	7,007	2.00
TOP01C1910B	0.36	0.01	145,867	-	WHA13C1912A	0.37	(0.04)	271,160	-	SMT-W2	0.31	0.02	18,737	-
TOP01C1912A	0.79	0.01	118,787	-	WHA13C2001A	0.12	(0.02)	2,058	-	SST-W2	1.46	(0.18)	40,490	1.00
TOP01C1912B	0.48	0.02	99,980	-	WHA16C1911A	0.45	(0.05)	62,544	-	SUPER-W4	0.05	0.01	108,241	-
TOP01P1910A	0.23	(0.02)	145,391	-	WHA19C1911A	0.16	(0.02)	11,096	-	SVI-W3	1.51	0.23	465,590	1.00
TOP01P1912A	0.29	(0.01)	87,538	-	WHA19C2002A	0.28	(0.03)	29,142	-	TCC-W3	0.08	-	1	-
TOP06C1911A	0.72	-	19,560	-	WHA24C1911A	0.15	(0.02)	6,194	-	TCC-W4	0.08	0.01	1,211	-
TOP06P1912A	0.30	(0.02)	41,765	-	WHA24P2003A	0.61	(0.39)	3,900	-	TCC-W5	0.18	-	3,210	-
TOP08C1911A	0.29	(0.01)	60,000	-	WHA27C1910A	0.27	(0.03)	36,300	-	TCJ-W2	0.38	(0.01)	794	-
TOP08P1912A	0.08	(0.02)	5,200	-	WHA28C1910A	0.28	(0.09)	23,839	-	TCMC-W2	0.02	(0.02)	239,197	-
TOP11C2002A	0.36	-	57,360	-	WHA28C1912A	0.23	(0.02)	12,756	-	TFG-W2	0.77	(0.03)	44,859	-
TOP11P2002A	0.61	(0.02)	40,351	-	WHA28C2003A	0.10	(0.01)	8,122	-	TGPRO-W3	-	-	-	-
TOP13C1909A	-	-	-	-	WHA41C1911A	-	-	-	-	TH-W2	0.15	(0.01)	11,639	-
TOP13C1910A	0.31	(0.02)	92,268	-	WHA41P1912A	-	-	-	-	THE-W2	0.01	-	12,631	-
TOP13C1911A	0.64	0.06	19,332	-	WHA42C1911A	0.31	(0.06)	5,700	-	TNITY-W1	0.39	-	1,617	-
TOP13P1909A	-	-	-	-	WHAU13C1910A	-	-	-	-	TRITN-W3	0.17	(0.01)	16,996	-
TOP13P1911A	0.05	-	20	-	WHAU13C1912A	0.37	0.01	47,764	-	TTCL-W1	0.81	(0.02)	7,326	-
TOP13P2001A	0.49	(0.51)	85,959	-	WHAU27C2002A	0.49	0.01	5,038	-	TWZ-W5	0.01	-	100	-
TOP16C1911A	0.20	0.01	112,934	-	WORK01C1910A	0.32	(0.03)	49,977	-	U-W1	-	-	-	-
TOP16C2001A	0.56	0.01	64,592	-	WORK01C1910B	0.02	-	345	-	U-W4	0.01	-	112	-
TOP19C1910A	0.20	0.02	19,303	-										

